

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|-------------|---------------|---|---|---|---|---|---|---------|-------------|---------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. L.M. | |
| | E.B6.81.5 | ELECTRICAL EQUIPMENT IN FRONT FUSELAGE, ASSEMBLY | | | | | | — | — | — | |
| 9/4612 | † | Spares for:— Accelerometer | | | | | | 1 | — | A | |
| | E.B6.81.10689 | AMPLIFIER, MK. 22D, ALTIMETER, INSTALLATION (MOD. 3923) | | | | | | — | — | — | |
| 6A/5465 | † | Spares for:— Amplifier, Mk. 1A, transistorised | | | | | | 1 | — | A | |
| 28D/9133011 | A25/2C | Attaching parts for Ref. 6A/5465:— | | | | | | 4 | — | C | |
| 28W/9419402 | SP.13/C | Bolt, 2 BA | | | | | | 4 | — | C | |
| | | Washer | | | | | | 4 | — | C | |
| 5CZ/1947 | † | BLOCK, terminal, dummy, type 3 | | | | | | 1 | — | C | |
| 28D/9133012 | A25/3C | Attaching parts for Ref. 5CZ.1947:— | | | | | | 2 | — | C | |
| 28M/1278190 | AGS.2001/C/1 | Bolt, 2 BA | | | | | | 2 | — | C | |
| | | Nut, 2 BA | | | | | | 2 | — | C | |
| 8474 | E.A3.81.1787 | Bolt, special, electrical regulator mounting (Made from A25/13E) | | | | | | 4 | S.1 or S.82 | C | |
| | E.B6.81.2929 | BOX DISTRIBUTION D.C. AND 400 CYCLES, GROUP (MOD. 2682) (PRE-MOD. 2393-2197) | | | | | | 1 | — | — | |
| 8466 | E.B7.81.1079 | Spares for:— BOX, distribution | | | | | | 1 | — | C | |
| 32525 | E.B6.81.1081 | Cover, assembly | | | | | | 1 | — | C | |
| | E.B6.81.10833 | BOX FUSE, 400 CYCLES (MOD. 3923) (PRE-MOD. 4420) | | | | | | — | — | — | |
| | E.B6.81.1189 | Spares for:— Block, fuse, assembly (Make from 5X/3271) ... | | | | | | 1 | — | — | |
| | E.B6.81.10683 | Block, fuse, assembly (Make from 5X/3271) ... | | | | | | 1 | — | — | |
| | E.B6.81.10821 | Block, fuse, assembly (Make from 5X/3271) ... | | | | | | 1 | — | — | |
| | E.B6.81.10853 | Block, fuse, assembly (Make from 5X/3271) ... | | | | | | 1 | — | — | |
| | E.B6.81.10855 | Block, fuse, assembly (Make from 5X/3271) ... | | | | | | 1 | — | — | |
| 28S/1200080 | A32/B8 | Attaching parts for Block Fuse:— | | | | | | 2 | — | C | |
| 28W/1206041 | AGS.2035/B | Screw, 4 BA | | | | | | 2 | — | C | |
| | | Washer, shakeproof | | | | | | 2 | — | C | |
| 5X/1002694 | CZ.50207 | Block, terminal, 5-way | | | | | | 2 | — | C | |
| 28M/1278189 | AGS.2001/B/1 | Attaching parts for CZ.50207:— | | | | | | 2 | — | C | |
| 28S/1200065 | A33/B28 | Nut, 4 BA | | | | | | 2 | — | C | |
| | | Screw, 4 BA | | | | | | 2 | — | C | |
| | E.A3.81.323 | Box, shell | | | | | | 1 | — | — | |
| 16692 | E.A3.81.325 | COVER, ASSEMBLY | | | | | | 1 | — | B | |
| 15336 | E.A1.81.542 | Spares for:— Carrier, spare fuse | | | | | | 1 | — | C | |
| 6171 | E.A3.81.1259 | Clip, spring | | | | | | 4 | — | C | |
| 33C/614 | † | Rubber, synthetic | | | | | | QR | DTD.552 | C | |
| 20457 | EEAS.117/1 | Screw | | | | | | 4 | S.92 | C | |
| 1066 | EEAS.28/2CU | Washer | | | | | | 8 | DTD.124A | C | |
| 1108 | EEAS.42 | Washer, leather | | | | | | 4 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-------------|--------------------|---|---------|-------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | | 1 2 3 4 5 6 | | | | | |
| 10H/21797 | † | Fuse, type S, 2.5 amp. | 12 | — | | C | |
| 10H/21798 | † | Fuse, type S, 5 amp. | 2 | — | | C | |
| 1120 | EEAS.62/2 | Gland | 2 | — | | C | |
| 1121 | EEAS.62/3 | Gland | 7 | — | | C | |
| 10H/0970128 | Z.49035 | Nut, union | 1 | — | | C | |
| 10H/0970129 | Z.49140 | Nut, union | 1 | — | | C | |
| 10H/0970088 | Z.62229 | Ring, sealing | 1 | — | | C | |
| 10H/0970091 | Z.62231 | Ring, sealing | 1 | — | | C | |
| | E.B6.81.6073 | BOX, FUSE, 400 CYCLES (MOD. 4420) Spares for this assembly are identical with those for assembly Part No. E.B6.81.10833 on page 165, except for the following additions:— Add:— | 1 | — | | — | |
| 10H/23864 | † | Fuse, Type S, 5 amp. | 1 | — | | C | |
| 10H/21797 | † | Fuse, type S, 2.5 amp. | 2 | — | | C | |
| 10H/21798 | † | Fuse, Type S, 5 amp. | 2 | — | | C | |
| 5X/6237 | EEAS.71/1 | Link, 2-way | 2 | — | | C | |
| 5X/6238 | EEAS.71/3 | Link, 4-way | 4 | — | | C | |
| 5X/6172 | Z.50212 | Link, 4-way | 1 | — | | C | |
| 5X/1004085 | Z.50213 | Link, 5-way | 1 | — | | C | |
| | E.B6.81.2931 | BOX, DISTRIBUTION, D.C. AND 400 CYCLES, GROUP (MOD. 2682) Spares for:— | 1 | — | | — | |
| | E.B6.81.1079 | Box, distribution | 1 | — | | — | |
| | E.B6.81.2857 | CABLE, ASSEMBLY, F.18, FROM 400 CYCLE DISTRIBUTION BOX TO PRESSURE BULKHEAD, GROUP (MOD. 1420) Consisting of:— | | | | | |
| 5E/3112 | † | Cable, septoprenmet 6 | QR | — | | C | |
| 5X/6753 | EEAS.111/6 | Ferrule | 1 | — | | C | |
| 10H/0970058 | Z.60667 | Gasket, outlet | 1 | — | | C | |
| 5K/90 | AGS.1658/2 | Nut, gland | 1 | — | | C | |
| 10H/0970062 | CZ.49180 | Outlet, straight | 1 | — | | C | |
| 10H/0560300 | CZ.49222 | Plug, Mk. 4, 6-way | 1 | — | | C | |
| 5X/1529 | Z.18501/A | Ring, clamp | 1 | — | | C | |
| 10H/0970088 | Z.62229 | Ring, sealing | 1 | — | | C | |
| 5K/43 | AGS.1653/3 | Sleeve, inner | 1 | — | | C | |
| 5K/52 | AGS.1654/3 | Sleeve, outer | 1 | — | | C | |
| 5K/9107065 | EEAS.146/16 | Sleeve, 3/4" long | 6 | — | | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | 6 | — | | C | |
| 5K/9107069 | EEAS.146/2 | Sleeve, 1" long | 2 | — | | C | |
| 5X/7298 | HC.490 | Tag | 6 | — | | C | |
| | E.B7.81.461 | CABLE, ASSEMBLY, EW, FROM 400 CYCLE DISTRIBUTION BOX TO EARTH TERMINAL, GROUP Consisting of:— | 1 | — | | — | |
| 5E/4187 | † | Cable, Uninyvin 12 | QR | — | | C | |
| 5K/3071 | HELLERMANN HV.3112 | Grommet | 1 | — | | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|------------|--------------|---|-----|-----|-----|-----|----|---------|-------------|---------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. L.M. | |
| 5X/9400389 | 12109 | Lug, crimping, Mk. 9A | ... | ... | ... | ... | 2 | — | C | | |
| 5K/9107067 | EEAS.146/6 | Sleeve, 1" long | ... | ... | ... | ... | 4 | — | C | | |
| 5X/9450224 | HC.510 | Tag, Q.R. | ... | ... | ... | ... | 2 | — | C | | |
| 32526 | E.B6.81.1177 | COVER, ASSEMBLY | ... | ... | ... | ... | 1 | — | C | | |
| | | Spares for:— | | | | | | | | | |
| 32C/614 | † | Rubber, synthetic | ... | ... | ... | ... | QR | DTD.552 | C | | |
| 20457 | EEAS.117/1 | Screw | ... | ... | ... | ... | 8 | S.92 | C | | |
| 1066 | EEAS.28/2CU | Washer | ... | ... | ... | ... | 16 | DTD.124 | C | | |
| 1108 | EEAS.42 | Washer | ... | ... | ... | ... | 8 | — | C | | |
| | E.B6.81.2891 | BOX, JUNCTION, NO. 14, GROUP (MOD. 2312) | | | | | 1 | — | — | | |
| | | Spares for:— | | | | | | | | | |
| | E.B6.81.1517 | Box, 40-way | ... | ... | ... | ... | 1 | — | — | | |
| 13237 | E.B6.81.427 | COVER, ASSEMBLY | ... | ... | ... | ... | 1 | — | C | | |
| | | Spares for:— | | | | | | | | | |
| 6171 | E.A3.81.1259 | Clip, spring | ... | ... | ... | ... | 6 | — | C | | |
| 32C/614 | † | Rubber, synthetic | ... | ... | ... | ... | QR | DTD.552 | C | | |
| 20457 | EEAS.117/1 | Screw | ... | ... | ... | ... | 6 | S.92 | C | | |
| 1066 | EEAS.28/2CU | Washer | ... | ... | ... | ... | 12 | DTD.124 | C | | |
| 1108 | EEAS.42 | Washer, leather | ... | ... | ... | ... | 6 | — | C | | |
| | E.B6.81.435 | BOX, JUNCTION, NO. 13, GROUP (MOD. 2320) | | | | | 1 | — | — | | |
| | | Spares for:— | | | | | | | | | |
| | E.A1.81.589 | Box, 20-way | ... | ... | ... | ... | 1 | — | A | | |
| | E.B7.81.361 | COVER, ASSEMBLY | ... | ... | ... | ... | 1 | — | — | | |
| | | Spares for:— | | | | | | | | | |
| 32C/614 | † | Rubber, synthetic | ... | ... | ... | ... | QR | DTD.552 | C | | |
| 20457 | EEAS.117/1 | Screw | ... | ... | ... | ... | 4 | S.92 | C | | |
| 1066 | EEAS.28/2CU | Washer | ... | ... | ... | ... | 8 | DTD.124 | C | | |
| 1108 | EEAS.42 | Washer, leather | ... | ... | ... | ... | 4 | — | C | | |
| | E.B6.81.1119 | BOX, DISTRIBUTION, 1600 CYCLES, GROUP (PRE-MOD. 2197) | | | | | 1 | — | — | | |
| | | Spares for:— | | | | | | | | | |
| | E.B7.81.941 | Box, distribution | ... | ... | ... | ... | 1 | — | — | | |
| 8368 | E.B7.81.943 | COVER, ASSEMBLY | ... | ... | ... | ... | 1 | — | B/MR | | |
| | | Spares for this assembly are identical with those for assembly Part No. E.A3.81.325 on page 165 | | | | | | | | | |
| 16997 | E.A3.81.577 | Label, engraved | ... | ... | ... | ... | 1 | — | C | | |
| 8376 | E.A3.81.581 | Label, engraved | ... | ... | ... | ... | 1 | — | C | | |
| 8378 | E.A3.81.585 | Label, engraved | ... | ... | ... | ... | 1 | — | C | | |
| | E.B6.81.1103 | Label, engraved | ... | ... | ... | ... | 1 | — | — | | |
| 17171 | E.B7.81.945 | Label, engraved | ... | ... | ... | ... | 1 | — | C | | |
| | E.B7.81.953 | Label, engraved | ... | ... | ... | ... | 1 | — | — | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|-------------|--------------|---|---------|-------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| | | 1 2 3 4 5 6 | | | | |
| | E.B6.81.1863 | BOX, DISTRIBUTION, 1600 CYCLES, GROUP (MOD. 2197) (S.O.O.) Spares for this group are identical with those for group Part No. E.B6.81.1119 on page 167 | 1 | — | — | |
| 5CZ/5063 | E.A3.81.2665 | Box control, windscreen heater, complete (Pre-Mod. 4420) | 1 | — | A | |
| | E.B6.81.1285 | BOX, DISTRIBUTION, L.A.B.S., INSTALLATION (MOD. 2197) (S.O.O.) Spares for:— | — | — | — | |
| | E.B6.81.1351 | Block, mounting, lower forward | 1 | L.65 | — | |
| | E.B6.81.1353 | Block, mounting, lower aft | 1 | L.65 | — | |
| | E.B6.81.1355 | Block, mounting, top aft | 1 | L.65 | — | |
| | E.B6.81.1357 | Block, mounting, top forward | 1 | L.65 | — | |
| | E.B6.81.3883 | BOX, L.A.B.S., DISTRIBUTION (PRE-MOD. 3453) Spares for:— | 1 | — | — | |
| 26678 | E.A1.81.410 | BAR, TERMINAL, GROUP | 1 | — | B | |
| | | Spares for:— | | | | |
| 5X/6233 | E.A1.81.411 | Bar, terminal, c/w studs | 1 | — | B | |
| 5X/6234 | E.A1.81.410A | Box, 3/8" thick | 1 | LFS.21 | B | |
| 33C/9109210 | † | Compound, insulating, Chaddertons | QR | — | C | |
| 5X/6235 | E.A1.81.410B | Cover, plate, 1/8" thick | 1 | LFS.21 | B | |
| 5077 | BULGIN T5 | Head, terminal, moulded, 4 BA | 2 | — | C | |
| 32353 | E.B6.81.1297 | LID, ASSEMBLY | 1 | — | B | |
| | | Spares for:— | | | | |
| | AS.1878/12 | Hinge (Make from 28N/9511950) | QR | — | LM | |
| 32C/600 | † | Rubber, Burley section | QR | — | C | |
| 32C/614 | † | Rubber, synthetic | QR | DTD.552 | C | |
| 20457 | EEAS.117/1 | Screw | 5 | S.92 | C | |
| 1066 | EEAS.28/2CU | Washer | 10 | DTD.124 | C | |
| 1108 | EEAS.42 | Washer, leather | 5 | — | C | |
| | E.B6.81.3863 | BOX, L.A.B.S., DISTRIBUTION (MOD. 3453) (S.O.O.) Spares for this group are identical with those for group Part No. E.B6.81.3883 | 1 | — | — | |
| | E.B6.81.1321 | Channel, mounting, assembly, bottom | 1 | — | — | |
| | E.B6.81.1333 | Channel, mounting, assembly, top | 1 | — | — | |
| | E.B6.81.1371 | Washer, special | 6 | L.65 | — | |
| | E.B6.81.67 | BOX, MOUNTING, JB.16 | — | — | — | |
| | | Spares for:— | | | | |
| | E.B6.81.4957 | BOX, JUNCTION 16, ASSEMBLY (MOD. 2692) | 1 | — | — | |
| | | Spares for:— | | | | |
| 5X/3181 | CZ.23212/1 | BLOCK, terminal | 2 | — | C | |
| | | Attaching parts for CZ.23212/1:— | | | | |
| 28M/1278189 | AGS.2001/B/1 | Nut, 4 BA | 2 | — | C | |
| 28S/1005622 | A31/B28 | Screw, 4 BA | 2 | — | C | |

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|-------------|----------------|---|-----|-----|-----|-----|-----|---------|-------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| 17102 | E.B7.81.83 | Box, junction | ... | ... | ... | ... | 1 | — | B | | |
| 5E/4183 | † | Cable, Uninyvin 20 | ... | ... | ... | ... | QR | — | C | | |
| 5E/4185 | † | Cable, Uninyvin 16 | ... | ... | ... | ... | QR | — | C | | |
| 5E/4187 | † | Cable, Uninyvin 12 | ... | ... | ... | ... | QR | — | C | | |
| 17101 | E.B7.81.79 | LID, ASSEMBLY | ... | ... | ... | ... | 1 | — | B | | |
| | | Spares for:— | | | | | | | | | |
| 6171 | E.A3.81.1259 | Clip, spring | ... | ... | ... | ... | 6 | — | C | | |
| 20457 | EEAS.117/1 | Screw | ... | ... | ... | ... | 6 | — | C | | |
| 1066 | EEAS.28/2CU | Washer | ... | ... | ... | ... | 12 | DTD.124 | C | | |
| 1108 | EEAS.42 | Washer, leather | ... | ... | ... | ... | 6 | — | C | | |
| 5X/1004085 | Z.50213 | Link, 5-way | ... | ... | ... | ... | 1 | — | C | | |
| 5X/6317 | Z.50218 | Link, 10-way | ... | ... | ... | ... | 2 | — | C | | |
| 5X/1004086 | Z.50219 | Link, transverse | ... | ... | ... | ... | 2 | — | C | | |
| 5X/3238 | Z.27323 | Pin, plug | ... | ... | ... | ... | 2 | — | C | | |
| 5X/6185 | CZ.50361 | Plug, size D (Pre-Mod. 3380) | ... | ... | ... | ... | 6 | — | C | | |
| 5X/7159 | 2CZ.111229 | Plug, size D (Mod. 3380) | ... | ... | ... | ... | 6 | — | C | | |
| 10H/0560050 | CZ.48992 | Plug, Mk. 4, 2-way | ... | ... | ... | ... | 1 | — | C | | |
| 10H/0560150 | CZ.49112 | Plug, Mk. 4, 12-way | ... | ... | ... | ... | 2 | — | C | | |
| 10H/0560200 | CZ.49061 | Plug, Mk. 4, 25-way | ... | ... | ... | ... | 6 | — | C | | |
| 5X/1005131 | Z.49428 | Sleeve, cable | ... | ... | ... | ... | 95 | — | C | | |
| 5K/9107065 | EEAS.146/A | Sleeve | ... | ... | ... | ... | 145 | — | C | | |
| 5K/9107066 | EEAS.146/A1 | Sleeve | ... | ... | ... | ... | 140 | — | C | | |
| 5K/9107067 | EEAS.146/C | Sleeve | ... | ... | ... | ... | 50 | — | C | | |
| | HELLERMANN | | | | | | | | | | |
| 5F/9434858 | HV.3254 | Strap, Helvin | ... | ... | ... | ... | QR | — | C | | |
| 5F/9138823 | NY.3255 | Stud, Helvin | ... | ... | ... | ... | 12 | — | C | | |
| 5CW/6453 | † | Switch, magnetic, type 9B, No. 2A | ... | ... | ... | ... | 1 | — | B | | |
| | | Attaching parts for Ref. 5CW/6453:— | | | | | | | | | |
| 28D/1008149 | A25/2B | Bolt, 4 BA | ... | ... | ... | ... | 2 | — | C | | |
| 28M/1278189 | AGS.2001/B/1 | Nut, 4 BA | ... | ... | ... | ... | 2 | — | C | | |
| | | | | | | | | | | | |
| 5X/7298 | HC.490 | Tag | ... | ... | ... | ... | 34 | — | C | | |
| 5X/9482491 | HC.500 | Tag | ... | ... | ... | ... | 3 | — | C | | |
| 5X/9450224 | HC.510 | Tag | ... | ... | ... | ... | 6 | — | C | | |
| 1109 | EEAS.43/1 | Washer, panel | ... | ... | ... | ... | 1 | — | C | | |
| 1110 | EEAS.43/2 | Washer, panel | ... | ... | ... | ... | 2 | — | C | | |
| 17524 | EEAS.43/3 | Washer, panel | ... | ... | ... | ... | 6 | — | C | | |
| | | Attaching parts for E.B6.81.4957:— | | | | | | | | | |
| 28S/9419435 | A31/B12 | Screw, 4 BA | ... | ... | ... | ... | 6 | — | C | | |
| 27400 | E.A9.81.3471 | Bracket, mounting, for accelerometer (Mod. 2197) (S.O.O.) | ... | ... | ... | ... | 1 | — | C | | |
| | E.B6.81.1547 | BRACKET SWITCH, L.A.B.S. ON PILOT'S COAMING (MOD. 2197) (S.O.O.) | ... | ... | ... | ... | — | — | — | | |
| | | Spares for:— | | | | | | | | | |
| 27399 | E.A9.81.3475 | Bracket, switch, engraved | ... | ... | ... | ... | 1 | L.72 | C | | |
| | AS.2811/10/030 | Piece, distance | ... | ... | ... | ... | 2 | — | LM | | |
| | PAGE | | | | | | | | | | |
| | ENGINEERING | | | | | | | | | | |
| 5CW/6634 | A.257 | Sleeve, cable | ... | ... | ... | ... | 2 | — | C | | |
| | PAGE | | | | | | | | | | |
| | ENGINEERING | | | | | | | | | | |
| 5CW/6460 | C.180/A/7 | Switch, push button | ... | ... | ... | ... | 1 | — | B | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | 1 | 2 | 3 | 4 | 5 | 6 | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|-------------|------------------|---|---|---|---|---|---|---------|-------------|---------------|-----------|
| | | | | | | | | | | M.R. L.M. | |
| | PAGE ENGINEERING | | | | | | | | | | |
| 5CW/6682 | C180/D/7 | | | | | | | 1 | — | B | |
| 5CW/6683 | NSF.8804/B103 | | | | | | | 1 | — | B | |
| 5CW/7076 | NSF.8804/B104 | | | | | | | 1 | — | B | |
| | ROSS COURTNEY | | | | | | | | | | |
| 5K/910 | WE.490 | | | | | | | 2 | — | C | |
| 6A/1678 | † | | | | | | | 1 | — | A | |
| | | | | | | | | | | | |
| 28D/9140202 | AS.1246/1C | | | | | | | 3 | — | C | |
| | | | | | | | | | | | |
| 5UC/8770 | 7CZ.106800/23 | | | | | | | 1 | — | A | |
| | | | | | | | | | | | |
| 4438 | E.A3.81.2245 | | | | | | | 1 | — | C | |
| | — | | | | | | | — | — | — | |
| | | | | | | | | | | | |
| 3233 | E.B6.81.1041 | | | | | | | 1 | — | C | |
| | | | | | | | | | | | |
| | E.B6.81.1049 | | | | | | | 1 | — | — | |
| | E.B6.81.1047 | | | | | | | 2 | — | — | |
| 32334 | E.B6.81.1043 | | | | | | | 2 | BS.249 | C | |
| | E.B6.81.1045 | | | | | | | 1 | — | — | |
| | E.B6.81.1055 | | | | | | | 1 | — | — | |
| | | | | | | | | | | | |
| | E.B6.81.2937 | | | | | | | 1 | — | — | |
| 32725 | E.B6.81.4679 | | | | | | | 1 | — | C | |
| 5UC/4939 | † | | | | | | | 1 | — | A | |
| | | | | | | | | | | | |
| 32535 | E.B6.81.1013 | | | | | | | 1 | — | C | |
| 5CW/4620 | EL.38635 | | | | | | | 1 | — | B | |
| 5CW/5016 | U.2005 | | | | | | | 1 | — | A | |
| 5UB/5083 | † | | | | | | | 1 | — | A | |
| | | | | | | | | | | | |
| 28D/1011029 | A25/1E | | | | | | | 6 | — | C | |
| 28M/1201610 | AGS.2001/E/1 | | | | | | | 1 | — | C | |
| | | | | | | | | | | | |
| | E.B6.81.33 | | | | | | | — | — | — | |
| | | | | | | | | | | | |
| | E.A2.81.219 | | | | | | | 1 | — | — | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 5E/4182 | † | | | | | | | QR | — | C | |
| 33H/56 | † | | | | | | | QR | — | C | |
| 5K/88 | AGS.1658/1 | | | | | | | 1 | — | C | |
| 5K/36 | AGS.1652/1 | | | | | | | 1 | — | C | |
| 5K/9107065 | EEAS.146/16 | | | | | | | 2 | — | C | |
| 5K/9107066 | EEAS.146/12 | | | | | | | 2 | — | C | |
| 5K/9107066 | † | | | | | | | 2 | — | C | |
| 5X/9482491 | HC.500 | | | | | | | 2 | — | C | |
| 32B/498 | † | | | | | | | 2 | — | C | |
| | | | | | | | | QR | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|-------------|---------------|---|-----|-----|-----|-----|----|---------|-------------|---------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. L.M. | |
| | E.A2.81.325/2 | CABLE ASSEMBLY, N.70, FROM ELECTRICAL CONTROL PANEL TO AILERON FRIM ACTUATOR, AND AILERON TRIM TRANSMITTER | | | | | | 1 | | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | ... | ... | ... | ... | QR | — | C | | |
| 5E/4185 | † | Cable, Uninyvin 16 | ... | ... | ... | ... | QR | — | C | | |
| 10H/0970294 | CZ.69735 | Clamp, cable | ... | ... | ... | ... | 1 | — | C | | |
| 10H/0970111 | Z.62237 | Gasket, union | ... | ... | ... | ... | 1 | — | C | | |
| 26DK/1210 | EEAS.276/B | Outlet, adapter | ... | ... | ... | ... | 1 | — | C | | |
| 10H/0970091 | Z.62231 | Ring, sealing | ... | ... | ... | ... | 1 | — | C | | |
| 10H/ | Z.66473 | Ring, thrust | ... | ... | ... | ... | 1 | — | — | | |
| 5K/9107065 | EEAS.146/16 | Sleeve | ... | ... | ... | ... | 16 | — | C | | |
| 5K/9107068 | EEAS.146/6 | Sleeve | ... | ... | ... | ... | 2 | — | C | | |
| 5K/9107069 | EEAS.146/2 | Sleeve | ... | ... | ... | ... | 1 | — | C | | |
| 5K/9107070 | EEAS.146/00 | Sleeve | ... | ... | ... | ... | 1 | — | C | | |
| 5X/1005131 | Z.49428 | Sleeve | ... | ... | ... | ... | 5 | — | C | | |
| 5X/6777 | CZ.56100 | Socket, size B, 9-way (Pre-Mod. 3380) | ... | ... | ... | ... | 1 | — | B | | |
| 5X/5805564 | 2CZ.111234 | Sosket, size B, 9-way (Mod. 3380) | ... | ... | ... | ... | 1 | — | B | | |
| 5F/9434858 | HV.3254 | Strap, Helvin | ... | ... | ... | ... | QR | — | C | | |
| 5F/9138823 | NY.3255 | Stud, Helvin | ... | ... | ... | ... | 7 | — | C | | |
| | E.B7.81.443 | CABLE ASSEMBLY, 13H.1, FROM SUPPRESSOR TO CANOPY DEMISTER BLOWER MOTOR (PRE-MOD. 723) | | | | | | 1 | | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4199 | † | Cable, Uninyvinmetsheath 20 | ... | ... | ... | ... | QR | — | C | | |
| 5K/87 | AGS.1658/0 | Nut, gland | ... | ... | ... | ... | 2 | — | C | | |
| 5K/59 | AGS.1655/1 | Sleeve, inner | ... | ... | ... | ... | 2 | — | C | | |
| 5K/62 | AGS.1656/1 | Sleeve, outer | ... | ... | ... | ... | 2 | — | C | | |
| 5K/9107065 | EEAS.146/16 | Sleeve | ... | ... | ... | ... | 4 | — | C | | |
| 5K/9107068 | EEAS.146/6 | Sleeve | ... | ... | ... | ... | 2 | — | C | | |
| | E.B6.81.1521 | CABLE ASSEMBLY, 13.H1, FROM SUPPRESSOR TO CANOPY DEMISTER BLOWER MOTOR (MOD. 2542) | | | | | | 1 | | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/3092 | † | Cable, Uniprenmet 12 | ... | ... | ... | ... | QR | — | C | | |
| 5K/37 | AGS.1652/2 | Ferrule | ... | ... | ... | ... | 2 | — | C | | |
| 5K/87 | AGS.1658/0 | Nut, gland | ... | ... | ... | ... | 2 | — | C | | |
| 5K/59 | AGS.1655/1 | Sleeve, inner oval, type 2 | ... | ... | ... | ... | 2 | — | C | | |
| 5K/9107065 | EEAS.146/16 | Sleeve, 3/4" long | ... | ... | ... | ... | 4 | — | C | | |
| 5K/9107071 | EEAS.146/00 | Sleeve, 3/4" long | ... | ... | ... | ... | 2 | — | C | | |
| | E.B7.81.445 | CABLE ASSEMBLY, 13.H, FROM JB.13 TO SUPPRESSOR, TYPE B4 | | | | | | 1 | | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4182 | † | Cable, Uninyvin 22 | ... | ... | ... | ... | QR | — | C | | |
| 33H/56 | † | Cement, Bostik | ... | ... | ... | ... | QR | — | C | | |
| 32A/94 | † | Cord, braided, waxed | ... | ... | ... | ... | QR | — | C | | |
| 5X/2785 | Z.22430 | Grommet, Helsyn, No. 2 | ... | ... | ... | ... | 1 | — | C | | |
| 5K/88 | AGS.1658/1 | Nut, gland | ... | ... | ... | ... | 1 | — | C | | |
| 5K/9107065 | EEAS.146/16 | Sleeve, 3/4" long | ... | ... | ... | ... | 2 | — | C | | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | ... | ... | ... | ... | 2 | — | C | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|------------|-----------------|---|---------|-------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | | 1 2 3 4 5 6 | | | | | |
| 5K/9107066 | EEAS.146/B | Sleeve, 1" long | 2 | — | | C | |
| 5K/36 | AGS.1652/1 | Sleeve, slotted | 1 | — | | C | |
| 5X/7298 | HC.490 | Tag, quick release terminal | 2 | — | | C | |
| | E.B7.81.451/2 | CABLE, ASSEMBLY, N16A, FROM J.B.16 TO ELECTRICAL CONTROL PANEL, GROUP | 1 | — | | — | |
| | | Consisting of:— | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | | C | |
| 5E/4185 | † | Cable, Uninyvin 16 | QR | — | | C | |
| 5E/4187 | † | Cable, Uninyvin 12 | QR | — | | C | |
| 5X/1526 | Z.18500/D | Ferrule, size D | 2 | — | | C | |
| 5X/1533 | Z.18501/D | Ring, clamp | 2 | — | | C | |
| 5X/1005131 | Z.49428 | Sleeve, cable | 42 | — | | C | |
| 5K/ | EEAS.118/5/N16A | Sleeve, identification | 2 | — | | — | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | 48 | — | | C | |
| 5K/9107067 | EEAS.146/6 | Sleeve, 1/2" long | 4 | — | | C | |
| 5X/6194 | CZ.50405 | Socket, assembly, size D (Pre-Mod. 3380) | 2 | — | | B | |
| 5X/7192 | 2CZ.111238 | Socket, assembly, size D (Mod. 3380) | 2 | — | | C | |
| | E.B7.81.453/2 | CABLE, ASSEMBLY, N16B, TO ELECTRICAL CONTROL PANEL, GROUP | 1 | — | | — | |
| | | Spares for this group are identical with those for group Part No. E.B7.81.451/2, except for the following deletion and addition:— | | | | | |
| | | Delete:— | | | | | |
| 5K/ | EEAS.118/5/N16A | Sleeve, identification | 2 | — | | — | |
| | | Add:— | | | | | |
| 5K/ | EEAS.118/5/N16B | Sleeve, identification | 2 | — | | — | |
| | E.B7.81.455/2 | CABLE, ASSEMBLY, N16C, FROM J.B.16 TO ELECTRICAL CONTROL PANEL, GROUP | 1 | — | | — | |
| | | Spares for this group are identical with those for group Part No. E.B7.81.451/2, except for the following deletions and additions:— | | | | | |
| | | Delete:— | | | | | |
| 5E/4187 | † | Cable, Uninyvin 12 | QR | — | | C | |
| 5K/ | EEAS.118/5/N16A | Sleeve, identification | 2 | — | | — | |
| | | Add:— | | | | | |
| 5K/ | EEAS.118/5/N16C | Sleeve, identification | 2 | — | | C | |
| 5X/3146 | Z.49397 | Sleeve | 4 | — | | C | |
| | E.B7.81.457 | CABLE, ASSEMBLY, N16D, N16E, N16F AND N58, FROM J.B.16 AND PILOT'S SWITCH PANEL TO D.C. DISTRIBUTION BOX, GROUP | 1 | — | | — | |
| | | Consisting of:— | | | | | |
| 5X/6816 | SR.3798 | Bung, pressure | 1 | — | | C | |
| 5E/4182 | † | Cable, Uninyvin 22 | QR | — | | C | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-------------|-----------------|--|---------|-------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | | 1 2 3 4 5 6 | | | | | |
| 5E/4185 | † | Cable, Uninyvin 16 | QR | — | | C | |
| 5E/4187 | † | Cable, Uninyvin 12 | QR | — | | C | |
| 5617 | EEAS.111/4 | Ferrule | 2 | — | | C | |
| 5X/1526 | Z.18500/D | Ferrule | 6 | — | | C | |
| 10H/0970060 | Z.60669 | Gasket, outlet | 2 | — | | C | |
| | HELLERMAN | | | | | | |
| 5X/6817 | 4650 | Housing, pressure bung | 1 | — | | C | |
| 10H/0970067 | CZ.49186 | Outlet, straight | 2 | — | | C | |
| | HELLERMAN | | | | | | |
| 5X/6658 | HV.3433 | Plug, cavity | 4 | — | | C | |
| 5X/1531 | Z.18501/B | Ring, clamp | 2 | — | | C | |
| 5X/1533 | Z.18501/D | Ring, clamp | 6 | — | | C | |
| 10H/0970090 | Z.62233 | Ring, sealing | 2 | — | | C | |
| 5X/1005131 | Z.49428 | Sleeve, cable | 94 | — | | C | |
| 5K/ | EEAS.118/3/N16F | Sleeve, identification | 2 | — | | — | |
| 5K/ | EEAS.118/5/N16E | Sleeve, identification | 2 | — | | — | |
| 5K/ | EEAS.118/5/N16D | Sleeve, identification | 2 | — | | — | |
| 5K/ | EEAS.118/5/N58 | Sleeve, identification | 2 | — | | — | |
| 5K/9107065 | EEAS.146/16 | Sleeve, 3/4" long | 194 | — | | C | |
| 5K/9107066 | EEAS.146/B | Sleeve, 3/4" long | 12 | — | | C | |
| 10H/050220 | CZ.49070 | Socket, Mk. 4 | 2 | — | | C | |
| 5X/7192 | 2CZ.111238 | Socket, size D (Mod. 3380) | 6 | — | | B | |
| 5X/6194 | CZ.50405 | Socket, size D (Pre-Mod. 3380) | 6 | — | | B | |
| | HELLERMAN | | | | | | |
| 5F/2281 | HV.3341 | Strap, 1/2" wide | QR | — | | C | |
| | HELLERMAN | | | | | | |
| 5F/9434855 | HV.3342 | Stud | 152 | — | | C | |
| 5F/2036 | † | Tubing, 3/8" PVC | QR | — | | C | |
| 5F/2038 | † | Tubing, 1" PVC | QR | — | | C | |
| | E.B7.81.459/2 | CABLE, ASSEMBLY, N.59, FROM PILOT'S SWITCH PANEL TO JETTISON RELAY PANEL, GROUP | 1 | — | | — | |
| | | Consisting of:— | | | | | |
| 5E/4187 | † | Cable, Uninyvin 12 | QR | — | | C | |
| 33H/56 | † | Cement, Bostik | QR | — | | C | |
| 5X/1333 | Z.1381/2 | Ferrule, cut | 2 | — | | C | |
| 5K/9107066 | EEAS.146/B | Sleeve, 3/4" long | 8 | — | | C | |
| 5K/9107068 | EEAS.146/D | Sleeve, 1" long | 2 | — | | C | |
| 5X/6352 | CZ.50402 | Socket, size B (Pre-Mod. 3380) | 1 | — | | B | |
| 5X/7180 | 2CZ.111298 | Socket, size B (Mod. 3380) | 1 | — | | B | |
| 5X/6192 | CZ.50403 | Socket, size B (Pre-Mod. 3380) | 1 | — | | B | |
| 5X/7181 | 2CZ.111439 | Socket, size B (Mod. 3380) | 1 | — | | B | |
| | HELLERMAN | | | | | | |
| 5F/2281 | HV.3341 | Strap | QR | — | | C | |
| | HELLERMAN | | | | | | |
| 5F/9434855 | HV.3342 | Stud | 24 | — | | C | |
| 32B/498 | † | Thread, waxed linen, No. 18 | QR | — | | C | |
| | E.B7.81.463 | CABLE, ASSEMBLY, 16J, FROM J.B.16 TO WIND-SCREEN HEATER CONTROL BOX, GROUP | 1 | — | | — | |
| | | Consisting of:— | | | | | |
| 5E/4185 | † | Cable, Uninyvin 16 | QR | — | | C | |
| 5X/2785 | Z.22430 | Grommet, Helsyn No. 2 | 1 | — | | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|------------|--------------|--|-----|-----|-----|-----|----|---------|-------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| 5K/9107065 | EEAS.146/16 | Sleeve, 3/4" long | ... | ... | ... | ... | 2 | — | C | | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | ... | ... | ... | ... | 2 | — | C | | |
| 5K/9107067 | EEAS.146/6 | Sleeve, 1" long | ... | ... | ... | ... | 2 | — | C | | |
| 5X/9462745 | HC.304 | Tag (Mod. 4420) | ... | ... | ... | ... | 1 | — | C | | |
| 5X/9462954 | HC.306B | Tag (Mod. 4420) | ... | ... | ... | ... | 1 | — | C | | |
| 5X/9482491 | HC.500 | Tag, quick release terminal | ... | ... | ... | ... | 2 | — | C | | |
| | E.B7.81.465 | CABLE ASSEMBLY, 13.C1, FROM SUPPRESSOR TO J.B. FOR A.M.U. AND A.P.I., GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/3100 | † | Cable, Duprenmet 12 | ... | ... | ... | ... | QR | — | C | | |
| 5K/87 | AGS.1658/0 | Nut, gland | ... | ... | ... | ... | 2 | — | C | | |
| 5K/9107065 | EEAS.146/6 | Sleeve, 3/4" long | ... | ... | ... | ... | 4 | — | C | | |
| 5K/9107068 | EEAS.146/6 | Sleeve, 3/4" long | ... | ... | ... | ... | 2 | — | C | | |
| 5K/59 | AGS.1655/1 | Sleeve, inner, oval, type 2 | ... | ... | ... | ... | 2 | — | C | | |
| 5K/62 | AGS.1656/1 | Sleeve, outer, oval, type 2 | ... | ... | ... | ... | 2 | — | C | | |
| | E.B7.81.467 | CABLE ASSEMBLY, 16.L AND 16.V, FROM J.B.16 TO VOLTMETER PANEL AND GENERAL LIGHTING TERMINAL BOARDS, GROUP (PRE-MOD. 1482) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | ... | ... | ... | ... | QR | — | C | | |
| 32A/94 | † | Cord, braided, waxed | ... | ... | ... | ... | QR | — | C | | |
| | HELLERMAN | | | | | | | | | | |
| 5K/3072 | HV.3113 | Grommet, tension | ... | ... | ... | ... | 1 | — | C | | |
| 5K/9107065 | EEAS.146/16 | Sleeve, 3/4" long | ... | ... | ... | ... | 3 | — | C | | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | ... | ... | ... | ... | 19 | — | C | | |
| 5K/9107066 | EEAS.146/B | Sleeve, 3/4" long | ... | ... | ... | ... | 1 | — | C | | |
| 5K/9107067 | EEAS.146/6 | Sleeve, 3/4" long | ... | ... | ... | ... | 2 | — | C | | |
| 5K/9107069 | EEAS.146/2 | Sleeve, 1" long | ... | ... | ... | ... | 1 | — | C | | |
| 5X/7298 | HC.490 | Tag, quick release terminal | ... | ... | ... | ... | 19 | — | C | | |
| | E.B6.81.1201 | CABLE ASSEMBLY, 16L, FROM J.B.16 TO TWO-WAY TERMINAL BLOCK AND 20-WAY TERMINAL BLOCK, GROUP (MOD. 1482) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | ... | ... | ... | ... | QR | — | C | | |
| 32A/94 | † | Cordage, waxed coreless | ... | ... | ... | ... | QR | — | C | | |
| | HELLERMANN | | | | | | | | | | |
| 5K/3072 | HV.3113 | Grommet, tension | ... | ... | ... | ... | 1 | — | C | | |
| 5K/9107065 | EEAS.146/16 | Sleeve, 3/4" long | ... | ... | ... | ... | 3 | — | C | | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | ... | ... | ... | ... | 11 | — | C | | |
| 5K/9107066 | EEAS.146/B | Sleeve, 3/4" long | ... | ... | ... | ... | 1 | — | C | | |
| 5K/9107067 | EEAS.146/6 | Sleeve, 3/4" long | ... | ... | ... | ... | 1 | — | C | | |
| 5K/9107068 | EEAS.146/D1 | Sleeve, 1" long | ... | ... | ... | ... | 1 | — | C | | |
| 5X/7298 | HC.490 | Tag, quick release | ... | ... | ... | ... | 11 | — | C | | |
| | E.B7.81.473 | CABLE ASSEMBLY, 13C, FROM J.B.13 TO A.M.U. AND A.P.I. SUPPRESSOR, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4185 | † | Cable, Uninyvin 16 | ... | ... | ... | ... | QR | — | C | | |
| 33H/56 | † | Cement, Bostik | ... | ... | ... | ... | QR | — | C | | |
| 5X/2785 | Z.22430 | Grommet, Helsyn, No. 2 | ... | ... | ... | ... | 1 | — | C | | |
| 5K/87 | AGS.1658/0 | Nut, gland | ... | ... | ... | ... | 1 | — | C | | |

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-------------|-----------------|-------------|---|---|---|---|---|---------|-------------|---------------|------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. | L.M. | |
| 5K/36 | AGS.1652/1 | | | | | | | 1 | — | | C | |
| 5K/9107065 | EEAS.146/16 | | | | | | | 2 | — | | C | |
| 5K/9107066 | EEAS.146/12 | | | | | | | 2 | — | | C | |
| 5K/9107067 | EEAS.146/6 | | | | | | | 2 | — | | C | |
| 5X/9482491 | HC.500 | | | | | | | 2 | — | | C | |
| 32B/498 | † | | | | | | | QR | — | | C | |
| | E.B7.81.479/2 | | | | | | | 1 | — | | — | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 5K/ | EEAS.118/5/N16A | | | | | | | 2 | — | | — | |
| 5K/ | EEAS.118/5/N16S | | | | | | | 2 | — | | — | |
| 17124 | E.B7.81.481 | | | | | | | 1 | — | | B | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 10H/0970074 | CZ.49187 | | | | | | | 1 | — | | C | |
| 5E/4182 | † | | | | | | | QR | — | | C | |
| 5E/4183 | † | | | | | | | QR | — | | C | |
| 5617 | EEAS.111/4 | | | | | | | 2 | — | | C | |
| 10H/0970060 | Z.60669 | | | | | | | 2 | — | | C | |
| 10H/0970067 | CZ.49186 | | | | | | | 1 | — | | C | |
| 5X/1531 | Z.18501/B | | | | | | | 2 | — | | C | |
| 5K/ | EEAS.118/3/16T | | | | | | | 2 | — | | C | |
| 5K/9107065 | EEAS.146/16 | | | | | | | 32 | — | | C | |
| 10H/0560220 | CZ.49070 | | | | | | | 1 | — | | C | |
| 10H/ | CZ.56746 | | | | | | | 1 | — | | — | |
| 5F/ | † | | | | | | | QR | — | | — | |
| | E.B7.81.973 | | | | | | | 1 | DTD.37 | | — | |
| 17125 | E.B7.81.483 | | | | | | | 1 | — | | B | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 5E/4182 | † | | | | | | | QR | — | | C | |
| 5E/4183 | † | | | | | | | QR | — | | C | |
| 5X/1548 | Z.18764/B | | | | | | | 2 | — | | C | |
| 10H/0970060 | Z.60669 | | | | | | | 2 | — | | C | |
| 10H/ | CZ.64133 | | | | | | | 2 | — | | — | |
| 10H/0560400 | CZ.49228 | | | | | | | 1 | — | | C | |
| 5X/1532 | Z.18501/C | | | | | | | 2 | — | | C | |
| 10H/0970092 | Z.62232 | | | | | | | 2 | — | | C | |
| 5K/9107065 | EEAS.146/16 | | | | | | | 44 | — | | C | |
| 5K/ | EEAS.118/4/16U | | | | | | | 2 | — | | — | |
| 10H/0560220 | CZ.49070 | | | | | | | 1 | — | | C | |
| 5F/ | † | | | | | | | QR | — | | — | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No |
|------------|-------------------|--|---------|----------------------|---------------|------|----------|
| | | | | | M.R. | L.M. | |
| | E.B6.81.1871 | CABLE, ASSEMBLY, N.19, N.22, N.26 AND N.27, FROM MAIN ELECTRICAL PANEL TO ELECTRICAL CONTROL PANEL D.C. DISTRIBUTION BOX AND 1600 CYCLES DISTRIBUTION BOX, GROUP (MOD. 1420) Consisting of:— | 1 | — | — | | |
| | HELLERMAN HV.3285 | Bung, pressure | 1 | — | — | C | |
| 5X/6719 | † | Cable, Uninyvin 20 | QR | — | — | C | |
| 5E/4183 | † | Cable, Uninyvin 16 | QR | — | — | C | |
| 5E/4185 | † | Cable, Uninyvin 12 | QR | — | — | C | |
| 5E/4187 | † | Cable, Uninyvin 2 | QR | — | — | C | |
| 5E/4192 | † | Ferrule, size B | 1 | — | — | C | |
| 5X/1524 | Z.18500/B | Ferrule, size D | 4 | — | — | C | |
| 5X/1526 | Z.18500/D | Grommet, Helsyn No. 5 | 2 | — | — | C | |
| 5X/2788 | Z.23672 | Grommet, tension | 1 | — | — | C | |
| 5K/3072 | HELLERMAN HV.3113 | Housing, pressure bung | 1 | — | — | C | |
| | HELLERMAN 4400 | Lug | 4 | — | — | C | |
| 5X/6723 | 4400 | Ring, clamp | 1 | — | — | C | |
| 5X/9400093 | 70027/27 | Ring, clamp | 4 | — | — | C | |
| 5X/1531 | Z.18501/B | Sleeve, cable | 67 | — | — | C | |
| 5X/1533 | Z.18501/D | Sleeve, adaptor | 8 | — | — | C | |
| 5X/1005131 | Z.49428 | Sleeve, identification | 1 | — | — | C | |
| 5X/6766 | Z.70388 | Sleeve, identification | 2 | — | — | C | |
| 5K/ | EEAS.118/3/N19 | Sleeve, identification | 2 | — | — | C | |
| 5K/ | EEAS.118/5/N26 | Sleeve, 3/4" long | 114 | — | — | C | |
| 5K/ | EEAS.118/5/N27 | Sleeve, 3/4" long | 8 | — | — | C | |
| 5K/9107065 | EEAS.146/16 | Sleeve, 1" long | 1 | — | — | C | |
| 5K/9107066 | EEAS.146/B | Sleeve, 1" long | 6 | — | — | C | |
| 5K/9107069 | EEAS.146/2 | Sleeve, 1" long | 1 | — | — | C | |
| 5K/9107069 | EEAS.146/2 | Sleeve, 1" long | 1 | — | — | C | |
| 5K/9107071 | EEAS.146/00 | Socket, size B | 1 | — | — | B | |
| 5X/6191 | CZ.50401 | Socket, size D | 4 | — | — | B | |
| 5X/6194 | CZ.50405 | Strap | QR | — | — | C | |
| 5F/ | HELLERMAN HV.3341 | Stud | 90 | — | — | C | |
| 5E/2281 | HV.3342 | Tag, quick release terminal | 13 | — | — | C | |
| 5F/9434855 | HC.490 | Tag, quick release terminal | 4 | — | — | C | |
| 5X/7298 | HC.500 | Tag, quick release terminal | 4 | — | — | C | |
| 5X/7016 | HC.510 | Tubing, P.V.C. 3/8" | QR | E. & I. 659 Iss.2 | — | C | |
| 5X/7017 | HC.510 | Tubing, P.V.C. 1" | QR | E. & I. 659 Iss.2 | — | C | |
| 5F/2036 | † | | | | | | |
| 5F/2038 | † | | | | | | |
| | E.B7.81.487/2 | CABLE, ASSEMBLY, N.28 AND N.29, FROM ELECTRICAL CONTROL PANEL TO D.C. DISTRIBUTION BOX, GROUP Consisting of:— | 1 | — | — | | |
| | HELLERMAN SK.3363 | Bung, pressure | 1 | — | — | C | |
| 5X/6750 | † | Cable, Uninyvin 20 | QR | — | — | C | |
| 5E/4183 | † | Cable, Uninyvin 16 | QR | — | — | C | |
| 5E/4185 | † | Cable, Uninyvin 12 | QR | — | — | C | |
| 5E/4187 | † | Cable, Uninyvin 10 | QR | — | — | C | |
| 5E/4188 | † | | | | | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-------------|------------------------|-------------|---|---|---|---|---|--|-------------|----------------------|------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. | L.M. | |
| 5X/1526 | Z.18500/D HELLERMAN | | | | | | | Ferrule, size D | 4 | — | C | |
| 5X/6723 | 4400 | | | | | | | Housing, pressure bung | 1 | — | C | |
| 5X/1533 | Z.18501/D | | | | | | | Ring, clamp | 4 | — | C | |
| 5X/1005131 | Z.49428 | | | | | | | Sleeve, cable | 14 | — | C | |
| 5X/6766 | Z.70388 | | | | | | | Sleeve, inner | 8 | — | C | |
| 5K/ | EEAS.118/5/N28 | | | | | | | Sleeve, identification | 2 | — | — | |
| 5K/ | EEAS.118/5/N29 | | | | | | | Sleeve, identification | 2 | — | — | |
| 5K/9107066 | EEAS.146/12 | | | | | | | Sleeve, 3/4" long | 16 | — | C | |
| 5K/9107067 | EEAS.146/6 | | | | | | | Sleeve, 3/4" long | 36 | — | C | |
| 5X/6114 | CZ.27922 | | | | | | | Socket, size D (Pre-Mod. 3380) | 4 | — | B | |
| 5X/7189 | 2CZ.111443 | | | | | | | Socket, size D (Mod. 3380) | 4 | — | B | |
| 5F/2281 | HELLERMAN HV.3341 | | | | | | | Strap | QR | — | C | |
| 5F/9434855 | HELLERMAN HV.3342 | | | | | | | Stud | 12 | — | C | |
| 5F/2038 | † | | | | | | | Tubing, P.V.C., 1" | QR | E. & I. 659 Iss.2 | C | |
| | E.B7.81.491 | | | | | | | CABLE ASSEMBLY, N51, FROM ENGINE INSTRUMENT PANEL TO ELECTRICAL CONTROL PANEL, GROUP Consisting of:— | 1 | — | — | |
| 5E/4187 | † | | | | | | | Cable, Uninyvin 12 | QR | — | C | |
| 5X/1548 | Z.18764/B | | | | | | | Ferrule, size B | 2 | — | C | |
| 10H/0970060 | Z.60669 | | | | | | | Gasket, outlet | 2 | — | C | |
| 10H/ | CZ.64133 | | | | | | | Outlet, straight | 2 | — | — | |
| 10H/ | CZ.66960 | | | | | | | Plug, 9-way, Mk. 4 | 1 | — | — | |
| 5X/1532 | Z.18501/C | | | | | | | Ring, clamp | 2 | — | C | |
| 5K/ | EEAS.118/4/N51 | | | | | | | Sleeve, identification | 2 | — | — | |
| 5K/9107067 | EEAS.146/6 | | | | | | | Sleeve, 3/4" long | 18 | — | C | |
| 10H/ | CZ.669659 | | | | | | | Socket, 9-way, Mk. 4 | 1 | — | — | |
| 5F/ | † | | | | | | | Tubing, P.V.C. 19 m/m x 12 m/m | QR | — | — | |
| | E.B7.81.493 | | | | | | | CABLE ASSEMBLY, N52, FROM ENGINE INSTRUMENT PANEL TO ELECTRICAL CONTROL PANEL, GROUP Spares for this group are identical with those for group Part No. E.B7.81.491, except for the following deletion and addition:— Delete:— | 1 | — | — | |
| 5K/ | EEAS.118/4/N51 | | | | | | | Sleeve, identification | 2 | — | — | |
| 5K/ | EEAS.118/4/N52 | | | | | | | Add:— Sleeve, identification | 2 | — | — | |
| | E.B6.81.952/2 | | | | | | | CABLE ASSEMBLY, N30, FROM ELECTRICAL CONTROL PANEL TO PILOT'S CONSOLE ANTI-ICING SWITCHES, PORT AND STARBOARD, GROUP (MOD.1293) Consisting of:— | 1 | — | — | |
| 5E/4183 | † | | | | | | | Cable, Uninyvin 20 | QR | — | C | |
| 5X/1525 | Z.18500/C | | | | | | | Ferrule | 1 | — | C | |
| 5X/1532 | Z.18501/C | | | | | | | Ring, clamp | 1 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|------------|----------------|-------------|---|---|---|---|---|---------|-------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| 5X/1005131 | Z.49428 | | | | | | | 12 | — | C | |
| 5K/ | EEAS.118/4/N30 | | | | | | | 2 | — | — | |
| 5K/9107065 | EEAS.146/6 | | | | | | | 12 | — | C | |
| 5K/9107066 | EEAS.146/12 | | | | | | | 12 | — | C | |
| 5K/9107068 | EEAS.146/D1 | | | | | | | 2 | — | C | |
| 5X/6193 | CZ.50404 | | | | | | | 1 | — | B | |
| 5X/7184 | 2CZ.111235 | | | | | | | 1 | — | B | |
| | HELLERMAN | | | | | | | | | | |
| 5F/2279 | HV.3254 | | | | | | | QR | — | C | |
| | HELLERMAN | | | | | | | | | | |
| 5F/2281 | HV.3341 | | | | | | | QR | — | C | |
| | HELLERMAN | | | | | | | | | | |
| 5F/2307 | NY.3255 | | | | | | | 1 | — | C | |
| | HELLERMAN | | | | | | | | | | |
| 5F/9434855 | HV.3342 | | | | | | | 1 | — | C | |
| 5F/ | † | | | | | | | QR | — | — | |
| | E.B7.81.515/2 | | | | | | | 1 | — | — | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 5E/4183 | † | | | | | | | QR | — | C | |
| 5E/4185 | † | | | | | | | QR | — | C | |
| 5E/4187 | † | | | | | | | QR | — | C | |
| 5X/1526 | Z.18500/D | | | | | | | 2 | — | C | |
| 5X/1533 | Z.18501/D | | | | | | | 2 | — | C | |
| 5X/1005131 | Z.49428 | | | | | | | 34 | — | C | |
| 5K/ | EEAS.118/5/N71 | | | | | | | 2 | — | — | |
| 5K/9107066 | EEAS.146/12 | | | | | | | 42 | — | C | |
| 5K/9107067 | EEAS.146/6 | | | | | | | 4 | — | C | |
| 5X/6194 | CZ.50405 | | | | | | | 2 | — | B | |
| 5X/7192 | 2CZ.111238 | | | | | | | 2 | — | B | |
| 5F/ | † | | | | | | | QR | — | — | |
| | E.B6.81.2849/2 | | | | | | | 1 | — | — | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 5E/4183 | † | | | | | | | QR | — | C | |
| 5E/4185 | † | | | | | | | QR | — | C | |
| 5X/6231 | E.A1.81.482 | | | | | | | 1 | — | C | |
| 5X/1525 | Z.18500/C | | | | | | | 1 | — | C | |
| 5X/1532 | Z.18501/C | | | | | | | 2 | — | C | |
| 5X/1005131 | Z.49428 | | | | | | | 9 | — | C | |
| 5K/ | EEAS.118/4/F24 | | | | | | | 2 | — | — | |
| 5K/9107066 | EEAS.146/12 | | | | | | | 22 | — | C | |
| 5K/9107067 | EEAS.146/C | | | | | | | 2 | — | C | |
| 5X/6094 | CZ.27918 | | | | | | | 1 | — | B | |
| 5X/7185 | 2CZ.111236 | | | | | | | 1 | — | B | |
| 5X/7298 | HC.490 | | | | | | | 9 | — | C | |
| 5X/7016 | HC.500 | | | | | | | 3 | — | C | |
| 5F/ | † | | | | | | | QR | — | — | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No | Description | No. off | Mati. Spec. | Cl. of Equip. | | Plate No |
|-------------|----------------|---|---------|-------------|---------------|------|----------|
| | | | | | M.R. | L.M. | |
| | | 1 2 3 4 5 6 | | | | | |
| | E.B7.81.523 | CABLE, ASSEMBLY, F.95, BETWEEN 400 CYCLES DISTRIBUTION BOX AND 1600 CYCLES DISTRIBUTION BOX, GROUP | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/9100010 | † | Cable, Miniature 3B | QR | — | — | C | |
| 10H/20407 | Z.54443 | Ferrule, inner | 2 | — | — | C | |
| 10H/20406 | Z.54444 | Ferrule, outer | 2 | — | — | C | |
| 10H/0970128 | Z.49035 | Nut, union | 2 | — | — | C | |
| 10H/0970088 | Z.62229 | Ring, sealing | 2 | — | — | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | 6 | — | — | C | |
| 5K/9107068 | EEAS.146/6 | Sleeve, 1/2" long | 2 | — | — | C | |
| 5X/7298 | HC.490 | Tag, quick release terminal | 6 | — | — | C | |
| | E.B7.81.525 | CABLE, ASSEMBLY, F.97, FROM 1600 CYCLES DISTRIBUTION BOX TO CONNECTION AT PRESSURE BULKHEAD, GROUP | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/4199 | † | Cable, Uninyvinmetsheath 20 | QR | — | — | C | |
| 10H/20406 | Z.54443 | Ferrule, inner | 1 | — | — | C | |
| 10H/20407 | Z.54444 | Ferrule, outer | 1 | — | — | C | |
| 10H/0970058 | Z.60667 | Gasket, outlet | 1 | — | — | C | |
| 5K/87 | AGS.1658/0 | Nut, gland | 1 | — | — | C | |
| 10H/0970062 | CZ.49180 | Outlet, straight | 1 | — | — | C | |
| 10H/0560270 | CZ.49216 | Plug, 2-way, Mk. 4 | 1 | — | — | C | |
| 10H/0970088 | Z.62229 | Ring, sealing | 1 | — | — | C | |
| 5K/59 | AGS.1655/1 | Sleeve, inner | 1 | — | — | C | |
| 5K/62 | AGS.1656/1 | Sleeve, outer | 1 | — | — | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 1/2" long | 2 | — | — | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | 2 | — | — | C | |
| 5K/9107068 | EEAS.146/6 | Sleeve, 1" long | 2 | — | — | C | |
| 5X/7298 | HC.490 | Tag, quick release terminal | 2 | — | — | C | |
| | E.B7.81.527 | CABLE, ASSEMBLY, F.98, FROM 1600 CYCLES DISTRIBUTION BOX TO CONNECTION AT PRESSURE BULKHEAD, GROUP | 1 | — | — | | |
| | | Spares for this group are identical with those for group Part No. E.B7.81.525, except for the following deletion and addition:— | | | | | |
| | | Delete:— | | | | | |
| 10H/0560270 | CZ.49216 | Plug, 2-way, Mk. 4 | 1 | — | — | C | |
| | | Add:— | | | | | |
| 10H/0560271 | CZ.49216/1 | Plug, 2-way, Mk. 4 | 1 | — | — | C | |
| | E.B7.81.549/2 | CABLE, ASSEMBLY, N.55, FROM STARTER PANEL TO TIME SWITCH, GROUP | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | — | C | |
| 5X/1524 | Z.18500/B | Ferrule | 2 | — | — | C | |
| 5X/1531 | Z.18501/B | Ring, clamp | 2 | — | — | C | |
| 5K/ | EEAS.118/3/N55 | Sleeve, identification | 2 | — | — | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve, cable, 3/4" long | 18 | — | — | C | |
| 5X/1005131 | Z.49428 | Sleeve, cable | 18 | — | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-------------|----------------|-------------|---|---|---|---|---|---------|-------------|---------------|------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. | L.M. | |
| 5X/6191 | CZ.50401 | | | | | | | 2 | — | | B | |
| 5X/7178 | 2CZ.111234 | | | | | | | 2 | — | | B | |
| 5F/ | † | | | | | | | QR | — | | — | |
| | E.B6.81.2845 | | | | | | | 1 | — | | — | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 5E/3112 | † | | | | | | | QR | — | | C | |
| 5X/6753 | EEAS.111/6 | | | | | | | 2 | — | | C | |
| 10H/0970058 | Z.60667 | | | | | | | 1 | — | | C | |
| 10H/0970128 | Z.49035 | | | | | | | 1 | — | | C | |
| 10H/0970062 | CZ.49180 | | | | | | | 1 | — | | C | |
| 5X/1529 | Z.18501/A | | | | | | | 2 | — | | C | |
| 10H/0970088 | Z.62229 | | | | | | | 2 | — | | C | |
| 5K/9107065 | EEAS.146/16 | | | | | | | 6 | — | | C | |
| 5K/9107066 | EEAS.146/12 | | | | | | | 6 | — | | C | |
| 5K/9107069 | EEAS.146/2 | | | | | | | 2 | — | | C | |
| 10H/0560120 | CZ.49017 | | | | | | | 1 | — | | C | |
| 5X/7298 | HC.490 | | | | | | | 6 | — | | C | |
| | E.B7.81.551/2 | | | | | | | 1 | — | | — | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 5K/ | EEAS.118/3/N55 | | | | | | | 2 | — | | — | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 5K/ | EEAS.118/3/N56 | | | | | | | 2 | — | | — | |
| | E.B7.81.557 | | | | | | | 1 | — | | — | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 5E/4203 | † | | | | | | | QR | — | | C | |
| 10H/0970076 | Z.49047 | | | | | | | 1 | — | | C | |
| 10H/0970075 | Z.49048 | | | | | | | 1 | — | | C | |
| 10H/0970058 | Z.60667 | | | | | | | 1 | — | | C | |
| 10H/0970068 | CZ.49179 | | | | | | | 1 | — | | C | |
| 10H/0970087 | Z.62228 | | | | | | | 1 | — | | C | |
| 5K/9107067 | EEAS.146/6 | | | | | | | 4 | — | | C | |
| 5K/9107068 | EEAS.146/D1 | | | | | | | 2 | — | | C | |
| 10H/4043 | † | | | | | | | 1 | — | | C | |
| 10H/0560591 | CZ.49014/1 | | | | | | | 1 | — | | C | |
| | E.B6.81.563/2 | | | | | | | 1 | — | | — | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 5E/4183 | † | | | | | | | QR | — | | C | |
| 5E/4185 | † | | | | | | | QR | — | | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|------------|----------------|--|-----|-----|-----|-----|----|---------|-------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| 5E/4187 | † | Cable, Uninyvin 12 | ... | ... | ... | ... | QR | — | C | | |
| 5X/1526 | Z.18500/D | Ferrule, size D | ... | ... | ... | ... | 2 | — | C | | |
| 5X/1533 | Z.18501/D | Ring, clamp | ... | ... | ... | ... | 2 | — | C | | |
| 5X/1005131 | Z.49428 | Sleeve, cable | ... | ... | ... | ... | 30 | — | C | | |
| 5K/ | EEAS.118/5/F72 | Sleeve, identification | ... | ... | ... | ... | 2 | — | — | | |
| 5K/9107067 | EEAS.146/6 | Sleeve, 3/4" long | ... | ... | ... | ... | 2 | — | C | | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | ... | ... | ... | ... | 34 | — | C | | |
| 5X/6194 | CZ.50405 | Socket, assembly, size D (Pre-Mod. 3380) | ... | ... | ... | ... | 2 | — | B | | |
| 5X/7192 | 2CZ.111238 | Socket, assembly, size D (Mod. 3380) | ... | ... | ... | ... | 2 | — | B | | |
| 5F/ | † | Tubing, P.V.C., 25.4 m/m x 1.2 m/m | ... | ... | ... | ... | QR | — | — | | |
| | E.B6.81.565/2 | CABLE, ASSEMBLY, N5, FROM PILOT'S CONSOLE TO CONNECTION AT PRESSURE BULKHEAD, GROUP | | | | | 1 | — | — | | |
| | | Consisting of:— | | | | | | | | | |
| 5E/3076 | † | Cable, Tripren 12 | ... | ... | ... | ... | QR | — | C | | |
| 33H/56 | † | Cement, Bostik | ... | ... | ... | ... | QR | — | C | | |
| 5X/1356 | Z.2272/2 | Ferrule, cut | ... | ... | ... | ... | 2 | — | C | | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | ... | ... | ... | ... | 6 | — | C | | |
| 5K/9107068 | EEAS.146/D1 | Sleeve, 1" long | ... | ... | ... | ... | 2 | — | C | | |
| 5X/6799 | CZ.56088 | Socket, size A (Pre-Mod. 3380) | ... | ... | ... | ... | 1 | — | B | | |
| 5X/7173 | 2CZ.111231 | Socket, size A (Mod. 3380) | ... | ... | ... | ... | 1 | — | B | | |
| 5X/6823 | CZ.56090 | Socket, size A (Pre-Mod. 3380) | ... | ... | ... | ... | 1 | — | B | | |
| 5X/7195 | 2CZ.111449 | Socket, size A (Mod. 3380) | ... | ... | ... | ... | 1 | — | B | | |
| 32B/498 | † | Thread, waxed linen, No. 18 | ... | ... | ... | ... | QR | — | C | | |
| | E.B7.81.567/2 | CABLE, ASSEMBLY, N7X, FROM ELECTRICAL CONTROL PANEL TO CONNECTION AT PRESSURE BULKHEAD, GROUP | | | | | 1 | — | — | | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | ... | ... | ... | ... | QR | — | C | | |
| 5E/4185 | † | Cable, Uninyvin 16 | ... | ... | ... | ... | QR | — | C | | |
| 5E/4187 | † | Cable, Uninyvin 12 | ... | ... | ... | ... | QR | — | C | | |
| 5X/6455 | CZ.61570 | Elbow, assembly | ... | ... | ... | ... | 1 | — | C | | |
| 5X/1526 | Z.18500/D | Ferrule | ... | ... | ... | ... | 2 | — | C | | |
| 5X/3172 | Z.28156 | Gasket | ... | ... | ... | ... | 1 | — | C | | |
| 5X/1533 | Z.18501/D | Ring, clamp | ... | ... | ... | ... | 2 | — | C | | |
| 5X/1005131 | Z.49428 | Sleeve, cable | ... | ... | ... | ... | 34 | — | C | | |
| 5K/ | EEAS.118/5/N7X | Sleeve, identification | ... | ... | ... | ... | 2 | — | — | | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | ... | ... | ... | ... | 48 | — | C | | |
| 5K/9107067 | EEAS.146/6 | Sleeve, 3/4" long | ... | ... | ... | ... | 2 | — | C | | |
| 5X/6194 | CZ.50405 | Socket, assembly (Pre-Mod. 3380) | ... | ... | ... | ... | 1 | — | B | | |
| 5X/7192 | 2CZ.111238 | Socket, assembly (Mod. 3380) | ... | ... | ... | ... | 1 | — | B | | |
| 5X/6200 | CZ.50414 | Socket, assembly (Pre-Mod. 3380) | ... | ... | ... | ... | 1 | — | B | | |
| 5X/7205 | 2CZ.111468 | Socket, assembly (Mod. 3380) | ... | ... | ... | ... | 1 | — | B | | |
| 5F/ | † | Tubing, P.V.C. 25.4 m/m x 1.2 m/m | ... | ... | ... | ... | QR | — | C | | |
| | E.BZ.81.569 | CABLE, ASSEMBLY, 14J, FROM J.B.14 TO WESTLAND VALVE, GROUP | | | | | 1 | — | — | | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | ... | ... | ... | ... | QR | — | C | | |
| 5X/2785 | Z.22430 | Grommet, Helsyn No. 2 | ... | ... | ... | ... | 1 | — | C | | |
| 5K/9107065 | EEAS.146/16 | Sleeve, 3/4" long | ... | ... | ... | ... | 2 | — | C | | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | ... | ... | ... | ... | 2 | — | C | | |
| 5K/9107067 | EEAS.146/6 | Sleeve, 1" long | ... | ... | ... | ... | 2 | — | C | | |
| 5X/7298 | HC.490 | Tag, quick release terminal | ... | ... | ... | ... | 2 | — | C | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M | Plate No. |
|------------|----------------|--|-----|-----|-----|-----|----|---------|-------------|------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.B6.81.571/2 | CABLE, ASSEMBLY, N.13, FROM ELECTRICAL CONTROL PANEL TO J.B.13, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | ... | ... | ... | ... | QR | — | C | | |
| 5E/4185 | † | Cable, Uninyvin 16 | ... | ... | ... | ... | QR | — | C | | |
| 5E/4187 | † | Cable, Uninyvin 12 | ... | ... | ... | ... | QR | — | C | | |
| 5X/1525 | Z.18500/C | Ferrule | ... | ... | ... | ... | 1 | — | C | | |
| 5X/1532 | Z.18501/C | Ring, clamp | ... | ... | ... | ... | 1 | — | C | | |
| 5X/1005131 | Z.49428 | Sleeve, cable | ... | ... | ... | ... | 7 | — | C | | |
| 5K/ | EEAS.118/4/N13 | Sleeve, identification | ... | ... | ... | ... | 2 | — | — | | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | ... | ... | ... | ... | 24 | — | C | | |
| 5K/9107067 | EEAS.146/6 | Sleeve, 1/2" long | ... | ... | ... | ... | 4 | — | C | | |
| 5X/6094 | CZ.27918 | Socket, assembly (Pre-Mod. 3380) | ... | ... | ... | ... | 1 | — | B | | |
| 5X/7185 | 2CZ.111236 | Socket, assembly (Mod. 3380) | ... | ... | ... | ... | 1 | — | B | | |
| 5X/7298 | HC.490 | Tag, quick release terminal | ... | ... | ... | ... | 7 | — | C | | |
| 5X/7016 | HC.500 | Tag, quick release terminal | ... | ... | ... | ... | 5 | — | C | | |
| 5X/7017 | HC.510 | Tag, quick release terminal | ... | ... | ... | ... | 2 | — | C | | |
| 5F/ | † | Tubing, P.V.C., 19 m/m x 1.2 m/m | ... | ... | ... | ... | QR | — | — | | |
| | E.B6.81.573 | CABLE, ASSEMBLY, 13A, FROM J.B.13 TO G.H. UNIT (TYPE 522) CONTROLLER, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | ... | ... | ... | ... | QR | — | C | | |
| 33H/56 | † | Cement, Bostik | ... | ... | ... | ... | QR | — | C | | |
| 5X/2785 | Z.22430 | Grommet, No. 2 | ... | ... | ... | ... | 1 | — | C | | |
| 5K/36 | AGS.1652/1 | Sleeve, cable | ... | ... | ... | ... | 1 | — | C | | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | ... | ... | ... | ... | 4 | — | C | | |
| 5K/9107067 | EEAS.146/C | Sleeve, 1/2" long | ... | ... | ... | ... | 2 | — | C | | |
| 10H/2744 | † | Socket, type W.401 | ... | ... | ... | ... | 1 | — | B | | |
| 5X/7298 | HC.490 | Tag, quick release terminal | ... | ... | ... | ... | 2 | — | C | | |
| 32B/498 | † | Thread, waxed linen, No. 18 | ... | ... | ... | ... | QR | — | C | | |
| | E.B6.81.575/2 | CABLE, ASSEMBLY, N.14, FROM ELECTRICAL CONTROL PANEL TO J.B.14, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | ... | ... | ... | ... | QR | — | C | | |
| 5E/4185 | † | Cable, Uninyvin 16 | ... | ... | ... | ... | QR | — | C | | |
| 5X/1526 | Z.18500/D | Ferrule | ... | ... | ... | ... | 1 | — | C | | |
| 5X/1533 | Z.18501/D | Ring, clamp | ... | ... | ... | ... | 1 | — | C | | |
| 5X/1005131 | Z.49428 | Sleeve, cable | ... | ... | ... | ... | 9 | — | C | | |
| 5K/ | EEAS.118/5/N14 | Sleeve, identification | ... | ... | ... | ... | 2 | — | — | | |
| 5X/6194 | CZ.50405 | Socket, assembly, size D (Pre-Mod. 3380) | ... | ... | ... | ... | 1 | — | B | | |
| 5X/7192 | 2CZ.111238 | Socket, size D (Mod. 3380) | ... | ... | ... | ... | 1 | — | B | | |
| 5X/7298 | HC.490 | Tag, quick release terminal | ... | ... | ... | ... | 9 | — | C | | |
| 5X/7016 | HC.500 | Tag, quick release terminal | ... | ... | ... | ... | 9 | — | C | | |
| 5F/ | † | Tubing, P.V.C., 25.4 m/m x 1.2 m/m | ... | ... | ... | ... | QR | — | — | | |
| | E.B6.81.2901 | CABLE, ASSEMBLY, 14L, 14M AND 14N, FROM J.B.14 TO ELECTRICAL HORN AND RELAY TYPE Q, GROUP (MOD. 2312) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | ... | ... | ... | ... | QR | — | C | | |
| 5X/2786 | Z.22431 | Grommet, Helsyn No. 3 | ... | ... | ... | ... | 1 | — | C | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|------------|----------------|-------------|---|---|---|---|---|---------|------------------------|---------------|------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. | L.M. | |
| 5K/9107065 | EEAS.146/16 | | | | | | | 6 | — | C | | |
| 5K/9107066 | EEAS.146/12 | | | | | | | 6 | — | C | | |
| 5K/9107066 | EEAS.146/6 | | | | | | | 6 | — | C | | |
| 5X/7298 | HC.490 | | | | | | | 6 | — | C | | |
| | E.B6.81.2899 | | | | | | | 1 | — | — | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 5E/4183 | † | | | | | | | QR | — | C | | |
| 5D/1770 | S.I.S.6252 | | | | | | | 1 | — | C | | |
| 5K/9107066 | EEAS.146/12 | | | | | | | 4 | — | C | | |
| 5K/9107066 | EEAS.146/B | | | | | | | 9 | — | C | | |
| 5X/7298 | HC.490 | | | | | | | 2 | — | C | | |
| | E.B6.81.581/2 | | | | | | | 1 | — | — | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 5E/4183 | † | | | | | | | QR | — | C | | |
| 5E/4185 | † | | | | | | | QR | — | C | | |
| 5E/4187 | † | | | | | | | QR | — | C | | |
| 5X/1526 | Z.18500/D | | | | | | | 2 | — | C | | |
| 5X/1533 | Z.18501/D | | | | | | | 2 | — | C | | |
| 5X/1005131 | Z.49428 | | | | | | | 30 | — | C | | |
| 5K/ | EEAS.118/5/N72 | | | | | | | 2 | — | — | | |
| 5K/9107066 | EEAS.146/12 | | | | | | | 34 | — | C | | |
| 5K/9107067 | EEAS.146/6 | | | | | | | 2 | — | C | | |
| 5X/6194 | CZ.50405 | | | | | | | 1 | — | B | | |
| 5X/7192 | 2CZ.111238 | | | | | | | 1 | — | B | | |
| 5X/6200 | CZ.50414 | | | | | | | 1 | — | B | | |
| 5X/7205 | 2CZ.111468 | | | | | | | 1 | — | B | | |
| | E.B6.81.583 | | | | | | | 1 | — | — | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 5E/4183 | † | | | | | | | QR | — | C | | |
| 5X/2785 | Z.22430 | | | | | | | 1 | — | C | | |
| 5K/9107065 | EEAS.146/16 | | | | | | | 2 | — | C | | |
| 5K/9107066 | EEAS.146/12 | | | | | | | 2 | — | C | | |
| 5K/9107067 | EEAS.146/6 | | | | | | | 2 | — | C | | |
| 5X/7298 | HC.490 | | | | | | | 2 | — | C | | |
| | E.B6.81.587 | | | | | | | 1 | — | — | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 5E/3080 | † | | | | | | | QR | — | C | | |
| 4588 | † | | | | | | | 1 | E. & I. 632 Sect. 1 | C | | |
| 5X/2786 | Z.22431 | | | | | | | 1 | — | C | | |
| 5X/846 | † | | | | | | | 6 | — | C | | |
| 5K/9107065 | EEAS.146/16 | | | | | | | 6 | — | C | | |
| 5K/9107066 | EEAS.146/12 | | | | | | | 6 | — | C | | |
| 5K/9107069 | EEAS.146/2 | | | | | | | 1 | — | C | | |
| 5K/9107070 | EEAS.146/00 | | | | | | | 1 | — | C | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | Plate No |
|------------|----------------|-------------|---|---|---|---|---|---------|-------------|---------------|----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. L.M. | |
| 5X/766 | † | | | | | | | 1 | — | B | |
| 5X/7298 | HC.490 | | | | | | | 6 | — | C | |
| 32B/498 | † | | | | | | | QR | — | C | |
| | E.B6.81.589 | | | | | | | 1 | — | — | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 5E/4187 | † | | | | | | | QR | — | C | |
| | HELLERMAN | | | | | | | | | | |
| 5K/3071 | HV.3112 | | | | | | | 1 | — | C | |
| 5K/9107066 | EEAS.146/6 | | | | | | | 4 | — | C | |
| 5X/9400388 | 77862 | | | | | | | 2 | — | C | |
| 5X/7017 | HC.510 | | | | | | | 2 | — | C | |
| | E.B6.81.591/2 | | | | | | | 1 | — | — | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 5E/4183 | † | | | | | | | QR | — | C | |
| 5E/4185 | † | | | | | | | QR | — | C | |
| 5E/4187 | † | | | | | | | QR | — | C | |
| 5X/1526 | Z.18500/D | | | | | | | 2 | — | C | |
| 5X/1533 | Z.18501/D | | | | | | | 2 | — | C | |
| 5X/1005131 | Z.49428 | | | | | | | 34 | — | C | |
| 5K/9107066 | EEAS.146/12 | | | | | | | 48 | — | C | |
| 5K/9107067 | EEAS.146/6 | | | | | | | 4 | — | C | |
| 5K/ | EEAS.118/5/N57 | | | | | | | 2 | — | — | |
| 5X/6194 | CZ.50405 | | | | | | | 2 | — | B | |
| 5X/7192 | 2CZ.11238 | | | | | | | 2 | — | B | |
| 5F/ | † | | | | | | | QR | — | — | |
| | E.B7.81.591 | | | | | | | 1 | — | — | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 5E/4187 | † | | | | | | | QR | — | C | |
| 33H/56 | † | | | | | | | QR | — | C | |
| 5X/335 | Z.2260/2 | | | | | | | 2 | — | C | |
| 5X/6509 | † | | | | | | | 1 | — | C | |
| 5K/9107066 | EEAS.146/6 | | | | | | | 8 | — | C | |
| 5K/9107069 | EEAS.146/2 | | | | | | | 2 | — | C | |
| 5X/6192 | CZ.50403 | | | | | | | 1 | — | B | |
| 5X/7181 | 2CZ.111439 | | | | | | | 1 | — | B | |
| 5X/6198 | CZ.50412 | | | | | | | 1 | — | B | |
| 5X/7550 | 2CZ.111457 | | | | | | | 1 | — | B | |
| | HELLERMAN | | | | | | | | | | |
| 5F/2281 | HV.3341 | | | | | | | QR | — | C | |
| | HELLERMAN | | | | | | | | | | |
| 5F/9434855 | HV.3342 | | | | | | | 36 | — | C | |
| 32B/498 | † | | | | | | | QR | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Mati. Spec. | Cl. of Equip. | | Plate No |
|------------|----------------|---|---------|-------------|---------------|------|----------|
| | | | | | M.R. | L.M. | |
| | | 1 2 3 4 5 6 | | | | | |
| | E.B6.81.593/2 | CABLE, ASSEMBLY, N.69, FROM ELECTRICAL CONTROL PANEL TO PILOT'S CONTROL COLUMN TERMINAL BOARD, GROUP | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | — | C | |
| 5E/4185 | † | Cable, Uninyvin 16 | QR | — | — | C | |
| 5X/6218 | E.A1.81.483 | Ferrule, plain | 1 | — | — | C | |
| 5X/1524 | Z.18500/B | Ferrule | 1 | — | — | C | |
| 5X/1531 | Z.18501/B | Ring, clamp | 2 | — | — | C | |
| 5X/1005131 | Z.49428 | Sleeve, cable | 5 | — | — | C | |
| 5K/ | EEAS.118/3/N69 | Sleeve, identification | 2 | — | — | — | |
| 5K/9107065 | EEAS.146/16 | Sleeve, 3/4" long | 8 | — | — | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | 8 | — | — | C | |
| 5X/6191 | CZ.50401 | Socket, assembly (Pre-Mod. 3380) | 1 | — | — | B | |
| 5X/7178 | 2CZ.111234 | Socket, assembly (Mod. 3380) | 1 | — | — | B | |
| | E.B6.81.597 | CABLE, ASSEMBLY, 14C, FROM J.B.14 TO CAMERA CONTROL AND MASTER SWITCH, GROUP | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/4185 | † | Cable, Uninyvin 16 | QR | — | — | C | |
| | HELLERMAN | | | | | | |
| 5K/3071 | HV.3112 | Grommet, tension | 1 | — | — | C | |
| 5K/9107065 | EEAS.146/16 | Sleeve, 3/4" long | 2 | — | — | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | 4 | — | — | C | |
| 5K/9107067 | EEAS.146/6 | Sleeve, 1" long | 2 | — | — | C | |
| 5K/9107068 | EEAS.146/D1 | Sleeve, 1" long | 1 | — | — | C | |
| 5X/1768 | S.I.S.1083 | Socket, camera, 3-way | 1 | — | — | B | |
| 5X/7016 | HC/500 | Tag, quick release terminal | 4 | — | — | C | |
| 32B/498 | † | Thread, waxed linen, No. 18 | QR | — | — | C | |
| 5F/ | † | Tubing, 5.5 m/m x 1 m/m | QR | — | — | — | |
| | E.B7.81.597 | CABLE, ASSEMBLY, 14H, FROM J.B.14 TO I/C RELAY PANEL, GROUP | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/3074 | † | Cable, Triprene 6 | QR | — | — | C | |
| 5X/2786 | Z.22431 | Grommet, Helsyn No. 3 | 1 | — | — | C | |
| 5K/9107065 | EEAS.146/16 | Sleeve, 3/4" long | 3 | — | — | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | 3 | — | — | C | |
| 5K/9107068 | EEAS.146/D | Sleeve, 1" long | 2 | — | — | C | |
| 5X/7298 | HC.490 | Tag, quick release terminal | 3 | — | — | C | |
| | E.A3.81.601/2 | CABLE, ASSEMBLY, N.2, FROM BOMB RELEASE M.A.U. TO CONNECTION AT PRESSURE BULKHEAD, GROUP | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/3080 | † | Cable, Septopren 6 | QR | — | — | C | |
| 33H/56 | † | Cement, Bostik | QR | — | — | C | |
| 4587 | † | Channel, rubber, 0.75" long, section 2 | 1 | E.& I.652 | — | C | |
| 5X/1333 | Z.1381/2 | Ferrule, cut | 1 | — | — | C | |
| 5X/846 | † | Pin, socket | 9 | — | — | C | |
| 5X/1005131 | Z.49428 | Sleeve, cable | 9 | — | — | C | |
| 5K/9107065 | EEAS.146/16 | Sleeve, 3/4" long | 7 | — | — | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | 7 | — | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Mati. Spec. | Cl. of Equip. | | Plate No. |
|-------------|-----------------|---|---------|-------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | E.A3.81.644 | CABLE, ASSEMBLY, N.81, FROM 400 CYCLES FUSE BOX TO BOMB SIGHT COMPUTER, GROUP | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/9100031 | † | Cable, Miniature, type 12B | QR | — | C | | |
| 10H/0970083 | Z.49138 | Ferrule, outer | 2 | — | C | | |
| 10H/0970084 | Z.49137 | Ferrule, inner | 2 | — | C | | |
| 10H/19371 | Z.54185 | Gasket, outlet | 1 | — | C | | |
| 10H/19092 | CZ.49182 | Outlet, straight | 1 | — | C | | |
| 10H/0970091 | Z.54187 | Ring, sealing | 2 | — | C | | |
| 5K/9107065 | EEAS.146/16 | Sleeve, 3/4" long | 12 | — | C | | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | 12 | — | C | | |
| 5K/9107069 | EEAS.146/2 | Sleeve, 1" long | 2 | — | C | | |
| 10H/0560180 | CZ.49126 | Socket, assembly, Mk. 4, 12-way | 1 | — | B | | |
| 5X/7298 | HC.490 | Tag, quick release terminal | 12 | — | C | | |
| | E.A3.81.645/1 | CABLE, ASSEMBLY, N.82, FROM BOMB SIGHT JUNCTION BOX TO SIGHTING HEAD, GROUP | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/3106 | † | Cable, Triprenmet 6 | QR | — | C | | |
| 105X/993 | AN.3057/4 | Clamp, cable | 1 | — | C | | |
| 5K/41 | AGS.1653/1 | Ferrule, inner | 1 | — | C | | |
| 5K/1008392 | AGS.1654/1 | Ferrule, outer | 1 | — | C | | |
| 5K/88 | AGS.1658/1 | Nut, gland | 1 | — | C | | |
| 5K/9107065 | EEAS.146/16 | Sleeve, 1/2" long | 3 | — | C | | |
| 5K/9107065 | EEAS.146/16 | Sleeve, 3/4" long | 3 | — | C | | |
| 5K/9107068 | EEAS.146/D1 | Sleeve, 1" long | 2 | — | C | | |
| 105X/2046 | AN.3108/10SL/35 | Socket, 3-way | 1 | — | B | | |
| 5X/7298 | HC.490 | Tag, quick release terminal | 3 | — | C | | |
| | E.A3.81.646/1 | CABLE, ASSEMBLY, N.83, FROM BOMB SIGHT JUNCTION BOX TO CONTROL PANEL, GROUP | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/3098 | † | Cable, Duprenmet 6 | QR | — | C | | |
| 105X/993 | AN.3057/4 | Clamp, cable | 1 | — | C | | |
| 5K/59 | AGS.1655/1 | Ferrule, inner | 1 | — | C | | |
| 5K/62 | AGS.1656/1 | Ferrule, outer | 1 | — | C | | |
| 5K/88 | AGS.1658/1 | Nut, gland | 1 | — | C | | |
| 5K/9107065 | EEAS.146/16 | Sleeve, 1/2" long | 2 | — | C | | |
| 5K/9107065 | EEAS.146/16 | Sleeve, 3/4" long | 2 | — | C | | |
| 5K/9107067 | EEAS.146/6 | Sleeve, 1" long | 2 | — | C | | |
| 105X/68 | AN.3106/125/35 | Socket, 2-way | 1 | — | B | | |
| 5X/7298 | HC.490 | Tag, quick release terminal | 2 | — | C | | |
| | E.A3.81.647/1 | CABLE, ASSEMBLY, N.83A, FROM CONTROL PANEL TO SIGHTING HEAD, GROUP (PRE-MOD. 2197) | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/4199 | † | Cable, Uninyvinmetsheath 20 | QR | — | C | | |
| 105X/1405 | AN.3057/6 | Clamp, cable | 2 | — | C | | |
| 105X/777 | AN.3106/14S/1P | Plug, 3-way | 1 | — | B | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Mati. Spec. | Cl. of Equip. | | Plate No |
|------------|---------------|--|---------|-------------|---------------|------|----------|
| | | | | | M.R. | L.M. | |
| | | 1 2 3 4 5 6 | | | | | |
| | E.B6.81.1867 | CABLE, ASSEMBLY, F.42, FROM D.C. DISTRIBUTION BOX TO TORQUE SWITCH, GROUP (MOD. 1420) Consisting of:— | 1 | — | — | | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | — | C | |
| 5X/2784 | Z.23671 | Grommet, Helsyn No. 1 | 1 | — | — | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | 2 | — | — | C | |
| 5K/9107066 | EEAS.146/B | Sleeve, 3/4" long | 4 | — | — | C | |
| | E.A3.81.2247 | Tag, identification | 2 | — | — | LM | |
| 5X/7298 | HC.490 | Tag, quick release terminal | 2 | — | — | C | |
| | E.A3.81.654/1 | CABLE, ASSEMBLY, N.85, FROM BOMBSIGHT JUNCTION BOX TO BOMBSIGHT, GROUP Consisting of:— | 1 | — | — | | |
| 5E/4199 | † | Cable, Uninyvinmetsheath 20 | QR | — | — | C | |
| 105X/1402 | † | Clamp, cable | 1 | — | — | C | |
| 5K/59 | AGS.1655/1 | Ferrule, inner | 1 | — | — | C | |
| 5K/62 | AGS.1656/1 | Ferrule, outer | 1 | — | — | C | |
| 30B/ | † | Gauze, cadmium coated copper | QR | — | — | — | |
| 5K/88 | AGS.1658/1 | Nut, gland | 1 | — | — | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 1/2" long | 2 | — | — | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | 2 | — | — | C | |
| 5K/9107068 | EEAS.146/6 | Sleeve, 1" long | 2 | — | — | C | |
| 105X/868 | AN.3106 | Socket, 2-way | 1 | — | — | B | |
| 5X/7298 | HC.490 | Tag, quick release terminal | 3 | — | — | C | |
| | E.A3.81.668/1 | CABLE, ASSEMBLY, F.43, FROM D.C. DISTRIBUTION BOX TO FLAME SWITCH, GROUP Consisting of:— | 1 | — | — | | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | — | C | |
| 5X/2785 | Z.22430 | Grommet, Helsyn No. 5 | 1 | — | — | C | |
| 5K/9107065 | EEAS.146/16 | Sleeve, 1/2" long | 2 | — | — | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | 2 | — | — | C | |
| 5K/9107067 | EEAS.146/6 | Sleeve, 1" long | 2 | — | — | C | |
| 5X/7298 | HC.490 | Tag, quick release terminal | 2 | — | — | C | |
| | E.A3.81.669/1 | CABLE, ASSEMBLY, F.44, FROM D.C. DISTRIBUTION BOX TO UNDERCARRIAGE TERMINAL BOARD, GROUP Consisting of:— | 1 | — | — | | |
| 5E/3079 | † | Cable, Quinpren 6 | QR | — | — | C | |
| 5X/2786 | Z.22431 | Grommet, Helsyn No. 3 | 2 | — | — | C | |
| 5K/9107065 | EEAS.146/16 | Sleeve, 3/4" long | 4 | — | — | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | 4 | — | — | C | |
| 5K/9107068 | EEAS.146/D1 | Sleeve, 1" long | 2 | — | — | C | |
| 5X/7298 | HC.490 | Tag, quick release terminal | 4 | — | — | C | |
| | E.B7.81.1783 | CABLE, ASSEMBLY, 4C1, NOSEWHEEL "UP", FROM TERMINAL BOARD TO INDICATOR CONTROL SWITCH, GROUP (MOD. 1497) Consisting of:— | 1 | — | — | | |
| 5E/3802 | † | Cable, Duprensheath 6 | QR | — | — | C | |
| 5K/9107065 | EEAS.146/16 | Sleeve, 3/4" long | 2 | — | — | C | |
| 5K/9107068 | EEAS.146/6 | Sleeve, 3/4" long | 2 | — | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|----------|------------------------|---|-----|-----|-----|-----|----|---------|-------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.A3.81.670/1 | CABLE, ASSEMBLY, F.45, FROM D.C. DISTRIBUTION BOX TO PYROMETER VOLTAGE COMPENSATOR, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| | 5E/4183 † | Cable, Uninyvin 20 | ... | ... | ... | ... | QR | — | C | | |
| | 5E/4185 † | Cable, Uninyvin 16 | ... | ... | ... | ... | QR | — | C | | |
| | 5X/2787 Z.22432 | Grommet, Helsyn No. 4 | ... | ... | ... | ... | 1 | — | C | | |
| | 5K/9107065 † | Sleeve, 3/4" long | ... | ... | ... | ... | 8 | — | C | | |
| | 5K/9107066 † | Sleeve, 1" long | ... | ... | ... | ... | 3 | — | C | | |
| | 5X/7298 HC.490 | Tag, quick release terminal | ... | ... | ... | ... | 2 | — | C | | |
| | 5X/7016 HC.500 | Tag, quick release terminal | ... | ... | ... | ... | 2 | — | C | | |
| | E.B7.81.1785 | CABLE, ASSEMBLY, 4C2, NOSEWHEEL "DOWN" FROM TERMINAL BOARD INDICATOR CONTROL, GROUP (MOD. 1497) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| | 5E/3802 † | Cable, Duprensheath 6 | ... | ... | ... | ... | QR | — | C | | |
| | 5K/9107065 EEAS.146/16 | Sleeve, 3/4" long | ... | ... | ... | ... | 2 | — | C | | |
| | 5K/9107068 EEAS.146/D | Sleeve, 3/4" long | ... | ... | ... | ... | 2 | — | C | | |
| | E.B7.81.1787 | CABLE, ASSEMBLY, 4C3, NOSEWHEEL "DOWN" FROM TERMINAL BOARD TO INDICATOR CONTROL, GROUP (MOD. 1497) | | | | | | 1 | — | — | |
| | | Spares for this group are identical with those for group Part No. E.B7.81.1785 | | | | | | | | | |
| | E.A1.81.673 | CABLE, ASSEMBLY, F.37A, FROM SUPPRESSOR TO ELECTRONIC REGULATOR, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| | 5X/6430 EEAS.70/1 | Adaptor, reducing | ... | ... | ... | ... | 1 | — | C | | |
| | 5E/9100003 † | Cable, Miniature 2B | ... | ... | ... | ... | QR | — | C | | |
| | 10H/20406 Z.54443 | Ferrule, inner | ... | ... | ... | ... | 2 | — | C | | |
| | 10H/20407 Z.54444 | Ferrule, outer | ... | ... | ... | ... | 2 | — | C | | |
| | 10H/0970058 Z.54184 | Gasket, outlet | ... | ... | ... | ... | 1 | — | C | | |
| | 10H/0970128 Z.49035 | Nut, union | ... | ... | ... | ... | 1 | — | C | | |
| | 10H/0970062 CZ.49180 | Outlet, straight | ... | ... | ... | ... | 1 | — | C | | |
| | 10H/0970088 Z.49043 | Ring, sealing | ... | ... | ... | ... | 2 | — | C | | |
| | 5K/9107065 EEAS.146/16 | Sleeve, 3/4" long | ... | ... | ... | ... | 2 | — | C | | |
| | 5K/9107066 EEAS.146/12 | Sleeve, 3/4" long | ... | ... | ... | ... | 2 | — | C | | |
| | 5K/9107068 EEAS.146/6 | Sleeve, 1" long | ... | ... | ... | ... | 2 | — | C | | |
| | 10H/0560110 CZ.49016 | Socket, free, Mk. 4 | ... | ... | ... | ... | 1 | — | C | | |
| | E.A1.81.675/1 | CABLE, ASSEMBLY, 4C4, FROM UNDER-CARRIAGE TERMINAL BOARD TO NOSEWHEEL DOOR SWITCH, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| | 5E/4183 † | Cable, Uninyvin 20 | ... | ... | ... | ... | QR | — | C | | |
| | 32A/94 † | Cord, waxed braided | ... | ... | ... | ... | QR | 45/35 | C | | |
| | 5K/ EEAS.146/12 | Sleeve, 3/4" long | ... | ... | ... | ... | 6 | — | — | | |
| | 5K/ EEAS.146/6 | Sleeve, 1" long | ... | ... | ... | ... | 2 | — | — | | |
| | 5X/7298 HC.490 | Tag, quick release terminal | ... | ... | ... | ... | 2 | — | C | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-------------|---------------|---|---------|-------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | | 1 2 3 4 5 6 | | | | | |
| | E.A3.81.679/1 | CABLE, ASSEMBLY, F.59, FROM 160 CYCLES DISTRIBUTION BOX TO INVERTER NO. 4, TYPE 200, GROUP | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/3100 | † | Cable, Duprenmet 12 | QR | — | — | C | |
| 10H/20406 | Z.54443 | Ferrule, inner | 2 | — | — | C | |
| 10H/20407 | Z.54444 | Ferrule, outer | 2 | — | — | C | |
| 10H/0970058 | Z.54184 | Gasket, outlet | 2 | — | — | C | |
| 10H/0970062 | CZ.49180 | Outlet, straight | 1 | — | — | C | |
| 10H/0970069 | CZ.49181 | Outlet, angle | 1 | — | — | C | |
| 10H/0560270 | CZ.49216 | Plug, free, Mk. 4 | 1 | — | — | C | |
| 10H/0970088 | Z.62229 | Ring, sealing | 2 | — | — | C | |
| 5K/9107065 | EEAS.146/16 | Sleeve, ½" long | 4 | — | — | C | |
| 5K/9107068 | EEAS.146/6 | Sleeve, 1" long | 2 | — | — | C | |
| 10H/0560090 | CZ.49014 | Socket, free, Mk. 4 | 1 | — | — | C | |
| | E.A3.81.681/1 | CABLE, ASSEMBLY, F.83, FROM SUPPRESSOR TO D.C. DISTRIBUTION BOX, GROUP | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/4185 | † | Cable, Uninyvin 16 | QR | — | — | C | |
| 33H/56 | † | Cement, Bostik | QR | — | — | C | |
| 5X/2785 | Z.22430 | Grommet, Helsyn No. 2 | 1 | — | — | C | |
| 5K/87 | AGS.1658/0 | Nut, gland | 1 | — | — | C | |
| 5K/36 | AGS.1652/1 | Sleeve, slotted, oval | 1 | — | — | C | |
| 5K/9107065 | † | Sleeve, ¾" long | 6 | — | — | C | |
| 5X/7298 | HC.490 | Tag, quick release terminal | 2 | — | — | C | |
| 32B/498 | † | Thread, waxed linen, No.18 | QR | — | — | C | |
| | E.A3.81.682/1 | CABLE, ASSEMBLY, F.83A, FROM 1600 CYCLES DISTRIBUTION BOX TO SUPPRESSOR, GROUP | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/3100 | † | Cable, Duprenmet 12 | QR | — | — | C | |
| 5K/87 | AGS.1658/0 | Nut, gland | 2 | — | — | C | |
| 5K/59 | AGS.1655/1 | Sleeve, inner | 2 | — | — | C | |
| 5K/62 | AGS.1656/1 | Sleeve, outer | 2 | — | — | C | |
| 5K/9107065 | † | Sleeve, ¾" long | 4 | — | — | C | |
| 5K/9107066 | † | Sleeve, 1" long | 2 | — | — | C | |
| 5X/7298 | HC/490 | Tag, quick release terminal | 2 | — | — | C | |
| | E.A3.81.683 | CABLE, ASSEMBLY, F.88, FROM 1600 CYCLES DISTRIBUTION BOX TO REBECCA T.R. BLOWER, GROUP | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/9100003 | † | Cable, Miniature 2B | QR | — | — | C | |
| 10H/20406 | Z.54443 | Ferrule, inner | 2 | — | — | C | |
| 10H/20407 | Z.54444 | Ferrule, outer | 2 | — | — | C | |
| 10H/0970058 | Z.54184 | Gasket, outlet | 1 | — | — | C | |
| 10H/0970128 | Z.49035 | Nut, union | 2 | — | — | C | |
| 10H/0970069 | CZ.49181 | Outlet, angle | 1 | — | — | C | |
| 10H/0970088 | Z.49043 | Ring, sealing | 2 | — | — | C | |
| 5K/9107065 | † | Sleeve, ¾" long | 4 | — | — | C | |
| 5K/9107066 | † | Sleeve, 1" long | 2 | — | — | C | |
| 10H/0560120 | CZ.49017 | Socket, free, Mk. 4 | 1 | — | — | C | |
| 5X/7298 | HC.490 | Tag, quick release terminal | 2 | — | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|-------------|---------------|---|---------|-------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| | | 1 2 3 4 5 6 | | | | |
| | E.A1.81.684/1 | CABLE, ASSEMBLY, N.74, FROM WINDSCREEN HEATER THERMOSTATIC CONTROL BOX TO COUPE BREAK, GROUP | 1 | — | C/MR | |
| | | Consisting of:— | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | C | |
| 32A/94 | † | Cord, braided waxed | QR | — | C | |
| 5CY/455 | S.I.S.1657 | Plug, 2-pin, flat, type R | 1 | — | B | |
| 5K/9107065 | † | Sleeve, 3/4" long | 8 | — | C | |
| 5CY/457 | S.I.S.1658 | Socket, 2-pin, flat, type R | 1 | — | B | |
| 5X/9462951 | HC.294 | Tag (Mod. 4420) | 2 | — | C | |
| 5X/1010324 | HC.296 | Tag (Mod. 4420) | 2 | — | C | |
| | E.A3.81.685 | CABLE, ASSEMBLY, F.90, FROM 1600 CYCLES DISTRIBUTION BOX TO REBECCA, T.R. UNIT, GROUP | 1 | — | — | |
| | | Consisting of:— | | | | |
| 5E/9100021 | † | Cable, Miniature 6B | QR | — | C | |
| 10H/0970078 | Z.49041 | Ferrule, inner | 2 | — | C | |
| 10H/0970077 | Z.49042 | Ferrule, outer | 2 | — | C | |
| 10H/0970058 | Z.54184 | Gasket, outlet | 1 | — | C | |
| 10H/0970128 | Z.49035 | Nut, union | 1 | — | C | |
| 10H/0970069 | CZ.49181 | Outlet, angle | 1 | — | C | |
| 10H/0970088 | Z.49043 | Ring, sealing | 2 | — | C | |
| 5K/9107065 | EEAS.146/6 | Sleeve, 3/4" long | 4 | — | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | 4 | — | C | |
| 5K/9107068 | EEAS.146/D1 | Sleeve, 1" long | 2 | — | C | |
| 10H/0560120 | CZ.49017 | Socket, free, 6-way | 1 | — | C | |
| 5X/7298 | HC.490 | Tag, quick release terminal | 4 | — | C | |
| | E.A3.81.688 | CABLE, ASSEMBLY, F.40, FROM 400 CYCLES DISTRIBUTION BOX TO ELECTRONIC REGULATOR, GROUP | 1 | — | — | |
| | | Consisting of:— | | | | |
| 5E/9100010 | † | Cable, Miniature 3B | QR | — | C | |
| 10H/20406 | Z.54443 | Ferrule, inner | 2 | — | C | |
| 10H/20407 | Z.54444 | Ferrule, outer | 2 | — | C | |
| 10H/0970058 | Z.54184 | Gasket, outlet | 2 | — | C | |
| 10H/0970062 | CZ.49180 | Outlet, straight | 2 | — | C | |
| 10H/0560280 | CZ.49218 | Plug, free, Mk. 4 | 1 | — | C | |
| 10H/0970088 | Z.49043 | Ring, sealing | 2 | — | C | |
| 5K/9107065 | EEAS.146/16 | Sleeve, 1/2" long | 6 | — | C | |
| 5K/9107068 | EEAS.146/D1 | Sleeve, 1" long | 2 | — | C | |
| 10H/0560100 | CZ.49015 | Socket, free, Mk. 4 | 1 | — | C | |
| | E.A3.81.689/1 | CABLE, ASSEMBLY, F.54, FROM D.C. DISTRIBUTION BOX TO INVERTER NO. 4, TYPE 200, GROUP | 1 | — | — | |
| | | Consisting of:— | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | C | |
| 5E/4189 | † | Cable, Uninyvin 8 | QR | — | C | |
| 32A/94 | † | Cord, braided waxed | QR | — | C | |
| 5X/9400056 | AS.2675 | Ferrule, No. 7 | 1 | — | C | |
| 5X/9491421 | Z.22431 | Grommet, Helsyn, No. 3 | 1 | — | C | |
| 5K/9107065 | † | Sleeve, 3/4" long | 4 | — | C | |
| 5K/9107066 | † | Sleeve, 1" long | 2 | — | C | |
| 5K/2864 | ROSS COURTNEY | Tag, No. 218 | 1 | — | C | |
| 5K/9436636 | AGS.1600/A | Tag, terminal, 4 BA | 1 | — | C | |
| 5X/7298 | HC.490 | Tag, quick release terminal | 1 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|------------|---------------|--|---------|-------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | | 1 2 3 4 5 6 | | | | | |
| | E.B6.81.761 | CABLE, ASSEMBLY, 16Y, FROM J.B.16 TO REGULATOR, OXYGEN DEMAND, PRONE POSITION, GROUP (MOD. 1162) Consisting of:— | 1 | — | — | | |
| 5E/3060 | † | Cable, Dupren 6 | QR | — | — | C | |
| 5D/645 | † | Plug, type K | 1 | — | — | B | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | 2 | — | — | C | |
| 5K/9107067 | EEAS.146/6 | Sleeve, 3/4" long | 2 | — | — | C | |
| 5X/7298 | HC.490 | Tag, quick release terminal | 2 | — | — | C | |
| 32B/498 | † | Thread, waxed linen, No. 18 | QR | — | — | C | |
| | E.B6.81.763 | CABLE, ASSEMBLY, 13J, FROM J.B.13 TO REGULATOR, OXYGEN DEMAND, PILOT'S POSITION, GROUP (MOD. 1162) Spares for this group are identical to those for group Part No. E.B6.81.761 | 1 | — | — | | |
| | E.B6.81.771 | CABLE, ASSEMBLY, 14P, FROM J.B.14 TO OXYGEN WARNING INDICATOR, GROUP Consisting of:— | 1 | — | — | | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | — | C | |
| 5X/2785 | Z.22430 | Grommet, Helsyn No. 2 | 1 | — | — | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | 2 | — | — | C | |
| 5K/9107067 | EEAS.146/6 | Sleeve, 3/4" long | 2 | — | — | C | |
| 5X/7298 | HC.490 | Tag, quick release terminal | 2 | — | — | C | |
| | E.B6.81.773 | CABLE, ASSEMBLY, F.35, FROM MAIN ELECTRICAL PANEL TO V.H.F. RELAY PANEL, GROUP Consisting of:— | 1 | — | — | | |
| 5E/4187 | † | Cable, Uninyvin 12 | QR | — | — | C | |
| 5K/9107067 | EEAS.146/6 | Sleeve, 3/4" long | 4 | — | — | C | |
| 5K/9107068 | EEAS.146/D1 | Sleeve, 1" long | 2 | — | — | C | |
| 5X/9450224 | HC.510 | Tag, quick release terminal | 2 | — | — | C | |
| | E.B6.81.775 | CABLE, ASSEMBLY, 16P, FROM J.B.16 TO PITOT HEAD TERMINAL BOARD, GROUP Consisting of:— | 1 | — | — | | |
| 5E/3062 | † | Cable, Dupren 12 | QR | — | — | C | |
| 5X/2785 | Z.22430 | Grommet, Helsyn No. 2 | 1 | — | — | C | |
| 5K/9107066 | EEAS.146/16 | Sleeve, 3/4" long | 2 | — | — | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | 2 | — | — | C | |
| 5K/9107067 | EEAS.146/6 | Sleeve, 3/4" long | 2 | — | — | C | |
| 5X/9482491 | HC.500 | Tag, quick release terminal | 2 | — | — | C | |
| | E.A3.81.811/1 | CABLE, ASSEMBLY, F.92, FROM 1600 CYCLES DISTRIBUTION BOX TO 500 VA TRANSFORMER, GROUP Consisting of:— | 1 | — | — | | |
| 5E/3100 | † | Cable, Duprenmet 12 | QR | — | — | C | |
| 33H/56 | † | Cement, Bostik | QR | — | — | C | |
| 5X/1383 | Z.14485/2 | Ferrule, cut | 2 | — | — | C | |
| 5K/92 | AGS.1658/3 | Nut, gland | 1 | — | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|------------|----------------|--|-----|-----|-----|-----|-----|---------|-------------|---------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. L.M | |
| 5K/9107065 | EEAS.146/16 | Sleeve, 1/2" long | ... | ... | ... | ... | ... | 4 | — | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | ... | ... | ... | ... | ... | 4 | — | C | |
| 5K/9107068 | EEAS.146/D | Sleeve, 1" long | ... | ... | ... | ... | ... | 2 | — | C | |
| 5K/9107069 | EEAS.146/2 | Sleeve, 1" long | ... | ... | ... | ... | ... | 1 | — | C | |
| 5K/30 | AGS.1651/7 | Sleeve | ... | ... | ... | ... | ... | 1 | — | C | |
| 10H/4043 | † | Tag, quick release terminal | ... | ... | ... | ... | ... | 4 | — | C | |
| 5E/2094 | † | Wire, tinned copper, 25 SWG | ... | ... | ... | ... | ... | QR | — | C | |
| 5E/3141 | † | Wire, tinned copper, 32 SWG | ... | ... | ... | ... | ... | QR | — | C | |
| | E.B6.81.811/2 | CABLE, ASSEMBLY, N.8X, FROM ELECTRICAL CONTROL PANEL TO CONNECTION AT PRESSURE BULKHEAD, GROUP | | | | | | 1 | — | — | |
| | | Spares for this group are identical to those for group Part No. E.B6.81.563/2 on Page 179 except for the following deletions and additions:— | | | | | | | | | |
| | | Delete:— | | | | | | | | | |
| 5K/ | EEAS.118/5/F72 | Sleeve, identification | ... | ... | ... | ... | ... | 2 | — | — | |
| 5X/6194 | CZ.50405 | Socket, assembly, size D | ... | ... | ... | ... | ... | 1 | — | B | |
| 5X/7192 | 2CZ.111238 | Socket, assembly, size D | ... | ... | ... | ... | ... | 1 | — | B | |
| | | Add:— | | | | | | | | | |
| 5K/ | EEAS.118/5/N8X | Sleeve, identification | ... | ... | ... | ... | ... | 2 | — | — | |
| 5X/6200 | CZ.50414 | Socket, assembly, size D (Pre-Mod. 3380) | ... | ... | ... | ... | ... | 1 | — | B | |
| 5X/7205 | 2CZ.111468 | Socket, assembly, size D (Mod. 3380) | ... | ... | ... | ... | ... | 1 | — | B | |
| | E.A3.81.815/1 | CABLE, ASSEMBLY, F.99, FROM 1600 CYCLES DISTRIBUTION BOX TO 1200 VA TRANSFORMER, GROUP | | | | | | 1 | — | — | |
| | | Spares for this group are identical to those for group Part No. E.A3.81.811/1 on Page 192. | | | | | | | | | |
| | E.A3.81.829/1 | CABLE, ASSEMBLY, 14A, FROM J.B.14 TO SUP-PRESSOR AT 400 CYCLES FUSE BOX, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4185 | † | Cable, Uninyvin 16 | ... | ... | ... | ... | ... | QR | — | C | |
| 33H/56 | † | Cement, Bostik | ... | ... | ... | ... | ... | QR | — | C | |
| 5X/2785 | Z.22430 | Grommet, Helsyn No. 2 | ... | ... | ... | ... | ... | 1 | — | C | |
| 5K/88 | AGS.1658/1 | Nut, gland | ... | ... | ... | ... | ... | 1 | — | C | |
| 5K/9107065 | EEAS.146/16 | Sleeve, 1/2" long | ... | ... | ... | ... | ... | 2 | — | C | |
| 5K/9107065 | EEAS.146/16 | Sleeve, 3/4" long | ... | ... | ... | ... | ... | 2 | — | C | |
| 5K/9107067 | EEAS.146/6 | Sleeve, 1/4" long | ... | ... | ... | ... | ... | 2 | — | C | |
| 5K/37 | AGS.1652/2 | Sleeve, type 1 | ... | ... | ... | ... | ... | 1 | — | C | |
| 5X/7298 | HC.490 | Tag, quick release terminal | ... | ... | ... | ... | ... | 2 | — | C | |
| 32B/498 | † | Thread, waxed linen, No. 18 | ... | ... | ... | ... | ... | QR | — | C | |
| | E.A3.81.832/1 | CABLE, ASSEMBLY, 14B.1, FROM MAGNETIC RELAY TYPE Q, No. 1, TO CAMERA CONTROL TYPE 35, No. 14, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | ... | ... | ... | ... | ... | QR | — | C | |
| 5K/9107065 | † | Sleeve, 3/4" long | ... | ... | ... | ... | ... | 2 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|------------|---------------|---|---------|------------------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| 5K/9107066 | † | Sleeve, 1" long | 2 | — | | C | |
| 5CY/1951 | † | Socket, type R No. 2 | 1 | — | | B | |
| 32B/498 | † | Thread, waxed linen, No. 18 | QR | — | | C | |
| | E.A3.81.833/1 | CABLE, ASSEMBLY, 14B.2, FROM BOMB AIMER'S CONTROL TO MAGNETIC RELAY TYPE Q, No. 1, GROUP | 1 | — | | — | |
| | | Consisting of:— | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | | C | |
| 4588 | † | Channel, rubber | QR | E. & I. 625 Sect. 1 | | C | |
| 5K/ | † | Sleeve, ½" long | 2 | — | | — | |
| 5K/9107065 | † | Sleeve, ¾" long | 2 | — | | C | |
| 5K/9107066 | † | Sleeve, 1" long | 2 | — | | C | |
| 5K/ | † | Sleeve, 1¼" long | 1 | — | | — | |
| 5X/755 | † | Socket, type M, 2-pole | 1 | — | | B | |
| 32B/498 | † | Thread, waxed linen, No. 18 | QR | — | | C | |
| | E.A3.81.837/1 | CABLE, ASSEMBLY, 14D.1, FROM BOMB AIMER'S CONTROLS TO MAIN APPARATUS UNIT, GROUP | 1 | — | | — | |
| | | Consisting of:— | | | | | |
| 5E/4182 | † | Cable, Uninyvin 22 | QR | — | | C | |
| 4587 | † | Channel, rubber | QR | E. & I. 625 Sect. 2 | | C | |
| 5X/846 | † | Pin, socket | 44 | — | | C | |
| 5K/9107065 | EEAS.146/16 | Sleeve, ¾" long | 44 | — | | C | |
| 5K/ | † | Sleeve, 2" long | 2 | — | | C | |
| 5X/6818 | HV.2034 | Sleeve | 2 | — | | C | |
| 5X/796 | † | Socket, type M, 22-pole | 2 | — | | B | |
| 32B/498 | † | Thread, waxed linen, No. 18 | QR | — | | C | |
| 5F/ | † | Tubing, P.V.C., 19 m/m x 1.2 m/m | QR | — | | — | |
| | E.A3.81.838/1 | CABLE, ASSEMBLY, 14D.2, FROM BOMB AIMER'S CONTROL TO MAIN APPARATUS UNIT, GROUP | 1 | — | | — | |
| | | Consisting of:— | | | | | |
| 5E/4182 | † | Cable, Uninyvin 22 | QR | — | | C | |
| 4587 | † | Channel, rubber | QR | — | | — | |
| 5X/846 | † | Pin, socket | 44 | — | | C | |
| 5K/9107065 | EEAS.146/6 | Sleeve, ¾" long | 44 | — | | C | |
| 5K/ | † | Sleeve, 2" long | 2 | — | | — | |
| 5X/6818 | HV.2034 | Sleeve | 2 | — | | C | |
| 5X/796 | † | Socket, type M, 22-pole | 2 | — | | B | |
| 32B/498 | † | Thread, waxed linen, No. 18 | QR | — | | C | |
| 5F/ | † | Tubing, P.V.C., 19 m/m x 1.2 m/m | QR | — | | — | |
| | E.A3.81.842/1 | CABLE, ASSEMBLY, 14K, FROM J.B.14 TO NOSE AND TAIL FUSING SELECTOR SWITCH, GROUP | 1 | — | | — | |
| | | Consisting of:— | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | | C | |
| 5X/2785 | Z.22430 | Grommet, Helsyn No. 2 | 1 | — | | C | |
| 5K/9107065 | † | Sleeve, ¾" long | 4 | — | | C | |
| 5K/9107066 | † | Sleeve, 1" long | 2 | — | | C | |
| 5X/7298 | HC.490 | Tag, quick release terminal | 2 | — | | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|------------|---------------|---|---|---|---|---|---|---------|-------------|---------------|------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. | L.M. | |
| | E.A3.81.843/1 | CABLE, ASSEMBLY, 14K.1, FROM NOSE AND TAIL FUSING SELECTOR SWITCH BOX TO BOMB RELEASE MAIN APPARATUS UNIT, GROUP | | | | | | 1 | — | — | | |
| | | Consisting of:— | | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | — | C | |
| 4588 | † | Channel, rubber, 0"25 long | | | | | | 1 | E. & I. | — | C | |
| | | | | | | | | | 625 Sect. 1 | | | |
| 5K/9107066 | † | Sleeve, 1" long | | | | | | 2 | — | — | C | |
| 5K/ | † | Sleeve, 1¼" long | | | | | | 1 | — | — | — | |
| 5X/755 | † | Socket, type M, 2-pole | | | | | | 1 | — | — | B | |
| 30B/1601 | † | Solder | | | | | | QR | — | — | C | |
| 32B/498 | † | Thread, waxed linen, No. 18 | | | | | | QR | — | — | C | |
| | E.A3.81.848/1 | CABLE, ASSEMBLY, F.25, EARTH CONNECTION FOR ELECTRICAL CONTROL PANEL, GROUP | | | | | | 2 | — | — | | |
| | | Consisting of:— | | | | | | | | | | |
| 5E/4187 | † | Cable, Uninyvin 12 | | | | | | QR | — | — | C | |
| 5X/9400389 | 12109 | Lug, coupling, Mk. 9A | | | | | | 2 | — | — | C | |
| 5X/9107067 | EEAS.146/6 | Sleeve, ¾" long | | | | | | 2 | — | — | C | |
| | E.A3.81.852/1 | CABLE, ASSEMBLY, E.28, EARTH CONNECTION FOR D.C. DISTRIBUTION BOX, GROUP | | | | | | 1 | — | — | | |
| | | Consisting of:— | | | | | | | | | | |
| 5E/4187 | † | Cable, Uninyvin 12 | | | | | | QR | — | — | C | |
| 5K/9107067 | EEAS.146/6 | Sleeve, ¾" long | | | | | | 2 | — | — | C | |
| 5X/6674 | 12108 | Tag, closed end | | | | | | 2 | — | — | C | |
| 5X/9400066 | Z.19981 | Thimble, quick release | | | | | | 2 | — | — | C | |
| | E.A3.81.853/1 | CABLE, ASSEMBLY, E.29, EARTH CONNECTION FOR 1600 CYCLES DISTRIBUTION BOX, GROUP | | | | | | 1 | — | — | | |
| | | Consisting of:— | | | | | | | | | | |
| 5E/4187 | † | Cable, Uninyvin 12 | | | | | | QR | — | — | C | |
| 5K/9107067 | EEAS.146/6 | Sleeve, ¾" long | | | | | | 2 | — | — | C | |
| 5X/6674 | 12108 | Tag, closed end | | | | | | 2 | — | — | C | |
| | E.B7.81.1077 | CABLE, ASSEMBLY, 13D, FROM J.B.13 TO AIR THERMO INDICATOR (PRE-MOD. 2530) | | | | | | 1 | — | — | | |
| | | Spares for this assembly are identical to assembly Part No. E.B6.81.2855 | | | | | | | | | | |
| | E.B6.81.2855 | CABLE, ASSEMBLY, 13D, FROM J.B.13 TO AIR THERMO INDICATOR, GROUP (MOD. 2530) | | | | | | 1 | — | — | | |
| | | Consisting of:— | | | | | | | | | | |
| 5E/3076 | † | Cable, Tripren 12 | | | | | | QR | — | — | C | |
| 5X/9491421 | Z.22431 | Grommet, Helsen No. 3 | | | | | | 1 | — | — | C | |
| 5K/9107065 | EEAS.146/16 | Sleeve, ¾" long | | | | | | 3 | — | — | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve, ¾" long | | | | | | 3 | — | — | C | |
| 5K/9107068 | EEAS.146/2 | Sleeve, 1" long | | | | | | 2 | — | — | C | |
| 5X/7016 | HC.500 | Tag, quick release terminal | | | | | | 3 | — | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No |
|------------|---------------|--|---------|-------------|---------------|------|----------|
| | | | | | M.R. | L.M. | |
| | E.B6.81.927/2 | CABLE, ASSEMBLY, N.76, FROM PILOT'S CONSOLE PANEL TO JETTISON RELAY PANEL, J.B.16, AND ANTI-ICE INDICATORS, PORT AND STARBOARD (PRE-MOD. 2692) | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | C | | |
| 33H/56 | † | Cement, Bostik | QR | — | C | | |
| 5X/1333 | Z.1381/2 | Ferrule, cut | 1 | — | C | | |
| 5X/319 | Z.1384/2 | Ferrule, cut | 1 | — | C | | |
| | HELLERMAN | | | | | | |
| 5K/3071 | HV.3112 | Grommet | 1 | — | C | | |
| 5K/9107065 | EEAS.146/16 | Sleeve | 5 | — | C | | |
| 5K/9107066 | EEAS.146/12 | Sleeve | 24 | — | C | | |
| 5K/9107069 | EEAS.146/2 | Sleeve | 2 | — | C | | |
| 5X/1005131 | Z.49428 | Sleeve, cable | 21 | — | C | | |
| 5X/6191 | CZ.50401 | Socket, size B (Pre-Mod. 3380) | 1 | — | B | | |
| 5X/7178 | 2CZ.111234 | Socket, size B (Mod. 3380) | 1 | — | B | | |
| 5X/6194 | CZ.50405 | Socket, size D (Pre-Mod. 3380) | 1 | — | B | | |
| 5X/7192 | 2CZ/111238 | Socket, size D (Mod. 3380) | 1 | — | B | | |
| | HELLERMAN | | | | | | |
| 5F/2279 | HV.3254 | Strap | QR | — | C | | |
| 5F/2307 | NY.3255 | Stud | 12 | — | C | | |
| 5X/7298 | HC.490 | Tag | 1 | — | C | | |
| 32B/498 | † | Thread, waxed linen, No. 18 | QR | — | C | | |
| | E.B6.81.4963 | CABLE, ASSEMBLY, N.76, FROM PILOT'S CONSOLE PANEL TO JETTISON RELAY PANEL, J.B.16, AND ANTI-ICE INDICATORS, PORT AND STARBOARD, GROUP (MOD. 2692) | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | C | | |
| 33H/56 | † | Cement, Bostik | QR | — | C | | |
| 5X/1333 | Z.1381/2 | Ferrule, cut | 1 | — | C | | |
| 5X/319 | Z.1384/2 | Ferrule, cut | 1 | — | C | | |
| | HELLERMAN | | | | | | |
| 5K/3071 | 3112 | Grommet | 1 | — | C | | |
| 5X/1005131 | Z.49428 | Sleeve, cable | 23 | — | C | | |
| 5K/9107065 | EEAS.146/16 | Sleeve, 3/4" long | 2 | — | C | | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | 26 | — | C | | |
| 5K/9107065 | EEAS.146/16 | Sleeve, 1" long | 1 | — | C | | |
| 5K/9107068 | EEAS.146/6 | Sleeve, 1" long | 2 | — | C | | |
| 5K/9107069 | EEAS.146/00 | Sleeve, 1" long | 2 | — | C | | |
| 5X/7178 | 2CZ.111234 | Socket, assembly | 1 | — | B | | |
| 5X/7192 | 2CZ.111238 | Socket, assembly | 1 | — | B | | |
| | HELLERMAN | | | | | | |
| 5F/2279 | HV.3254 | Strap | QR | — | C | | |
| | HELLERMAN | | | | | | |
| 5F/2307 | NY.3255 | Stud | 12 | — | C | | |
| 5X/7298 | HC.490 | Tag, quick release terminal | 3 | — | C | | |
| 32B/498 | † | Thread, waxed linen, No. 18 | QR | — | C | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|----------|------------------------------|--|---|---|---|---|---|---------|------------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.B7.81.1235/2 | CABLE, ASSEMBLY, F.49, FROM MAIN ELECTRICAL PANEL TO CONNECTION AT PRESSURE BULKHEAD, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| | 5E/4187 † | Cable, Uninyvin 12 | | | | | | QR | — | C | |
| | 33H/56 † | Cement, Bostik | | | | | | QR | — | C | |
| | 5X/1373 Z.11394/2 | Ferrule, cut | | | | | | 1 | — | C | |
| | 5X/6510 70010 | Lug | | | | | | 2 | — | C | |
| | 5K/9107067 EEAS.146/6 | Sleeve, 3/4" long | | | | | | 6 | — | C | |
| | 5K/9107069 EEAS.146/2 | Sleeve, 1" long | | | | | | 2 | — | C | |
| | 5X/6192 CZ.50403 | Socket, assembly, size B (Pre-Mod. 3380) ... | | | | | | 1 | — | B | |
| | 5X/7181 2CZ.111439 | Socket, size B (Mod. 3380) | | | | | | 1 | — | B | |
| | 5F/2281 HELLERMAN HV.3341 | Strap | | | | | | QR | — | C | |
| | 5F/9434855 HELLERMAN HV.3342 | Stud | | | | | | 9 | — | C | |
| | 5X/7017 HC.510 | Tag, quick release terminal | | | | | | 1 | — | C | |
| | 32B/498 † | Thread, waxed linen, No. 18 | | | | | | QR | — | C | |
| | E.A3.81.1523 | CABLE, ASSEMBLY, N.73, FROM PILOT'S BOMB CONTROL TO BOMB FIRING STATION, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| | 5E/4183 † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| | 5K/9107065 EEAS.146/16 | Sleeve, 3/4" long | | | | | | 4 | — | C | |
| | 5K/9107067 EEAS.146/6 | Sleeve, 3/4" long | | | | | | 2 | — | C | |
| | 5420 E.A3.81.1525 | CABLE, ASSEMBLY, N.75, FROM PILOT'S CONSOLE BOMB CONTROL TO BOMB RELEASE UNIT, GROUP | | | | | | 1 | — | B | |
| | | Consisting of:— | | | | | | | | | |
| | 5E/3074 † | Cable, Tripren 6 | | | | | | QR | — | C | |
| | 4588 † | Channel, rubber, 0"5 long | | | | | | 1 | E. & I. 625.1 | C | |
| | 5X/846 † | Pin, socket | | | | | | 8 | — | C | |
| | 5K/9107065 EEAS.146/16 | Sleeve, 3/4" long | | | | | | 3 | — | C | |
| | 5K/9107068 EEAS.146/6 | Sleeve, 1" long | | | | | | 2 | — | C | |
| | 5K/9107071 EEAS.146/K | Sleeve, 1"5 long | | | | | | 1 | — | C | |
| | 5X/790 † | Socket, type M, 12-pole | | | | | | 1 | — | B | |
| | 30B/9105043 † | Solder | | | | | | QR | — | C | |
| | 32B/498 † | Thread, waxed linen, No. 18 | | | | | | QR | — | C | |
| | E.A3.81.1969 | CABLE, ASSEMBLY, E.34, EARTH CONNECTION FOR INVERTER No. 4, TYPE 200, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| | 5E/4204 † | Cable, Uninyvinmet 10 | | | | | | QR | — | C | |
| | 5K/1494 AGS.1600/B | Cable, end, eye type, 2 BA | | | | | | 1 | — | C | |
| | 5K/1570 AGS.1600/C | Cable, end, eye type, 1/2" | | | | | | 1 | — | C | |
| | 5K/88 AGS.1658/1 | Nut, gland | | | | | | 1 | — | C | |
| | 5K/9107068 EEAS.146/D | Sleeve, 3/4" long | | | | | | 1 | — | C | |
| | 5K/9107068 EEAS.146/D1 | Sleeve, 1" long | | | | | | 2 | — | C | |
| | 5K/26 AGS.1651/3 | Sleeve, plain | | | | | | 1 | — | C | |
| | 5E/9102376 † | Wire, tinned copper, 22 SWG | | | | | | QR | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-------------|-----------------|---|---------|-------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | E.A3.81.2053 | CABLE, ASSEMBLY, FIRING SWITCH AND LEAD, GROUP | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | C | | |
| 32A/94 | † | Cord, waxed braided | QR | — | C | | |
| 5K/9107067 | EEAS.146/C | Sleeve, 1" long | 2 | — | C | | |
| 5D/534 | † | Switch, firing, bare | 1 | — | B | | |
| 32B/498 | † | Thread, waxed linen, No. 18 | QR | — | C | | |
| | E.A3.81.2253 | CABLE, ASSEMBLY, N.97, FROM CONNECTION AT PRESSURE BULKHEAD TO J.B.266, RED ENTRY, GROUP | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/4203 | † | Cable, Uninyvinmet 12 | QR | — | C | | |
| 10H/0970076 | Z.49047 | Ferrule, inner | 1 | — | C | | |
| 10H/0970075 | Z.49048 | Ferrule, outer | 1 | — | C | | |
| 10H/0970058 | Z.60667 | Gasket, outlet | 1 | — | C | | |
| 10H/0970068 | CZ.49179 | Outlet, angle | 1 | — | C | | |
| 10H/0970087 | Z.62228 | Ring, sealing | 1 | — | C | | |
| 5K/9107067 | EEAS.146/C | Sleeve, 3/4" long | 4 | — | C | | |
| 5K/9107068 | EEAS.146/D1 | Sleeve, 1" long | 2 | — | C | | |
| 10H/4043 | † | Socket, assembly, type 527, 2-way | 1 | — | C | | |
| 10H/0560090 | CZ.49014 | Socket, 2-way, Mk. 4 | 1 | — | C | | |
| | E.A3.81.2255 | CABLE, ASSEMBLY, N.96, FROM ELECTRICAL CONTROL PANEL TO GEE-H EMERGENCY POWER UNIT SWITCH, GROUP | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/3074 | † | Cable, Tripren 6 | QR | — | C | | |
| 10H/0970108 | Z.49036 | Gasket, union | 2 | — | C | | |
| 10H/0970058 | Z.60667 | Gasket, outlet | 2 | — | C | | |
| 10H/0970062 | CZ.49180 | Outlet, straight | 1 | — | C | | |
| 10H/0970069 | CZ.49181 | Outlet, angle | 1 | — | C | | |
| 10H/0560281 | CZ.49218/1 | Plug, 3-way, Mk. 4 | 1 | — | C | | |
| 10H/0970096 | Z.49037 | Ring, thrust | 2 | — | C | | |
| 10H/0970088 | Z.62229 | Ring, sealing | 2 | — | C | | |
| 5K/9107065 | EEAS.146/A | Sleeve, 3/4" long | 6 | — | C | | |
| 5K/9107068 | EEAS.146/D | Sleeve, 1" long | 2 | — | C | | |
| 5K/9107066 | † | Sleeve, Helsyn BP x 1/4 | 2 | — | C | | |
| 10H/0560100 | CZ.49015 | Socket, 3-way, Mk. 4 | 1 | — | C | | |
| | E.B6.81.2479 | CABLE, ASSEMBLY, 13L, FROM J.B.13 TO NAVIGATOR'S OXYGEN DEMAND REGULATOR (PRE-MOD. 3258) | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | C | | |
| 5D/645 | † | Plug, 'K' type, 3-pin | 1 | — | C | | |
| 5K/9107065 | EEAS.146/A1 | Sleeve, 3/4" long | 3 | — | C | | |
| 5X/7298 | HC.490 | Tag, quick release terminal | 1 | — | C | | |
| | H.D.SYMONS Ltd. | | | | | | |
| 5F/2736 | SP.1172/5/SC | Tape, Nylon, 1" wide | QR | — | — | | |
| 32B/498 | † | Thread, waxed linen, No. 18 | QR | — | C | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M | Plate No. |
|-------------|---------------|--|---|---|---|---|---|---------|-------------|------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.B6.81.10057 | CABLE, ASSEMBLY, 13L, FROM J.B.13 TO NAVIGATOR'S OXYGEN DEMAND REGULATOR (MOD. 3258) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 32A/9429657 | † | Cord, nylon lacing, 1 m/m dia. | | | | | | QR | — | C | |
| 5X/9400382 | Z.77451 | Lug | | | | | | 1 | — | C | |
| 5D/645 | † | Plug, type 'K' | | | | | | 1 | — | C | |
| 5K/ | EEAS.146/6 | Sleeve | | | | | | 6 | — | — | |
| 5K/ | EEAS.146/20 | Sleeve | | | | | | 9 | — | — | |
| 5X/7298 | HC.490 | Tag, quick release terminal | | | | | | 1 | — | C | |
| 5F/2736 | SP.1172/5/SC | Tape, nylon, 1" black | | | | | | QR | — | C | |
| 8542 | E.A3.81.2561 | CABLE, ASSEMBLY, F.93, FROM 1600 CYCLES DISTRIBUTION BOX TO REAR WARNING WAVE FORM GENERATOR BLOWER, GROUP (MOD. 257) | | | | | | 1 | — | B/MR | |
| | | Consisting of:— | | | | | | | | | |
| 5E/9100032 | † | Cable, Miniature 12C | | | | | | QR | — | C | |
| 10H/0970059 | † | Gasket, outlet | | | | | | 2 | — | C | |
| 10H/0970111 | † | Gasket, union | | | | | | 2 | — | C | |
| 10H/0970065 | † | Outlet, straight | | | | | | 2 | — | C | |
| 10H/0560362 | † | Plug, free, 12-way, Mk. 4 | | | | | | 1 | — | C | |
| 10H/0970105 | † | Ring, compression | | | | | | 2 | — | C | |
| 10H/0970099 | † | Ring, thrust | | | | | | 2 | — | C | |
| 5K/9107066 | † | Sleeve, 3/4" long | | | | | | 24 | — | C | |
| 5K/9107069 | † | Sleeve, 1" long | | | | | | 2 | — | C | |
| 10H/0970115 | † | Sleeve, cable | | | | | | 2 | — | C | |
| 10H/0560182 | † | Socket, free, 12-way, Mk. 4 | | | | | | 1 | — | C | |
| 8443 | E.A3.81.2589 | CABLE, ASSEMBLY, 14A1, FROM SUPPRESSOR TO 400 CYCLES FUSE BOX, GROUP | | | | | | 1 | — | B/MR | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4201 | † | Cable, Uninyvinmetsheath | | | | | | QR | — | C | |
| 10H/0970078 | Z.49041 | Ferrule, inner | | | | | | 1 | — | C | |
| 10H/0970077 | Z.49042 | Ferrule, outer | | | | | | 1 | — | C | |
| 10H/0970128 | Z.49035 | Nut, union | | | | | | 1 | — | C | |
| 5K/88 | AGS.1658/1 | Nut, gland | | | | | | 1 | — | C | |
| 10H/0970088 | Z.49043 | Ring, sealing | | | | | | 1 | — | C | |
| 5K/9107065 | EEAS.146/A | Sleeve, 3/4" long | | | | | | 2 | — | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | | | | | | 2 | — | C | |
| 5K/9107069 | EEAS.146/E | Sleeve, 1" long | | | | | | 2 | — | C | |
| 5K/42 | AGS.1653/2 | Sleeve, inner | | | | | | 1 | — | C | |
| 5K/51 | AGS.1654/2 | Sleeve, outer | | | | | | 1 | — | C | |
| 5X/7016 | HC.500 | Tag, quick release | | | | | | 2 | — | C | |
| | E.A3.81.3193 | CABLE, ASSEMBLY, 14S, FROM J.B.14 TO BOMB AIMER'S OXYGEN DEMAND REGULATOR (MOD. 2320) | | | | | | 1 | — | — | |
| | | Spares for:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 5X/2784 | Z.23671 | Grommet, Helsyn | | | | | | 1 | — | C | |
| 5D/645 | † | Plug, type 'K', 3-pin | | | | | | 1 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No |
|------------|----------------|---|---------|-------------|---------------|------|----------|
| | | | | | M.R. | L.M. | |
| | | 1 2 3 4 5 6 | | | | | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | 3 | — | C | | |
| 5X/7298 | HC.490 | Tag, quick release terminal | 1 | — | C | | |
| 5F/2736 | SP.1172/5/SC | Tape, nylon, 1" wide | QR | — | C | | |
| 32B/498 | † | Thread, waxed linen | QR | — | C | | |
| | E.A3.81.2535 | CABLE, ASSEMBLY, NS.1, FROM ELECTRICAL CONTROL PANEL TO FUEL PUMP COCKS AND SWITCHES, GROUP (MOD. 715) | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | C | | |
| 5E/4187 | † | Cable, Uninyvin 12 | QR | — | C | | |
| 32A/94 | † | Cord, waxed, coreless | QR | — | C | | |
| 5X/2787 | Z.22432 | Grommet, No. 4 | 1 | — | C | | |
| 5X/9400382 | 12102 | Lug, cable, Mk. 2A | 2 | — | C | | |
| 5X/9400388 | 12108 | Lug, cable, Mk. 8A | 2 | — | C | | |
| 5K/9107065 | EEAS.146/A | Sleeve, 3/4" long | 8 | — | C | | |
| 5K/9107066 | EEAS.146/B | Sleeve, 1" long | 2 | — | C | | |
| 5K/9107067 | EEAS.146/C | Sleeve, 1" long | 2 | — | C | | |
| 5K/9107069 | EEAS.146/E | Sleeve, 1" long | 2 | — | C | | |
| 5X/7298 | HC.490 | Tag, quick release | 2 | — | C | | |
| 5X/7017 | HC.510 | Tag, quick release | 2 | — | C | | |
| | E.A3.81.2537/2 | CABLE, ASSEMBLY, NS.2, FROM PRESSURE BULKHEAD TO FUEL PUMP COCKS AND SWITCHES, GROUP (MOD. 715) | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | C | | |
| 5E/4187 | † | Cable, Uninyvin 12 | QR | — | C | | |
| 33H/56 | † | Cement, Bostik | QR | — | C | | |
| 32A/94 | † | Cord, waxed coreless | QR | — | C | | |
| 5X/335 | Z.2260/2 | Ferrule, cut, size B | 1 | — | C | | |
| 5X/9400382 | 12102 | Lug, cable, Mk. 2A | 4 | — | C | | |
| 5X/9400388 | 12108 | Lug, cable, Mk. 8A | 2 | — | C | | |
| 5K/9107065 | EEAS.146/A | Sleeve, 3/4" long | 12 | — | C | | |
| 5K/9107066 | EEAS.146/B | Sleeve, 1" long | 2 | — | C | | |
| 5K/9107067 | EEAS.146/C | Sleeve, 1" long | 1 | — | C | | |
| 5K/9107069 | EEAS.146/F | Sleeve, 1" long | 2 | — | C | | |
| 5X/1005131 | Z.49428 | Sleeve, cable | 4 | — | C | | |
| 5X/6364 | CZ.56076 | Socket, size B (Pre-Mod. 3380) | 1 | — | B | | |
| 5X/7182 | 2CZ.111440 | Socket, size B (Mod. 3380) | 1 | — | B | | |
| 32B/498 | † | Thread, waxed linen, No. 18 | QR | — | C | | |
| | E.B6.81.1129 | CABLE, ASSEMBLY, F.68, FROM 400 CYCLES DISTRIBUTION BOX TO FIVE-WAY BLOCK, GROUP (MOD. 1444) | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/4187 | † | Cable, Uninyvin 12 | QR | — | C | | |
| 5X/9400055 | AS.2674 | Ferrule | 2 | — | C | | |
| 5X/2789 | Z.22433 | Grommet, No. 6 | 1 | — | C | | |
| 5K/9107067 | EEAS.146/C | Sleeve, 3/4" long | 4 | — | C | | |
| 5K/9107068 | EEAS.146/D1 | Sleeve, 1" long | 2 | — | C | | |
| 5X/7017 | HC.510 | Tag, quick release | 2 | — | C | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M | Plate No. |
|-------------|----------------|---|---|---|---|---|---|---------|-------------|------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.B6.81.1131 | CABLE, ASSEMBLY, N.68, FROM E.C.P. TO ON/OFF SWITCH, STARBOARD PANEL, GROUP (MOD. 1444) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4187 | † | Cable, Uninyvin 12 | | | | | | QR | — | C | |
| 5X/9491421 | Z.22431 | Grommet | | | | | | 1 | — | C | |
| 5X/9400388 | 12108 | Lug, 4 BA | | | | | | 2 | — | C | |
| 5K/9107067 | EEAS.146/C | Sleeve, 3/4" long | | | | | | 4 | — | C | |
| 5K/9107068 | EEAS.146/D | Sleeve, 1" long | | | | | | 2 | — | C | |
| 5X/7017 | HC.510 | Tag, quick release | | | | | | 2 | — | C | |
| | E.B6.81.1133 | CABLE, ASSEMBLY, F.68A, FROM FIVE-WAY BLOCK TO VOLTAGE REGULATOR, GROUP (MOD. 1444) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4187 | † | Cable, Uninyvin 12 | | | | | | QR | — | C | |
| 5X/9400055 | AS.2674 | Ferrule | | | | | | 3 | — | C | |
| 5K/9107067 | EEAS.146/C | Sleeve, 3/4" long | | | | | | 6 | — | C | |
| 5K/9107068 | EEAS.146/D1 | Sleeve, 1" long | | | | | | 2 | — | C | |
| | E.B6.81.1051 | CABLE, ASSEMBLY, F.60, FROM INVERTER No. 5 TYPE 201 TO 1600 CYCLES DISTRIBUTION BOX, GROUP (MOD. 1420) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/9100007 | † | Cable, Miniature 2Q | | | | | | QR | — | C | |
| 10H/0970075 | Z.49048 | Ferrule, outer | | | | | | 2 | — | C | |
| 10H/0970076 | Z.49047 | Ferrule, inner | | | | | | 2 | — | C | |
| 10H/0970058 | Z.60667 | Gasket, outlet | | | | | | 2 | — | C | |
| 10H/0970061 | CZ.49178 | Outlet, straight | | | | | | 1 | — | C | |
| 10H/0970068 | CZ.49179 | Outlet, angle | | | | | | 1 | — | C | |
| 10H/0560270 | CZ.49216 | Plug, free, Mk. 4 | | | | | | 1 | — | C | |
| 10H/0970087 | Z.62228 | Ring, sealing | | | | | | 2 | — | C | |
| 5K/9107067 | EEAS.146/C | Sleeve, 3/4" long | | | | | | 4 | — | C | |
| 5K/9107068 | EEAS.146/D | Sleeve, 1" long | | | | | | 2 | — | C | |
| 10H/0560591 | CZ.49014/1 | Socket, free, Mk. 4 | | | | | | 1 | — | C | |
| | E.B6.81.1153/2 | CABLE, ASSEMBLY, F.58, FROM 400 CYCLES DISTRIBUTION BOX TO INVERTER No. 1 TYPE 103, GROUP (MOD. 1420) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4199 | † | Cable, Uninyvinmetsheath 20 | | | | | | QR | — | C | |
| 33H/56 | † | Cement, Bostik | | | | | | QR | — | C | |
| 5X/1356 | Z.2272/2 | Ferrule, cut | | | | | | 1 | — | C | |
| 10H/20406 | Z.54443 | Ferrule, inner | | | | | | 1 | — | C | |
| 10H/20407 | Z.54444 | Ferrule, outer | | | | | | 1 | — | C | |
| 10H/0970058 | Z.60667 | Gasket, outlet | | | | | | 1 | — | C | |
| 10H/0970062 | CZ.49180 | Outlet, straight | | | | | | 1 | — | C | |
| 10H/0970088 | Z.62229 | Ring, sealing | | | | | | 1 | — | C | |
| 5X/1005131 | Z.49428 | Sleeve, cable | | | | | | 3 | — | C | |
| 5K/9107065 | EEAS.146/A | Sleeve, 3/4" long | | | | | | 6 | — | C | |
| 5K/9107067 | EEAS.146/C | Sleeve, 1" long | | | | | | 2 | — | C | |
| 10H/0560100 | CZ.49015 | Socket, free, Mk. 4, 3-way | | | | | | 1 | — | C | |
| 5X/6799 | CZ.56088 | Socket, assembly, size A (Pre-Mod. 3380) | | | | | | 1 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No |
|------------|----------------|---|---------|-------------|---------------|------|----------|
| | | | | | M.R. | L.M. | |
| 5X/7173 | 2CZ.111231 | Socket, size A (Mod. 3380) | 1 | — | | B | |
| 5E/9102378 | † | Wire, tinned copper, 25 SWG | QR | — | | C | |
| 5E/3141 | † | Wire, tinned copper, 32 SWG | QR | — | | C | |
| | E.B6.81.1155 | CABLE, ASSEMBLY, E.100A, FROM EARTH PILLAR TO CONTROL PANEL TYPE 12, GROUP (MOD. 1420) | 1 | — | | — | |
| | | Consisting of:— | | | | | |
| 5E/4203 | † | Cable, Uninyvinmetsheath 12 | QR | — | | C | |
| 5K/86 | AGS.1657/D | Collet | 1 | — | | C | |
| 5X/9400082 | 12116 | Lug, cable | 1 | — | | C | |
| 5K/87 | AGS.1658/D | Nut, knurled | 1 | — | | C | |
| 5K/197 | AGS.1686/4 | Sleeve, inner | 1 | — | | C | |
| 5K/198 | AGS.1687/4 | Sleeve, outer | 1 | — | | C | |
| 5K/9107068 | EEAS.146/D | Sleeve, 3/4" long | 2 | — | | C | |
| | E.B6.81.1157 | CABLE, ASSEMBLY, M.13, FROM SWITCH MAGNETIC STARTING, TYPE 1A No. 5 TO SWITCH MAGNETIC STARTING TYPE 1A, No. 5, GROUP (MOD. 1420) | 1 | — | | — | |
| | | Consisting of:— | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | | C | |
| 5CZ/1793 | † | Cover, lug terminal | 1 | — | | C | |
| 5X/6869 | 12311 | Lug | 1 | — | | C | |
| 5X/9400383 | 12103 | Lug | 1 | — | | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 1/2" long | 2 | — | | C | |
| | E.B6.81.1159/2 | CABLE, ASSEMBLY, F.52, FROM DISTRIBUTION BOX TO CONTROL PANEL, TYPE R, AND 'T' TYPE RELAY AND SWITCH MAGNETIC STARTER TYPE 1A, No. 5 AND M.E.P. BUS-BAR PANEL, GROUP (MOD. 1420) | 1 | — | | — | |
| | | Consisting of:— | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | | C | |
| 5E/4185 | † | Cable, Uninyvin 16 | QR | — | | C | |
| 5E/4187 | † | Cable, Uninyvin 12 | QR | — | | C | |
| 33H/56 | † | Cement, Bostik | QR | — | | C | |
| 5CZ/1793 | † | Cover | 1 | — | | C | |
| 5X/1383 | Z.14485/2 | Ferrule, size A | 1 | — | | C | |
| 5X/2785 | Z.22430 | Grommet, tension, No. 2 | 1 | — | | C | |
| 5X/3146 | Z.49397 | Insert | 1 | — | | C | |
| 5X/9400389 | 12109 | Lug | 1 | — | | C | |
| 5K/9107065 | EEAS.146/A | Sleeve, 3/4" long | 1 | — | | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | 4 | — | | C | |
| 5K/9107067 | EEAS.146/C | Sleeve, 3/4" long | 5 | — | | C | |
| 5K/9107068 | EEAS.146/D | Sleeve, 1" long | 1 | — | | C | |
| 5X/6773 | CZ.71748 | Socket, size A (Pre-Mod. 3380) | 1 | — | | B | |
| 5X/7174 | 2CZ.111232 | Socket, size A (Mod. 3380) | 1 | — | | B | |
| 5X/7298 | HC.490 | Tag, quick release | 1 | — | | C | |
| 5X/7016 | HC.500 | Tag, quick release | 1 | — | | C | |
| 5X/7017 | HC.510 | Tag, quick release | 2 | — | | C | |
| 32B/498 | † | Thread, waxed linen, No. 18 | QR | — | | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|-------------|--------------------|--|---------|-------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| | | 1 2 3 4 5 6 | | | | |
| 33135 | E.B6.81.1161 | CABLE, ASSEMBLY, F.52C, FROM CONTROL PANEL TYPE 15 TO No. 1 INVERTER TYPE 103, GROUP (MOD. 1420) Consisting of:— | 1 | — | B | |
| 5E/9100032 | † | Cable, Miniature 12C | 8 | — | C | |
| 10H/0940083 | Z.49138 | Ferrule, outer | 2 | — | C | |
| 10H/0940084 | Z.49137 | Ferrule, inner | 2 | — | C | |
| 10H/0970059 | Z.60668 | Outlet, gasket | 2 | — | C | |
| 10H/0970091 | Z.62231 | Ring, sealing | 2 | — | C | |
| 5K/9107065 | EEAS.146/A | Sleeve, 3/4" long | 22 | — | C | |
| 5K/9107069 | EEAS.146/E | Sleeve, 1" long | 2 | — | C | |
| 10H/0560180 | CZ.49126 | Socket, free, Mk. 4, 12-way | 2 | — | C | |
| | E.B6.81.1163/2 | CABLE, ASSEMBLY, F.57, FROM 400 CYCLES DISTRIBUTION BOX TO CONTROL PANEL TYPE 12, GROUP (MOD. 1420) Consisting of:— | 1 | — | — | |
| 5E/4199 | † | Cable, Uninyvinmetsheath 20 | QR | — | C | |
| 33H/56 | † | Cement, Bostik | QR | — | C | |
| 5X/240 | Z.2277/2 | Ferrule, cut, size Z | 1 | — | C | |
| 5X/1356 | Z.2272/2 | Ferrule, cut, size A | 1 | — | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | 6 | — | C | |
| 5K/9107067 | EEAS.146/C | Sleeve, 1" long | 2 | — | C | |
| 5X/1005131 | Z.49428 | Sleeve, cable | 6 | — | C | |
| 5X/6376 | CZ.56093 | Socket, assembly, size Z (Pre-Mod. 3380) | 1 | — | B | |
| 5X/7128 | 2CZ.84874 | Socket, assembly, size Z (Mod. 3380) | 1 | — | B | |
| 5X/6799 | CZ.56088 | Socket, assembly, size A (Pre-Mod. 3380) | 1 | — | B | |
| 5X/7173 | 2CZ.111231 | Socket, assembly, size A (Mod. 3380) | 1 | — | B | |
| 5E/9102378 | † | Wire, tinned copper, 26 SWG | QR | — | C | |
| 5E/3141 | † | Wire, tinned copper, 32 SWG | QR | — | C | |
| | E.B6.81.1165 | CABLE, ASSEMBLY, M.11, FROM MAGNETIC RELAY TYPE T.1 TO SWITCH MAGNETIC STARTING TYPE A.1, No. 5, GROUP (MOD. 1420) Consisting of:— | 1 | — | — | |
| 5E/4190 | † | Cable, Uninyvin 6 | QR | — | C | |
| 5CZ/852 | AGS.1705 | Lug, cable, No. 3 | 1 | — | C | |
| 5X/9400096 | 12120 HELLERMAN | Lug, cable | 1 | — | C | |
| 5K/3612 | HV.2222 | Shroud, cable lug | 1 | — | C | |
| 5K/9107069 | EEAS.146/E | Sleeve, 1" long | 2 | — | C | |
| | E.B6.81.1167 | CABLE, ASSEMBLY, E.103, FROM EARTH STUD FR.10 TO INVERTER TYPE 103, GROUP (MOD. 1420) Consisting of:— | 1 | — | — | |
| 5E/4190 | † | Cable, Uninyvin 6 | QR | — | C | |
| 5X/9400088 | † | Lug, cable, Mk. 22 | 1 | — | C | |
| 5K/87 | AGS.1658/0 | Nut, gland | 1 | — | C | |
| 5K/27 | Z.23241/4 | Sleeve, plain circular | 1 | — | C | |
| 5K/9107068 | EEAS.146/D | Sleeve, 1" long | 4 | — | C | |
| 33085 | E.B7.81.1859 | Thimble | 1 | — | C | |
| 32B/498 | † | Thread, waxed linen, No. 18 | QR | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|--------------|------------------------------|--|---------|-------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | | 1 2 3 4 5 6 | | | | | |
| | E.B6.81.1169 | CABLE, ASSEMBLY, M.12, FROM MAGNETIC STARTING SWITCH TYPE 1A, No. 5, TO No. 1 INVERTER, TYPE 103, GROUP (PRE-MOD. 2643) Consisting of:— | 1 | — | — | | |
| 5E/4190 | † | Cable, Uninyvin 6 | QR | — | — | C | |
| 5X/9400086 | 12120 | Lug, cable | 1 | — | — | C | |
| 5K/87 | AGS.1658/0 HELLERMAN | Nut, gland | 1 | — | — | C | |
| 5K/3612 | HV.2222 | Shroud, cable lug | 1 | — | — | C | |
| 5K/27 | AGS.1651/4 | Sleeve | 1 | — | — | C | |
| 5K/9107068 | EEAS.146/D | Sleeve, 1" long | 3 | — | — | C | |
| 33085 | E.B7.81.1859 | Thimble | 1 | — | — | C | |
| 32B/498 | † | Thread, waxed linen, No. 18 | QR | — | — | C | |
| | E.B6.81.3945 | CABLE, ASSEMBLY, M.82 AND M.12, FROM MAGNETIC STARTING SWITCH TYPE 1A No. 5 AND RELAY TYPE T.1 TO INVERTER No.1 TYPE 103A, GROUP (MOD. 2643) Consisting of:— | 1 | — | — | | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | — | C | |
| 5E/4190 | † | Cable, Uninyvin 6 | QR | — | — | C | |
| 37790 | E.C1.81.1573 | Ferrule | 1 | — | — | C | |
| 5X/9400086 | 12120 | Lug, cable | 1 | — | — | C | |
| 5K/87 | AGS.1658/0 HELLERMAN | Nut, gland | 1 | — | — | C | |
| 5K/3612 | HV.2222 | Shroud, cable lug | 1 | — | — | C | |
| 5K/27 | AGS.1651/4 | Sleeve | 1 | — | — | C | |
| 5K/9107065 | EEAS.146/A | Sleeve, 1" long | 1 | — | — | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 1" long | 1 | — | — | C | |
| 5K/9107068 | EEAS.146/D | Sleeve, 1" long | 3 | — | — | C | |
| 5K/9107069 | EEAS.146/F | Sleeve, 1" long | 2 | — | — | C | |
| 33085 | E.B7.81.1859 | Thimble | 1 | — | — | C | |
| 32B/498 | † | Thread, waxed linen, No. 18 | QR | — | — | C | |
| | E.B6.81.1171 | CABLE, ASSEMBLY, P.10, FROM BUS-BAR TO FUSE BLOCK, GROUP (MOD. 1420) Consisting of:— | 1 | — | — | | |
| 5E/4192 | † | Cable, Uninyvin 2 | QR | — | — | C | |
| 5X/9400093 | 12127 | Lug | 2 | — | — | C | |
| 5K/9107069 | EEAS.146/F | Sleeve, ¾" long | 2 | — | — | C | |
| | E.B6.81.1279 | CABLE, ASSEMBLY, N.A.47, FROM UNIT CONTROL, T.145, TO DISTRIBUTION BOX, GROUP (MOD. 2197) Consisting of:— | 1 | — | — | | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | — | C | |
| 5E/4185 | † | Cable, Uninyvin 16 | QR | — | — | C | |
| 5E/4187 | † | Cable, Uninyvin 12 | QR | — | — | C | |
| 5E/4189 | † | Cable, Uninyvin 8 | QR | — | — | C | |
| 10AR/9438705 | CANNON ELECT. AN.3057/4A | Clamp | 1 | — | — | C | |
| 10AD/9145217 | CANNON ELECT. AN.3057/16A | Clamp | 1 | — | — | C | |
| 5F/2037 | † | Conduit, flexible | QR | — | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|--------------|-----------------|---|-----|-----|-----|-----|-----|---------|-------------|---------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. L.M. | |
| 5F/2143 | † | Conduit, flexible | ... | ... | ... | ... | ... | QR | — | C | |
| 5X/9400056 | AS.2675 | Ferrule, No. 7 | ... | ... | ... | ... | ... | 1 | — | C | |
| 5CZ/3137 | † | Lug, No. 25 | ... | ... | ... | ... | ... | 3 | — | C | |
| | E.B6.81.1479 | Muff, stowage | ... | ... | ... | ... | ... | 1 | — | — | |
| | E.B6.81.1481 | Muff, stowage | ... | ... | ... | ... | ... | 1 | — | — | |
| | CANNON ELECT. | | | | | | | | | | |
| 10H/ | AN.3106A/12S-3P | Plug | ... | ... | ... | ... | ... | 1 | — | — | |
| 5K/9107065 | EEAS.146/A | Sleeve, 3/4" long | ... | ... | ... | ... | ... | 12 | — | C | |
| 5K/9107067 | EEAS.146/B | Sleeve, 3/4" long | ... | ... | ... | ... | ... | 8 | — | C | |
| 5K/9107068 | EEAS.146/D | Sleeve, 3/4" long | ... | ... | ... | ... | ... | 2 | — | C | |
| 5K/9107069 | EEAS.146/E | Sleeve, 3/4" long | ... | ... | ... | ... | ... | 4 | — | C | |
| 5K/9107071 | EEAS.146/L | Sleeve, 3/4" long | ... | ... | ... | ... | ... | 4 | — | C | |
| | CANNON ELECT | | | | | | | | | | |
| 10H/ | AN.3108/24/119 | Socket | ... | ... | ... | ... | ... | 1 | — | — | |
| 5X/7298 | HC.490 | Tag | ... | ... | ... | ... | ... | 3 | — | C | |
| 5X/7016 | HC.500 | Tag | ... | ... | ... | ... | ... | 3 | — | C | |
| 5X/7017 | HC.510 | Tag | ... | ... | ... | ... | ... | 1 | — | C | |
| | E.B6.81.1287 | CABLE, ASSEMBLY, N.83B, FROM BOMBSIGHT, T.2, SIGHTING HEAD, GROUP (MOD. 2197) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4182 | † | Cable, Uninyvin 22 | ... | ... | ... | ... | ... | QR | — | C | |
| | CANNON ELECT. | | | | | | | | | | |
| 10AD/9145218 | AN.3057/6 | Clamp, cable | ... | ... | ... | ... | ... | 1 | — | C | |
| 5K/9107065 | EEAS.146/A | Sleeve, 3/4" long | ... | ... | ... | ... | ... | 6 | — | C | |
| 5K/9107068 | EEAS.146/D | Sleeve, 1" long | ... | ... | ... | ... | ... | 2 | — | C | |
| | CANNON ELECT | | | | | | | | | | |
| 10H/ | AN.3108/14S/1S | Socket, 3-way | ... | ... | ... | ... | ... | 1 | — | C | |
| 5X/7298 | HC.490 | Tag | ... | ... | ... | ... | ... | 3 | — | C | |
| | E.B6.81.1347 | CABLE, ASSEMBLY, N.106, FROM DISTRIBUTION BOX TO M.E.P., GROUP (MOD. 2197) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 28D/11540 | AS.1246/2B | Bolt | ... | ... | ... | ... | ... | 8 | — | C | |
| 5X/7254 | SP.3840 | Bung, pressure | ... | ... | ... | ... | ... | 1 | — | C | |
| 5E/4187 | † | Cable, Uninyvin 12 | ... | ... | ... | ... | ... | QR | — | C | |
| 5E/4189 | † | Cable, Uninyvin 8 | ... | ... | ... | ... | ... | QR | — | C | |
| 5F/2036 | † | Conduit, flexible | ... | ... | ... | ... | ... | QR | — | C | |
| 5X/9400056 | AS.2675 | Ferrule | ... | ... | ... | ... | ... | 1 | — | C | |
| 33519 | E.A9.81.3531 | Gasket | ... | ... | ... | ... | ... | 1 | — | C | |
| 5X/2789 | NO.6 | Grommet, tension | ... | ... | ... | ... | ... | 1 | — | C | |
| 5X/6706 | 4402 | Housing | ... | ... | ... | ... | ... | 1 | — | C | |
| 5X/9400391 | † | Lug | ... | ... | ... | ... | ... | 1 | — | C | |
| 5X/9400390 | † | Lug | ... | ... | ... | ... | ... | 1 | — | C | |
| 5X/9400084 | Z.70018 | Lug | ... | ... | ... | ... | ... | 3 | — | C | |
| 5X/9400083 | Z.70017 | Lug | ... | ... | ... | ... | ... | 2 | — | C | |
| 5K/9107071 | EEAS.146/J | Sleeve | ... | ... | ... | ... | ... | 3 | — | C | |
| 5K/9107067 | EEAS.146/C | Sleeve | ... | ... | ... | ... | ... | 8 | — | C | |
| 28M/10287 | AGS.2001/B1 | Stiffnut | ... | ... | ... | ... | ... | 8 | — | C | |
| 28W/9419465 | SP.13/B | Washer | ... | ... | ... | ... | ... | 8 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-------------|------------------|--|---------|-------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | E.B6.81.1361 | CABLE, ASSEMBLY, 'Y', FROM T.145 CONTROL UNIT TO DISTRIBUTION BOX, GROUP (MOD. 2197) | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/4185 | † | Cable, Uninyvin 16 | QR | — | C | | |
| 5E/4187 | † | Cable, Uninyvin 12 | QR | — | C | | |
| 5E/4188 | † | Cable, Uninyvin 10 | QR | — | C | | |
| 105X/ | AN.3057/24A | Clamp, cable | 1 | — | — | | |
| 5F/2037 | † | Conduit, flexible | QR | — | C | | |
| 5X/9400056 | † | Ferrule | 1 | — | C | | |
| | E.B6.81.1929 | Ferrule | 1 | — | — | | |
| 5K/2932 | SP.40/A22 | Grommet | 2 | — | C | | |
| 5X/ | T.12 | Member, twinlay | 5 | — | — | | |
| | CANNON ELECT. | | | | | | |
| 105X/ | AN.3108A/36/406P | Plug | 1 | — | — | | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | 74 | — | C | | |
| | E.B6.81.1475 | Stowage, muff | 1 | — | — | | |
| 5X/7298 | HC.500 | Tag | 17 | — | C | | |
| 5X/7017 | HC.510 | Tag | 19 | — | C | | |
| | E.B6.81.1367 | CABLE, ASSEMBLY, N.107, FROM E.C.P. AND DISTRIBUTION BOX AND L.A.B.S. INDICATOR TO CONTROL PANEL AND BOMB DOOR MICRO-SWITCH AND INVERTER RELAY PANEL AND 1600 CYCLES BOX AND L.A.B.S. J.B. AND L.A.B.S. CALIBRATOR, GROUP (MOD. 2197) | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 28D/11540 | AS.1246/2B | Bolt | 8 | — | C | | |
| 5X/7253 | SR.3807 | Bung | 1 | — | C | | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | C | | |
| 5E/3635 | † | Cable, Uninyvin 6 | QR | — | C | | |
| 5E/4185 | † | Cable, Uninyvin 16 | QR | — | C | | |
| 5E/4188 | † | Cable, Uninyvin 10 | QR | — | C | | |
| | CANNON ELECT. | | | | | | |
| 105X/ | MS.3057/4A | Clamp, cable | 1 | — | — | | |
| | CANNON ELECT. | | | | | | |
| 105X/ | MS.3057/10A | Clamp, cable | 2 | — | — | | |
| | CANNON ELECT. | | | | | | |
| 105X/ | MS.3057/12A | Clamp, cable | 1 | — | — | | |
| 5X/1529 | CZ.23144/2 | Clamp, ring | 2 | — | C | | |
| 5F/2034 | † | Conduit, flexible | QR | — | C | | |
| 5F/2035 | † | Conduit, flexible | QR | — | C | | |
| 5F/2143 | † | Conduit, flexible | QR | — | C | | |
| 5X/9400053 | AS.2673 | Ferrule, No. 4 | 2 | — | C | | |
| 5X/240 | Z.2277/2 | Ferrule | 1 | — | C | | |
| 26DK/6014 | EEAS.111/2 | Ferrule | 2 | — | C | | |
| 27633 | E.A9.81.3151 | Gasket | 1 | — | C | | |
| 10H/0970058 | Z.60667 | Gasket, outlet | 2 | — | C | | |
| 5X/2788 | Z.23672 | Grommet, tension, No. 5 | 2 | — | C | | |
| | HELLERMAN | | | | | | |
| 5X/6706 | 4402 | Housing | 1 | — | C | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-------------|------------------|--|---|---|---|---|---|---------|-------------|---------------|------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. | L.M. | |
| 28M/10287 | AGS.2001/B/1 | | | | | | | | | | | |
| 10H/0970062 | Z.49180 | | | | | | | | | | | |
| | CANNON ELECT. | | | | | | | | | | | |
| 5X/8379 | MS.3108A/18/12P | | | | | | | | | | | |
| 10H/0970114 | Z.62240 | | | | | | | | | | | |
| 5X/1005131 | Z.49428 | | | | | | | | | | | |
| 5K/9107065 | EEAS.146/A | | | | | | | | | | | |
| 5K/9107066 | EEAS.146/A1 | | | | | | | | | | | |
| 5K/9107068 | EEAS.146/D1 | | | | | | | | | | | |
| 5K/9107069 | EEAS.146/F | | | | | | | | | | | |
| 5K/9107069 | EEAS.146/G | | | | | | | | | | | |
| 5K/9107070 | EEAS.146/H | | | | | | | | | | | |
| | CANNON ELECT. | | | | | | | | | | | |
| 5X/8051 | MS.3106A/10SL/4S | | | | | | | | | | | |
| 10H/0560100 | CZ.49015 | | | | | | | | | | | |
| 5X/6776 | CZ.56092 | | | | | | | | | | | |
| | CANNON ELECT. | | | | | | | | | | | |
| 5X/8380 | MS.3108A/20/27S | | | | | | | | | | | |
| | CANNON ELECT. | | | | | | | | | | | |
| 5X/8367 | MS.3106A/18/12S | | | | | | | | | | | |
| 5X/9430396 | HC.490 | | | | | | | | | | | |
| 5X/9482491 | HC.500 | | | | | | | | | | | |
| 28W/9419465 | SP.13/B | | | | | | | | | | | |
| | E.B.6.81.1373 | | | | | | | | | | | |
| | | CABLE, ASSEMBLY, T.M.B., FROM T.M.B. TO DISTRIBUTION BOX, GROUP (MOD. 2197) | | | | | | | | | | |
| | | Consisting of:— | | | | | | | | | | |
| 5E/4183 | † | | | | | | | | | | | |
| 5E/4185 | † | | | | | | | | | | | |
| 10H/0970292 | † | | | | | | | | | | | |
| 10H/0970297 | CZ.69737 | | | | | | | | | | | |
| 5F/9013643 | † | | | | | | | | | | | |
| 5F/2036 | † | | | | | | | | | | | |
| | HELLERMANN | | | | | | | | | | | |
| 5X/3946 | 2032 | | | | | | | | | | | |
| 10H/0970069 | CZ.49181 | | | | | | | | | | | |
| 10H/0970073 | CZ.50784 | | | | | | | | | | | |
| 10H/0970058 | Z.60667 | | | | | | | | | | | |
| 10H/0970060 | CZ.60669 | | | | | | | | | | | |
| 10H/0970114 | † | | | | | | | | | | | |
| 10H/0970117 | † | | | | | | | | | | | |
| 5K/9107065 | EEAS.146/A | | | | | | | | | | | |
| 5K/9107066 | EEAS.146/A1 | | | | | | | | | | | |
| 5K/9107071 | EEAS.146/L | | | | | | | | | | | |
| 10H/0560120 | CZ.49017 | | | | | | | | | | | |
| 10H/0560210 | CZ.50794 | | | | | | | | | | | |
| | 41160 | | | | | | | | | | | |
| 5X/9430396 | HC.490 | | | | | | | | | | | |
| 5X/9482491 | HC.500 | | | | | | | | | | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | 1 | 2 | 3 | 4 | 5 | 6 | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-------------|------------------------|---|---|---|---|---|---|---|---------|-------------|---------------|------|-----------|
| | | | | | | | | | | | M.R. | L.M. | |
| | E.B6.81.1523 | | | | | | | CABLE ASSEMBLY, F.61, FROM 1600 CYCLES DISTRIBUTION BOX TO TERMINAL BLOCK, GROUP (MOD. 1435) | 1 | — | — | | |
| | | | | | | | | Consisting of:— | | | | | |
| | 5E/4199 † | | | | | | | Cable, Uninyvinmetsheath 20 | QR | — | — | C | |
| 10H/1003822 | 3Z.86146 † | | | | | | | Ferrule, cut | 1 | — | — | C | |
| 10H/0970128 | Z.49035 | | | | | | | Nut, union | 1 | — | — | C | |
| 10H/0970088 | Z.62229 | | | | | | | Ring, sealing | 1 | — | — | C | |
| 5K/9107065 | EEAS.146/A | | | | | | | Sleeve, 3/4" long | 4 | — | — | C | |
| 5K/9107068 | EEAS.146/D | | | | | | | Sleeve, 1" long | 3 | — | — | C | |
| 5X/9430396 | HC.490 | | | | | | | Tag, quick release | 2 | — | — | C | |
| 5E/9102378 | † | | | | | | | Wire, T.C., 25 SWG | QR | — | — | C | |
| 5E/3141 | † | | | | | | | Wire, T.C., 32 SWG | QR | — | — | C | |
| | E.B6.81.1525/2 | | | | | | | CABLE ASSEMBLY, F.70/F.71, FROM TERMINAL BLOCK AND D.C. DISTRIBUTION BOX TO PLUG BRACKET AT FRAME 11, STARBOARD, ABOVE DOOR FRAME, AND 1600 CYCLES DISTRIBUTION BOX, GROUP (MOD. 1435) | 1 | — | — | | |
| | | | | | | | | Consisting of:— | | | | | |
| | 5E/4183 † | | | | | | | Cable, Uninyvin 20 | QR | — | — | C | |
| | 32A/94 † | | | | | | | Cord, waxed, coreless | QR | F4.35 | — | C | |
| | 5X/2785 † | | | | | | | Grommet, tension | 1 | — | — | C | |
| | 5X/6181 CZ.50356 | | | | | | | Plug (Pre-Mod. 3380) | 1 | — | — | C | |
| | 5X/7142 2CZ.111401 | | | | | | | Plug (Mod. 3380) | 1 | — | — | C | |
| | 5X/2105 Z.18413 | | | | | | | Plug, strainer | 1 | — | — | C | |
| 5X/1005131 | Z.49428 | | | | | | | Sleeve | 4 | — | — | C | |
| 5K/9107065 | EEAS.146/A | | | | | | | Sleeve, 1/2" long | 7 | — | — | C | |
| 5K/9107066 | EEAS.146/A1 | | | | | | | Sleeve, 3/4" long | 4 | — | — | C | |
| 5K/9107067 | EEAS.146/C | | | | | | | Sleeve, 3/4" long | 2 | — | — | C | |
| 5K/9107068 | EEAS.146/D | | | | | | | Sleeve, 1/2" long | 3 | — | — | C | |
| 5K/9107068 | EEAS.146/D | | | | | | | Sleeve, 1" long | 1 | — | — | C | |
| 5X/9430396 | HC.490 | | | | | | | Tag, quick release | 4 | — | — | C | |
| | E.A3.81.2961 | | | | | | | CABLE ASSEMBLY, 13K, FROM J.B.13 TO TERMINAL BLOCK, FR.7, PORT SIDE, GROUP (MOD. 1435) | 1 | — | — | | |
| | | | | | | | | Consisting of:— | | | | | |
| | 5E/4185 † | | | | | | | Cable, Uninyvin 16 | QR | — | — | C | |
| | 5X/2787 Z.22432 | | | | | | | Grommet, No. 4 | 1 | — | — | C | |
| 5K/9107066 | EEAS.146/A1 | | | | | | | Sleeve, 3/4" long | 4 | — | — | C | |
| 5K/9107067 | EEAS.146/C | | | | | | | Sleeve, 3/4" long | 2 | — | — | C | |
| | 5X/7016 HC.500 | | | | | | | Tag, quick release | 4 | — | — | C | |
| | 5F/9401204 † | | | | | | | Tape, empire | QR | — | — | C | |
| | E.B6.81.10439/2 | | | | | | | CABLE ASSEMBLY, F.24, FROM DISTRIBUTION BOX D.C., TO M.E.P., GROUP (MOD. 3773) | 1 | — | — | C | |
| | | | | | | | | Consisting of:— | | | | | |
| | 26DK/12123 EEAS.276/C1 | | | | | | | Adaptor, outlet | 1 | — | — | C | |
| | 5E/4183 † | | | | | | | Cable, Uninyvin 20 | QR | — | — | C | |
| | 5E/4185 † | | | | | | | Cable, Uninyvin 16 | QR | — | — | C | |
| 10H/0970294 | CZ.69735 | | | | | | | Clamp, cable | 1 | — | — | C | |
| 10H/0970111 | Z.62237 | | | | | | | Gasket, union | 1 | — | — | C | |
| 10H/0970091 | Z.62231 | | | | | | | Ring, sealing | 1 | — | — | C | |
| | PLESSEY | | | | | | | | | | | | |
| | Z.66473 | | | | | | | Ring, thrust | 1 | — | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|------------|----------------|--|----------------|------|-----|-----------------|-----|---------|-------------|---------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. L.M. | |
| 5X/1532 | Z.18501/C | Ring, | clamp, | size | C | ... | ... | 1 | — | C | |
| 5X/3146 | Z.49397 | Sleeve | ... | ... | ... | ... | ... | 2 | — | C | |
| 5X/1005131 | Z.49428 | Sleeve, | cable | ... | ... | ... | ... | 9 | — | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, | 3/4" long | ... | ... | ... | ... | 28 | — | C | |
| 5K/ | EEAS.118/4/F24 | Sleeve, | identification | ... | ... | ... | ... | 2 | — | — | |
| | 2CZ.111659 | Socket, | assembly, | size | C | (Pre-Mod. 3380) | ... | 1 | — | — | |
| 5X/7185 | 2CZ.111236 | Socket, | assembly, | size | C | (Mod. 3380) | ... | 1 | — | C | |
| 5X/9430396 | HC.490 | Tag, | quick release | ... | ... | ... | ... | 9 | — | C | |
| 5X/9482491 | HC.500 | Tag, | quick release | ... | ... | ... | ... | 5 | — | C | |
| | E.B6.81.1715/2 | CABLE, ASSEMBLY, F.67, FROM PRESSURE BULKHEAD BREAK TO M.E.P., GROUP (MOD. 2155-2393) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, | Uninyvin | 20 | ... | ... | ... | QR | — | C | |
| 5E/4185 | † | Cable, | Uninyvin | 16 | ... | ... | ... | QR | — | C | |
| 5X/1525 | Z.18500/C | Ferrule, | size | C | ... | ... | ... | 1 | — | C | |
| 5X/1532 | Z.18501/C | Ring, | clamp, | size | C | ... | ... | 1 | — | C | |
| 5X/3146 | Z.49397 | Sleeve | ... | ... | ... | ... | ... | 2 | — | C | |
| 5X/1005131 | Z.49428 | Sleeve | ... | ... | ... | ... | ... | 8 | — | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, | 3/4" long | ... | ... | ... | ... | 28 | — | C | |
| 5K/9107071 | EEAS.146/J | Sleeve, | 1" long | ... | ... | ... | ... | 2 | — | C | |
| 5X/6781 | CZ.71751 | Socket, | assembly, | size | C | (Pre-Mod. 3380) | ... | 1 | — | C | |
| 5X/7185 | 2CZ.111236 | Socket, | assembly, | size | C | (Mod. 3380) | ... | 1 | — | C | |
| 5X/9430396 | HC.490 | Tag, | quick release | ... | ... | ... | ... | 8 | — | C | |
| 5X/9482491 | HC.500 | Tag, | quick release | ... | ... | ... | ... | 6 | — | C | |
| 5F/ | † | Tube, | P.V.C., | 19 | m/m | x 0.5 | m/m | QR | — | C | |
| | E.B6.81.1717/2 | CABLE, ASSEMBLY, N.67, FROM GENERATOR TEST PANEL TO PRESSURE BULKHEAD BREAK, GROUP (MOD. 2155-2393) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, | Uninyvin | 20 | ... | ... | ... | QR | — | C | |
| 5E/4185 | † | Cable, | Uninyvin | 16 | ... | ... | ... | QR | — | C | |
| 5X/8489 | 2Z.139969/2 | Ferrule | ... | ... | ... | ... | ... | 2 | — | C | |
| 5X/3146 | Z.49397 | Sleeve | ... | ... | ... | ... | ... | 4 | — | C | |
| 5X/1005131 | Z.49428 | Sleeve | ... | ... | ... | ... | ... | 19 | — | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, | 3/4" long | ... | ... | ... | ... | 28 | — | C | |
| 5K/9107071 | EEAS.146/J | Sleeve, | 1" long | ... | ... | ... | ... | 2 | — | C | |
| 5X/6781 | CZ.71751 | Socket, | assembly, | size | C | (Pre-Mod. 3380) | ... | 1 | — | C | |
| 5X/7185 | 2CZ.111236 | Socket, | assembly, | size | C | (Mod. 3380) | ... | 1 | — | C | |
| 5X/6844 | CZ.71772 | Socket, | assembly, | size | C | (Pre-Mod. 3380) | ... | 1 | — | C | |
| 5X/7203 | 2CZ.111461 | Socket, | assembly, | size | C | (Mod. 3380) | ... | 1 | — | C | |
| 32B/498 | † | Thread, | waxed linen, | No. | 18 | ... | ... | QR | — | — | |
| 5F/ | † | Tubing, | P.V.C. | ... | ... | ... | ... | QR | — | — | |
| | E.B6.81.1831/2 | CABLE, ASSEMBLY, N.122, FROM DISTRIBUTION BOX TO PORT, PILOT'S CONSOLE AND LOCAL EARTH, GROUP (MOD. 2197) | | | | | | | | | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, | Uninyvin | 20 | ... | ... | ... | QR | — | C | |
| 5E/4185 | † | Cable, | Uninyvin | 16 | ... | ... | ... | QR | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | 1 | 2 | 3 | 4 | 5 | 6 | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-------------|---------------|---|---|---|---|---|---|--|---------|-------------|---------------|------|-----------|
| | | | | | | | | | | | M.R. | L.M. | |
| 5F/9013643 | † | | | | | | | Conduit, flexible | QR | — | | C | |
| 5X/240 | Z.2277/2 | | | | | | | Ferrule, cut | 1 | — | | C | |
| 5X/9491421 | Z.22431 | | | | | | | Grommet, type 3 | 1 | — | | C | |
| 5X/9400388 | † | | | | | | | Lug | 2 | — | | C | |
| 5K/9107065 | EEAS.146/A | | | | | | | Sleeve | 6 | — | | C | |
| 5K/9107066 | EEAS.146/A1 | | | | | | | Sleeve | 4 | — | | C | |
| 5K/9107068 | EEAS.146/D1 | | | | | | | Sleeve | 6 | — | | C | |
| 5X/6776 | CZ.27903 | | | | | | | Socket (Pre-Mod. 3380) | 1 | — | | C | |
| 5X/7175 | 2CZ.111233 | | | | | | | Socket (Mod. 3380) | 1 | — | | C | |
| 5X/9430396 | HC.490 | | | | | | | Tag, quick release | 6 | — | | C | |
| 5X/9450224 | HC.510 | | | | | | | Tag, quick release | 2 | — | | C | |
| 32B/498 | † | | | | | | | Thread, waxed linen, No. 18 | QR | — | | C | |
| | E.B6.81.1833 | | | | | | | CABLE, ASSEMBLY, N.120, FROM PILOT'S SWITCH PANEL TO DISTRIBUTION BOX, GROUP (MOD. 2197) | 1 | — | | — | |
| | | | | | | | | Consisting of:— | | | | | |
| 5E/4183 | † | | | | | | | Cable, Uninyvin 20 | QR | — | | C | |
| 5E/4185 | † | | | | | | | Cable, Uninyvin 16 | QR | — | | C | |
| 5E/2035 | † | | | | | | | Conduit, flexible | QR | — | | C | |
| 5X/2788 | Z.23672 | | | | | | | Grommet, tension, Type 5 | 1 | — | | C | |
| 5K/9107065 | EEAS.146/A | | | | | | | Sleeve, 3/4" long | 2 | — | | C | |
| 5K/9107066 | EEAS.146/A1 | | | | | | | Sleeve, 3/4" long | 18 | — | | C | |
| 5K/9107068 | EEAS.146/D | | | | | | | Sleeve, 1" long | 4 | — | | C | |
| 5X/9430396 | HC.490 | | | | | | | Tag, quick release | 10 | — | | C | |
| 5X/9482491 | HC.500 | | | | | | | Tag | 1 | — | | C | |
| | ROSS COURTNEY | | | | | | | | | | | | |
| 5K/910 | WE.490 | | | | | | | Tag | 6 | — | | C | |
| | E.B6.81.2827 | | | | | | | CABLE, ASSEMBLY, F.46, FROM PORT INERTIA SWITCH AND STARBOARD INERTIA SWITCH TO M.E.P., GROUP (MOD. 2340) | 1 | — | | — | |
| | | | | | | | | Consisting of:— | | | | | |
| 5E/4183 | † | | | | | | | Cable, Uninyvin 20 | QR | — | | C | |
| 32A/94 | † | | | | | | | Cord, waxed braided | QR | 4F/35 | | C | |
| 5X/9400383 | † | | | | | | | Lug, cable | 1 | — | | C | |
| 5K/9107065 | EEAS.146/A | | | | | | | Sleeve, 3/4" long | 4 | — | | C | |
| 5K/9107066 | EEAS.146/A1 | | | | | | | Sleeve, 3/4" long | 4 | — | | C | |
| 5K/9107067 | EEAS.146/C | | | | | | | Sleeve, 1" long | 2 | — | | C | |
| 5K/9107068 | EEAS.146/D | | | | | | | Sleeve, 1" long | 1 | — | | C | |
| 5X/9430396 | HC.490 | | | | | | | Tag, quick release | 3 | — | | C | |
| | 38592 | | | | | | | CABLE, ASSEMBLY, F.38, FROM ELECTRONIC REGULATOR TO INVERTER No. 5 TYPE 201, GROUP (MOD. 1420) | 1 | — | | B | |
| | | | | | | | | Consisting of:— | | | | | |
| 5E/9100032 | † | | | | | | | Cable, Miniature 12C | QR | — | | C | |
| 10H/0970084 | Z.49137 | | | | | | | Ferrule, inner | 2 | — | | C | |
| 10H/0970083 | Z.49138 | | | | | | | Ferrule, outer | 2 | — | | C | |
| 10H/0970059 | Z.60668 | | | | | | | Outlet, gasket | 2 | — | | C | |
| 10H/0970065 | CZ.49182 | | | | | | | Outlet, straight | 1 | — | | C | |
| 10H/0970072 | CZ.49183 | | | | | | | Outlet, angle | 1 | — | | C | |
| 10H/0560360 | CZ.49458 | | | | | | | Plug, free, Mk. 4 | 1 | — | | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No |
|--------------|------------------------------|---|---------|-------------|---------------|------|----------|
| | | | | | M.R. | L.M. | |
| | | 1 2 3 4 5 6 | | | | | |
| 40087 | E.B6.81.2507 | CABLE, ASSEMBLY, N.110, FROM PLUG BREAK TO L.A.B.S. DISTRIBUTION BOX (MOD. 3448) | 1 | — | | B | |
| | | Consisting of:— | | | | | |
| 5E/4185 | † | Cable, Uninyvin 16 | QR | — | | C | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | | C | |
| 10AD/9145217 | CANNON ELECT. AN.3057/16A | Clamp | 1 | — | | C | |
| 5X/2789 | Z.22433 | Grommet, No. 6 | 1 | — | | C | |
| | CANNON ELECT. CA.2120/12 | Shell, straight junction | 1 | — | | — | |
| 5K/ | EEAS.146/00 | Sleeve | 12 | — | | — | |
| 5K/ | EEAS.146/16 | Sleeve | 12 | — | | — | |
| 5K/ | EEAS.146/20 | Sleeve | 24 | — | | — | |
| 5X/7920 | MS.3102E/24/28S | Socket | 1 | — | | B | |
| 5X/7298 | HC.490 | Tag, quick release | 12 | — | | C | |
| 5X/7016 | HC.500 | Tag, quick release | 6 | — | | C | |
| | E.B6.81.4975 | CABLE, ASSEMBLY, 1672, FROM GUN SIGHT T.B. TO J.B.16, GROUP (MOD. 2692) | 1 | — | | — | |
| | | Consisting of:— | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | | C | |
| 5X/1005131 | Z.49428 | Sleeve | 2 | — | | C | |
| 5K/9107065 | EEAS.146/A | Sleeve, 3/4" long | 2 | — | | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | 2 | — | | C | |
| 5K/9107067 | EEAS.146/C | Sleeve, 1" long | 2 | — | | C | |
| 5X/7298 | HC.490 | Tag, quick release | 2 | — | | C | |
| | E.B6.81.5335 | CABLE, ASSEMBLY, FA.68, FROM FUSE CHARGE UNIT TO J.B. CARRIER, GROUP (MOD. 3483) | 1 | — | | — | |
| | | Consisting of:— | | | | | |
| 5E/9100022 | † | Cable, Miniature 6C | QR | — | | C | |
| 10H/0970059 | Z.60668 | Gasket, outlet | 2 | — | | C | |
| 10H/0970108 | Z.62235 | Gasket, union | 2 | — | | C | |
| 10H/19104 | CZ.49184 | Outlet, straight | 2 | — | | C | |
| 10H/0560350 | CZ.53157 | Plug, 6-way | 1 | — | | C | |
| 10H/0970102 | Z.49040 | Ring, compression | 2 | — | | C | |
| 10H/0970096 | Z.49037 | Ring, thrust | 2 | — | | C | |
| 10H/0970114 | Z.62240 | Sleeve, cable | 2 | — | | C | |
| 5K/ | EEAS.146/EQ | Sleeve, 1/2" long | 12 | — | | C | |
| 5K/ | EEAS.146/2 | Sleeve, 1" long | 2 | — | | C | |
| 5K/ | EEAS.146/2 | Sleeve, 1 1/2" long | 4 | — | | C | |
| 10H/0560170 | CZ.50142 | Socket, 6-way | 1 | — | | C | |
| | E.B6.81.5337 | CABLE, ASSEMBLY, FA.69, FROM FUSE CHARGE UNIT TO J.B. CARRIER, GROUP (MOD. 3483) | 1 | — | | — | |
| | | Consisting of:— | | | | | |
| 5E/9100022 | † | Cable, Miniature 6C | QR | — | | C | |
| 10H/0970059 | Z.60668 | Gasket, outlet | 2 | — | | C | |
| 10H/0970108 | Z.62235 | Gasket, union | 2 | — | | C | |
| 10H/19104 | CZ.49184 | Outlet, straight | 2 | — | | C | |
| 10H/0560351 | CZ.53157/1 | Plug, 6-way | 1 | — | | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|-------------|-----------------|---|---|---|---|---|---|---------|-------------|---------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. L.M. | |
| 10H/0970102 | Z.49040 | | | | | | | 2 | — | C | |
| 10H/0970096 | Z.49037 | | | | | | | 2 | — | C | |
| 10H/0970114 | Z.62240 | | | | | | | 2 | — | C | |
| 5K/ | EEAS.146/EQ | | | | | | | 12 | — | — | |
| 5K/ | EEAS.146/2 | | | | | | | 2 | — | — | |
| 5K/ | EEAS.146/2 | | | | | | | 4 | — | — | |
| 10H/0560171 | CZ.50142/1 | | | | | | | 1 | — | C | |
| 33263 | E.B6.81.5339 | CABLE, ASSEMBLY, NA.49/50, FROM L.A.B.S. DISTRIBUTION BOX TO L.A.B.S. J.B. 'A' AND L.A.B.S. CARRIER J.B. (MOD. 3483) | | | | | | 1 | — | B | |
| | | Consisting of:— | | | | | | | | | |
| 5X/6750 | SR.3427 | | | | | | | 1 | — | C | |
| 5E/3900 | † | | | | | | | QR | — | C | |
| 5E/3899 | † | | | | | | | QR | — | C | |
| 5E/3898 | † | | | | | | | QR | — | C | |
| 5E/3896 | † | | | | | | | QR | — | C | |
| 5E/3894 | † | | | | | | | QR | — | C | |
| 5F/9013643 | † | | | | | | | QR | — | C | |
| 5F/2036 | † | | | | | | | QR | — | C | |
| 5F/2038 | † | | | | | | | QR | — | C | |
| 5F/9152733 | † | | | | | | | QR | — | C | |
| 33264 | E.A9.81.3533 | | | | | | | 1 | — | C | |
| 5X/9491421 | Z.22431 | | | | | | | 1 | — | C | |
| 5X/6723 | 4400 | | | | | | | 1 | — | C | |
| 5X/9400083 | Z.70017 | | | | | | | 1 | — | C | |
| | CANNON | | | | | | | | | | |
| 5X/ | MS.3106E-28-20P | | | | | | | 1 | — | — | |
| | CANNON | | | | | | | | | | |
| 5X/ | MS.3106E-36-9P | | | | | | | 1 | — | — | |
| 5K/ | EEAS.146/10 | | | | | | | 2 | — | — | |
| 5K/ | EEAS.146/12 | | | | | | | 38 | — | — | |
| 5K/ | EEAS.146/16 | | | | | | | 36 | — | — | |
| 5K/ | EEAS.146/20 | | | | | | | 4 | — | — | |
| 5K/ | EEAS.146/8 | | | | | | | 1 | — | — | |
| 5K/ | EEAS.146/16 | | | | | | | 2 | — | — | |
| 5K/ | EEAS.146/20 | | | | | | | 4 | — | — | |
| 5K/ | EEAS.146/2 | | | | | | | 2 | — | — | |
| 5K/ | EEAS.146/6 | | | | | | | 1 | — | — | |
| 5K/ | EEAS.146/00 | | | | | | | 4 | — | — | |
| 5K/ | EEAS.146/2 | | | | | | | 4 | — | — | |
| 5K/ | EEAS.146/B | | | | | | | 4 | — | — | |
| 5K/ | EEAS.146/00 | | | | | | | 2 | — | — | |
| 5K/ | EEAS.146/0000 | | | | | | | 2 | — | — | |
| 5K/ | EEAS.146/B | | | | | | | 2 | — | — | |
| | CANNON | | | | | | | | | | |
| 5X/ | MS.3106E/22/27S | | | | | | | 1 | — | — | |
| 5X/8578 | MS.3106E/28/20S | | | | | | | 1 | — | C | |
| 5X/ | MS.3106E/36/9S | | | | | | | 1 | — | — | |
| 5X/9450396 | HC.490 | | | | | | | 4 | — | C | |
| 5X/9482491 | HC.500 | | | | | | | 2 | — | C | |
| 34778 | E.B6.81.10713 | CABLE, ASSEMBLY, N.190, FROM MK. 22D, ALTIMETER TO AMPLIFIER (MOD. 3923) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/9100030 | † | | | | | | | QR | — | C | |
| 10H/0970294 | CZ.69735 | | | | | | | 2 | — | C | |
| 10H/0970059 | Z.60668 | | | | | | | 2 | — | C | |
| 10H/0970111 | Z.62237 | | | | | | | 2 | — | C | |
| 10H/19090 | Z.49141 | | | | | | | 2 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|-------------|--------------|---|---------|-------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| | | 1 2 3 4 5 6 | | | | |
| 10H/0560360 | CZ.49458 | Plug, free, Mk. 4 | 1 | — | C | |
| 10H/0970091 | Z.62231 | Ring, sealing | 2 | — | C | |
| 10H/0120204 | Z.66473 | Ring, thrust | 2 | — | C | |
| 5K/9107068 | EEAS.146/2 | Sleeve, 1½" long | QR | — | C | |
| 5K/9107068 | EEAS.146/2 | Sleeve, 1" long | QR | — | C | |
| 5K/ | EEAS.146/20 | Sleeve, ½" long | QR | — | C | |
| 10H/0560180 | CZ.49126 | Socket, free, Mk. 4 | 1 | — | C | |
| | E.A3.81.6487 | CABLE, ASSEMBLY, F.170, FROM WINDSCREEN CONTROLLER TO 400 CYCLE FUSE BOX (MOD. 4420) | 1 | — | — | |
| | | Consisting of:— | | | | |
| 5E/1934440 | † | Cable, Minyvin 20 | QR | — | C | |
| 5X/9471698 | HV.3195 | Grommet | 1 | — | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 1" long | QR | — | C | |
| 5K/9107065 | EEAS.146/20 | Sleeve, ¾" long | QR | — | C | |
| 5X/7363 | HC.295 | Tag | 2 | — | C | |
| 5X/9450396 | HC.490 | Tag | 2 | — | C | |
| 5X/7290 | Z.22634 | Grommet, dummy | 6 | — | C | |
| 5X/6172 | Z.50212 | Link, 4-way | 1 | — | C | |
| 5X/6237 | EEAS.71/1 | Link, 2-way | 1 | — | C | |
| 5X/6238 | EEAS.71/3 | Link, 4-way | 1 | — | C | |
| | E.B6.81.43 | LOOMS, INSTRUMENT, CABLE, ASSEMBLY | — | — | — | |
| | | Spares for:— | | | | |
| | E.B7.81.699 | CABLE, ASSEMBLY, 13C2, FROM A.M.U./A.P.1 J.B. TO A.M.U.4 CONTROL PANEL | 1 | — | — | |
| | | Consisting of:— | | | | |
| 5E/3100 | † | Cable, Duprenmet 12 | QR | — | C | |
| 10H/20406 | Z.54443 | Ferrule, inner | 1 | — | C | |
| 10H/20407 | Z.54444 | Ferrule, outer | 1 | — | C | |
| 10H/0970058 | Z.60667 | Gasket, outlet | 1 | — | C | |
| 5K/87 | AGS.1658/0 | Nut, gland | 1 | — | C | |
| 10H/0970062 | CZ.49180 | Outlet, straight | 1 | — | C | |
| 10H/0970088 | Z.62229 | Ring, sealing | 1 | — | C | |
| 5K/9107065 | EEAS.146/16 | Sleeve, ¾" long | 4 | — | C | |
| 5K/9107067 | EEAS.146/6 | Sleeve, ¾" long | 2 | — | C | |
| 5K/59 | AGS.1655/1 | Sleeve, inner | 1 | — | C | |
| 5K/62 | AGS.1656/1 | Sleeve, outer | 1 | — | C | |
| 10H/0560090 | CZ.49014 | Socket, free, Mk. 4, 12-way | 1 | — | C | |
| | E.B6.81.1527 | CABLE, ASSEMBLY, 13C3, FROM A.M.U./A.P.1 J.B. TO A.P.1, Mk. 4 (MOD. 2542) | 1 | — | — | |
| | | Consisting of:— | | | | |
| 5E/3111 | † | Cable, Quinprenmet 6 | QR | — | C | |
| 5K/88 | AGS.1658/1 | Nut, gland | 1 | — | C | |
| 5K/89 | AGS.1658/1A | Nut, gland | 1 | — | C | |
| 5K/9107065 | EEAS.146/16 | Sleeve, ¾" long | 4 | — | C | |
| 5K/9107069 | EEAS.146/2 | Sleeve, 1" long | 2 | — | C | |
| 5K/42 | AGS.1653/2 | Sleeve, inner | 2 | — | C | |
| 5K/51 | AGS.1654/2 | Sleeve, outer | 2 | — | C | |
| | E.B6.81.807 | CABLE, ASSEMBLY, G1-C3 FROM CONTROL PANEL TO GYRO UNIT | 1 | — | — | |
| | | Consisting of:— | | | | |
| 5E/9100031 | † | Cable, Miniature 12B | QR | — | C | |
| 10H/0970084 | Z.49137 | Ferrule, inner | 2 | — | C | |
| 10H/0970083 | Z.49138 | Ferrule, outer | 2 | — | C | |
| 10H/0970059 | Z.60668 | Gasket, outlet | 2 | — | C | |
| 10H/0970072 | CZ.49183 | Outlet, angle | 1 | — | C | |
| 10H/0970065 | CZ.49182 | Outlet, straight | 1 | — | C | |
| 10H/0560365 | CZ.49458/5 | Plug, body, assembly | 1 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-------------|----------------|--|---------|-------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | | 1 2 3 4 5 6 | | | | | |
| | E.A3.81.992/1 | CABLE, ASSEMBLY, BS.1-AJ.2, FROM COMPASS REPEATER 3-WAY JUNCTION BOX TO BOMBSIGHT COMPUTER, GROUP | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/4199 | † | Cable, Uninyvinmetsheath 20 | QR | — | — | C | |
| 105X/1402 | AN.3057/8 | Clamp, cable | 1 | — | — | C | |
| 5K/87 | AGS.1658/0 | Nut, gland | 1 | — | — | C | |
| 5K/9107068 | EEAS.146/D1 | Sleeve, 1" long | 2 | — | — | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve, ¾" long | 3 | — | — | C | |
| 5K/41 | AGS.1653/1 | Sleeve, inner | 1 | — | — | C | |
| 5K/1008392 | AGS.1654/1 | Sleeve, outer | 1 | — | — | C | |
| 105X/627 | AN.3106/164/15 | Socket, assembly, 7-way | 1 | — | — | B | |
| | E.B6.81.1529 | CABLE, ASSEMBLY, AJ.1-AP.2, FROM AP.1, MK. 1 TO J.B.3, COMPASS REPEATER, GROUP (MOD. 2542) | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/4199 | † | Cable, Uninyvinmetsheath 20 | QR | — | — | C | |
| 5K/88 | AGS.1658/1 | Nut, gland | 2 | — | — | C | |
| 5K/41 | AGS.1653/1 | Sleeve, inner | 2 | — | — | C | |
| 5K/1008392 | AGS.1654/1 | Sleeve, outer | 2 | — | — | C | |
| 5K/9107068 | EEAS.146/6 | Sleeve, ¾" long | 2 | — | — | C | |
| | E.B7.81.1081 | CABLE, ASSEMBLY, M.5-AJ.3, FROM J.B.3 COMPASS REPEATER TO MASTER INDICATOR, GROUP | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5F/9100010 | † | Cable, Miniature 3B | QR | — | — | C | |
| 10H/0970078 | Z.49041 | Ferrule, inner | 1 | — | — | C | |
| 10H/0970077 | Z.49042 | Ferrule, outer | 1 | — | — | C | |
| 10H/0970058 | Z.60667 | Gasket, outlet | 1 | — | — | C | |
| 5K/87 | AGS.1658/0 | Nut, gland | 1 | — | — | C | |
| 10H/0970062 | CZ.49180 | Outlet, straight | 1 | — | — | C | |
| 10H/0560300 | CZ.49222 | Plug, body | 1 | — | — | C | |
| 10H/0970088 | Z.62229 | Ring, sealing | 1 | — | — | C | |
| 5K/41 | AGS.1653/1 | Sleeve, inner | 1 | — | — | C | |
| 5K/1008392 | AGS.1654/1 | Sleeve, outer | 1 | — | — | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve, ¾" long | 3 | — | — | C | |
| 5K/9107068 | EEAS.146/D1 | Sleeve, 1" long | 2 | — | — | C | |
| | E.B7.81.1087 | CABLE, ASSEMBLY, AC.3-AR.2, FROM A.M.U. MK. 4 CONTROL PANEL TO REPEATER UNIT, GROUP | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/4199 | † | Cable, Uninyvinmetsheath 20 | QR | — | — | C | |
| 10H/0970078 | Z.49041 | Ferrule, inner | 1 | — | — | C | |
| 10H/0970077 | Z.49042 | Ferrule, outer | 1 | — | — | C | |
| 10H/0970058 | Z.60667 | Gasket, outlet | 1 | — | — | C | |
| 5K/89 | AGS.1658/1A | Nut, gland | 1 | — | — | C | |
| 10H/0970062 | CZ.49180 | Outlet, straight | 1 | — | — | C | |
| 10H/0970088 | Z.62229 | Ring, sealing | 1 | — | — | C | |
| 5X/1005131 | Z.49428 | Sleeve, cable | 3 | — | — | C | |
| 5K/41 | AGS.1653/1 | Sleeve, inner | 1 | — | — | C | |
| 5K/1008392 | AGS.1654/1 | Sleeve, outer | 1 | — | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-------------|--------------|--|---------|-------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| 26446 | E.B6.81.1139 | CABLE, ASSEMBLY, FROM COMPUTER (ZERO READER FLIGHT DIRECTOR) TO I.L.S. J.B., GROUP (MOD. 1447) Consisting of:— | 1 | — | | B | |
| 5K/2490 | † | Bonding, flexible braid | QR | — | | C | |
| 5E/9100031 | † | Cable, Miniature 12B | QR | — | | C | |
| 10H/0970084 | PYE.730609 | Cover, assembly | 1 | — | | — | |
| 10H/0970083 | Z.49137 | Ferrule, inner | 1 | — | | C | |
| 10H/0970059 | Z.49138 | Ferrule, outer | 1 | — | | C | |
| 10H/0970055 | Z.60668 | Gasket, outlet | 1 | — | | C | |
| 10H/0970091 | CZ.49182 | Outlet, straight | 1 | — | | C | |
| | Z.62231 | Ring, sealing | 1 | — | | C | |
| | MARCONI | | | | | | |
| 10H/20336 | W.28320 | Sleeve, cable, No. 2 | 1 | — | | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | 24 | — | | C | |
| 5K/9107069 | EEAS.146/2 | Sleeve, 1" long | 2 | — | | C | |
| 10H/20304 | PYE.734492 | Socket, assembly | 1 | — | | B | |
| 10H/0560184 | CZ.49126/4 | Socket, Mk. 4, 12-way | 1 | — | | C | |
| 5E/3141 | † | Wire, tinned copper, 32 SWG | QR | — | | C | |
| | E.B6.81.1141 | CABLE, ASSEMBLY, FROM INDICATOR (ZERO READER FLIGHT DIRECTOR) TO J.B. (ZERO READER FLIGHT DIRECTOR), GROUP (MOD. 1447) Consisting of:— | 1 | — | | — | |
| 5E/9100021 | † | Cable, Miniature 6B | QR | — | | C | |
| 10H/0970078 | Z.49041 | Ferrule, inner | 2 | — | | C | |
| 10H/0970077 | Z.49042 | Ferrule, outer | 2 | — | | C | |
| 10H/0970058 | Z.60667 | Gasket, outlet | 2 | — | | C | |
| 10H/0970062 | CZ.49180 | Outlet, straight | 2 | — | | C | |
| 10H/0560301 | CZ.49222/1 | Plug, Mk. 4, 6-way | 1 | — | | — | |
| 10H/0970088 | Z.62229 | Ring, sealing | 2 | — | | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | 12 | — | | C | |
| 5K/9107069 | EEAS.146/2 | Sleeve, 1" long | 2 | — | | C | |
| 10H/0560120 | CZ.49017 | Socket, Mk. 4, 6-way | 1 | — | | C | |
| 26444 | E.B6.81.1143 | CABLE, ASSEMBLY, FROM COURSE SELECTOR (ZERO READER FLIGHT DIRECTOR) TO COMPUTER, GROUP (MOD. 1447) Consisting of:— | 1 | — | | B | |
| 5K/2490 | † | Bonding, flexible braid | QR | — | | C | |
| 5E/9100021 | † | Cable, Miniature 6B | QR | — | | C | |
| 10H/18835 | PYE.730606 | Cover, assembly | 1 | — | | B | |
| 10H/0970077 | Z.49042 | Ferrule, outer | 1 | — | | C | |
| 10H/0970078 | Z.49041 | Ferrule, inner | 1 | — | | C | |
| 10H/0970058 | Z.60667 | Gasket, outlet | 1 | — | | C | |
| 10H/0970062 | CZ.49180 | Outlet, straight | 1 | — | | C | |
| 10H/0970088 | Z.62229 | Ring, sealing | 1 | — | | C | |
| | MARCONI | | | | | | |
| 10H/20336 | W.28320 | Sleeve, cable, No. 2 | 1 | — | | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | 12 | — | | C | |
| 5K/9107069 | EEAS.146/2 | Sleeve, 1" long | 2 | — | | C | |
| 10H/0560521 | CZ.49017/1 | Socket, Mk. 4 | 1 | — | | C | |
| 10H/20303 | PYE.734491 | Socket, assembly | 1 | — | | B | |
| 5E/3141 | † | Wire, tinned copper, 32 SWG | QR | — | | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|----------|------------------------|--|---|---|---|---|---|---------|-------------|---------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. L.M. | |
| 26443 | E.B6.81.1145 | CABLE, ASSEMBLY, FROM COMPUTER (ZERO READER FLIGHT DIRECTOR) TO G.M. COMPASS, MK. 4B, GROUP (MOD. 1447) | | | | | | 1 | — | B | |
| | | Consisting of:— | | | | | | | | | |
| | 5K/2490 † | Bonding, flexible braid | | | | | | QR | — | C | |
| | 5E/9100014 † | Cable, Miniature 4B | | | | | | QR | — | C | |
| | 10H/18834 PYE.730603 | Cover, assembly | | | | | | 1 | — | B | |
| | 10H/20406 Z.54443 | Ferrule, inner | | | | | | 1 | — | C | |
| | 10H/20407 Z.54444 | Ferrule, outer | | | | | | 1 | — | C | |
| | 10H/0970058 Z.60667 | Gasket, outlet | | | | | | 1 | — | C | |
| | 10H/0970062 CZ.49180 | Outlet, straight | | | | | | 1 | — | C | |
| | 10H/0560290 CZ.49220 | Plug, Mk. 4 | | | | | | 1 | — | C | |
| | 10H/0970088 Z.62229 | Ring, sealing | | | | | | 1 | — | C | |
| | 5K/9107066 EEAS.146/12 | Sleeve, 3/4" long | | | | | | 8 | — | C | |
| | 5K/9107068 EEAS.146/D1 | Sleeve, 1" long | | | | | | 2 | — | C | |
| | | MARCONI | | | | | | | | | |
| | 10H/20336 W.28320 | Sleeve, cable, No. 2 | | | | | | 1 | — | C | |
| | 10H/20302 PYE.734490 | Socket, assembly | | | | | | 1 | — | B | |
| | 5E/3141 † | Wire, tinned copper, 32 SWG | | | | | | QR | — | C | |
| 26442 | E.B6.81.1147 | CABLE, ASSEMBLY, FROM COMPUTER (ZERO READER FLIGHT DIRECTOR) TO 400 CYCLES FUSE BOX, GROUP (MOD. 1447) | | | | | | 1 | — | B | |
| | | Consisting of:— | | | | | | | | | |
| | 5K/2490 † | Bonding, flexible braid | | | | | | QR | — | C | |
| | 5E/9100014 † | Cable, Miniature 4B | | | | | | QR | — | C | |
| | 10H/18834 PYE.730603 | Cover, assembly | | | | | | 1 | — | B | |
| | 10H/20406 Z.54443 | Ferrule, inner | | | | | | 1 | — | C | |
| | 10H/20407 Z.54444 | Ferrule, outer | | | | | | 1 | — | C | |
| | 10H/0970128 Z.94035 | Nut, union | | | | | | 1 | — | C | |
| | 10H/0970088 Z.62229 | Ring, sealing | | | | | | 1 | — | C | |
| | | MARCONI | | | | | | | | | |
| | 10H/20336 W.28320 | Sleeve, cable, No. 2 | | | | | | 1 | — | C | |
| | 5X/1005131 Z.49428 | Sleeve | | | | | | 4 | — | C | |
| | 5K/9107066 EEAS.146/12 | Sleeve, 3/4" long | | | | | | 8 | — | C | |
| | 5K/9107068 EEAS.146/D1 | Sleeve, 1" long | | | | | | 2 | — | C | |
| | 10H/20302 PYE.734490 | Socket, assembly, 4-way | | | | | | 1 | — | B | |
| | 5X/7298 HC.490 | Tag, quick release | | | | | | 4 | — | C | |
| | 5E/3141 † | Wire, tinned copper, 32 SWG | | | | | | QR | — | C | |
| 26441 | E.B6.81.1149 | CABLE, ASSEMBLY, FROM COMPUTER (ZERO READER FLIGHT DIRECTOR) TO CONTROL PANEL, GROUP (MOD. 1447) | | | | | | 1 | — | B | |
| | | Consisting of:— | | | | | | | | | |
| | 5K/2490 † | Bonding, flexible braid | | | | | | QR | — | C | |
| | 5E/9100044 † | Cable, Miniature 25B | | | | | | QR | — | C | |
| | 10H/18963 PYE.730615 | Cover, assembly | | | | | | 1 | — | B | |
| | 10H/0970082 Z.49077 | Ferrule, inner | | | | | | 1 | — | C | |
| | 10H/0970081 Z.49078 | Ferrule, outer | | | | | | 1 | — | C | |
| | 10H/0970060 Z.60669 | Gasket, outlet | | | | | | 1 | — | C | |
| | 10H/0970074 CZ.49187 | Outlet, 90° | | | | | | 1 | — | C | |
| | 10H/0970239 Z.67407 | Ring, sealing | | | | | | 1 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | Plate No |
|-------------|--------------------|-------------|---|---|---|---|---|---------|-------------|---------------|----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. L.M. | |
| 10H/20327 | MARCONI W.28307 | | | | | | | 1 | — | C | |
| 5K/9107066 | EEAS.146/12 | | | | | | | 50 | — | C | |
| 5K/9107071 | EEAS.146/00 | | | | | | | 2 | — | C | |
| 10H/20306 | PYE.734494 | | | | | | | 1 | — | B | |
| 10H/0560220 | CZ.49070 | | | | | | | 1 | — | C | |
| 5E/3141 | † | | | | | | | QR | — | C | |
| | E.B6.81.1151 | | | | | | | 1 | — | — | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 5K/2490 | † | | | | | | | QR | — | C | |
| 5E/9100031 | † | | | | | | | QR | — | C | |
| 10H/18836 | PYE.730609 | | | | | | | 1 | — | B | |
| 10H/0970084 | Z.49137 | | | | | | | 1 | — | C | |
| 10H/0970083 | Z.49138 | | | | | | | 1 | — | C | |
| 10H/0970059 | Z.60668 | | | | | | | 1 | — | C | |
| 10H/0970065 | CZ.49182 | | | | | | | 1 | — | C | |
| 10H/0970091 | Z.62231 | | | | | | | 1 | — | C | |
| | MARCONI | | | | | | | | | | |
| 10H/20325 | W.28230 | | | | | | | 1 | — | C | |
| 5K/9107066 | EEAS.146/12 | | | | | | | 24 | — | C | |
| 5K/9107069 | EEAS.146/2 | | | | | | | 2 | — | C | |
| 10H/20304 | PYE.734492 | | | | | | | 1 | — | B | |
| 10H/0560180 | CZ.49126 | | | | | | | 1 | — | C | |
| 5E/3141 | † | | | | | | | QR | — | C | |
| | E.B6.81.1503 | | | | | | | — | — | — | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | E.B6.81.1445 | | | | | | | 2 | — | — | |
| | | | | | | | | | | | |
| | E.B6.81.1509 | | | | | | | 2 | — | — | |
| | E.B6.81.1505 | | | | | | | 2 | LFS.21 | — | |
| | E.B6.81.1511 | | | | | | | 1 | L.72 | — | |
| 10A/17619 | † | | | | | | | 2 | — | B | |
| 10A/158 | † | | | | | | | 2 | — | B | |
| | | | | | | | | | | | |
| 28M/9403520 | A.27/CP | | | | | | | 4 | — | C | |
| 28S/9997545 | A.31/C16 | | | | | | | 4 | — | C | |
| 28W/9416643 | SP.47/C | | | | | | | 4 | — | C | |
| | | | | | | | | | | | |
| 33996 | E.B6.81.351 | | | | | | | 1 | — | A | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 5E/4183 | † | | | | | | | QR | — | C | |
| 5E/4185 | † | | | | | | | QR | — | C | |
| 5E/4187 | † | | | | | | | QR | — | C | |
| 5CW/5252 | HV.3711 | | | | | | | 18 | — | C | |
| | E.B7.81.1171 | | | | | | | 1 | — | — | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 28M/10327 | AGS.2002/B/1 | | | | | | | 4 | — | C | |
| 28S/13887 | A.32/B10 | | | | | | | 4 | — | C | |
| | E.B7.81.1173 | | | | | | | 1 | — | — | |

ELECTRICAL ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-------------|--------------|--|---------|-------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | | | | | 1 | 2 | |
| | E.B6.81.353 | Panel | 1 | — | — | | |
| 5X/6329 | CZ.50358 | Plug, 4-way, size B (Pre-Mod. 3380) | 1 | — | C | | |
| 5X/7147 | 2CZ.111299 | Plug, 4-way, size B (Mod. 3380) | 1 | — | C | | |
| 5X/6185 | CZ.50361 | Plug, 26-way, size D (Pre-Mod. 3380) | 2 | — | C | | |
| 5X/7159 | 2CZ.111219 | Plug, 26-way, size D (Mod. 3380) | 2 | — | C | | |
| 5K/9107065 | EEAS.146/16 | Sleeve | 56 | — | C | | |
| 5K/9107066 | EEAS.146/12 | Sleeve | 46 | — | C | | |
| 5K/9107067 | EEAS.146/6 | Sleeve | 8 | — | C | | |
| 5X/3146 | Z.49397 | Sleeve | 2 | — | C | | |
| 5X/1005131 | Z.49428 | Sleeve | 36 | — | C | | |
| 5CW/8962 | 7360/B102 | Switch, D.P. | 1 | — | B | | |
| 5CW/5273 | 8375/B105 | Switch, D.P. | 10 | — | B | | |
| 5CW/5269 | 7321/B103 | Switch, S.P. | 1 | — | B | | |
| 5CW/5270 | 8295/B109 | Switch, S.P. | 6 | — | B | | |
| 5X/6988 | Z.56545 | Tag | 4 | — | C | | |
| 5X/9400064 | Z.19980 | Thimble | 4 | — | C | | |
| 17104 | E.B7.81.259 | Washer, packing | 18 | — | C | | |
| 1109 | EEAS.4311 | Washer, panel | 1 | L72 | C | | |
| | | Attaching parts for E.B6.81.351:— | | | | | |
| 28D/9436920 | A.25/1C | Bolt, 2 BA | 1 | — | C | | |
| | E.B7.81.955 | Piece, packing, 3/8" | 1 | Langite | LM | | |
| | E.B7.81.957 | Piece, packing, 3/8" | 1 | Langite | LM | | |
| 28S/1011490 | A.32/C16 | Screw, 2 BA | 3 | — | C | | |
| | E.B6.81.1235 | PANEL, MAIN ELECTRICAL, ASSEMBLY (MOD. 1420) (PRE-MOD. 2393-2197) | 1 | — | — | | |
| | | Spares for:— | | | | | |
| 26745 | E.B6.81.403 | PANEL, BUS-BAR, ASSEMBLY | 1 | — | B | | |
| | | Spares for:— | | | | | |
| 15336 | E.A1.81.542 | Carrier, spare fuse, 8-way | 1 | — | B | | |
| | E.B6.81.411 | Cleat, cable | 2 | LFS.21 | — | | |
| | E.B7.81.1013 | Cleat, cable | 2 | LFS.21 | — | | |
| 12907 | E.B7.81.993 | COVER, ASSEMBLY | 1 | — | B | | |
| | | Spares for:— | | | | | |
| 13145 | E.A4.81.1611 | Screw, special | 4 | BS.249 | C | | |
| | E.B6.81.405 | Panel, bus-bar | 1 | — | — | | |
| | E.B7.81.1005 | PANEL, MAIN REGULATOR, ASSEMBLY | — | — | — | | |
| | | Spares for:— | | | | | |
| | E.B7.81.893 | Cleat, cable | 1 | — | — | | |
| | E.B7.81.901 | Cleat, cable | 1 | — | — | | |
| | E.B7.81.907 | Cleat, cable | 1 | — | — | | |
| 26744 | E.B7.81.877 | PLUG, EXTERNAL SUPPLY, ASSEMBLY | 1 | — | C | | |
| 5CY/4314 | S1S.6202 | Plug, power supply | 1 | — | C | | |
| 17175 | E.B7.81.1007 | Stud, earth | 1 | BS.249 | C | | |
| | E.B6.81.4847 | PANEL, MAIN ELECTRICAL, ASSEMBLY (PRE-MOD. 3453) | | | | | |
| | | Spares for:— | | | | | |
| | E.A9.81.4727 | CABLE, ASSEMBLY, M.16, FROM INVERTER RELAY PANEL TO FUSE, GROUP (MOD. 2626) | 1 | — | — | | |
| | | Spares for:— | | | | | |
| 5E/4185 | † | Cable, Uninyvin 16 | QR | — | C | | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 1" long | 2 | — | C | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|--------------|----------------------------|--|---------|-------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| 5K/9107067 | EEAS.146/C | Sleeve, 3/4" long | 2 | — | | C | |
| 5X/9482491 | HC.500 | Tag, quick release | 2 | — | | C | |
| 5F/2303 | † | Tube, P.V.C., 5 m/m | QR | — | | C | |
| | E.B7.81.1221 | CABLE, ASSEMBLY, E21, FROM REGULATOR PANEL TO AIRFRAME, GROUP (MOD. 2393-2155-2197) | 1 | — | | — | |
| | | Consisting of:— | | | | | |
| 5E/4193 | † | Cable, Uninyvin 1 | QR | — | | C | |
| 5X/9400097 | 70031 | Lug, cable | 1 | — | | C | |
| 5X/9400102 | Z.70035/1 | Lug, cable | 1 | — | | C | |
| 5K/9107070 | EEAS.146/H | Sleeve, 1" long | 3 | — | | C | |
| 5F/9401215 | † | Tape | QR | — | | C | |
| | E.B6.81.10631 | PANEL, AFT, ASSEMBLY | 1 | — | | — | |
| | | Spares for:— | | | | | |
| 24614 | E.A9.81.3085 | Bolt, special | 4 | — | | MR | |
| 10AJ/156 | † | Mounting, A/V, type 965 | 4 | — | | B | |
| 24610 | E.A9.81.3065 | Panel, aft | 1 | — | | MR | |
| 24284 | E.A9.81.951 | Terminal, earth | 1 | — | | C | |
| 24611 | E.A9.81.3069 | Tray, mounting, assembly | 1 | — | | MR | |
| | E.B6.81.2811 | PANEL, FORWARD, ASSEMBLY | 1 | — | | — | |
| | | Spares for:— | | | | | |
| 24518 | E.A9.81.2405 | Connector, bus-bar (RC-C/B top joint) | 1 | L.16 | | MR | |
| 24520 | E.A9.81.2409 | Connector, bus-bar (C/B top joint) | 1 | L.16 | | MR | |
| 24521 | E.A9.81.2411 | Connector, bus-bar (G/S-C/B) | 1 | L.16 | | MR | |
| 24522 | E.A9.81.2415 | Connector, bus-bar (P10-C/BRK'R) | 2 | L.16 | | MR | |
| 24508 | E.A9.81.2357 | Cover, assembly | 1 | — | | B | |
| 24511 | E.A9.81.2371 | Cover, assembly, end | 1 | LFS.21 | | MR | |
| 24510 | E.A9.81.2369 | Cover, assembly, top (Make from 5F/9400950) | 1 | LFS.21 | | MR | |
| 24519 | E.A9.81.2407 | Link, current reverse (C/BRS link) | 1 | — | | MR | |
| 37343 | E.A9.81.4423 | Panel, forward | 1 | — | | MR | |
| 24525 | E.A9.81.2433 | Piece, distance | 16 | LFS.21 | | MR | |
| 24509 | E.A9.81.2365 | PLUG, EXTERNAL SUPPLY | 1 | — | | B | |
| | | Spares for:— | | | | | |
| | E.A9.81.869 | Cover, side, aft | 1 | LFS.21 | | LM | |
| | E.A9.81.2367 | Cover, side | 1 | LFS.21 | | LM | |
| 42475 | E.A9.81.2417 | Connector, bus-bar | 1 | L.16 | | C | |
| 5CY/4314 | S.I.S.6202 | Plug, power supply | 1 | — | | C | |
| 33181 | E.A9.81.891 | Strip | 1 | — | | C | |
| 27316 | E.A9.81.2419 | Washer, spacing | 1 | — | | MR | |
| | E.A9.81.4623 | RELAY, MOUNTING, ASSEMBLY | 1 | — | | — | |
| | | Spares for:— | | | | | |
| 27574 | E.A9.81.4203 | Panel, relay mounting, 1/8" thick | 1 | LFS.21 | | B | |
| 10AS/1002528 | S. T. C. Ltd. LP.733615 | Plate, | 2 | — | | C | |
| 10F/0530473 | S. T. C. Ltd. 4190HD | Relay, midget | 2 | — | | C | |
| 10H/9114121 | S. T. C. Ltd. LP.736720 | Socket | 2 | — | | B | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. Off | Matl Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|--------------|---------------|--|-----|-----|-----|-----|-----|---------|------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| 10AS/1002129 | S. T. C. Ltd. | | | | | | | | | | |
| | LP.733614 | | | | | | | | | | |
| 24284 | E.A9.81.951 | Spring | ... | ... | ... | ... | ... | 2 | — | C | |
| 24517 | E.A9.81.2403 | Terminal, earth | ... | ... | ... | ... | ... | 2 | — | C | |
| | | Washer | ... | ... | ... | ... | ... | 4 | — | C | |
| | E.B6.81.1577 | PANEL, BUS-BAR, ASSEMBLY | | | | | | 1 | — | — | |
| | | Spares for:— | | | | | | | | | |
| | E.B6.81.1991 | BLOCK, FUSE MOUNTING, ASSEMBLY | | | | | | 1 | — | — | |
| | | Spares for:— | | | | | | | | | |
| | E.B6.81.1065 | Block, fuse mounting | ... | ... | ... | ... | ... | 1 | LFS.21 | — | |
| | E.B6.81.1995 | Insert | ... | ... | ... | ... | ... | 2 | — | — | |
| | E.B6.81.1993 | BLOCK, FUSE MOUNTING, ASSEMBLY | | | | | | 1 | — | — | |
| | | Spares for:— | | | | | | | | | |
| | E.B6.81.1603 | Block, fuse mounting | ... | ... | ... | ... | ... | 1 | LFS.21 | — | |
| | E.B6.81.1995 | Insert | ... | ... | ... | ... | ... | 3 | — | — | |
| | E.B6.81.1607 | Block, packing | ... | ... | ... | ... | ... | 1 | — | — | |
| | E.B6.81.1609 | Block, packing | ... | ... | ... | ... | ... | 1 | — | — | |
| | E.B6.81.1601 | Bus-bar, strip P.10 | ... | ... | ... | ... | ... | 1 | BSS.1432 | — | |
| | E.B6.81.1625 | Bus-bar | ... | ... | ... | ... | ... | 1 | — | — | |
| | E.B6.81.1627 | Bus-bar | ... | ... | ... | ... | ... | 1 | — | — | |
| 5K/4346018 | E.B7.81.1015 | Bus-bar, strip P.9 | ... | ... | ... | ... | ... | 1 | BSS.1432 | C | |
| 32208 | E.B6.81.1589 | COVER, ASSEMBLY | | | | | | 1 | — | C | |
| | | Spares for:— | | | | | | | | | |
| 39521 | E.B6.81.1635 | Screw, cover | ... | ... | ... | ... | ... | 5 | — | C | |
| 10H/23853 | T.P.F.160 | Fuse, type 160 amp. | ... | ... | ... | ... | ... | 2 | — | C | |
| 40251 | E.B7.81.1039 | Link, copper | ... | ... | ... | ... | ... | 2 | BSS.1432 | MR | |
| 26333 | E.B7.81.1041 | Link, copper | ... | ... | ... | ... | ... | 7 | BSS.1432 | MR | |
| | E.B6.81.1587 | PANEL, BUS-BAR, ASSEMBLY | | | | | | 1 | — | — | |
| | | Spares for:— | | | | | | | | | |
| | E.B6.81.1629 | Panel | ... | ... | ... | ... | ... | 1 | — | — | |
| | E.B6.81.1631 | Plate, insulating | ... | ... | ... | ... | ... | 1 | LFS.21 | — | |
| 5K/4346021 | E.B7.81.1009 | Stud, 1/8" | ... | ... | ... | ... | ... | 36 | BS.249 | C | |
| 5K/4346020 | E.B7.81.1011 | Stud, 1/4" | ... | ... | ... | ... | ... | 18 | BS.249 | C | |
| 17176 | E.B7.81.1035 | Washer | ... | ... | ... | ... | ... | 13 | BS.1432 | MR | |
| 28W/9419448 | AGS.2035/B | Washer, lock, 4 BA | ... | ... | ... | ... | ... | 10 | — | C | |
| 17175 | E.B7.81.1007 | Stud, earthing | ... | ... | ... | ... | ... | 1 | BS.249 | C | |
| 5F/9138822 | NY.3342 | Stud, Helvin | ... | ... | ... | ... | ... | 40 | — | C | |
| 5F/9138823 | NY.3255 | Stud, Helvin | ... | ... | ... | ... | ... | 120 | — | C | |
| 5F/9434857 | HV.3341 | Strap, Helvin, 1/2" | ... | ... | ... | ... | ... | QR | — | C | |
| 5F/9434858 | HV.3254 | Strap, Helvin, 3/8" | ... | ... | ... | ... | ... | QR | — | C | |
| 24517 | E.A9.81.2403 | Washer | ... | ... | ... | ... | ... | 22 | B.11 | C | |
| 8439 | EEAS.28/33EP | Washer | ... | ... | ... | ... | ... | 3 | — | C | |
| | E.B6.81.10431 | PANEL, MAIN ELECTRICAL, ASSEMBLY (MOD. 3773) (S.O.O.) | | | | | | — | — | — | |
| | | Spares for this group are identical to those for Part No. E.B6.81.4847 on Page 221, except for the following deletion and addition | | | | | | | | | |
| | | Delete:— | | | | | | | | | |
| | E.B6.81.1577 | PANEL, BUS-BAR, ASSEMBLY | | | | | | 1 | — | — | |
| | | Add:— | | | | | | | | | |
| | E.B6.81.5447 | PANEL, BUS-BAR, ASSEMBLY | | | | | | 1 | — | — | |
| | E.B6.81.1075 | Panel, starter (Mod. 1420) | ... | ... | ... | ... | ... | 1 | — | — | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. Off | Matl Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|--------------|--------------|--|---|---|---|---|---|---------|------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.B6.81.2887 | PANEL, ELECTRICAL CONTROL, GROUP (MOD. 2312) (PRE-MOD. 2393-2197) | | | | | | 1 | — | — | |
| | | Spares for:— | | | | | | | | | |
| 26678 | E.A1.81.410 | BAR, TERMINAL, GROUP | | | | | | 2 | — | B | |
| | | Spares for:— | | | | | | | | | |
| | E.A1.81.411 | Bar, terminal, c/w studs | | | | | | 1 | — | — | |
| | E.A1.81.410A | Base, $\frac{1}{8}$ " thick | | | | | | 1 | LFS.21 | — | |
| 33H/9109210 | † | Compound, insulating, Chaddertons | | | | | | QR | — | C | |
| | E.A1.81.410B | Cover, plate, $\frac{1}{8}$ " thick | | | | | | 1 | LFS.21 | — | |
| 5077 | BULGIN T.5 | Head, terminal, moulded, 4 BA | | | | | | 2 | — | C | |
| | E.B6.81.833 | BOMB DOOR RELEASE SAFETY LOCK AND STOWAGE, GROUP | | | | | | 1 | — | — | |
| | | Spares for:— | | | | | | | | | |
| 17506 | E.A3.83.149 | Bag, stowage | | | | | | 1 | — | C | |
| 5CW/4401002 | E.A3.83.151 | PIN, SAFETY LOCK, GROUP | | | | | | 1 | — | C | |
| | | Spares for:— | | | | | | | | | |
| 28FP/1200982 | A.415 | Pin, "Pip" | | | | | | 1 | — | C | |
| | 4202 | Stud, mounting, assembly | | | | | | 1 | — | C | |
| | E.B6.81.309 | Cover, terminal board access | | | | | | 1 | L.72 | — | |
| 32331 | E.B6.81.1017 | GUARD, SWITCH, ASSEMBLY | | | | | | 1 | — | C | |
| | | Spares for:— | | | | | | | | | |
| | E.B6.81.1023 | Flap, assembly | | | | | | 1 | — | — | |
| | E.B6.81.1027 | Pin | | | | | | 1 | — | — | |
| 38573 | E.B6.81.1029 | Spring, tension | | | | | | 1 | — | C | |
| 5CZ/5073 | † | Indicator, magnetic, Type A2 | | | | | | 1 | — | C | |
| | 8414 | Lanyard, fuse panel check | | | | | | 1 | — | C | |
| 5X/4491436 | EEAS.71/2 | Link, 3-way | | | | | | 1 | — | C | |
| 5X/4491431 | EEAS.71/3 | Link, 4-way | | | | | | 17 | — | C | |
| | E.B6.81.305 | Panel, circuit breaker | | | | | | 1 | L.72 | — | |
| | E.B6.81.325 | PANEL, FUSE EQUIPMENT, GROUP | | | | | | 1 | — | — | |
| | | Spares for:— | | | | | | | | | |
| | AS.1878/25 | Hinge (Make from 28N/10786) | | | | | | QR | — | LM | |
| 28FP/1004892 | 213 | Stud | | | | | | 11 | — | C | |
| | 3823 | Terminal, earth | | | | | | 2 | — | C | |
| | 1109 | Washer | | | | | | 1 | — | C | |
| | 17524 | Washer | | | | | | 2 | — | C | |
| 28FP/1004893 | 214 | Washer | | | | | | 11 | — | C | |
| | E.B6.81.4959 | PANEL, ELECTRICAL CONTROL, GROUP (MOD. 2692) (PRE-MOD. 3456) | | | | | | 1 | — | — | |
| | | Spares for this assembly are identical to those for group Part No. E.B6.81.2887 | | | | | | | | | |
| | E.B6.81.6011 | PANEL, ELECTRICAL CONTROL, ASSEMBLY (MOD. 3456, POST-MOD. 2692) | | | | | | 1 | — | — | |
| | | Spares for this assembly are identical to assembly Part No. E.B6.81.4959, except for the following deletions and additions | | | | | | | | | |
| | | Delete:— | | | | | | | | | |
| | E.B6.81.325 | PANEL, FUSE EQUIPMENT, ASSEMBLY | | | | | | 1 | — | — | |
| | | Add:— | | | | | | | | | |
| 10H/21797 | † | Fuse, 2.5 amp. | | | | | | 1 | — | C | |
| 10H/21798 | † | Fuse, 5 amp. | | | | | | 4 | — | C | |
| 10H/21799 | † | Fuse, 10 amp. | | | | | | 3 | — | C | |
| 10H/21791 | † | Fuse, dummy | | | | | | 16 | — | C | |
| 5X/1012212 | Z.50218 | Link, commoning | | | | | | 2 | — | C | |
| 5X/9400390 | 12110 | Lug | | | | | | 2 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | No. Off | Matl Spec. | Cl. of Equip. | Plate No. |
|-------------|--------------|--|---------|------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| | E.B6.81.6013 | PANEL, FUSE EQUIPMENT, ASSEMBLY ... Spares for this assembly are identical to assembly Part No. E.B6.81.325 on page 224, except for the following additions Add:— | 1 | — | — | |
| 5X/3271 | CZ.52815 | Block , fuse | 4 | — | C | |
| 235/9435712 | A31/B8 | Attaching parts for CZ.52815:— Screw , 4 BA | 2 | — | C | |
| 28W/9416642 | SP.47/B | Washer | 2 | — | C | |
| 5K/ | S.136/1 | Stud , plate | 1 | — | — | |
| 5K/9107066 | EEAS.146/B | Sleeve | 6 | — | C | |
| 5X/9450224 | HC.510 | Tag , quick release | 4 | — | C | |
| | E.B6.81.6037 | PANEL, ELECTRICAL CONTROL, ASSEMBLY (MOD. 3456, POST-MOD. 2312) (PRE-MOD. 4927) Spares for this assembly are identical to assembly Part No. E.B6.81.6011 on page 224 | 1 | — | — | |
| | E.B6.81.6305 | PANEL, ELECTRICAL CONTROL, ASSEMBLY (MOD. 4927) Spares for this assembly are identical to assembly Part No. E.B6.81.6011 on page 224, except for the following deletions and additions Delete:— | 1 | — | — | |
| 10H/21799 | † | Fuse , 10 amp. | 2 | — | C | |
| 10H/21791 | † | Fuse , dummy | 4 | — | C | |
| | E.B6.81.6013 | PANEL, FUSE EQUIPMENT, ASSEMBLY ... Add:— | 1 | — | — | |
| 10H/23864 | † | Fuse , 5 amp. HRC | 2 | — | C | |
| 10H/23862 | † | Fuse , 10 amp. HRC | 4 | — | C | |
| 5X/1012212 | Z.60218 | Link , commoning | 2 | — | C | |
| 5X/9400390 | 12110 | Lug | 2 | — | C | |
| | E.B6.81.6307 | PANEL, FUSE EQUIPMENT, ASSEMBLY ... Spares for this assembly are identical to assembly Part No. E.B6.81.6013 | 1 | — | — | |
| 5X/9450396 | HC.490 | Tag | 4 | — | C | |
| 5X/9450224 | HC.510 | Tag | 4 | — | C | |
| 28D/9436920 | A25/1C | Attaching parts for E.B6.81.6011, E.B6.81.6037 or E.B6.81.6305:— Bolt , 2 BA | 1 | — | C | |
| 28D/9133011 | A25/2C | Bolt , 2 BA | 2 | — | C | |
| | E.B6.81.1673 | PANEL, GENERATOR TEST, INSTALLATION (MOD. 2393-2155-2197) Spares for:— | — | — | — | |
| | E.B6.81.1679 | Angle | 1 | L.72 | — | |
| | E.B6.81.1675 | PANEL, GENERATOR TEST, GROUP ... Spares for:— | 1 | — | — | |
| | E.A9.81.137 | PANEL, GENERATOR TEST, ASSEMBLY ... Spares for:— | 1 | — | — | |
| 5X/1002694 | CZ.50207 | Block , terminal | 1 | — | C | |
| 26M/1086618 | AGS.2002/B/1 | Attaching parts for CZ.50207:— Nut , 4 BA | 2 | — | C | |
| 28S/1011488 | A32/B28 | Screw , 4 BA | 2 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | No. Off | Matl Spec. | Cl. of Equip. | Plate No. |
|--------------|--------------|---|---------|------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | C | |
| 5E/4185 | † | Cable, Uninyvin 16 | QR | — | C | |
| 24410 | E.A9.81.1615 | COVER, ASSEMBLY | 1 | — | C | |
| | | Spares for:— | | | | |
| 28FP/ | SK.192 | Clip | 4 | — | — | |
| 28FP/1200135 | 325 | Stud | 4 | — | C | |
| 28FP/9424332 | 326 | Washer | 4 | — | C | |
| 5X/6091 | CZ.28108 | Plug, 14-way, size C (Pre-Mod. 3380) | 1 | — | C | |
| 5X/7152 | 2CZ.111227 | Plug, 14-way, size C (Mod. 3380) | 1 | — | C | |
| 5UC/1054116 | † | Resistor, remote | 2 | — | C | |
| | | Attaching parts for Ref. 5UC/1054116:— | | | | |
| 28M/1086618 | AGS.2002/B/1 | Nut, 4 BA | 2 | — | C | |
| 28S/1007817 | A32/B24 | Screw, 4 BA | 2 | — | C | |
| 5X/1005131 | Z.49428 | Sleeve | 12 | — | C | |
| 5X/9525146 | Z.49397 | Sleeve | 1 | — | C | |
| 5K/9107065 | EEAS.146/16 | Sleeve | 29 | — | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve | 9 | — | C | |
| 5K/9107067 | EEAS.146/6 | Sleeve | 3 | — | C | |
| 5CY/4376392 | † | Socket, 3-pole, 2 amp. | 2 | — | C | |
| | | Attaching parts for 5CY/4376392:— | | | | |
| 28M/1086618 | AGS.2002/B/1 | Nut, 4 BA | 3 | — | C | |
| 28S/9435715 | A33/B16 | Screw, 4 BA | 3 | — | C | |
| 5F/9434858 | HV.3254 | Strap, Helvin | QR | — | C | |
| 5F/9138823 | NY.3255 | Stud, Helvin | QR | — | C | |
| 5CW/6441 | † | Switch, D.P. | 2 | — | C | |
| | | Attaching parts for 5CW/6441:— | | | | |
| 28S/1200080 | A32/B8 | Screw, 4 BA | 4 | — | C | |
| 28W/9419448 | AGS.2035/B | Washer | 4 | — | C | |
| 5X/9450396 | HC.490 | Tag, quick release | 8 | — | C | |
| 5X/9482491 | HC.500 | Tag, quick release | 1 | — | C | |
| | | Attaching parts for E.A9.81.137:— | | | | |
| 28S/1200040 | A31/B20 | Screw, 4 BA | 4 | — | C | |
| 28W/9419465 | SP.13/B | Washer | 4 | — | C | |
| | E.B6.81.401 | PLUGS, SOCKETS AND BUNGS THROUGH PRESSURE BULKHEAD | — | — | — | |
| | | Spares for:— | | | | |
| 10H/0970055 | CZ.51538 | Cap, protective | 2 | — | C | |
| 10H/20417 | CZ.61887 | Connector, bulkhead | 1 | — | C | |
| 5063 | E.A1.81.450 | Gasket | 1 | — | C | |
| 17544 | EEAS.150 | Gasket | 3 | — | C | |
| 10H/19425 | † | Plug, type 744 | 1 | — | C | |
| 10H/ | WT.40619 | Plug, type 757 | 2 | — | — | |
| 10H/1920 | † | Plug, type W387 | 1 | — | B | |
| 5X/6008 | CZ.28032 | Plug, size A (Pre-Mod. 3380) | 1 | — | C | |
| 5X/7162 | 2CZ.111414 | Plug, size A (Mod. 3380) | 1 | — | C | |
| 5X/6038 | CZ.28038 | Plug, size B (Pre-Mod. 3380) | 1 | — | C | |
| 5X/7166 | 2CZ.111419 | Plug, size B (Mod. 3380) | 1 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|-------------|--------------|---|-----|-----|-----|-----|---|-------------|-------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| 5X/6063 | CZ.28043 | Plug, size B (Pre-Mod. 3380) | ... | ... | ... | ... | 1 | — | C | | |
| 5X/8559 | 2CZ.111422 | Plug, size B (Mod. 3380) | ... | ... | ... | ... | 1 | — | C | | |
| 5X/6422 | CZ.57212 | Plug, size B (Pre-Mod. 3380) | ... | ... | ... | ... | 1 | — | C | | |
| 5X/7167 | 2CZ.111423 | Plug, size B (Mod. 3380) | ... | ... | ... | ... | 1 | — | C | | |
| 5X/6093 | CZ.28049 | Plug, size C (Pre-Mod. 3380) | ... | ... | ... | ... | 2 | — | C | | |
| 5X/8558 | 2CZ.138113 | Plug, size C (Mod. 3380) | ... | ... | ... | ... | 2 | — | C | | |
| 5X/6133 | CZ.28057 | Plug, size D (Pre-Mod. 3380) | ... | ... | ... | ... | 3 | — | C | | |
| 5X/8556 | 2CZ.138115 | Plug, size D (Mod. 3380) | ... | ... | ... | ... | 3 | — | C | | |
| 5X/6018 | CZ.28034 | Plug, size Z (Pre-Mod. 3380) | ... | ... | ... | ... | 2 | — | C | | |
| 5X/7163 | 2CZ.111416 | Plug, size Z (Mod. 3380) | ... | ... | ... | ... | 2 | — | C | | |
| 5X/6028 | CZ.28036 | Plug, size Z (Pre-Mod. 3380) | ... | ... | ... | ... | 2 | — | C | | |
| 5X/8551 | 2CZ.138098 | Plug, size Z (Mod. 3380) | ... | ... | ... | ... | 2 | — | C | | |
| 10H/19439 | CZ.62268 | Plug/Socket, Type 5, 2-way | ... | ... | ... | ... | 1 | — | C | | |
| 10H/19440 | CZ.62268/1 | Plug/Socket, Type 6, 2-way | ... | ... | ... | ... | 1 | — | C | | |
| 10H/19457 | CZ.62271 | Plug/Socket, Type 23, 6-way | ... | ... | ... | ... | 3 | — | C | | |
| 10H/19458 | CZ.62271/1 | Plug/Socket, Type 24, 6-way | ... | ... | ... | ... | 1 | — | C | | |
| 10H/19461 | CZ.62271/4 | Plug/Socket, Type 27, 6-way | ... | ... | ... | ... | 1 | — | C | | |
| 10H/19475 | CZ.62274 | Plug/Socket, Type 41, 6-way | ... | ... | ... | ... | 2 | — | C | | |
| 10H/19481 | CZ.62275 | Plug/Socket, Type 47, 12-way | ... | ... | ... | ... | 4 | — | C | | |
| 10H/19485 | CZ.62275/4 | Plug/Socket, Type 51, 12-way | ... | ... | ... | ... | 1 | — | C | | |
| 10H/19487 | CZ.62276 | Plug/Socket, Type 53, 18-way | ... | ... | ... | ... | 1 | — | C | | |
| 10H/19488 | CZ.62276/1 | Plug/Socket, Type 54, 18-way | ... | ... | ... | ... | 1 | — | C | | |
| 10H/19491 | CZ.62276/4 | Plug/Socket, Type 57, 18-way | ... | ... | ... | ... | 1 | — | C | | |
| 10H/19493 | CZ.62277 | Plug/Socket, Type 59, 25-way | ... | ... | ... | ... | 1 | — | C | | |
| 10H/0560042 | † | Socket, double-ended | ... | ... | ... | ... | 5 | — | C | | |
| 5UC/6042 | † | Regulator, electronic, Type 2B | ... | ... | ... | ... | 1 | — | A | | |
| | | Attaching parts for Ref. 5UC/6042:— | | | | | | | | | |
| 8474 | E.A3.81.1787 | Bolt, special (Made from A25/13E) | ... | ... | ... | ... | 4 | S.1 or S.82 | C | | |
| 28M/1011475 | A27/EP | Nut, 1/2" BSF | ... | ... | ... | ... | 4 | — | C | | |
| 28M/1007403 | A27/ET | Nut, 1/2" BSF | ... | ... | ... | ... | 4 | — | C | | |
| 10A/17930 | † | Washer, check | ... | ... | ... | ... | 8 | — | C | | |
| 28W/9416644 | SP.47/E | Washer | ... | ... | ... | ... | 8 | — | C | | |
| 5CW/10329 | † | Relay, diamond 'H' (Mod. 4420) | ... | ... | ... | ... | 1 | — | B | | |
| 4202 | E.A3.81.1165 | Stud, mounting, assembly | ... | ... | ... | ... | 2 | — | C | | |
| 5CY/1002 | † | Suppressor, Type P | ... | ... | ... | ... | 2 | — | B | | |
| | | Attaching parts for Ref. 5CY/1002:— | | | | | | | | | |
| 28S/1200034 | A31/B16 | Screw, 4 BA (As required) | ... | ... | ... | ... | 4 | — | C | | |
| 28S/1200040 | A31/B20 | Screw, 4 BA (As required) | ... | ... | ... | ... | 4 | — | C | | |
| 5CY/7001363 | † | Suppressor, Type B4 | ... | ... | ... | ... | 2 | — | B | | |
| | | Attaching parts for Ref. 5CY/7001363:— | | | | | | | | | |
| 28M/1278189 | AGS.2001/B/1 | Nut, 4 BA | ... | ... | ... | ... | 2 | — | C | | |
| 5CW/6452 | † | Switch, magnetic relay, Type 9B, No. 1A | ... | ... | ... | ... | 1 | — | B | | |
| | | Attaching parts for Ref. 5CW/6452:— | | | | | | | | | |
| 28S/1200040 | A31/B20 | Screw, 4 BA | ... | ... | ... | ... | 2 | — | C | | |
| 28W/9419474 | SP.15/B | Washer | ... | ... | ... | ... | 2 | — | C | | |
| 5CW/5907 | EAP.2340 | Switch, torque | ... | ... | ... | ... | 1 | — | A | | |
| | | Attaching parts for EAP.2340:— | | | | | | | | | |
| 28S/1200040 | A31/B20 | Screw, 4 BA | ... | ... | ... | ... | 2 | — | C | | |
| 28W/9419474 | SP.15/B | Washer, 4 BA | ... | ... | ... | ... | 2 | — | C | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-------------|------------------------|---|---------|-------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | | 1 2 3 4 5 6 | | | | | |
| | E.B7.81.1377 | SWITCH, TIME, MOUNTING, ASSEMBLY ... | — | — | — | | |
| | | Spares for:— | | | | | |
| | E.B7.81.1375 | Bracket, assembly | 1 | — | — | | |
| 5CW/4439 | TEDDINGTON FHM.A.25 | Switch, time | 2 | — | A | | |
| | | Attaching parts for FHM.A25:— | | | | | |
| 28S/9419194 | A31/C12 | Screw, 2 BA | 4 | — | C | | |
| 10KB/1449 | † | Transformer, auto, Type 1562 | 1 | — | A | | |
| 10KB/1450 | † | Transformer, auto, Type 1563 | 1 | — | A | | |
| | | Attaching parts for Refs. 10KB/1449 and 10KB/1450:— | | | | | |
| 28D/1215327 | AS.1246/1E | Bolt, 1/2" BSF | 4 | — | C | | |
| | E.B6.81.65 | WIRING AND CLIPPING DETAILS ... | — | — | — | | |
| | | Spares for:— | | | | | |
| 8272 | E.A3.81.589 | Box, junction, bomb sight | 1 | — | B/MR | | |
| | E.B6.81.59 | CANOPY AND HATCH JETTISON SYSTEM | — | — | — | | |
| | | Spares for:— | | | | | |
| | E.B6.80.6081 | Bracket, hatch jettison switch unit, assembly (Mod. 3776) | 1 | L.72 | — | | |
| | E.B6.81.705 | Bracket, jettison relay mounting | 1 | — | — | | |
| | E.B6.81.6287 | CABLE, ASSEMBLY, N.48. FROM JETTISON RELAY UNIT TO SNATCH UNIT AND PILOT'S, NAVIGATOR'S AND BOMB AIMER'S JETTISON SWITCHES (MOD. 4465) | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/4187 | † | Cable, Uninyvin 12 | QR | — | C | | |
| 10H/0970294 | CZ.69735 | Clamp, cable | 1 | — | C | | |
| 10H/ | 2Z.139115 | Gasket, union | 1 | — | — | | |
| 26DK/12101 | EEAS.276/B | Outlet, adaptor | 1 | — | C | | |
| 10H/ | 2Z.139104 | Ring, sealing | 1 | — | — | | |
| 10H/0120240 | Z.66473 | Ring, thrust | 1 | — | C | | |
| 5K/3367 | EEAS.146/2 | Sleeve, 2" long | QR | — | C | | |
| 5K/9107068 | EEAS.146/2 | Sleeve, 1" long | QR | — | C | | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 1" long | QR | — | C | | |
| 5X/7181 | 2CZ.11439 | Socket | 1 | — | C | | |
| 5F/9454141 | NY.18007A | Strap | QR | — | C | | |
| 5F/9138822 | NY.3342 | Stud | QR | — | C | | |
| 5X/8705 | HC.314D | Tag | 2 | — | C | | |
| 5X/7594 | HC.315 | Tag | 1 | — | C | | |
| | E.B7.81.1237 | CABLE, ASSEMBLY, N.48-A.1, BETWEEN FRONT RESISTANCE UNITS, CANOPY JETTISON, GROUP (PRE-MOD. 1482) | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/4187 | † | Cable, Uninyvin 12 | QR | — | C | | |
| 5K/9107067 | EEAS.146/6 | Sleeve, 3/4" long | 4 | — | C | | |
| 5K/9107068 | EEAS.146/D1 | Sleeve, 1" long | 2 | — | C | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|------------|--------------|--|---|---|---|---|---|---------|-------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.B6.81.1205 | CABLE, ASSEMBLY, N.48-A.1, FROM RESISTANCE UNIT TO RESISTANCE UNIT (MOD. 1482) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4187 | † | Cable, Uninyvin 12 | | | | | | QR | — | C | |
| 32A/94 | † | Cord, waxed, coreless | | | | | | QR | — | C | |
| 5K/9107066 | EEAS.146/B | Sleeve, 3/4" long | | | | | | 4 | — | C | |
| 5K/9107067 | EEAS.146/6 | Sleeve, 1" long | | | | | | 2 | — | C | |
| | E.B7.81.1239 | CABLE, ASSEMBLY, N.48-A.2, BETWEEN FRONT AND REAR STARBOARD RESISTANCE UNITS, CANOPY JETTISON, GROUP (PRE-MOD. 1482) | | | | | | | — | — | L |
| | | Spares for this group are identical to those for group Part No. E.B7.81.1237 | | | | | | | | | |
| | E.B6.81.1207 | CABLE, ASSEMBLY, N.48-A.2, FROM RESISTANCE UNIT TO RESISTANCE UNIT (MOD. 1482) | | | | | | | — | — | L |
| | | Spares for this assembly are identical to those for assembly Part No. E.B6.81.1205 | | | | | | | | | |
| | E.B7.81.1241 | CABLE, ASSEMBLY, N.48-A.3, BETWEEN REAR RESISTANCE UNITS, CANOPY JETTISON, GROUP | | | | | | 1 | — | — | |
| | | Spares for this assembly are identical to those for assembly Part No. E.B6.81.1237 on page 228 | | | | | | | | | |
| | E.B7.81.1243 | CABLE, ASSEMBLY, N.48-A.4, BETWEEN FRONT AND REAR PORT RESISTANCE UNITS, CANOPY JETTISON, GROUP | | | | | | 1 | — | — | |
| | E.B7.81.1245 | CABLE, ASSEMBLY, N.48-A.4, BETWEEN FRONT AND PORT RESISTANCE UNITS, HATCH JETTISON, GROUP | | | | | | 1 | — | — | |
| | E.B7.81.1247 | CABLE, ASSEMBLY, N.48-B.2, BETWEEN FRONT AND STARBOARD RESISTANCE UNITS, HATCH JETTISON, GROUP | | | | | | 1 | — | — | |
| | E.B7.81.1253 | CABLE, ASSEMBLY, F.48-B.4, BETWEEN REAR PORT AND STARBOARD RESISTANCE UNITS, HATCH JETTISON, GROUP | | | | | | 1 | — | — | |
| | | Spares for these groups are identical to those for group Part No. E.B7.81.1237 on page 228 | | | | | | | | | |
| | E.B7.81.1249 | CABLE, ASSEMBLY, N.48-B.3, BETWEEN, STARBOARD RESISTANCE UNIT AND PRESSURE BULKHEAD CONNECTION, HATCH JETTISON, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4187 | † | Cable, Uninyvin 12 | | | | | | QR | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|------------|--------------|---|---|---|---|---|---|---------|-------------|---------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. L.M. | |
| 33H/56 | † | Cement, Bostik | | | | | | QR | — | C | |
| 5X/240 | Z.2277/2 | Ferrule, cut | | | | | | 1 | — | C | |
| 5K/9107067 | EEAS.146/6 | Sleeve, 3/4" long | | | | | | 4 | — | C | |
| 5K/9107068 | EEAS.146/D1 | Sleeve, 1" long | | | | | | 2 | — | C | |
| 5X/6030 | CZ.27985 | Socket, assembly, size Z | | | | | | 1 | — | B | |
| 32B/498 | † | Thread, waxed linen, No. 18 | | | | | | QR | — | C | |
| | E.B7.81.1251 | CABLE, ASSEMBLY, F.48-B.3, BETWEEN STARBOARD PRESSURE BULKHEAD CONNECTION AND RESISTANCE UNIT, HATCH JETTISON, GROUP Spares for this group are identical to those for group Part No. E.B7.81.1249 on Page 229, except for the following deletion and addition:— Delete:— | | | | | | 1 | — | — | |
| 5X/6020 | CZ.27985 | Socket, assembly, size Z | | | | | | 1 | — | B | |
| 5X/6029 | CZ.27905 | Socket, assembly, size Z | | | | | | 1 | — | B | |
| | E.B7.81.1255 | CABLE, ASSEMBLY, F.48-B.5, BETWEEN PORT PRESSURE BULKHEAD CONNECTION AND RESISTANCE UNIT, HATCH JETTISON, GROUP Spares for this group are identical to those for group Part No. E.B7.81.1251 | | | | | | 1 | — | — | |
| | E.B7.81.1257 | CABLE, ASSEMBLY, N.48A-B.5, BETWEEN PORT RESISTANCE UNIT AND PRESSURE BULKHEAD CONNECTION, HATCH JETTISON, GROUP Spares for this group are identical to those for group Part No. E.B7.81.1249 on page 229 | | | | | | 1 | — | — | |
| | E.G5.81.837 | CABLE, ASSEMBLY, N.48A, FROM TERMINAL BLOCK, ELEVATOR AND SWITCH CANOPY JETTISON TO RESISTANCE UNITS, JETTISON RELAY AND EMERGENCY ACCUMULATOR (MOD. 3776) Consisting of:— | | | | | | 1 | — | — | |
| 5E/4187 | † | Cable, Uninyvin 12 | | | | | | QR | — | C | |
| 5K/9107068 | EEAS.146/2 | Sleeve | | | | | | QR | — | C | |
| 5K/9107067 | EEAS.146/6 | Sleeve | | | | | | QR | — | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve | | | | | | QR | — | C | |
| 5X/9450380 | HC.312 | Tag | | | | | | 6 | — | C | |
| 5X/9462956 | HC.314 | Tag | | | | | | 1 | — | C | |
| 5X/7221 | HC.316A | Tag | | | | | | 1 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|------------|--------------|--|---|---|---|---|---|---------|-------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.B6.81.6281 | CABLE, ASSEMBLY, N.418, FROM EARTH POINT E.26 TO BOMB AIMER'S JETTISON SAFETY SWITCH (MOD. 4465) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/3896 | † | Cable Unisersil 16 | | | | | | QR | — | C | |
| 5K/9107067 | EEAS.146/6 | Sleeve | | | | | | QR | — | C | |
| 5K/9107065 | EEAS.146/16 | Sleeve | | | | | | QR | — | C | |
| 5X/7010 | HC.302 | Tag | | | | | | 2 | — | C | |
| 5X/7620 | HC.304D | Tag | | | | | | 2 | — | C | |
| | E.B6.81.6285 | CABLE, ASSEMBLY, N.419, FROM BOMB AIMER'S SAFETY AND JETTISON SWITCHES DETONATOR RESISTANCE BOXES TO BOMB AIMER'S MECHANISM BOX (MOD. 4465) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/3898 | † | Cable, Unisersil 12 | | | | | | QR | — | C | |
| 5K/3367 | EEAS.146/2 | Sleeve, 2" long | | | | | | QR | — | C | |
| 5K/9107067 | EEAS.146/6 | Sleeve | | | | | | QR | — | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve | | | | | | QR | — | C | |
| 5F/9454141 | NY18007A | Strap | | | | | | QR | — | C | |
| 5F/9138822 | NY.3342 | Stud | | | | | | QR | — | C | |
| 5X/8705 | HC.314D | Tag | | | | | | 6 | — | C | |
| 5X/7221 | HC.316A | Tag | | | | | | 8 | — | C | |
| | E.B6.81.6283 | CABLE, ASSEMBLY, N.420, FROM DETONATOR RESISTANCE BOXES, NAVIGATOR'S JETTISON AND SAFETY SWITCHES TO NAVIGATOR'S MECHANISM BOX (MOD. 4465) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/3898 | † | Cable, Unisersil 12 | | | | | | QR | — | C | |
| 5K/3367 | EEAS.146/2 | Sleeve, 2" long | | | | | | QR | — | C | |
| 5K/9107067 | EEAS.146/6 | Sleeve | | | | | | QR | — | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve | | | | | | QR | — | C | |
| 5F/9454141 | NY.18007A | Strap | | | | | | QR | — | C | |
| 5F/9138822 | NY.3342 | Stud | | | | | | QR | — | C | |
| 5X/8705 | HC.314D | Tag | | | | | | 6 | — | C | |
| 5X/7221 | HC.316A | Tag | | | | | | 8 | — | C | |
| | E.B6.81.6279 | CABLE, ASSEMBLY, N.421, FROM EARTH POINT E.24, TO NAVIGATOR'S JETTISON SAFETY SWITCH (MOD. 4465) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/3896 | † | Cable, Unisersil 16 | | | | | | QR | — | C | |
| 5K/9107067 | EEAS.146/6 | Sleeve | | | | | | QR | — | C | |
| 5K/9107065 | EEAS.146/16 | Sleeve | | | | | | QR | — | C | |
| 5X/7010 | HC.302 | Tag | | | | | | 2 | — | C | |
| 5X/7620 | HC.304D | Tag | | | | | | 2 | — | C | |

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

| Ref. No. | Part No. | Description | No. off | Mtrl. Spec. | Cl. of Equip. | Plate No. |
|-------------|--------------|---|---------|-------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| | | 1 2 3 4 5 6 | | | | |
| | E.B7.81.1321 | CABLE, ASSEMBLY, EMERGENCY ACCUMULATOR SERIES LEAD | 1 | — | — | |
| | | Consisting of:— | | | | |
| 5E/4187 | † | Cable, Uninyvin 12 | QR | — | C | |
| 5X/9450380 | 7009 | Lug | 1 | — | C | |
| 5K/9107067 | EEAS.146/6 | Sleeve | 2 | — | C | |
| 1802 | E.A1.81.425 | Cap, detonator spinning, retaining | 66 | L.64 | C | |
| 1803 | E.A1.81.942 | Plate, detonator, cable securing | 2 | L.72 | C | |
| 1882 | E.A1.81.940 | Plug, detonator, wiring | 2 | DTD.683 | C | |
| 2159 | E.A3.81.1667 | Resistance, unit detector bolts | 1 | — | A | |
| 1579 | E.A1.81.938 | Spring, detonator, wiring | 2 | DTD.683 | C | |
| | E.B6.80.6089 | SWITCH, HATCH DETONATOR, ASSEMBLY (MOD. 3776) | 1 | — | — | |
| | | Spares for:— | | | | |
| | E.A3.81.6517 | Flap, assembly (Mod. 4465) | 1 | — | — | |
| 1439163 | E.A3.81.6519 | FLAP, SPRING, ASSEMBLY (MOD. 4465) ... | 1 | — | B | |
| | | Spares for:— | | | | |
| | E.A3.81.6513 | Flap (Mod. 4465) | 1 | BSS.265 | — | |
| 40619 | E.A4.81.1663 | Flap, support | 1 | — | C | |
| 27353 | E.A4.81.1659 | Pin | 1 | — | C | |
| 27352 | E.A4.81.1661 | Spring | 1 | — | C | |
| 3223 | E.A6.81.369 | Pin, hinge | 1 | DTD.683 | C | |
| 3224 | E.A1.81.929 | Spring, torsion | 1 | — | C | |
| | E.A3.81.6497 | Switch unit, sub-assembly (Mod. 4437) ... | 1 | — | — | |
| | | Attaching parts for E.A3.81.6497:— | | | | |
| 285/1200081 | E.A3.81.6515 | Packing (Mod. 4465) | 1 | — | — | |
| | A32/A17 | Screw, 6 BA | 4 | — | C | |
| 5CW/9255 | † | Switch, type AS.10512C-1 (Mod. 4465) ... | 2 | — | B | |
| | E.B7.81.1069 | SWITCH, CANOPY DETONATOR, ASSEMBLY | 1 | — | — | |
| | | Spares for:— | | | | |
| | E.B7.81.5157 | Angle, stop | 1 | L.72 | LM | |
| 5CW/5252 | H.V.3711 | Cap, dolly switch | 1 | — | C | |
| 17184 | E.B7.81.1067 | Flap | 1 | — | C | |
| 5CW/5019 | E.B7.81.1071 | Guard, and switch, mounting | 1 | — | B | |
| 3223 | E.A6.81.369 | Pin, hinge | 1 | DTD.683 | C | |
| 3224 | E.A1.81.929 | Spring, tension | 1 | — | C | |
| 5CW/6429 | † | Switch, "on/off" S.P., No. 3 | 1 | — | A | |
| 1465 | EEAS.28/2EP | Washer | 4 | L.16 | C | |
| 5X/6420 | E.A1.81.429 | Terminal, earth | 3 | — | C | |
| 17201 | E.B7.81.1177 | TRAY, EMERGENCY ACCUMULATOR, ASSEMBLY | 1 | — | B | |
| | | Spares for:— | | | | |
| 13114 | E.B7.81.1181 | Bungee, assembly | 2 | — | C | |
| 1807 | E.A1.81.426 | Tube, distance, detonator explosive bolt navigator's escape hatch | 34 | T.4 | C | |
| 1806 | E.A1.81.427 | Tube, distance, detonator explosive bolt, pilot's canopy | 30 | T.4 | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|-------------|--------------|--|---|---|---|---|---|---------|-------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| 1808 | E.A1.81.941 | Tube, distance, detonator explosive bolt at second and third positions from centre line at forward end of coaming tube, port side only | | | | | | 2 | L.72 | C | |
| 5F/2124 | † | Tubing, rubber, for detonator caps | | | | | | QR | — | C | |
| 33054 | E.B6.81.687 | UNIT JETTISON RELAY, ASSEMBLY | | | | | | 1 | — | A | |
| 5X/1002694 | CZ.50207 | Spares for:— | | | | | | | | | |
| | | Block, terminal | | | | | | 1 | — | C | |
| 28S/9446305 | A43/B28 | Attaching parts for CZ.50207:— | | | | | | | | | |
| | | Screw, 4 BA | | | | | | 2 | — | C | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 5E/4185 | † | Cable, Uninyvin 16 | | | | | | QR | — | C | |
| 5E/4186 | † | Cable, Uninyvin 14 | | | | | | QR | — | C | |
| 5E/4187 | † | Cable, Uninyvin 12 | | | | | | QR | — | C | |
| 17224 | E.B7.81.1273 | LID, ASSEMBLY | | | | | | 1 | — | B/MR | |
| | | Spares for:— | | | | | | | | | |
| 32C/614 | † | Rubber, synthetic, 0"14 dia. | | | | | | QR | DTD.552 | C | |
| 20457 | EEAS.117/1 | Screw | | | | | | 3 | S.92 | C | |
| 1066 | EEAS.28/2CU | Washer | | | | | | 3 | DTD.124 | C | |
| 1108 | EEAS.42 | Washer, leather | | | | | | 3 | — | C | |
| 17226 | E.B7.81.1323 | LID, ASSEMBLY | | | | | | 1 | — | B/MR | |
| | | Spares for:— | | | | | | | | | |
| 32C/614 | † | Rubber, synthetic, 0"14 dia. | | | | | | QR | DTD.552 | C | |
| 20457 | EEAS.117/1 | Screw | | | | | | 4 | S.92 | C | |
| 1066 | EEAS.28/2CU | Washer | | | | | | 4 | DTD.124 | C | |
| 1108 | EEAS.42 | Washer, leather | | | | | | 4 | — | C | |
| 5X/6182 | CZ.50357 | Plug, size B (Pre-Mod. 3380) | | | | | | 1 | — | C | |
| 5X/5805562 | 2CZ.111224 | Plug, size B (Mod. 3380) | | | | | | 1 | — | C | |
| 5X/6183 | CZ.50359 | Plug, size B (Pre-Mod. 3380) | | | | | | 3 | — | C | |
| 5X/7148 | 2CZ.111405 | Plug, size B (Mod. 3380) | | | | | | 3 | — | C | |
| 5CZ/4237 | P.2000 | Resistor, type A | | | | | | 1 | — | C | |
| | | Attaching parts for P.2000:— | | | | | | | | | |
| 28D/1212276 | A25/15B | Bolt, 4 BA | | | | | | 1 | — | C | |
| 28M/1278189 | AGS.2001/B/1 | Nut, 4 BA | | | | | | 1 | — | C | |
| 17225 | E.B7.81.1301 | Washer | | | | | | 2 | — | C | |
| 28W/9419474 | SP.15/B | Washer | | | | | | 1 | — | C | |
| 28W/9416642 | SP.47/B | Washer | | | | | | 1 | — | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve | | | | | | 23 | — | C | |
| 5K/9107067 | EEAS.146/6 | Sleeve | | | | | | 49 | — | C | |
| 5X/1005131 | Z.49428 | Sleeve | | | | | | 9 | — | C | |
| 5X/1005132 | Z.28081 | Sleeve | | | | | | QR | — | C | |
| 5CW/9729122 | † | Switch, relay, type S1 | | | | | | 3 | — | B | |
| 5F/ | † | Systoflex, 2 m/m i/d. | | | | | | QR | — | — | |
| 5X/9462745 | HC.304 | Tag: Q.R. | | | | | | 3 | — | C | |
| 5X/9482491 | HC.500 | Tag: Q.R. | | | | | | 2 | — | C | |
| 5X/9450224 | HC.510 | Tag: Q.R. | | | | | | 11 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Mati. Spec. | Cl. of Equip. | Plate No. |
|-------------|--------------|--|---------|-------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| | E.B6.81.633 | EQUIPMENT AND WIRING PILOT'S CONSOLE, ASSEMBLY | — | — | — | |
| | E.B6.80.5929 | Spares for:— PANEL, PILOT'S CONSOLE, REMOVABLE, GROUP (PRE-MOD. 2197 WITH MOD. 4003) | 1 | — | — | |
| | — | Spares for:— BLOCK, FUSE, ASSEMBLY | — | — | — | |
| 5X/3271 | CZ.52815 | Spares for:— Block, fuse, 4-way | 2 | — | C | |
| 28S/9435712 | A31/B8 | Attaching parts for CZ.52815:— Screw, 4 BA | 2 | — | C | |
| 28W/1206041 | AGS.2035/B | Washer | 2 | — | C | |
| 5X/1004088 | CZ.24285 | Block, terminal, 10-way | 1 | — | C | |
| 28D/1214872 | AS.1246/10B | Attaching parts for CZ.24285:— Bolt, 4 BA | 2 | — | C | |
| 28M/1278189 | AGS.2001/B/1 | Nut, 4 BA | 2 | — | C | |
| | AS.2810/4/05 | Tube, distance | 2 | L.62 | LM | |
| 16726 | E.B7.80.79 | Bracket, plug (Pre-Mod. 2197) | 1 | — | C | |
| | E.B6.80.8019 | Bracket, plug (Mod. 2197) | 1 | — | — | |
| | | Attaching parts for E.B7.80.79 or E.B6.80.8019:— | | | | |
| 28S/9419435 | A31/B12 | Screw, 4 BA | 6 | — | C | |
| | E.A3.81.2083 | Bracket, switch, lock, bomb doors (Pre-Mod. 2197) | 1 | — | — | |
| 27410 | E.A9.81.3375 | Bracket, switch, lock, bomb doors (Mod. 2197) | 1 | — | — | |
| 10H/23998 | † | Carrier, fuse, link | 1 | — | C | |
| | E.B7.80.75 | COVER, FUSE, GROUP | 1 | — | — | |
| | | Spares for:— | | | | |
| 15336 | E.A1.81.542 | Carrier spare fuse, 8-way | 1 | — | B | |
| 5CW/4222 | † | Guard switch locking, emergency bomb jettison (Pre-Mod. 4308) | 1 | — | B | |
| 1438575 | E.A2.81.5915 | Guard switch locking (Mod. 4308) | 1 | — | C | |
| 5CZ/5073 | † | Indicator, magnetic | 1 | — | C | |
| 5CW/4832 | E.A3.81.2077 | Knob switch, bomb doors | 1 | DTD.683 | C | |
| 5CW/4509 | E.A3.81.787 | Knob switch aileron and tail trim | 2 | DTD.683 | B | |
| | | Attaching parts for E.A3.81.2077 and E.A3.81.787:— | | | | |
| 3222 | E.A3.81.1089 | Screw, grub | 1 | — | C | |
| 40747 | E.B6.80.5909 | Label, engraved, fuse anti-collision lights ... | 1 | — | C/MR | |
| 5X/6314 | Z.50214 | Link, 6-way | 1 | — | C | |
| | E.B6.80.8013 | Panel (Pre-Mod. 2197) | 1 | — | — | |
| | E.B6.80.8017 | Panel (Mod. 2197) | 1 | — | — | |
| 5CW/8815 | † | Plate, adaptor (Mod. 4308) | 1 | — | C | |
| 16728 | E.B7.80.85 | Plate, switch striped (Pre-Mod. 4308) ... | 1 | — | C/MR | |
| | E.B6.80.6043 | Plate, switch striped (Mod. 4308) | 1 | — | — | |
| 5X/7140 | 2CZ.111399 | Plug, size A | 1 | — | C | |
| 5X/7159 | 2CZ.111229 | Plug, size D | 3 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|-------------|----------------|---|---|---|---|---|---|---------|------------------|---------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. L.M. | |
| | E.A3.81.5851 | SWITCH, ASSEMBLY, BOMB DOORS (PRE-MOD. 2197) | | | | | | 1 | --- | — | |
| | | Spares for:— | | | | | | | | | |
| 5CW/4835 | E.A3.812073 | Toggle | | | | | | 1 | LFS.26 | B | |
| 5CW/7748 | † | Switch, D.P., No. 4 | | | | | | 1 | --- | C | |
| | E.A9.81.3379 | SWITCH, ASSEMBLY, BOMB DOORS (MOD. 2197) | | | | | | 1 | --- | — | |
| | | Spares for:— | | | | | | | | | |
| 5CW/4835 | E.A3.81.2073 | Toggle | | | | | | 1 | LFS.26 | C | |
| 5CW/4612 | ROTAX D.10001 | Switch, type 8B, No. 1 | | | | | | 1 | --- | B | |
| 5CW/7539 | S.I.S.5492 | Switch, S.P.C.O. tail trim | | | | | | 1 | --- | C | |
| 5CW/4224 | † | Switch | | | | | | 1 | --- | B | |
| 5CW/5823 | S.I.S.5495 | Switch | | | | | | 4 | --- | B | |
| 5CW/4612 | ROTAX D. 10001 | Switch, type 8B, No. 1 | | | | | | 1 | --- | B | |
| 5CW/7540 | XD.778 | Switch (Pre-Mod. 4308) | | | | | | 1 | --- | C | |
| 5CW/9253 | † | Switch (Mod. 4308) | | | | | | 1 | --- | B | |
| 42076 | E.A3.81.6375 | SWITCH, RUDDER TRIM, ASSEMBLY (MOD. 4009) | | | | | | 1 | --- | B | |
| | | Spares for:— | | | | | | | | | |
| | E.A4.81.6801 | Knob | | | | | | 2 | --- | — | |
| 5CW/7550 | CWC.XD.787 | Switch, D.P.C.O. type, No. 4 | | | | | | 1 | --- | C | |
| | | Attaching parts for XD.787:— | | | | | | | | | |
| 28S/1012450 | A32/B10 | Screw, 4 BA | | | | | | 4 | --- | C | |
| 28W/1206041 | AGS.2035/B | Washer | | | | | | 4 | --- | C | |
| | † | Switch, aileron trim | | | | | | 1 | --- | C | |
| 3420 | EEAS.73 | Plate, clamp, securing cable strap to air frame | | | | | | 1 | L.72 | C | |
| 3417 | EEAS.132/9 | Strap, cable, c/w buckle | | | | | | 2 | Comm. Webbing | C | |
| 31531 | E.B7.81.2979 | Fairlead, electrical cables at frame 5, port (Mod 2578) | | | | | | 1 | L.72 | C | |
| | E.B6.81.57 | GENERAL LIGHTING IN FRONT FUSELAGE, ASSEMBLY | | | | | | — | --- | — | |
| | | Spares for:— | | | | | | | | | |
| 4683 | E.A1.81.1831 | Bag, stowage, inspection lamp | | | | | | 1 | --- | C | |
| | | Attaching parts for E.A1.81.1831:— | | | | | | | | | |
| 28M/1086618 | AGS.2002/B/1 | Nut, 4 BA | | | | | | 4 | --- | C | |
| 28W/9419474 | SP.15/B | Washer | | | | | | 4 | --- | C | |
| 5J/9101808 | † | Battery, 24V, 3 A.H. | | | | | | 1 | --- | B | |
| 5CZ/430 | S.I.S.1504 | Block, terminal, type B | | | | | | 1 | --- | C | |
| | | Attaching parts for S.I.S.1504:— | | | | | | | | | |
| 28S/9446303 | A45/A20 | Screw, 6 BA | | | | | | 2 | --- | C | |
| 5X/3181 | CZ.23212/1 | Block, terminal, 20-way | | | | | | 2 | --- | C | |
| | | Attaching parts for CZ.23212/1:— | | | | | | | | | |
| 5X/9450403 | Z.28426 | Pillar, fixing | | | | | | 2 | --- | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-------------|--------------|-------------|---|---|---|---|---|---------|-------------|---------------|------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. | L.M. | |
| 4888 | E.A3.81.1107 | | | | | | | 1 | — | | C | |
| 8493 | E.A1.81.377 | | | | | | | 1 | — | | C | |
| | | | | | | | | | | | | |
| 28M/10309 | AGS.2002/B/4 | | | | | | | 4 | — | | C | |
| 28S/1012356 | A.43/B12 | | | | | | | 4 | — | | C | |
| | | | | | | | | | | | | |
| 20279 | E.A4.81.1175 | | | | | | | 1 | — | | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|------------|--------------|-------------|---|---|---|---|----|---------|-------------|---------------|------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. | L.M. | |
| | E.B6.81.793 | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 5E/4182 | † | | | | | | | | | | | |
| 5K/9107065 | EEAS.146/16 | | | | | | QR | — | | | C | |
| 5K/9107067 | EEAS.146/6 | | | | | | 2 | — | | | C | |
| | | | | | | | 2 | — | | | C | |
| | E.B6.81.845 | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 5E/4182 | † | | | | | | | | | | | |
| 5K/9107065 | EEAS.146/16 | | | | | | QR | — | | | C | |
| 5K/9107066 | EEAS.146/A1 | | | | | | 2 | — | | | C | |
| 5K/9107067 | EEAS.146/6 | | | | | | 2 | — | | | C | |
| 5X/9482491 | HC.500 | | | | | | 2 | — | | | C | |
| | E.B6.81.847 | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 5E/4182 | † | | | | | | | | | | | |
| 5K/9107066 | EEAS.146/A1 | | | | | | QR | — | | | C | |
| 5K/9107067 | EEAS.146/6 | | | | | | 2 | — | | | C | |
| 5X/9482491 | HC.500 | | | | | | 2 | — | | | C | |
| | E.B6.81.883 | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 5E/4183 | † | | | | | | | | | | | |
| 5K/9107066 | EEAS.146/A1 | | | | | | QR | — | | | C | |
| 5K/9107067 | EEAS.146/6 | | | | | | 2 | — | | | C | |
| 5X/9430396 | HC.490 | | | | | | 2 | — | | | C | |
| | E.B6.81.1203 | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 5E/4183 | † | | | | | | | | | | | |
| 32A/94 | † | | | | | | | | | | | |
| 5K/9107065 | EEAS.146/16 | | | | | | QR | — | | | C | |
| 5K/9107066 | EEAS.146/B | | | | | | QR | — | | | C | |
| 5X/9430396 | HC.490 | | | | | | 2 | — | | | C | |
| | E.B7.81.1083 | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 5E/4182 | † | | | | | | | | | | | |
| 5K/9107066 | EEAS.146/A1 | | | | | | QR | — | | | C | |
| 5K/9107066 | EEAS.146/B | | | | | | 2 | — | | | C | |
| 5X/9482491 | HC.500 | | | | | | 2 | — | | | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|----------|--------------|-------------|---|---|---|---|---|---------|-------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.B7.81.1495 | | | | | | | 1 | — | — | |
| | E.B7.81.1497 | | | | | | | 1 | — | — | |
| | E.B7.81.1499 | | | | | | | 1 | — | — | |
| | E.B7.81.1503 | | | | | | | 1 | — | — | |
| | E.B7.81.1507 | | | | | | | 1 | — | — | |
| | E.B7.81.1509 | | | | | | | 1 | — | — | |
| | E.B7.81.1511 | | | | | | | 1 | — | — | |
| | E.B7.81.1513 | | | | | | | 1 | — | — | |
| | E.B7.81.1515 | | | | | | | 1 | — | — | |
| | E.B7.81.1517 | | | | | | | 1 | — | — | |
| | E.B7.81.1519 | | | | | | | 1 | — | — | |
| | E.B7.81.1521 | | | | | | | 1 | — | — | |
| | E.B7.81.1525 | | | | | | | 1 | — | — | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|------------|---------------|-------------|---|---|---|---|---|---------|-------------|---------------|------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. | L.M. | |
| | E.A3.81.2223 | | | | | | | 1 | — | — | | |
| | E.A3.81.2224 | | | | | | | 1 | — | — | | |
| | E.A3.81.2225 | | | | | | | 1 | — | — | | |
| | E.B7.81.1527 | | | | | | | 1 | — | — | | |
| 5E/4182 | † | | | | | | | QR | — | C | | |
| 5K/9107065 | EEAS.146/16 | | | | | | | 2 | — | C | | |
| 5K/9107066 | EEAS.146/12 | | | | | | | 2 | — | C | | |
| 5K/9107066 | EEAS.146/B | | | | | | | 2 | — | C | | |
| 5X/9482491 | HC.500 | | | | | | | 2 | — | C | | |
| | E.A3.81.2222 | | | | | | | 1 | — | — | | |
| | ROSS COURTNEY | | | | | | | | | | | |
| 5K/3349 | 321 | | | | | | | 2 | — | C | | |
| | E.B7.81.1529 | | | | | | | 1 | — | — | | |
| 5E/4182 | † | | | | | | | QR | — | C | | |
| 5K/9107065 | EEAS.146/16 | | | | | | | 2 | — | C | | |
| 5K/9107066 | EEAS.146/B | | | | | | | 2 | — | C | | |
| | E.B7.81.1535 | | | | | | | 1 | — | — | | |
| | E.B7.81.1537 | | | | | | | 1 | — | — | | |
| 5E/4183 | † | | | | | | | QR | — | C | | |
| 5K/9107067 | EEAS.146/6 | | | | | | | 2 | — | C | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | 1 2 3 4 5 6 | Description | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|------------|--------------|-------------|---|---------|-------------|---------------|-----------|
| | | | | | | M.R. L.M. | |
| | E.B7.81.1565 | | CABLE, ASSEMBLY, 13F, 13G, FROM J.B.13 TO NAVIGATOR'S CABIN LAMP AND DIMMER SWITCH, GROUP | 1 | — | — | |
| | | | Consisting of:— | | | | |
| 5E/4182 | † | | Cable, Uninyvin 22 | QR | — | C | |
| 5X/9491421 | Z.22431 | | Grommet, Helsyn No. 3 | 1 | — | C | |
| 5K/9107065 | EEAS.146/16 | | Sleeve, 3/4" long | 2 | — | C | |
| 5K/9107066 | EEAS.146/12 | | Sleeve, 3/4" long | 4 | — | C | |
| 5K/9107066 | EEAS.146/B | | Sleeve, 1" long | 4 | — | C | |
| 5X/9482491 | HC.500 | | Tag, quick release | 4 | — | C | |
| | E.B7.81.1567 | | CABLE, ASSEMBLY, 14F, FROM J.B.14 TO DIMMER SWITCH, GROUP | 1 | — | — | |
| | | | Consisting of:— | | | | |
| 5E/4182 | † | | Cable, Uninyvin 22 | QR | — | C | |
| 5X/2785 | Z.22430 | | Grommet, Helsyn No. 2 | 1 | — | C | |
| 5K/9107066 | EEAS.146/12 | | Sleeve, 3/4" long | 2 | — | C | |
| 5K/9107066 | EEAS.146/B | | Sleeve, 1" long | 2 | — | C | |
| 5X/9482491 | HC.500 | | Tag, quick release | 2 | — | C | |
| | E.A3.81.2227 | | CABLE, ASSEMBLY, 13F.1, FROM DIMMER SWITCH TO PORT WANDER LAMP, GROUP (PRE-MOD. 3423) | 1 | — | — | |
| | | | Consisting of:— | | | | |
| 5E/4182 | † | | Cable, Uninyvin 22 | QR | — | C | |
| 5K/9107066 | EEAS.146/B | | Sleeve, 1" long | 2 | — | C | |
| | E.A3.81.2229 | | CABLE, ASSEMBLY, 14F.1, FROM DIMMER SWITCH TO STARBOARD WANDER LAMP, GROUP (PRE-MOD. 3423) | 1 | — | — | |
| | | | Consisting of:— | | | | |
| 5E/4182 | † | | Cable, Uninyvin 22 | QR | — | C | |
| 5K/9107066 | EEAS.146/B | | Sleeve, 1" long | 2 | — | C | |
| | E.B7.81.3195 | | CABLE, ASSEMBLY, 13F.1, FROM DIMMER SWITCH TO NAVIGATOR'S WANDER LAMP (MOD. 3423) | 1 | — | — | |
| | | | Consisting of:— | | | | |
| 5E/4183 | † | | Cable, Uninyvin 20 | QR | — | C | |
| 5K/9107065 | EEAS.146/16 | | Sleeve | 4 | — | C | |
| 5K/9107068 | EEAS.146/6 | | Sleeve | 6 | — | C | |
| | E.B7.81.3197 | | CABLE, ASSEMBLY, 14F.1, FROM DIMMER SWITCH TO BOMB AIMER'S WANDER LAMP (MOD. 3423) | 1 | — | — | |
| | | | Consisting of:— | | | | |
| 5E/4183 | † | | Cable, Uninyvin 20 | QR | — | C | |
| 5K/9107065 | EEAS.146/16 | | Sleeve | 4 | — | C | |
| 5K/9107068 | EEAS.146/6 | | Sleeve | 6 | — | C | |
| 5CW/5252 | HV.3711 | | Cap, Helvin | 1 | — | C | |
| 4625 | E.A3.81.2307 | | Clip, spring, instrument lamp | 9 | BS.407 | C | |
| 5X/6165 | CZ.25111 | | Cover | 2 | — | B | |
| 5L/9951130 | † | | Filament, 2.5V-75W (amber) | 2 | — | B | |
| 5L/9952261 | † | | Filament, 12V-7W (ultra violet) | 4 | — | B | |
| 5L/9959211 | † | | Filament, 24V-2.4W (clear) | 1 | — | B | |
| 5L/9951283 | † | | Filament, 28V-3.5W (red) | 11 | — | B | |
| 5L/9953271 | † | | Filament, 28V-7W | 3 | — | B | |
| 5L/9953273 | † | | Filament, 28V-18W | 2 | — | B | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | 1 2 3 4 5 6 | | | | | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|-----------------|---------------------------|-------------|--|--|--|--|---------|-------------|---------------|-----------|
| | | | | | | | | | M.R. L.M. | |
| 5CX/4858 | † | | | | | | 1 | — | B | |
| 5CX/4859 | † | | | | | | 1 | — | B | |
| 5K/ 5CX/4857 | SIC.675A/511A SIS.6249 | | | | | | 3 | — | — | |
| | | | | | | | 2 | — | B | |
| 28D/1011030 | A25/2E | | | | | | 2 | — | C | |
| 28D/1011238 | A25/3E | | | | | | 2 | — | C | |
| 28D/1008151 | A25/4E | | | | | | 1 | — | C | |
| 28D/1011240 | A25/5E | | | | | | 1 | — | C | |
| 28W/9419487 | SP.16/E | | | | | | 3 | — | C | |
| 5CX/369 | SIS.1584 | | | | | | 1 | — | B | |
| 5CX/462 | † | | | | | | 1 | — | B | |
| 5CX/446 | SIS.1616 | | | | | | 2 | — | B | |
| 5CX/4058 | SIS.3008 | | | | | | 13 | — | B | |
| 5CX/2454 | SIS.3005 | | | | | | 2 | — | B | |
| 5CX/2676 | SIS.3065 | | | | | | 2 | — | B | |
| | E.A3.81.2519 | | | | | | 1 | — | — | |
| | | | | | | | | | | |
| 5CX/4857 | SIS.6249 | | | | | | 1 | — | B | |
| 5CX/2680 | † | | | | | | 1 | — | B | |
| 5CX/3603 | † | | | | | | 1 | — | B | |
| 4754 | E.A3.81.2281 | | | | | | 1 | — | B | |
| | E.A3.81.2291 | | | | | | 1 | DTD.215 | — | |
| | | | | | | | | | | |
| | | | | | | | — | — | — | |
| | E.A3.81.2983 | | | | | | 1 | — | — | |
| | | | | | | | | | | |
| 5E/4183 | † | | | | | | QR | — | C | |
| 33H/56 | † | | | | | | QR | — | C | |
| 5X/7320 | Z.14485/2 | | | | | | 1 | — | C | |
| 5K/9107065 | EEAS.146/16 | | | | | | 1 | — | C | |
| 5K/9107068 | EEAS.146/6 | | | | | | 5 | — | C | |
| 5X/6772 | CZ.56084 | | | | | | 1 | — | B | |
| 32B/498 | † | | | | | | QR | — | C | |
| 5F/2303 | † | | | | | | QR | — | C | |
| | E.A3.81.2985 | | | | | | 1 | — | — | |
| | | | | | | | | | | |
| 5E/4183 | † | | | | | | QR | — | C | |
| 5K/9107065 | EEAS.146/16 | | | | | | 5 | — | C | |
| 5K/9107068 | EEAS.146/6 | | | | | | 2 | — | C | |
| 5F/2143 | † | | | | | | QR | — | C | |
| | E.A3.81.2987 | | | | | | 1 | — | — | |
| | | | | | | | | | | |
| 5E/4183 | † | | | | | | QR | — | C | |
| 5K/9107065 | EEAS.146/16 | | | | | | 4 | — | C | |
| 5K/9107068 | EEAS.146/6 | | | | | | 4 | — | C | |
| 5F/2143 | † | | | | | | QR | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|------------|--------------|---|---|---|---|---|---|---------|-------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.A3.81.2989 | CABLE, ASSEMBLY, N.127, FROM RESISTANCE UNIT TO RESISTANCE UNIT, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 5K/9107065 | EEAS.146/16 | Sleeve, ½" long | | | | | | 4 | — | C | |
| 5K/9107068 | EEAS.146/6 | Sleeve, 1" long | | | | | | 3 | — | C | |
| 5F/2143 | † | Tube, P.V.C., ¼" | | | | | | QR | — | C | |
| | E.A3.81.2991 | CABLE, ASSEMBLY, N.128, FROM PILOT'S U/C PANEL TO PILOT'S INSTRUMENT PANEL, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, ¾" long | | | | | | 1 | — | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 1" long | | | | | | 4 | — | C | |
| 5F/2303 | † | Tube, P.V.C. | | | | | | QR | — | C | |
| | E.A3.81.2993 | CABLE, ASSEMBLY, N.129, FROM COAMING TO PILOT'S U/C PANEL, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, ¾" long | | | | | | 1 | — | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 1" long | | | | | | 4 | — | C | |
| 5F/2303 | † | Tube, P.V.C. | | | | | | QR | — | C | |
| | E.A3.81.2995 | LIGHTS, ANTI-DAZZLE, PILOT'S COAMING PANEL, GROUP | | | | | | 1 | — | — | |
| | | Spares for:— | | | | | | | | | |
| | E.B7.80.879 | Bracket, angle, pilot's anti-dazzle light ... | | | | | | 1 | — | — | |
| 32554 | E.B7.80.875 | Plate, switch mounting, anti-dazzle lights on pilot's coaming | | | | | | 1 | — | C | |
| | — | LIGHTS, ANTI-DAZZLE, COCKPIT (E.B6.81.2859) (MOD. 2358-2197) | | | | | | — | — | — | |
| | | Spares for:— | | | | | | | | | |
| | | CABLE, ASSEMBLY, N.125, FROM NAVIGATOR'S PANEL TO COAMING AND RESISTANCE UNIT, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 5K/9107065 | EEAS.146/16 | Sleeve, 1" long | | | | | | 4 | — | C | |
| 5K/9107068 | EEAS.146/6 | Sleeve, ¾" long | | | | | | 2 | — | C | |
| 5F/2183 | † | Tube, P.V.C., ¼" | | | | | | QR | — | C | |
| | E.B6.81.2873 | CABLE, ASSEMBLY, N.126, FROM COAMING TO RESISTANCE UNIT, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 5K/9107065 | EEAS.146/16 | Sleeve, 1" long | | | | | | 4 | — | C | |
| 5K/9107068 | EEAS.146/6 | Sleeve, 1" long | | | | | | 3 | — | C | |
| 5F/2143 | † | Tube, P.V.C., ¼" | | | | | | QR | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. Off | Matl Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|-------------|--------------|--|---|---|---|---|---|---------|------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.B6.81.2875 | CABLE, ASSEMBLY, N.127, FROM RESISTANCE UNIT, GROUP | | | | | | 1 | — | — | |
| | † | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 5K/9107065 | EEAS.146/16 | Sleeve, 1/2" long | | | | | | 4 | — | C | |
| 5K/9107068 | EEAS.146/6 | Sleeve, 1" long | | | | | | 3 | — | C | |
| 5F/9995578 | † | Tube, P.V.C., 1/8" | | | | | | QR | — | C | |
| | E.B6.81.2877 | CABLE, ASSEMBLY, N.128, FROM RESISTANCE UNIT TO PILOT'S INSTRUMENT PANEL, GROUP | | | | | | 1 | — | — | |
| | † | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 5K/9107067 | EEAS.146/6 | Sleeve, 3/4" long | | | | | | 1 | — | C | |
| 5K/9107067 | EEAS.146/6 | Sleeve, 1" long | | | | | | 3 | — | C | |
| 5F/9130207 | † | Tube, P.V.C., 5 m/m | | | | | | QR | — | C | |
| | E.B6.81.2879 | CABLE, ASSEMBLY, N.129, FROM COAMING TO RESISTANCE UNIT, GROUP | | | | | | 1 | — | — | |
| | † | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 5K/9107067 | EEAS.146/6 | Sleeve, 3/4" long | | | | | | 1 | — | C | |
| 5K/9107067 | EEAS.146/6 | Sleeve, 1" long | | | | | | 3 | — | C | |
| 5F/9130207 | † | Tube, P.V.C., 5 m/m | | | | | | QR | — | C | |
| | E.B6.81.3947 | CABLE, ASSEMBLY, N.123, FROM ELECTRICAL CONTROL PANEL TO COAMING, GROUP | | | | | | 1 | — | — | |
| | † | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 5K/9107068 | EEAS.146/6 | Sleeve, 1/2" long | | | | | | 6 | — | C | |
| 5F/9130207 | † | Tube, P.V.C., 5 m/m | | | | | | QR | — | C | |
| 5K/9140980 | SP.40/A16 | Grommet | | | | | | 1 | — | C | |
| | E.B6.81.2861 | LIGHTS, ANTI-DAZZLE, PILOT'S, GROUP | | | | | | 1 | — | — | |
| | 32553 | Spares for:— | | | | | | | | | |
| | E.B6.80.969 | Bracket, switch, lights on Pilot's coaming | | | | | | 1 | L.72 | C | |
| | E.B7.80.879 | Bracket, angle, light anti-dazzle | | | | | | 1 | L.72 | LM | |
| 5X/1004083 | Z.50211 | Link, commoning, 3-way | | | | | | 4 | — | C | |
| 5X/1004085 | Z.50213 | Link, commoning, 5-way | | | | | | 1 | — | C | |
| 5X/3259 | Z.50219 | Link, transverse | | | | | | 7 | — | C | |
| 5CX/3414 | † | Screen | | | | | | 1 | — | C | |
| 5CX/3430 | † | Screen | | | | | | 12 | — | C | |
| 16684 | E.A3.80.2639 | Screen, assembly, EA2 compass light | | | | | | 1 | — | C | |
| 5CX/4712 | E.A3.81.2321 | Shade, compass light | | | | | | 1 | Perspex | C | |
| 3148 | EEAS.132/12 | Strap, cable, c/w buckle | | | | | | 2 | — | C | |
| 5F/9506025 | NY.18067 | Strap | | | | | | QR | — | C | |
| 5F/9138823 | NY.3255 | Stud | | | | | | QR | — | C | |
| 4202 | E.A3.81.1165 | Stud, mounting, assembly, for stowage bag | | | | | | 4 | — | C | |
| 5CW/2498 | † | Switch, type B | | | | | | 1 | — | B | |
| | | Attaching parts for Ref. 5CW/2498:— | | | | | | | | | |
| 28M/10308 | AGS.2002/A/4 | Nut, 6 BA | | | | | | 2 | — | C | |
| 28S/9458393 | A43/A16 | Screw, 6 BA | | | | | | 2 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. Off | Matl Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|-------------|-------------------------|-------------|---|---|---|---|---|--|------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| 5CW/2451 | † | | | | | | | 2 | — | C | |
| 5CW/2530 | † | | | | | | | 3 | — | C | |
| | | | | | | | | Attaching parts for Ref. 5CW/2451 and 5CW/2530:— | | | |
| 28M/10308 | AGS.2002/A/4 | | | | | | | 3 | — | C | |
| 28S/1213956 | A43/A28 | | | | | | | 3 | — | C | |
| | AS.2304/030 | | | | | | | 3 | — | LM | |
| 5CW/2453 | † | | | | | | | 1 | — | C | |
| 5CW/2525 | † | | | | | | | 2 | — | C | |
| | | | | | | | | Attaching parts for Ref. 5CW/2453 and 5CW/2525:— | | | |
| 28S/9458393 | A43/A16 | | | | | | | 3 | — | C | |
| | E.B7.81.1559 | | | | | | | 1 | L.72 | — | |
| 3420 | EEAS.73 | | | | | | | 6 | — | C | |
| 3416 | EEAS.132/7 | | | | | | | 17 | — | C | |
| 3417 | EEAS.132/9 | | | | | | | 9 | — | C | |
| 3418 | EEAS.132/12 | | | | | | | 9 | — | C | |
| 3419 | EEAS.132/15 | | | | | | | 7 | — | C | |
| 5F/9506025 | HELLERMANN NY.18067 | | | | | | | QR | — | C | |
| 5F/9454141 | HELLERMANN NY.18007A | | | | | | | QR | — | C | |
| 5F/9138823 | HELLERMANN NY.3255 | | | | | | | 39 | — | C | |
| 5F/9138822 | NY.3342 | | | | | | | 47 | — | C | |
| 8432 | E.A3.81.1707 | | | | | | | 3 | L.72 | C | |
| 12030 | EEAS.21/2ER | | | | | | | 28 | — | C | |
| 7724 | EEAS.28/2EP/H | | | | | | | 20 | — | C | |
| 17519 | EEAS.28/40P/H | | | | | | | 2 | — | C | |
| | E.A3.81.295 | | | | | | | — | — | — | |
| | | | | | | | | WIRING, UNDERCARRIAGE, NOSE | | | |
| | | | | | | | | Spares for:— | | | |
| 5CZ/4350489 | † | | | | | | | 1 | — | C | |
| | | | | | | | | Block, terminal, type B, No. 1 | | | |
| | | | | | | | | Attaching parts for Ref. 5CZ/4350489:— | | | |
| 28M/9403518 | A27/AP | | | | | | | 2 | — | C | |
| 28S/1200062 | A33/A20 | | | | | | | 2 | — | C | |
| 28W/9416641 | SP.47/A | | | | | | | 2 | — | C | |
| 28E/9436819 | AS.3180/3B | | | | | | | 9 | — | C | |
| 28E/1009753 | AS.3180/3C | | | | | | | 1 | — | C | |
| 28E/9436947 | AS.3180/4B | | | | | | | 1 | — | C | |
| 28E/9000883 | AS.3180/9B | | | | | | | 3 | — | C | |
| 28E/1201828 | AS.3180/11B | | | | | | | 3 | — | C | |
| | BURGESS | | | | | | | | | | |
| 5CW/9504373 | MS.5752 | | | | | | | 1 | — | C | |
| | HONEYWELL | | | | | | | | | | |
| 5CW/1085884 | 1H.Y1 | | | | | | | 1 | — | B | |
| | DOWTY | | | | | | | | | | |
| 5CW/12444 | DN1322Z Mk. 2 | | | | | | | 1 | — | B | |
| | | | | | | | | Switch, limit, nosewheel door (Mod. 4449—S.O.O.) (Pre-Mod. 4959) | | | |
| 5CW/13598 | DN1322Z Mk. 3 | | | | | | | 1 | — | B | |
| | | | | | | | | Switch, limit, nosewheel door (Mod. 4959) | | | |

~~237~~

Pages 245 to 254 not issued

243

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|--|--------------|---|-----|-----|-----|-----|-----|---------|-------------|---------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. L.M. | |
| SUMMARY OF STOCK ITEMS USED ON ELECTRICAL EQUIPMENT IN FRONT FUSELAGE | | | | | | | | | | | |
| 28D/1010658 | A25/1B | Bolt, 4 BA, hex. head, "5 long ... | ... | ... | ... | ... | ... | | | C | |
| 28D/1010142 | A25/9B | Bolt, 4 BA, hex. head, 1"3 long ... | ... | ... | ... | ... | ... | | | C | |
| 28D/1011013 | A25/13B | Bolt, 4 BA, hex. head, 1"7 long ... | ... | ... | ... | ... | ... | | | C | |
| 28D/1212276 | A25/15B | Bolt, 4 BA, hex. head, 1"9 long ... | ... | ... | ... | ... | ... | | | C | |
| 28D/9132449 | A25/22B | Bolt, 4 BA, hex. head, 1"9 long ... | ... | ... | ... | ... | ... | | | C | |
| 28D/9436920 | A25/1C | Bolt, 2 BA, hex. head, "55 long ... | ... | ... | ... | ... | ... | | | C | |
| 28D/9133011 | A25/2C | Bolt, 2 BA, hex. head, "65 long ... | ... | ... | ... | ... | ... | | | C | |
| 28D/9133012 | A25/3C | Bolt, 2 BA ... | ... | ... | ... | ... | ... | | | C | |
| 28D/9133013 | A25/5C | Bolt, 2 BA, hex. head, "95 long ... | ... | ... | ... | ... | ... | | | C | |
| 28D/7002428 | A25/6C | Bolt, 4 BA ... | ... | ... | ... | ... | ... | | | C | |
| 28D/1011029 | A25/1E | Bolt, 1" BSF ... | ... | ... | ... | ... | ... | | | C | |
| 28D/1011030 | A25/2E | Bolt, 1" BSF, hex. head, "7 long ... | ... | ... | ... | ... | ... | | | C | |
| 28D/1214872 | AS.1246/10B | Bolt, 4 BA, round head, 1"35 long ... | ... | ... | ... | ... | ... | | | C | |
| 28D/1214874 | AS.1246/12B | Bolt, 4 BA, round head, 1"55 long ... | ... | ... | ... | ... | ... | | | C | |
| 28D/1214876 | AS.1246/14B | Bolt, 4 BA ... | ... | ... | ... | ... | ... | | | C | |
| 28D/1214878 | AS.1246/16B | Bolt, 4 BA ... | ... | ... | ... | ... | ... | | | C | |
| 28D/1214882 | AS.1246/20B | Bolt, 4 BA ... | ... | ... | ... | ... | ... | | | C | |
| 28D/9140202 | AS.1246/1C | Bolt, 2 BA, round head, "5 long ... | ... | ... | ... | ... | ... | | | C | |
| 28D/1215327 | AS.1246/1E | Bolt, 1" BSF, round head, "55 long ... | ... | ... | ... | ... | ... | | | C | |
| 28D/1007979 | AS.1248/1B | Bolt, 4 BA, mushroom head, "46 long ... | ... | ... | ... | ... | ... | | | C | |
| 28D/9142406 | AS.1248/3C | Bolt, 2 BA, mushroom head, "7 long ... | ... | ... | ... | ... | ... | | | C | |
| 28D/1213473 | AS.1249/1B | Bolt, 4 BA, mushroom head, "40 long ... | ... | ... | ... | ... | ... | | | C | |
| | AS.491/29 | Clip (Make from 30B/1146) ... | ... | ... | ... | ... | ... | | | LM | |
| 5K/2999 | AS.1900/G | Clip ... | ... | ... | ... | ... | ... | | | C | |
| 5K/3006 | AS.1901/D | Clip ... | ... | ... | ... | ... | ... | | | C | |
| 5K/3007 | AS.1901/E | Clip ... | ... | ... | ... | ... | ... | | | C | |
| 28M/9403518 | A27/AP | Nut, 6 BA, plain ... | ... | ... | ... | ... | ... | | | C | |
| 28M/9403520 | A27/CP | Nut, 2 BA, plain ... | ... | ... | ... | ... | ... | | | C | |
| 28M/1006473 | A27/CT | Nut, 2 BA ... | ... | ... | ... | ... | ... | | | C | |
| 28M/1011475 | A27/EP | Nut, 1" BSF, plain ... | ... | ... | ... | ... | ... | | | C | |
| 28M/1007403 | A27/ET | Nut, 1" BSF, thin ... | ... | ... | ... | ... | ... | | | C | |
| 28M/10286 | AGS.2001/A/1 | Nut, stiff, 6 BA ... | ... | ... | ... | ... | ... | | | C | |
| 28M/1278189 | AGS.2001/B/1 | Nut, stiff, 4 BA ... | ... | ... | ... | ... | ... | | | C | |
| 28M/1278190 | AGS.2001/C/1 | Nut, stiff, 2 BA ... | ... | ... | ... | ... | ... | | | C | |
| 28M/1201610 | AGS.2001/E/1 | Nut, 1" BSF ... | ... | ... | ... | ... | ... | | | C | |
| 28M/10292 | AGS.2001/J/1 | Nut, stiff, 1" BSF ... | ... | ... | ... | ... | ... | | | C | |
| 28M/10326 | AGS.2002/A/1 | Nut, stiff, 6 BA ... | ... | ... | ... | ... | ... | | | C | |
| 28M/10308 | AGS.2002/A/4 | Nut, 6 BA ... | ... | ... | ... | ... | ... | | | C | |
| 28M/1086618 | AGS.2002/B/1 | Nut, 4 BA ... | ... | ... | ... | ... | ... | | | C | |
| 28M/10318 | AGS.2002/B/3 | Nut, stiff, 4 BA ... | ... | ... | ... | ... | ... | | | C | |
| 28M/10309 | AGS.2002/B/4 | Nut, 4 BA ... | ... | ... | ... | ... | ... | | | C | |
| 28M/9433473 | AGS.2002/C/1 | Nut, 2 BA ... | ... | ... | ... | ... | ... | | | C | |
| 28M/12344 | AGS.2002/E/4 | Nut, 1" BSF ... | ... | ... | ... | ... | ... | | | C | |
| 28M/10312 | AGS.2002/G/4 | Nut, 3/8" BSF ... | ... | ... | ... | ... | ... | | | C | |
| 28S/9436892 | A31/A8 | Screw, 6 BA, cheese head, 1/4" long ... | ... | ... | ... | ... | ... | | | C | |
| 28S/1200045 | A31/A10 | Screw, 6 BA, cheese head, 3/8" long ... | ... | ... | ... | ... | ... | | | C | |
| 28S/9435712 | A31/B8 | Screw, 4 BA, cheese head 1/4" long ... | ... | ... | ... | ... | ... | | | C | |
| 28S/1201448 | A31/B10 | Screw, 4 BA ... | ... | ... | ... | ... | ... | | | C | |
| 28S/9419435 | A31/B12 | Screw, 4 BA, cheese head, 3/8" long ... | ... | ... | ... | ... | ... | | | C | |
| 28S/9419453 | A31/B14 | Screw, 4 BA ... | ... | ... | ... | ... | ... | | | C | |
| 28S/1200034 | A31/B16 | Screw, 4 BA, cheese head, 1/2" long ... | ... | ... | ... | ... | ... | | | C | |
| 28S/1200040 | A31/B20 | Screw, 4 BA, cheese head, 5/8" long ... | ... | ... | ... | ... | ... | | | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|-------------|------------|-------------|-----|-----|--------------|----------------------|-----|---------|-------------|---------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. L.M. | |
| 28S/1200033 | A31/B24 | Screw | 4 | BA | cheese head, | $\frac{3}{4}$ " long | ... | ... | ... | C | |
| 28S/1005622 | A31/B28 | Screw | 4 | BA | cheese head, | $\frac{7}{8}$ " long | ... | ... | ... | C | |
| 28S/1200039 | A31/B32 | Screw | 4 | BA | cheese head, | 1" long | ... | ... | ... | C | |
| 28S/9437020 | A31/C12 | Screw | 2 | BA | ... | ... | ... | ... | ... | C | |
| 28S/9997545 | A31/C16 | Screw | 2 | BA | cheese head, | $\frac{1}{2}$ " long | ... | ... | ... | C | |
| 28S/1007753 | A31/C40 | Screw | 2 | BA | ... | ... | ... | ... | ... | C | |
| 28S/1009108 | A32/A4 | Screw | 6 | BA | ... | ... | ... | ... | ... | C | |
| 28S/1006948 | A32/A12 | Screw | 6 | BA | round head, | $\frac{3}{8}$ " long | ... | ... | ... | C | |
| 28S/1017747 | A32/A14 | Screw | 6 | BA | ... | ... | ... | ... | ... | C | |
| 28S/9995324 | A32/A16 | Screw | 6 | BA | round head, | $\frac{1}{2}$ " long | ... | ... | ... | C | |
| 28S/1009986 | A32/B6 | Screw | 4 | BA | ... | ... | ... | ... | ... | C | |
| 28S/1200080 | A32/B8 | Screw | 4 | BA | ... | ... | ... | ... | ... | C | |
| 28S/1012450 | A32/B10 | Screw | 4 | BA | ... | ... | ... | ... | ... | C | |
| 28S/9992525 | A32/B12 | Screw | 4 | BA | round head, | $\frac{3}{8}$ " long | ... | ... | ... | C | |
| 28S/9992522 | A32/B16 | Screw | 4 | BA | round head, | $\frac{1}{2}$ " long | ... | ... | ... | C | |
| 28S/9995376 | A32/B20 | Screw | 4 | BA | ... | ... | ... | ... | ... | C | |
| 28S/1007817 | A32/B24 | Screw | 4 | BA | ... | ... | ... | ... | ... | C | |
| 28S/1011490 | A32/C16 | Screw | 2 | BA | round head, | $\frac{1}{2}$ " long | ... | ... | ... | C | |
| 28S/1011492 | A32/C28 | Screw | 2 | BA | round head, | $\frac{7}{8}$ " long | ... | ... | ... | C | |
| 28S/9435716 | A33/B12 | Screw | 4 | BA | ... | ... | ... | ... | ... | C | |
| 28S/9440345 | A40/B8 | Screw | 4 | BA | round head, | $\frac{1}{2}$ " long | ... | ... | ... | C | |
| 28S/9458393 | A43/A16 | Screw | 6 | BA | ... | ... | ... | ... | ... | C | |
| 28S/9130752 | A43/B24 | Screw | 4 | BA | cheese head, | $\frac{3}{4}$ " long | ... | ... | ... | C | |
| 28S/9446305 | A43/B28 | Screw | 4 | BA | ... | ... | ... | ... | ... | C | |
| 28S/9446303 | A45/A20 | Screw | 6 | BA | ... | ... | ... | ... | ... | C | |
| 28S/1008070 | A55/A4 | Screw | 6 | BA | grub | ... | ... | ... | ... | C | |
| 28W/9419465 | SP.13/B | Washer | 4 | BA | plain | ... | ... | ... | ... | C | |
| 28W/9419402 | SP.13/C | Washer | 2 | BA | plain | ... | ... | ... | ... | C | |
| 28W/9419474 | SP.15/B | Washer | 4 | BA | plain | ... | ... | ... | ... | C | |
| 28W/9419475 | SP.15/C | Washer | 2 | BA | plain | ... | ... | ... | ... | C | |
| 28W/9416641 | SP.47/A | Washer | 6 | BA | spring | ... | ... | ... | ... | C | |
| 28W/9416642 | SP.47/B | Washer | 4 | BA | spring | ... | ... | ... | ... | C | |
| 28W/9416643 | SP.47/C | Washer | 2 | BA | spring | ... | ... | ... | ... | C | |
| 28W/9416644 | SP.47/E | Washer | 2 | BA | spring | ... | ... | ... | ... | C | |
| 28W/1206041 | AGS.2035/B | Washer | ... | ... | ... | ... | ... | ... | ... | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|-------------|--------------|---|---------|--------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| | E.B6.81.7 | ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE, ASSEMBLY | — | — | — | |
| | E.B6.81.759 | Spares for:— ELECTRICAL EQUIPMENT, REAR BOMB BAY BULKHEAD, ASSEMBLY | — | — | — | |
| | E.A3.81.1829 | Spares for:— Bag, stowage cable (Mod. 2197) | 1 | — | C | |
| 7791 | AGS.2001/C/1 | Attaching parts for E.A3.81.1829:— Nut, 2 BA | 3 | — | C | |
| 28M/1278190 | A31/C14 | Screw, 2 BA | 3 | — | C | |
| 28S/9131095 | SP.13/C | Washer | 3 | — | C | |
| 28W/9419402 | | | | | | |
| 32348 | E.A9.81.3969 | Bolt, special, earth (Mod. 2197) (May be made from A25/9E) | 2 | S.94 or S.96 | C | |
| 27374 | E.A9.81.4005 | Fairlead, half | 2 | LFS.21 | C | |
| | | Attaching parts for E.A9.81.4005:— | | | | |
| 28D/1010029 | A25/6B | Bolt, 4 BA | 6 | — | C | |
| 28M/1278189 | AGS.2001/B/1 | Nut, 4 BA | 6 | — | C | |
| 28W/9419474 | SP.15/B | Washer | 6 | — | C | |
| 5X/6007 | CZ.28181 | Plug, size A (Pre-Mod. 3380) | 1 | — | C | |
| 5X/7022 | 2CZ.84865 | Plug, size A (Mod. 3380) | 1 | — | C | |
| 5X/6092 | CZ.28198 | Plug, size C (Pre-Mod. 3380) | 1 | — | C | |
| 5X/7169 | 2CZ.111426 | Plug, size C (Mod. 3380) | 1 | — | C | |
| 5X/6102 | CZ.28200 | Plug, size C (Pre-Mod. 3380) | 1 | — | C | |
| 5X/7170 | 2CZ.111428 | Plug, size C (Mod. 3380) | 1 | — | C | |
| 5X/6132 | CZ.28206 | Plug, size D (Pre-Mod. 3380) | 1 | — | C | |
| 5X/7029 | 2CZ.84869 | Plug, size D (Mod. 3380) | 1 | — | C | |
| 5X/6018 | CZ.28034 | Plug, size Z (Pre-Mod. 3380) | 1 | — | C | |
| 5X/7120 | 2CZ.108926 | Plug, size Z (Mod. 3380) | 1 | — | C | |
| 5X/6027 | CZ.28185 | Plug, size Z (Pre-Mod. 3380) | 1 | — | C | |
| 5X/7164 | 2CZ.111417 | Plug, size Z (Mod. 3380) | 1 | — | C | |
| 10H/19425 | † | Plug, type 744 | 1 | — | B | |
| | | Attaching parts for Ref. 10H/19425:— | | | | |
| 28M/1278189 | AGS.2001/B/1 | Nut, 4 BA, | 4 | — | C | |
| 28S/1200034 | A31/B16 | Screw, 4 BA | 4 | — | C | |
| 10H/19445 | CZ.62269 | Plug/socket, type 11 | 1 | — | B | |
| 10H/19492 | CZ.62276/5 | Plug/socket, type 58 | 1 | — | B | |
| 10H/0560042 | † | Socket, double ended | 2 | — | B | |
| 3416 | EEAS.132/7 | Strap, cable | 4 | — | C | |
| | | Attaching parts for EEAS.132/7:— | | | | |
| 28M/1278189 | AGS.2001/B/1 | Nut, 4 BA | 1 | — | C | |
| 28S/9992525 | A32/B12 | Screw, 4 BA | 1 | — | C | |
| 4910 | EEAS.28/18DR | Washer | 1 | L.72 | C | |
| | E.B6.81.1551 | FAIRLEAD, IN BOMB BAY, INSTALLATION, GROUP (MOD. 2197) (S.O.O.) | — | — | — | |
| | E.A9.81.3535 | Spares for:— Fairlead, half | 2 | — | — | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|-------------|---------------|--|---------|-------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| | | 1 2 3 4 5 6 | | | | |
| | E.B6.81.389 | INSTALLATION OF J.B.1 | — | — | — | |
| | | Spares for:— | | | | |
| | E.G4.81.893 | BOX, JUNCTION, No. 1, GROUP | 1 | — | — | |
| | | Spares for:— | | | | |
| | E.A1.81.583 | Box, 40-way | 1 | — | — | |
| | E.B6.81.387 | Cover, assembly | 1 | — | — | |
| | E.A3.81.300 | INSTALLATION OF J.B.2 | — | — | — | |
| | | Spares for:— | | | | |
| | E.A3.81.303/1 | BOX, JUNCTION, No. 2, GROUP | 1 | — | — | |
| | | Spares for:— | | | | |
| | E.A1.81.589 | Box, 20-way | 1 | — | — | |
| | E.A1.81.598E | Lid, assembly | 1 | — | — | |
| | E.B6.81.345 | INSTALLATION OF J.B.3 | — | — | — | |
| | | Spares for:— | | | | |
| | E.B6.81.343 | BOX, JUNCTION, No. 3, ASSEMBLY | 1 | — | — | |
| | | Spares for:— | | | | |
| 5X/3181 | CZ.23212/1 | Block, terminal, 20-way | 2 | — | C | |
| | | Attaching parts for CZ.23212/1:— | | | | |
| 28S/9130752 | A43/B24 | Screw, 4 BA | 2 | — | C | |
| | E.A1.81.583 | Box, junction, 40-way | 1 | — | — | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | C | |
| 5E/4185 | † | Cable, Uninyvin 16 | QR | — | C | |
| 5E/4187 | † | Cable, Uninyvin 12 | QR | — | C | |
| | E.B6.81.341 | COVER, ASSEMBLY | 1 | — | — | |
| | | Spares for:— | | | | |
| 20457 | EEAS.117/1 | Screw | 6 | S.92 | C | |
| 1066 | EEAS.28/2CU | Washer | 12 | DTD.124 | C | |
| 1108 | EEAS.42 | Washer | 6 | Leather | C | |
| 5X/6168 | Z.23197 | Gasket, size C | 2 | — | C | |
| 5X/6169 | Z23198 | Gasket, size D | 2 | — | C | |
| 5X/6174 | Z.50216 | Link, commoning, 8-way | 1 | — | C | |
| 5X/1004082 | Z.50210 | Link, connecting, 2-way | 2 | — | C | |
| 5X/6185 | CZ.50361 | Plug, size D (Pre-Mod. 3380) | 1 | — | C | |
| 5X/7159 | 2CZ.111229 | Plug, size D (Mod. 3380) | 1 | — | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve | 21 | — | C | |
| 5K/9107067 | EEAS.146/C | Sleeve | 34 | — | C | |
| 5X/1005131 | Z.49428 | Sleeve | 17 | — | C | |
| 5X/9430396 | HC.490 | Tag, crimping, No. 1 | 17 | — | C | |
| 5X/9482491 | HC.500 | Tag, crimping, No. 2 | 4 | — | C | |
| 5X/9450224 | HC.510 | Tag, crimping, No. 3 | 2 | — | C | |
| | E.A3.81.299 | INSTALLATION OF J.B.5 | — | — | — | |
| | | Spares for:— | | | | |
| | E.A1.81.444 | BOX, JUNCTION, No. 5, GROUP | 1 | — | — | |
| | | Spares for:— | | | | |
| | E.A1.81.589 | Box, 20-way | 1 | — | — | |
| | E.A1.81.598B | Lid, assembly | 1 | — | — | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-------------|----------------|--|---------|-------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | | 1 2 3 4 5 6 | | | | | |
| | E.A9.80.1395 | INSTALLATION OF FATIGUE METER (MOD. 2329) | — | — | — | — | |
| | | Spares for:— | | | | | |
| 6A/5029 | R.A.E. TYPE 3C | Meter, fatigue (Pre-Mod. 3245) | 1 | — | — | A | |
| 6A/6486 | R.A.E. TYPE 13 | Meter, fatigue (Mod. 3245) | 1 | — | — | A | |
| | | Attaching parts for R.A.E. TYPE 3C or R.A.E. TYPE 13:— | | | | | |
| 28D/9436920 | A25/1C | Bolt, 2 BA | 4 | — | — | C | |
| 28W/9419402 | SP.13/C | Washer | 4 | — | — | C | |
| 31529 | E.A9.80.1387 | Mounting, meter | 1 | L.72 | — | C | |
| | | Attaching parts for E.A9.80.1387:— | | | | | |
| 28D/9133011 | A25/2C | Bolt, 2 BA | 4 | — | — | C | |
| 28W/9419402 | SP.13/C | Washer | 4 | — | — | C | |
| | — | INSTALLATION OF GYRO MOUNTINGS, FRAMES 27 TO 29 (E.B6.81.1855) (MOD. 2197) (S.O.O.) | — | — | — | — | |
| | | Spares for:— | | | | | |
| | E.A9.81.3545 | Bolt, special, plate fixing (Mod. 4329) | 8 | — | — | — | |
| | E.A9.81.4311 | BOX, JUNCTION (L.A.B.S.), ASSEMBLY (PRE-MOD. 2693) | 1 | — | — | — | |
| | | Spares for this assembly are identical with those for assembly Part No. E.A9.81.4823 | | | | | |
| | E.A9.81.4823 | BOX, JUNCTION (L.A.B.S.), ASSEMBLY (MOD. 2693) | 1 | — | — | — | |
| | | Spares for:— | | | | | |
| | E.A9.81.3463 | Box, 20-way | 1 | — | — | — | |
| 32367 | E.A9.81.4345 | COVER, ASSEMBLY | 1 | — | — | C | |
| | | Spares for:— | | | | | |
| 32C/614 | † | Rubber, synthetic, 0"14 dia. | QR | DTD.552 | — | C | |
| 32368 | E.A9.81.4357 | Screw, cover | 4 | — | — | C | |
| 1066 | EEAS.28/2CU | Washer | 8 | — | — | C | |
| 1108 | EEAS.42 | Washer, leather | 4 | — | — | C | |
| | E.B6.81.1849 | Channel, datum | 1 | L.72 | — | — | |
| | E.A9.81.3389 | MOUNTING, ASSEMBLY | 1 | — | — | — | |
| | | Spares for:— | | | | | |
| | E.A9.81.3421 | Beam, assembly | 1 | — | — | — | |
| | E.A9.81.3587 | Beam, assembly | 1 | — | — | — | |
| | E.A9.81.3591 | Plate, mounting, assembly | 1 | — | — | — | |
| | E.A9.81.3427 | Tie | 1 | L.72 | — | — | |
| | E.A9.81.3397 | Mounting, calibrator | 1 | — | — | — | |
| | E.A9.81.3395 | Mounting, channel | 2 | — | — | — | |
| | E.A9.81.3393 | MOUNTING, GYRO HORIZONTAL SUB-ASSEMBLY | 1 | — | — | — | |
| | | Spares for:— | | | | | |
| 27407 | E.A9.81.3417 | Nut, adjuster | 6 | S.96 | — | C | |
| | E.A9.81.3431 | PLATE, MOUNTING, ASSEMBLY | 1 | — | — | — | |
| | | Spares for:— | | | | | |
| | E.A9.81.3409 | Pad, adjuster | 3 | S.96 | — | — | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|------------|---------------|-------------|---|---|---|---|---|---------|-------------|-------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| 27406 | E.A9.81.3429 | | | | | | | 1 | L.72 | — | |
| 27408 | E.A9.81.3419 | | | | | | | 6 | S.96 | C | |
| 27408 | E.A9.81.3415 | | | | | | | 3 | S.96 | C | |
| 34536 | E.A9.81.3391 | | | | | | | 1 | — | B | |
| 27407 | E.A9.81.3417 | | | | | | | 6 | S.96 | C | |
| | E.A9.81.3407 | | | | | | | 1 | — | — | |
| 27406 | E.A9.81.3409 | | | | | | | 3 | S.96 | — | |
| 27408 | E.A9.81.3413 | | | | | | | 1 | L.72 | — | |
| | E.A9.81.3419 | | | | | | | 6 | S.96 | C | |
| | E.A9.81.3415 | | | | | | | 3 | S.96 | C | |
| | E.A9.81.3399 | | | | | | | 1 | L.72 | — | |
| | E.A9.81.3401 | | | | | | | 1 | L.72 | — | |
| | E.B.81.35 | | | | | | | — | — | — | |
| | E.B.81.291/2 | | | | | | | 1 | — | — | |
| 5E/4183 | † | | | | | | | QR | — | C | |
| 5E/4185 | † | | | | | | | QR | — | C | |
| 5E/4187 | † | | | | | | | QR | — | C | |
| 5X/1526 | Z.18500/D | | | | | | | 2 | — | C | |
| 5X/1533 | Z.18501/D | | | | | | | 2 | — | C | |
| 5K/9107066 | EEAS.146/A1 | | | | | | | 48 | — | C | |
| 5K/9107067 | EEAS.146/C | | | | | | | 4 | — | C | |
| 5X/1005131 | Z.49428 | | | | | | | 34 | — | C | |
| 5K/ | EEAS.118/5/C3 | | | | | | | 2 | — | — | |
| 5X/6194 | CZ.50405 | | | | | | | 2 | — | B | |
| 5X/7192 | 2CZ.111238 | | | | | | | 2 | — | B | |
| 5F/ | † | | | | | | | QR | — | — | |
| | E.B.81.491 | | | | | | | 1 | — | — | |
| 5E/4187 | † | | | | | | | QR | — | C | |
| 5K/3071 | HV.3112 | | | | | | | 1 | — | C | |
| 5K/9107068 | EEAS.146/C | | | | | | | 4 | — | C | |
| 5X/6508 | 70008 | | | | | | | 2 | — | C | |
| 5X/9450224 | HC.510 | | | | | | | 2 | — | C | |
| 5X/9400066 | Z.1998† | | | | | | | 2 | — | — | |
| | E.B.81.1483 | | | | | | | 1 | — | — | |
| 5E/4187 | † | | | | | | | QR | — | C | |
| 5X/9491421 | Z.22431 | | | | | | | 1 | — | C | |
| 5K/9107066 | EEAS.146/B | | | | | | | 4 | — | C | |
| 5K/9107067 | EEAS.146/C | | | | | | | 1 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|------------------------------|---------------------|-------------|---|---|---|---|---|---------|-------------|---------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. L.M. | |
| 5X/7017 5X/9400930 | HC.510 | | | | | | | 2 | — | C | |
| | ERMA | | | | | | | 2 | — | C | |
| | E.B6.81.541/2 | | | | | | | 1 | — | — | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 5K/ 5F/ | EEAS.118/5/C3 † | | | | | | | 2 | — | — | |
| | | | | | | | | QR | — | — | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 5K/ 5F/ | EEAS.118/5/C9 † | | | | | | | 2 | — | — | |
| | | | | | | | | QR | — | — | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | E.B6.81.543/2 | | | | | | | 1 | — | — | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 5K/ 5F/ | EEAS.118/5/C3 † | | | | | | | 2 | — | — | |
| | | | | | | | | QR | — | — | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 5K/ 5F/ | EEAS.118/5/C10 † | | | | | | | 2 | — | C | |
| | | | | | | | | QR | — | C | |
| | | | | | | | | | | | |
| | E.B6.81.545 | | | | | | | 1 | — | — | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 5E/4183 5X/2785 | † Z.22430 | | | | | | | QR | — | C | |
| 5K/9107065 | EEAS.146/A | | | | | | | 1 | — | — | |
| 5K/9107066 | EEAS.146/A1 | | | | | | | 2 | — | C | |
| 5K/9107067 | EEAS.146/C | | | | | | | 2 | — | C | |
| 5X/7298 | HC.490 | | | | | | | 3 | — | C | |
| | | | | | | | | 2 | — | C | |
| | E.B6.81.631/2 | | | | | | | 1 | — | — | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 5E/4183 33H/56 5X/7320 | † † Z.14485/2 | | | | | | | QR | — | C | |
| 5X/9491421 | Z.22431 | | | | | | | QR | — | C | |
| 5K/9107065 | EEAS.146/A | | | | | | | 1 | — | C | |
| 5K/9107066 | EEAS.146/A1 | | | | | | | 1 | — | C | |
| | | | | | | | | 2 | — | C | |
| | | | | | | | | 10 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|------------|----------------|--|---------|-------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | | 1 2 3 4 5 6 | | | | | |
| 5K/9107067 | EEAS.146/C | Sleeve, 1" long | 6 | — | C | | |
| 5X/1005131 | Z.49428 | Sleeve, cable | 2 | — | C | | |
| 5X/6004 | CZ.27900 | Socket, assembly, size A (Pre-Mod. 3380) ... | 1 | — | B | | |
| 5X/7038 | 2CZ.84872 | Socket, assembly, size A (Mod. 3380) ... | 1 | — | B | | |
| 5X/7298 | HC.490 | Tag | 8 | — | C | | |
| 32B/498 | † | Thread, waxed linen, No. 18 | QR | — | C | | |
| | E.B7.81.553/2 | CABLE, ASSEMBLY, 3A.1, FROM TERMINAL BOARD TO VENT VALVE HEATER, STARBOARD, GROUP Consisting of:— | 1 | — | — | | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | C | | |
| 33H/56 | † | Cement, Bostik | QR | — | C | | |
| 5X/7320 | Z.14485/2 | Ferrule, cut | 1 | — | B | | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | 4 | — | C | | |
| 5K/9107067 | EEAS.146/C | Sleeve, 1" long | 2 | — | C | | |
| 5X/1005131 | Z.49428 | Sleeve, cable | 2 | — | C | | |
| 5X/6188 | CZ.50398 | Socket, assembly, size A (Pre-Mod. 3380) ... | 1 | — | B | | |
| 5X/7172 | 2CZ.111230 | Socket, assembly, size A (Mod. 3380) ... | 1 | — | B | | |
| 5X/7298 | HC.490 | Tag | 2 | — | C | | |
| 32B/398 | † | Thread, waxed linen, No. 18 | QR | — | C | | |
| | E.B7.81.535/2 | CABLE, ASSEMBLY, 3A.2, FROM TERMINAL BOARD TO VENT VALVE HEATER, PORT, GROUP Spares for this group are identical with those for group Part No. E.B7.81.553/2 | 1 | — | — | | |
| | E.B6.81.567/2 | CABLE, ASSEMBLY, C.7X, FROM J.B.7 TO CONNECTION AT PRESSURE BULKHEAD, GROUP Consisting of:— | 1 | — | — | | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | C | | |
| 5E/4185 | † | Cable, Uninyvin 16 | QR | — | C | | |
| 5E/4187 | † | Cable, Uninyvin 12 | QR | — | C | | |
| 5X/1526 | Z.18500/D | Ferrule | 2 | — | C | | |
| 5X/1533 | Z.18501/D | Ring, clamp | 2 | — | C | | |
| 5X/1005131 | Z.49428 | Sleeve, cable | 34 | — | C | | |
| 5K/ | EEAS.118/5/C7X | Sleeve, identification | 2 | — | — | | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | 48 | — | C | | |
| 5K/9107067 | EEAS.146/C | Sleeve, 3/4" long | 4 | — | C | | |
| 5X/6194 | CZ.50405 | Socket, assembly, size D (Pre-Mod. 3380) ... | 2 | — | B | | |
| 5X/7192 | 2CZ.111238 | Socket, assembly, size D (Mod. 3380) ... | 2 | — | B | | |
| 5F/ | † | Tubing, P.V.C., 25.4 m/m x 1.2 m/m | QR | — | — | | |
| | E.A3.81.703/2 | CABLE, ASSEMBLY, C.2, FROM PRESSURE BULKHEAD TO J.B.2, GROUP Consisting of:— | 1 | — | — | | |
| 5E/3080 | † | Cable, Septopren | QR | — | C | | |
| 33H/56 | † | Cement, Bostik | QR | — | C | | |
| 5X/1333 | Z.1381/2 | Ferrule, cut | 1 | — | C | | |
| 5X/9491421 | Z.22431 | Grommet, Helsyn No. 3 | 1 | — | C | | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | 12 | — | C | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|------------|---------------|-------------|---|---|---|---|---|---------|-------------|---------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. L.M. | |
| 5K/9107068 | EEAS.146/D1 | | | | | | | 2 | — | C | |
| 5X/1005131 | Z.49428 | | | | | | | 6 | — | C | |
| 5X/6191 | CZ.50401 | | | | | | | 1 | — | B | |
| 5X/7178 | 2CZ.111234 | | | | | | | 1 | — | B | |
| 5X/7298 | HC.490 | | | | | | | 6 | — | C | |
| 32B/498 | † | | | | | | | QR | — | C | |
| 7154 | E.A3.81.706/1 | | | | | | | 1 | — | C/MR | |
| | | | | | | | | | | | |
| 5E/3079 | † | | | | | | | QR | — | C | |
| 33H/56 | † | | | | | | | QR | — | C | |
| 5X/240 | Z.2277/2 | | | | | | | 1 | — | C | |
| 5X/9491421 | Z.22431 | | | | | | | 1 | — | C | |
| 5K/9107066 | EEAS.146/A1 | | | | | | | 8 | — | C | |
| 5K/9107068 | EEAS.146/D1 | | | | | | | 2 | — | C | |
| 5X/1005131 | Z.49428 | | | | | | | 4 | — | C | |
| 5X/6190 | CZ.50400 | | | | | | | 1 | — | B | |
| 5X/7175 | 2CZ.111233 | | | | | | | 1 | — | B | |
| 5X/7016 | HC.500 | | | | | | | 4 | — | C | |
| 32B/498 | † | | | | | | | QR | — | C | |
| | | | | | | | | | | | |
| | E.A3.81.708/2 | | | | | | | 1 | — | — | |
| | | | | | | | | | | | |
| 5E/4185 | † | | | | | | | QR | — | C | |
| 33H/56 | † | | | | | | | QR | — | C | |
| 5X/1356 | Z.2272/2 | | | | | | | 1 | — | C | |
| 5X/9491421 | Z.22431 | | | | | | | 1 | — | C | |
| 5K/9107066 | EEAS.146/A1 | | | | | | | 6 | — | C | |
| 5K/9107068 | EEAS.146/D1 | | | | | | | 2 | — | C | |
| 5X/6189 | CZ.50399 | | | | | | | 1 | — | B | |
| 5X/7173 | 2CZ.111231 | | | | | | | 1 | — | B | |
| 5X/7016 | HC.500 | | | | | | | 3 | — | C | |
| 32B/498 | † | | | | | | | QR | — | C | |
| 7665 | E.A3.81.710/2 | | | | | | | 1 | — | B | |
| | | | | | | | | | | | |
| | E.A1.81.711/2 | | | | | | | 1 | — | — | |
| | | | | | | | | | | | |
| 5E/3079 | † | | | | | | | QR | — | C | |
| 33H/56 | † | | | | | | | QR | — | C | |
| 5X/240 | Z.2277/2 | | | | | | | 1 | — | C | |
| 5K/9107065 | † | | | | | | | 5 | — | C | |
| 5K/9107067 | † | | | | | | | 2 | — | C | |
| 5X/1769 | 2005/10PH | | | | | | | 1 | — | B | |
| 5X/6020 | CZ.27983 | | | | | | | 1 | — | B | |
| 5X/7134 | 2CZ.108959 | | | | | | | 1 | — | B | |
| 32B/498 | † | | | | | | | QR | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|------------|----------------|---|---------|-------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | | 1 2 3 4 5 6 | | | | | |
| | E.B6.81.713/2 | CABLE, ASSEMBLY, C.8X, FROM J.B.8 TO CONNECTION AT PRESSURE BULKHEAD, GROUP Spares for this group are identical with those for group Part No. E.B6.81.291/2 on page 260, except for the following deletion and addition:— Delete:— | 1 | — | — | | |
| 5K/ | EEAS.118/5/C3 | Sleeve, identification | 2 | — | — | | |
| 5K/ | EEAS.118/5/C8X | Add:— Sleeve, identification | 2 | — | — | | |
| 5427 | E.A3.81.714/1 | CABLE, ASSEMBLY, 1G, UNDERCARRIAGE VALVE ACTUATOR, FROM J.B.1, GROUP Consisting of:— | 1 | — | C/MR | | |
| 5E/3079 | † | Cable, Quinpren 6 | QR | — | C | | |
| 5X/9491421 | Z.22431 | Grommet, Helsyn No. 3 | 2 | — | C | | |
| 5X/2871 | SP.40/A12 | Grommet, rubber | 1 | — | C | | |
| 5K/9107067 | EEAS.146/A1 | Sleeve, ¾" long | 5 | — | C | | |
| 5K/9107068 | EEAS.146/D1 | Sleeve, 1" long | 2 | — | C | | |
| 5X/7298 | HC.490 | Tag | 5 | — | C | | |
| | E.B6.81.715/2 | CABLE, ASSEMBLY, C.8, FROM J.B.8 TO CONNECTION AT PRESSURE BULKHEAD, GROUP Spares for this group are identical with those for group Part No. E.B6.81.291/2 on page 260, except for the following deletion and addition:— Delete:— | 1 | — | — | | |
| 5K/ | EEAS.118/5/C3 | Sleeve, identification | 2 | — | — | | |
| 5K/ | EEAS.118/5/C8 | Add:— Sleeve, identification | 2 | — | — | | |
| 7230 | E.A3.81.718/2 | CABLE, ASSEMBLY, 1.H3, FROM No. 1 FUEL TANK TERMINAL BOARD TO FUEL COCK, PORT, GROUP Consisting of:— | 1 | — | B | | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | C | | |
| 33H/56 | † | Cement, Bostik | QR | — | C | | |
| 5X/7320 | Z.14485/2 | Ferrule, cut | 1 | — | C | | |
| 5K/9107065 | † | Sleeve, ¾" long | 6 | — | C | | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 1" long | 2 | — | C | | |
| 5X/1005131 | Z.49428 | Sleeve, cable | 3 | — | C | | |
| 5X/6009 | CZ.27901 | Socket, 4-pin, size A (Pre-Mod. 3380) | 1 | — | B | | |
| 5X/7039 | 2CZ.84873 | Socket, 4-pin, size A (Mod. 3380) | 1 | — | B | | |
| 32B/498 | † | Thread, waxed linen, No. 18 | QR | — | C | | |
| 7666 | E.A3.81.722/2 | CABLE, ASSEMBLY, 1J.3, FROM No. 2 FUEL TANK TERMINAL BOARD TO FUEL COCK, PORT, GROUP Consisting of:— | 1 | — | B | | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | C | | |
| 33H/56 | † | Cement, Bostik | QR | — | C | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|------------|---------------|-------------|---|---|---|---|---|---------|-------------|---------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. L.M. | |
| 5X/7320 | Z.14485/2 | | | | | | | 1 | — | C | |
| 5K/9107065 | † | | | | | | | 6 | — | C | |
| 5K/9107066 | EEAS.146/A1 | | | | | | | 2 | — | C | |
| 5X/1005131 | Z.49428 | | | | | | | 3 | — | C | |
| 5X/6189 | CZ.50399 | | | | | | | 1 | — | B | |
| 5X/7173 | 2CZ.111231 | | | | | | | 1 | — | B | |
| 32B/498 | † | | | | | | | QR | — | C | |
| 7231 | E.A3.81.726/2 | | | | | | | 1 | — | B | |
| | | | | | | | | | | | |
| | E.A3.81.727/1 | | | | | | | 1 | — | — | |
| | | | | | | | | | | | |
| 5E/4185 | † | | | | | | | QR | — | C | |
| 5X/2786 | Z.22431 | | | | | | | 1 | — | C | |
| 5K/9107066 | EEAS.146/A1 | | | | | | | 4 | — | C | |
| 5K/9107067 | EEAS.146/C | | | | | | | 4 | — | C | |
| 5X/7016 | HC.500 | | | | | | | 4 | — | C | |
| | E.B6.81.731 | | | | | | | 1 | — | — | |
| | | | | | | | | | | | |
| 5E/4183 | † | | | | | | | QR | — | C | |
| 5E/4187 | † | | | | | | | QR | — | C | |
| 5X/2788 | Z.23672 | | | | | | | 1 | — | C | |
| 5K/9107065 | EEAS.146/A | | | | | | | 3 | — | C | |
| 5K/9107066 | EEAS.146/A1 | | | | | | | 3 | — | C | |
| 5K/9107067 | EEAS.146/C | | | | | | | 4 | — | C | |
| 5K/9107069 | EEAS.146/G | | | | | | | 2 | — | C | |
| 5X/7298 | HC.490 | | | | | | | 3 | — | C | |
| 5X/9400068 | Z.19926 | | | | | | | 2 | — | C | |
| 5X/9400066 | Z.19981 | | | | | | | 2 | — | C | |
| 5F/ | † | | | | | | | QR | — | — | |
| | E.A3.81.733/1 | | | | | | | 1 | — | — | |
| | | | | | | | | | | | |
| 5E/4183 | † | | | | | | | QR | — | C | |
| 5K/9107065 | EEAS.146/A | | | | | | | 4 | — | C | |
| 5K/9107067 | EEAS.146/C | | | | | | | 2 | — | C | |
| | E.B6.81.733 | | | | | | | 1 | — | — | |
| | | | | | | | | | | | |
| 5E/4183 | † | | | | | | | QR | — | C | |
| 5E/4187 | † | | | | | | | QR | — | C | |
| 5X/2788 | Z.23672 | | | | | | | 1 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No |
|------------|----------------|--|---------|-------------|---------------|------|----------|
| | | | | | M.R. | L.M. | |
| | | 1 2 3 4 5 6 | | | | | |
| 5K/9107066 | EEAS.146/A | Sleeve, 3/4" long | 3 | — | | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | 3 | — | | C | |
| 5K/9107067 | EEAS.146/C | Sleeve, 3/4" long | 4 | — | | C | |
| 5K/9107070 | EEAS.146/H | Sleeve, 1" long | 1 | — | | — | |
| 5K/ | EEAS.118/2/1K | Sleeve, identification | 1 | — | | — | |
| 5X/7298 | HC.490 | Tag | 3 | — | | C | |
| 5X/7017 | HC.510 | Tag | 2 | — | | C | |
| 5F/ | † | Tubing, P.V.C., 12.7 m/m x 1 m/m | QR | — | | — | |
| 7670 | E.A3.81.734/1 | CABLE, ASSEMBLY, 3D, FROM J.B.3 TO BOMB DOOR VALVE ACTUATOR TERMINAL BOARD, GROUP Consisting of:— | 1 | — | | B | |
| 5E/4185 | † | Cable, Uninyvin 16 | QR | — | | C | |
| 5X/9491421 | Z.22431 | Grommet, Helsyn No. 3 | 1 | — | | C | |
| 5K/9107065 | EEAS.146/A | Sleeve, 3/4" long | 2 | — | | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | 4 | — | | C | |
| 5K/9107068 | EEAS.146/D1 | Sleeve, 1" long | 2 | — | | C | |
| 5X/7016 | HC.500 | Tag | 3 | — | | C | |
| | E.A1.81.736/2 | CABLE, ASSEMBLY, C.21, CAMERA CONTROL SUPPLY FROM FRONT TRANSPORT JOINT TO PLUG AT BOMB BAY BULKHEAD, GROUP Consisting of:— | 1 | — | | — | |
| 5E/4185 | † | Cable, Uninyvin 16 | QR | — | | C | |
| 5X/1523 | Z.18500/Z | Ferrule, size Z | 2 | — | | C | |
| 5X/1530 | Z.18501/Z | Ring, clamp | 2 | — | | C | |
| 5K/9107065 | EEAS.146/A | Sleeve, 3/4" long | 10 | — | | C | |
| 5K/ | EEAS.118/2/C21 | Sleeve, identification | 2 | — | | — | |
| 5X/6190 | CZ.50400 | Socket, 5-pin, size Z (Pre-Mod. 3380) | 2 | — | | B | |
| 5X/7175 | 2CZ.111233 | Socket, 5-pin, size Z (Mod. 3380) | 2 | — | | B | |
| 5F/ | † | Tubing, P.V.C., 12.7 m/m x 1 m/m | QR | — | | — | |
| | E.A1.81.738/2 | CABLE, ASSEMBLY, C.33, TAIL PLANE ACTUATOR SUPPLY FROM FRONT TRANSPORT JOINT TO PLUG AT BOMB BAY BULKHEAD, GROUP Consisting of:— | 1 | — | | — | |
| 5E/4189 | † | Cable, Uninyvin 8 | QR | — | | C | |
| 5X/6413 | EEAS.88/3 | Ferrule, special, size C | 2 | — | | C | |
| 5X/1531 | Z.18501/B | Ring, clamp | 2 | — | | C | |
| 5K/9107068 | EEAS.146/D | Sleeve, 1" long | 4 | — | | C | |
| 5K/ | EEAS.118/3/C33 | Sleeve, identification | 2 | — | | — | |
| 5X/6104 | CZ.27920 | Socket, 4-way, size C (Pre-Mod. 3380) | 2 | — | | B | |
| 5X/7187 | 2CZ.111237 | Socket, 4-way, size C (Mod. 3380) | 2 | — | | B | |
| 5F/ | † | Tubing, P.V.C., 15.8 m/m x 1 m/m | QR | — | | — | |
| 7671 | E.A3.81.739/2 | CABLE, ASSEMBLY, 3D.1, FROM TERMINAL BOARD TO BOMB DOOR VALVE ACTUATOR, GROUP Consisting of:— | 1 | — | | B | |
| 5E/4185 | † | Cable, Uninyvin 16 | QR | — | | C | |
| 33H/56 | † | Cement, Bostik | QR | — | | C | |
| 5X/1356 | Z.2272/2 | Ferrule, cut | 1 | — | | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | Plate No |
|--|---|--|--|--------------------------------------|--------------------------------------|----------|
| | | | | | M.R. L.M. | |
| | | 1 2 3 4 5 6 | | | | |
| 5K/9107066 10H/0560100 5X/7298 | † CZ.49015 HC.490 | Sleeve, 1" long Socket, 3-way, Mk. 4, free Tag | 1 1 3 | — — — | C C C | |
| 7675 | E.A3.81.754/1 | CABLE, ASSEMBLY, 3M, FROM J.B.3 TO FUEL CONTENTS UNIT TRANSFORMER No. 2 FUEL TANK, GROUP Spares for this group are identical with those for group Part No. E.A3.81.753/1 on page 267 | 1 | — | B | |
| 7676 | E.A3.81.755/1 | CABLE, ASSEMBLY, 3N, FROM J.B.3 TO No. 3 TANK FUEL GAUGE TRANSMITTER, GROUP Spares for this group are identical with those for group Part No. E.A3.81.753/1 on page 267 | 1 | — | B | |
| 7677 | E.A3.81.760/1 | CABLE, ASSEMBLY, 3P, FROM J.B.3 TO FLAME SWITCH, GROUP Consisting of:— | 1 | — | C | |
| 5E/4183 5X/2785 | † Z.22430 | Cable, Uninyvin 20 Grommet, Helsyn No. 2 | QR 1 | — — | C C | |
| 7678 | E.A3.81.762/1 | CABLE, ASSEMBLY, 5B, FROM J.B.5 TO BOMB DOOR VALVE ACTUATOR, GROUP Consisting of:— | 1 | — | C | |
| 5E/4185 5X/2785 | † Z.22430 | Cable, Uninyvin 16 Grommet, Helsyn No. 2 | QR 1 | — — | C C | |
| 5K/9107065 5K/9107066 5X/7298 | † † HC.490 | Sleeve, 3/4" long Sleeve, 1" long Tag | 4 2 2 | — — — | C C C | |
| | E.A3.81.763/1 | CABLE, ASSEMBLY, 5C AND 5D, FROM J.B.5 TO BOMB DOOR MICRO SWITCHES, GROUP Consisting of:— | 1 | — | — | |
| 5E/4185 5X/9491421 5K/9107065 5X/7016 | † Z.22431 † HC.500 | Cable, Uninyvin 16 Grommet, Helsyn No. 3 Sleeve, 3/4" long Tag | QR 1 8 4 | — — — — | C C C C | |
| | E.A3.81.767/2 | CABLE, ASSEMBLY, C.94, FROM 400V. DISTRIBUTION BOX TO AFT BOMB BAY BULK-HEAD, GROUP Consisting of:— | 1 | — | — | |
| 5E/9160010 33H/56 5X/1356 10H/20406 10H/20407 10H/0970058 10H/19071 10H/0560280 | † † Z.2272/2 Z.54443 Z.54444 Z.54184 CZ.49180 CZ.49218 | Cable, Miniature 3B Cement, Bostik Ferrule, cut Ferrule, inner Ferrule, outer Gasket, outlet Outlet, straight Plug, free, Mk. 4 | QR QR 1 1 1 1 1 1 | — — — — — — — — | C C C C C C C C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | 1 | 2 | 3 | 4 | 5 | 6 | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-------------|---------------|---|---|---|---|---|---|--|---------|-------------|---------------|------|-----------|
| | | | | | | | | | | | M.R. | L.M. | |
| 10H/0970088 | Z.49043 | | | | | | | Ring, sealing | 1 | — | | C | |
| 5K/9107066 | EEAS.146/A1 | | | | | | | Sleeve, 3/4" long | 6 | — | | C | |
| 5K/9107068 | EEAS.146/D | | | | | | | Sleeve, 1" long | 2 | — | | C | |
| 5X/6799 | CZ.56088 | | | | | | | Socket, assembly, 4-way, size A (Pre-Mod. 3380) | 1 | — | | B | |
| 5X/7173 | 2CZ.111231 | | | | | | | Socket, assembly, 4-way, size A (Mod. 3380) ... | 1 | — | | B | |
| 5E/2904 | † | | | | | | | Wire, tinned copper, 25 SWG | QR | — | | C | |
| 5E/3141 | † | | | | | | | Wire, tinned copper, 32 SWG | QR | — | | C | |
| | E.A3.81.768/2 | | | | | | | CABLE, ASSEMBLY, C.96, FROM 1600 CYCLES DISTRIBUTION BOX TO AFT BOMB BAY BULKHEAD, GROUP | 1 | — | | — | |
| | | | | | | | | Consisting of:— | | | | | |
| 5E/9100007 | † | | | | | | | Cable, Miniature 2Q | QR | — | | C | |
| 33H/56 | † | | | | | | | Cement, Bostik | QR | — | | C | |
| 5X/240 | Z.2277/2 | | | | | | | Ferrule, cut | 1 | — | | C | |
| 10H/0970076 | Z.49047 | | | | | | | Ferrule, inner | 1 | — | | C | |
| 10H/0970075 | Z.49048 | | | | | | | Ferrule, outer | 1 | — | | C | |
| 10H/0970058 | Z.54184 | | | | | | | Gasket, outer | 1 | — | | C | |
| 10H/0970061 | CZ.49178 | | | | | | | Outlet, straight | 1 | — | | C | |
| 10H/0970087 | Z.49049 | | | | | | | Ring, sealing | 1 | — | | C | |
| 5K/9107066 | EEAS.146/C | | | | | | | Sleeve, 1/2" long | 2 | — | | C | |
| 5K/9107066 | EEAS.146/C | | | | | | | Sleeve, 3/4" long | 2 | — | | C | |
| 5K/9107069 | EEAS.146/E | | | | | | | Sleeve, 1" long | 2 | — | | C | |
| 5X/6029 | CZ.27905 | | | | | | | Socket, 2-way, size Z (Pre-Mod. 3380) | 1 | — | | B | |
| 5X/7176 | 2Z.111436 | | | | | | | Socket, 2-way, size Z (Mod. 3380) | 1 | — | | B | |
| 10H/0560090 | CZ.49014 | | | | | | | Socket, free, Mk. 4 | 1 | — | | C | |
| 32B/498 | † | | | | | | | Thread, waxed linen, No. 18 | QR | — | | C | |
| | E.A3.81.774/1 | | | | | | | CABLE, ASSEMBLY, BOMB RELEASE COCKING INDICATOR, GROUP | 1 | — | | — | |
| | | | | | | | | Consisting of:— | | | | | |
| 5E/4183 | † | | | | | | | Cable, Uninyvin 20 | QR | — | | C | |
| 5X/6668 | 12102 | | | | | | | Lug, crimping, Mk. 2A | 1 | — | | C | |
| 5CY/9330749 | † | | | | | | | Plug, 2-pin, flat | 1 | — | | B | |
| 5K/9107065 | † | | | | | | | Sleeve, 3/4" long | 2 | — | | C | |
| 5K/ | † | | | | | | | Sleeve, 1 1/2" long | 2 | — | | — | |
| | E.B6.81.779/2 | | | | | | | CABLE, ASSEMBLY, C.31, FROM MAIN ELECTRICAL PANEL TO PORT WING BREAK TERMINAL BOARD, GROUP (PRE-MODS. 2393-2155-2197) | 1 | — | | — | |
| | | | | | | | | Consisting of:— | | | | | |
| 5E/4187 | † | | | | | | | Cable, Uninyvin 12 | QR | — | | C | |
| 5E/4195 | † | | | | | | | Cable, Uninyvin 00 | QR | — | | C | |
| 33H/56 | † | | | | | | | Cement, Bostik | QR | — | | C | |
| 5X/7320 | Z.14485/2 | | | | | | | Ferrule, cut | 1 | — | | C | |
| 5X/9400113 | AS.4002 | | | | | | | Lug, cable | 1 | — | | C | |
| 5X/6279 | Z.12234/3 | | | | | | | Lug, terminal | 1 | — | | C | |
| 5K/9107067 | EEAS.146/C | | | | | | | Sleeve, 3/4" long | 2 | — | | C | |
| 5K/9107071 | EEAS.146/J | | | | | | | Sleeve, 1" long | 32 | — | | C | |
| 5X/6014 | CZ.27902 | | | | | | | Socket, size A (Pre-Mod. 3380) | 1 | — | | B | |
| 5X/7174 | 2CZ.111232 | | | | | | | Socket, size A (Mod. 3380) | 1 | — | | B | |
| 5X/7017 | HC.510 | | | | | | | Tag | 1 | — | | C | |
| 32B/498 | † | | | | | | | Thread, waxed linen, No. 18 | QR | — | | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | | Plate No |
|------------|----------------|-------------|---|---|---|---|---|---|-------------|---------------|------|----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. | L.M. | |
| | E.B6.81.781/2 | | | | | | | CABLE, ASSEMBLY, C.32, FROM MAIN ELECTRICAL PANEL TO STARBOARD WING BREAK TERMINAL BOARD, GROUP (PRE-MODS. 2393-2155-2197) Spares for this group are identical with those for group Part No. E.B6.81.779/2 on page 269 except for the following deletion and addition:— Delete:— | 1 | — | — | |
| 5K/9107071 | EEAS.146/J | | | | | | | Sleeve, 1" long | 32 | — | C | |
| | | | | | | | | Add:— | | | | |
| 5K/9107071 | EEAS.146/J | | | | | | | Sleeve, 1" long | 26 | — | C | |
| | E.B6.81.783 | | | | | | | CABLE, ASSEMBLY, EB, BATTERY EARTH CONNECTION, GROUP Consisting of:— | 1 | — | — | |
| 5E/4192 | † | | | | | | | Cable, Uninyvin 2 | QR | — | C | |
| 5J/2328 | † | | | | | | | Lug, connector | 2 | — | C | |
| 5CZ/850 | † | | | | | | | Lug, terminal, No.1 | 2 | — | C | |
| 5K/9107071 | EEAS.146/J | | | | | | | Sleeve, 1½" long | 4 | — | C | |
| | HELLERMAN | | | | | | | | | | | |
| 5F/2281 | HV.3341 | | | | | | | Strapping | QR | — | C | |
| | HELLERMAN | | | | | | | | | | | |
| 5F/9434855 | HV.3342 | | | | | | | Stud | 6 | — | C | |
| | E.B7.81.1119 | | | | | | | CABLE, ASSEMBLY, E.1, EARTH CONNECTION FROM J.B.1, GROUP Consisting of:— | 1 | — | — | |
| 5E/4187 | † | | | | | | | Cable, Uninyvin 12 | QR | — | C | |
| | HELLERMAN | | | | | | | | | | | |
| 5K/3071 | HV.3112 | | | | | | | Grommet | 1 | — | C | |
| 5X/6674 | 12108 | | | | | | | Lug | 2 | — | C | |
| 5K/9107067 | EEAS.146/C | | | | | | | Sleeve, ¾" long | 4 | — | C | |
| 5X/7017 | HC.510 | | | | | | | Tag | 2 | — | C | |
| | E.B7.81.1121 | | | | | | | CABLE, ASSEMBLY, E.3, EARTH CONNECTION FOR J.B.3, GROUP Spares for this group are identical with those for group Part No. E.B7.81.1119 | 1 | — | — | |
| | E.B7.81.1125 | | | | | | | CABLE, ASSEMBLY, E.5, EARTH CONNECTION FOR J.B.5, GROUP Spares for this group are identical with those for group Part No. E.B7.81.1119 | 1 | — | — | |
| | E.A4.81.1367/2 | | | | | | | CABLE, ASSEMBLY, C.6, FROM DISTRIBUTION BOX TO REAR FLARE BAY BULKHEAD, GROUP Consisting of:— | 1 | — | — | |
| 5E/4183 | † | | | | | | | Cable, Uninyvin 20 | QR | — | C | |
| 5E/4185 | † | | | | | | | Cable, Uninyvin 16 | QR | — | C | |
| 5E/4187 | † | | | | | | | Cable, Uninyvin 12 | QR | — | C | |
| 5X/1526 | Z.18500/D | | | | | | | Ferrule | 2 | — | C | |
| 5X/1533 | Z.18501/D | | | | | | | Ring, clamp | 2 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|------------|-----------------|---|---|---|---|---|---|---------|-------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| 5X/1005131 | Z.49428 | Sleeve, cable | | | | | | 40 | — | C | |
| 5K/ | EEAS.118/5/C6 | Sleeve, identification | | | | | | 2 | — | — | |
| 5K/9107065 | EEAS.146/A | Sleeve, 3/4" long | | | | | | 48 | — | C | |
| 5K/9107066 | EEAS.146/B | Sleeve, 3/4" long | | | | | | 4 | — | C | |
| 5X/6194 | CZ.50405 | Socket, assembly, size D (Pre-Mod. 3380) | | | | | | 2 | — | B | |
| 5X/7192 | 2CZ.111238 | Socket, assembly, size D (Mod. 3380) | | | | | | 2 | — | B | |
| 5F/ | † | Tubing, P.V.C., 25.4 m/m x 1.2 m/m | | | | | | QR | — | — | |
| | E.A.3.81.1839/2 | CABLE, ASSEMBLY, 5.F, FROM J.B.5 TO FORWARD BOMB BEAM JETTISON SUPPLY, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 5X/6416 | EEAS.88/1 | Ferrule, special | | | | | | 1 | — | C | |
| 5X/9491421 | Z.22431 | Grommet, Helsyn No. 3 | | | | | | 1 | — | C | |
| 5X/1529 | Z.18501/A | Ring, clamp | | | | | | 1 | — | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | | | | | | 10 | — | C | |
| 5K/9107069 | EEAS.146/E | Sleeve, 1 1/2" long | | | | | | 1 | — | C | |
| 5K/ | EEAS.118/1/5F | Sleeve, identification | | | | | | 2 | — | — | |
| 5X/1005131 | Z.49428 | Sleeve, cable | | | | | | 5 | — | C | |
| 5X/6190 | CZ.50400 | Socket, size Z (Pre-Mod. 3380) | | | | | | 1 | — | B | |
| 5X/7175 | 2CZ.111233 | Socket, size Z (Mod. 3380) | | | | | | 1 | — | B | |
| 5X/7298 | HC.490 | Tag | | | | | | 5 | — | C | |
| 5F/ | † | Tubing, P.V.C., black, 9.5 m/m i/d | | | | | | QR | — | — | |
| 7685 | E.A.3.81.1841/2 | CABLE, ASSEMBLY, 2.F, FROM J.B.2 TO FORWARD SECONDARY BOMB BEAM, GROUP | | | | | | 1 | — | B | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 5X/6413 | EEAS.88/3 | Ferrule, special | | | | | | 1 | — | C | |
| 5X/2787 | Z.22432 | Grommet, Helsyn No. 4 | | | | | | 1 | — | C | |
| 5X/6488 | CZ.23144B | Ring, clamp | | | | | | 1 | — | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | | | | | | 22 | — | C | |
| 5K/9107069 | EEAS.146/G | Sleeve, 1 1/2" long | | | | | | 1 | — | C | |
| 5K/ | EEAS.118/3/2F | Sleeve, identification | | | | | | 2 | — | — | |
| 5X/1005131 | Z.49428 | Sleeve, cable | | | | | | 11 | — | C | |
| 5X/6193 | CZ.50404 | Socket, size C (Pre-Mod. 3380) | | | | | | 1 | — | B | |
| 5X/7184 | 2CZ.111235 | Socket, size C (Mod. 3380) | | | | | | 1 | — | B | |
| 5X/7298 | HC.490 | Tag | | | | | | 11 | — | C | |
| 5F/ | † | Tubing, P.V.C., black, 15.8 m/m i/d | | | | | | QR | — | — | |
| 7687 | E.A.3.81.1889/2 | CABLE, ASSEMBLY, 2.H, FROM J.B.2 TO REAR SECONDARY BOMB BEAM RELEASE CONNECTION, GROUP | | | | | | 1 | — | B | |
| | | Spares for this group are identical with those for group Part No. E.A.3.81.1841/2 on page 271, except for the following deletion and addition:— | | | | | | | | | |
| | | Delete:— | | | | | | | | | |
| 5K/ | EEAS.118/3/2F | Sleeve, identification | | | | | | 2 | — | — | |
| | | Add:— | | | | | | | | | |
| 5K/ | EEAS.118/3/2H | Sleeve, identification | | | | | | 2 | — | — | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|------------|----------------|---|---------|-------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | | 1 2 3 4 5 6 | | | | | |
| 7684 | E.A3.81.1891/2 | CABLE, ASSEMBLY, 5.H, FROM J.B.5 TO JET-TISON SUPPLY, REAR BOMB BEAM POSITION, GROUP (PRE-MOD. 2197) Spares for this group are identical with those for group Part No. E.A3.81.1839/2 on page 271, except for the following deletion and addition:— Delete:— | 1 | — | | B | |
| 5K/ | EEAS.118/1/5F | Sleeve, identification | 2 | — | | — | |
| 5K/ | EEAS.118/1/5H | Sleeve, identification | 2 | — | | — | |
| | E.A9.81.3937/2 | CABLE, ASSEMBLY, 5.H, FROM AFT SECOND-ARY BOMB BEAM TO J.B.5, GROUP (MOD. 2197) (S.O.O.) Consisting of:— | 1 | — | | — | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | | C | |
| 5F/2035 | † | Conduit, P.V.C., 0.500 i/d | QR | — | | C | |
| 5X/1523 | † | Ferrule | 1 | — | | C | |
| 5X/9491421 | Z.22431 | Grommet, tension, No. 5 | 1 | — | | C | |
| 5X/1530 | † | Ring, clamp | 1 | — | | C | |
| 5X/1005131 | Z.49428 | Sleeve, cable | 5 | — | | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | 10 | — | | C | |
| 5K/9107069 | EEAS.146/G | Sleeve, 1" long | 2 | — | | C | |
| 5X/6776 | † | Socket (Pre-Mod. 3380) | 1 | — | | B | |
| 5X/7175 | 2CZ.111233 | Socket (Mod. 3380) | 1 | — | | B | |
| 5X/7298 | HC.490 | Tag | 5 | — | | C | |
| 7686 | E.A3.81.1939 | CABLE, ASSEMBLY, 2G, 2J AND 2K, FROM J.B.2 TO TERMINAL BOARD NOSE AND TAIL FUSING UNITS, GROUP Consisting of:— | 1 | — | | B | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | | C | |
| 5X/2787 | Z.22432 | Grommet, Helsyn No. 4 | 1 | — | | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | 8 | — | | C | |
| 5K/9107069 | EEAS.146/G | Sleeve, 1" long | 3 | — | | C | |
| 5K/910 | ROSS COURTNEY | Tag, terminal | 4 | — | | C | |
| 5X/7298 | HC.490 | Tag | 8 | — | | C | |
| 7688 | E.A3.81.1941 | CABLE, ASSEMBLY, 2G.1, MAIN OPERATION FROM TERMINAL BOARD TO RELEASE UNIT HEAVY BOMB POSITION, GROUP Consisting of:— | 1 | — | | — | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | | C | |
| 5X/6688 | 12102 | Lug, crimping | 1 | — | | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | 4 | — | | C | |
| 5K/9107067 | EEAS.146/B | Sleeve, 1" long | 2 | — | | C | |
| 5X/7298 | HC.490 | Tag | 2 | — | | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No | Description | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|----------|------------------------|--|---------|-------------|---------------|-----------|
| | | | | | M.R. L.M | |
| | E.A3.81.2359/2 | CABLE, ASSEMBLY, C.1, FROM PRESSURE BULK-HEAD TO J.B.1, GROUP | 1 | — | — | |
| | | Consisting of:— | | | | |
| | 5E/4183 † | Cable, Uninyvin 20 | QR | — | C | |
| | 5E/4185 † | Cable, Uninyvin 16 | QR | — | C | |
| | 5E/4187 † | Cable, Uninyvin 12 | QR | — | C | |
| | 5X/1526 Z.18500/D | Ferrule | 2 | — | C | |
| | 5X/1533 Z.18501/D | Ring, clamp | 2 | — | C | |
| | 5K/9107066 EEAS.146/A1 | Sleeve, 3/4" long | 48 | — | C | |
| | 5K/9107067 EEAS.146/C | Sleeve, 3/4" long | 4 | — | C | |
| | 5X/1005131 Z.49428 | Sleeve, cable | 26 | — | C | |
| | 5K/ EEAS.118/5/C1 | Sleeve, identification | 2 | — | — | |
| | 5X/6194 CZ.50405 | Socket, assembly, size D (Pre-Mod. 3380) ... | 2 | — | B | |
| | 5X/7192 2CZ.111238 | Socket, assembly, size D (Mod. 3380) ... | 2 | — | B | |
| | 5F/ † | Tubing, P.V.C., 25.4 m/m x 1.2 m/m ... | QR | — | — | |
| 7691 | E.A3.81.2363 | CABLE, ASSEMBLY, 1.H, FROM J.B.1 TO NO. 1 FUEL TANK TERMINAL BOARD, PORT, GROUP | 1 | — | B | |
| | | Consisting of:— | | | | |
| | 5E/4183 † | Cable, Uninyvin 20 | QR | — | C | |
| | 5E/4197 † | Cable, Uninyvin 12 | QR | — | C | |
| | 5X/2788 Z.23672 | Grommet, Helsyn No. 5 | 1 | — | C | |
| | 5K/9107065 EEAS.146/A | Sleeve, 3/4" long | 3 | — | C | |
| | 5K/9107066 EEAS.146/A1 | Sleeve, 3/4" long | 3 | — | C | |
| | 5K/9107067 EEAS.146/C | Sleeve, 3/4" long | 4 | — | C | |
| | 5K/9107069 EEAS.146/G | Sleeve, 1" long | 2 | — | C | |
| | 5X/7017 HC.510 | Tag | 2 | — | C | |
| | 5X/7016 HC.500 | Tag | 3 | — | C | |
| | 5F/ † | Tubing, P.V.C., 12.7 m/m x 1 m/m ... | QR | — | — | |
| 7692 | E.A3.81.2365 | CABLE, ASSEMBLY, 1H.1, FROM NO. 1 FUEL TANK TERMINAL BOARD TO FUEL PUMP SUPPRESSOR, PORT, GROUP | 1 | — | B | |
| | | Consisting of:— | | | | |
| | 5X/6757 EEAS.68/6 | Adapter, reducing | 1 | — | C | |
| | 5E/4187 † | Cable, Uninyvin 12 | QR | — | C | |
| | 10H/0970107 Z.62234 | Gasket, union | 1 | — | C | |
| | 5CZ/3766 † | Lug, terminal, No. 27 | 2 | — | C | |
| | 10H/0970127 Z.49046 | Nut, union | 1 | — | C | |
| | 10H/0970087 Z.62228 | Ring, sealing | 1 | — | C | |
| | 10H/0970095 Z.49051 | Ring, thrust | 1 | — | C | |
| | 5K/9107067 EEAS.146/C | Sleeve, 1/2" long | 4 | — | C | |
| | 5K/9107068 EEAS.146/D1 | Sleeve, 3/4" long | 2 | — | C | |
| 7693 | E.A3.81.2367/2 | CABLE, ASSEMBLY, 1H.2, FROM NO. 1 FUEL TANK SUPPRESSOR TO FUEL PUMP, PORT, GROUP | 1 | — | B | |
| | | Consisting of:— | | | | |
| | 5X/6757 EEAS.68/6 | Adaptor | 1 | — | C | |
| | 5E/4203 † | Cable, Uninyvinmet 12 | QR | — | C | |
| | 33H/56 † | Cement, Bostik | QR | — | C | |
| | 5X/240 Z.2277/2 | Ferrule, cut, size Z | 1 | — | C | |
| | 5CZ/3766 † | Lug, terminal, No. 27 | 1 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|-------------|----------------|---|---------|-------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| | | 1 2 3 4 5 6 | | | | |
| 10H/0970293 | CZ.69734 | Nut, union, cable clamp | 1 | — | C | |
| 10H/0970095 | Z.49051 | Ring, thrust | 1 | — | C | |
| 5K/9107067 | EEAS.146/C | Sleeve, 3/4" long | 4 | — | C | |
| 5K/9107068 | EEAS.146/D1 | Sleeve, 1" long | 2 | — | C | |
| 5X/6029 | CZ.27905 | Socket, assembly, size Z (Pre-Mod. 3380) ... | 1 | — | B | |
| 5X/7176 | 2CZ.111436 | Socket, assembly, size Z (Mod. 3380) ... | 1 | — | B | |
| 10H/0970107 | Z.62234 | Union, gasket | 1 | — | C | |
| 5E/2904 | † | Wire, copper tinned, 25 SWG | QR | — | C | |
| 5E/3141 | † | Wire, copper tinned, 32 SWG | QR | — | C | |
| 7695 | E.A3.81.2371 | CABLE, ASSEMBLY, 1J.1, FROM NO. 2 FUEL TANK TERMINAL BOARD TO FUEL PUMP SUPPRESSOR, PORT, GROUP Consisting of:— | 1 | — | B | |
| 5X/6757 | EEAS.68/6 | Adaptor | 1 | — | C | |
| 5E/4187 | † | Cable, Uninyvin 12 | QR | — | C | |
| 5CZ/3766 | † | Lug, terminal, No. 27 | 2 | — | C | |
| 10H/0970127 | Z.49046 | Nut, union | 1 | — | C | |
| 10H/0970087 | Z.62228 | Ring, sealing | 1 | — | C | |
| 10H/0970095 | Z.49051 | Ring, thrust | 1 | — | C | |
| 5K/9107067 | EEAS.146/C | Sleeve, 3/4" long | 4 | — | C | |
| 5K/9107068 | EEAS.146/D1 | Sleeve, 1/2" long | 2 | — | C | |
| 10H/0970107 | Z.62234 | Union, gasket | 1 | — | C | |
| 7696 | E.A3.81.2373/2 | CABLE, ASSEMBLY, 1J.2, FROM NO. 2 FUEL TANK SUPPRESSOR TO FUEL PUMP, PORT, GROUP Spares for this group are identical with those for group Part No. E.A3.81.2367/2 on page 273 | 1 | — | B | |
| 7698 | E.A3.81.2377 | CABLE, ASSEMBLY, 1K.1, FROM NO. 3 FUEL TANK TERMINAL BOARD TO FUEL PUMP SUPPRESSOR, GROUP Consisting of:— | 1 | — | B | |
| 5X/6757 | EEAS.68/6 | Adaptor | 1 | — | C | |
| 5E/4187 | † | Cable, Uninyvin 12 | QR | — | C | |
| 5CZ/3766 | † | Lug, terminal No. 27 | 2 | — | C | |
| 10H/0970127 | Z.49046 | Nut, union | 1 | — | C | |
| 10H/0970087 | Z.62228 | Ring, sealing | 1 | — | C | |
| 5K/9107067 | EEAS.146/C | Sleeve, 3/4" long | 4 | — | C | |
| 5K/9107068 | EEAS.146/D | Sleeve, 1" long | 2 | — | C | |
| 10H/0970107 | Z.62234 | Union, gasket | 1 | — | C | |
| 7699 | E.A3.81.2379/2 | CABLE, ASSEMBLY, 1K.2, FROM NO. 3 FUEL TANK SUPPRESSOR TO FUEL PUMP, PORT, GROUP Spares for this group are identical with those for group Part No. E.A3.81.2367/2 on page 273 | 1 | — | B | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | | | | | | | Description | No off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|----------|----------------|---|---|---|---|---|---|--|--------|-------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | | |
| 7700 | E.A3.81.2381 | | | | | | | CABLE, ASSEMBLY, 3H, FROM J.B.3 TO NO. 1 FUEL TANK TERMINAL BOARD, STARBOARD, GROUP Spares for this group are identical with those for group Part No. E.A3.81.2363 on page 273, except for the following deletion and addition:— Delete:— | 1 | — | B | |
| 5X/7016 | HC.500 | | | | | | | Tag 3 | 3 | — | C | |
| 5X/7298 | HC.490 | | | | | | | Add:— Tag 3 | 3 | — | C | |
| 7701 | E.A3.81.2383 | | | | | | | CABLE, ASSEMBLY, 3H.1, FROM NO. 1 FUEL TANK TERMINAL BOARD TO FUEL PUMP SUPPRESSOR, STARBOARD, GROUP Spares for this group are identical with those for group Part No. E.A3.81.2377 on page 274 | 1 | — | B | |
| 7702 | E.A3.81.2385/2 | | | | | | | CABLE, ASSEMBLY, 3H.2, FROM NO. 1 FUEL SUPPRESSOR TO FUEL PUMP, STARBOARD, GROUP Spares for this group are identical with those for group Part No. E.A3.81.2367/2 on page 273 | 1 | — | B | |
| 7703 | E.A3.81.2387 | | | | | | | CABLE, ASSEMBLY, 3J, FROM J.B.3 TO NO. 2 FUEL TANK TERMINAL BOARD, GROUP Spares for this group are identical with those for group Part No. E.A3.81.2381 | 1 | — | B | |
| 7704 | E.A3.81.2389 | | | | | | | CABLE, ASSEMBLY, 3J.1, FROM NO. 2 FUEL TANK TERMINAL BOARD TO FUEL PUMP SUPPRESSOR, STARBOARD, GROUP Spares for this group are identical with those for group Part No. E.A3.81.2377 on page 274 | 1 | — | B | |
| 7705 | E.A3.81.2391/2 | | | | | | | CABLE, ASSEMBLY, 3J.2, FROM FUEL PUMP SUPPRESSOR TO FUEL PUMP, STARBOARD, GROUP Spares for this group are identical with those for group Part No. E.A3.81.2367/2 on page 273 | 1 | — | B | |
| 7706 | E.A3.81.2393 | | | | | | | CABLE, ASSEMBLY, 3K, FROM J.B.3 TO NO. 3 FUEL TANK TERMINAL BOARD, STARBOARD, GROUP Spares for this group are identical with those for group Part No. E.A3.81.2381 | 1 | — | B | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | | | | | | | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|------------|----------------|---|---|---|---|---|---|---|---------|-------------|---------------|------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | M.R. | L.M. | |
| 7707 | E.A3.81.2395 | | | | | | | CABLE, ASSEMBLY, 3K.1, FROM NO. 3 FUEL TANK TERMINAL BOARD TO FUEL PUMP SUPPRESSOR, STARBOARD, GROUP Spares for this group are identical with those for group Part No. E.A3.81.2377 on page 274 | 1 | — | | B | |
| 7708 | E.A3.81.2397/2 | | | | | | | CABLE, ASSEMBLY, 3K.2, FROM FUEL PUMP SUPPRESSOR, STARBOARD, GROUP Spares for this group are identical with those for group Part No. E.A3.81.2367/2 on page 273 | 1 | — | | B | |
| 7710 | E.A3.81.2427/2 | | | | | | | CABLE, ASSEMBLY, 1F, FROM J.B.1 TO AIR BRAKE ACTUATOR VALVE, GROUP Spares for this group are identical with those for group Part No. E.A3.81.708/2 on page 263 | 1 | — | | B | |
| 7709 | E.A3.81.2429/2 | | | | | | | CABLE, ASSEMBLY, 1L, FROM J.B.1 TO SOLENOID VALVE, GROUP Consisting of:— | 1 | — | | B | |
| 5E/4183 | † | | | | | | | Cable, Uninyvin 20 | QR | — | | C | |
| 33H/56 | † | | | | | | | Cement, Bostik | QR | — | | C | |
| 5X/7320 | Z.14485/2 | | | | | | | Ferrule, cut | 1 | — | | C | |
| 5X/2785 | Z.22430 | | | | | | | Grommet, Helsyn No. 2 | 1 | — | | C | |
| 5K/9107066 | EEAS.146/A1 | | | | | | | Sleeve, 3/4" long | 4 | — | | C | |
| 5K/9107067 | EEAS.146/C | | | | | | | Sleeve, 1" long | 2 | — | | C | |
| 5X/1005131 | Z.4928 | | | | | | | Sleeve, cable | 2 | — | | C | |
| 5X/6004 | CZ.27900 | | | | | | | Socket, assembly (Pre-Mod. 3380) | 1 | — | | B | |
| 5X/7038 | 2CZ.84872 | | | | | | | Socket, assembly (Mod. 3380) | 1 | — | | B | |
| 5K/7298 | HC.490 | | | | | | | Tag | 2 | — | | C | |
| 32B/498 | † | | | | | | | Thread, waxed linen, No. 18 | QR | — | | C | |
| | E.A3.81.2539 | | | | | | | CABLE, ASSEMBLY, C.S.2, FROM PRESSURE BULKHEAD TO EARTH STUD AND PLUG AT FRAME 24, ALSO PORT AND STARBOARD FUEL COCKS, GROUP (MOD. 715) Consisting of:— | 1 | — | | — | |
| 5E/4183 | † | | | | | | | Cable, Uninyvin 20 | QR | — | | C | |
| 5E/4187 | † | | | | | | | Cable, Uninyvin 12 | QR | — | | C | |
| 33H/56 | † | | | | | | | Cement, Bostik | QR | — | | C | |
| 32A/94 | † | | | | | | | Cord, waxed, coreless | QR | — | | C | |
| 5X/335 | Z.2260/2 | | | | | | | Ferrule, cut | 2 | — | | C | |
| 5X/7320 | Z.14485/2 | | | | | | | Ferrule, cut | 2 | — | | C | |
| 5X/6206 | Z.23196 | | | | | | | Gasket, moulding plug | 1 | — | | C | |
| 5X/3170 | Z.28156/B | | | | | | | Gasket, ferrule socket | 1 | — | | C | |
| 5X/6423 | Z.61537 | | | | | | | Nut, coupling | 1 | — | | C | |
| 5X/284 | Z.1275 | | | | | | | Plug, shroud | 1 | — | | C | |
| 5X/6183 | CZ.50359 | | | | | | | Plug, single (Pre-Mod. 3380) | 1 | — | | B | |
| 5X/7153 | 2CZ.111297 | | | | | | | Plug, single (Mod. 3380) | 1 | — | | B | |
| 5X/1005131 | Z.49428 | | | | | | | Sleeve, cable | 14 | — | | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No off | Mtrl. Spec. | Cl. of Equip. | Plate No. |
|------------|----------------|---|---|---|---|---|---|--------|-------------|---------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. L.M. | |
| 5K/9107066 | EEAS.146/A1 | | | | | | | 10 | — | C | |
| 5K/9107067 | EEAS.146/C | | | | | | | 8 | — | C | |
| 5K/9107068 | EEAS.146/D | | | | | | | 2 | — | C | |
| 5K/9107068 | EEAS.146/D1 | | | | | | | 1 | — | C | |
| 5K/9107070 | EEAS.146/H | | | | | | | 2 | — | C | |
| 5X/6189 | CZ.50399 | | | | | | | 2 | — | B | |
| 5X/7178 | 2CZ.111234 | | | | | | | 2 | — | B | |
| 5X/6353 | CZ.56074 | | | | | | | 1 | — | B | |
| 5X/7182 | 2CZ.111440 | | | | | | | 1 | — | B | |
| 5X/6283 | Z.55958 | | | | | | | 2 | — | C | |
| 5X/6602 | Z.56546 | | | | | | | 2 | — | C | |
| 5X/9400064 | Z.19980 | | | | | | | 2 | — | C | |
| 5X/9400066 | Z.19981 | | | | | | | 2 | — | C | |
| 32B/498 | † | | | | | | | QR | — | C | |
| 7711 | E.A3.81.2541/2 | CABLE, ASSEMBLY, 3H.3, FROM NO. 1 FUEL TANK TERMINAL BOARD TO FUEL COCK, STARBOARD, GROUP Spares for this group are identical with those for group Part No. E.A3.81.748/2 on page 267 | | | | | | 1 | — | B | |
| | E.A3.81.2353/2 | CABLE, ASSEMBLY, C7, GENERAL SERVICES FROM PRESSURE BULKHEAD TO J.B.7, PORT WING, GROUP Consisting of:— | | | | | | 1 | — | — | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 5E/4185 | † | Cable, Uninyvin 16 | | | | | | QR | — | C | |
| 5E/4187 | † | Cable, Uninyvin 12 | | | | | | QR | — | C | |
| 5X/1526 | Z.18500/D | Ferrule, size D, Type L | | | | | | 2 | — | C | |
| 5X/1533 | Z.18501/D | Ring, clamp | | | | | | 2 | — | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | | | | | | 48 | — | C | |
| 5K/9107067 | EEAS.146/C | Sleeve, 3/4" long | | | | | | 2 | — | C | |
| 5X/1005131 | Z.49428 | Sleeve, cable | | | | | | 30 | — | C | |
| 5K/ | EEAS.118/5/C7 | Sleeve, identification | | | | | | 2 | — | — | |
| 5X/6194 | CZ.50405 | Socket, assembly, 26 way, size D (Pre-Mod. 3380) (Alternative to socket CZ.27926) | | | | | | 2 | — | B | |
| 5X/6134 | CZ.27926 | Socket, assembly, 26 way, size D (Pre-Mod. 3380) (Alternative to socket CZ.50405) | | | | | | 2 | — | B | |
| 5X/7049 | 2CZ.84878 | Socket, assembly, 26 way, size D (Mod. 3380) (Alternative to socket 2CZ.111238) | | | | | | 2 | — | B | |
| 5X/7192 | 2CZ.111238 | Socket, assembly, 26 way, size D (Mod. 3380) (Alternative to socket 2CZ.84878) | | | | | | 2 | — | B | |
| 5F/ | † | Tubing, P.V.C., 25.4 m/m x 1.2 m/m | | | | | | QR | — | — | |
| | E.B6.81.1107/2 | CABLE, ASSEMBLY, C.71, FROM PLUG BRACKET AT FRAME 11, STARBOARD, ABOVE DOOR FRAME TO I.F.F.JB, GROUP (PRE-MOD. 2593) Consisting of:— | | | | | | 1 | — | — | |
| 5E/3079 | † | Cable, Quinpren 6 | | | | | | QR | — | C | |
| 33H/56 | † | Cement, Bostik | | | | | | QR | — | C | |
| 32A/94 | † | Cord, waxed, coreless | | | | | | QR | 4F/35 | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No |
|------------|--------------|--|---------|-------------|---------------|------|----------|
| | | | | | M.R. | L.M. | |
| | | | | | | | |
| | | 1 2 3 4 5 6 | | | | | |
| 5X/240 | Z.2277/2 | Ferrule, cut | 1 | — | C | | |
| 5K/87 | AGS.1658/0 | Nut, cable gland | 1 | — | C | | |
| 5X/1005131 | Z.49428 | Sleeve, cable | 4 | — | C | | |
| 5K/34 | AGS.1688/2 | Sleeve, slotted, type 1 | 1 | — | C | | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | 8 | — | C | | |
| 5K/9107067 | EEAS.146/C | Sleeve, 1" long | 2 | — | C | | |
| 5X/6190 | CZ.50400 | Socket, size Z (Pre-Mod. 3380) | 1 | — | B | | |
| 5X/7175 | 2CZ.111233 | Socket, size Z (Mod. 3380) | 1 | — | B | | |
| 5X/7298 | HC.490 | Tag | 4 | — | C | | |
| | E.B6.81.1277 | CABLE, ASSEMBLY, C.110, FROM M.E.P. TO INVERTER RELAY PANEL, GROUP (MOD. 2197) (S.O.O.) Consisting of:— | 1 | — | — | | |
| 5E/4190 | † | Cable, Uninyvin 6 | QR | — | C | | |
| 5F/2036 | † | Conduit, flexible | QR | — | C | | |
| 5X/9400086 | Z.70020 | Lug | 2 | — | C | | |
| 5X/9400087 | † | Lug | 2 | — | C | | |
| 5K/9107068 | EEAS.146/D | Sleeve, 1/2" long | 4 | — | C | | |
| 5K/9107069 | EEAS.146/G | Sleeve, 3/4" long | 4 | — | C | | |
| | E.B6.81.1685 | CABLE, ASSEMBLY, C.31, FROM M.E.P. TO CONNECTOR ON LEADING EDGE DIAPHRAGM, PORT, GROUP (MOD. 2393-2155-2197) Consisting of:— | 1 | — | — | | |
| 5E/4197 | † | Cable, Uninyvin 0000 | QR | — | C | | |
| 5F/2037 | † | Conduit, flexible, 19 m/m x 1 m/m | QR | — | C | | |
| 5X/9400108 | † | Lug, Mk. 42 | 2 | — | C | | |
| 5K/9107070 | EEAS.146/J | Sleeve, 1 1/2" long | 2 | — | C | | |
| 5K/9107071 | EEAS.146/L | Sleeve, 2" long | 2 | — | C | | |
| | E.B6.81.1691 | CABLE, ASSEMBLY, C.37, FROM M.E.P. TO NEGATIVE SHUNT, LEADING EDGE PORT WING, GROUP (MOD. 2155) Consisting of:— | 1 | — | — | | |
| 5E/4185 | † | Cable, Uninyvin 16 | QR | — | C | | |
| 5F/2034 | † | Conduit, flexible | QR | — | C | | |
| 5X/9400388 | † | Lug, crimping, Mk. 8 | 2 | — | C | | |
| 5K/9107067 | EEAS.146/C | Sleeve, 3/4" long | 4 | — | C | | |
| 5K/9107068 | EEAS.146/D1 | Sleeve, 1" long | 2 | — | C | | |
| | E.B6.81.1693 | CABLE, ASSEMBLY, C.38, FROM M.E.P. TO NEGATIVE SHUNT, LEADING EDGE STARBOARD WING, GROUP (MOD. 2155-2393) Consisting of:— | 1 | — | — | | |
| 5E/4185 | † | Cable, Uninyvin 16 | QR | — | C | | |
| 5F/2034 | † | Conduit, flexible | QR | — | C | | |
| 5X/9400388 | † | Lug, crimping, Mk. 8 | 2 | — | C | | |
| 5K/9107067 | EEAS.146/C | Sleeve, 3/4" long | 4 | — | C | | |
| 5K/9107068 | EEAS.146/D1 | Sleeve, 1" long | 2 | — | C | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|------------|----------------|--|-----|-----|-----|-----|----|-------------|-------------|---------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. L.M. | |
| | E.B6.81.1695 | CABLE, ASSEMBLY, C.32, FROM M.E.P. TO CONNECTOR ON LEADING EDGE DIAPHRAGM, STARBOARD, GROUP (MOD. 2393-2155-2197) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4197 | † | Cable, Uninyvin 0000 | ... | ... | ... | ... | QR | — | C | | |
| 5F/2037 | † | Conduit, flexible, 19 m/m x 1 m/m | ... | ... | ... | ... | QR | — | C | | |
| 5X/9400108 | † | Lug, Mk. 42 | ... | ... | ... | ... | 2 | — | C | | |
| 5K/9107070 | EEAS.146/J | Sleeve, 1½" long | ... | ... | ... | ... | 2 | — | C | | |
| 5K/9107071 | EEAS.146/L | Sleeve, 2" long | ... | ... | ... | ... | 2 | — | C | | |
| | E.B6.81.1711/2 | CABLE, ASSEMBLY, C.35, FROM M.E.P. TO VOLTAGE REGULATOR PANEL PLUG AND TERMINAL BLOCK, PORT WING, GROUP (MOD. 2393-2155-2197) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4185 | † | Cable, Uninyvin 16 | ... | ... | ... | ... | QR | — | C | | |
| 5E/4186 | † | Cable, Uninyvin 14 | ... | ... | ... | ... | QR | — | C | | |
| 5F/2037 | † | Conduit, flexible | ... | ... | ... | ... | QR | E. & I. 659 | C | | |
| 5F/2143 | † | Conduit, flexible | ... | ... | ... | ... | QR | E. & I. 659 | C | | |
| 5X/320 | Z.1386/2 | Ferrule | ... | ... | ... | ... | 1 | — | C | | |
| 5X/3146 | Z.49397 | Sleeve | ... | ... | ... | ... | 3 | — | C | | |
| 5X/1005132 | Z.28081 | Sleeve | ... | ... | ... | ... | 10 | — | C | | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, ¾" long | ... | ... | ... | ... | 6 | — | C | | |
| 5K/9107067 | EEAS.146/C | Sleeve, ¾" long | ... | ... | ... | ... | 11 | — | C | | |
| 5K/9107070 | EEAS.146/J | Sleeve, ¾" long | ... | ... | ... | ... | 1 | — | C | | |
| 5K/9107070 | EEAS.146/J | Sleeve, 1" long | ... | ... | ... | ... | 1 | — | C | | |
| 5K/9107070 | EEAS.146/J | Sleeve, 1½" long | ... | ... | ... | ... | 2 | — | C | | |
| 5X/6832 | CZ.71752 | Socket, size C (Pre-Mod. 3380) | ... | ... | ... | ... | 1 | — | B | | |
| 5X/7185 | 2CZ.111236 | Socket, size C (Mod. 3380) | ... | ... | ... | ... | 1 | — | B | | |
| 5X/7016 | HC.500 | Tag | ... | ... | ... | ... | 3 | — | C | | |
| 5X/7017 | HC.510 | Tag | ... | ... | ... | ... | 7 | — | C | | |
| | E.B6.81.1713/2 | CABLE, ASSEMBLY, C.36, FROM M.E.P. TO VOLTAGE REGULATOR PANEL AND TERMINAL BLOCK, STARBOARD WING, GROUP (MOD. 2393-2155-2197) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4185 | † | Cable, Uninyvin 16 | ... | ... | ... | ... | QR | — | C | | |
| 5E/4186 | † | Cable, Uninyvin 14 | ... | ... | ... | ... | QR | — | C | | |
| 2F/2037 | † | Conduit, flexible | ... | ... | ... | ... | QR | — | C | | |
| 5F/2143 | † | Conduit, flexible | ... | ... | ... | ... | QR | — | C | | |
| 5X/1525 | Z.18500/C | Ferrule | ... | ... | ... | ... | 1 | — | C | | |
| 5X/1532 | Z.18501/C | Ring, clamp | ... | ... | ... | ... | 1 | — | C | | |
| 5X/3146 | Z.49397 | Sleeve | ... | ... | ... | ... | 3 | — | C | | |
| 5X/1005132 | Z.28081 | Sleeve | ... | ... | ... | ... | 10 | — | C | | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, ¾" long | ... | ... | ... | ... | 6 | — | C | | |
| 5K/9107067 | EEAS.146/C | Sleeve, ¾" long | ... | ... | ... | ... | 11 | — | C | | |
| 5K/9107070 | EEAS.146/J | Sleeve, ¾" long | ... | ... | ... | ... | 1 | — | C | | |
| 5K/9107070 | EEAS.146/J | Sleeve, 1" long | ... | ... | ... | ... | 2 | — | C | | |
| 5X/6832 | CZ.71752 | Socket, size C (Pre-Mod. 3380) | ... | ... | ... | ... | 1 | — | B | | |
| 5X/7186 | 2CZ.111296 | Socket, size C (Mod. 3380) | ... | ... | ... | ... | 1 | — | B | | |
| 5X/7016 | HC.500 | Tag | ... | ... | ... | ... | 3 | — | C | | |
| 5X/7017 | HC.510 | Tag | ... | ... | ... | ... | 7 | — | C | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | 1 | 2 | 3 | 4 | 5 | 6 | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-------------|------------------------|---|---|---|---|---|---|--|---------|-------------|---------------|------|-----------|
| | | | | | | | | | | | M.R. | L.M. | |
| 27394 | E.A9.81.3565 | | | | | | | CABLE, ASSEMBLY, CA.45, FROM ACCELEROMETER TO L.A.B.S., GROUP (MOD. 2197) (S.O.O.) Consisting of:— | 1 | — | | B | |
| 5E/4183 | † | | | | | | | Cable, Uninyvin 20 | QR | — | | C | |
| 105X/ | CANNON AN.3057/4A | | | | | | | Clamp | 1 | — | | — | |
| 105X/ | CANNON AN.3057/6A | | | | | | | Clamp | 1 | — | | — | |
| 5F/2143 | † | | | | | | | Conduit, flexible | QR | — | | C | |
| 5K/9107065 | EEAS.146/A | | | | | | | Sleeve, 3/4" long | 6 | — | | C | |
| 5K/9107068 | EEAS.146/D1 | | | | | | | Sleeve, 3/4" long | 3 | — | | C | |
| 105X/ | CANNON AN.3106A10SL/3S | | | | | | | Socket | 1 | — | | — | |
| 105X/ | CANNON AN.3106A/14/2S | | | | | | | Socket | 1 | — | | — | |
| | E.A9.81.3567 | | | | | | | CABLE, ASSEMBLY, C.111, FROM INVERTER RELAY PANEL TO EARTH POINT, GROUP (MOD. 2197) Consisting of:— | 1 | — | | — | |
| 5E/4188 | † | | | | | | | Cable, Uninyvin 10 | QR | — | | C | |
| 5X/9400079 | Z.70013 | | | | | | | Lug, cable | 2 | — | | C | |
| 5K/9107068 | EEAS.146/D | | | | | | | Sleeve, 3/4" long | 3 | — | | C | |
| | E.A9.81.3569 | | | | | | | CABLE, ASSEMBLY, C.108, FROM CONTROL PANEL TO INVERTER RELAY PANEL, GROUP (MOD. 2197) Consisting of:— | 1 | — | | — | |
| 5E/4199 | † | | | | | | | Cable, Uninyvinmetsheath 20 | QR | — | | C | |
| 10H/0970292 | † | | | | | | | Clamp, cable | 1 | — | | C | |
| 10H/0970058 | † | | | | | | | Gasket | 1 | — | | C | |
| 10H/0970062 | † | | | | | | | Outlet, straight | 1 | — | | C | |
| 10H/0560270 | † | | | | | | | Plug | 1 | — | | C | |
| 5K/9107065 | EEAS.146/A | | | | | | | Sleeve, 3/4" long | 4 | — | | C | |
| 5K/9107068 | EEAS.146/D | | | | | | | Sleeve, 1" long | 2 | — | | C | |
| 5X/7298 | HC.490 | | | | | | | Tag | 1 | — | | C | |
| | E.A9.81.3597 | | | | | | | CABLE, ASSEMBLY, M.62, FROM INVERTER TO INVERTER RELAY PANEL, GROUP (MOD. 2197) (S.O.O.) Consisting of:— | 1 | — | | — | |
| 5E/4190 | † | | | | | | | Cable, Uninyvin 6 | QR | — | | C | |
| 5CZ/5065 | † | | | | | | | Lug | 1 | — | | C | |
| 5X/9400086 | † | | | | | | | Lug | 1 | — | | C | |
| 5K/9107068 | EEAS.146/D1 | | | | | | | Sleeve, 1" long | 4 | — | | C | |
| | E.A9.81.3599 | | | | | | | CABLE, ASSEMBLY, M.72, FROM INVERTER TO INVERTER RELAY PANEL, GROUP (MOD. 2197) (S.O.O.) Consisting of:— | 1 | — | | — | |
| 5E/4190 | † | | | | | | | Cable, Uninyvin 6 | QR | — | | C | |
| 5CZ/5065 | † | | | | | | | Lug | 1 | — | | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-------------|-----------------|-------------|---|---|---|---|---|--------|-------------|---------------|------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. | L.M. | |
| 5X/9400086 | † | | | | | | | 1 | — | | C | |
| 5K/9107068 | EEAS.146/D1 | | | | | | | 4 | — | | C | |
| | E.A9.81.3601 | | | | | | | 1 | — | | — | |
| | | | | | | | | | | | | |
| 5E/4190 | † | | | | | | | QR | — | | C | |
| 5X/6792 | ERMA 12381 | | | | | | | 2 | — | | C | |
| 5K/9107068 | EEAS.146/D | | | | | | | 4 | — | | C | |
| | E.A9.81.3603 | | | | | | | 1 | — | | — | |
| | | | | | | | | | | | | |
| 5E/4190 | † | | | | | | | QR | — | | C | |
| 5X/6792 | ERMA 12381 | | | | | | | 2 | — | | C | |
| 5K/9107068 | EEAS.146/D1 | | | | | | | 4 | — | | C | |
| | E.A9.81.3605 | | | | | | | 1 | — | | — | |
| | | | | | | | | | | | | |
| 5E/4199 | † | | | | | | | QR | — | | C | |
| 10H/0970292 | † | | | | | | | 1 | — | | C | |
| 10H/0970058 | † | | | | | | | 1 | — | | C | |
| 10H/0970062 | † | | | | | | | 1 | — | | C | |
| 10H/0560210 | † | | | | | | | 1 | — | | C | |
| 5K/9107065 | EEAS.146/A | | | | | | | 4 | — | | C | |
| 5K/9107068 | EEAS.146/D | | | | | | | 2 | — | | C | |
| 5X/7298 | HC.490 | | | | | | | 1 | — | | C | |
| | E.A9.81.3609 | | | | | | | 1 | — | | — | |
| | | | | | | | | | | | | |
| 5E/4183 | † | | | | | | | QR | — | | C | |
| | CANNON | | | | | | | | | | | |
| 105X/ | AN.3057A/10A | | | | | | | 2 | — | | — | |
| 5F/2034 | † | | | | | | | QR | — | | C | |
| | CANNON | | | | | | | | | | | |
| 105X/ | AN.3106A/18/12P | | | | | | | 1 | — | | — | |
| | CANNON | | | | | | | | | | | |
| 105X/ | AN.3106A/18/20P | | | | | | | 1 | — | | — | |
| 5K/9107065 | EEAS.146/A | | | | | | | 8 | — | | C | |
| 5K/9107068 | EEAS.146/D1 | | | | | | | 3 | — | | C | |
| | E.A9.81.3611 | | | | | | | 1 | — | | B | |
| | | | | | | | | | | | | |
| 5E/4183 | † | | | | | | | QR | — | | C | |
| | CANNON | | | | | | | | | | | |
| 105X/ | AN.3057A/12A | | | | | | | 3 | — | | — | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | 1 | 2 | 3 | 4 | 5 | 6 | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No |
|------------|-------------------|---|---|---|---|---|---|---|---------|-------------|---------------|------|----------|
| | | | | | | | | | | | M.R. | L.M. | |
| 5F/2036 | † | | | | | | | Conduit, flexible | QR | — | | C | |
| | CANNON | | | | | | | | | | | | |
| 105X/ | AN.3108A/22/14P | | | | | | | Plug | 1 | — | | — | |
| 5K/9107065 | EEAS.146/A | | | | | | | Sleeve, 3/4" long | 38 | — | | C | |
| 5K/9107068 | EEAS.146/D1 | | | | | | | Sleeve, 1" long | 6 | — | | C | |
| | CANNON | | | | | | | | | | | | |
| 105X/ | AN.3106A/20/27SX | | | | | | | Socket | 1 | — | | — | |
| | CANNON | | | | | | | | | | | | |
| 105X/ | AN.3106A/22/14S | | | | | | | Socket | 1 | — | | — | |
| 27386 | E.A9.81.3613 | | | | | | | CABLE ASSEMBLY, CA.57, FROM L.A.B.S. CALIBRATOR AND L.A.B.S. GYRO HORIZONTAL, TO L.A.B.S. JUNCTION BOX, GROUP (MOD. 2197) (S.O.O.) | 1 | — | | B | |
| | | | | | | | | Consisting of:— | | | | | |
| 5E/4183 | † | | | | | | | Cable, Uninyvin 20 | QR | — | | C | |
| 5E/4185 | † | | | | | | | Cable, Uninyvin 16 | QR | — | | C | |
| 5E/3685 | † | | | | | | | Cable, Uninypren 6 | QR | — | | C | |
| 5F/2035 | † | | | | | | | Conduit, flexible | QR | — | | C | |
| 5F/2036 | † | | | | | | | Conduit, flexible | QR | — | | C | |
| | CANNON | | | | | | | | | | | | |
| 105X/ | AN.3057A/12A | | | | | | | Clamp, cable | 3 | — | | — | |
| 5K/9107065 | EEAS.146/A | | | | | | | Sleeve, 3/4" long | 36 | — | | C | |
| 5K/9107066 | EEAS.146/A1 | | | | | | | Sleeve, 3/4" long | 5 | — | | C | |
| 5K/9107069 | EEAS.146/F | | | | | | | Sleeve, 1" long | 5 | — | | C | |
| 5K/9107070 | EEAS.146/J | | | | | | | Sleeve, 1" long | 2 | — | | C | |
| | CANNON | | | | | | | | | | | | |
| 105X/ | AN.3106A/20/29S | | | | | | | Socket | 1 | — | | — | |
| | CANNON | | | | | | | | | | | | |
| 105X/ | AN.3106A/22/14SY/ | | | | | | | Socket | 1 | — | | — | |
| | CANNON | | | | | | | | | | | | |
| 105X/ | AN.3108A/22/14SX/ | | | | | | | Socket | 1 | — | | — | |
| 27385 | E.A9.81.3615 | | | | | | | CABLE ASSEMBLY, CA.58, FROM L.A.B.S. RELAY BOX TO L.A.B.S. J.B., GROUP (MOD. 2197) (S.O.O.) | 1 | — | | B | |
| | | | | | | | | Consisting of:— | | | | | |
| 5E/4183 | † | | | | | | | Cable, Uninyvin 20 | QR | — | | C | |
| 5E/4185 | † | | | | | | | Cable, Uninyvin 16 | QR | — | | C | |
| 5E/3685 | † | | | | | | | Cable, Uninypren 6 | QR | — | | C | |
| | CANNON | | | | | | | | | | | | |
| 105X/ | AN.3057A/12A | | | | | | | Clamp, cable | 2 | — | | — | |
| 5F/2035 | † | | | | | | | Conduit, flexible | QR | — | | C | |
| 5K/9107065 | EEAS.146/A | | | | | | | Sleeve, 3/4" long | 10 | — | | C | |
| 5K/9107066 | EEAS.146/A1 | | | | | | | Sleeve, 3/4" long | 10 | — | | C | |
| 5K/9107070 | EEAS.146/H | | | | | | | Sleeve, 1" long | 3 | — | | C | |
| | CANNON | | | | | | | | | | | | |
| 105X/ | AN.3106A/20/27SW/ | | | | | | | Socket | 1 | — | | — | |
| | CANNON | | | | | | | | | | | | |
| 105X/ | AN.3108A/20/27S | | | | | | | Socket | 1 | — | | — | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No Of | Matl Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|--------------|--------------------|--|---|---|---|---|---|----------|------------|----------------------------------|--------------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.A9.81.4349 | CABLE, ASSEMBLY, M.61, FROM INVERTER RELAY PANEL TO INVERTER, GROUP (MOD. 2197) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 5X/9400383 | Z.77450 | Lug | | | | | | 1 | — | C | |
| 5X/4252002 | Z.70014 | Lug | | | | | | 1 | — | C | |
| 5X/9107066 | EEAS.146/B | Sleeve, 1" long | | | | | | 3 | — | C | |
| | E.A9.81.4351 | CABLE, ASSEMBLY, M.71, FROM INVERTER RELAY PANEL TO INVERTER, GROUP (MOD. 2197) (S.O.O.) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 5X/9400383 | Z.77450 | Lug | | | | | | 1 | — | C | |
| 5X/4252002 | Z.70014 | Lug | | | | | | 1 | — | C | |
| 5X/9107066 | EEAS.146/B | Sleeve, 1" long | | | | | | 3 | — | C | |
| | E.A9.81.4727 | CABLE, ASSEMBLY, M.61, FROM INVERTER RELAY PANEL TO FUSE, GROUP (MOD. 2626) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4185 | † | Cable, Uninyvin 16 | | | | | | QR | — | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | | | | | | 2 | — | C | |
| 5K/9107067 | EEAS.146/C | Sleeve, 1" long | | | | | | 2 | — | C | |
| 5X/9482491 | HC.500 | Tag | | | | | | 2 | — | C | |
| 5F/2023 | † | Tubing, P.V.C., 5 m/m | | | | | | QR | — | C | |
| | E.B6.81.4927 | CABLE, ASSEMBLY, C.71, FROM PLUG BRACKET AT FRAME 11, STARBOARD, ABOVE DOOR FRAME, TO I.F.F. J.B. (MOD. 2593) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/3079 | † | Cable, Quinpren 6 | | | | | | QR | — | C | |
| 33H/9130065 | † | Cement, Bostik | | | | | | QR | — | C | |
| 32A/1058027 | † | Cord, waxed coreless | | | | | | QR | 4F.35 | C | |
| 5X/240 | Z.2277/2 | Ferrule, cut | | | | | | 1 | — | C | |
| 5K/4329334 | AGS.1658/0 | Nut, cable gland | | | | | | 1 | — | C | |
| 5X/1005131 | Z.49428 | Sleeve | | | | | | 4 | — | C | |
| 5K/4329294 | AGS.1688/2 | Sleeve, slotted, type 1 | | | | | | 1 | — | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | | | | | | 8 | — | C | |
| 5K/9107067 | EEAS.146/C | Sleeve, 1" long | | | | | | 2 | — | C | |
| 5X/7175 | 2CZ.111233 | Socket, size Z | | | | | | 1 | — | C | |
| 5X/9450396 | HC.490 | Tag | | | | | | 4 | — | C | |
| | E.B6.81.5341 | CABLE, ASSEMBLY, C.137, FROM JUNCTION BOX 'A' TO CARRIER JUNCTION BOX, GROUP (MOD. 3483) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4188 | † | Cable, Uninyvin 10 | | | | | | QR | — | C | |
| 5E/4187 | † | Cable, Uninyvin 12 | | | | | | QR | — | C | |
| 5E/4185 | † | Cable, Uninyvin 16 | | | | | | QR | — | C | |
| 10AD/9145217 | CANNON AN.3057/16A | Clamp, cable | | | | | | 1 | — | — | |
| 10AD/4136 | CANNON AN.3057/24A | Clamp, cable | | | | | | 1 | — | — | |
| 10AD/ | CANNON AN.3057/28A | Clamp, cable | | | | | | 1 | — | — | |
| 5F/2037 | † | Conduit, P.V.C. | | | | | | QR | — | C | |
| 5F/2039 | † | Conduit, P.V.C. | | | | | | QR | — | C | |
| 5F/2047 | † | Conduit, P.V.C. | | | | | | QR | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | | | | | | | Description | No. Off | Matl Spec. | Cl. of Equip. | | Plate No. |
|-------------|---------------------------|---|---|---|---|---|---|-------------|---------|------------|---------------|------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | M.R. | L.M. | |
| 10H/ | CANNON AN.3101B/28/20P | | | | | | Plug | 1 | — | | | | |
| 10H/ | CANNON AN.3101B/36/9P | | | | | | Plug | 1 | — | | | | |
| 5K/9107066 | EEAS.146/10 | | | | | | Sleeve, 1/2" long | 2 | — | | | | |
| 5K/9107066 | EEAS.146/12 | | | | | | Sleeve, 1/2" long | 36 | — | | | | |
| 5K/9107065 | EEAS.146/16 | | | | | | Sleeve, 1/2" long | 34 | — | | | | |
| 5K/3369 | EEAS.146/0000 | | | | | | Sleeve, 2" long | 6 | — | | | | |
| 5K/9140109 | EEAS.146/B | | | | | | Sleeve, 2" long | 4 | — | | | | |
| 10H/ | CANNON AN.3106A/40/9S | | | | | | Socket | 1 | — | | | | |
| | E.B6.81.45 | | | | | | LOOMS, CABLE, INSTRUMENT, ASSEMBLY ... | — | — | | | | |
| | E.A3.81.936 | | | | | | Spares for:— CABLE, ASSEMBLY, D.1C-D.1B, DETECTOR UNIT FROM PRESSURE BULKHEAD TO WING ROOT CONNECTION, GROUP | 1 | — | | | | |
| | | | | | | | Consisting of:— | | | | | | |
| 5E/910031 | † | | | | | | Cable, Miniature type 12B | QR | — | | C | | |
| 10H/19093 | Z.49138 | | | | | | Ferrule, outer | 2 | — | | C | | |
| 10H/19094 | Z.49137 | | | | | | Ferrule, inner | 2 | — | | C | | |
| 10H/19371 | Z.54185 | | | | | | Gasket, outlet | 2 | — | | C | | |
| 10H/0970065 | CZ.49182 | | | | | | Outlet, straight | 2 | — | | C | | |
| 10H/0560360 | CZ.49458 | | | | | | Plug, body | 1 | — | | C | | |
| 10H/0970091 | Z.54187 | | | | | | Ring, sealing | 2 | — | | C | | |
| 5K/9107066 | EEAS.146/A1 | | | | | | Sleeve, 3/4" long | 24 | — | | C | | |
| 5K/9107069 | EEAS.146/F | | | | | | Sleeve, 1" long | 2 | — | | C | | |
| 10H/0560180 | CZ.49126 | | | | | | Socket | 1 | — | | B | | |
| | E.B6.81.837 | | | | | | CABLE, ASSEMBLY, AU.2-AU.2A, FROM PRESSURE BULKHEAD CONNECTION TO AIR MILEAGE UNIT, PORT WING, GROUP | 1 | — | | — | | |
| | | | | | | | Consisting of:— | | | | | | |
| 5E/9100021 | † | | | | | | Cable, Miniature 6B | QR | — | | C | | |
| 10H/0970078 | Z.49041 | | | | | | Ferrule | 2 | — | | C | | |
| 10H/0970077 | Z.49042 | | | | | | Ferrule | 2 | — | | C | | |
| 10H/0970058 | Z.60667 | | | | | | Gasket | 2 | — | | C | | |
| 10H/0970062 | CZ.49180 | | | | | | Outlet, straight | 2 | — | | C | | |
| 10H/0560300 | CZ.49222 | | | | | | Plug, 6-way, Mk. 4, free | 1 | — | | C | | |
| 10H/0970088 | Z.62229 | | | | | | Ring, sealing | 2 | — | | C | | |
| 5K/9107066 | EEAS.146/A1 | | | | | | Sleeve, 3/4" long | 12 | — | | C | | |
| 5K/9107069 | EEAS.146/E | | | | | | Sleeve, 1" long | 2 | — | | C | | |
| 10H/0560120 | CZ.49017 | | | | | | Socket, 6-way, Mk. 4, free | 1 | — | | C | | |
| | E.B6.81.839 | | | | | | CABLE, ASSEMBLY, AU.1-AU.1A, FROM PRESSURE BULKHEAD TO AIR MILEAGE UNIT, PORT WING, GROUP | 1 | — | | — | | |
| | | | | | | | Spares for this group are identical with those for group Part No. E.B6.81.837 on page 284, except for the following deletions and additions | | | | | | |
| | | | | | | | Delete:— | | | | | | |
| 10H/0560300 | CZ.49222 | | | | | | Plug, 6-way, Mk. 4, free | 1 | — | | C | | |
| 10H/0560120 | CZ.49017 | | | | | | Socket, 6-way, Mk. 4, free | 1 | — | | C | | |
| | | | | | | | Add:— | | | | | | |
| 10H/0560301 | CZ.49222/1 | | | | | | Plug, 6-way, Mk. 4, free | 1 | — | | C | | |
| 10H/0560521 | CZ.49017/1 | | | | | | Socket, 6-way, Mk. 4, free | 1 | — | | C | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No Off | Matl Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|----------|------------------------|--|---|---|---|---|---|--------|------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.B6.81.2807 | CABLE, ASSEMBLY, 1M, FROM J.B.7 TO FATIGUE METER, GROUP (MOD. 2329) (PRE-MOD. 4922) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| | 5E/4185 † | Cable, Uninyvin 16 | | | | | | QR | — | C | |
| | 5F/9013643 † | Conduit | | | | | | QR | — | C | |
| | EEAS.111/1 | Ferrule | | | | | | 1 | — | — | |
| | 10H/0970058 Z.60667 | Gasket, outlet | | | | | | 1 | — | C | |
| | 5X/9491421 Z.22431 | Grommet, tension, No. 3 | | | | | | 1 | — | C | |
| | 10H/0970068 CZ.49179 | Outlet, angle, 90° | | | | | | 1 | — | C | |
| | 10H/0970087 Z.62228 | Ring, sealing | | | | | | 1 | — | C | |
| | 5X/4491292 Z.18501/A | Ring, clamp | | | | | | 1 | — | C | |
| | 10H/0560090 CZ.49014 | Socket | | | | | | 1 | — | C | |
| | 5K/9107068 EEAS.146/D1 | Sleeve, 3" long | | | | | | 3 | — | C | |
| | 5K/9107065 EEAS.146/A | Sleeve, 3" long | | | | | | 2 | — | C | |
| | 5K/9107066 EEAS.146/A1 | Sleeve, 3" long | | | | | | 2 | — | C | |
| | 5X/9482491 HC.500 | Tag | | | | | | 2 | — | C | |
| | E.A3.81.3271 | CABLE, ASSEMBLY, 1M, FROM J.B.1 TO FATIGUE METER AND M.E.P. (MOD. 4922) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| | 5E/4183 † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| | 10H/1107227 | Clamp, cable | | | | | | 1 | — | C | |
| | | Gasket, outlet | | | | | | 1 | — | — | |
| | 5X/9491421 | Gasket, union | | | | | | 1 | — | — | |
| | | Grommet, No. 3 | | | | | | 1 | — | C | |
| | | Outlet, angle | | | | | | 1 | — | — | |
| | | Ring, sealing | | | | | | 1 | — | — | |
| | | Ring, thrust | | | | | | 1 | — | — | |
| | 5K/9107067 EEAS.146/6 | Sleeve | | | | | | QR | — | C | |
| | 5K/9107066 EEAS.146/12 | Sleeve | | | | | | QR | — | C | |
| | 5K/9107065 EEAS.146/20 | Sleeve | | | | | | QR | — | C | |
| | 10H/9550721 | Socket | | | | | | 1 | — | C | |
| | 5X/9450396 HC.490 | Tag | | | | | | 6 | — | C | |
| | E.B6.81.1997 | PANEL, INVERTER RELAY, INSTALLATION (MOD. 2197) (S.O.O.) | | | | | | — | — | — | |
| | | Spares for:— | | | | | | | | | |
| | E.A9.81.4697 | PANEL, INVERTER, RELAY, ASSEMBLY (PRE-MOD. 3492) | | | | | | 1 | — | — | |
| | | Spares for:— | | | | | | | | | |
| | 5X/4491430 | Bar, commoning | | | | | | 1 | — | C | |
| | 5E/4183 † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| | 5E/4190 † | Cable, Uninyvin 6 | | | | | | QR | — | C | |
| | 5CY/4376030 † | Cover, terminal | | | | | | 4 | — | C | |
| | 5CZ/1053233 † | Cover, terminal | | | | | | 4 | — | C | |
| | 10H/21797 † | Fuse, type S, 2.5A | | | | | | 2 | — | C | |
| | 10H/21799 † | Fuse, type S, 10A | | | | | | 2 | — | C | |
| | 5X/9400086 † | Lug, crimping | | | | | | 2 | — | C | |
| | 5X/9400383 † | Lug, crimping | | | | | | 9 | — | C | |
| | 5X/6869 | Lug, ring tongue | | | | | | 4 | — | C | |
| | 5K/9107065 EEAS.146/A | Sleeve | | | | | | 19 | — | C | |
| | 5K/9107068 EEAS.146/D | Sleeve | | | | | | 4 | — | C | |
| | 5CW/5016 † | Switch, magnetic, Mk. 1A, No. 5 | | | | | | 2 | — | A | |
| | | Attaching parts for Ref. 5CW/5016:— | | | | | | | | | |
| | 28D/9436920 | Bolt, 2 BA | | | | | | 4 | — | C | |
| | 28D/7002428 | Bolt, 2 BA (alternative to type) | | | | | | 4 | — | C | |
| | 28W/9419475 | Washer | | | | | | 4 | — | C | |
| | 28W/9416643 | Washer (Alternative to type) | | | | | | 4 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. Off | Matl Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|-------------|--------------|--|---|---|---|---|---|---------|------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| 5CW/4620 | † | Switch, relay, type T, No. 1 | | | | | | 2 | — | B | |
| 28D/9133011 | A.25/2C | Attaching parts for Ref. 5CW/4620:— | | | | | | | | | |
| 28W/9419475 | SP.15/C | Bolt, 2 BA | | | | | | 2 | — | C | |
| | | Washer | | | | | | 2 | — | C | |
| 5CW/3943 | † | Switch, relay, type S2 | | | | | | 1 | — | C | |
| 28S/9995376 | A.32/B20 | Attaching parts for Ref. 5CW/3943:— | | | | | | | | | |
| 28W/9419474 | SP.15/B | Screw, 4 BA | | | | | | 4 | — | C | |
| | | Washer | | | | | | 4 | — | C | |
| 5X/9450396 | HC.490 | Tag | | | | | | 2 | — | C | |
| 17519 | EEAS.28/4DPH | Washer, for earth terminal | | | | | | 3 | — | C | |
| | E.B6.81.5919 | PANEL, INVERTER RELAY, ASSEMBLY (MOD. 3492) | | | | | | 1 | — | — | |
| | | Spares for this assembly are identical with those for assembly Part No. E.A9.81.4697 on page 285, except for the following additions | | | | | | | | | |
| | | Add:— | | | | | | | | | |
| 33235 | E.C3.81.407 | Guard, assembly | | | | | | 1 | — | C | |
| 28D/9436920 | A.25/1C | Attaching parts for E.C3.81.407:— | | | | | | | | | |
| 28W/9419475 | SP.15/C | Bolt, 2 BA | | | | | | 4 | — | C | |
| | | Washer | | | | | | 4 | — | C | |
| | E.B6.81.1767 | STOWAGE, PLUG, ASSEMBLY, GROUP (MOD. 2197) (S.O.O.) | | | | | | 1 | — | — | |
| | | Spares for:— | | | | | | | | | |
| 10H/0970055 | CZ.51538 | Cap, protective | | | | | | 6 | — | C | |
| 10H/0970209 | Z.62225 | Gasket | | | | | | 6 | — | C | |
| 5CZ/ | Z.67012 | Panel, mounting | | | | | | 6 | — | — | |
| 10H/0970124 | Z.49011 | Ring, locking | | | | | | 6 | — | C | |
| 10H/0970212 | Z.49013 | Ring, mounting | | | | | | 6 | — | C | |
| 3417 | EEAS.132/9 | Strap, cable, c/w buckle | | | | | | 1 | — | C | |
| | | Attaching parts for EEAS.132/9:— | | | | | | | | | |
| 28D/1218385 | AS.1248/2B | Bolt, 4 BA | | | | | | 1 | — | C | |
| 28M/1278189 | AGS.2001/B/1 | Nut, 4 BA | | | | | | 1 | — | C | |
| 3420 | EEAS.73 | Plate, clamp | | | | | | 1 | — | C | |
| 5315 | E.A1.81.222 | SUPPORT AND ROLLERS ACCUMULATOR TRAY, ASSEMBLY | | | | | | 1 | — | B | |
| | | Spares for:— | | | | | | | | | |
| 12002 | E.A1.81.223 | Beam, support, outer, L.H. | | | | | | 1 | — | C | |
| 12003 | E.A1.81.224 | Beam, support, outer, R.H. | | | | | | 1 | — | C | |
| 20794 | E.A1.81.225 | Beam, support, inner | | | | | | 1 | — | C | |
| 21494 | E.A1.81.226 | Plate, attachment | | | | | | 1 | — | C | |
| 22274 | E.A1.81.228 | Roller, assembly | | | | | | 6 | — | C | |
| 21083 | E.A1.81.227 | STOP, CHANNEL MOUNTING, ASSEMBLY | | | | | | 1 | — | C | |
| | | Spares for:— | | | | | | | | | |
| 20716 | E.A3.81.2183 | Pin, locking | | | | | | 2 | — | C | |
| 2727 | E.A1.81.232 | TRAY, ACCUMULATOR, ASSEMBLY | | | | | | 1 | — | B | |
| | | Spares for:— | | | | | | | | | |
| 2743 | E.A1.81.232E | Buffer, rubber, 1/2" dia. x 0.85 long | | | | | | 2 | SHORE 55 | C | |
| 2744 | E.A1.81.236 | Ferrule, accumulator mounting | | | | | | 8 | — | C | |
| 2745 | E.A1.81.235 | Nut, wing, special, accumulator mounting | | | | | | 8 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|-------------|--------------|--|---------|-------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| | E.A4.81.1339 | WIRING, IDENT. LIGHT AND FLAME SWITCH, FRAMES 12-13, ASSEMBLY | — | — | — | |
| | | Spares for:— | | | | |
| 5CZ/1947 | † | Block, terminal, dummy, type J | 1 | — | B | |
| | | Attaching parts for Ref. 5CZ/1947:— | | | | |
| 28D/1200119 | A25/4C | Bolt, 2 BA | 2 | — | C | |
| 28M/10328 | AGS.2002/C/1 | Nut, 2 BA | 2 | — | C | |
| 28W/9419402 | SP.13/C | Washer | 2 | — | C | |
| | | Filament | 1 | — | B | |
| 5L/9952604 | † | Front, domed, clear | 1 | — | B | |
| 5CX/4521 | † | Attaching parts for 5CX/4521:— | | | | |
| 28D/9133011 | A25/2C | Bolt, 2 BA | 3 | — | C | |
| | | Lamp, downward ident., type C | 1 | — | B | |
| 5CX/557 | † | Strap, cable, c/w buckle | 2 | — | C | |
| 3416 | EEAS.132/7 | Attaching parts for EEAS.132/7:— | | | | |
| 28D/8337 | AS.1248/1B | Bolt, 4 BA | 1 | — | C | |
| 28M/10287 | AGS.2001/B/1 | Nut, 4 BA | 1 | — | C | |
| 3420 | EEAS.73 | Plate, clamp | 1 | — | C | |
| | | Strap, cable, c/w buckle | 1 | — | C | |
| 3419 | EEAS.132/15 | | | | | |
| | E.A3.81.417 | WIRING, FRAMES 12-13, PORT, ASSEMBLY | — | — | — | |
| | | Spares for:— | | | | |
| 3418 | EEAS.132/12 | Strap, cable, c/w buckle | 2 | — | C | |
| | | Attaching parts for EEAS.132/12:— | | | | |
| 28D/8337 | AS.1248/1B | Bolt, 4 BA | 1 | — | C | |
| 28M/10287 | AGS.2001/B/1 | Nut, 4 BA | 1 | — | C | |
| 3420 | EEAS.73 | Plate, clamp | 1 | — | C | |
| | E.A3.81.418 | WIRING, FRAMES 12-13, STARBOARD, ASSEMBLY | — | — | — | |
| | | Spares for:— | | | | |
| 3418 | EEAS.132/12 | Strap, cable, c/w buckle | 3 | — | C | |
| | E.B6.81.749 | WIRING, FG.13, FG.14, GROUP (PRE-MOD. 2197) | — | — | — | |
| | | Spares for:— | | | | |
| 7729 | E.A3.81.1279 | Bolt, attachment, for cocking indicator plug ... | 1 | S.1 | C | |
| 7153 | E.A1.81.451 | Bracket | 1 | L.72 | C | |
| 7726 | E.A1.81.452 | Bracket | 1 | L.72 | C | |
| 5CW/9438275 | † | Switch, micro, type 1A, Burgess | 4 | — | B | |
| | E.B6.81.1757 | WIRING, FG.13, FG.14, GROUP (MOD. 2197) (S.O.O.) | — | — | — | |
| | | Spares for:— | | | | |
| 7729 | E.A3.81.1279 | Bolt, attachment, for cocking indicator plug ... | 1 | S.1 | C | |
| | E.A9.81.2285 | Bracket (Micro switch) | 1 | L.72 | — | |
| | E.A9.81.2286 | Bracket (Micro switch) | 1 | L.72 | — | |
| 5CW/4742 | C.1831Y | Switch, micro, D.P.C.O. | 4 | — | A | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | Description 1 2 3 4 5 6 | No. off | Matl. Spec. | Cl. of Equip. | | Plate No |
|----------|-------------|---|---------|-------------|---------------|------|----------|
| | | | | | M.R. | L.M. | |
| | E.B6.81.751 | WIRING AND SUPPRESSORS, FRAMES 14-15, ASSEMBLY | — | — | — | | |
| | 5CZ/868 | ‡ Block, terminal, type B, No. 1 2 | 2 | — | — | B | |
| | 28M/9403518 | Attaching parts for Ref. 5CZ/868:— Nut, 6 BA 2 | 2 | — | — | C | |
| | 28S/1200062 | Screw, 6 BA 2 | 2 | — | — | C | |
| | 28W/9416641 | Washer 2 | 2 | — | — | C | |
| | 3416 | EEAS.132/7 Strap, cable, c/w buckle 1 | 1 | — | — | C | |
| | 28D/8338 | Attaching parts for EEAS.132/7:— Bolt, 4 BA 1 | 1 | — | — | C | |
| | 28M/10287 | Nut, 4 BA 1 | 1 | — | — | C | |
| | 3420 | EEAS.73 Plate, clamp 1 | 1 | — | — | C | |
| | 5CY/2967 | ‡ Suppressor, type D.1102 2 | 2 | — | — | A | |
| | 28D/1008149 | Attaching parts for Ref. 5CY/2962:— Bolt, 4 BA 4 | 4 | — | — | C | |
| | 28M/9403519 | Nut, 4 BA 4 | 4 | — | — | C | |
| | 28W/9416642 | Washer 4 | 4 | — | — | C | |
| | 12030 | EEAS.21/2ER Washer, D 1 | 1 | L.72 | — | C | |
| | E.B6.81.753 | WIRING, FRAMES 15-16, ASSEMBLY | — | — | — | | |
| | 5CZ/432 | ‡ Block, terminal, type B No. 1 1 | 1 | — | — | B | |
| | 28M/9403518 | Attaching parts for Ref. 5CZ/432:— Nut, 6 BA 2 | 2 | — | — | C | |
| | 28S/1200062 | Screw, 6 BA 2 | 2 | — | — | C | |
| | 28W/9416641 | Washer 2 | 2 | — | — | C | |
| | 3416 | EEAS.132/7 Strap, cable, c/w buckle (Port) 1 | 1 | — | — | C | |
| | 3419 | EEAS.132/15 Strap, cable, c/w buckle (Starboard) 1 | 1 | — | — | C | |
| | 28D/8338 | Attaching parts for EEAS.132/7 and EEAS.132/15:— Bolt, 4 BA 1 | 1 | — | — | C | |
| | 28M/10287 | Nut, 4 BA 1 | 1 | — | — | C | |
| | 3420 | EEAS.73 Plate, clamp 1 | 1 | — | — | C | |
| | E.B6.81.717 | WIRING, FRAMES 16-17, ASSEMBLY | — | — | — | | |
| | E.B6.81.859 | ‡ Bracket, assembly, cable support 1 | 1 | — | — | — | |
| | 28M/10287 | Attaching parts for E.B6.81.859:— Nut, 4 BA 2 | 2 | — | — | C | |
| | 28S/9992525 | Screw, 4 BA 2 | 2 | — | — | C | |
| | 28W/9419474 | Washer 2 | 2 | — | — | C | |
| | 3416 | EEAS.132/7 Strap, cable, c/w buckle (Port) 1 | 1 | — | — | C | |
| | 3419 | EEAS.132/15 Strap, cable, c/w buckle (Starboard) 1 | 1 | — | — | C | |
| | 28D/8338 | Attaching parts for EEAS.132/7 and EEAS.132/15:— Bolt, 4 BA 1 | 1 | — | — | C | |
| | 28M/10287 | Nut, 4 BA 1 | 1 | — | — | C | |
| | 3420 | EEAS.73 Plate, clamp 1 | 1 | — | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|-------------|--------------|---|---------|-------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| | | 1 2 3 4 5 6 | | | | |
| | E.B6.81.719 | WIRING, FRAMES 17-18, ASSEMBLY, (PRE-MOD.) 2393-2155) | — | — | — | |
| | | Spares for:— | | | | |
| | E.A3.81.539 | Fairlead, wing/fuselage, port | 1 | — | — | |
| | E.A3.81.540 | Fairlead, wing/fuselage, starboard | 1 | — | — | |
| | E.A3.81.541 | Fairlead, wing/fuselage, port | 1 | — | — | |
| | E.A3.81.542 | Fairlead, wing/fuselage, starboard | 1 | — | — | |
| | | Attaching parts for E.A3.81.539, E.A3.81.540, E.A3.81.541 and E.A3.81.542:— | | | | |
| 28M/9403520 | A27/CP | Nut, 2 BA | 6 | — | C | |
| 28S/9435713 | A31/C20 | Screw, 2 BA | 6 | — | C | |
| 28W/9419475 | SP.15/C | Washer | 6 | — | C | |
| 28W/9416643 | SP.47/C | Washer | 6 | — | C | |
| 3418 | EEAS.132/12 | Strap, cable, c/w buckle | 1 | — | C | |
| | | Attaching parts for EEAS.132/12:— | | | | |
| 28D/8338 | AS.1248/3B | Bolt, 4 BA | 1 | — | C | |
| 28M/10287 | AGS.2001/B/1 | Nut, 4 BA | 1 | — | C | |
| 3420 | EEAS.73 | Plate, clamp | 1 | — | C | |
| 28488 | E.B7.81.1477 | Stud, earth | 2 | — | C | |
| | E.B6.81.1735 | WIRING, FRAMES 17-18, ASSEMBLY (MODS. 2393-2155-2197) | — | — | — | |
| | | Spares for:— | | | | |
| | E.B6.81.1737 | Fairlead | 1 | LFS. | — | |
| | E.B6.81.1739 | Fairlead | 1 | LFS. | — | |
| | E.B6.81.1741 | Fairlead | 1 | LFS. | — | |
| | E.B6.81.1743 | Fairlead | 1 | LFS. | — | |
| 28488 | E.B7.81.1477 | Stud, earth | 2 | — | C | |
| | E.A3.81.2531 | WIRING AND SUPPRESSORS, FRAME 18-19, ASSEMBLY | — | — | — | |
| | | Spares for:— | | | | |
| 5CZ/868 | † | Block, terminal, type B, No. 1 | 2 | — | B | |
| | | Attaching parts for Ref. 5CZ/868:— | | | | |
| 28M/9403518 | A27/AP | Nut, 6 BA | 2 | — | C | |
| 28S/1200062 | A33/A20 | Screw, 6 BA | 1 | — | C | |
| 28S/2834 | A33/A28 | Screw, 6 BA | 1 | — | C | |
| 28W/9419485 | SP.16/A | Washer | 2 | — | C | |
| 28W/9416641 | SP.47/A | Washer | 2 | — | C | |
| 5X/6493 | Z.24933 | Shell, plug, size C | 1 | — | C | |
| 5X/6495 | Z.49252 | Shell, plug, size Z | 1 | — | C | |
| | | Attaching parts for Z.24933 and Z.49252:— | | | | |
| 28M/9403518 | A27/AP | Nut, 6 BA | 4 | — | C | |
| 28S/9419437 | A31/A16 | Screw, 6 BA | 4 | — | C | |
| 28W/9416641 | SP.47/A | Washer | 4 | — | C | |
| 3417 | EEAS.132/9 | Strap, cable, c/w buckle, port | 1 | — | C | |
| 3418 | EEAS.132/12 | Strap, cable, c/w buckle, starboard | 1 | — | C | |
| | | Attaching parts for EEAS.132/9 and EEAS.132/12:— | | | | |
| 28D/9744 | AS.1248/2B | Bolt, 4 BA | 1 | — | C | |
| 28M/10287 | AGS.2001/B/1 | Nut, 4 BA | 1 | — | C | |
| 7735 | E.B6.81.745 | Plate, clamp, port | 1 | — | C | |
| 3420 | EEAS.73 | Plate, clamp, starboard | 1 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-------------|-------------------|--|---------|-------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | | 1 2 3 4 5 6 | | | | | |
| 5CY/2967 | † | Suppressor, type 0, No. 2 | 2 | — | | A | |
| | | Attaching parts for Ref. 5CY/2967:— | | | | | |
| 28D/1008149 | A25/2B | Bolt, 4 BA (As required) | 4 | — | | C | |
| 28D/1010029 | A25/6B | Bolt, 4 BA (As required) | 4 | — | | C | |
| 28M/9403519 | A27/BP | Nut, 4 BA | 4 | — | | C | |
| | AS.2806/4/02 | Piece, distance (As required) | 4 | T.35 | | LM | |
| 28W/9416642 | SP.47/B | Washer | 4 | — | | C | |
| | E.A.81.1265 | WIRING, FRAME 19-20, ASSEMBLY | — | — | | — | |
| | | Spares for:— | | | | | |
| 5X/3276 | CZ.50205 | Block, terminal, type G | 2 | — | | B | |
| | | Attaching parts for CZ.50205:— | | | | | |
| 28M/10287 | AGS.2001/B/1 | Nut, 4 BA | 2 | — | | C | |
| 5X/9450403 | Z.28426 | Pillar, fixing | 2 | — | | C | |
| | SMITH WAYMOUTH | | | | | | |
| 6A/2764 | JLA/103/61 | Box, cable connecting | 1 | — | | B | |
| | | Attaching parts for JLA/103/61:— | | | | | |
| 28D/9436920 | A25/1C | Bolt, 2 BA | 2 | — | | C | |
| 28M/10328 | AGS.2002/C/1 | Nut, 2 BA | 2 | — | | C | |
| | 7725 | Bracket, cable clip support | 2 | — | | C | |
| | | Attaching parts for EEAS.133:— | | | | | |
| 28M/10287 | AGS.2001/B/1 | Nut, 4 BA | 1 | — | | C | |
| 28S/9419435 | A31/B12 | Screw, 4 BA | 1 | — | | C | |
| | 5X/3272 | Cover, terminal block | 2 | — | | B | |
| | 3417 | Strap, cable, c/w buckle, port | 1 | — | | C | |
| | 3418 | Strap, cable, c/w buckle, starboard | 1 | — | | C | |
| | | Attaching parts for EEAS.132/9 and EEAS.132/12:— | | | | | |
| 28D/8337 | AS.1248/1B | Bolt, 4 BA | 1 | — | | C | |
| 28M/10287 | AGS.2001/B/1 | Nut, 4 BA | 1 | — | | C | |
| | 7735 | Plate, clamp, port | 1 | — | | C | |
| | 3420 | Plate, clamp, starboard | 1 | — | | C | |
| | E.B6.81.735 | WIRING, FRAMES 20-21, ASSEMBLY | — | — | | — | |
| | | Spares for:— | | | | | |
| | E.B6.81.737 | Bracket, cable support, across cold air pipe | 1 | — | | — | |
| | | Attaching parts for E.B6.81.737:— | | | | | |
| 28D/1007971 | A25/1/2B | Bolt, 4 BA | 3 | — | | C | |
| 28M/9403519 | A27/BP | Nut, 4 BA | 3 | — | | C | |
| | EEAS.28/6DU | Washer | 3 | — | | — | |
| | E.B6.81.747 | Clip, cable, frame 21 | 1 | — | | — | |
| | | Attaching parts for E.B6.81.747:— | | | | | |
| 28S/9419435 | A31/B12 | Screw, 4 BA | 1 | — | | C | |
| 28S/9419453 | A31/B14 | Screw, 4 BA | 1 | — | | C | |
| 28W/9416642 | SP.47/B | Washer | 2 | — | | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-------------|--------------|--|---------|-------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | | 1 2 3 4 5 6 | | | | | |
| 3416 | EEAS.132/7 | Strap, cable, c/w buckle, port | 1 | — | | | C |
| 3418 | EEAS.132/12 | Strap, cable, c/w buckle, starboard | 1 | — | | | C |
| | | Attaching parts for EEAS.132/7 and EEAS.132/12:— | | | | | |
| 28D/8337 | AS.1248/1B | Bolt, 4 BA | 1 | — | | | C |
| 28M/10287 | AGS.2001/B/1 | Nut, 4 BA | 1 | — | | | C |
| 7735 | E.B6.81.745 | Plate, clamp, port | 1 | — | | | C |
| 3420 | EEAS.73 | Plate, clamp, starboard | 1 | — | | | C |
| | E.B6.81.383 | WIRING, ON FRAMES 21-22, ASSEMBLY | — | — | | | — |
| | | Spares for:— | | | | | |
| | E.A3.81.1715 | Bracket | 1 | — | | | — |
| | | Attaching parts for E.A3.81.1715:— | | | | | |
| 28D/1008149 | A25/2B | Bolt, 4 BA | 2 | — | | | C |
| 28W/9416642 | SP.47/B | Washer | 2 | — | | | C |
| | 7725 | Bracket | 4 | — | | | C |
| | | Attaching parts for EEAS.133:— | | | | | |
| 28M/10287 | AGS.2001/B/1 | Nut, 4 BA | 1 | — | | | C |
| 28S/1200034 | A31/B16 | Screw | 1 | — | | | C |
| | 5X/6265 | Plug, size D (Pre-Mod. 3380) | 2 | — | | | B |
| | 5X/7171 | Plug, size D (Mod. 3380) | 2 | — | | | B |
| | 10H/19610 | † Plug, type 757 | 2 | — | | | B |
| | 10H/19481 | Plug/socket, type 47 | 1 | — | | | B |
| | 10H/19493 | CZ.62277 Plug/socket, type 59 | 1 | — | | | B |
| | 5X/6493 | Z.24933 Shell, plug, size C | 1 | — | | | C |
| | 5X/6495 | Z.49252 Shell, plug, size Z | 1 | — | | | C |
| | | Attaching parts for Z.24933 and Z.49252:— | | | | | |
| 28M/10286 | AGS.2001/A/1 | Nut, 6 BA | 4 | — | | | C |
| 28S/9419437 | A31/A16 | Screw, 6 BA | 4 | — | | | C |
| | 3418 | Strap, cable | 2 | — | | | C |
| | | Attaching parts for EEAS.132/12:— | | | | | |
| 28D/9744 | AS.1248/2B | Bolt, 4 BA | 1 | — | | | C |
| 28M/10287 | AGS.2001/B/1 | Nut, 4 BA | 1 | — | | | C |
| 3420 | EEAS.73 | Plate, clamp | 1 | — | | | C |
| | 7724 | Washer | 3 | — | | | C |
| | E.B6.81.1999 | WIRING, ON FG.22 AND 23, GROUP (MOD. 2197) (S.O.O.) | — | — | | | — |
| | | Spares for:— | | | | | |
| | E.B6.81.1823 | Angle, attachment, assembly | 1 | — | | | — |
| 28G/3812 | AGS.797/C | Bolt, eye | 1 | — | | | C |
| 29H/ | † | Ring, key, 7/8" dia. | 1 | — | | | — |
| | E.A9.81.3975 | Strap, cable | 1 | — | | | — |
| | 38761 | STRAP, CABLE, ASSEMBLY (MOD. 3443) | 2 | — | | | C |
| | | Spares for:— | | | | | |
| | † | Buckle, 1" quick release | 1 | — | | | — |
| | † | Clip, dog (chromed) | 1 | — | | | — |
| | E.A9.81.3543 | Ring (chromed) | 1 | S.T | | | — |
| | † | Ring, key (chromed) | 1 | — | | | — |
| | E.A9.81.3541 | Strap, webbing, 1" wide | 1 | — | | | — |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-------------|---------------------------|---|---------|-------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | | 1 2 3 4 5 6 | | | | | |
| | E.B6.81.1749 | WIRING, FRAMES 24-25, ASSEMBLY (MOD. 2197) (S.O.O.) Spares for this assembly are identical with those for assembly Part No. E.A3.81.1267 on page 292, except for the following additions:— Add:— | — | — | — | — | |
| 10H/0970056 | CZ.51539 | Cap, protective | 2 | — | — | C | |
| 10H/0560140 | CZ.50143/1 | Plug, fixed | 1 | — | — | C | |
| 10H/0560541 | CZ.50143 | Plug, fixed | 1 | — | — | C | |
| | CANNON ELECTRIC 2182/8 | Receptacle, dummy | 1 | — | — | C | |
| | | Attaching parts for 2182/8:— | | | | | |
| 28M/10287 | AGS.2001/B/1 | Nut, 4 BA | 4 | — | — | C | |
| 28S/2875 | A32/B24 | Screw, 4 BA | 4 | — | — | C | |
| | AS.2810/4/0500 | Tube, distance | 4 | L.62 | — | LM | |
| 28W/9419474 | SP.15/B | Washer | 4 | — | — | C | |
| | E.B6.81.721 | WIRING, FRAMES 25-26, ASSEMBLY Spares for:— | — | — | — | — | |
| 3417 | EEAS.132/9 | Strap, cable, c/w buckle | 1 | — | — | C | |
| | | Attaching parts for EEAS.132/9:— | | | | | |
| 28D/9744 | AS.1248/2B | Bolt, 2 BA | 1 | — | — | C | |
| 28M/10287 | AGS.2001/B/1 | Nut, 2 BA | 1 | — | — | C | |
| 3420 | EEAS.73 | Plate, clamp | 1 | — | — | C | |
| | E.A3.81.397 | WIRING TO FLAP TRANSMITTER, ASSEMBLY Spares for:— | — | — | — | — | |
| 3417 | EEAS.132/9 | Strap, cable, c/w buckle | 1 | — | — | C | |
| | | Attaching parts for EEAS.132/9:— | | | | | |
| 28D/8338 | AS.1248/3B | Bolt, 4 BA | 1 | — | — | C | |
| 28M/10287 | AGS.2001/B/1 | Nut, 4 BA | 1 | — | — | C | |
| 3420 | EEAS.73 | Plate, clamp | 1 | — | — | C | |
| | E.A3.81.387 | WIRING, No. 1 FUEL TANK TRANSMITTER, ASSEMBLY Spares for:— | — | — | — | — | |
| 6A/2763 | SMITH WAYMOUTH JLA/103/60 | Box, cable connection | 1 | — | — | B | |
| | | Attaching parts for JLA/103/60:— | | | | | |
| 28D/1200119 | A25/4C | Bolt, 2 BA | 2 | — | — | C | |
| 28M/10328 | AGS.2002/C/1 | Nut, 2 BA | 2 | — | — | C | |
| | AS.2809/4/030 | Tube, distance, 1/2" o/d x 0"30 x 22 SWG | 2 | T.4 | — | LM | |
| 7725 | EEAS.133 | Bracket | 1 | — | — | C | |
| | | Attaching parts for EEAS.133:— | | | | | |
| 28D/10287 | AGS.2001/B/1 | Nut, 4 BA | 1 | — | — | C | |
| 28S/9419435 | A31/B12 | Screw, 4 BA | 1 | — | — | C | |

²⁸⁷
Pages ~~291~~ to 300 not issued
²⁹⁵

**ELECTRICAL
ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|---|--------------|------------------|-----|-----|-----|-----|-----|---------|-------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| SUMMARY OF STOCK ITEMS USED ON ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE | | | | | | | | | | | |
| 28D/1007971 | A25/1/2B | Bolt, 4 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28D/1010658 | A25/1B | Bolt, 4 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28D/1008149 | A25/2B | Bolt, 4 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28D/1010029 | A25/6B | Bolt, 4 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28D/1011011 | A25/8B | Bolt, 4 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28D/1212278 | A25/18B | Bolt, 4 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28D/9436920 | A25/1C | Bolt, 2 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28D/9133011 | A25/2C | Bolt, 2 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28D/1200119 | A25/4C | Bolt, 2 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28D/1214091 | AS.1242/2C | Bolt, 2 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28D/8337 | AS.1248/1B | Bolt, 4 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28D/1218385 | AS.1248/2B | Bolt, 4 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28D/1218386 | AS.1248/3B | Bolt, 4 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28D/1213473 | AS.1249/1/2B | Bolt, 4 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28M/9403518 | A27/AP | Nut, 6 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28M/9403519 | A27/BP | Nut, 4 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28M/9403520 | A27/CP | Nut, 2 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28M/10286 | AGS.2001/A/1 | Nut, stiff, 6 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28M/1278189 | AGS.2001/B/1 | Nut, stiff, 4 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28M/1278190 | AGS.2001/C/1 | Nut, stiff, 2 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28M/9433473 | AGS.2002/C/1 | Nut, stiff, 2 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28S/9419437 | A31/A16 | Screw, 6 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28S/9419435 | A31/B12 | Screw, 4 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28S/9419453 | A31/B24 | Screw, 4 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28S/1200034 | A31/B16 | Screw, 4 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28S/1200040 | A31/B20 | Screw, 4 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28S/9131095 | A31/C14 | Screw, 2 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28S/9997545 | A31/C16 | Screw, 2 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28S/9435713 | A31/C20 | Screw, 2 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28S/9992525 | A32/B12 | Screw, 4 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28S/9992522 | A32/B16 | Screw, 4 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28S/9133016 | A32/C12 | Screw, 2 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28S/1011490 | A32/C16 | Screw, 2 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28S/1200062 | A33/A20 | Screw, 6 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28S/9133018 | A33/A28 | Screw, 6 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28S/9992521 | A33/B24 | Screw, 4 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28S/9130752 | A43/B24 | Screw, 4 BA | ... | ... | ... | ... | ... | ... | | C | |
| 28W/9419465 | SP.13/B | Washer | ... | ... | ... | ... | ... | ... | | C | |
| 28W/9419402 | SP.13/C | Washer | ... | ... | ... | ... | ... | ... | | C | |
| 28W/9419474 | SP.15/B | Washer | ... | ... | ... | ... | ... | ... | | C | |
| 28W/9419475 | SP.15/C | Washer | ... | ... | ... | ... | ... | ... | | C | |
| 28W/9419485 | SP.16/A | Washer | ... | ... | ... | ... | ... | ... | | C | |
| 28W/9419404 | SP.16/C | Washer | ... | ... | ... | ... | ... | ... | | C | |
| 28W/9416641 | SP.47/A | Washer | ... | ... | ... | ... | ... | ... | | C | |
| 28W/9416642 | SP.47/B | Washer | ... | ... | ... | ... | ... | ... | | C | |
| 28W/9416643 | SP.47/C | Washer | ... | ... | ... | ... | ... | ... | | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

| Ref. No. | Part No. | Description | No. Off | Matl Spec. | Cl. of Equip. | Plate No. |
|-------------|--|--|---------|------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| | E.B6.81.11 | ELECTRICAL EQUIPMENT IN REAR FUSELAGE, ASSEMBLY Consisting of:— | — | — | — | |
| 5W/4695 | E.E. CO. LTD. BRADFORD † | ACTUATOR , rudder bias, type 258, Mk. 6 | 1 | — | A | |
| 5W/2080 | E.E. CO. LTD. BRADFORD TYPE AE.4022 E.B6.81.903 | ACTUATOR , tailplane ... BOX, JUNCTION, NO. 6, ASSEMBLY (MOD. 1280) Spares for:— | 1 1 | — — | A — | |
| 5X/1002695 | CZ.23212/1 | BLOCK , terminal, 20-way | 2 | — | C | |
| 28S/9130752 | A43/B24 | Attaching parts for CZ.23212/1:— Screw, 4 BA | 2 | — | C | |
| 5E/4183 | E.A1.81.583 † | BOX , junction | 1 | — | C | |
| 5E/4185 | † | Cable, Uninyvin 20 | QR | — | C | |
| 18783 | E.B7.81.963 | COVER, ASSEMBLY Spares for:— | 1 | — | B/MR | |
| 20457 | EEAS.117/1 | SCREW | 6 | S.92 | C | |
| 1066 | EEAS.28/2CU | WASHER | 12 | DTD.124 | C | |
| 1108 | EEAS.42 | WASHER | 6 | Leather | C | |
| 5X/6168 | Z.23197 | GASKET | 2 | — | C | |
| 5X/6169 | Z.23198 | GASKET | 1 | — | C | |
| 5X/1004085 | Z.50213 | LINK , 5-way | 1 | — | C | |
| 5X/6185 | CZ.50361 | PLUG , size D (Pre-Mod. 3380) | 1 | — | C | |
| 5X/7159 | 2CZ.111229 | PLUG , size D (Mod. 3380) | 1 | — | C | |
| 5K/9107066 | EEAS.146/A1 | SLEEVE | 40 | — | C | |
| 5K/9107067 | EEAS.146/C | SLEEVE | 25 | — | C | |
| 5X/1005131 | Z.49428 | SLEEVE | 19 | — | C | |
| 5X/9450396 | HC.490 | TAG | 19 | — | C | |
| 5X/9482491 | HC.500 | TAG | 1 | — | C | |
| 28D/9436920 | A25/1C | Attaching parts for E.B6.81.903:— Bolt, 2 BA | 4 | — | C | |
| 28M/1278190 | AGS.2001/C/1 | Nut, 2 BA | 4 | — | C | |
| 28W/9419402 | SP.13/C | Washer | 4 | — | C | |
| | E.B7.81.435 | BRACKET, MOUNTING, RELAY PANEL, INSTALLATION Spares for:— | — | — | — | |
| 18757 | E.B7.81.437 E.A1.81.367 | BRACKET | 4 | — | C | |
| 28S/9435712 | A31/B8 | BRACKET , relay mounting | 1 | — | — | |
| 28S/1201448 | A31/B10 | Attaching parts for E.A1.81.367:— Screw, 4 BA | 3 | — | C | |
| 18782 | E.B7.81.805 | Screw, 4 BA | 1 | — | C | |
| | | CLAMP , tailplane actuator cables | 1 | LFS.21 | B/MR | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. Off | Matl Spec. | Cl. of Equip. | | Plate No. |
|--------------|----------------|--|---|---|---|---|---|---------|------------|---------------|------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. | L.M. | |
| | E.A3.81.5857 | DIODE, INSTALLATION (MOD. 3701) (PRE-MOD. 4335) | | | | | | — | — | — | | |
| | | Spares for:— | | | | | | | | | | |
| 5X/3276 | CZ.50205 | BLOCK , terminal, 2-way | | | | | | 1 | — | — | C | |
| 28E/9436947 | AS.3180/4B | CLIP , rubber covered | | | | | | 1 | — | — | C | |
| 28E/1008744 | AS.2295/1 | CLIP , spring, type 80 | | | | | | 1 | — | — | C | |
| 5X/3272 | CZ.26799 | COVER , terminal block | | | | | | 1 | — | — | C | |
| 10CV/0372025 | † | DIODE , type CV.7019 | | | | | | 1 | — | — | C | |
| 5X/9450403 | † | PILLAR , fixing | | | | | | 2 | — | — | C | |
| 5K/9107067 | EEAS.146/6 | SLEEVE | | | | | | 4 | — | — | C | |
| 5X/9450396 | HC.490 | TAG | | | | | | 2 | — | — | C | |
| | E.A3.81.6481 | DIODE, TAIL CIRCUIT, INSTALLATION (MOD. 4335) | | | | | | — | — | — | | |
| | | Spares for:— | | | | | | | | | | |
| 1438549 | E.A3.81.6473 | PLATE, MOUNTING, DIODE, ASSEMBLY | | | | | | 1 | — | — | B | |
| | E.A3.81.6477 | CABLE, ASSEMBLY, T.451, FROM T.100B RELAY TO DIODE | | | | | | 1 | — | — | — | |
| | | Consisting of:— | | | | | | | | | | |
| 5E/3894 | † | CABLE , Unifersil 20 | | | | | | QR | — | — | C | |
| 5K/9107065 | EEAS.146/16 | SLEEVE | | | | | | 3 | — | — | C | |
| 5K/9107065 | EEAS.146/20 | SLEEVE | | | | | | 4 | — | — | C | |
| 5K/3643 | WE.487 | TAG | | | | | | 2 | — | — | C | |
| 5K/ | H.T.X.1380/4C | CLIP , "p" | | | | | | 1 | — | — | — | |
| | | Attaching parts for H.T.X.1380/4C:— | | | | | | | | | | |
| 28M/1278189 | AGS.2001/B/1 | Nut, 4 BA | | | | | | 1 | — | — | C | |
| 28S/9435716 | A33/B12 | Screw, 4 BA | | | | | | 1 | — | — | C | |
| 26DK/9852 | EEAS.238/1A | Washer | | | | | | 1 | — | — | C | |
| 28E/1008744 | AS.2295/1 | CLIP , spring | | | | | | 1 | — | — | C | |
| 10CV/0372025 | FERRANTI-ZR 12 | DIODE , type CV.7019 | | | | | | 1 | — | — | C | |
| | E.A3.81.6475 | PLATE , mounting, diode | | | | | | 1 | L72 | — | — | |
| 10H/22535 | 156/SO/LP | POST , barb, binding | | | | | | 2 | — | — | C | |
| | | Attaching parts for E.A3.81.6473:— | | | | | | | | | | |
| 28M/1278189 | AGS.2001/B/1 | Nut, 4 BA | | | | | | 2 | — | — | C | |
| 1438652 | E.A3.81.6479 | Packing, 3/8" thick, vinton rubber | | | | | | 1 | DTD.5543 | — | C | |
| 28S/1200034 | A.31/B16 | Screw, 4 BA | | | | | | 2 | — | — | C | |
| | E.A1.81.41 | ELECTRICAL EQUIPMENT, REAR FUSELAGE FAIRING, ASSEMBLY | | | | | | — | — | — | — | |
| | | Spares for:— | | | | | | | | | | |
| | E.A1.81.91/1 | LIGHT, TAIL, UPPER, GROUP | | | | | | 1 | — | — | — | |
| | | Spares for:— | | | | | | | | | | |
| 5E/4183 | † | CABLE , Uninyvin 20 | | | | | | QR | — | — | C | |
| 5X/9491422 | Z.22430 | GROMMET , Helsyn No. 2 | | | | | | 1 | — | — | C | |
| 5CX/4236 | E.A1.81.978 | LAMPS, ASSEMBLY (LESS CABLE) | | | | | | 1 | — | — | C | |
| | | Spares for:— | | | | | | | | | | |
| 5CX/4242 | E.A1.81.332 | DOME , lamp protecting, 1/8" thick | | | | | | 1 | Perspex | — | C | |
| 5CX/887 | † | LAMP , navigation, type B, port | | | | | | 1 | — | — | C | |
| 5CX/4243 | E.A1.81.331 | SCREEN , cap, dome mounting, 2" dia. | | | | | | 1 | DTD.683 | — | C | |
| 5K/9107065 | † | SLEEVE , 1" x 1/2" | | | | | | 4 | — | — | C | |
| 5K/9107066 | † | SLEEVE , 2" x 3/4" | | | | | | 2 | — | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|--------------|---------------|---|---------|-------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| | | 1 2 3 4 5 6 | | | | |
| | E.A1.81.92/1 | LIGHT, TAIL, LOWER, GROUP Spares for this group are identical with those for group Part No. E.A1.81.91/1 except for the following deletion:— Delete:— | 1 | — | — | |
| 5X/9491422 | Z.22430 | GROMMET, Helsen No. 2 | 1 | — | C | |
| | E.B6.81.10339 | LAMP, ANTI-COLLISION AND FLASHER UNIT AT FRAMES 32-34, INSTALLATION (MOD. 3355) Spares for:— | — | — | — | |
| 28E/9436819 | AS.3180/3B | CLIP, "P", rubber covered Attaching parts for AS.3108/3B:— | 6 | — | C | |
| 28M/1278189 | AGS.2001/B/1 | Nut, 4 BA | 1 | — | C | |
| 28S/9992522 | A32/B16 | Screw, 4 BA | 1 | — | C | |
| 28W/9419465 | SP.13/B | Washer | 1 | — | C | |
| 5CZ/5448 | † | FLASHER, UNIT, TYPE A, 24 VOLT Attaching parts for Ref. 5CZ/5448:— | 1 | — | A | |
| 28S/1200047 | A31/C24 | Screw, 2 BA | 4 | — | C | |
| | AS.2299/025 | Tube, distance | 4 | — | — | |
| 28W/9419402 | SP.13/C | Washer | 4 | — | C | |
| 5L/9952445 | † | LAMP, filament, 28 volt, 40 watt, S.C.C. | 1 | — | C | |
| | THORN | | | | | |
| 5CX/5315 | FNL.50 | LAMP, navigation | 1 | — | C | |
| 34314 | E.B6.81.10341 | MEMBER, support, flasher unit | 1 | — | C | |
| 40688 | E.B6.81.10347 | PLATE, packing, lamp | 1 | — | C | |
| 40687 | E.B6.81.10345 | RING, packing, lamp | 1 | — | C | |
| | E.B6.81.10355 | LAMP, ANTI-COLLISION, LOWER, AT FRAMES 33-34, INSTALLATION (MOD. 3355) Spares for:— | — | — | — | |
| 28E/9436819 | AS.3180/3B | CLIP, "P", rubber covered Attaching parts for AS.3180/3B:— | 1 | — | C | |
| 28M/1278189 | AGS.2001/B/1 | Nut, 4 BA | 1 | — | C | |
| 28S/9992522 | A32/B16 | Screw, 4 BA | 1 | — | C | |
| 28W/9419465 | SP.13/B | Washer | 1 | — | C | |
| | 40691 | COVER Attaching parts for E.B6.81.10363:— | 6 | — | C | |
| | DZUS | | | | | |
| 28FP/9488815 | A4-30 | Fastener | 6 | — | C | |
| | DZUS | | | | | |
| 28FP/9430916 | S4-200 | Spring | 6 | — | C | |
| 28W/9419464 | SP.13/A | Washer | 6 | — | C | |
| 5L/9952445 | † | LAMP, filament, 28 volt, 40 watt, S.C.C. | 1 | — | C | |
| | THORN | | | | | |
| 5CX/5315 | FNL.50 | LAMP, navigation | 1 | — | C | |
| 40688 | E.B6.81.10347 | PLATE, packing, lamp | 1 | — | C | |
| 40687 | E.B6.81.10345 | RING, packing, lamp | 1 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|------------|-------------------------|--|---------|-------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| | E.B6.81.37 | LOOMS, CABLE, ASSEMBLY ... | — | — | — | |
| 18751 | E.B7.81.299/2 | Consisting of:— CABLE ASSEMBLY, T.6, FROM BOMB BAY BULKHEAD, FRAME 29 TO J.B.6, GROUP | 1 | — | B/MR | |
| | | Consisting of:— | | | | |
| 5E/4183 | † | CABLE, Uninyvin 20 ... | QR | — | C | |
| 5E/4185 | † | CABLE, Uninyvin 16 ... | QR | — | C | |
| 5E/4187 | † | CABLE, Uninyvin 12 ... | QR | — | C | |
| 5X/1526 | Z.18500/D | FERRULE, size D ... | 2 | — | C | |
| 5X/1533 | Z.18501/D | RING, clamp ... | 2 | — | C | |
| 5K/9107066 | EEAS.146/A1 | SLEEVE, 3/4" long ... | 38 | — | C | |
| 5K/9107067 | EEAS.146/C | SLEEVE, 3/4" long ... | 2 | — | C | |
| 5X/1005131 | Z.49428 | SLEEVE, cable ... | 18 | — | C | |
| | EEAS.118/5/N72 END A | SLEEVE, identification ... | 2 | — | C | |
| 5X/6194 | CZ.50405 | SOCKET, 26-way, size D (Pre-Mod. 3380) ... | 1 | — | C | |
| 5X/7192 | 2CZ.111238 | SOCKET, 26-way, size D (Mod. 3380) ... | 1 | — | C | |
| 5X/6200 | CZ.50414 | SOCKET, 26-way, size D (Pre-Mod. 3380) ... | 1 | — | C | |
| 5X/7205 | 2CZ/111468 | SOCKET, 26-way, size D (Mod. 3380) ... | 1 | — | C | |
| 5F/1310 | † | TUBING, P.V.C., 25.4 m/m x 1.2 m/m ... | QR | — | C | |
| | E.B7.81.531 | CABLE ASSEMBLY, 6E, FROM J.B.6 TO EARTH, GROUP | 1 | — | — | |
| | | Consisting of:— | | | | |
| 5E/4187 | † HELLERMANN | CABLE, Uninyvin 12 ... | QR | — | C | |
| 5K/3071 | HV.3112 | GROMMET ... | 1 | — | C | |
| 5K/ | † | SLEEVE, 3/4" long ... | 4 | — | C | |
| 5X/9400388 | † | TAG, 4 BA, closed end ... | 2 | — | C | |
| 5X/9450224 | HC.510 | TAG ... | 2 | — | C | |
| | E.B7.81.573/2 | CABLE ASSEMBLY, T.33, FROM BOMB BAY BULKHEAD FRAME 29 TO TAILPLANE RELAY PANEL, GROUP | 1 | — | — | |
| | | Consisting of:— | | | | |
| 5E/4189 | † | CABLE, Uninyvin 8 ... | QR | — | C | |
| 5X/6413 | EEAS.88/3 | FERRULE, special, size C ... | 1 | — | C | |
| 5X/9400085 | † | LUG, Mk. 19 ... | 2 | — | C | |
| 5X/1531 | Z.18501/B | RING, clamp ... | 2 | — | C | |
| 5K/9107067 | † | SLEEVE, 3/4" long ... | 4 | — | C | |
| | EEAS.118/3/T33 | SLEEVE, identification (Make from 5K/9107459) ... | 2 | — | — | |
| 5X/6105 | CZ.28000 | SOCKET, 4-way, size C (Pre-Mod. 3380) ... | 1 | — | B | |
| 5X/7204 | 2CZ.111463 | SOCKET, 4-way, size C (Mod. 3380) ... | 1 | — | B | |
| 5F/1018176 | † | TUBING, P.V.C., 15.8 m/m x 1 m/m/ ... | QR | — | C | |
| | E.B7.81.575/2 | CABLE ASSEMBLY, T.33H, FROM TAILPLANE RELAY PANEL TO TAILPLANE ACTUATOR HIGH SPEED MOTOR, GROUP | 1 | — | — | |
| | | Consisting of:— | | | | |
| 5X/6748 | HELLERMANN 4370 | BODY, gland, size D ... | 1 | — | C | |
| 5X/6749 | HELLERMANN SK.3360 | BUNG, sealing ... | 1 | — | C | |
| 5E/4185 | † | CABLE, Uninyvin 16 ... | QR | — | C | |

ELECTRICAL
ELECTRICAL EQUIPMENT IN REAR FUSELAGE

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|------------|--------------------|--|---------|-------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| | | | | | | |
| | | 1 2 3 4 5 6 | | | | |
| 5E/4189 | † | CABLE, Uninyvin 8 ... | QR | — | C | |
| 5X/9400083 | † | LUG, Mk. 17 ... | 1 | — | C | |
| 5X/9400084 | † | LUG, Mk. 18 ... | 3 | — | C | |
| 5X/9400385 | † | LUG, Mk. 5A ... | 1 | — | C | |
| 5K/ | EEAS.118/2/T33H | SLEEVE, identification ... | 1 | — | — | |
| 5K/ | EEAS.118/3/T33H | SLEEVE, identification ... | 1 | — | — | |
| 5K/9107066 | EEAS.146/A1 | SLEEVE, 3/4" long ... | 2 | — | C | |
| 5K/9107068 | EEAS.146/D | SLEEVE, 3/4" long ... | 8 | — | C | |
| 5X/6109 | CZ.27921 | SOCKET, assembly, size D (Pre-Mod. 3380) ... | 1 | — | B | |
| 5X/7188 | 2CZ.111442 | SOCKET, assembly, size D (Mod. 3380) ... | 1 | — | B | |
| 5F/9434857 | HELLERMANN HV.3341 | STRAP ... | QR | — | C | |
| 5F/9434855 | HELLERMANN HV.3342 | STUD ... | 16 | — | C | |
| | E.B7.81.577/2 | CABLE, ASSEMBLY, T.33L, FROM TAILPLANE RELAY PANEL TO TAILPLANE ACTUATOR LOW SPEED MOTOR, GROUP Consisting of:— | 1 | — | — | |
| 5X/6748 | HELLERMANN 4370 | BODY, gland, size D ... | 1 | — | C | |
| | HELLERMANN SK.3360 | BUNG, sealing ... | 1 | — | C | |
| 5X/6749 | SK.3360 | CABLE, Uninyvin 16 ... | QR | — | C | |
| 5E/4185 | † | CABLE, Uninyvin 12 ... | QR | — | C | |
| 5E/4187 | † | CABLE, Uninyvin 8 ... | QR | — | C | |
| 5E/4189 | † | LUG, Mk. 10A ... | 2 | — | C | |
| 5X/9400390 | † | LUG, Mk. 17 ... | 1 | — | C | |
| 5X/9400083 | † | LUG, Mk. 5A ... | 1 | — | C | |
| 5X/9400085 | † | LUG, Mk. 18 ... | 3 | — | C | |
| 5X/9400084 | † | SLEEVE, identification ... | 1 | — | — | |
| 5K/ | EEAS.118/2/T33L | SLEEVE, identification ... | 1 | — | — | |
| 5K/ | EEAS.118/4/T33L | SLEEVE, 3/4" long ... | 2 | — | C | |
| 5K/9107066 | EEAS.146/A1 | SLEEVE, 3/4" long ... | 4 | — | C | |
| 5K/9107067 | EEAS.146/C | SLEEVE, 3/4" long ... | 6 | — | C | |
| 5K/9107068 | EEAS.146/D | SLEEVE, 3/4" long ... | 1 | — | B | |
| 5X/6109 | CZ.27921 | SOCKET, assembly, size D (Pre-Mod. 3380) ... | 1 | — | B | |
| 5X/7188 | 2CZ.111442 | SOCKET, assembly, size D (Mod. 3380) ... | 1 | — | B | |
| 5F/2281 | HELLERMANN HV.3341 | STRAP ... | QR | — | C | |
| 5F/9434855 | HELLERMANN HV.3342 | STUD ... | 16 | — | C | |
| | E.B7.81.579 | CABLE, ASSEMBLY, 6K, FROM J.B.6 TO TAILPLANE RELAY PANEL, GROUP Consisting of:— | 1 | — | — | |
| 5E/4185 | † | CABLE, Uninyvin 16 ... | QR | — | C | |
| 5X/2784 | Z.23671 | GROMMET, Helsyn No. 1 ... | 1 | — | C | |
| 5K/ | † | SLEEVE, 3/4" long ... | 4 | — | — | |
| 5X/9482491 | HC.500 | TAG ... | 2 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|------------|-----------------|--|---------|-------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| | | 1 2 3 4 5 6 | | | | |
| | E.B7.81.583/2 | CABLE, ASSEMBLY, 6A, FROM J.B.6 TO TAIL-PLANE POSITION TRANSMITTER, GROUP Consisting of:— | 1 | — | — | |
| 5X/6747 | HELLERMANN 4371 | BODY , gland, size Z | 1 | — | C | |
| 5X/6718 | HELLERMANN 3229 | BUNG , sealing | 1 | — | C | |
| 5E/3079 | † | CABLE , Quinpren | QR | — | C | |
| 5X/6402 | Z.23414 | GASKET , plug moulding | 1 | — | C | |
| 5X/9491421 | Z.22431 | GROMMET , Helsyn No. 3 | 1 | — | C | |
| 5X/6500 | Z.61536 | NUT , coupling | 1 | — | C | |
| 5X/6181 | CZ.50356 | PLUG , assembly, size Z (Pre-Mod. 3380) | 1 | — | B | |
| 5X/7142 | 2CZ.111401 | PLUG , assembly, size Z (Mod. 3380) | 1 | — | B | |
| 5X/283 | Z.1500 | PLUG , shroud | 1 | — | C | |
| 5K/9107066 | EEAS.146/A1 | SLEEVE , ¾" long | 10 | — | C | |
| 5K/9107068 | EEAS.146/D1 | SLEEVE , 1" long | 2 | — | C | |
| 5K/9107068 | EEAS.146/D | SLEEVE , 1½" long | 1 | — | C | |
| 5X/1005131 | Z.49428 | SLEEVE , cable | 5 | — | C | |
| 5X/9430396 | HC.490 | TAG | 5 | — | C | |
| | E.B7.81.587 | CABLE, ASSEMBLY, 6C AND 6C.1 FROM J.B.6 TO TAILPLANE LIMIT SWITCHES AND TAILPLANE RELAY PANEL, GROUP Consisting of:— | 1 | — | — | |
| 5E/4183 | † | CABLE , Uninyvin 20 | QR | — | C | |
| 5X/2785 | Z.22430 | GROMMET , Helsyu No. 2 | 1 | — | C | |
| 5X/9491421 | Z.22431 | GROMMET , Helsyn No. 3 | 2 | — | C | |
| 5X/1005131 | Z.49428 | SLEEVE , cable | 2 | — | C | |
| 5K/9107065 | EEAS.146/A | SLEEVE , ¾" long | 4 | — | C | |
| 5K/9107066 | EAS.146/A1 | SLEEVE , ¾" long | 4 | — | C | |
| 5K/9107067 | EEAS.146/C | SLEEVE , 1" long | 4 | — | C | |
| 5X/9430396 | HC.490 | TAG | 2 | — | C | |
| 5X/6283 | Z.55958 | TAG , closed end | 2 | — | C | |
| 5X/9400064 | Z.19980 | THIMBLE , quick release | 2 | — | C | |
| | E.B6.81.599 | CABLE, ASSEMBLY, 6L, FROM J.B.6 TO TERMINAL BOARD AT A.Y.F. (MOD. 1280) Consisting of:— | 1 | — | C | |
| 5E/4185 | † | CABLE , Uninyvin 16 | QR | — | C | |
| 5X/2785 | Z.22430 | GROMMET , Helsyn No. 2 | 1 | — | C | |
| 5K/9107065 | EEAS.146/A | SLEEVE , ¾" long | 2 | — | C | |
| 5K/9107066 | EEAS.146/A1 | SLEEVE , ¾" long | 2 | — | C | |
| 5K/9107067 | EEAS.146/C | SLEEVE , 1" long | 3 | — | C | |
| 5X/9482491 | HC.500 | TAG | 2 | — | C | |
| 7117 | E.A1.81.802/2 | CABLE, ASSEMBLY, T.94, FROM REAR BOMB BAY BULKHEAD CONNECTION TO PLUG PANEL, REAR SCANNER, GROUP Consisting of:— | 1 | — | B/MR | |
| 5E/9100010 | † | CABLE , miniature 3B | QR | — | C | |
| 33H/56 | † | CEMENT , Bostik | QR | — | C | |
| 10H/20407 | Z.54444 | FERRULE , outer | 1 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|-------------|-----------------|-------------|---|---|---|---|---|---------|-------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| 10H/20406 | Z.54443 | | | | | | | | | | |
| 5X/1356 | Z.2272/2 | | | | | | | | | | |
| 10H/0970058 | Z.60667 | | | | | | | | | | |
| 10H/0970062 | CZ.49180 | | | | | | | | | | |
| 10H/0970088 | Z.62229 | | | | | | | | | | |
| 5K/9107065 | EEAS.146/A | | | | | | | | | | |
| 5K/9107066 | EEAS.146/A1 | | | | | | | | | | |
| 5K/9107068 | EEAS.146/D1 | | | | | | | | | | |
| 5X/1005131 | Z.49428 | | | | | | | | | | |
| 10H/0560100 | CZ.49015 | | | | | | | | | | |
| 5X/6823 | CZ.56090 | | | | | | | | | | |
| 5X/7186 | 2CZ.11296 | | | | | | | | | | |
| 5E/2904 | † | | | | | | | | | | |
| 5E/3141 | † | | | | | | | | | | |
| | E.A.9.81.5415/2 | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 5E/9100007 | † | | | | | | | | | | |
| 10H/0970292 | CZ.69733 | | | | | | | | | | |
| 10H/0970075 | Z.49048 | | | | | | | | | | |
| 10H/0970076 | Z.49047 | | | | | | | | | | |
| 10H/0970058 | Z.60667 | | | | | | | | | | |
| 10H/0970061 | 7CZ.49178 | | | | | | | | | | |
| 10H/0970087 | Z.62278 | | | | | | | | | | |
| 10H/0970088 | Z.62229 | | | | | | | | | | |
| 10H/0970096 | Z.49037 | | | | | | | | | | |
| 5K/9107066 | EEAS.146/10 | | | | | | | | | | |
| 5K/9107068 | EEAS.146/2 | | | | | | | | | | |
| 5K/3367 | EEAS.146/2 | | | | | | | | | | |
| 10H/0560090 | CZ.49014 | | | | | | | | | | |
| 5X/6030 | CZ.27985 | | | | | | | | | | |
| 5X/7198 | 2CZ.111452 | | | | | | | | | | |
| | EEAS.276/Z | | | | | | | | | | |
| | E.A.1.81.806/1 | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 5E/4183 | † | | | | | | | | | | |
| 5X/2795 | Z.22430 | | | | | | | | | | |
| 5K/9107065 | EEAS.146/A | | | | | | | | | | |
| 5K/9107066 | EEAS.146/A1 | | | | | | | | | | |
| 5K/9107067 | EEAS.146/C | | | | | | | | | | |
| 5X/9430396 | HC.490 | | | | | | | | | | |
| | E.B.7.81.2471 | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 5E/3114 | † | | | | | | | | | | |
| 5X/9491421 | Z.22431 | | | | | | | | | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. or Equip. | | Plate No. |
|-------------|----------------|---|---------|-------------|---------------|---|-----------|
| | | | | | M. R. L.M. | | |
| | | 1 2 3 4 5 6 | | | | | |
| 10H/20406 | Z.54443 | FERRULE, inner | 1 | — | | C | |
| 5X/1356 | Z.2272/2 | FERRULE, cut | 1 | — | | C | |
| 10H/0970058 | Z.60667 | GASKET, outlet | 1 | — | | C | |
| 10H/0970062 | CZ.49180 | OUTLET, straight | 1 | — | | C | |
| 10H/0970088 | Z.62229 | RING, sealing | 1 | — | | C | |
| 5K/9107065 | EEAS.146/A | SLEEVE, 3/4" long | 3 | — | | C | |
| 5K/9107066 | EEAS.146/A1 | SLEEVE, 3/4" long | 3 | — | | C | |
| 5K/9107068 | EEAS.146/D1 | SLEEVE, 1" long | 2 | — | | C | |
| 5X/1005131 | Z.49428 | SLEEVE, cable | 3 | — | | C | |
| 10H/0560100 | CZ.49015 | SOCKET, free, Mk. 4 | 1 | — | | C | |
| 5X/6823 | CZ.56090 | SOCKET, assembly, 4-way, size A (Pre-Mod. 3380) | 1 | — | | C | |
| 5X/7186 | 2CZ.11296 | SOCKET, assembly, 4-way, size A (Mod. 3380) | 1 | — | | C | |
| 5E/2904 | † | WIRE, tinned copper, 25 SWG | QR | — | | C | |
| 5E/3141 | † | WIRE, tinned copper, 32 SWG | QR | — | | C | |
| | E.A9.81.5415/2 | CABLE, ASSEMBLY, T.96, FROM BOMB BAY BULKHEAD, TO TRANSMITTER UNIT TYPE X280 (MOD. 3841) Consisting of:— | 1 | — | | — | |
| 5E/9100007 | † | CABLE, miniature 2Q | QR | — | | C | |
| 10H/0970292 | CZ.69733 | CLAMP, cable | 1 | — | | C | |
| 10H/0970075 | Z.49048 | FERRULE, outer | 1 | — | | C | |
| 10H/0970076 | Z.49047 | FERRULE, inner | 1 | — | | C | |
| 10H/0970058 | Z.60667 | GASKET, outlet | 1 | — | | C | |
| 10H/0970061 | 7CZ.49178 | OUTLET, straight | 1 | — | | C | |
| 10H/0970087 | Z.62278 | RING, sealing | 1 | — | | C | |
| 10H/0970088 | Z.62229 | RING, sealing | 1 | — | | C | |
| 10H/0970096 | Z.49037 | RING, thrust | 1 | — | | C | |
| 5K/9107066 | EEAS.146/10 | SLEEVE, 3/4" long | 4 | — | | C | |
| 5K/9107068 | EEAS.146/2 | SLEEVE, 1" long | 2 | — | | C | |
| 5K/3367 | EEAS.146/2 | SLEEVE, 1 1/2" long | 4 | — | | C | |
| 10H/0560090 | CZ.49014 | SOCKET, free, Mk. 4 | 1 | — | | C | |
| 5X/6030 | CZ.27985 | SOCKET, 2-way, size Z (Pre-Mod. 3380) | 1 | — | | C | |
| 5X/7198 | 2CZ.111452 | SOCKET, 2-way, size Z (Mod. 3380) | 1 | — | | C | |
| | EEAS.276/Z | ADAPTOR, outlet | 1 | — | | C | |
| | E.A1.81.806/1 | CABLE, ASSEMBLY, 6G, FROM J.B.6 TO TAIL NAVIGATION LIGHTS TERMINAL BOARD, GROUP Consisting of:— | 1 | — | | — | |
| 5E/4183 | † | CABLE, Uninyvin 20 | QR | — | | C | |
| 5X/2795 | Z.22430 | GROMMET, Helsyn No. 2 | 1 | — | | C | |
| 5K/9107065 | EEAS.146/A | SLEEVE, 3/4" long | 2 | — | | C | |
| 5K/9107066 | EEAS.146/A1 | SLEEVE, 3/4" long | 2 | — | | C | |
| 5K/9107067 | EEAS.146/C | SLEEVE, 1" long | 2 | — | | C | |
| 5X/9430396 | HC.490 | TAG | 2 | — | | C | |
| | E.B7.81.2471 | CABLE, ASSEMBLY, N.104A, FROM CRIMPED CONNECTION BETWEEN FRAME 38 AND 39, TO RUDDER TRIM ACTUATOR, GROUP (MOD. 2193) Consisting of:— | 1 | — | | — | |
| 5E/3114 | † | CABLE, Triprensheath 6 | QR | — | | C | |
| 5X/9491421 | Z.22431 | GROMMET, Helsyn No. 3 | 1 | — | | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|------------|---------------|-------------|---|---|---|---|---|---------|-------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| 5K/9107065 | EEAS.146/B | | | | | | | 6 | — | C | |
| 5K/9107068 | EEAS.146/D1 | | | | | | | 6 | — | C | |
| 5K/9107068 | EEAS.146/D1 | | | | | | | 2 | — | C | |
| | E.A.2.81.1063 | | | | | | | 1 | — | — | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 5E/3114 | † | | | | | | | QR | — | C | |
| 5X/9491421 | CZ.22431 | | | | | | | 2 | — | C | |
| 5K/9107065 | EEAS.146/A | | | | | | | 3 | — | C | |
| 5K/9107066 | EEAS.146/A1 | | | | | | | 3 | — | C | |
| 5K/9107068 | EEAS.146/D1 | | | | | | | 2 | — | C | |
| 5X/9430396 | HC.490 | | | | | | | 3 | — | C | |
| | E.A.2.81.1065 | | | | | | | 1 | — | — | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 5E/3115 | † | | | | | | | QR | — | C | |
| 5X/2787 | Z.22432 | | | | | | | 2 | — | C | |
| 5K/9107065 | EEAS.146/A | | | | | | | 5 | — | C | |
| 5K/9107066 | EEAS.146/A1 | | | | | | | 5 | — | C | |
| 5K/9107069 | EEAS.146/E | | | | | | | 2 | — | C | |
| 5X/9430396 | HC.490 | | | | | | | 5 | — | C | |
| | E.B.7.81.1379 | | | | | | | 1 | — | — | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 5E/4183 | † | | | | | | | QR | — | C | |
| 5X/9491422 | Z.22430 | | | | | | | 1 | — | C | |
| 5K/9107065 | EEAS.146/A | | | | | | | 2 | — | C | |
| 5K/9107066 | EEAS.146/A1 | | | | | | | 2 | — | C | |
| 5K/9107067 | EEAS.146/C | | | | | | | 2 | — | C | |
| 5X/9430396 | HC.490 | | | | | | | 2 | — | C | |
| | E.B.7.81.1381 | | | | | | | 1 | — | — | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 5E/4183 | † | | | | | | | QR | — | C | |
| 5X/1005131 | Z.49428 | | | | | | | 2 | — | C | |
| 5K/9107065 | EEAS.146/A | | | | | | | 2 | — | C | |
| 5K/9107066 | EEAS.146/A1 | | | | | | | 2 | — | C | |
| 5X/7010 | Z.55958 | | | | | | | 2 | — | C | |
| 5X/9400064 | Z.19980 | | | | | | | 2 | — | C | |
| | 32927 | | | | | | | 1 | — | C | |
| | E.B.6.81.1105 | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 5E/4185 | † | | | | | | | QR | — | C | |
| 5X/2784 | Z.26371 | | | | | | | 2 | — | C | |
| 5K/9107065 | EEAS.146/A | | | | | | | 2 | — | C | |
| 5K/9107066 | EEAS.146/A1 | | | | | | | 2 | — | C | |
| 5X/7016 | HC.500 | | | | | | | 2 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

| Ref. No. | Part No. | Description | | | | | | No. Off | Matl Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|-------------|-----------------|--|---|---|---|---|---|---------|------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.B7.81.2469 | CABLE, ASSEMBLY, N.104, FROM CRIMPING CONNECTION ABOVE J.B.6 TO CONSOLE SWITCH PANEL, GROUP (MOD. 2193) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | CABLE, Uninyvin 20 | | | | | | QR | — | C | |
| 5X/9400382 | 12102 | LUG, cable | | | | | | 3 | — | C | |
| 5K/9107065 | EEAS.146/A | SLEEVE, 1/2" long | | | | | | 6 | — | C | |
| 5K/9107067 | EEAS.146/C | SLEEVE, 1" long | | | | | | 44 | — | C | |
| | E.A3.81.5855 | CABLE, ASSEMBLY, T.451, FROM T.100B RELAY TO DIODE (MOD. 3701) (PRE-MOD. 4335) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/3894 | † | CABLE, Unifersil 20 | | | | | | QR | — | C | |
| 5K/9107066 | EEAS.146/12 | SLEEVE, 1 1/2" long | | | | | | 1 | — | C | |
| 5K/9107065 | EEAS.146/16 | SLEEVE, 1/2" long | | | | | | 4 | — | C | |
| 5K/9529780 | WE.487 | TERMINAL | | | | | | 2 | — | C | |
| 5X/9450396 | HC.490 | TAG | | | | | | 2 | — | C | |
| 5X/2790 | Z.22634 | GROMMET, dummy | | | | | | 3 | — | C | |
| | E.B7.81.1101 | MOUNTING, LIMIT SWITCHES, TAIL PLANE ... | | | | | | — | — | — | |
| | | Spares for:— | | | | | | | | | |
| | E.B7.81.6555 | BLOCK, packing, 2" x 1 1/2" x 0 7/8" thick (Mod. 4287) (Make from 5F/9400958) | | | | | | 1 | B.S.S. | LM | |
| 6946 | E.B7.81.1105 | CRADLE, switch mounting (Pair) | | | | | | 1 | — | C | |
| 5CW/9994686 | † | SWITCH, micro, Burgess, Type 4A, top limit (Pre-Mod. 3482) | | | | | | 2 | — | C | |
| 5CW/6672 | MS.5750 | SWITCH, micro, Burgess, top limit (Mod. 3482) (Pre-Mod. 4287) | | | | | | 2 | — | C | |
| 5CW/6672 | MS.5750 | SWITCH, micro, Burgess, top limit (Mod. 4287) (Pre-Mod. 4288) | | | | | | 1 | — | C | |
| 5CW/1085884 | HONEYWELL DOWTY | SWITCH, limit, top, type 1H.Y1 (Mod. 4288) ... | | | | | | 1 | — | B | |
| 5CW/12444 | DN1322Z Mk. 2 | SWITCH, limit, top (Mod. 4449—S.O.O.) (Pre-Mod. 4959) | | | | | | 1 | — | B | |
| 5CW/13598 | DN1322Z Mk. 3 | SWITCH, limit, top (Mod. 4959) | | | | | | 1 | — | B | |
| | | Attaching parts for switches and E.B7.81.6555:— | | | | | | | | | |
| 6943 | E.B7.81.1093 | Bolt, eccentric | | | | | | 2 | S.95 | C | |
| 6944 | E.B7.81.1099 | Bolt, locking | | | | | | 1 | S.95 | C | |
| 28M/1278190 | AGS.2001/C/1 | Nut, 2 BA | | | | | | 3 | — | C | |
| 18787 | E.B7.81.1097 | Plate, locking | | | | | | 1 | L.56 | C | |
| 6947 | E.B7.81.1095 | Washer, eccentric | | | | | | 2 | S.95 | C | |
| 5CW/9994686 | † | SWITCH, micro, Burgess, Type 4A, lower limit (Pre-Mod. 3482) | | | | | | 2 | — | C | |
| 5CW/6672 | MS.5750 | SWITCH, micro, Burgess, lower limit (Mod. 3482) (Pre-Mod. 4287) | | | | | | 2 | — | C | |
| 5CW/6672 | MS.5750 | SWITCH, micro, Burgess, lower limit (Mod. 4287) (Pre-Mod. 4288) | | | | | | 1 | — | C | |
| 5CW/1085884 | HONEYWELL DOWTY | SWITCH, limit, lower, type 1H.Y1 (Mod. 4288) | | | | | | 1 | — | B | |
| 5CW/12444 | DN1322Z Mk. 2 | SWITCH, limit, lower (Mod. 4449—S.O.O.) (Pre-Mod. 4959) | | | | | | 1 | — | B | |
| 5CW/13598 | DN1322Z Mk. 3 | SWITCH, limit, top (Mod. 4959) | | | | | | 1 | — | B | |
| | | Attaching parts for switches:— | | | | | | | | | |
| 6945 | E.B7.81.1399 | Bolt, eccentric | | | | | | 2 | S.95 | C | |
| 6944 | E.B7.81.1099 | Bolt, locking | | | | | | 1 | S.95 | C | |
| 28M/1278190 | AGS.2001/C/1 | Nut, 2 BA | | | | | | 3 | — | C | |
| 18787 | E.B7.81.1097 | Plate, locking | | | | | | 1 | L.56 | C | |
| 6947 | E.B7.81.1095 | Washer, eccentric | | | | | | 2 | S.95 | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

| Ref. No. | Part No. | Description | No. Off | Matl Spec. | Cl. of Equip. | Plate No. |
|-------------|--------------|---|---------|---------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| | | 1 2 3 4 5 6 | | | | |
| | E.A1.81.42 | MOUNTING, JUNCTION BOX, INSTALLATION | — | — | — | |
| | | Spares for:— | | | | |
| 10972 | E.A1.81.489 | CHANNEL | 1 | — | C | |
| 10973 | E.A1.81.490 | CHANNEL | 1 | — | C | |
| | | Attaching parts for E.A1.81.489 and E.A1.81.490:— | | | | |
| 28D/9436920 | A.25/1C | Bolt, 2 BA | 2 | — | C | |
| 28M/1278190 | AGS.2001/C/1 | Nut, 2 BA | 2 | — | C | |
| 28W/9419402 | SP.13/C | Washer | 2 | — | C | |
| | E.B7.81.425 | PANEL, RELAY, REVERSING, ASSEMBLY (MOD. 4107) | 1 | — | — | |
| | | Spares for:— | | | | |
| 5X/3277 | CZ.50206 | BLOCK , terminal, 3-way | 1 | — | C | |
| 5E/4183 | † | CABLE , Uninyvin 20 | QR | — | C | |
| 18755 | E.B7.81.429 | CLAMP , cable | 1 | — | C | |
| 18756 | E.B7.81.431 | CLAMP , cable | 1 | — | C | |
| | | Attaching parts for E.B7.81.429 and E.B7.81.431:— | | | | |
| 28D/1213262 | AS.4565/10B | Bolt, 4 BA | 2 | — | C | |
| 5X/1957036 | CZ.26802 | COVER , perspex | 1 | — | C | |
| 5X/1004083 | Z.50211 | LINK , 3-way | 1 | — | C | |
| 18754 | E.B7.81.427 | PANEL , bare | 1 | — | B/MR | |
| 5X/9450403 | Z.28426 | PILLAR , fixing | 2 | — | C | |
| 5K/9107066 | EEAS.146/A1 | SLEEVE | 8 | — | C | |
| 5K/9107067 | EEAS.146/C | SLEEVE | 3 | — | C | |
| 5X/1005131 | Z.49428 | SLEEVE | 4 | — | C | |
| 5CW/9777 | D.5107/2 | SWITCH , time | 2 | — | A | |
| | | Attaching parts for D.5107/2:— | | | | |
| 28S/9464989 | A43/C28 | Screw, 2 BA | 3 | — | C | |
| 5X/7010 | Z.55958 | TAG | 4 | — | C | |
| 5X/9450396 | HC.490 | TAG | 4 | — | C | |
| 5X/9400064 | Z.19980 | THIMBLE , | 4 | — | C | |
| | | Attaching parts for E.B7.81.425:— | | | | |
| 28M/1278190 | AGS.2001/C/1 | Nut, 2 BA | 4 | — | C | |
| 28S/1011490 | A.32/C16 | Screw, 2 BA | 4 | — | C | |
| 3420 | EEAS.73 | PLATE , clamp, securing cable webbing to air frame, 22 SWG | 3 | L.72 | C | |
| | E.A3.81.2825 | RELAY, T.100B, INSTALLATION | — | — | — | |
| | | Spares for:— | | | | |
| | E.A3.81.2827 | BRACKET , assembly | 1 | — | — | |
| | E.A3.81.2829 | BRACKET | 1 | — | — | |
| | E.A3.81.2831 | BRACKET | 1 | — | — | |
| 5CW/5986 | † | RELAY, T.100B | 1 | — | A | |
| | | Attaching parts for Ref. 5CW/5986:— | | | | |
| 28S/1200039 | A.31/B32 | Screw, 4 BA | 4 | — | C | |
| 1108 | EEAS.42 | Washer | 4 | Leather | C | |
| 3416 | EEAS.132/7 | STRAP , cable, c/w buckle | 11 | Webbing Comm. | C | |
| 18752 | E.B7.81.329 | STUD , earth | 1 | S.1 | C | |

श्री
Pages 315 to 324 not issued
313

ELECTRICAL
ELECTRICAL EQUIPMENT IN REAR FUSELAGE

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|--|--------------|----------------------|---------|-------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| 1 2 3 4 5 6 | | | | | | |
| SUMMARY OF STOCK ITEMS USED ON ELECTRICAL EQUIPMENT IN REAR FUSELAGE ASSEMBLY | | | | | | |
| 28D/1010658 | A25/1B | Bolt, 4 BA | ... | ... | C | |
| 28D/1011006 | A25/5B | Bolt, 4 BA | ... | ... | C | |
| 28D/1011013 | A25/13B | Bolt, 4 BA | ... | ... | C | |
| 28D/9436920 | A25/1C | Bolt, 2 BA | ... | ... | C | |
| 28D/9133014 | A25/13C | Bolt, 2 BA | ... | ... | C | |
| 28D/1214874 | AS.1246/12B | Bolt, 4 BA | ... | ... | C | |
| 28D/9128739 | AS.1248/1/2B | Bolt, 4 BA | ... | ... | C | |
| 28D/1213262 | AS.4565/10B | Bolt, 4 BA | ... | ... | C | |
| 28M/9403519 | A27/BP | Nut, 4 BA | ... | ... | C | |
| 28M/1006504 | A27/BT | Nut, 4 BA | ... | ... | C | |
| 28M/1007403 | A27/ET | Nut, 1/2" BSF | ... | ... | C | |
| 28M/1278189 | AGS.2001/B/1 | Nut, stiff, 4 BA | ... | ... | C | |
| 28M/1956039 | AGS.2001/B/3 | Nut, stiff, 4 BA | ... | ... | C | |
| 28M/1278190 | AGS.2001/C/1 | Nut, stiff, 2 BA | ... | ... | C | |
| 28M/1201610 | AGS.2001/E/1 | Nut, stiff, 1/2" BSF | ... | ... | C | |
| 28M/10326 | AGS.2002/A/1 | Nut, stiff, 6 BA | ... | ... | C | |
| 28S/9435712 | A31/B8 | Screw, 4 BA | ... | ... | C | |
| 28S/1201448 | A31/B10 | Screw, 4 BA | ... | ... | C | |
| 28S/9419453 | A31/B14 | Screw, 4 BA | ... | ... | C | |
| 28S/1200034 | A31/B16 | Screw, 4 BA | ... | ... | C | |
| 28S/9419435 | A31/B12 | Screw, 4 BA | ... | ... | C | |
| 28S/9133016 | A32/C12 | Screw, 2 BA | ... | ... | C | |
| 28S/1011490 | A32/C16 | Screw, 2 BA | ... | ... | C | |
| 28S/1200056 | A33/A10 | Screw, 6 BA | ... | ... | C | |
| 28S/1200058 | A33/A12 | Screw, 6 BA | ... | ... | C | |
| 28S/9130752 | A43/B24 | Screw, 4 BA | ... | ... | C | |
| 28W/9419465 | SP.13/B | Washer | ... | ... | C | |
| 28W/9419402 | SP.13/C | Washer | ... | ... | C | |
| 28W/9416641 | SP.47/A | Washer | ... | ... | C | |
| 28W/9416642 | SP.47/B | Washer | ... | ... | C | |
| 28W/9416644 | SP.47/E | Washer | ... | ... | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN PORT WING**

| Ref. No. | Part No. | Description | No. Off | Matl Spec. | Cl. of Equip. | Plate No. |
|-------------|--------------|---|---------|------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| | | 1 2 3 4 5 6 | | | | |
| | E.B7.81.9 | ELECTRICAL EQUIPMENT IN PORT WING, ASSEMBLY | — | — | — | |
| | E.A3.81.2169 | Spares for:— CONDUITS ACROSS ENGINE NACELLE, ASSEMBLY | — | — | — | |
| | E.A3.81.2131 | Spares for:— Angle, pipe clip support | 2 | — | — | |
| 17036 | E.A3.81.2135 | Clip, conduit | 3 | — | C | |
| | | Attaching parts for E.A3.81.2135:— | | | | |
| 28D/9436920 | A25/1C | Bolt, 2 BA | 2 | — | C | |
| 28M/9403520 | A27/CP | Nut, 2 BA | 2 | — | C | |
| 28W/9419475 | SP.15/C | Washer | 2 | — | C | |
| 17048 | E.A3.81.2175 | Clip, conduit | 2 | — | C | |
| | | Attaching parts for E.A3.81.2175:— | | | | |
| 28D/1008149 | A25/2B | Bolt, 4 BA | 1 | — | C | |
| 28M/1278189 | AGS.2001/B/1 | Nut, 4 BA | 1 | — | C | |
| 28W/9419474 | SP.15/B | Washer | 1 | — | C | |
| 17035 | E.A3.81.2133 | Washer, 'D' | 1 | — | C | |
| 17046 | E.A3.81.2171 | Conduit, 1 1/8" o/d. | 1 | L.54 | C | |
| 17047 | E.A3.81.2173 | Conduit, 1 1/8" o/d. | 1 | L.54 | C | |
| 17016 | E.A3.81.1595 | Sleeve, conduit | 1 | — | C | |
| | E.A3.81.2477 | CONDUITS IN INNER WING, ASSEMBLY ... | — | — | — | |
| | | Spares for:— | | | | |
| 9747 | E.A1.81.108 | Clip, conduit | 1 | — | C | |
| 9746 | E.A1.81.111 | Clip, conduit | 2 | — | C | |
| 17091 | E.A3.81.2479 | Clip, conduit | 2 | — | C | |
| 17092 | E.A3.81.2485 | Clip, conduit | 2 | — | C | |
| | | Attaching parts for E.A1.81.108, E.A1.81.111, E.A3.81.2479 and E.A3.81.2485:— | | | | |
| 28D/1010658 | A25/1B | Bolt, 4 BA (As required) | 2 | — | C | |
| 28D/1008149 | A25/2B | Bolt, 4 BA (As required) | 2 | — | C | |
| 28D/9436920 | A25/1C | Bolt, 2 BA (As required) | 2 | — | C | |
| 28M/9403510 | A27/BP | Nut, 4 BA (As required) | 2 | — | C | |
| 28M/1278190 | AGS.2001/C/1 | Nut, 2 BA (As required) | 2 | — | C | |
| 28W/9416642 | SP.47/B | Washer (As required) | 2 | — | C | |
| 28W/9419402 | SP.13/C | Washer (As required) | 2 | — | C | |
| 17093 | E.A3.81.2487 | Conduit, 2" o/d. | 1 | — | C | |
| 17094 | E.A3.81.2489 | Conduit, 2" o/d. | 1 | — | C | |
| 17095 | E.A3.81.2491 | Conduit | 1 | — | C | |
| | E.A1.81.17 | CONDUIT ON RIB 7, INNER WING, ASSEMBLY ... | — | — | — | |
| | | Spares for:— | | | | |
| 9739 | E.A1.81.102 | Clip, conduit | 1 | — | C | |
| 9751 | E.A1.81.110 | Clip, conduit | 5 | — | C | |
| | | Attaching parts for E.A1.81.102 and E.A1.81.110:— | | | | |
| 28D/9436920 | A25/1C | Bolt, 2 BA (As required) | 2 | — | C | |
| 28D/9133011 | A25/2C | Bolt, 2 BA (As required) | 1 | — | C | |
| 28M/9403520 | A27/CP | Nut, 2 BA (As required) | 2 | — | C | |
| 28W/9416643 | SP.47/C | Washer (As required) | 2 | — | C | |
| 9750 | E.A1.81.17/A | Conduit, 1 1/2" o/d. x 82" long, 20 SWG ... | 1 | L.54 | C | |
| | E.A3.81.2121 | CONDUITS IN OUTER WING, ASSEMBLY ... | — | — | — | |
| | | Spares for:— | | | | |
| 17037 | E.A3.81.2137 | Clip, conduit | 7 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN PORT WING**

| Ref. No. | Part No. | Description | No. Off | Matl Spec. | Cl. of Equip. | | Plate No. |
|-------------|--------------|--|---------|------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | | 1 2 3 4 5 6 | | | | | |
| 17038 | E.A3.81.2139 | Clip, conduit | 2 | — | | C | |
| | | Attaching parts for E.A3.81.2137 and E.A3.81.2139:— | | | | | |
| 28D/1010658 | A25/1B | Bolt, 4 BA (As required) | 2 | — | | C | |
| 28M/9403510 | A27/BP | Nut, 4 BA (As required) | 2 | — | | C | |
| 28W/9419474 | SP.15/B | Washer, (As required) | 2 | — | | C | |
| 17030 | E.A3.81.2123 | Conduit: | 1 | — | | C | |
| 17031 | E.A3.81.2125 | Conduit: | 1 | — | | C | |
| 17032 | E.A3.81.2127 | Conduit: | 1 | — | | C | |
| 17043 | E.A3.81.2149 | Conduit: | 1 | — | | C | |
| | E.A3.81.1665 | Sleeve | 1 | — | | C | |
| | E.A6.81.13 | ELECTRICAL EQUIPMENT IN INNER WING, REAR, ASSEMBLY | — | — | | — | |
| | | Spares for:— | | | | | |
| 26747 | E.B7.81.377 | BOX, JUNCTION, NO. 9, GROUP (PRE-MOD. 4927) | 1 | — | | B | |
| | | Spares for:— | | | | | |
| 5X/1002695 | CZ.23212/1 | Block, terminal, 20-way | 2 | — | | C | |
| | | Attaching parts for CZ.23212/1:— | | | | | |
| 28S/1200033 | A31/B24 | Screw, 4 BA | 2 | — | | C | |
| | E.A1.81.583 | Box, shell | 1 | — | | — | |
| | E.B7.81.381 | Cover, assembly | 1 | — | | — | |
| 5X/6180 | CZ.24650 | Ferrule, plate | 1 | — | | C | |
| 5X/6168 | Z.23197 | Gasket, size C | 2 | — | | C | |
| 5X/6169 | Z.23198 | Gasket, size D | 2 | — | | C | |
| 5X/3143 | CZ.23144/D | Ring, clamp | 1 | — | | C | |
| 5K/9107067 | EEAS.146/6 | Sleeve | 33 | — | | C | |
| | E.B6.81.6313 | BOX, JUNCTION, NO. 9, GROUP (MOD. 4927) | 1 | — | | — | |
| | | Spares for this group are identical to Part No. E.B7.81.377 | | | | | |
| | E.B7.81.1437 | ELECTRICAL EQUIPMENT, LEADING EDGE, ASSEMBLY (PRE-MOD. 2393, 2155, 2197) | — | — | | — | |
| | | Spares for this assembly are identical with those for assembly Part No. E.B6.81.1573 except for the following deletion | | | | | |
| | | Delete:— | | | | | |
| | E.B7.81.2505 | PANEL, REGULATOR AND WIRING, ASSEMBLY | — | — | | — | |
| | E.B6.81.1573 | ELECTRICAL EQUIPMENT, LEADING EDGE, ASSEMBLY (MOD. 2393, 2155, 2197) | — | — | | — | |
| | | Spares for:— | | | | | |
| 9734 | E.A3.81.559 | Bracket, mounting, air thermocouple | 1 | — | | C/MR | |
| | SANGAMO | | | | | | |
| | WESTON | | | | | | |
| 6A/2783 | † | Bulb, thermo, 2¼" long, c/w 8' connecting cable | 1 | — | | A | |
| 17361 | E.B6.81.381 | Fairlead, on engine rib for high energy unit cables | 2 | LFS.2 | | C/MR | |
| | | Attaching parts for E.B6.81.381:— | | | | | |
| 28M/1278189 | AGS.2001/B/1 | Nut, 4 BA | 2 | — | | C | |
| 28S/9419453 | A31/B14 | Screw, 4 BA | 2 | — | | C | |
| 28W/9419465 | SP.13/B | Washer | 2 | — | | C | |
| 5X/9491421 | Z.22431 | Grommet, Helsyn No. 3 | 1 | — | | C | |
| | E.B7.81.2505 | PANEL, REGULATOR AND WIRING, ASSEMBLY | — | — | | — | |
| | | Spares for:— | | | | | |
| 5X/1002694 | CZ.50207 | Block, terminal, 5-way | 1 | — | | C | |
| | E.A9.81.2437 | BOX, RESISTANCE, ASSEMBLY | 1 | — | | — | |
| | | Spares for:— | | | | | |
| | E.A9.81.2441 | Box, sub-assembly | 1 | — | | — | |
| | E.A9.81.2449 | Block, resistance mounting | 1 | LFS.21 | | — | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN PORT WING**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|-------------|-------------------------|-------------|---|---|---|---|---|---------|-------------|---------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. L.M. | |
| 5CZ/6637 | WELWYN C.L.5 No. 1 | | | | | | | 2 | — | C | |
| 5K/3632 | HELLERMAN 2114 | | | | | | | 1 | — | C | |
| 5CZ/5286 | WELWYN C.40 | | | | | | | 1 | — | B | |
| 5E/4185 | † | | | | | | | QR | — | C | |
| 5E/4186 | † | | | | | | | QR | — | C | |
| 5E/4187 | † | | | | | | | QR | — | C | |
| 5X/3274 | CZ.26805 | | | | | | | 1 | — | B | |
| 5X/2190 | Z.2280/2 | | | | | | | 1 | — | C | |
| 5X/6168 | Z.23197 | | | | | | | 1 | — | C | |
| 5X/1004082 | Z.50210 | | | | | | | 1 | — | C | |
| 5X/9400384 | † | | | | | | | 3 | — | C | |
| 5X/9400386 | † | | | | | | | 2 | — | C | |
| 5X/9400388 | † | | | | | | | 2 | — | C | |
| 5X/9450403 | E.B7.81.2503 Z.28426 | | | | | | | 1 | — | — | |
| 5X/6096 | CZ.28109 | | | | | | | 2 | — | C | |
| 5X/7153 | 2CZ.111297 | | | | | | | 1 | — | B | |
| 5UC/6360 | † | | | | | | | 1 | — | A | |
| 28D/1011238 | A.25/3E | | | | | | | 4 | — | C | |
| 5K/9107066 | EEAS.146/A1 | | | | | | | 8 | — | C | |
| 5K/9107067 | EEAS.146/C | | | | | | | 15 | — | C | |
| 5X/1005132 | Z.28081 | | | | | | | 4 | — | C | |
| 5X/3146 | Z.49397 | | | | | | | 3 | — | C | |
| 5F/2279 | HV.3254 | | | | | | | QR | — | C | |
| 5F/2307 | HV.3255 | | | | | | | 4 | — | C | |
| 5X/7016 | HC.500 | | | | | | | 2 | — | C | |
| 5X/7017 | HC.510 | | | | | | | 3 | — | C | |
| 28D/9133411 | A.25/2C | | | | | | | 4 | — | C | |
| 28W/9419475 | SP.15/C | | | | | | | 4 | — | C | |
| 5K/9107066 | EEAS.146/A1 | | | | | | | 2 | — | C | |
| 5K/9107068 | EEAS.146/D1 | | | | | | | 2 | — | C | |
| 5X/7016 | HC.500 | | | | | | | 2 | — | C | |
| 5L/9954717 | † | | | | | | | 1 | — | B | |
| 5CX/5009 | † | | | | | | | 1 | — | A | |
| | E.B7.81.31 | | | | | | | — | — | — | |
| | E.B6.81.601 | | | | | | | 1 | — | — | |
| | | | | | | | | — | — | — | |
| 5E/3724 | † | | | | | | | QR | — | C | |
| 22166 | E.B6.81.841 | | | | | | | 4 | — | C | |
| 5F/2300 | JONES STROUD | | | | | | | QR | — | C | |
| 5K/88 | AGS.1658/1 | | | | | | | 2 | — | C | |
| 5K/38 | AGS.1652/3 | | | | | | | 2 | — | C | |
| 5K/ | EEAS.146/TC | | | | | | | 4 | — | C | |
| 5K/ | EEAS.146/TD | | | | | | | 8 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN PORT WING**

| Ref. No. | Part No. | 1 | 2 | 3 | 4 | 5 | 6 | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|------------|---------------|---|---|---|---|---|---|---|---------|-------------|---------------|------|-----------|
| | | | | | | | | | | | M.R. | L.M. | |
| | E.B6.81.603 | | | | | | | CABLE, ASSEMBLY, 7R.3, CONNECTION BETWEEN SECOND AND THIRD FLAME DETECTORS, GROUP (MOD. 1198) Spares for this group are identical with those for group Part No. E.B6.81.601 on page 329, except for the following deletion and addition:— Delete:— | 1 | — | — | | |
| 5K/3457 | EEAS.146/TD | | | | | | | Sleeve, 1" long | 8 | — | C | | |
| 5K/3457 | EEAS.146/TD | | | | | | | Add:— Sleeve, 1" long | 10 | — | C | | |
| | E.B6.81.605 | | | | | | | CABLE, ASSEMBLY, 7R.4, CONNECTION BETWEEN THIRD AND FOURTH FLAME DETECTORS, GROUP (MOD. 1198) Spares for this group are identical with those for group Part No. E.B6.81.601 on page 329 except for the following deletion and addition:— Delete:— | 1 | — | — | | |
| 5K/3457 | EEAS.146/TD | | | | | | | Sleeve, 1" long | 8 | — | C | | |
| 5K/3457 | EEAS.146/TD | | | | | | | Add:— Sleeve, 1" long | 6 | — | C | | |
| | E.B7.81.2949 | | | | | | | CABLE, ASSEMBLY, 7M.2, BETWEEN INBOARD AND OUTBOARD ENGINE RIB FLAME DETECTORS, GROUP (MOD. 2147) Consisting of:— | 1 | — | — | | |
| 5E/3724 | † | | | | | | | Cable, Unifire Red 7 | QR | — | C | | |
| | ROSS COURTNEY | | | | | | | | | | | | |
| 5K/910 | WE.490 | | | | | | | Cable-end | 2 | — | C | | |
| 5F/2300 | JONES STROUD | | | | | | | Cord, glass tying, 3/8" | QR | — | C | | |
| 5K/3457 | EEAS.146/TC | | | | | | | Sleeve, 3/4" long | 2 | — | C | | |
| 5K/3457 | EEAS.146/TD | | | | | | | Sleeve, 1" long | 2 | — | C | | |
| | E.B6.81.615 | | | | | | | CABLE, ASSEMBLY, 7M.3, BETWEEN OUTBOARD ENGINE RIB FLAME DETECTORS, GROUP (MOD. 1198) Consisting of:— | 1 | — | — | | |
| 5E/3724 | † | | | | | | | Cable, Unifire Red 7 | QR | — | C | | |
| 22166 | E.B6.81.841 | | | | | | | Cable, end | 4 | — | C | | |
| 5K/3457 | EEAS.146/TC | | | | | | | Sleeve, 3/4" long | 4 | — | C | | |
| 5K/3457 | EEAS.146/TD | | | | | | | Sleeve, 1" long | 1 | — | C | | |
| 17156 | E.B7.81.841 | | | | | | | Tube, conduit, assembly | 1 | — | C | | |
| | E.B6.81.623/2 | | | | | | | CABLE, ASSEMBLY, 7M.1, FROM PLUG ON INBOARD ENGINE RIB TO INBOARD WING FLAME DETECTOR, GROUP (MOD. 1198) Consisting of:— | 1 | — | — | | |
| 5E/3724 | † | | | | | | | Cable, Unifire Red 7 | QR | — | C | | |
| 22166 | E.B6.81.841 | | | | | | | Cable, end | 2 | — | C | | |
| 5X/6594 | CZ.61565 | | | | | | | Elbow, assembly | 1 | — | C | | |
| 5X/3168 | Z.28156/A | | | | | | | Gasket | 1 | — | C | | |
| 5X/1005131 | Z.49428 | | | | | | | Sleeve | 2 | — | C | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN PORT WING**

| Ref. No. | Part No. | Description | | | | | | No. Off | Matl Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|-------------|---------------|-------------|---|---|---|---|----|---------|------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| 5K/3457 | EEAS.146/TC | | | | | Sleeve, 3/4" long | 4 | — | C | | |
| 5K/3457 | EEAS.146/TD | | | | | Sleeve, 1" long | 1 | — | C | | |
| 5X/6005 | CZ.27980 | | | | | Socket, 2-way, size A (Pre-Mod. 3380) | 1 | — | C | | |
| 5X/7051 | 2CZ.84879 | | | | | Socket, 2-way, size A (Mod. 3380) | 1 | — | C | | |
| 17157 | E.B7.81.847 | | | | | Tube, conduit, assembly | 1 | — | C | | |
| | E.B6.81.627/2 | | | | | CABLE, ASSEMBLY, 7R.1, FROM PLUG AT IN-BOARD ENGINE RIB TO FLAME DETECTOR, GROUP (MOD. 1198) | 1 | — | — | | |
| | | | | | | Consisting of:— | | | | | |
| 5E/3724 | † | | | | | Cable, Unifire 7 | QR | — | C | | |
| 22166 | E.B6.81.841 | | | | | Cable, end | 2 | — | C | | |
| 5F/9433683 | JONES STROUD | | | | | Cord, glass, tying 3/2" | QR | — | C | | |
| 5X/1356 | Z.2272/2 | | | | | Ferrule, cut | 1 | — | C | | |
| 5K/4329335 | AGS.1658/1 | | | | | Nut, gland | 1 | — | C | | |
| 5X/1005131 | Z.49428 | | | | | Sleeve, cable | 2 | — | C | | |
| 5K/9134478 | AGS.1652/3 | | | | | Sleeve, slotted | 1 | — | C | | |
| 5K/3457 | EEAS.146/TC | | | | | Sleeve, 3/4" long | 4 | — | C | | |
| 5K/3457 | EEAS.146/TD | | | | | Sleeve, 1" long | 12 | — | C | | |
| 5X/6005 | CZ.27980 | | | | | Socket, 2-way, size A (Pre-Mod. 3380) | 1 | — | C | | |
| 5X/7051 | 2CZ.84879 | | | | | Socket, 2-way, size A (Mod. 3380) | 1 | — | C | | |
| | E.B6.81.503/2 | | | | | CABLE, ASSEMBLY, 7H, FROM J.B.7 TO GENERAL SERVICES, JB PLUG ON INBOARD ENGINE RIB, GROUP | 1 | — | — | | |
| | | | | | | Consisting of:— | | | | | |
| 5X/6644 | HV.3327 | | | | | Bung, Hellaermann | 1 | — | C | | |
| 5E/4183 | † | | | | | Cable, Uninyvin 20 | QR | — | C | | |
| 5E/4187 | † | | | | | Cable, Uninyvin 12 | QR | — | C | | |
| 33H/9130065 | † | | | | | Cement, Bostik | QR | — | C | | |
| 5F/9433683 | JONES STROUD | | | | | Cord, glass, tying, 3/2" | QR | — | C | | |
| 5X/4491551 | E.B7.81.327 | | | | | Ferrule, cut, right angle | 1 | — | C | | |
| 5X/2113 | Z.22675/C | | | | | Ferrule, outer | 1 | — | C | | |
| 5X/2120 | Z.22676/C | | | | | Ferrule, inner | 1 | — | C | | |
| 5X/6168 | Z.23197 | | | | | Gasket, plug moulding | 1 | — | C | | |
| 5X/3171 | Z.28156/C | | | | | Gasket | 1 | — | C | | |
| 5X/6295 | Z.61544 | | | | | Nut, coupling | 1 | — | C | | |
| 5X/6207 | CZ.50377 | | | | | Plug, size C (Pre-Mod. 3380) | 1 | — | C | | |
| 5X/7036 | 2CZ.108916 | | | | | Plug, size C (Mod. 3380) | 1 | — | B | | |
| 5X/3154 | Z.27444 | | | | | Shroud, plug | 1 | — | C | | |
| 5K/9107069 | † | | | | | Sleeve, 1" long, Helsyn, size E.P. | 1 | — | C | | |
| 5K/3455 | EEAS.146/TA | | | | | Sleeve, 3/4" long, 1/8" i/d. | 12 | — | C | | |
| 5K/3456 | EEAS.146/TB | | | | | Sleeve, 3/4" long, 13/64" i/d. | 2 | — | C | | |
| 5K/3457 | EEAS.146/TE | | | | | Sleeve, 1/2" long, 3/32" i/d. | 18 | — | C | | |
| 5K/3457 | EEAS.146/TE | | | | | Sleeve, 3/4" long, 3/32" i/d. | 2 | — | C | | |
| 5X/1005131 | Z.49428 | | | | | Sleeve, cable | 24 | — | C | | |
| 5X/6781 | CZ.71751 | | | | | Socket, size C (Pre-Mod. 3380) | 1 | — | C | | |
| 5X/7185 | 2CZ.111236 | | | | | Socket, size C (Mod. 3380) | 1 | — | C | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN PORT WING**

| Ref. No. | Part No. | Description | | | | | | No. Off | Matl Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|-------------|---------------|---|-----|-----|-----|-----|----|---------|------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.B6.81.505/2 | CABLE, ASSEMBLY, 7J, FROM J.B.7 TO ANTI-ICING SERVICES JB PLUG ON IN-BOARD ENGINE RIB, GROUP | | | | | | 1 | — | — | |
| | | Spares for this group are identical with those for group Part No. E.B6.81.503/2 on page 331, except for the following deletions and additions | | | | | | | | | |
| | | Delete:— | | | | | | | | | |
| 5E/4187 | † | Cable, Uninyvin 12 | ... | ... | ... | ... | QR | — | — | C | |
| 5X/6207 | CZ.50377 | Plug, size C | ... | ... | ... | ... | 1 | — | — | C | |
| 5X/7036 | 2CZ.108916 | Plug, size C | ... | ... | ... | ... | 1 | — | — | C | |
| 5K/3456 | EEAS.146/TB | Sleeve, 3/4" long | ... | ... | ... | ... | 2 | — | — | C | |
| 5X/1005131 | Z.49428 | Sleeve, cable | ... | ... | ... | ... | 24 | — | — | C | |
| 5X/6781 | CZ.71751 | Socket, size C | ... | ... | ... | ... | 1 | — | — | C | |
| 5X/7185 | 2CZ.111236 | Socket, size C | ... | ... | ... | ... | 1 | — | — | C | |
| | | Add:— | | | | | | | | | |
| 5E/4185 | † | Cable, Uninyvin 16 | ... | ... | ... | ... | QR | — | — | C | |
| 5X/6086 | CZ.28107 | Plug, size C (Pre-Mod. 3380) | ... | ... | ... | ... | 1 | — | — | C | |
| 5X/7035 | 2CZ.108915 | Plug, size C (Mod. 3380) | ... | ... | ... | ... | 1 | — | — | C | |
| 5X/1005131 | Z.49428 | Sleeve, cable | ... | ... | ... | ... | 18 | — | — | C | |
| 5X/6193 | CZ.50404 | Socket, size C (Pre-Mod. 3380) | ... | ... | ... | ... | 1 | — | — | C | |
| 5X/7184 | 2CZ.111235 | Socket, size C (Mod. 3380) | ... | ... | ... | ... | 1 | — | — | C | |
| 41506 | E.B6.81.513/2 | CABLE, ASSEMBLY, 9L, FROM J.B.9 TO OUT-BOARD HIGH ENERGY IGNITION UNIT, GROUP (PRE-MOD. 4927) | | | | | | 1 | — | — | B |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | ... | ... | ... | ... | QR | — | — | C | |
| 33H/9130065 | † | Cement, Bostik | ... | ... | ... | ... | QR | — | — | C | |
| 5F/9433683 | JONES STROUD | Cord, glass, tying, 3/32" | ... | ... | ... | ... | QR | — | — | C | |
| 5X/9999149 | Z.14485/2 | Ferrule, cut | ... | ... | ... | ... | 1 | — | — | C | |
| 5X/9491422 | Z.22430 | Grommet, No. 2 | ... | ... | ... | ... | 1 | — | — | C | |
| 5X/1005131 | Z.49428 | Sleeve, cable | ... | ... | ... | ... | 2 | — | — | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | ... | ... | ... | ... | 4 | — | — | C | |
| 5K/9107067 | EEAS.146/C | Sleeve, 1" long | ... | ... | ... | ... | 2 | — | — | C | |
| 5X/6004 | Z.27900 | Socket (Pre-Mod. 3380) | ... | ... | ... | ... | 1 | — | — | C | |
| 5X/7038 | 2CZ.84372 | Socket (Mod. 3380) | ... | ... | ... | ... | 1 | — | — | C | |
| 5X/9450396 | HC.490 | Tag | ... | ... | ... | ... | 2 | — | — | C | |
| | E.B6.81.6321 | CABLE, ASSEMBLY, 9L, FROM J.B.9 TO OUT-BOARD HIGH ENERGY IGNITION UNIT, GROUP (MOD. 4927) | | | | | | 1 | — | — | |
| | | Spares for this assembly are identical to assembly Part No. E.B6.81.513/2 | | | | | | | | | |
| | E.A6.81.514/2 | CABLE, ASSEMBLY, 9A AND 9J, FROM J.B.9 TO NITROGEN VALVE AND VENT VALVE HEATER TERMINAL | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4182 | † | Cable, Uninyvin 22 | ... | ... | ... | ... | QR | — | — | C | |
| 33H/9130065 | † | Cement, Bostik | ... | ... | ... | ... | QR | — | — | C | |
| 5X/9999149 | Z.14485/2 | Ferrule, cut | ... | ... | ... | ... | 1 | — | — | C | |
| 5X/9491421 | Z.22431 | Grommet, Helsyn, No. 3 | ... | ... | ... | ... | 1 | — | — | C | |
| 5X/1005131 | Z.49428 | Sleeve, cable | ... | ... | ... | ... | 2 | — | — | C | |
| 5K/9107065 | EEAS.146/A | Sleeve, 3/4" long | ... | ... | ... | ... | 2 | — | — | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | ... | ... | ... | ... | 6 | — | — | C | |
| 5K/9107067 | EEAS.146/B | Sleeve, 1" long | ... | ... | ... | ... | 4 | — | — | C | |
| 5K/9107068 | EEAS.146/D | Sleeve, 1" long | ... | ... | ... | ... | 1 | — | — | C | |
| 5X/6188 | CZ.50398 | Socket, assembly, 2-way, size A (Pre-Mod. 3380) | ... | ... | ... | ... | 1 | — | — | C | |
| 5X/7172 | 2CZ.111230 | Socket, assembly, 2-way, size A (Mod. 3380) | ... | ... | ... | ... | 1 | — | — | C | |
| 5X/9482491 | HC.500 | Tag | ... | ... | ... | ... | 4 | — | — | C | |
| 32B/1250522 | † | Thread, waxed, linen, No. 18 | ... | ... | ... | ... | QR | — | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN PORT WING**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|-------------|---------------|--|---|---|---|---|---|---------|-------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.B6.81.521 | CABLE, ASSEMBLY, 9C, FROM J.B.9 TO TANK TRANSMITTER, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 10H/0970058 | Z.60667 | Gasket, outlet | | | | | | 1 | — | C | |
| 10H/0970108 | Z.49036 | Gasket, union | | | | | | 1 | — | C | |
| 5X/2786 | Z.22431 | Grommet, Helsyn, No. 3 | | | | | | 1 | — | C | |
| 10H/0970062 | CZ.49180 | Outlet, straight | | | | | | 1 | — | C | |
| 10H/0970096 | Z.49037 | Ring, thrust | | | | | | 1 | — | C | |
| 10H/0970088 | Z.62229 | Ring, sealing | | | | | | 1 | — | C | |
| 5K/9107066 | EEAS.146/A | Sleeve, 3/4" long | | | | | | 3 | — | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | | | | | | 3 | — | C | |
| 5K/9107068 | EEAS.146/D | Sleeve, 3/4" long | | | | | | 3 | — | C | |
| 5K/9107068 | EEAS.146/D | Sleeve, 1" long | | | | | | 1 | — | C | |
| 10H/0560100 | CZ.49015 | Socket, assembly, 3 way | | | | | | 1 | — | C | |
| 5X/7016 | HC.500 | Tag | | | | | | 3 | — | C | |
| | E.B6.81.521/2 | CABLE, ASSEMBLY, 7N, 7M AND 7R, FROM J.B.7 TO FLAME DETECTORS AND COWL ANTI-ICING ACTUATOR PLUG ON IN-BOARD ENGINE RIB, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5F/2300 | † | Braid, glass, thick | | | | | | QR | — | C | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 5X/7320 | Z.14485/2 | Ferrule, cut, size A | | | | | | 3 | — | C | |
| 5X/2787 | Z.22432 | Grommet, Helsyn, No. 4 | | | | | | 1 | — | C | |
| 5X/1005131 | Z.49428 | Sleeve, cable | | | | | | 7 | — | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | | | | | | 14 | — | C | |
| 5K/9107067 | EEAS.146/C | Sleeve, 1" long | | | | | | 4 | — | C | |
| 5K/9107068 | EEAS.146/D | Sleeve, 1" long | | | | | | 2 | — | C | |
| 5X/6004 | CZ.27900 | Socket, 2 way, size A (Pre-Mod. 3380) | | | | | | 2 | — | B | |
| 5X/7038 | 2CZ.84872 | Socket, 2 way, size A (Mod. 3380) | | | | | | 2 | — | B | |
| 5X/6009 | CZ.27901 | Socket, 4 way, size A (Pre-Mod. 3380) | | | | | | 1 | — | B | |
| 5X/7039 | 2CZ.84873 | Socket, 4 way, size A (Mod. 3380) | | | | | | 1 | — | B | |
| 5F/2279 | HV.3254 | Strap, Hellermann | | | | | | QR | — | C | |
| 5F/2307 | NY.3255 | Stud, Hellermann | | | | | | 12 | — | C | |
| 5X/7298 | HC.490 | Tag | | | | | | 7 | — | C | |
| | E.B6.81.523/2 | CABLE, ASSEMBLY, 7N.1, FROM INBOARD ENGINE RIB PLUG TO COWL ANTI-ICING ACTUATOR, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 5F/2300 | JONES STROUD | Cord, glass, tying, 3/2" | | | | | | QR | — | C | |
| 5X/6594 | CZ.61565 | Elbow, assembly | | | | | | 1 | — | C | |
| 5X/6755 | E.B7.81.1595 | Ferrule, cable | | | | | | 1 | — | C | |
| 5X/6756 | E.A3.81.1963 | Ferrule, cable | | | | | | 1 | — | C | |
| 5X/1005131 | Z.49428 | Sleeve, cable | | | | | | 6 | — | C | |
| 5X/3168 | Z.28156/A | Gasket | | | | | | 1 | — | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | | | | | | 6 | — | C | |
| 5K/9107068 | EEAS.146/D | Sleeve, 1" long | | | | | | 2 | — | C | |
| 5X/6009 | CZ.27901 | Socket, size A (Pre-Mod. 3380) | | | | | | 1 | — | B | |
| 5X/7039 | 2CZ.84873 | Socket, size A (Mod. 3380) | | | | | | 1 | — | B | |
| 5X/6010 | CZ.27981 | Socket, size A (Pre-Mod. 3380) | | | | | | 1 | — | B | |
| 5X/7052 | 2CZ.84880 | Socket, size A (Mod. 3380) | | | | | | 1 | — | B | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN PORT WING**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-------------|---------------|---|---------|-------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | E.B6.81.524 | CABLE, ASSEMBLY, 9G, FROM J.B.9 TO FUEL PUMP SUPPRESSOR, GROUP | 1 | — | — | — | |
| | | Consisting of:— | | | | | |
| 5X/6757 | EEAS.68/6 | Adaptor, reducing ... | 1 | — | — | C | |
| 5E/4187 | † | Cable, Uninyvin 12 ... | QR | — | — | C | |
| 5X/3168 | Z.28156/A | Gasket ... | 1 | — | — | C | |
| 10H/0970107 | Z.62234 | Gasket, union ... | 1 | — | — | C | |
| 5K/9491421 | Z.22431 | Grommet, Helsyn No. 3 ... | 1 | — | — | C | |
| 5CZ/3766 | AGS.1747 | Lug, terminal ... | 2 | — | — | C | |
| 10H/0970127 | Z.49046 | Nut, union ... | 1 | — | — | C | |
| 10H/0970095 | Z.49051 | Ring, thrust ... | 1 | — | — | C | |
| 10H/0970087 | Z.62228 | Ring, sealing ... | 1 | — | — | C | |
| 5K/9107067 | EEAS.146/C | Sleeve, 3/4" long ... | 4 | — | — | C | |
| 5K/9107068 | EEAS.146/D1 | Sleeve, 1/2" long ... | 2 | — | — | C | |
| 5X/7017 | HC.510 | Tag ... | 2 | — | — | C | |
| | E.A6.81.525/2 | CABLE, ASSEMBLY, 9.G1, FROM SUPPRESSOR TO FUEL PUMP, GROUP | 1 | — | — | — | |
| | | Consisting of:— | | | | | |
| 5X/6757 | EEAS.68/6 | Adaptor, reducing ... | 1 | — | — | C | |
| 5E/4203 | † | Cable, Uninyvinmet 12 ... | QR | — | — | C | |
| 33H/56 | † | Cement, Bostik ... | QR | — | — | C | |
| 5X/240 | Z.2277/2 | Ferrule, cut ... | 1 | — | — | C | |
| 10H/0970107 | Z.62234 | Gasket, union ... | 1 | — | — | C | |
| 5CZ/3766 | AGS.1747 | Lug, terminal, No. 27 ... | 2 | — | — | C | |
| 10H/0970295 | Z.69734 | Nut, union ... | 1 | — | — | C | |
| 10H/0970095 | Z.49051 | Ring, thrust ... | 1 | — | — | C | |
| 5K/9107067 | EEAS.146/C | Sleeve, 3/4" long ... | 4 | — | — | C | |
| 5K/9107068 | EEAS.146/D1 | Sleeve, 3/4" long ... | 2 | — | — | C | |
| 5X/6029 | CZ.27905 | Socket, assembly, size Z (Pre-Mod. 3380) ... | 1 | — | — | B | |
| 5X/7176 | 2CZ.111436 | Socket, assembly, size Z (Mod. 3380) ... | 1 | — | — | B | |
| 5E/2904 | † | Wire, tinned copper, 25 SWG ... | QR | — | — | C | |
| 5E/3141 | † | Wire, tinned copper, 32 SWG ... | QR | — | — | C | |
| | E.A6.81.526/2 | CABLE, ASSEMBLY, 9H, FROM J.B.9 TO ENGINE FUEL COCK, GROUP | 1 | — | — | — | |
| | | Consisting of:— | | | | | |
| 5E/4182 | † | Cable, Uninyvin 22 ... | QR | — | — | C | |
| 33H/56 | † | Cement, Bostik ... | QR | — | — | C | |
| 5X/7320 | Z.14485/2 | Ferrule, cut ... | 1 | — | — | C | |
| 5X/9491421 | Z.22431 | Grommet, Helsyn No. 3 ... | 1 | — | — | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long ... | 6 | — | — | C | |
| 5K/9107068 | EEAS.146/D | Sleeve, 1/2" long ... | 2 | — | — | C | |
| 5K/9107067 | † | Sleeve, 1" long ... | 1 | — | — | C | |
| 5X/6189 | CZ.50399 | Socket, assembly, 4-way, size A (Pre-Mod. 3380) ... | 1 | — | — | B | |
| 5X/7173 | 2CZ.111231 | Socket, assembly, 4-way, size A (Mod. 3380) ... | 1 | — | — | B | |
| 5X/7016 | HC.500 | Tag ... | 3 | — | — | C | |
| 32B/498 | † | Thread, waxed linen, No. 18 ... | QR | — | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN PORT WING**

| Ref. No. | Part No. | Description | | | | | | No. Off | Matl Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|------------|---------------|---|---|---|---|---|---|---------|------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.B6.81.527/2 | CABLE, ASSEMBLY, 9K, FROM J.B.9 TO MAIN FUEL TANK COCK, GROUP | | | | | | 1 | — | — | |
| | | Spares for this group are identical with those for group Part No. E.A6.81.526/2 on page 334, except for the following deletions and additions | | | | | | | | | |
| | | Delete:— | | | | | | | | | |
| 5X/9491421 | Z.22431 | Grommet, Helsyn, No. 3 | | | | | | 1 | — | C | |
| 5K/9107067 | † | Sleeve, 1" long | | | | | | 1 | — | C | |
| | | Add:— | | | | | | | | | |
| 5X/9491422 | Z.22430 | Grommet, Helsyn, No. 2 | | | | | | 1 | — | C | |
| 5X/1005131 | Z.49428 | Sleeve | | | | | | 3 | — | C | |
| | E.B6.81.527 | CABLE, ASSEMBLY, E7, EARTH CONNECTION FOR J.B.7, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4187 | † | Cable, Uninyvin 12 | | | | | | QR | — | C | |
| 5K/4345989 | HV.3112 | Grommet, Hellermann | | | | | | 1 | — | C | |
| 5K/9107067 | EEAS.146/C | Sleeve, 3/4" long | | | | | | 4 | — | C | |
| 5K/9107068 | EEAS.146/D | Sleeve, 1" long | | | | | | 1 | — | C | |
| 5F/9434858 | HV.3254 | Strap, Hellermann | | | | | | QR | — | C | |
| 5F/9138823 | NY.3255 | Stud, Hellermann | | | | | | 6 | — | C | |
| 5X/9450224 | HC.510 | Tag: | | | | | | 2 | — | C | |
| 5X/7220 | 12108 | Tag, closed end | | | | | | 2 | — | C | |
| | E.B6.81.531 | CABLE, ASSEMBLY, E9, EARTH CONNECTION FOR J.B.9, GROUP | | | | | | 1 | — | — | |
| | | Spares for this group are identical with those for group Part No. E.B6.81.527 except for the following deletion and addition | | | | | | | | | |
| | | Delete:— | | | | | | | | | |
| 5K/9107068 | EEAS.146/D | Sleeve, 1" long | | | | | | 1 | — | C | |
| | | Add:— | | | | | | | | | |
| 5K/9107069 | EEAS.146/E | Sleeve, 1" long | | | | | | 1 | — | C | |
| | E.B6.81.537/2 | CABLE, ASSEMBLY, P9, FROM J.B.9 TO FUSE-LAGE CONNECTION, GROUP (PRE-MOD. 4927) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 5F/4185 | † | Cable, Uninyvin 16 | | | | | | QR | — | C | |
| 5E/4187 | † | Cable, Uninyvin 12 | | | | | | QR | — | C | |
| 5X/1526 | Z.18500/D | Ferrule | | | | | | 1 | — | C | |
| 5X/3143 | CZ.23144/D | Ring, clamp | | | | | | 1 | — | C | |
| 5X/1005131 | Z.49428 | Sleeve, cable | | | | | | 10 | — | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | | | | | | 48 | — | C | |
| 5K/9107067 | EEAS.146/B | Sleeve, 1/2" long | | | | | | 4 | — | C | |
| 5K/ | EEAS.118/5/P9 | Sleeve, identification | | | | | | 2 | — | — | |
| 5X/6200 | CZ.50414 | Socket, size D (Pre-Mod. 3380) | | | | | | 1 | — | C | |
| 5X/7205 | 2CZ.111468 | Socket, size D (Mod. 3380) | | | | | | 1 | — | C | |
| 5X/9450396 | HC.490 | Tag: | | | | | | 18 | — | C | |
| 5X/9482491 | HC.500 | Tag: | | | | | | 6 | — | C | |
| 5X/9450224 | HC.510 | Tag: | | | | | | 2 | — | C | |
| 5F/2038 | † | Tubing, P.V.C., 25.4 m/m x 12 m/m | | | | | | QR | — | C | |
| | E.B6.81.6337 | CABLE, ASSEMBLY, P9, FROM J.B.9 TO FUSE-LAGE CONNECTION, GROUP (MOD. 4927) | | | | | | 1 | — | — | |
| | | Spares for this assembly are identical to assembly Part No. E.B6.81.537/2 | | | | | | | | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN PORT WING**

| Ref. No. | Part No. | Description | | | | | | No. Off | Matl Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|-------------|----------------|---|--------------|------------------------|----------|-----|----|---------|------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.A1.81.819/1 | CABLE, ASSEMBLY, 7A.1, FROM TERMINAL BOARD TO UNDERCARRIAGE "UP" MICRO SWITCH, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, | Uninyvin | 20 | ... | ... | QR | — | C | | |
| 5K/ | † | Sleeve, | 3/4" | long | ... | ... | 4 | — | — | | |
| | E.B7.81.1295 | CABLE, ASSEMBLY, 7A.2, FROM TERMINAL BOARD TO UNDERCARRIAGE "DOWN" MICRO SWITCH, GROUP (MOD. 1497) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/3802 | † | Cable, | Duprensheath | 6, | round | ... | QR | — | C | | |
| 5K/9107065 | EEAS.146/A | Sleeve, | 3/4" | long | ... | ... | 2 | — | C | | |
| 5K/9107068 | EEAS.146/D | Sleeve, | 3/4" | long | ... | ... | 2 | — | C | | |
| | E.B7.81.1325 | CABLE, ASSEMBLY, 7A.3, FROM TERMINAL BOARD TO UNDERCARRIAGE "DOWN" MICRO SWITCH, GROUP (MOD. 1497) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/3802 | † | Cable, | Duprensheath | 6, | circular | ... | QR | — | C | | |
| 5K/9107065 | EEAS.146/A | Sleeve, | 3/4" | long | ... | ... | 2 | — | C | | |
| 5K/9107068 | EEAS.146/D | Sleeve, | 3/4" | long | ... | ... | 2 | — | C | | |
| | E.A9.81.5437/2 | CABLE, ASSEMBLY, 7F, 7P AND 7D CONNECTION FROM J.B.7 TO FIRE EXTINGUISHER BOTTLES, GROUP (MOD. 3773) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, | Uninyvin | 20 | ... | ... | QR | — | C | | |
| 10H/0970292 | CZ.69733 | Clamp, | cable | ... | ... | ... | 3 | — | C | | |
| 26DK/10046 | EEAS.274 | Ferrule | ... | ... | ... | ... | 3 | — | C | | |
| 10H/0970108 | Z.62235 | Gasket, | union | ... | ... | ... | 3 | — | C | | |
| 5X/9491421 | Z.22431 | Grommet, | Helsyn, | No. 3 | ... | ... | 2 | — | C | | |
| 10H/0970083 | Z.62229 | Ring, | sealing | ... | ... | ... | 3 | — | C | | |
| 10H/0970096 | Z.49037 | Ring, | thrust | ... | ... | ... | 3 | — | C | | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, | 3/4" | long | ... | ... | 12 | — | C | | |
| 5K/9107067 | EEAS.146/C | Sleeve, | 3/4" | long | ... | ... | 3 | — | C | | |
| 5K/9107069 | EEAS.146/E | Sleeve, | 1" | long | ... | ... | 1 | — | C | | |
| 5X/1005131 | Z.49428 | Sleeve, | cable | ... | ... | ... | 6 | — | C | | |
| 5X/ | 2CZ.111692 | Socket, | 2-pin, | size A (Pre-Mod. 3380) | ... | ... | 2 | — | C | | |
| 5X/7038 | 2CZ.84872 | Socket, | 2-pin, | size A (Mod. 3380) | ... | ... | 2 | — | C | | |
| | 2CZ.111693 | Socket, | 4-pin, | size A (Pre-Mod. 3380) | ... | ... | 1 | — | C | | |
| 5X/7039 | 2CZ.84873 | Socket, | 4-pin, | size A (Mod. 3380) | ... | ... | 1 | — | C | | |
| 5X/9450396 | HC.490 | Tag | ... | ... | ... | ... | 6 | — | C | | |
| | E.A1.81.876/1 | CABLE, ASSEMBLY, 7A, FROM J.B.7 TO UNDERCARRIAGE WIRING TERMINAL BOARD, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/3079 | † | Cable, | Quinpren | 6 | ... | ... | QR | — | C | | |
| 5X/9491421 | Z.22431 | Grommet, | Helsyn, | No. 3 | ... | ... | 2 | — | C | | |
| 5K/9107065 | † | Sleeve, | 1" | long | ... | ... | 8 | — | C | | |
| 5K/9107067 | † | Sleeve, | 3" | long | ... | ... | 2 | — | C | | |
| 5X/9450396 | HC.490 | Tag | ... | ... | ... | ... | 4 | — | C | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN PORT WING**

| Ref. No. | Part No. | Description | | | | | | No. Off | Matl Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|-------------|----------------|---|---|---|---|---|---|---------|-------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.A3.81.877/1 | CABLE, ASSEMBLY, 9D, FROM J.B.9 TO LANDING LAMP, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | — | |
| 5E/4195 | † | Cable, Uninyvin 16 | | | | | | QR | — | — | |
| 4588 | † | Channel, rubber, 0"5 | | | | | | 1 | E. & I. 652 | — | |
| | | | | | | | | | SECT. 1 | | |
| 5K/9491421 | Z.22431 | Grommet, Helsyn No. 3 | | | | | | 1 | — | — | |
| 5X/846 | † | Pin, socket | | | | | | 5 | — | — | |
| 5K/9107066 | EEAS.146/A | Sleeve, 3/4" long | | | | | | 10 | — | — | |
| 5K/9107068 | EEAS.146/D | Sleeve, 1/2" long | | | | | | 2 | — | — | |
| 5K/9107068 | EEAS.146/D | Sleeve, 1 1/2" long | | | | | | 1 | — | — | |
| 5X/766 | † | Socket, type M | | | | | | 1 | — | — | |
| 5X/9450396 | HC.490 | Tag | | | | | | 3 | — | — | |
| 5X/9482491 | HC.500 | Tag | | | | | | 2 | — | — | |
| 32B/1250522 | † | Thread, waxed linen, No. 18 | | | | | | QR | — | — | |
| | E.A1.81.881/1 | CABLE, ASSEMBLY, 7A.4, FROM UNDER-CARRIAGE TERMINAL BOARD TO PORT WHEEL DOOR MICRO SWITCH, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | — | |
| 5K/ | † | Sleeve, 3/4" long | | | | | | 4 | — | — | |
| | E.A3.81.895/1 | CABLE, ASSEMBLY, 9B.3, FROM NAVIGATION LIGHT CONTACT BOARD TO NAVIGATION LIGHT TERMINAL BOARD, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | — | |
| 5K/ | † | Sleeve, 3/4" long | | | | | | 4 | — | — | |
| 5K/ | † | Sleeve, 1" long | | | | | | 2 | — | — | |
| 5K/2233067 | ROSS COURTNEY | Tag, type "O-O" | | | | | | 2 | — | — | |
| | E.B7.81.1441/2 | CABLE, ASSEMBLY, 7C, FROM J.B.7 TO MIXING VALVE ACTUATOR, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | — | |
| 33H/56 | † | Cement, Bostik | | | | | | QR | — | — | |
| 5X/9999149 | Z.14485/2 | Ferrule, cut | | | | | | 1 | — | — | |
| 5X/9491421 | Z.22431 | Grommet, Helsyn No. 3 | | | | | | 1 | — | — | |
| 5X/1005131 | Z.49428 | Sleeve, cable | | | | | | 3 | — | — | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | | | | | | 6 | — | — | |
| 5K/9107068 | EEAS.146/D | Sleeve, 3/4" long | | | | | | 2 | — | — | |
| 5X/6009 | CZ.27901 | Socket (Pre-Mod. 3380) | | | | | | 1 | — | — | |
| 5X/7039 | 2CZ.84873 | Socket (Mod. 3380) | | | | | | 1 | — | — | |
| 5X/9450396 | HC.490 | Tag | | | | | | 3 | — | — | |
| 32B/1250522 | † | Thread, waxed linen, No. 18 | | | | | | QR | — | — | |
| | E.B7.81.1443 | CABLE, ASSEMBLY, 7G, FROM J.B.7 TO MIXING VALVE POSITION TRANSMITTER, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/3079 | † | Cable, Quinpren 6 | | | | | | QR | — | — | |
| 5X/9491421 | Z.22431 | Grommet, Helsyn No. 3 | | | | | | 1 | — | — | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | | | | | | 5 | — | — | |
| 5K/9107068 | EEAS.146/D | Sleeve, 3/4" long | | | | | | 2 | — | — | |
| 5X/9450396 | HC.490 | Tag | | | | | | 5 | — | — | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN PORT WING**

| Ref. No. | Part No. | Description | | | | | | No. Off | Matl Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|-------------|-------------------|--|-----|-----|-----|-----|----|---------|------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.B7.81.1445/2 | CABLE, ASSEMBLY, 7Q, FROM J.B.7 TO FIRE EXTINGUISHER, GROUP (PRE-MOD. 4927) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | ... | ... | ... | ... | QR | — | C | | |
| 33H/9130065 | † | Cement, Bostik | ... | ... | ... | ... | QR | — | C | | |
| 5X/9999149 | Z.14485/2 | Ferrule, cut | ... | ... | ... | ... | 1 | — | C | | |
| 5X/9491422 | Z.22430 | Grommet, Helsyn No. 2 | ... | ... | ... | ... | 1 | — | C | | |
| 5K/9107068 | EEAS.146/A1 | Sleeve, 3/4" long | ... | ... | ... | ... | 4 | — | C | | |
| 5K/9107067 | EEAS.146/C | Sleeve, 1" long | ... | ... | ... | ... | 2 | — | C | | |
| 5X/1005131 | Z.49428 | Sleeve, cable | ... | ... | ... | ... | 1 | — | C | | |
| 5X/6004 | CZ.27900 | Socket (Pre-Mod. 3380) | ... | ... | ... | ... | 1 | — | C | | |
| 5X/7038 | 2CZ.84872 | Socket (Mod. 3380) | ... | ... | ... | ... | 1 | — | C | | |
| 5X/9450396 | HC.490 | Tag | ... | ... | ... | ... | 2 | — | C | | |
| 32B/1250522 | † | Thread, waxed linen, No. 18 | ... | ... | ... | ... | QR | — | C | | |
| | E.B6.81.6317 | CABLE, ASSEMBLY, 7Q, FROM J.B.7 TO FIRE EXTINGUISHER, GROUP (MOD. 4927) | | | | | | 1 | — | — | |
| | | Spares for this assembly are identical to assembly Part No. E.B7.81.1445/2 | | | | | | | | | |
| | E.B7.81.1447/2 | CABLE, ASSEMBLY, 7L, FROM J.B.7 TO GATE VALVE, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | ... | ... | ... | ... | QR | — | C | | |
| 33H/9130065 | † | Cement, Bostik | ... | ... | ... | ... | QR | — | C | | |
| 5X/9999149 | Z.14485/2 | Ferrule, cut | ... | ... | ... | ... | 1 | — | C | | |
| 5X/9491421 | Z.22431 | Grommet, Helsyn No. 3 | ... | ... | ... | ... | 1 | — | C | | |
| 5X/1005131 | Z.49428 | Sleeve, cable | ... | ... | ... | ... | 3 | — | C | | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | ... | ... | ... | ... | 6 | — | C | | |
| 5K/9107068 | EEAS.146/D | Sleeve, 1" long | ... | ... | ... | ... | 2 | — | C | | |
| 5X/6009 | CZ.27901 | Socket, size A (Pre-Mod. 3380) | ... | ... | ... | ... | 1 | — | C | | |
| 5X/7039 | 2CZ.84873 | Socket, size A (Mod. 3380) | ... | ... | ... | ... | 1 | — | C | | |
| 5X/9450396 | HC.490 | Tag | ... | ... | ... | ... | 3 | — | C | | |
| | E.B6.81.1689 | CABLE, ASSEMBLY, P.33, FROM VOLTAGE REGULATOR PANEL TO GENERATOR NO. 1 AND NEGATIVE SHUNT, GROUP (MOD. 2393, 2155 AND 2197) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4187 | † | Cable, Uninyvin 12 | ... | ... | ... | ... | QR | — | C | | |
| 33H/9130065 | † | Cement, Bostik | ... | ... | ... | ... | QR | — | C | | |
| 5X/9400388 | 12108 | Lug, crimping, Mk. 8A | ... | ... | ... | ... | 1 | — | C | | |
| 5K/4329335 | AGS.1658/1 | Nut, cable gland | ... | ... | ... | ... | 1 | — | C | | |
| 5K/9134478 | AGS.1652/3 | Sleeve, slotted, oval | ... | ... | ... | ... | 1 | — | C | | |
| 5K/9107067 | EEAS.146/C | Sleeve, 3/4" long | ... | ... | ... | ... | 6 | — | C | | |
| 5K/9107067 | EEAS.146/C | Sleeve, 1" long | ... | ... | ... | ... | 2 | — | C | | |
| 5F/9434858 | HELLERMAN HV.3254 | Strapping, cable | ... | ... | ... | ... | QR | — | C | | |
| 5F/9138823 | HELLERMAN NY.3255 | Stud | ... | ... | ... | ... | QR | — | C | | |
| 5X/9450224 | HC.510 | Tag | ... | ... | ... | ... | 3 | — | C | | |
| 32B/1250522 | † | Thread, waxed linen, No. 18 | ... | ... | ... | ... | QR | — | C | | |
| | E.B6.81.1697 | CABLE, ASSEMBLY, EP, FROM NEGATIVE SHUNT, PORT, TO EARTH, GROUP (MOD. 2393, 2155 AND 2197) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4197 | † | Cable, Uninyvin 0000 | ... | ... | ... | ... | QR | — | C | | |
| 5X/9400108 | 12142 | Lug, crimp type, Mk. 42 | ... | ... | ... | ... | 1 | — | C | | |
| 5X/9400109 | 12143 | Lug, crimp type, Mk. 43 | ... | ... | ... | ... | 1 | — | C | | |
| 5K/9107071 | EEAS.146/L | Sleeve, 2" long | ... | ... | ... | ... | 2 | — | C | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN PORT WING**

| Ref. No. | Part No. | Description | | | | | | No. Off | Matl Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|-------------|-------------------------------|--|-----|-----|-----|-----|----|---------|------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.A3.81.1591 | CABLE, ASSEMBLY, 9B.1, FROM WING TIP TERMINAL BOARD TO JETTISON TANK AND NAVIGATION LIGHT TERMINAL BOARD, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | ... | ... | ... | ... | QR | — | C | | |
| 5K/ | † | Sleeve, 3/4" long | ... | ... | ... | ... | 4 | — | — | | |
| 5K/ | † | Sleeve, 1" long | ... | ... | ... | ... | 2 | — | — | | |
| 5K/2233067 | ROSS COURTNEY E.A4.81.1591 | Tag, type "O-O" | ... | ... | ... | ... | 2 | — | C | | |
| | | CABLE, ASSEMBLY, P.31, FROM GENERATOR SUPPRESSOR TO TERMINAL BLOCKS BEHIND LEADING EDGE DIAPHRAGM AND EARTH POINT, GROUP (PRE-MOD. 2393, 2155 AND 2197) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4187 | † | Cable, Uninyvin 12 | ... | ... | ... | ... | QR | — | C | | |
| 5E/4195 | † | Cable, Uninyvin 00 | ... | ... | ... | ... | QR | — | C | | |
| 32A/1058027 | † | Cord, braided | ... | ... | ... | ... | QR | — | C | | |
| 5X/9400113 | AS.4002 | Lug, terminal | ... | ... | ... | ... | 1 | — | C | | |
| 5X/9450380 | † | Lug, terminal, Mk. 9 | ... | ... | ... | ... | 1 | — | C | | |
| 5X/9400103 | † | Lug, terminal, Mk. 37 | ... | ... | ... | ... | 1 | — | C | | |
| 5K/ | † | Sleeve, 3/4" long | ... | ... | ... | ... | 2 | — | — | | |
| 5K/ | † | Sleeve, 1" long | ... | ... | ... | ... | 22 | — | — | | |
| 5K/ | EEAS.118/5/P31 | Sleeve, identification | ... | ... | ... | ... | 1 | — | — | | |
| 5X/9450224 | HC.510 | Tag | ... | ... | ... | ... | 1 | — | C | | |
| 5F/9401210 | † | Tape, empire, 3/4" wide | ... | ... | ... | ... | QR | — | C | | |
| 5X/6758 | E.B7.81.1465 | Thimble, cable end | ... | ... | ... | ... | 2 | — | C | | |
| 5X/4491410 | † | Trousers, cable end | ... | ... | ... | ... | 1 | — | C | | |
| | E.A3.81.1593 | CABLE, ASSEMBLY, 9B.2, FROM TERMINAL BOARD TO WING TIP TAXYING LAMP CONNECTION, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | ... | ... | ... | ... | QR | — | C | | |
| 5K/ | † | Sleeve, 3/4" long | ... | ... | ... | ... | 2 | — | — | | |
| 5K/ | † | Sleeve, 1" long | ... | ... | ... | ... | 2 | — | — | | |
| | E.A3.81.1597 | CABLE, ASSEMBLY, 9B.4, FROM WING TIP TERMINAL BOARD TO JETTISON TANK DETONATOR TERMINAL BOARD, GROUP (PRE-MOD. 4063) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | ... | ... | ... | ... | QR | — | C | | |
| 5CZ/4239 | PAINTON CO. P.2001/H/15 | Resistance, 15 ohms, 25 watts | ... | ... | ... | ... | 1 | — | C | | |
| 5K/ | † | Sleeve, 3/4" long | ... | ... | ... | ... | 6 | — | — | | |
| 5K/ | † | Sleeve, 1" long | ... | ... | ... | ... | 2 | — | — | | |
| | E.A3.81.6321 | CABLE, ASSEMBLY, 9B.4, FROM WING TIP TERMINAL BOARD TO DETONATOR TERMINAL BOARD, GROUP (MOD. 4063) (PRE-MOD. 4936) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | ... | ... | ... | ... | QR | — | C | | |
| 5K/9107065 | EEAS.146/20 | Sleeve, 3/4" long | ... | ... | ... | ... | 6 | — | C | | |
| 5K/9107066 | EEAS.146/6 | Sleeve, 1" long | ... | ... | ... | ... | 2 | — | C | | |
| 5K/9468708 | EEAS.146/6 | Sleeve, 1 1/2" long | ... | ... | ... | ... | 1 | — | C | | |
| 5X/9462951 | HC.294 | Tag, ring tongue | ... | ... | ... | ... | 2 | — | C | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN PORT WING**

| Ref. No. | Part No. | Description | | | | | | No. Off | Matl Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|------------|---|--|---|---|---|---|---|---------|------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.A3.81.6721 | CABLE, ASSEMBLY, 9B.4, FROM WING TIP TERMINAL BOARD TO DETONATOR TERMINAL BOARD, GROUP (MOD. 4936) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable; Uninyvin 20 | | | | | | QR | — | C | |
| 5K/9107067 | EEAS.146/6 | Sleeve, 1" long | | | | | | 3 | — | C | |
| 5K/9468708 | EEAS.146/6 | Sleeve, 1½" long | | | | | | 1 | — | C | |
| 5K/9107065 | EEAS.146/20 | Sleeve, ¾" long | | | | | | 4 | — | C | |
| 5K/9137693 | EEAS.146/20 | Sleeve, 1" long | | | | | | 3 | — | C | |
| 5X/9450393 | HC.292 | Tag | | | | | | 1 | — | C | |
| 5X/9462951 | HC.294 | Tag | | | | | | 2 | — | C | |
| 5431 | E.A3.81.1599 | CABLE, ASSEMBLY, 9B.5, FROM WING TIP TERMINAL BOARD TO JETTISON TANK FORWARD DETONATOR TERMINAL BOARD, GROUP (PRE-MOD.4063) | | | | | | 1 | — | C | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable; Uninyvin 20 | | | | | | QR | — | C | |
| 5CZ/4239 | P.2001/H/15 | Resistance, 15 ohms, 25 watts | | | | | | 1 | — | C | |
| 5K/9107065 | EEAS.146/A | Sleeve, ¾" long | | | | | | 6 | — | C | |
| 5K/9107067 | EEAS.146/B | Sleeve, 1" long | | | | | | 2 | — | C | |
| | E.A3.81.6319 | CABLE, ASSEMBLY, 9B.5, FROM WING TIP TERMINAL BOARD AND RESISTOR UNIT TO DETONATOR TERMINAL BOARD, GROUP (MOD. 4063) (PRE-MOD.4936) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable; Uninyvin 20 | | | | | | QR | — | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve, ¾" long | | | | | | 16 | — | C | |
| 5K/9140109 | EEAS.146/12 | Sleeve, 1½" long | | | | | | 3 | — | C | |
| 5K/9107065 | EEAS.146/20 | Sleeve, ¾" long | | | | | | 8 | — | C | |
| 5X/9462951 | HC.294 | Tag; ring tongue | | | | | | 2 | — | C | |
| | E.A3.81.6723 | CABLE, ASSEMBLY, 9B.5, FROM WING TIP TERMINAL BOARD AND RESISTOR UNIT TO DETONATOR TERMINAL BOARD GROUP (MOD. 4936) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable; Uninyvin 20 | | | | | | QR | — | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 1" long | | | | | | 7 | — | C | |
| 5K/9140109 | EEAS.146/12 | Sleeve, 2" long | | | | | | 1 | — | C | |
| 5K/9107065 | EEAS.146/20 | Sleeve, ¾" long | | | | | | 4 | — | C | |
| 5K/9137693 | EEAS.146/20 | Sleeve, 1" long | | | | | | 6 | — | C | |
| 5X/9450393 | HC.292 | Tag | | | | | | 1 | — | C | |
| 5X/9462951 | HC.294 | Tag | | | | | | 2 | — | C | |
| 5K/3689 | ROSS COURTNEY WE.490 SMITH- WAYMOUTH | Cable, end, crown type | | | | | | 2 | — | C | |
| 6A/2731 | CA.12 SMITH- WAYMOUTH | Connector | | | | | | 1 | — | C | |
| 6A/3734 | CA.25 SMITH- WAYMOUTH | Connector | | | | | | 1 | — | C | |
| 6A/2853 | CA.55 | Connector | | | | | | 1 | — | C | |
| 5K/4329498 | AGS.1725/1 | Disc, blanking | | | | | | 2 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN PORT WING**

| Ref. No. | Part No. | Description | | | | | | No. Off | Matl Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|-------------|---------------|--|-----|-----|-----|-----|-----|---------|------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| 5X/1200092 | Z.1757 | Grommet | ... | ... | ... | ... | ... | 2 | — | C | |
| 5X/9497924 | Z.4018 | Grommet | ... | ... | ... | ... | ... | 1 | — | C | |
| 5X/2790 | Z.22634 | Grommet, dummy | ... | ... | ... | ... | ... | 2 | — | C | |
| 6827 | E.B6.81.519 | Lead, H.T. ignition | ... | ... | ... | ... | ... | 1 | — | B | |
| 6828 | E.B7.81.1449 | Lead, H.T. ignition | ... | ... | ... | ... | ... | 1 | — | B | |
| 6A/1942 | † | Lead, extension, type B | ... | ... | ... | ... | ... | 4 | — | B | |
| 5K/4329335 | AGS.1658/1 | Nut, cable gland | ... | ... | ... | ... | ... | 2 | — | C | |
| | E.B7.81.41 | LOOMS, CABLE INSTRUMENT, ASSEMBLY | ... | ... | ... | ... | ... | — | — | — | |
| | | Spares for:— | | | | | | | | | |
| 4960 | E.A3.81.969 | CABLE, ASSEMBLY, AU.3-E.11, FROM A.M.U. Mk. 4 TO EARTH CONNECTION, GROUP | ... | ... | ... | ... | ... | 1 | — | C | |
| | | Consisting of:— | | | | | | | | | |
| 5E/3100 | † | Cable, Duprenmet 12 | ... | ... | ... | ... | ... | QR | — | C | |
| 10H/20406 | Z.54443 | Ferrule, inner | ... | ... | ... | ... | ... | 1 | — | C | |
| 10H/20407 | Z.54444 | Ferrule, outer | ... | ... | ... | ... | ... | 1 | — | C | |
| 10H/0970058 | Z.60667 | Gasket, outlet | ... | ... | ... | ... | ... | 1 | — | C | |
| 10H/0970062 | CZ.49180 | Outlet, straight | ... | ... | ... | ... | ... | 1 | — | C | |
| 10H/0970088 | Z.62229 | Ring, sealing | ... | ... | ... | ... | ... | 1 | — | C | |
| 5K/9107065 | EEAS.146/A | Sleeve, 3/4" long | ... | ... | ... | ... | ... | 2 | — | C | |
| 5K/9107067 | EEAS.146/B | Sleeve, 1" long | ... | ... | ... | ... | ... | 2 | — | C | |
| 10H/0560090 | CZ.49014 | Socket, 2-way, Mk. 4 | ... | ... | ... | ... | ... | 1 | — | C | |
| 5X/7220 | Z.56547 | Tag, eye type, 4 BA | ... | ... | ... | ... | ... | 1 | — | C | |
| 5X/9400066 | Z.19981 | Thimble | ... | ... | ... | ... | ... | 1 | — | C | |
| | E.B7.81.1433 | WIRING ON LEADING EDGE DIAPHRAGM, ASSEMBLY (PRE-MOD. 2393, 2155, 2197) | ... | ... | ... | ... | ... | — | — | — | |
| | | Spares for this assembly are identical with those for assembly Part No. E.B6.81.1853, except for the following deletions and additions | | | | | | | | | |
| | | Delete:— | | | | | | | | | |
| 13192 | E.A9.81.1095 | Block, connector | ... | ... | ... | ... | ... | 2 | LFB.82 | C | |
| 13193 | E.A9.81.1099 | Fairlead, half | ... | ... | ... | ... | ... | 2 | LFS. | C | |
| 13194 | E.A9.81.1097 | Stud, connector | ... | ... | ... | ... | ... | 1 | BS.369 | C | |
| | | Add:— | | | | | | | | | |
| 12030 | EEAS.21/2ER | Washer, special | ... | ... | ... | ... | ... | 10 | — | C | |
| | E.B6.81.1853 | WIRING ON LEADING EDGE DIAPHRAGM, ASSEMBLY (MOD. 2393, 2155, 2197) | ... | ... | ... | ... | ... | — | — | — | |
| | | Spares for:— | | | | | | | | | |
| 13192 | E.A9.81.1095 | Block, connector | ... | ... | ... | ... | ... | 2 | LFS.82 | C | |
| | | Attaching parts for E.A9.81.1095:— | | | | | | | | | |
| 28M/1278189 | AGS.2001/B/1 | Nut, 4 BA | ... | ... | ... | ... | ... | 4 | — | C | |
| 28S/1005622 | A31/B28 | Screw, 4 BA | ... | ... | ... | ... | ... | 4 | — | C | |
| 28W/9419474 | SP.15/B | Washer | ... | ... | ... | ... | ... | 4 | — | C | |
| | E.B6.81.10441 | BOX, JUNCTION, NO. 7, ASSEMBLY (PRE-MOD. 4927) | ... | ... | ... | ... | ... | 1 | — | — | |
| | | Spares for:— | | | | | | | | | |
| 5X/1002695 | CZ.23212/1 | Block, terminal, 20-way | ... | ... | ... | ... | ... | 2 | — | C | |
| | E.A1.81.583 | Box, junction, 40-way | ... | ... | ... | ... | ... | 1 | — | — | |
| 5E/4183 | † | Cable, Uninyvin 20 | ... | ... | ... | ... | ... | QR | — | C | |
| 5E/4185 | † | Cable, Uninyvin 16 | ... | ... | ... | ... | ... | QR | — | C | |
| 5E/4187 | † | Cable, Uninyvin 12 | ... | ... | ... | ... | ... | QR | — | C | |
| | E.B7.81.365 | COVER, ASSEMBLY | ... | ... | ... | ... | ... | 1 | — | — | |
| | | Spares for:— | | | | | | | | | |
| 20457 | EEAS.117/1 | Screw, cover | ... | ... | ... | ... | ... | 6 | S.92 | C | |
| 1066 | EEAS.28/2CU | Washer | ... | ... | ... | ... | ... | 12 | D'TD.124 | C | |
| 1108 | EEAS.42 | Washer | ... | ... | ... | ... | ... | 6 | Leather | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN PORT WING**

| Ref. No. | Part No. | Description | | | | | | No. Off | Matl Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|-------------|----------------------------|--|-----|-----|-----|-----|---|---------|------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | | WIRING, BEHIND LEADING EDGE DIAPHRAGM, ASSEMBLY (PRE-MOD. 2393, 2155) | | | | | | | | | |
| | | Spares for:— | | | | | | | | | |
| 5X/9482906 | AS.2654 | Block, connector | ... | ... | ... | ... | 1 | — | C | | |
| | | Attaching parts for AS.2654:— | | | | | | | | | |
| 28M/1278189 | AGS.2001/B/1 | Nut, 4 BA | ... | ... | ... | ... | 2 | — | C | | |
| 28S/1200033 | A31/B24 | Screw, 4 BA | ... | ... | ... | ... | 2 | — | C | | |
| 28W/9419448 | AGS.2035/B | Washer | ... | ... | ... | ... | 2 | — | C | | |
| 5X/3276 | CZ.50205 | Block, terminal | ... | ... | ... | ... | 1 | — | C | | |
| | | Attaching parts for CZ.50205:— | | | | | | | | | |
| 28M/1278189 | AGS.2001/B/1 | Nut, 4 BA | ... | ... | ... | ... | 2 | — | C | | |
| 5X/9450403 | Z.28426 | Pillar, fixing | ... | ... | ... | ... | 2 | — | C | | |
| 28W/9419448 | AGS.2035/B | Washer | ... | ... | ... | ... | 2 | — | C | | |
| 17311 | E.A.4.81.1595 | Cover | ... | ... | ... | ... | 1 | — | C | | |
| | | Attaching parts for E.A.4.81.1595:— | | | | | | | | | |
| 28S/9419435 | A31/B12 | Screw, 4 BA | ... | ... | ... | ... | 4 | — | C | | |
| 5X/9704508 | AS.2655 | Cover, assembly | ... | ... | ... | ... | 1 | — | C | | |
| 5X/3272 | CZ.26799 | Cover, perspex | ... | ... | ... | ... | 1 | — | C | | |
| | E.B7.81.789 | Fairlead | ... | ... | ... | ... | 1 | — | — | | |
| | | Attaching parts for E.B7.81.789:— | | | | | | | | | |
| 28D/1011006 | A25/5B | Bolt, 4 BA | ... | ... | ... | ... | 4 | — | C | | |
| 28M/1278189 | AGS.2001/B/1 | Nut, 4 BA | ... | ... | ... | ... | 4 | — | C | | |
| 5X/1004082 | Z.50210 | Link | ... | ... | ... | ... | 1 | — | C | | |
| 7156 | E.A3.81.1957 | Washer, earth | ... | ... | ... | ... | 3 | — | C | | |
| | E.B7.81.601 | | | | | | | | | | |
| | | WIRING AND ELECTRICAL EQUIPMENT, OUTER WING, ASSEMBLY | | | | | | | | | |
| | | Spares for:— | | | | | | | | | |
| 5CZ/1053794 | † | Block, terminal | ... | ... | ... | ... | 1 | — | C | | |
| | | Attaching parts for Ref. 5CZ/1053794:— | | | | | | | | | |
| 28M/1987493 | AGS.2001/A/1 | Nut, 6 BA | ... | ... | ... | ... | 2 | — | C | | |
| 28S/1200050 | A32/A20 | Screw, 6 BA | ... | ... | ... | ... | 2 | — | C | | |
| 6A/3561 | SMITH WAYMOUTH JLA/123/109 | Box, cable connector | ... | ... | ... | ... | 1 | — | C | | |
| | | Attaching parts for Ref. JLA/123/109:— | | | | | | | | | |
| 28M/1278190 | AGS.2001/C/1 | Nut, 2 BA | ... | ... | ... | ... | 2 | — | C | | |
| 28S/1200051 | A32/C28 | Screw, 2 BA | ... | ... | ... | ... | 2 | — | C | | |
| 28W/9419404 | SP.16/C | Washer | ... | ... | ... | ... | 4 | — | C | | |
| 6A/2813 | SMITH WAYMOUTH XA | Bracket, amplifier attachment | ... | ... | ... | ... | 1 | — | C | | |
| 17361 | E.B6.81.381 | Fairlead, half | ... | ... | ... | ... | 2 | — | C | | |
| | | Attaching parts for E.B6.81.381:— | | | | | | | | | |
| 28D/1008149 | A25/2B | Bolt, 4 BA | ... | ... | ... | ... | 4 | — | C | | |
| 28W/9419474 | SP.15/B | Washer | ... | ... | ... | ... | 4 | — | C | | |
| 5CY/4376390 | S.I.S.3671 | Suppressor, fuel pump, type O, No. 2 | ... | ... | ... | ... | 1 | — | B | | |
| | | Attaching parts for SIS.3671:— | | | | | | | | | |
| 28D/1008149 | A25/2B | Bolt, 4 BA | ... | ... | ... | ... | 4 | — | C | | |

| CANBERRA B Mk. 6 | | ELECTRICAL ELECTRICAL EQUIPMENT IN PORT WING | | | | | | Page 345 | | | |
|------------------|-----------------------------|--|---|---|---|---|---|----------|------------|-------------------------------|-----------|
| Ref. No. | Part No. | Description | | | | | | No. Off | Matl Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| 6A/2762 | SMITH WAYMOUTH F.A.A. | Transmitter, fuel contents gauge | | | | | | 1 | — | A | |
| 28M/1278190 | AGS.2001/C/1 | Attaching parts for F.A.A.:— | | | | | | | | | |
| 28S/9435717 | A33/C20 | Nut, 2 BA | | | | | | 4 | — | C | |
| | | Screw, 2 BA | | | | | | 4 | — | C | |
| 37A/1401 | NB.25/2 | Unit, ignition, high energy | | | | | | 1 | — | B | |
| | or | | | | | | | | | | |
| 37A/1790 | CJO.TS.3 | Unit, ignition, high energy | | | | | | 1 | — | B | |
| | | Attaching parts for NB.25/2 or C.JO.TS3:— | | | | | | | | | |
| 28D/1011029 | A25/1E | Bolt, 1/2" BSF | | | | | | 3 | — | C | |
| | E.A3.81.93 | WIRING AND ELECTRICAL EQUIPMENT OUTBOARD OF RIB 8, ASSEMBLY | | | | | | — | — | — | |
| | | Spares for:— | | | | | | | | | |
| 5CZ/4335533 | E.A.1.81.1047 | Block, contact, assembly | | | | | | 1 | — | C | |
| 5X/9409328 | CZ.50178 | Block, terminal, type J | | | | | | 1 | — | C | |
| 5X/6288 | CZ.50179 | Block, terminal, type J | | | | | | 1 | — | C | |
| | | Attaching parts for CZ.50178 and CZ.50179:— | | | | | | | | | |
| 28S/9130752 | A43/B24 | Screw, 4 BA | | | | | | 2 | — | C | |
| 5CZ/4350489 | † | Block, terminal, type B, No. 1 | | | | | | 1 | — | C | |
| | | Attaching parts for Ref. 5CZ/4350489:— | | | | | | | | | |
| 28S/1200062 | A33/A20 | Screw, 6 BA | | | | | | 2 | — | C | |
| 9530 | E.A3.81.2653 | Clip | | | | | | 1 | — | C | |
| | | Attaching parts for E.A3.81.2653:— | | | | | | | | | |
| 28D/1212940 | A61/2C | Bolt, 2 BA | | | | | | 2 | — | C | |
| 9757 | E.A3.81.493 | Plate, base, resistance block, assembly (Pre-Mod. 4063) | | | | | | 1 | — | C | |
| 41769 | E.A3.81.6305 | Plate, base, resistance block, assembly (Mod. 4063) | | | | | | 1 | — | C | |
| 5385 | E.A3.81.495 | Plate, base, resistance block, assembly (Pre-Mod. 4063) | | | | | | 1 | — | C | |
| 41770 | E.A3.81.6307 | Plate, base, resistance block, assembly (Mod. 4063) | | | | | | 1 | — | C | |
| 5CZ/4239 | PAINTON P.2001/H | Resistor, 15 ohms, 25 watt, type H (Pre-Mod. 4063) | | | | | | 3 | — | C | |
| 5905-99-024-1026 | PAINTON P.2001/F/15 | Resistor, 15 ohms, 25 watt, type F (Mod. 4063) | | | | | | 3 | — | C | |
| 5X/9450396 | HC.490 | Tag, quick release | | | | | | 2 | — | C | |
| 5K/9436636 | AGS.1600/A E.A.1.81.27 | Tag, terminal | | | | | | 5 | — | C | |
| | | WIRING, JET PIPE THERMOCOUPLE, ASSEMBLY | | | | | | — | — | — | |
| | | Spares for:— | | | | | | | | | |
| 5CZ/1053794 | † | Block, terminal, type B, No. 1 | | | | | | 4 | — | C | |
| | | Attaching parts for Ref. 5CZ/1053794:— | | | | | | | | | |
| 28S/1011405 | A33/A32 | Screw, 6 BA | | | | | | 2 | — | C | |
| 29H/9437201 | BROWN BROS. AV/W50 | Clip, thermocouple leads | | | | | | 3 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN PORT WING**

| Ref. No. | Part No. | Description | | | | | | No. Off | Matl Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|-------------|-----------------------|--|---|---|---|---|---|---------|------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.B7.81.1307 | WIRING, MAIN UNDERCARRIAGE, ASSEMBLY ... | | | | | | — | — | — | |
| | | Spares for:— | | | | | | | | | |
| 5CZ/4350489 | S.I.S.2057 | Block, terminal, type B, No. 1 | | | | | | 1 | — | C | |
| | | Attaching parts for SIS.2057:— | | | | | | | | | |
| 28M/1987493 | AGS.2001/A/1 | Nut, 6 BA | | | | | | 2 | — | C | |
| 28S/1200062 | A33/A20 | Screw, 6 BA | | | | | | 2 | — | C | |
| 5CW/6672 | BURGESS | Switch, micro, MS5750, "down" lock (Mod. 3759, Pre-Mod. 4080) | | | | | | 1 | — | C | |
| 5CW/9504373 | BURGESS | Switch, micro, MS5752, "up" lock (Mod. 3759, Pre-Mod. 4080) | | | | | | 1 | — | C | |
| 5CW/1085884 | HONEYWELL 1H.Y1 | Switch, limit, "up" and "down" lock (Mod. 4080) | | | | | | 2 | — | B | |
| 5CW/12444 | DOWTY DN1322 Mk. 2 | Switch, limit, "up" and "down" lock (Mod. 4449— S.O.O.) (Pre-Mods 4958 and 4959) | | | | | | 2 | — | B | |
| 5CW/13598 | DN1322 Mk. 3 | Switch, limit, "up" lock (Mod. 4958) | | | | | | 1 | — | B | |
| 5CW/13598 | DN1322 Mk. 3 | Switch, limit, "down" lock (Mod. 4959) | | | | | | 1 | — | B | |
| | | Attaching parts for switches:— | | | | | | | | | |
| 28D/1010029 | A25/6B | Bolt, 4 BA | | | | | | 1 | — | C | |
| 2029 | E.A1.20.1245 | Bolt, special, 2 BA | | | | | | 1 | — | C | |
| 28M/9403520 | A27/CP | Nut, 2 BA | | | | | | 1 | — | C | |
| 28W/1206041 | AGS.2035/B | Washer | | | | | | 1 | — | C | |
| 28W/1006946 | AGS.2035/C | Washer | | | | | | 1 | — | C | |

~~345~~
Pages ~~349~~ to 358 not issued
347

**ELECTRICAL
ELECTRICAL EQUIPMENT IN STARBOARD WING**

| Ref. No. | Part No. | Description | | | | | | No. Off | Matl Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|-------------|--------------|--|---|---|---|---|---|---------|------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.B7.81.10 | ELECTRICAL EQUIPMENT IN STARBOARD WING, ASSEMBLY | | | | | | — | — | — | |
| | E.A3.81.2170 | CONDUITS ACROSS ENGINE NACELLE, ASSEMBLY | | | | | | — | — | — | |
| | | Spares for:— | | | | | | | | | |
| | E.A3.81.2131 | Angle, pipe clip support | | | | | | 2 | — | — | |
| 17036 | E.A3.81.2135 | Clip, conduit | | | | | | 3 | — | C | |
| | | Attaching parts for E.A3.81.2135:— | | | | | | | | | |
| 28D/9436920 | A25/1C | Bolt, 2 BA | | | | | | 2 | — | C | |
| 28M/9403520 | A27/CP | Nut, 2 BA | | | | | | 2 | — | C | |
| 28W/9419475 | SP.15/C | Washer | | | | | | 2 | — | C | |
| | E.A3.81.2175 | Clip, conduit | | | | | | 2 | — | C | |
| | | Attaching parts for E.A3.81.2175:— | | | | | | | | | |
| 28D/1008149 | A25/2B | Bolt, 4 BA | | | | | | 1 | — | C | |
| 28M/1278189 | AGS.2001/B/1 | Nut, 4 BA | | | | | | 1 | — | C | |
| 28W/9419474 | SP.15/B | Washer | | | | | | 1 | — | C | |
| 17035 | E.A3.81.2133 | Washer 'D' | | | | | | 1 | — | C | |
| 17046 | E.A3.81.2171 | Conduit, 1½" o/d. | | | | | | 1 | L.54 | C | |
| 17047 | E.A3.81.2173 | Conduit, 1½" o/d. | | | | | | 1 | L.54 | C | |
| 17016 | E.A3.81.1595 | Sleeve, conduit | | | | | | 1 | — | C | |
| | E.A3.81.2478 | CONDUITS IN INNER WING, ASSEMBLY | | | | | | — | — | — | |
| | | Spares for:— | | | | | | | | | |
| 9747 | E.A1.81.108 | Clip, conduit | | | | | | 1 | — | C | |
| 9746 | E.A1.81.111 | Clip, conduit | | | | | | 2 | — | C | |
| 17091 | E.A3.81.2479 | Clip, conduit | | | | | | 2 | — | C | |
| 17092 | E.A3.81.2485 | Clip, conduit | | | | | | 2 | — | C | |
| | | Attaching parts for E.A1.81.108, E.A1.81.111, E.A3.81.2479, and E.A3.81.2485:— | | | | | | | | | |
| 28D/1010658 | A25/1B | Bolt, 4 BA (As required) | | | | | | 2 | — | C | |
| 28D/1008149 | A25/2B | Bolt, 4 BA (As required) | | | | | | 2 | — | C | |
| 28D/9436920 | A25/1C | Bolt, 2 BA (As required) | | | | | | 2 | — | C | |
| 28M/9403510 | A27/BP | Nut, 4 BA (As required) | | | | | | 2 | — | C | |
| 28M/1278190 | AGS.2001/C/1 | Nut, 2 BA (As required) | | | | | | 2 | — | C | |
| 28W/9416642 | SP.47/B | Washer (As required) | | | | | | 2 | — | C | |
| 28W/9419402 | SP.13/C | Washer (As required) | | | | | | 2 | — | C | |
| 17093 | E.A3.81.2487 | Conduit, 2" o/d. | | | | | | 1 | — | C | |
| 17094 | E.A3.81.2489 | Conduit, 2" o/d. | | | | | | 1 | — | C | |
| 17095 | E.A3.81.2491 | Conduit | | | | | | 1 | — | C | |
| | E.A1.81.18 | CONDUIT ON RIB 7, INNER WING, ASSEMBLY | | | | | | — | — | — | |
| | | Spares for:— | | | | | | | | | |
| 9739 | E.A1.81.102 | Clip, conduit | | | | | | 1 | — | C | |
| 9751 | E.A1.81.110 | Clip, conduit | | | | | | 5 | — | C | |
| | | Attaching parts for E.A1.81.102 and E.A1.81.110:— | | | | | | | | | |
| 28D/9436920 | A25/1C | Bolt, 2 BA (As required) | | | | | | 2 | — | C | |
| 28D/9133011 | A25/2C | Bolt, 2 BA (As required) | | | | | | 1 | — | C | |
| 28M/9403520 | A27/CP | Nut, 2 BA (As required) | | | | | | 2 | — | C | |
| 28W/9416643 | SP.47/C | Washer (As required) | | | | | | 2 | — | C | |
| 9750 | E.A1.81.17/A | Conduit, 1½" o/d. x 82" long x 20 SWG | | | | | | 1 | L.54 | C | |
| | E.A3.81.2122 | CONDUITS IN OUTER WING, ASSEMBLY | | | | | | — | — | — | |
| | | Spares for:— | | | | | | | | | |
| 17037 | E.A3.81.2137 | Clip, conduit | | | | | | 7 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN STARBOARD WING**

| Ref. No. | Part No. | Description | | | | | | No. Off | Matl Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|-------------|--------------|---|-----|-----|-----|-----|----|---------|------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| 17038 | E.A3.81.2139 | Clip, conduit | ... | ... | ... | ... | 2 | — | C | | |
| | | Attaching parts for E.A3.81.2137 and E.A3.81.2139:— | | | | | | | | | |
| 28D/1010658 | A25/1B | Bolt, 4 BA (As required) | ... | ... | ... | ... | 2 | — | C | | |
| 28M/9403519 | A27/BP | Nut, 4 BA (As required) | ... | ... | ... | ... | 2 | — | C | | |
| 28W/9419474 | SP.15/B | Washer (As required) | ... | ... | ... | ... | 2 | — | C | | |
| 17030 | E.A3.81.2123 | Conduit | ... | ... | ... | ... | 1 | — | C | | |
| 17031 | E.A3.81.2125 | Conduit | ... | ... | ... | ... | 1 | — | C | | |
| 17032 | E.A3.81.2127 | Conduit | ... | ... | ... | ... | 1 | — | C | | |
| 17043 | E.A3.81.2149 | Conduit | ... | ... | ... | ... | 1 | — | C | | |
| | E.A3.81.1665 | Sleeve | ... | ... | ... | ... | 2 | — | — | | |
| | E.A3.81.2129 | Support, conduit | ... | ... | ... | ... | 2 | — | — | | |
| | | Attaching parts for E.A3.81.2129:— | | | | | | | | | |
| 28D/1011023 | A25/20C | Bolt, 2 BA | ... | ... | ... | ... | 2 | — | C | | |
| | E.A6.81.14 | EQUIPMENT, ELECTRICAL, IN INNER WING, REAR, ASSEMBLY | | | | | | — | — | — | |
| | | Spares for:— | | | | | | | | | |
| 26748 | E.B7.81.379 | BOX, JUNCTION, NO. 10, GROUP (PRE-MOD. 4927) | | | | | | 1 | — | B | |
| | | Spares for:— | | | | | | | | | |
| 5X/1002695 | CZ.23212/1 | Block, terminal, 20-way | ... | ... | ... | ... | 2 | — | C | | |
| | | Attaching parts for CZ.23212/1:— | | | | | | | | | |
| 28S/1200033 | A31/B24 | Screw, 4 BA | ... | ... | ... | ... | 2 | — | C | | |
| | E.A1.81.583 | Box, shell | ... | ... | ... | ... | 1 | — | — | | |
| | E.B7.81.383 | Cover, assembly | ... | ... | ... | ... | 1 | — | — | | |
| 5X/6180 | CZ.24650 | Ferrule, plate | ... | ... | ... | ... | 1 | — | C | | |
| 5X/6168 | Z.23197 | Gasket, size C | ... | ... | ... | ... | 2 | — | C | | |
| 5X/6169 | Z.23198 | Gasket, size D | ... | ... | ... | ... | 2 | — | C | | |
| 5X/3143 | CZ.23144/D | Ring, clamp | ... | ... | ... | ... | 1 | — | C | | |
| 5K/9107067 | EEAS.146/6 | Sleeve | ... | ... | ... | ... | 33 | — | C | | |
| | E.B6.81.6315 | BOX, JUNCTION, NO. 10, GROUP (MOD. 4927) | | | | | | 1 | — | — | |
| | | Spares for this group are identical to group Part No. E.B7.81.379 | | | | | | | | | |
| | E.B7.81.1439 | EQUIPMENT, ELECTRICAL, IN LEADING EDGE, STARBOARD, ASSEMBLY (PRE-MOD. 2393 AND 2155) | | | | | | — | — | — | |
| | | Spares for:— | | | | | | | | | |
| 17361 | E.B6.81.381 | Fairlead, half | ... | ... | ... | ... | 2 | LFS. | C | | |
| | | Attaching parts for E.B6.81.381:— | | | | | | | | | |
| 28D/1008149 | A25/2B | Bolt, 4 BA | ... | ... | ... | ... | 2 | — | C | | |
| 28M/1278189 | AGS.2001/B/1 | Nut, 4 BA | ... | ... | ... | ... | 2 | — | C | | |
| 28W/9419474 | SP.15/B | Washer | ... | ... | ... | ... | 2 | — | C | | |
| 5CY/4376397 | S.I.S.3706 | Suppressor, type X, No. 3 | ... | ... | ... | ... | 1 | — | B | | |
| | | Attaching parts for SIS.3706:— | | | | | | | | | |
| 28D/1011238 | A25/3E | Bolt, 1" BSF | ... | ... | ... | ... | 4 | — | C | | |
| | E.B6.81.1851 | EQUIPMENT, ELECTRICAL, IN LEADING EDGE, STARBOARD, GROUP (MOD. 2393 AND 2197) | | | | | | — | — | — | |
| | | Spares for:— | | | | | | | | | |
| 17361 | E.B6.81.381 | Fairlead | ... | ... | ... | ... | 2 | LFS. | C | | |
| 37855 | E.B6.81.1753 | Fairlead | ... | ... | ... | ... | 2 | LFS. | C | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN STARBOARD WING**

| Ref. No. | Part No. | Description | | | | | | No Off | Matl Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|------------|--------------|--|---|---|---|---|---|--------|------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.B7.81.32 | LOOMS, CABLE, ASSEMBLY | | | | | | — | — | — | |
| | E.B6.81.607 | CABLE, ASSEMBLY, 8R.2, CONNECTION BETWEEN FIRST AND SECOND FLAME DETECTORS, GROUP (MOD. 1198) Spares for:— Consisting of:— | | | | | | 1 | — | — | |
| 5E/3724 | † | Cable, Unifire Red 7 | | | | | | QR | — | C | |
| 22166 | E.B6.81.841 | Cable-end | | | | | | 4 | — | C | |
| 5F/9433683 | JONES STROUD | Cord, glass, tying, 3/32" | | | | | | QR | — | C | |
| 5K/4329335 | AGS.1658/1 | Nut, gland | | | | | | 2 | — | C | |
| 5K/9134478 | AGS.1652/3 | Sleeve, slotted | | | | | | 2 | — | C | |
| 5K/3457 | EEAS.146/TC | Sleeve, 3/4" long | | | | | | 4 | — | C | |
| 5K/3457 | EEAS.146/TD | Sleeve, 1" long | | | | | | 6 | — | C | |
| | E.B6.81.609 | CABLE, ASSEMBLY, 8R.3, CONNECTION, BETWEEN SECOND AND THIRD FLAME DETECTORS, GROUP Spares for this group are identical with those for group Part No. E.B6.81.607, except for the following deletion and addition Delete:— | | | | | | 1 | — | — | |
| 5K/3457 | EEAS.146/TD | Sleeve, 1" long | | | | | | 6 | — | C | |
| | | Add:— | | | | | | | | | |
| 5K/3457 | EEAS.146/TD | Sleeve, 1" long | | | | | | 10 | — | C | |
| | E.B6.81.611 | CABLE, ASSEMBLY, 8R.4, CONNECTION BETWEEN THIRD AND FOURTH FLAME DETECTORS, GROUP (MOD. 1198) Spares for this group are identical with those for group Part No. E.B6.81.607 | | | | | | 1 | — | — | |
| 21895 | E.B6.81.617 | CABLE, ASSEMBLY, 8M.2, BETWEEN INBOARD ENGINE RIB FLAME DETECTORS, GROUP (MOD. 1198) Consisting of:— | | | | | | 1 | — | — | |
| 5E/3742 | † | Cable, Unifire Red 7 | | | | | | QR | — | C | |
| 22166 | E.B6.81.841 | Cable-end | | | | | | 4 | — | C | |
| 5K/3457 | EEAS.146/TC | Sleeve, 3/4" long | | | | | | 4 | — | C | |
| 5K/3457 | EEAS.146/TD | Sleeve, 1" long | | | | | | 1 | — | C | |
| 17155 | E.B7.81.837 | Tube, conduit, assembly | | | | | | 1 | — | C | |
| | E.B7.81.2947 | CABLE, ASSEMBLY, 8M.3, BETWEEN INBOARD AND OUTBOARD ENGINE RIB FLAME DETECTORS, GROUP (MOD. 2147) Spares for this group are identical with those for group Part No. E.B7.81.2949 on page 330 | | | | | | 1 | — | — | |
| | E.B6.81.621 | CABLE, ASSEMBLY, 8M.4, BETWEEN OUTBOARD ENGINE RIB FLAME DETECTORS, GROUP Spares for this group are identical with those for group Part No. E.B6.81.617, except for the following deletion and addition Delete:— | | | | | | 1 | — | — | |
| 17155 | E.B7.81.837 | Tube, conduit, assembly | | | | | | 1 | — | C | |
| | | Add:— | | | | | | | | | |
| 17153 | E.B7.81.827 | Tube, conduit, assembly | | | | | | 1 | — | C | |

ELECTRICAL
ELECTRICAL EQUIPMENT IN STARBOARD WING

| Ref. No. | Part No. | | | | | | | Description | No. Off | Matl Spec. | Cl. of Equip. | Plate No. |
|-------------|---------------|---|---|---|---|---|---|---|---------|------------|---------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | M.R. L.M. | |
| | E.B6.81.625/2 | | | | | | | CABLE, ASSEMBLY, 8M.1, FROM PLUG ON INBOARD ENGINE RIB TO INBOARD WING FLAME DETECTOR, GROUP (MOD. 1198) | 1 | — | — | |
| | | | | | | | | Consisting of:— | | | | |
| 5E/3724 | † | | | | | | | Cable, Unifire Red 7 | QR | — | C | |
| 22166 | E.B6.81.841 | | | | | | | Cable-end | 2 | — | C | |
| 5X/6594 | CZ.61565 | | | | | | | Elbow, assembly | 1 | — | C | |
| 5X/3168 | Z.28156/A | | | | | | | Gasket | 1 | — | C | |
| 5X/1005131 | Z.49428 | | | | | | | Sleeve, cable | 2 | — | C | |
| 5K/3457 | EEAS.146/TD | | | | | | | Sleeve, 3/4" long | 4 | — | C | |
| 5K/3457 | EEAS.146/TD | | | | | | | Sleeve, 1" long | 1 | — | C | |
| 5X/6005 | CZ.27980 | | | | | | | Socket, 2-way, size A (Pre-Mod. 3380) ... | 1 | — | C | |
| 5X/7051 | 2CZ.84879 | | | | | | | Socket, 2-way, size A (Mod. 3380) ... | 1 | — | C | |
| 17158 | E.B7.81.853 | | | | | | | Tube, conduit, assembly | 1 | — | C | |
| | E.B6.81.629/2 | | | | | | | CABLE, ASSEMBLY, 8R.1, FROM PLUG AT INBOARD ENGINE RIB TO FLAME DETECTOR, GROUP (MOD. 1198) | 1 | — | — | |
| | | | | | | | | Consisting of:— | | | | |
| 5E/3724 | † | | | | | | | Cable, Unifire Red 7 | QR | — | C | |
| 22166 | E.B6.81.841 | | | | | | | Cable-end | 2 | — | C | |
| 5F/9433683 | JONES STROUD | | | | | | | Cord, glass, tying | QR | — | C | |
| 5X/1356 | Z.2272/2 | | | | | | | Ferrule, cut | 1 | — | C | |
| 5K/4329335 | AGS.1658/1 | | | | | | | Nut, gland | 1 | — | C | |
| 5K/3457 | EEAS.146/TC | | | | | | | Sleeve, 3/4" long | 4 | — | C | |
| 5K/3457 | EEAS.146/TD | | | | | | | Sleeve, 1" long | 12 | — | C | |
| 5K/9134478 | AGS.1652/3 | | | | | | | Sleeve, slotted | 1 | — | C | |
| 5X/6005 | CZ.27980 | | | | | | | Socket, 2-way, size A (Pre-Mod. 3380) ... | 1 | — | C | |
| 5X/7051 | 2CZ.84879 | | | | | | | Socket, 2-way, size A (Mod. 3380) ... | 1 | — | C | |
| 41507 | E.B6.81.515/2 | | | | | | | CABLE, ASSEMBLY, 10L, FROM J.B.10 TO OUTBOARD HIGH ENERGY IGNITION UNIT, GROUP (PRE-MOD. 4927) | 1 | — | B | |
| | | | | | | | | Consisting of:— | | | | |
| 5E/4183 | † | | | | | | | Cable, Uninyvin 20 | QR | — | C | |
| 33H/9130065 | † | | | | | | | Cement, Bostik | QR | — | C | |
| 5F/9433683 | JONES STROUD | | | | | | | Cord, glass, tying, 3/2" | QR | — | C | |
| 5X/7320 | Z.14485/2 | | | | | | | Ferrule, cut | 1 | — | C | |
| 5X/9491422 | Z.22430 | | | | | | | Grommet, Helsyn, No. 2 | 1 | — | C | |
| 5K/9107066 | EEAS.146/16 | | | | | | | Sleeve, 3/4" long | 4 | — | C | |
| 5K/9107067 | EEAS.146/6 | | | | | | | Sleeve, 1" long | 2 | — | C | |
| 5X/1005131 | Z.49428 | | | | | | | Sleeve, cable | 2 | — | C | |
| 5X/6004 | CZ.27900 | | | | | | | Socket (Pre-Mod. 3380) | 1 | — | C | |
| 5X/7038 | 2CZ.84872 | | | | | | | Socket (Mod. 3380) | 1 | — | C | |
| 5X/9450396 | HC.490 | | | | | | | Tag | 2 | — | C | |
| | E.B6.81.6323 | | | | | | | CABLE, ASSEMBLY, 10L, FROM J.B.10 TO OUTBOARD HIGH ENERGY IGNITION UNIT, GROUP (MOD. 4927) | 1 | — | — | |
| | | | | | | | | Spares for this assembly are identical to assembly Part No. E.B6.81.515/2 | | | | |
| | E.B6.81.525/2 | | | | | | | CABLE, ASSEMBLY, 8N.1, FROM INBOARD ENGINE RIB PLUG TO COWL ANTI-ICING ACTUATOR, GROUP | 1 | — | — | |
| | | | | | | | | Consisting of:— | | | | |
| 5E/4183 | † | | | | | | | Cable, Uninyvin 20 | QR | — | C | |
| 5F/9433683 | JONES STROUD | | | | | | | Cord, glass, tying, 3/2" | QR | — | C | |
| 5X/6594 | CZ.61565 | | | | | | | Elbow, assembly | 1 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN STARBOARD WING**

| Ref. No. | Part No. | Description | | | | | | No. Off | Matl Spec. | Cl. of Equip. | | Plate No. |
|---|----------------|-------------|---|---|---|---|---|---------|------------|---------------|------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. | L.M. | |
| 5X/4491552 | E.B7.81.1595 | | | | | | | 1 | — | | C | |
| 5X/6756 | E.A3.81.1963 | | | | | | | 1 | — | | C | |
| 5X/1005131 | Z.49428 | | | | | | | 6 | — | | C | |
| 5K/9107066 | EEAS.146/A1 | | | | | | | 6 | — | | C | |
| 5K/9107068 | EEAS.146/D | | | | | | | 2 | — | | C | |
| 5X/6009 | CZ.27901 | | | | | | | 1 | — | | C | |
| 5X/7039 | 2CZ.84873 | | | | | | | 1 | — | | C | |
| 5X/6010 | CZ.27981 | | | | | | | 1 | — | | C | |
| 5X/7052 | 2CZ.84880 | | | | | | | 1 | — | | C | |
| | E.B6.81.529 | | | | | | | 1 | — | | — | |
| CABLE, ASSEMBLY, E8, EARTH CONNECTION FOR J.B.8, GROUP | | | | | | | | | | | | |
| Consisting of:— | | | | | | | | | | | | |
| 5E/4187 | † | | | | | | | QR | — | | C | |
| 5K/4345989 | HV.3112 | | | | | | | 1 | — | | C | |
| 5K/9107067 | EEAS.146/C | | | | | | | 4 | — | | C | |
| 5K/9107068 | EEAS.146/D | | | | | | | 1 | — | | C | |
| 5F/9434858 | HV.3254 | | | | | | | QR | — | | C | |
| 5F/9138823 | NY.3255 | | | | | | | QR | — | | C | |
| 5X/9450224 | HC.510 | | | | | | | 2 | — | | C | |
| 5X/9400388 | 12108 | | | | | | | 2 | — | | C | |
| | E.B6.81.533 | | | | | | | 1 | — | | — | |
| CABLE, ASSEMBLY, E10, EARTH CONNECTION FOR J.B.10, GROUP | | | | | | | | | | | | |
| Spares for this group are identical with those for group Part No. E.B6.81.529, except for the following deletion and addition | | | | | | | | | | | | |
| Delete:— | | | | | | | | | | | | |
| 5K/9107068 | EEAS.146/D | | | | | | | 1 | — | | C | |
| Add:— | | | | | | | | | | | | |
| 5K/9107069 | EEAS.146/E | | | | | | | 1 | — | | C | |
| | E.B6.81.535 | | | | | | | 1 | — | | — | |
| CABLE, ASSEMBLY, 10D, FROM J.B.10 TO AIR BRAKE JACK, GROUP | | | | | | | | | | | | |
| Consisting of:— | | | | | | | | | | | | |
| 5E/4183 | † | | | | | | | QR | — | | C | |
| 5X/9491421 | Z.22431 | | | | | | | 1 | — | | C | |
| 5K/9107066 | EEAS.146/A | | | | | | | 6 | — | | C | |
| 5K/9107068 | EEAS.146/D | | | | | | | 2 | — | | C | |
| 5X/9450396 | HC.490 | | | | | | | 3 | — | | C | |
| | E.B6.81.539/2 | | | | | | | 1 | — | | — | |
| CABLE, ASSEMBLY, S.10, FROM J.B.10 TO FUSE-LAGE CONNECTION, GROUP (PRE-MOD. 4927) | | | | | | | | | | | | |
| Consisting of:— | | | | | | | | | | | | |
| 5E/4183 | † | | | | | | | QR | — | | C | |
| 5E/4185 | † | | | | | | | QR | — | | C | |
| 5E/4187 | † | | | | | | | QR | — | | C | |
| 5X/1526 | Z.18500/D | | | | | | | 1 | — | | C | |
| 5X/3143 | CZ.23144/D | | | | | | | 1 | — | | C | |
| 5X/1005131 | Z.49428 | | | | | | | 19 | — | | C | |
| 5K/9107066 | EEAS.146/A1 | | | | | | | 48 | — | | C | |
| 5K/9107067 | EEAS.146/B | | | | | | | 4 | — | | C | |
| 5K/ | EEAS.118/5/S10 | | | | | | | 2 | — | | — | |
| 5X/6200 | CZ.50414 | | | | | | | 1 | — | | C | |
| 5X/7205 | 2CZ.111468 | | | | | | | 1 | — | | C | |
| 5X/9450396 | HC.490 | | | | | | | 19 | — | | C | |
| 5X/9482491 | HC.500 | | | | | | | 5 | — | | C | |
| 5X/9450224 | HC.510 | | | | | | | 2 | — | | C | |
| 5F/2038 | † | | | | | | | QR | — | | C | |
| | | | | | | | | | | | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN STARBOARD WING**

| Ref. No. | Part No. | | | | | | | Description | No. Off | Matl Spec. | Cl. of Equip. | | Plate No. |
|-------------|---------------|-------------|---|---|---|---|---|---|---------|------------|---------------|------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | M.R. | L.M. | |
| | E.B6.81.6335 | | | | | | | CABLE, ASSEMBLY, S.10, FROM J.B.10 TO FUSELAGE CONNECTION (MOD. 4927) Spares for this assembly are identical to assembly Part No. E.B6.81.539/2 on page 363 | 1 | — | — | | |
| | E.A6.81.565/2 | | | | | | | CABLE, ASSEMBLY, 10A AND 10J, FROM J.B.10 TO NITROGEN AND VENT VALVE HEATER, GROUP Consisting of:— | 1 | — | — | | |
| | 5E/4182 | † | | | | | | Cable, Uninyvin 22 | QR | — | C | | |
| 33H/9130065 | | † | | | | | | Cement, Bostik | QR | — | C | | |
| | 5X/7320 | Z.14485/2 | | | | | | Ferrule, cut | 1 | — | C | | |
| | 5X/9491421 | Z.22431 | | | | | | Grommet, Helsyn No. 3 | 1 | — | C | | |
| | 5K/9107065 | EEAS.146/A | | | | | | Sleeve, 3/4" long | 2 | — | C | | |
| | 5K/9107066 | EEAS.146/A1 | | | | | | Sleeve, 3/4" long | 6 | — | C | | |
| | 5K/9107067 | EEAS.146/B | | | | | | Sleeve, 3/4" long | 4 | — | C | | |
| | 5K/9107068 | EEAS.146/D1 | | | | | | Sleeve, 3/4" long | 1 | — | C | | |
| | 5X/6188 | CZ.50398 | | | | | | Socket, assembly, 2-way, size A (Pre-Mod. 3380) | 1 | — | C | | |
| | 5X/7172 | 2CZ.111230 | | | | | | Socket, assembly, 2-way, size A (Mod. 3380) ... | 1 | — | C | | |
| | 5X/9482491 | HC.500 | | | | | | Tag: | 4 | — | C | | |
| | 32B/1250522 | † | | | | | | Thread, waxed linen, No. 18 | QR | — | C | | |
| | E.A6.81.572 | | | | | | | CABLE, ASSEMBLY, 10C, FROM J.B.10 TO TANK TRANSMITTER, GROUP Consisting of:— | 1 | — | — | | |
| | 5E/4182 | † | | | | | | Cable, Uninyvin 22 | QR | — | C | | |
| | 10H/0970108 | Z.49036 | | | | | | Gasket, union | 1 | — | C | | |
| | 10H/0970058 | Z.60667 | | | | | | Gasket, outlet | 1 | — | C | | |
| | 5X/9491422 | Z.22430 | | | | | | Grommet, Helsyn No. 2 | 1 | — | C | | |
| | 10H/0970062 | CZ.49180 | | | | | | Outlet, straight | 1 | — | C | | |
| | 10H/0970096 | Z.49037 | | | | | | Ring, thrust | 1 | — | C | | |
| | 10H/0970088 | Z.62229 | | | | | | Ring, sealing | 1 | — | C | | |
| | 5K/9107066 | EEAS.146/A1 | | | | | | Sleeve, 3/4" long | 6 | — | C | | |
| | 5K/9107068 | EEAS.146/D | | | | | | Sleeve, 3/4" long | 3 | — | C | | |
| | 5K/9107068 | EEAS.146/D | | | | | | Sleeve, 1" long | 1 | — | C | | |
| | 10H/0560100 | CZ.49015 | | | | | | Socket, assembly | 1 | — | C | | |
| | 5X/9482491 | HC.500 | | | | | | Tag: | 3 | — | C | | |
| | E.A6.81.574 | | | | | | | CABLE, ASSEMBLY, 10G, FROM J.B.10 TO FUEL PUMP SUPPRESSOR, GROUP Consisting of:— | 1 | — | — | | |
| | 5X/4491554 | EEAS.68/6 | | | | | | Adaptor, reducing | 1 | — | C | | |
| | 5E/4187 | † | | | | | | Cable, Uninyvin 12 | QR | — | C | | |
| | 5X/9491421 | Z.22431 | | | | | | Grommet, Helsyn No. 3 | 1 | — | C | | |
| | 10H/0970107 | Z.62234 | | | | | | Gasket, union | 1 | — | C | | |
| | 5CZ/2766 | † | | | | | | Lug, terminal, No. 27 | 2 | — | C | | |
| | 10H/0970127 | Z.49046 | | | | | | Nut, union | 1 | — | C | | |
| | 10H/0970095 | Z.49051 | | | | | | Ring, thrust | 1 | — | C | | |
| | 10H/0970087 | Z.62228 | | | | | | Ring, sealing | 1 | — | C | | |
| | 5K/9107067 | EEAS.146/C | | | | | | Sleeve, 3/4" long | 4 | — | C | | |
| | 5K/9107068 | EEAS.146/D1 | | | | | | Sleeve, 3/4" long | 2 | — | C | | |
| | 5X/9450224 | HC.510 | | | | | | Tag: | 2 | — | C | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN STARBOARD WING**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|-------------|---------------|--|---------|-------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| | E.A6.81.575/2 | CABLE, ASSEMBLY, 10G.1, FROM SUPPRESSOR TO FUEL PUMP, GROUP Consisting of:— | 1 | — | — | |
| 5X/6757 | EEAS.68/6 | Adaptor, reducing | 1 | — | C | |
| 5E/4203 | † | Cable, Uninyvinmet 12 | QR | — | C | |
| 33H/56 | † | Cement, Bostik | QR | — | C | |
| 5X/240 | Z.2277/2 | Ferrule, cut | 1 | — | C | |
| 10H/0970107 | Z.62234 | Gasket, union | 1 | — | C | |
| 5CZ/3766 | † | Lug, terminal, No. 27 | 1 | — | C | |
| 10H/0970295 | Z.69734 | Nut, union | 1 | — | C | |
| 10H/0970095 | Z.49051 | Ring, thrust | 1 | — | C | |
| 5K/9107067 | EEAS.146/C | Sleeve, 3/4" long | 4 | — | C | |
| 5K/9107068 | EEAS.146/D1 | Sleeve, 1/2" long | 2 | — | C | |
| 5X/6029 | C.27905 | Socket, assembly, size Z (Pre-Mod. 3380) | 1 | — | C | |
| 5X/7176 | 2CZ.111436 | Socket, assembly size Z (Mod. 3380) | 1 | — | C | |
| 5E/2904 | † | Wire, tinned copper, 25 SWG | QR | — | C | |
| 5E/3141 | † | Wire, tinned copper, 32 SWG | QR | — | C | |
| | E.A6.81.576/2 | CABLE, ASSEMBLY, 10H, FROM J.B.10 TO ENGINE FUEL COCK, GROUP Consisting of:— | 1 | — | — | |
| 5E/4182 | † | Cable, Uninyvin 22 | QR | — | C | |
| 33H/56 | † | Cement, Bostik | QR | — | C | |
| 5X/7320 | Z.14485/2 | Ferrule, cut | 1 | — | C | |
| 5X/9491421 | Z.22431 | Grommet, Helsyn No. 3 | 1 | — | C | |
| 5X/1005131 | Z.49428 | Sleeve, cable | 3 | — | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 1/2" long | 6 | — | C | |
| 5K/9107068 | EEAS.146/D | Sleeve, 1" long | 3 | — | C | |
| 5X/6189 | CZ.50399 | Socket, 4-way, size A (Pre-Mod. 3380) | 1 | — | C | |
| 5X/7173 | 2CZ.111231 | Socket, 4-way, size A (Mod. 3380) | 1 | — | C | |
| 5X/9482491 | HC.500 | Tag | 3 | — | C | |
| 32B/498 | † | Thread, waxed linen, No. 18 | QR | — | C | |
| | E.A6.81.577/2 | CABLE, ASSEMBLY, 10K, FROM J.B.10 TO MAIN TANKS FUEL COCK, GROUP Spares for this group are identical with those for group Part No. E.A6.81.576/2, except for the following deletion and addition:— Delete:— | 1 | — | — | |
| 5X/9491421 | Z.22431 | Grommet, Helsyn No. 3 | 1 | — | C | |
| | | Add:— | | | | |
| 5X/2785 | Z.22430 | Grommet, Helsyn No. 2 | 1 | — | C | |
| | E.A1.81.820/1 | CABLE, ASSEMBLY, 8A.1, FROM TERMINAL BOARD TO UNDERCARRIAGE "UP" MICRO SWITCH, GROUP Consisting of:— | 1 | — | — | |
| 5E/4183 | † | Cable, Uninyvin 20 | QR | — | C | |
| 5K/ | † | Sleeve, 3/4" long | 4 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN STARBOARD WING**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|-------------|-----------------|--|---|---|---|---|---|---------|-------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.B7.81.1327 | CABLE, ASSEMBLY, 8A.2, FROM TERMINAL BOARD TO UNDERCARRIAGE "DOWN" MICRO SWITCH, GROUP (MOD. 1497) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/3802 | † | Cable, Duprensheath Round 6 | | | | | | QR | — | C | |
| 5K/9107066 | EEAS.146/A | Sleeve, 3/4" long | | | | | | 2 | — | C | |
| 5K/9107068 | EEAS.146/D | Sleeve, 3/4" long | | | | | | 2 | — | C | |
| | E.B7.81.1329 | CABLE, ASSEMBLY, 8A.3, FROM TERMINAL BOARD TO UNDERCARRIAGE "DOWN" MICRO SWITCH, GROUP (MOD. 1497) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/3802 | † | Cable, Duprensheath Round 6 | | | | | | QR | — | C | |
| 5K/9107066 | EEAS.146/A | Sleeve, 3/4" long | | | | | | 2 | — | C | |
| 5K/9107068 | EEAS.146/D | Sleeve, 3/4" long | | | | | | 2 | — | C | |
| | E.A.1.81.829/1 | CABLE, ASSEMBLY, 8A.4, BETWEEN TERMINAL BOARDS IN OLEO LEG SWITCH CIRCUIT, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 5K/ | † | Sleeve, 3/4" long | | | | | | 4 | — | — | |
| 5K/ | † | Sleeve, 1" long | | | | | | 2 | — | — | |
| | E.B7.81.1331 | CABLE, ASSEMBLY, 8A.5, FROM TERMINAL BOARD TO OLEO SWITCH, GROUP (MOD. 1497) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/3802 | † | Cable, Duprensheath Round 6 | | | | | | QR | — | C | |
| 5K/9107066 | EEAS.146/A | Sleeve, 3/4" long | | | | | | 2 | — | C | |
| 5K/9107068 | EEAS.146/D | Sleeve, 1" long | | | | | | 2 | — | C | |
| | E.A.1.81.880/1 | CABLE, ASSEMBLY, 8A.6, FROM UNDERCARRIAGE TERMINAL BOARD TO STARBOARD WHEEL DOOR MICRO SWITCH, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 5K/ | † | Sleeve, 3/4" long | | | | | | 4 | — | — | |
| | E.A.3.81.880/1 | CABLE, ASSEMBLY, 10B.3, FROM NAVIGATION LIGHT CONTACT BOARD TO NAVIGATION LIGHT TERMINAL BOARD, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 5K/ | † | Sleeve, 3/4" long | | | | | | 4 | — | — | |
| 5K/ | † | Sleeve, 1" long | | | | | | 2 | — | — | |
| | E.A.9.81.5439/2 | CABLE, ASSEMBLY, 8F, 8P AND 8D, CONNECTION FROM J.B.8 TO FIRE EXTINGUISHER BOTTLES, GROUP (MOD. 3773) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 10H/0970292 | CZ.69733 | Clamp, cable | | | | | | 3 | — | C | |
| | EEAS.274 | Ferrule, cut | | | | | | 3 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN STARBOARD WING**

| Ref. No. | Part No. | Description | | | | | No. Off | Matl Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|-------------|----------------|-------------|---|---|---|--|---------|------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 5X/ | CZ.27900 | | | | | Socket, 2-way, size A (Pre-Mod. 3380) ... | 2 | — | — | |
| 5X/7038 | 2CZ.84872 | | | | | Socket, 2-way, size A (Mod. 3380) ... | 2 | — | C | |
| 5X/ | CZ.27901 | | | | | Socket, 4-way, size A (Pre-Mod. 3380) ... | 1 | — | — | |
| 5X/7039 | 2CZ.84873 | | | | | Socket, 4-way, size A (Mod. 3380) ... | 1 | — | C | |
| 5F/9434858 | HV.3254 | | | | | Strap, Hellermann ... | QR | — | C | |
| 5F/9138823 | NY.3255 | | | | | Stud, Hellermann ... | 24 | — | C | |
| 5X/9450396 | HC.490 | | | | | Tag: ... | 7 | — | C | |
| | E.B7.81.1459/2 | | | | | CABLE, ASSEMBLY, 8H, FROM J.B.8 TO GENERAL SERVICES J.B. PLUG ON IN-BOARD ENGINE RIB, GROUP | 1 | — | — | |
| | | | | | | Consisting of:— | | | | |
| 5X/6644 | HV.3327 | | | | | Bung ... | 1 | — | C | |
| 5E/4183 | † | | | | | Cable, Uninyvin 20 ... | QR | — | C | |
| 5E/4187 | † | | | | | Cable, Uninyvin 12 ... | QR | — | C | |
| 33H/9130065 | † | | | | | Cement, Bostik ... | QR | — | C | |
| 5F/9433683 | JONES STROUD | | | | | Cord, glass, tying ... | QR | — | C | |
| 5X/4491551 | E.B7.81.327 | | | | | Ferrule, right angle cut ... | 1 | — | C | |
| 5X/2113 | Z.22675/C | | | | | Ferrule, outer ... | 1 | — | C | |
| 5X/2120 | Z.22676/C | | | | | Ferrule, inner ... | 1 | — | C | |
| 5X/6168 | Z.23197 | | | | | Gasket, plug moulding ... | 1 | — | C | |
| 5X/3171 | Z.28156/C | | | | | Gasket ... | 1 | — | C | |
| 5X/6295 | Z.61544 | | | | | Nut, coupling ... | 1 | — | C | |
| 5X/6207 | CZ.50377 | | | | | Plug, size C (Pre-Mod. 3380) ... | 1 | — | C | |
| 5X/7036 | 2CZ.108916 | | | | | Plug, size C (Mod. 3380) ... | 1 | — | C | |
| 5X/3154 | Z.27444 | | | | | Plug, shroud ... | 1 | — | C | |
| 5K/3455 | EEAS.146/TA1 | | | | | Sleeve, 3/4" long, 3/8" i/d. ... | 12 | — | C | |
| 5K/3456 | EEAS.146/TC | | | | | Sleeve, 3/4" long, 1/4" i/d. ... | 2 | — | C | |
| 5K/3457 | EEAS.146/TE | | | | | Sleeve, 1/2" long, 3/8" i/d. ... | 14 | — | C | |
| 5K/3427 | EEAS.146/TE | | | | | Sleeve, 1/2" long, 3/8" i/d. ... | 2 | — | C | |
| 5K/ | † | | | | | Sleeve, 1" long ... | 1 | — | — | |
| 5X/1005131 | Z.49428 | | | | | Sleeve, cable ... | 24 | — | C | |
| 5X/6094 | CZ.27918 | | | | | Socket, size C (Pre-Mod. 3380) ... | 1 | — | C | |
| 5X/7185 | 2CZ.111236 | | | | | Socket, size C (Mod. 3380) ... | 1 | — | C | |
| | E.B7.81.1461/2 | | | | | CABLE, ASSEMBLY, 8J, FROM J.B.8 TO ANTI-ICING SERVICES J.B. PLUG ON IN-BOARD ENGINE RIB, GROUP | 1 | — | — | |
| | | | | | | Spares for this group are identical with those for group Part No. E.B7.81.1459/2, except for the following deletions and additions | | | | |
| | | | | | | Delete:— | | | | |
| 5E/4187 | † | | | | | Cable, Uninyvin 12 ... | QR | — | C | |
| 5X/6207 | CZ.50377 | | | | | Plug, size C ... | 1 | — | C | |
| 5X/7036 | 2CZ.108916 | | | | | Plug, size C ... | 1 | — | C | |
| 5X/ | CZ.27918 | | | | | Socket, size C ... | 1 | — | — | |
| 5X/7185 | 2CZ.111236 | | | | | Socket, size C ... | 1 | — | C | |
| 5K/3456 | EEAS.146/TC | | | | | Sleeve, 3/4" long ... | 2 | — | C | |
| | | | | | | Add:— | | | | |
| 5E/4185 | † | | | | | Cable, Uninyvin 16 ... | QR | — | C | |
| 5X/6086 | CZ.28107 | | | | | Plug, size C (Pre-Mod. 3380) ... | 1 | — | C | |
| 5X/7035 | 2CZ.108915 | | | | | Plug, size C (Mod. 3380) ... | 1 | — | C | |
| 5X/1005131 | Z.49428 | | | | | Sleeve, cable ... | 18 | — | C | |
| 5X/6193 | CZ.50404 | | | | | Socket, size C (Pre-Mod. 3380) ... | 1 | — | C | |
| 5X/7184 | 2CZ.111235 | | | | | Socket, size C (Mod. 3380) ... | 1 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN STARBOARD WING**

| Ref. No. | Part No. | Description | | | | | | No. Off | Matl Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|-------------|----------------|--|---|---|---|---|---|---------|------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.B7.81.1463/2 | CABLE, ASSEMBLY, 8L, FROM J.B.7 TO GATE VALVE, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| | SE/4183 † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 33H/9130065 | † | Cement, Bostik | | | | | | QR | — | C | |
| 5X/7320 | Z.14485/2 | Ferrule, cut | | | | | | 1 | — | C | |
| 5X/9491421 | Z.22431 | Grommet, Helsyn No. 3 | | | | | | 1 | — | C | |
| 5X/1005131 | Z.49428 | Sleeve, cable | | | | | | 3 | — | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | | | | | | 6 | — | C | |
| 5K/9107068 | EEAS.146/0 | Sleeve, 1" long | | | | | | 2 | — | C | |
| 5X/6009 | CZ.27901 | Socket, size A (Pre-Mod. 3380) | | | | | | 1 | — | C | |
| 5X/7184 | 2CZ.111235 | Socket, size A (Mod. 3380) | | | | | | 1 | — | C | |
| 5X/9450396 | HC.490 | Tag | | | | | | 3 | — | C | |
| 32B/1250522 | † | Thread, waxed linen, No. 18 | | | | | | QR | — | C | |
| | E.B6.81.1687 | CABLE, ASSEMBLY, S.34, FROM VOLTAGE REGULATOR PANEL TO NEGATIVE SHUNT AND GENERATOR NO. 2, GROUP (MOD. 2393, 2155 AND 2197) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| | SE/4187 † | Cable, Uninyvin 12 | | | | | | QR | — | C | |
| 33H/9130065 | † | Cement, Bostik | | | | | | QR | — | C | |
| 5X/9400388 | 12101 | Lug, crimping, Mk. 8A | | | | | | 1 | — | C | |
| 5K/4329335 | AGS.1658/1 | Nut, cable, gland | | | | | | 1 | — | C | |
| 5K/9134478 | AGS.1652/3 | Sleeve, slotted, oval | | | | | | 1 | — | C | |
| 5K/9107067 | EEAS.146/C | Sleeve, 3/4" long | | | | | | 6 | — | C | |
| 5K/9107067 | EEAS.146/C | Sleeve, 1" long | | | | | | 2 | — | C | |
| | HELLERMANN | | | | | | | | | | |
| 5F/9434858 | HV.3254 | Strapping, cable, Helsyn | | | | | | QR | — | C | |
| 5F/9138823 | NY.3255 | Stud, Helvin | | | | | | QR | — | C | |
| 5X/9450224 | HC.510 | Tag | | | | | | 3 | — | C | |
| 32B/1250522 | † | Thread, waxed linen, No. 18 | | | | | | QR | — | C | |
| | E.B6.81.1699 | CABLE, ASSEMBLY, ES, FROM NEGATIVE SHUNT STARBOARD, TO EARTH, GROUP (MOD. 2393, 2155 AND 2197) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| | SE/4197 † | Cable, Uninyvin 0000 | | | | | | QR | — | C | |
| 5X/9400108 | 12142 | Lug, crimp type, Mk. 42 | | | | | | 1 | — | C | |
| 5X/9400109 | 12143 | Lug, crimp type, Mk. 43 | | | | | | 1 | — | C | |
| 5K/9107071 | EEAS.146/L | Sleeve, 2" long | | | | | | 2 | — | C | |
| | E.B6.81.1703 | CABLE, ASSEMBLY E.S.G., FROM GENERATOR NO. 2 (NEG.) TO NEGATIVE SHUNT, STARBOARD, GROUP (MOD. 2393, 2155 AND 2197) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| | SE/4197 † | Cable, Uninyvin 0000 | | | | | | QR | — | C | |
| 5X/9400108 | 12142 | Lug, Mk. 2 | | | | | | 1 | — | C | |
| 5K/9107070 | EEAS.146/J | Sleeve, 1 1/2" long | | | | | | 1 | — | C | |
| 5K/9107071 | EEAS.146/L | Sleeve, 2" long | | | | | | 1 | — | C | |
| | E.B6.81.1705 | CABLE, ASSEMBLY, S.32, FROM GENERATOR NO. 2 TO LEADING EDGE DIAPHRAGM, GROUP (MOD. 2393, 2155 AND 2197) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| | SE/4197 † | Cable, Uninyvin 0000 | | | | | | QR | — | C | |
| 5K/9107070 | EEAS.146J | Sleeve | | | | | | 1 | — | C | |
| 5K/9107071 | EEAS.146L | Sleeve | | | | | | 1 | — | C | |

ELECTRICAL
ELECTRICAL EQUIPMENT IN STARBOARD WING

| Ref. No. | Part No. | Description | | | | | | No. Off | Matl Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|-------------|---------------|--|---|---|---|---|---|---------|------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.A3.81.1470 | CABLE, ASSEMBLY, 10F, FROM J.B.10 TO COLD AIR JUNCTION COMPENSATOR, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4187 | † | Cable, Uninyvin 12 | | | | | | QR | — | C | |
| 5X/2787 | Z.22432 | Grommet, Helsyn No. 4 | | | | | | 1 | — | C | |
| 5K/ | † | Sleeve, 3/4" long | | | | | | 10 | — | — | |
| 5X/9450224 | HC.510 | Tag | | | | | | 4 | — | C | |
| 32B/1250522 | † | Thread, waxed linen, No. 18 | | | | | | QR | — | C | |
| 9707 | E.A3.81.1584 | CABLE, ASSEMBLY, 10B, FROM J.B.10 TO WING TIP TERMINAL BOARD, GROUP (PRE-MOD. 4936) | | | | | | 1 | — | B | |
| | | Consisting of:— | | | | | | | | | |
| 5E/3079 | † | Cable, Quinpren 6 | | | | | | QR | — | C | |
| 5X/2787 | Z.22432 | Grommet, Helsyn No. 4 | | | | | | 1 | — | C | |
| 5K/ | † | Sleeve, 3/4" long | | | | | | 12 | — | — | |
| 5X/9450396 | HC.490 | Tag | | | | | | 5 | — | — | |
| | E.A3.81.6719 | CABLE, ASSEMBLY, 10B, FROM J.B.10 TO WING TIP TERMINAL BOARD, GROUP (MOD. 4936) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 5X/2787 | Z.22432 | Grommet, No. 4 | | | | | | 1 | — | C | |
| 5K/9107067 | EEAS.146/6 | Sleeve, 1" long | | | | | | 38 | — | C | |
| 5K/9468708 | EEAS.146/6 | Sleeve, 1 1/2" long | | | | | | 1 | — | C | |
| 5K/9107065 | EEAS.146/20 | Sleeve, 3/4" long | | | | | | 10 | — | C | |
| 5X/9450396 | HC.490 | Tag | | | | | | 5 | — | C | |
| | E.A3.81.1592 | CABLE, ASSEMBLY, 10B.1, FROM WING TIP TERMINAL BOARD TO NAVIGATION LIGHT CONTACT BOARD, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 5K/ | † | Sleeve, 3/4" long | | | | | | 4 | — | — | |
| 5K/ | † | Sleeve, 1" long | | | | | | 2 | — | — | |
| 5K/2233067 | ROSS COURTNEY | Tag, type "O-O" | | | | | | 2 | — | C | |
| | E.A3.81.1594 | CABLE, ASSEMBLY, 10B.2, FROM TERMINAL BOARD TO WING TIP TAXIING LAMP CONNECTION, GROUP | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 5K/ | † | Sleeve, 3/4" long | | | | | | 2 | — | — | |
| 5K/ | † | Sleeve, 1" long | | | | | | 2 | — | — | |
| | E.A3.81.1598 | CABLE, ASSEMBLY, 10B.4, FROM TERMINAL BOARD TO JETTISON TANK DETONATOR BOARD, GROUP (PRE-MOD. 4063) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 5CZ/4239 | PAINTON & CO. | Resistance, 15 ohms, 25 watts | | | | | | 2 | — | C | |
| 5K/ | P.2001.H.15 | Sleeve, 3/4" long | | | | | | 10 | — | — | |
| 5K/ | † | Sleeve, 1" long | | | | | | 2 | — | — | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN STARBOARD WING**

| Ref. No. | Part No. | Description | | | | | | No. Off | Matl Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|------------|----------------|--|---|---|---|---|---|---------|------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.A3.81.6317 | CABLE, ASSEMBLY, 10B.4, FROM WING TIP TERMINAL BOARD TO DETONATOR TERMINAL BOARD, GROUP (MOD. 4063) (PRE-MOD. 4936) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 5K/9107065 | EEAS.146/20 | Sleeve, 3/4" long | | | | | | 6 | — | C | |
| 5K/9107066 | EEAS.146/6 | Sleeve, 1" long | | | | | | 2 | — | C | |
| 5K/9468708 | EEAS.146/6 | Sleeve, 1 1/2" long | | | | | | 1 | — | C | |
| 5X/9462951 | HC.294 | Tag, ring tongue | | | | | | 2 | — | C | |
| | E.A3.81.6725 | CABLE, ASSEMBLY, 10B.4, FROM WING TIP TERMINAL BOARD TO DETONATOR TERMINAL BOARD, GROUP (MOD. 4936) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 5K/9107067 | EEAS.146/6 | Sleeve, 1" long | | | | | | 3 | — | C | |
| 5K/9468708 | EEAS.146/6 | Sleeve, 1 1/2" long | | | | | | 1 | — | C | |
| 5K/9107065 | EEAS.146/20 | Sleeve, 3/4" long | | | | | | 4 | — | C | |
| 5K/9137693 | EEAS.146/20 | Sleeve, 1" long | | | | | | 3 | — | C | |
| 5X/9450393 | HC.292 | Tag | | | | | | 1 | — | — | |
| 5X/9462951 | HC.294 | Tag | | | | | | 2 | — | C | |
| | E.A4.81.1593 | CABLE, ASSEMBLY, S.32, FROM GENERATOR SUPPRESSOR TO TERMINAL BLOCKS BEHIND LEADING EDGE DIAPHRAGM AND EARTH POINT, GROUP (PRE-MOD. 2393, 2155 AND 2197) | | | | | | 1 | — | — | |
| | | Spares for this group are identical with those for group Part No. E.A4.81.1591 on page 340, except for the following deletions and additions | | | | | | | | | |
| | | Delete:— | | | | | | | | | |
| 5K/ | † | Sleeve, 1" long | | | | | | 22 | — | — | |
| 5K/ | EEAS.118/5/P31 | Sleeve, identification | | | | | | 1 | — | — | |
| | | Add:— | | | | | | | | | |
| 5K/ | † | Sleeve, 1" long | | | | | | 3 | — | — | |
| 5K/ | EEAS.118/5/S32 | Sleeve, identification | | | | | | 1 | — | — | |
| | E.A3.81.1600 | CABLE, ASSEMBLY, 10B.5, FROM WING TIP TERMINAL BOARD TO JETTISON TANK FORWARD DETONATOR TERMINAL BOARD, GROUP (PRE-MOD. 4063) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| | PAINTON & CO. | | | | | | | | | | |
| 5CZ/4329 | P.2001/H15 | Resistance, 15 ohms, 25 watts | | | | | | 1 | — | C | |
| 5K/ | † | Sleeve, 3/4" long | | | | | | 6 | — | — | |
| 5K/ | † | Sleeve, 1" long | | | | | | 2 | — | — | |
| | E.A3.81.6315 | CABLE, ASSEMBLY, 10B.5, FROM WING TIP TERMINAL BOARD TO DETONATOR TERMINAL BOARD, GROUP (MOD. 4063) (PRE-MOD. 4936) | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | |
| 5E/4183 | † | Cable, Uninyvin 20 | | | | | | QR | — | C | |
| 5K/9107066 | EEAS.146/12 | Sleeve, 3/4" long | | | | | | 24 | — | C | |
| 5K/9140109 | EEAS.146/12 | Sleeve, 1 1/2" long | | | | | | 3 | — | C | |
| 5X/9462951 | HC.294 | Tag, ring tongue | | | | | | 2 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN STARBOARD WING**

| Ref. No. | Part No. | | | | | | | Description | No. Off | Matl Spec. | Cl. of Equip. | | Plate No. |
|-------------|---------------|---|---|---|---|---|--|--|---------|------------|---------------|------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | M.R. | L.M. | |
| | E.A3.81.6727 | | | | | | | CABLE, ASSEMBLY, 10B.5, FROM WING TIP TERMINAL BOARD TO DETONATOR TERMINAL BOARD, GROUP (MOD. 4936) | 1 | — | — | | |
| | | | | | | | Consisting of:— | | | | | | |
| 5E/4183 | † | | | | | | Cable, Uninyvin 20 | QR | — | — | C | | |
| 5K/9107066 | EEAS.146/12 | | | | | | Sleeve, 1" long | 7 | — | — | C | | |
| 5K/9140109 | EEAS.146/12 | | | | | | Sleeve, 2" long | 1 | — | — | C | | |
| 5K/9107065 | EEAS.146/20 | | | | | | Sleeve, ½" long | 4 | — | — | C | | |
| 5K/9137693 | EEAS.146/20 | | | | | | Sleeve, 1" long | 6 | — | — | C | | |
| 5X/9450393 | HC.292 | | | | | | Tag | 1 | — | — | C | | |
| 5X/9462951 | HC.294 | | | | | | Tag | 2 | — | — | C | | |
| | ROSS COURTNEY | | | | | | | | | | | | |
| 5K/9459973 | WE.500 | | | | | | Cable end, crown type | 2 | — | — | C | | |
| | SMITH | | | | | | | | | | | | |
| | WAYMOUTH | | | | | | | | | | | | |
| 6A/2731 | CA.12 | | | | | | Connector | 1 | — | — | C | | |
| | SMITH | | | | | | | | | | | | |
| | WAYMOUTH | | | | | | | | | | | | |
| 6A/3734 | CA.25 | | | | | | Connector | 1 | — | — | C | | |
| | SMITH | | | | | | | | | | | | |
| | WAYMOUTH | | | | | | | | | | | | |
| 6A/2853 | CA.55 | | | | | | Connector | 1 | — | — | C | | |
| 5K/4329498 | AGS.1725/1 | | | | | | Disc, blanking | 2 | — | — | C | | |
| 5X/1200092 | Z.1757 | | | | | | Grommet | 1 | — | — | C | | |
| 6829 | E.B6.81.517 | | | | | | Lead, H.T. ignition | 1 | — | — | C | | |
| 6827 | E.B6.81.519 | | | | | | Lead, H.T. ignition | 1 | — | — | C | | |
| 6A/1942 | † | | | | | | Lead, extension, type B | 4 | — | — | C | | |
| 5K/4329335 | AGS.1658/1 | | | | | | Nut, cable gland | 2 | — | — | C | | |
| | E.B7.81.42 | | | | | | | | | | | | |
| | E.A3.81.917 | | | | | | LOOMS, CABLE, INSTRUMENT, ASSEMBLY | — | — | — | — | | |
| | | | | | | | Consisting of:— | | | | | | |
| | | | | | | | CABLE, ASSEMBLY, D.1A-D.1, FROM G.4B COMPASS J.B. TO DETECTORS UNIT CONNECTION, GROUP | 1 | — | — | — | | |
| | | | | | | | Consisting of:— | | | | | | |
| 5K/ | † | | | | | | Braiding, metal | QR | — | — | — | | |
| 5E/4182 | † | | | | | | Cable, Uninyvin 22 | QR | — | — | C | | |
| 18864 | EEAS.111/3 | | | | | | Ferrule | 1 | — | — | C | | |
| 10H/0970059 | Z.60668 | | | | | | Gasket | 1 | — | — | C | | |
| 10H/0970065 | CZ.49182 | | | | | | Outlet, straight | 1 | — | — | C | | |
| 5X/4491293 | Z.18501/Z | | | | | | Ring, clamp | 1 | — | — | C | | |
| 10H/0970091 | Z.54187 | | | | | | Ring, sealing | 1 | — | — | C | | |
| 10H/0560180 | CZ.49126 | | | | | | Socket, body | 1 | — | — | C | | |
| 5K/9107065 | EEAS.146/A | | | | | | Sleeve, ½" long | 24 | — | — | C | | |
| 5K/9107069 | EEAS.146/E | | | | | | Sleeve, 1" long | 2 | — | — | C | | |
| 5K/9107069 | EEAS.146/G | | | | | | Sleeve, 1" long | 1 | — | — | C | | |
| 5X/9450396 | HC.490 | | | | | | Tag | 1 | — | — | C | | |
| | E.A3.81.919 | | | | | | CABLE, ASSEMBLY, D.1B-D.1A, FROM WING ROOT CONNECTION TO G.4B COMPASS J.B., GROUP | 1 | — | — | — | | |
| | | | | | | | Consisting of:— | | | | | | |
| 5K/ | † | | | | | | Braiding, metal | QR | — | — | — | | |
| 5E/4182 | † | | | | | | Cable, Uninyvin 22 | QR | — | — | C | | |
| 18864 | EEAS.111/3 | | | | | | Ferrule | 1 | — | — | C | | |
| 10H/0970059 | Z.60668 | | | | | | Gasket, outlet | 1 | — | — | C | | |
| 10H/0970065 | CZ.49182 | | | | | | Outlet, straight | 1 | — | — | C | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN STARBOARD WING**

| Ref. No. | Part No. | Description | | | | | | No Off | Matl Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|-------------|--------------|---|-----|-----|-----|-----|-----|--------|------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| 10H/0560360 | CZ.49458 | Plug, assembly | ... | ... | ... | ... | ... | 1 | — | C | |
| 5X/4491293 | Z.18501/Z | Ring, clamp | ... | ... | ... | ... | ... | 1 | — | C | |
| 10H/0970091 | Z.62231 | Ring, sealing | ... | ... | ... | ... | ... | 1 | — | C | |
| 5K/9107065 | EEAS.146/A | Sleeve, 3/4" long | ... | ... | ... | ... | ... | 12 | — | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | ... | ... | ... | ... | ... | 12 | — | C | |
| 5K/9107069 | EEAS.146/G | Sleeve, 1" long | ... | ... | ... | ... | ... | 1 | — | C | |
| 5K/9107070 | EEAS.146/H | Sleeve, 1" long | ... | ... | ... | ... | ... | 2 | — | C | |
| 5X/9482491 | HC.500 | Tag | ... | ... | ... | ... | ... | 12 | — | C | |
| | E.B7.81.1435 | WIRING ON LEADING EDGE DIAPHRAGM ASSEMBLY (PRE-MOD. 2393, 2155 AND 2197) | | | | | | — | — | — | |
| | | Spares for this assembly are identical with those for assembly Part No. E.B6.81.1571, except for the following deletions and addition | | | | | | | | | |
| | | Delete:— | | | | | | | | | |
| 13192 | E.A9.81.1095 | Block, connector | ... | ... | ... | ... | ... | 2 | LFB.82 | C | |
| | E.A9.81.1081 | PANEL, VOLTAGE REGULATOR, ASSEMBLY | | | | | | 1 | — | — | |
| 13194 | E.A9.81.1097 | Stud, connector | ... | ... | ... | ... | ... | 1 | — | C | |
| | | Add:— | | | | | | | | | |
| 12030 | EEAS.21/2ER | Washer, special | ... | ... | ... | ... | ... | 10 | — | C | |
| | E.B6.81.1571 | WIRING ON LEADING EDGE DIAPHRAGM ASSEMBLY (MOD. 2393, 2155 AND 2197) | | | | | | — | — | — | |
| | | Spares for:— | | | | | | | | | |
| 13192 | E.A9.81.1095 | Block, connector | ... | ... | ... | ... | ... | 2 | LFB.82 | C | |
| | | Attaching parts for E.A9.81.1095:— | | | | | | | | | |
| 28M/1278189 | AGS.2001/B/1 | Nut, 4 BA | ... | ... | ... | ... | ... | 4 | — | C | |
| 28S/1005622 | A31/B28 | Screw, 4 BA | ... | ... | ... | ... | ... | 4 | — | C | |
| 28W/9419474 | SP.15/B | Washer | ... | ... | ... | ... | ... | 4 | — | C | |
| | E.B7.81.3231 | BOX, JUNCTION, NO. 8, ASSEMBLY (MOD. 3773, PRE-MOD. 4927) | | | | | | 1 | — | — | |
| | | Spares for:— | | | | | | | | | |
| 5X/1002695 | CZ.23212/1 | Block, terminal, 20-way | ... | ... | ... | ... | ... | 2 | — | C | |
| | E.A1.81.583 | Box, junction, 40-way | ... | ... | ... | ... | ... | 1 | — | C | |
| 5E/4183 | † | Cable, Uninyvin 20 | ... | ... | ... | ... | ... | QR | — | C | |
| 5E/4185 | † | Cable, Uninyvin 16 | ... | ... | ... | ... | ... | QR | — | C | |
| 5E/4187 | † | Cable, Uninyvin 12 | ... | ... | ... | ... | ... | QR | — | C | |
| | E.B7.81.369 | COVER, ASSEMBLY | | | | | | 1 | — | — | |
| | | Spares for:— | | | | | | | | | |
| 20457 | EEAS.117/1 | Screw, cover | ... | ... | ... | ... | ... | 6 | S.92 | C | |
| 1066 | EEAS.28/2CU | Washer | ... | ... | ... | ... | ... | 12 | DTD.124 | C | |
| 1108 | EEAS.42 | Washer | ... | ... | ... | ... | ... | 6 | Leather | C | |
| 5X/6168 | Z.23197 | Gasket, size C | ... | ... | ... | ... | ... | 2 | — | C | |
| 5X/6169 | Z.23198 | Gasket, size D | ... | ... | ... | ... | ... | 2 | — | C | |
| 5X/6174 | Z.50216 | Link, commoning, 8-way | ... | ... | ... | ... | ... | 1 | — | C | |
| 5X/6184 | CZ.50360 | Plug, 12-way, size C (Pre-Mod. 3380) | ... | ... | ... | ... | ... | 1 | — | C | |
| 5X/7151 | 2CZ.111226 | Plug, 12-way, size C (Mod. 3380) | ... | ... | ... | ... | ... | 1 | — | C | |
| 5X/6091 | CZ.28108 | Plug, 14-way, size C (Pre-Mod. 3380) | ... | ... | ... | ... | ... | 1 | — | C | |
| 5X/7152 | 2CZ.111227 | Plug, 14-way, size C (Mod. 3380) | ... | ... | ... | ... | ... | 1 | — | C | |
| 5X/6185 | CZ.50361 | Plug, 26-way, size D | ... | ... | ... | ... | ... | 2 | — | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve | ... | ... | ... | ... | ... | 34 | — | C | |
| 5K/9107067 | EEAS.146/C | Sleeve | ... | ... | ... | ... | ... | 25 | — | C | |
| 5X/9525146 | Z.49397 | Sleeve | ... | ... | ... | ... | ... | 1 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN STARBOARD WING**

| Ref. No. | Part No. | Description | | | | | | No. Off | Matl Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|----------------------------|-----------------------------------|--|---|---|---|---|---|---------|------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| 5X/1005131 5X/9450396 | Z.49428 HC.490 E.B6.81.6311 | Sleeve | | | | | | 40 | — | C | |
| | | Tag, crimping, No. 1 | | | | | | 21 | — | C | |
| | | BOX, JUNCTION, NO. 8, ASSEMBLY (MOD. 4927) | | | | | | 1 | — | — | |
| | | Spares for this assembly are identical to assembly Part No. E.B7.81.3231 on page 373 | | | | | | | | | |
| | | Attaching parts for E.B7.81.3231 or E.B6.81.6311:— | | | | | | | | | |
| 28D/9133011 28W/9419475 | A25/2C SP.15/C | Bolt, 2 BA | | | | | | 4 | — | C | |
| | | Washer | | | | | | 4 | — | C | |
| | E.A9.81.1081 | PANEL, VOLTAGE REGULATOR, ASSEMBLY ... | | | | | | 1 | — | — | |
| | | Spares for:— | | | | | | | | | |
| 5X/1002694 | CZ.50207 | Block, terminal | | | | | | 1 | — | B | |
| | | Attaching parts for CZ.50207:— | | | | | | | | | |
| 5X/9450403 | Z.28426 | Pillar, fixing | | | | | | 2 | — | C | |
| | E.A9.81.2439 | BOX, RESISTANCE, ASSEMBLY ... | | | | | | 1 | — | — | |
| | | Spares for:— | | | | | | | | | |
| | E.A9.81.2449 | Block, resistance mounting | | | | | | 1 | — | — | |
| | E.A9.81.2441 | Box, sub-assembly | | | | | | 1 | — | — | |
| | WELWYN | | | | | | | | | | |
| 5X/9462745 | CL5.No.1 | Clip, resistor mounting | | | | | | 2 | — | C | |
| 5K/9476093 | 2214 | Grommet | | | | | | 1 | — | C | |
| 5X/9450403 | WELWYN G40 | Resistor | | | | | | 1 | — | B | |
| 28W/1200328 | AGS.2037/B | Washer | | | | | | 4 | — | C | |
| 5X/9149641 | CZ.26805 | Cover | | | | | | 1 | — | C | |
| 5X/2190 | Z.2280/2 | Ferrule, cut | | | | | | 1 | — | C | |
| 5X/6168 | Z.23197 | Gasket, plug moulding | | | | | | 1 | — | C | |
| 5X/9462745 | HC.304 | Lug, crimping | | | | | | 3 | — | C | |
| 5X/1036505 | HC.314C | Lug, crimping | | | | | | 4 | — | C | |
| | E.A9.81.1085 | Panel, sub-assembly | | | | | | 1 | — | — | |
| 5X/6096 | CZ.28109 | Plug, 6-way, size C (Pre-Mod. 3380) | | | | | | 1 | — | C | |
| 5X/7153 | 2CZ.111297 | Plug, 6-way, size C (Mod. 3380) | | | | | | 1 | — | C | |
| 5UC/4379340 | † | Regulator, voltage, type 114 | | | | | | 1 | — | A | |
| | | Attaching parts for Ref. 5UC/6360:— | | | | | | | | | |
| 28D/1011238 | A25/3E | Bolt, 3" BSF | | | | | | 4 | — | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve | | | | | | 8 | — | C | |
| 5K/9107067 | EEAS.146/C | Sleeve | | | | | | 15 | — | C | |
| 5X/9525146 | Z.49397 | Sleeve | | | | | | 3 | — | C | |
| 5X/1005132 | Z.28081 | Sleeve | | | | | | 4 | — | C | |
| 5X/9482491 | HC.500 | Tag | | | | | | 2 | — | C | |
| 5X/9450224 | HC.510 | Tag | | | | | | 3 | — | C | |
| 5X/1004082 | Z.50210 | Terminal, connecting | | | | | | 1 | — | C | |
| | | Attaching parts for E.A9.81.1081:— | | | | | | | | | |
| 28D/9436920 | A25/1C | Bolt, 2 BA | | | | | | 4 | — | C | |
| 28M/1278190 | AGS.2001/C/1 | Nut, 2 BA | | | | | | 4 | — | C | |
| 28W/9419402 | SP.13/C | Washer | | | | | | 4 | — | C | |
| 5K/4894 | HV.3974 | Shroud, Helvin | | | | | | 2 | — | C | |
| 5UC/4379183 | † | Shunt, equalising, LJC/300/E2 | | | | | | 1 | — | A | |
| | | Attaching parts for Ref. 5UC/4379183:— | | | | | | | | | |
| 28M/1278189 | AGS.2001/B/1 | Nut, 4 BA | | | | | | 4 | — | C | |
| 28W/9419465 | SP.13/B | Washer | | | | | | 4 | — | C | |

ELECTRICAL
ELECTRICAL EQUIPMENT IN STARBOARD WING

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|-------------|--------------|--|---|---|---|---|---|---------|-------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| 3417 | EEAS.132/9 | | | | | | | 3 | — | C | |
| 13194 | E.A9.81.1097 | | | | | | | 1 | BS.369 | C | |
| | † | | | | | | | QR | — | — | |
| 37A/1400 | NB.25/1 | | | | | | | 1 | — | B | |
| or | | | | | | | | | | | |
| 37A/1601 | C.10TS/2 | | | | | | | 1 | — | B | |
| | EEAS.28/23EP | | | | | | | 4 | — | — | |
| | E.B7.81.604 | WIRING AND EQUIPMENT, ENGINE BAY, ASSEMBLY | | | | | | — | — | — | — |
| | | Spares for:— | | | | | | | | | |
| | E.B7.81.1553 | | | | | | | 1 | — | — | |
| 21902 | E.B6.81.897 | | | | | | | 1 | L.62 | C | |
| 5K/88 | AGS.1658/1 | | | | | | | 2 | — | C | |
| 5X/6002 | CZ.28180 | | | | | | | 2 | — | B | |
| 5X/7021 | 2CZ.84864 | | | | | | | 2 | — | B | |
| 5X/6007 | CZ.28181 | | | | | | | 1 | — | B | |
| 5X/7022 | 2CZ.84865 | | | | | | | 1 | — | B | |
| 5X/6440 | CZ.23144/Z | | | | | | | 6 | — | C | |
| 17242 | E.B7.81.1523 | | | | | | | 2 | L.64 | C | |
| 5K/1008392 | AGS.1654/1 | | | | | | | 2 | — | C | |
| | E.B7.81.2921 | | | | | | | 1 | — | LM | |
| | E.B7.81.2923 | | | | | | | 1 | — | LM | |
| | E.B7.81.2927 | | | | | | | 1 | — | LM | |
| 7782 | EEAS.21/1ER | | | | | | | 5 | — | C | |
| | E.B7.81.606 | WIRING, BEHIND LEADING EDGE DIAPHRAGM, ASSEMBLY (PRE-MOD. 2393, 2155) | | | | | | — | — | — | — |
| | | Spares for:— | | | | | | | | | |
| 5X/9000 | AS.2654 | | | | | | | 1 | — | C | |
| | | Attaching parts for AS.2654:— | | | | | | | | | |
| 28M/10287 | AGS.2001/B/1 | | | | | | | 2 | — | C | |
| 28S/1200033 | A.31/B24 | | | | | | | 2 | — | C | |
| 28W/9419448 | AGS.2035/B | | | | | | | 2 | — | C | |
| 5X/3276 | CZ.50205 | | | | | | | 1 | — | C | |
| | | Attaching parts for CZ.50205:— | | | | | | | | | |
| 28M/10287 | AGS.2001/B/1 | | | | | | | 2 | — | C | |
| 5X/9450403 | Z.28426 | | | | | | | 2 | — | C | |
| 28W/9419448 | AGS.2035/B | | | | | | | 2 | — | C | |
| 17311 | E.A4.81.1595 | | | | | | | 1 | — | C | |
| | | Attaching parts for E.A4.81.1595:— | | | | | | | | | |
| 28S/9419435 | A31/B12 | | | | | | | 4 | — | C | |
| 5X/9001 | AS.2655 | | | | | | | 1 | — | C | |
| 5X/3272 | CZ.26799 | | | | | | | 1 | — | C | |
| | E.B7.81.789 | | | | | | | 1 | — | — | |
| | | Attaching parts for E.B7.81.789:— | | | | | | | | | |
| 28D/1011006 | A25/5B | | | | | | | 4 | — | C | |
| 28M/10287 | AGS.2001/B/1 | | | | | | | 4 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN STARBOARD WING**

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|----------------------------|--------------------------|--|-----|-----|-----|-----|-----|---------|-------------|---------------|------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. | L.M. | |
| 5X/1004082 7156 | Z.50210 E.A3.81.1957 | Link | ... | ... | ... | ... | ... | 1 | — | C | | |
| | | Washer, earth | ... | ... | ... | ... | ... | 3 | — | C | | |
| | E.B7.81.602 | WIRING AND ELECTRICAL EQUIPMENT, OUTER WING, ASSEMBLY | | | | | | — | — | — | | |
| | | Spares for:— | | | | | | | | | | |
| 5CZ/430 | † | Block, terminal | ... | ... | ... | ... | ... | 1 | — | C | | |
| | | Attaching parts for Ref. 5CZ/430:— | | | | | | | | | | |
| 28M/10286 28S/1200050 | AGS.2001/A/1 A32/A20 | Nut, 6 BA | ... | ... | ... | ... | ... | 2 | — | C | | |
| | SMITH-WAYMOUTH | Screw, 6 BA | ... | ... | ... | ... | ... | 2 | — | C | | |
| 6A/3561 | J.LA/123/109 | Box, cable connector | ... | ... | ... | ... | ... | 1 | — | B | | |
| | | Attaching parts for J.LA/123/109:— | | | | | | | | | | |
| 28M/10288 28S/1200051 | AGS.2001/C/1 A32/C28 | Nut, 2 BA | ... | ... | ... | ... | ... | 2 | — | C | | |
| 28W/9419404 | SP.16/C | Screw, 2 BA | ... | ... | ... | ... | ... | 2 | — | C | | |
| | | Washer | ... | ... | ... | ... | ... | 4 | — | C | | |
| | E.A3.81.1537 | BOX, JUNCTION, G.IV.B. ASSEMBLY | | | | | | 1 | — | — | | |
| | | Spares for:— | | | | | | | | | | |
| 5X/3277 | CZ.50206 | Block, terminal | ... | ... | ... | ... | ... | 1 | — | C | | |
| | | Attaching parts for CZ.50206:— | | | | | | | | | | |
| 28M/10287 28S/1005622 | AGS.2001/B/1 A31/B28 | Nut, 4 BA | ... | ... | ... | ... | ... | 2 | — | C | | |
| | | Screw, 4 BA | ... | ... | ... | ... | ... | 2 | — | C | | |
| | E.A3.81.1539 | Box | ... | ... | ... | ... | ... | 1 | — | — | | |
| | E.A3.81.1543 | Lid, assembly | ... | ... | ... | ... | ... | 1 | — | — | | |
| 28S/9997545 | A31/C16 | Attaching parts for E.A3.81.1537:— | | | | | | | | | | |
| | | Screw, 2 BA | ... | ... | ... | ... | ... | 4 | — | C | | |
| | SMITH-WAYMOUTH | | | | | | | | | | | |
| 6A/2813 17361 | XA E.B6.81.381 | Bracket, amplifier attachments | ... | ... | ... | ... | ... | 1 | — | C | | |
| | | Fairlead, half | ... | ... | ... | ... | ... | 2 | — | C | | |
| | | Attaching parts for E.B6.81.381:— | | | | | | | | | | |
| 28D/1008149 28W/9419474 | A25/2B SP.15/B | Bolt, 4 BA | ... | ... | ... | ... | ... | 4 | — | C | | |
| | | Washer | ... | ... | ... | ... | ... | 4 | — | C | | |
| 5X/6488 5CY/2967 | CZ.23144/B S.I.S.3671 | Ring, clamp | ... | ... | ... | ... | ... | 2 | — | C | | |
| | | Suppressor, fuel pump, type O, No. 2 | ... | ... | ... | ... | ... | 1 | — | A | | |
| | | Attaching parts for SIS. 3671:— | | | | | | | | | | |
| 28D/1008149 | A25/2B | Bolt, 4 BA | ... | ... | ... | ... | ... | 4 | — | C | | |
| | SMITH-WAYMOUTH | | | | | | | | | | | |
| 6A/2762 | F.A.A. | Transmitter, fuel contents gauge | ... | ... | ... | ... | ... | 1 | — | B | | |
| | | Attaching parts for F.A.A.:— | | | | | | | | | | |
| 28M/10288 28S/9435717 | AGS.2001/C1 A33/C20 | Nut, 2 BA | ... | ... | ... | ... | ... | 4 | — | C | | |
| | | Screw, 2 BA | ... | ... | ... | ... | ... | 4 | — | C | | |
| 37A/1401 or 37A/1790 | NB.25/2 C10.TS3 | Unit, ignition, high energy | ... | ... | ... | ... | ... | 1 | — | B | | |
| | | or | ... | ... | ... | ... | ... | 1 | — | B | | |
| | | Unit, ignition, high energy | ... | ... | ... | ... | ... | 1 | — | B | | |
| | | Attaching parts for NB/252 or C10.TS-3:— | | | | | | | | | | |
| 28D/1011029 | A25/1E | Bolt, 1/2" BSF | ... | ... | ... | ... | ... | 3 | — | C | | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN STARBOARD WING**

| Ref. No. | Part No. | Description | | | | | | No. Off | Matl Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|-------------|--------------|---|---|---|---|---|---|---------|------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.A3.81.94 | WIRING AND ELECTRICAL EQUIPMENT OUT-BOARD OF RIB 8, ASSEMBLY | | | | | | — | — | — | |
| | | Spares for:— | | | | | | | | | |
| 5CZ/4335533 | E.A1.81.1047 | Block , contact, assembly | | | | | | 1 | — | C | |
| 5X/9409328 | CZ.50178 | Block , terminal, type J | | | | | | 1 | — | C | |
| 5X/6288 | CZ.50179 | Block , terminal, type J | | | | | | 1 | — | C | |
| | | Attaching parts for CZ.50178 and CZ.50179:— | | | | | | | | | |
| 28S/9130752 | A43/B24 | Screw, 4 BA | | | | | | 2 | — | C | |
| 5CZ/4350489 | † | Block , terminal, type B, No. 1 | | | | | | 1 | — | C | |
| | | Attaching parts for Ref. 5CZ/4350489:— | | | | | | | | | |
| 28S/1200062 | A33/A20 | Screw, 6 BA | | | | | | 2 | — | C | |
| | 9530 | E.A3.81.2653 | | | | | | | | | |
| | | Clip , socket support | | | | | | 1 | — | C | |
| | | Attaching parts for E.A3.81.2653:— | | | | | | | | | |
| 28D/1212940 | A61/2C | Bolt, 2 BA | | | | | | 2 | — | C | |
| 6B/4343832 | | Detector-Unit , Type C | | | | | | 1 | — | A | |
| 9757 | E.A3.81.493 | Plate , base, resistance block, assembly (Pre-Mod. 4063) | | | | | | 1 | — | C | |
| | 41769 | E.A3.81.6305 | | | | | | | | | |
| | 5385 | E.A3.81.495 | | | | | | | | | |
| | | Plate , base, resistance block, assembly (Mod. 4063) | | | | | | 1 | — | C | |
| | | Plate , base, resistance block, assembly (Pre-Mod. 4063) | | | | | | 1 | — | C | |
| | 41770 | E.A3.81.6307 | | | | | | | | | |
| | | PAINTON | | | | | | | | | |
| 5CZ/4239 | P.2001/H | Resistor , 15 ohms, 25 watt, type H (Pre-Mod. 4063) | | | | | | 3 | — | C | |
| | 5905-99- | PAINTON | | | | | | | | | |
| | 024-1026 | P.2001/F/15 | | | | | | | | | |
| | | HELLERMANN | | | | | | | | | |
| 5X/9450396 | HC.490 | Tag , quick release | | | | | | 2 | — | C | |
| 5K/9436636 | AGS.1600/A | Tag , terminal | | | | | | 5 | — | C | |
| | E.A1.81.28 | WIRING, JET PIPE THERMOCOUPLE, ASSEMBLY | | | | | | — | — | — | |
| | | Spares for:— | | | | | | | | | |
| 5CZ/1053794 | † | Block , terminal, type B, No. 1 | | | | | | 4 | — | C | |
| | | Attaching parts for Ref. 5CZ/1053794:— | | | | | | | | | |
| 28S/1011495 | A33/A32 | Screw, 6 BA | | | | | | 2 | — | C | |
| | BROWN BROS. | | | | | | | | | | |
| 29H/9437201 | AV/W50 | Clip , thermocouple leads | | | | | | 3 | — | C | |
| | E.B7.81.1308 | WIRING, MAIN UNDERCARRIAGE, ASSEMBLY ... | | | | | | — | — | — | |
| | | Spares for:— | | | | | | | | | |
| 5CZ/1053794 | † | Block , terminal, type B, No. 1 | | | | | | 1 | — | C | |
| | | Attaching parts for Ref. 5CZ/1053794:— | | | | | | | | | |
| 28M/1987493 | AGS.2001/A/1 | Nut, 6 BA | | | | | | 2 | — | C | |
| 28S/1200062 | A33/A20 | Screw, 6 BA | | | | | | 2 | — | C | |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN STARBOARD WING**

| Ref. No. | Part No. | | | | | | | Description | No. Off | Matl Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|-------------|------------------------|---|---|---|---|---|---|---|---------|------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | | |
| 5CW/6672 | BURGESS | | | | | | | Switch, micro, MS5750, "down" lock (Mod. 3759, Pre-Mod. 4080) | 1 | — | C | |
| 5CW/9504373 | BURGESS | | | | | | | Switch, micro, MS5752, "up" lock and oleo (Mod. 3759, Pre-Mod. 4080) | 2 | — | C | |
| 5CW/1085884 | HONEYWELL 1H.Y1 | | | | | | | Switch, limit, "up" and "down" lock and oleo (Mod. 4080) | 3 | — | B | |
| 5CW/12444 | DOWTY DN1322Z Mk. 2 | | | | | | | Switch, limit, "up" and "down" lock and oleo (Mod. 4449—S.O.O.) (Pre-Mods. 4958 and 4959) | 3 | — | B | |
| 5CW/13598 | DN1322Z Mk. 3 | | | | | | | Switch, limit, "up" lock (Mod. 4958) | 1 | — | B | |
| 5CW/13598 | DN1322Z Mk. 3 | | | | | | | Switch, limit, "down" lock and oleo (Mod. 4959) | 2 | — | B | |
| 28D/1010029 | A25/6B | | | | | | | Attaching parts for switches:— Bolt, 4 BA | 1 | — | C | |
| 2029 | E.A1.20.1245 | | | | | | | Bolt, special, 2 BA | 1 | — | C | |
| 28M/9403520 | A27/CP | | | | | | | Nut, 2 BA | 1 | — | C | |
| 28W/1206041 | AGS.2035/B | | | | | | | Washer | 1 | — | C | |
| 28W/1006946 | AGS.2035/C | | | | | | | Washer | 1 | — | C | |

Pages 379 to 388 not issued

ELECTRICAL
ELECTRICAL EQUIPMENT IN PORT AND STARBOARD WINGS

| Ref. No. | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|--|--------------|-------------|------|-----|-----|-----|-----|---------|-------------|-------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| SUMMARY OF STOCK ITEMS USED ON ELECTRICAL EQUIPMENT IN PORT AND STARBOARD WINGS | | | | | | | | | | | |
| 28D/9706373 | A25/2A | Bolt, | 6 | BA | ... | ... | ... | ... | ... | C | |
| 28D/1010658 | A25/1B | Bolt, | 4 | BA | ... | ... | ... | ... | ... | C | |
| 28D/1008149 | A25/2B | Bolt, | 4 | BA | ... | ... | ... | ... | ... | C | |
| 28D/1011006 | A25/5B | Bolt, | 4 | BA | ... | ... | ... | ... | ... | C | |
| 28D/1010029 | A25/6B | Bolt, | 4 | BA | ... | ... | ... | ... | ... | C | |
| 28D/1010142 | A25/9B | Bolt, | 4 | BA | ... | ... | ... | ... | ... | C | |
| 28D/9138768 | A25/1/2C | Bolt, | 2 | BA | ... | ... | ... | ... | ... | C | |
| 28D/9436920 | A25/1C | Bolt, | 2 | BA | ... | ... | ... | ... | ... | C | |
| 28D/9133011 | A25/2C | Bolt, | 2 | BA | ... | ... | ... | ... | ... | C | |
| 28D/1200119 | A25/4C | Bolt, | 2 | BA | ... | ... | ... | ... | ... | C | |
| 28D/9133013 | A25/5C | Bolt, | 2 | BA | ... | ... | ... | ... | ... | C | |
| 28D/1011023 | A25/20C | Bolt, | 2 | BA | ... | ... | ... | ... | ... | C | |
| 28D/1011029 | A25/1E | Bolt, | 1/2" | BSF | ... | ... | ... | ... | ... | C | |
| 28D/1011238 | A25/3E | Bolt, | 1/4" | BSF | ... | ... | ... | ... | ... | C | |
| 28D/1212940 | A61/2C | Bolt, | 2 | BA | ... | ... | ... | ... | ... | C | |
| 28D/9128739 | AS1248/1/2B | Bolt, | 4 | BA | ... | ... | ... | ... | ... | C | |
| 28M/9403518 | A27/AP | Nut, | 6 | BA | ... | ... | ... | ... | ... | C | |
| 28M/9403519 | A27/BP | Nut, | 4 | BA | ... | ... | ... | ... | ... | C | |
| 28M/1006504 | A27/BT | Nut, | 4 | BA | ... | ... | ... | ... | ... | C | |
| 28M/9403520 | A27/CP | Nut, | 2 | BA | ... | ... | ... | ... | ... | C | |
| 28M/1006473 | A27/CT | Nut, | 2 | BA | ... | ... | ... | ... | ... | C | |
| 28M/13324 | A29/CP | Nut, | 2 | BA | ... | ... | ... | ... | ... | C | |
| 28M/10286 | AGS.2001/A/1 | Nut, stiff, | 6 | BA | ... | ... | ... | ... | ... | C | |
| 28M/10287 | AGS.2001/B/1 | Nut, stiff, | 4 | BA | ... | ... | ... | ... | ... | C | |
| 28M/10288 | AGS.2001/C/1 | Nut, stiff, | 2 | BA | ... | ... | ... | ... | ... | C | |
| 28M/10330 | AGS.2002/E/1 | Nut, stiff, | 1/2" | BSF | ... | ... | ... | ... | ... | C | |
| 28S/9419435 | A31/B12 | Screw, | 4 | BA | ... | ... | ... | ... | ... | C | |
| 28S/9419453 | A31/B14 | Screw, | 4 | BA | ... | ... | ... | ... | ... | C | |
| 28S/1200033 | A31/B24 | Screw, | 4 | BA | ... | ... | ... | ... | ... | C | |
| 28S/1005622 | A31/B28 | Screw, | 4 | BA | ... | ... | ... | ... | ... | C | |
| 28S/1006948 | A32/A12 | Screw, | 6 | BA | ... | ... | ... | ... | ... | C | |
| 28S/1011484 | A32/A20 | Screw, | 6 | BA | ... | ... | ... | ... | ... | C | |
| 28S/1011492 | A32/C28 | Screw, | 2 | BA | ... | ... | ... | ... | ... | C | |
| 28S/1200062 | A33/A20 | Screw, | 6 | BA | ... | ... | ... | ... | ... | C | |
| 28S/1011495 | A33/A32 | Screw, | 6 | BA | ... | ... | ... | ... | ... | C | |
| 28S/9435715 | A33/B16 | Screw, | 4 | BA | ... | ... | ... | ... | ... | C | |
| 28S/9435717 | A33/C20 | Screw, | 2 | BA | ... | ... | ... | ... | ... | C | |
| 28S/9130752 | A43/B24 | Screw, | 4 | BA | ... | ... | ... | ... | ... | C | |
| 28W/9419465 | SP.13/B | Washer, | 4 | BA | ... | ... | ... | ... | ... | C | |
| 28W/9419402 | SP.13/C | Washer, | 2 | BA | ... | ... | ... | ... | ... | C | |
| 28W/9419474 | SP.15/B | Washer, | 4 | BA | ... | ... | ... | ... | ... | C | |
| 28W/9419475 | SP.15/C | Washer, | 2 | BA | ... | ... | ... | ... | ... | C | |
| 28W/9419405 | SP.15/E | Washer, | 1/2" | BSF | ... | ... | ... | ... | ... | C | |
| 28W/9419404 | SP.16/C | Washer, | 2 | BA | ... | ... | ... | ... | ... | C | |
| 28W/9416641 | SP.47/A | Washer, | 6 | BA | ... | ... | ... | ... | ... | C | |
| 28W/9416642 | SP.47/B | Washer, | 4 | BA | ... | ... | ... | ... | ... | C | |
| 28W/9416643 | SP.47/C | Washer, | 2 | BA | ... | ... | ... | ... | ... | C | |
| 28W/1007776 | AGS.2034/B | Washer, | 4 | BA | ... | ... | ... | ... | ... | C | |
| 28W/1006940 | AGS.2034/C | Washer, | 2 | BA | ... | ... | ... | ... | ... | C | |
| 28W/9419448 | AGS.2035/B | Washer, | 4 | BA | ... | ... | ... | ... | ... | C | |
| 28W/1200328 | AGS.2037/B | Washer, | 4 | BA | ... | ... | ... | ... | ... | C | |

This file was downloaded from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms, and more aircraft documents.

