ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.805	**ELECTRICAL EQUIPMENT IN FRONT FUSELAGE, ASSEMBLY**	—	—	—	
		Spares for:—				
	E.A9.81.5893	**BATTERY, U.H.F. STANDBY, INSTALLATION (MOD. 4320)**	—	—	—	
		Spares for:—				
42524	E.G5.81.481	**BAR,** tie, securing battery	2	—	C	
5J/3458	†	**BATTERY,** 24 volt, type SA.17/6	1	—	A	
28M/803	AGS.120/A	**NUT,** wing, $\frac{1}{4}$" BSF	4	—	—	
	E.G5.81.489	**PLATE,** carrier	1	—	—	
42525	E.G5.81.487	**SCREW,** clamping	4	—	C	
42526	E.G5.81.475	**TRAY,** battery	1	—	B	
		Attaching parts for E.G5.81.475:—				
28D/1214091	AS.1242/2C	Bolt, 2 BA	4	—	C	
42523	E.G5.81.479	**TRUNNION**	4	—	C	
	E.A9.81.2819	**BLOCK, TERMINAL, ASSEMBLY, FRAME A, PORT**	—	—	—	
		Spares for:—				
5X/3277	†	**BLOCK,** terminal, 3-way	2	—	C	
		Attaching parts for Ref. 5X/3277:—				
5X/9450403	†	Piller, fixing	1	—	C	
28S/1005622	A31/B28	Screw, 4 BA	1	—	C	
	E.A9.81.2821	**COVER,** terminal block	1	—	C	
5X/1004082	Z.50210	**LINK,** terminal, 2-way	1	—	C	
	E.A9.81.4419	**BLOCK, TERMINAL, ASSEMBLY, FRAME B, STARBOARD (MOD. 2370)**	—	—	—	
		Spares for:—				
5X/9402792	AS.2651	**BLOCK,** terminal	1	—	C	
		Attaching parts for AS.2651:—				
28M/10287	AGS.2001/B/1	Nut, 4 BA	2	—	C	
28S/1200034	A31/B16	Screw, 4 BA	2	—	C	
28W/9419465	SP.13/B	Washer	2	—	C	
5X/9435997	AS.2368	**COVER,** terminal block	1	—	C	
5X/9002	AS.2640	**SOCKET,** clamp, terminal	2	—	C	
5CZ/1947	†	**BLOCK,** terminal, dummy, type J	1	—	C	
		Attaching parts for Ref. 5CZ/1947:—				
28D/9133012	A25/3C	Bolt, 2 BA	2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	2	—	C	
	E.A9.81.5599	**BLOCK, TERMINAL, L.A.B.S. INSTALLATION (MOD. 3765)**	—	—	—	
		Spares for:—				
5X/1002694	CZ.50207	**BLOCK,** terminal, 5-way	1	—	C	
		Attaching parts for CZ.50207:—				
28M/10327	AGS.2002/B/1	Nut, 4 BA	2	—	C	
5X/9450403	Z.28426	Pillar, fixing	2	—	C	
5X/9149641	CZ.26805	**COVER,** terminal, block	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.A9.81.5851		**BOX, A.C. FUSE, ASSEMBLY (MOD. 4129)**	—	—	—	
			Spares for:—				
5X/6395	CZ.62879		**BLOCK,** fuse, quick release, 4-way	11	—	C	
			Attaching parts for CZ.62879:—				
28S/9435712	A31/B8		Screw, 4 BA	2	—	C	
28W/9419448	AGS.2035/B		Washer	2	—	C	
5X/3181	CZ.23212/1		**BLOCK,** terminal, 20-way	2	—	C	
			Attaching parts for CZ.23212/1:—				
28M/10287	AGS.2001/B/1		Nut, 4 BA	2	—	C	
28S/1011488	A32/B28		Screw, 4 BA	2	—	C	
	E.A9.81.10895		**BOX,** shell, assembly	1	—	—	
5E/3898	†		**CABLE,** Unitersil 12	QR	—	C	
10C/0115331	†		**CAPACITOR,** type 4028, ·25 MFD. 350 volt ...	2	—	C	
	E.A9.81.10437		**COVER,** assembly (small)	1	—	—	
	E.A9.81.10471		**COVER,** assembly (large)	1	—	—	
10H/21791	†		**FUSE,** dummy	9	—	C	
10H/23864	†		**FUSE,** 5A, type AS.	2	—	C	
10H/21798	†		**FUSE,** 5 amp	7	—	C	
10H/21797	†		**FUSE,** 2·5 amp	33	—	C	
10H/23863	†		**FUSE,** 7·5 amp, type AS.	5	—	C	
	E.A9.81.2081		**GASKET,** for torque switch	1	—	—	
5X/6286	EEAS.71/2		**LINK,** 3-way	5	—	C	
5X/6238	EEAS.71/3		**LINK,** 4-way	2	—	C	
5X/1004083	Z.50211		**LINK,** 3-way	3	—	C	
5X/1004082	Z.50210		**LINK,** 2-way	2	—	C	
5X/6172	Z.50212		**LINK,** 4-way	1	—	C	
5X/6317	Z.50218		**LINK,** 10-way	1	—	C	
5X/9400384	12104		**LUG,** crimping	2	—	C	
	E.A9.81.669		**PILLAR,** assembly, for fuse block channel ...	2	—	—	
10H/0560050	CZ.48992		**PLUG,** fixed, 2-way	1	—	C	
10H/0560060	CZ.48993		**PLUG,** fixed, 3-way	1	—	C	
10H/0560061	CZ.48993/1		**PLUG,** code 42	1	—	C	
10H/0560080	CZ.48995		**PLUG,** fixed, 6-way	1	—	C	
5K/9107065	EEAS.146/20		**SLEEVE,** $\frac{3}{4}$" long	30	—	C	
5K/9107065	EEAS.146/16		**SLEEVE,** $\frac{1}{2}$" long	105	—	C	
5K/9107066	EEAS.146/12		**SLEEVE,** $\frac{3}{8}$" long	154	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** $\frac{3}{4}$" long	54	—	C	
10H/0560230	CZ.49217		**SOCKET,** fixed, 2-way	3	—	C	
10H/0560240	CZ.49219		**SOCKET,** fixed, 3-way	3	—	C	
10H/0560241	CZ.49219/1		**SOCKET,** code 42	1	—	C	
10H/0560242	CZ.49219/2		**SOCKET,** fixed, Mk. 4, 3-way	2	—	C	
10H/0560250	CZ.49221		**SOCKET,** fixed, 4-way	1	—	C	
10H/0560260	CZ.49223		**SOCKET,** fixed, 6-way	2	—	C	
10H/0560261	CZ.49223/1		**SOCKET,** fixed, 6-way	2	—	C	
10H/0560263	CZ.49223/3		**SOCKET,** fixed, 6-way	1	—	C	
10H/0560380	CZ.49229		**SOCKET,** fixed, 25-way	1	—	C	
10H/0560330	CZ.49459		**SOCKET,** fixed, 12-way	1	—	C	
5F/9454141	NY.18007A		**STRAPPING**	QR	—	C	
5F/9138822	NY.3342		**STUD**	72	—	C	
5CW/5907	EAP.2340		**SWITCH,** torque	1	—	A	
5CW/9729123	†		**SWITCH,** magnetic relay, type S3	1	—	B	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5X/9450396	HC.490	**TAG**	120	—	C	
5X/9482491	HC.500	**TAG**	2	—	C	
5X/9450224	HC.510	**TAG**	8	—	C	
	SMITH					
6A/2715	213MV	**TRANSFORMER**, 115/26v, 400c	2	—	B	
		Attaching parts for 213MV:—				
28M/10287	AGS.2001/B/1	Nut, 4 BA	2	—	C	
28S/9992525	A32/B12	Screw, 4 BA	2	—	C	
5F/2022	†	**TUBE**, insulated	QR	—	C	
1109	EEAS.43/1	**WASHER**, for plugs and sockets	20	L.72	C	
1110	EEAS.43/2	**WASHER**, for socket	1	L.72	C	
17524	EEAS.43/3	**WASHER**, for socket	1	L.72	C	
5E/9100224	†	**WIRE**, equipment, type 3, black, 14/·0076 ...	QR	—	C	
5E/9424113	†	**WIRE**, equipment, type 3, black, 23/·0076 ...	QR	—	C	
5E/9424124	†	**WIRE**, equipment, type 3, black, 40/·0076 ...	QR	—	C	
		Attaching parts for E.A9.81.5851:—				
28S/9992533	A32/C20	Screw 2 BA	6	—	C	
	—	**BOX, DC DISTRIBUTION FRAME 12 INSTALLATION**, (E.A9.81.401)	—	—	—	
		Spares for:—				
	E.A9.81.5429	**BOX, DC DISTRIBUTION, ASSEMBLY (MOD. 3773)**	1	—	—	
		Spares for:—				
5X/3181	CZ.23212/1	**BLOCK**, terminal, 20 way	6	—	C	
5X/1002694	CZ.50207	**BLOCK**, terminal, 5 way	1	—	C	
		Attaching parts for CZ.50207:—				
28S/1005622	A31/B28	Screw, 4 BA	2	—	C	
	E.A9.81.305	**BOX**, shell assembly	1	—	—	
5E/4187	†	**CABLE**, Uninyvin 12	QR	—	C	
	E.A9.81.3997	**COVER, ASSEMBLY**	1	—	—	
		Spares for:—				
	E.A9.81.227	**COVER**, ...	1	—	—	
	E.A9.81.229	**STRIP**, sealing 76" x $\frac{3}{16}$" x $\frac{1}{32}$"	QR	Natural Rubber	—	
27319	E.A9.81.59	**WASHER**, screw, retaining	6	BSS.216	C	
5X/6206	Z.23196	**GASKET**, sealing	3	—	C	
5X/6168	Z.23197	**GASKET**, sealing	3	—	C	
5X/6169	Z.23198	**GASKET**, sealing	9	—	C	
	HELLERMANN					
5X/	H.V.2420	**GROMMET**	1	—	—	
5X/1004082	Z.50210	**LINK**, terminal 2 way	7	—	C	
5X/1004083	Z.50211	**LINK**, commoning, 3 way	1	—	C	
5X/6315	Z.50215	**LINK**, commoning, 7 way	1	—	C	
5X/6182	CZ.50357	**PLUG**, single, 9 way, size B (Pre. Mod. 3382)	1	—	C	
5X/5805562	2CZ.111224	**PLUG**, 9 way (Mod. 3382)	1	—	C	
5X/6183	CZ.50359	**PLUG**, single 5 way size B (Pre. Mod. 3382)	1	—	C	
5X/7148	2CZ.111405	**PLUG**, 5 way (Mod. 3382)	1	—	C	
5X/6330	CZ.56073	**PLUG**, single 9 way size B (Pre. Mod. 3382)	1	—	C	
5X/7149	2CZ.111225	**PLUG**, 9 way (Mod. 3382)	1	—	C	
5X/6184	CZ.50360	**PLUG**, single 12 way size C (Pre. Mod. 3382)	1	—	C	
5X/7151	2CZ.111226	**PLUG**, 12 way (Mod. 3382)	1	—	C	
5X/6091	CZ.28108	**PLUG**, single 14 way (Pre. Mod. 3382)	1	—	C	
5X/7152	2CZ.111227	**PLUG**, 14 way (Mod. 3382)	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5X/6096	CZ.28109		**PLUG,** single, 6 way size C (Pre. Mod. 3382)	1	—	C	
5X/7153	2CZ.111297		**PLUG,** 6 way (Mod. 3382)	1	—	C	
5X/6185	CZ.50361		**PLUG,** single 26 way size D (Pre. Mod. 3382)	17	—	C	
5X/7159	2CZ.111229		**PLUG,** 26 way (Mod. 3382)	17	—	C	
5X/9171	508/1/06399		**PLUG,** 9 way	1	—	C	
10H/0560080	CZ.48995		**PLUG,** fixed, 6 way	1	—	C	
5X/1005131	Z.49428		**SLEEVE,** adaptor	314	—	C	
5K/9107066	EEAS.146/12		**SLEEVE,** 1" long	41	—	C	
5K/9107065	EEAS.146/16		**SLEEVE,** $\frac{3}{4}$" long	29	—	C	
5K/4449	EEAS.146/16		**SLEEVE,** 1" long	35	—	C	
5K/9107065	EEAS.146/22		**SLEEVE,** $\frac{3}{4}$" long	300	—	C	
5K/4449	EEAS.146/22		**SLEEVE,** 1" long	113	—	C	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	115	—	C	
5CW/6717	†		**SWITCH,** magnetic relay type, S7	5	—	B	
5X/9450396	HC.490		**TAG**	99	—	C	
5X/9482491	HC.500		**TAG**	33	—	C	
5X/9450224	HC.510		**TAG**	12	—	C	
1109	EEAS.43/1		**WASHER**	1	DTD.390	C	
5E/9424113	†		**WIRE,** equipment, type 3, 23/·0076 black ...	QR	—	C	
5E/9424124	†		**WIRE,** equipment, type 3, 40/·0076 black ...	QR	—	C	
			Attaching parts for E.A9.81.5429:—				
28S/1011490	A32/C16		Screw, 2 BA	6	—	C	
			BOX, FUSE, FRAME 2, PORT INSTALLATION ... (E.A9.81.185)	—	—	—	
			Spares for:—				
	E.A9.81.10135		**BOX, FUSE, PORT, ASSEMBLY (PRE. MOD. 4039)** (For A/C incorporating Mod. 2195 not incorporating Mod. 2142)	1	—	—	
			Spares for:—				
5X/3271	CZ.52815		**BLOCK,** fuse	7	—	C	
			Attaching parts for CZ.52815:—				
28S/1200080	A32/B8		Screw, 4 BA	2	—	C	
28W/9419448	AGS.2035/B		Washer	2	—	C	
	E.A9.81.199		**BLOCK,** terminal, assembly	1	—	—	
			Attaching parts for E.A9.81.199:—				
28M/10287	AGS.2001/B/1		Nut, 4 BA	2	—	C	
28S/9992522	A32/B16		Screw, 4 BA	2	—	C	
5X/2863	CZ.24285		**BLOCK,** terminal 10 way	1	—	C	
			Attaching parts for CZ.24285:—				
28M/10287	AGS.2001/B/1		Nut, 4 BA	2	—	C	
28S/1005622	A31/B28		Screw, 4 BA	2	—	C	
	E.A9.81.175		**BOX, FUSE, ASSEMBLY**	1	—	—	
			Spares for:—				
28FP/9110452	ODDIE.324		**CLIP**	4	—	C	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.169	**COVER, BOX, ASSEMBLY**	1	—	—	
		Spares for:—				
1439026	E.A9.81.177	**CARRIER,** fuse	1	—	C	
28FP/1468	ODDIE SK.192	**CIRCLIP**	4	—	C	
	E.A9.81.221	**STRIP,** sealing rubber	1	—	—	
28FP/9424331	ODDIE 325W	**STUD**	4	—	C	
28FP/9403521	ODDIE 326	**WASHER**	4	—	C	
10H/21797	†	**FUSE,** 2·5A, type S	11	—	C	
10H/21798	†	**FUSE,** 5A, type S	11	—	C	
10H/21799	†	**FUSE,** 10A, type S	12	—	C	
10H/21800	†	**FUSE,** 20A, type S, intermittent	2	—	C	
5X/2790	Z.22634	**GROMMET,** Helsyn, dummy	1	—	C	
5X/6314	Z.50214	**LINK,** commoning, 6 way	1	—	C	
5X/6238	EEAS.71/3	**LINK,** terminal 4 way	7	—	C	
5X/6509	†	**LUG,** cable, Mk. 9	6	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	QR	—	C	
		Attaching parts for E.A9.81.10135:—				
28S/1011490	A32/C16	Screw, 2 BA	4	—	C	
	E.A9.81.10955	**BOX, FUSE, PORT, ASSEMBLY (MOD. 4039)** ... (For A/C incorporating Mod. 2195, not incorporating Mod. 2142)	1	—	—	
		Spares for this assembly are identical with those for assembly. Part No. E.A9.81.10135 on page 242, except for the following deletions and additions				
		Delete:—				
5X/2790	Z.22634	**GROMMET,** Helsyn, dummy	1	—	C	
		Add:—				
10H/21798	†	**FUSE,** 5A, type S	1	—	C	
10H/21799	†	**FUSE,** 10A, type S	1	—	C	
	E.A9.81.4853	**BOX, FUSE, PORT, ASSEMBLY (PRE. MOD. 4039)** (For A/C incorporating Mod. 2142, not incorporating Mod. 2195)	1	—	—	
		Spares for this assembly are identical with those for assembly Part No. E.A9.81.10135 on page 242, except for the following deletions and additions:				
		Delete:—				
5X/2790	Z.22634	**GROMMET,** Helsyn, dummy	1	—	C	
		Add:—				
10H/21797	†	**FUSE,** 2·5A, type S	1	—	C	
10H/21798	†	**FUSE,** 5A, type S	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.10957	**BOX, FUSE, PORT, ASSEMBLY (MOD. 4039)** ... (For A/C incorporating Mod. 2142, not incorporating Mod. 2195) Spares for this assembly are identical with those for assembly Part No. E.A9.81.10135 on page 242 except for the following deletions and additions: Delete:—	1	—	—	
5X/2790	Z.22634	**GROMMET,** Helsyn, dummy ... ... Add:—	1	—	C	
10H/21797	†	**FUSE,** 2·5A, type S	1	—	C	
10H/21798	†	**FUSE,** 5A, type S	1	—	C	
10H/21799	†	**FUSE,** 10A, type S	1	—	C	
	E.A9.81.6187	**BOX, JUNCTION "B", INSTALLATION (MODS. 4313 OR 4343)** Spares for:—	—	—	—	
	E.A9.81.6189	**BOX, JUNCTION "B", ASSEMBLY** ... ... Spares for:—	1	—	—	
5X/3266	CZ.50206	**BLOCK,** terminal, 3 way ... ... Attaching parts for CZ.50206:—	2	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA	2	—	C	
28S/1005622	A31/B28	Screw, 4 BA	2	—	C	
28W/9419465	SP.13/B	Washer	2	—	C	
	E.A9.81.6191	**BOX, ASSEMBLY** ... ... Spares for:—	1	—	—	
25930	EEAS.87	**NUT,** side, anchor	2	—	C	
5X/8194	CANNON CA.2209-3	**CAP,** dust	1	—	C	
5X/11330	CANNON CA.2209-6	**CAP,** dust	1	—	C	
	E.A9.81.6263	**LID, ASSEMBLY** ... ... Spares for:—	1	—	—	
1438550	E.A9.81.6265	**LID, ENGRAVED, ASSEMBLY** ... ... Spares for:—	1	—	B	
20457	EEAS.117/1	**SCREW,** cover	2	S.92	C	
1066	EEAS.28/2CU	**WASHER**	2	—	C	
1108	EEAS.42	**WASHER**	2	—	C	
5935-99-946-5794	AMPHENOL 97-181-12S	**RECEPTACLE**	1	—	C	
5935-99-970-3602	AMPHENOL 97-181-18	**RECEPTACLE**	1	—	C	
		Attaching parts for 97-181-12S and 97-181-18:				
28M/10286	AGS.2001/A/1	Nut, 6 BA	4	—	C	
28S/9995324	A32/A16	Screw, 6 BA	4	—	C	
28W/9419464	SP.13/A	Washer	4	—	C	
5X/1004082	Z.50210	**LINK,** 2 way	1	—	C	
10H/0560070	CZ.48994	**PLUG,** fixed, 4 way ... ... Attaching parts for CZ.48994:—	1	—	C	
1109	EEAS.43/1	Washer, panel	1	L.72	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	CANNON MS.3102A-18-1P	**PLUG,** fixed 10 way	1	—	—	
	CANNON MS.3102A-12S-3P	**PLUG,** fixed 2 way	1	—	—	
		Attaching parts for MS.3102A-18-1P and MS.3102A-12S-3P:—				
28M/10286	AGS2001/A/1	Nut, 6 BA	4	—	C	
28S/9995324	A32/A16	Screw, 6 BA	4	—	C	
28W/9419464	SP.13/A	Washer	4	—	C	
5K/9107065	EEAS.146/20	**SLEEVE**	QR	—	C	
5X/9450396	HC.490	**TAG**	6	—	C	
5E/4515	†	**WIRE,** equipment, type B, blue, 19/·0076 ...	QR	—	C	
		Attaching parts for E.A9.81.6189:—				
28S/1200033	A31/B24	Screw, 4 BA	4	—	C	
	AS2811/5/04	Tube, distance	4	L.62	LM	
10H/0970055	CZ.51538	**CAP,** protective	1	—	C	
	EC3.81.1015	**PLATE,** mounting, assembly	1	—	—	
		Attaching parts for E.C3.81.1015:—				
28D/9138768	A25/$\frac{1}{2}$C	Bolt, 2 BA	4	—	C	
	EA9.81.10141	**BOX, JUNCTION NO. 11, FRAME 'A' STARBOARD, ASSEMBLY (MOD. 2625)**	1	—	—	
		Spares for:—				
5X/3181	CZ23212/1	**BLOCK,** terminal, 20 way	1	—	C	
		Attaching parts for CZ.23212/1:—				
28S/9130752	A43/B24	Screw, 4 BA	2	—	C	
5X/6242	EA1.81.589	**BOX,** junction, 20 way	1	—	A	
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5X/6168	Z.23197	**GASKET,** plug, size C	1	—	C	
2418	EA9.81.261	**LID,** assembly	1	—	B	
5X/1004082	Z.50210	**LINK,** terminal, 2 way	1	—	C	
5X/1004086	Z.50219	**LINK,** commoning, transverse	2	—	C	
5X/6184	CZ.50360	**PLUG,** single size C, 12 way (Pre. Mod. 3382)	1	—	C	
5X/7151	2CZ.111226	**PLUG,** single size C, 12 way (Mod 3382)	1	—	C	
5X/1005131	Z.49428	**SLEEVE,** adaptor	10	—	C	
5X/9450396	HC.490	**TAG, Q.R.**	10	—	C	
		Attaching parts for E.A9.81.10141:—				
28S/9992533	A32/C20	Screw, 2 BA	4	—	C	
	EA9.81.4883	**BOX, JUNCTION NO. 12 BETWEEN FRAMES 5 AND 6, STARBOARD, ASSEMBLY (MOD. 2136)**	—	—	—	
		Spares for:—				
5X/1002694	CZ.50207	**BLOCK,** terminal, 5 Way	1	—	C	
5X/2863	CZ.24285	**BLOCK,** terminal, 10 way	1	—	C	
		Attaching parts for CZ.50207 and CZ.24285:—				
28M/10287	AGS.2001/3/1	Nut, 4 BA	2	—	C	
28S/1011488	A32/B28	Screw, 4 BA	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	EA9.81.289		**BOX, ASSEMBLY**	1	—	—	
			Spares for:—				
28FP/9110452	ODDIE.324		**CLIP**	2	—	C	
	EA9.81.283		**LID,** assembly	1	—	—	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5L/9953271	†		**FILAMENT,** 28v, 7w	1	—	C	
5X/6168	Z.23197		**GASKET,** plug moulding, size C	2	—	C	
5X/6169	Z.23198		**GASKET,** plug moulding, size D	4	—	C	
5X/6206	Z.23196		**GASKET,** plug moulding, size B	2	—	C	
	E.A9.81.273		**HOUSING LAMP, CABIN LIGHTING, ASSEMBLY**	1	—	—	
			Consisting of:—				
28FP/	ODDIE.SK.192		**CIRCLIP**	2	—	—	
	E.A9.81.269		**DOME**	1	—	—	
	E.A9.81.265		**RETAINER,** dome	1	L.59	—	
	E.A9.81.271		**RING,** flanged	1	L.59	—	
	E.A9.81.267		**RING,** sealing	1	RUBBER	—	
28FP/1200135	ODDIE.325		**STUD**	2	—	C	
28FP/9424332	ODDIE.326		**WASHER**	2	—	C	
5CX/2783	†		**LAMP HOLDER,** small bayonet	1	—	C	
			Attaching parts for Ref. 5CX/2783:—				
28S/1006948	A32/A12		Screw, 6 BA	3	—	C	
5X/1004082	Z.50210		**LINK,** terminal 2 way	1	—	C	
5X/6314	Z.50214		**LINK,** commoning, 6 way	1	—	C	
	E.A9.81.281		**PLATE, COVER, ASSEMBLY**	1	—	—	
			Spares for:—				
	E.A9.81.589		**STRIP,** sealing	1	—	—	
			Attaching parts for E.A9.81.281:—				
28S/9992522	A32/B16		Screw, 4 BA	4	—	C	
1108	EEAS.42		Washer, leather	4	—	C	
1066	EEAS.28/2CU		Washer, special	4	—	C	
5X/6091	CZ.28108		**PLUG,** single size C, 14 way (Pre. Mod. 3382) ...	2	—	C	
5X/7152	2CZ.111227		**PLUG,** single size C, 14 way (Mod. 3382) ...	2	—	C	
5X/6126	CZ.28115		**PLUG,** single size D, 16 way (Pre. Mod. 3382) ...	1	—	C	
5X/7158	2CZ.111410		**PLUG,** single size D, 16 way (Mod. 3382) ...	1	—	C	
5X/6182	CZ.50357		**PLUG,** single size B, 9 way (Pre. Mod. 3382) ...	1	—	C	
5X/5805562	2CZ.111224		**PLUG,** single size B, 9 way (Mod. 3382) ...	1	—	C	
5X/6183	CZ.50359		**PLUG,** single size B, 5 way (Pre. Mod. 3382) ...	1	—	C	
5X/7148	2CZ.111405		**PLUG,** single size B, 5 way (Mod. 3382) ...	1	—	C	
5X/6185	CZ.50361		**PLUG,** single size D, 26 way (Pre. Mod. 3382) ...	3	—	C	
5X/7159	2CZ.111229		**PLUG,** single size D, 26 way (Mod. 3382) ...	3	—	C	
10H/0560380	CZ.49229		**SOCKET,** Mk. 4, fixed, 25 way	1	—	C	
10H/0560382	CZ.49229/2		**SOCKET,** Mk. 4, fixed, 25 way	1	—	C	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	40	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5CW/5056	C.562Y	**SWITCH**, push, type A, Mk. 2	1	—	B	
		Attaching parts for C.5162Y:—				
28M/10286	AGS.2001/A/1	Nut, 6 BA	2	—	C	
28S/1006979	A32/A10	Screw, 6 BA	2	—	C	
5X/9450396	HC.490	**TAG**, quick release terminal	10	—	C	
5X/9482491	HC.500	**TAG**, quick release terminal	2	—	C	
5X/9450224	HC.510	**TAG**, quick release terminal	6	—	C	
17524	EEAS.43/3	**WASHER**, special for socket	2	—	C	
		Attaching parts for E.A9.81.4883:—				
28S/1008327	A32/B14	Screw, 4 BA	2	—	C	
28S/9992522	A32/B16	Screw, 4 BA	2	—	C	
	—	**BOX, JUNCTION NO. 13 AT NAVIGATOR'S TABLE FRAMES 3 AND 4 INSTALLATION** (E.A9.81.10481) (Mod. 3159)	—	—	—	
		Spares for:—				
	E.A9.81.3981	**BOX, JUNCTION NO. 13, ASSEMBLY**	—	—	—	
		Spares for:—				
5X/3181	CZ.23212/1	**BLOCK**, terminal 20 way	2	—	C	
		Attaching parts for CZ.23212/1:—				
28S/9130752	A43/B24	Screw, 4 BA	2	—	C	
	E.A1.81.583	**BOX**, junction, 40 way	1	—	—	
5E/4183	†	**CABLE**, Uninyvin 20	QR	—	C	
5E/4185	†	**CABLE**, Uninyvin 16	QR	—	C	
	E.A9.81.1631	**COVER**, assembly	1	—	—	
5X/6168	Z.23197	**GASKET**, plug moulding size C	2	—	C	
5X/6169	Z.23198	**GASKET**, plug moulding size D	2	—	C	
5X/1004082	Z.50210	**LINK**, terminal, 2 way	2	—	C	
5X/6314	Z.50214	**LINK**, commoning, 6 way	1	—	C	
	E.A1.81.461	**PLATE**, blanking	1	—	—	
	E.A1.81.463	**PLATE**, blanking	1	—	—	
		Attaching parts for E.A1.81.461 and E.A1.81.463:—				
28M/9403518	A27/AP	Nut, 6 BA	4	—	C	
28S/1006948	A32/A12	Screw, 6 BA	4	—	C	
28W/9416641	SP.47/A	Washer	4	—	C	
5X/6091	CZ.28108	**PLUG**, single, size C, 14 way (Pre. Mod. 3382)	1	—	C	
5X/7152	2CZ.111227	**PLUG**, single, size C, 14 way (Mod. 3382) ...	1	—	C	
5X/6126	CZ.28115	**PLUG**, single size D, 16 way (Pre. Mod. 3382)	1	—	C	
5X/7158	2CZ.111410	**PLUG**, single, size D, 16 way (Mod. 3382) ...	1	—	C	
		Attaching parts for E.A9.81.3981:—				
28D/9436920	A25/IC	Bolt, 2 BA	4	—	C	
28W/9419475	SP.15/C	Washer	4	—	C	
	E.A9.81.605	**BOX, JUNCTION NO. 14, PRESSURE BULKHEAD ASSEMBLY**	1	—	—	
		Spares for:—				
5X/3181	CZ.23212/1	**BLOCK**, terminal, 20 way	1	—	C	
		Attaching parts for CZ.23212/1:—				
28S/9130752	A43/B24	Screw, 4 BA	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
5X/6242	E.A1.81.589	**BOX**, 20 way	1	—	A	
5E/4183	†	**CABLE**, Uninyvin 20	QR	—	C	
5E/4187	†	**CABLE**, Uninyvin 12	QR	—	C	
	E.B7.81.373	**COVER**, assembly	1	—	—	
5X/6168	Z.23197	**GASKET**, plug moulding, size C	1	—	C	
5X/1004086	Z.50219	**LINK**, commoning transverse	1	—	C	
5X/6091	CZ.28108	**PLUG**, single size, 14 way (Pre. Mod. 3382) ...	1	—	C	
5X/7152	2CZ.111227	**PLUG**, single size, C 14 way (Mod. 3382) ...	1	—	C	
5K/9107067	EEAS.146/6	**SLEEVE**	2	—	C	
5K/9107066	EEAS.146/12	**SLEEVE**	4	—	C	
5K/9107065	EEAS.146/16	**SLEEVE**	6	—	C	
5X/1005131	Z.49428	**SLEEVE**, adaptor	4	—	C	
5X/9450396	HC.490	**TAG**, quick release terminal	4	—	C	
5X/9482491	HC.500	**TAG**, quick release terminal	3	—	C	
5X/9450224	HC.510	**TAG**, quick release terminal	2	—	C	
5E/9424124	†	**WIRE**, equipment, type 3, 40/·0076 black ...	QR	—	C	
		Attaching parts for E.A9.81.605:—				
28S/9992533	A32/C20	Screw, 2 BA	4	—	C	
	E.A9.81.4735	**BOX, JUNCTION, POWER FACTOR INSTALLATION (MOD. 2507)**	—	—	—	
		Spares for:—				
	E.A9.81.4673	**BOX, JUNCTION, POWER FACTOR, ASSEMBLY**	1	—	—	
		Spares for:—				
	E.A9.81.4675	**BOX**, shell	1	—	—	
	†	**CAPACITOR, IMF** – 5910 – Z.115506	5	—	—	
	E.A9.81.4679	**LID, ASSEMBLY**	1	—	—	
		Spares for:—				
32368	E.A9.81.4357	**SCREW**, cover	4	—	C	
32C/614	†	**SEAL**, rubber	QR	DTD.552	C	
1066	EEAS.28/2CU	**WASHER**	8	—	C	
1108	EEAS.42	**WASHER**, leather	4	—	C	
10H/0560080	CZ.48995	**PLUG**, 6 way	1	—	B	
10H/0560260	CZ.49229	**SOCKET**, 6 way	1	—	C	
	E.A9.81.4687	**TAG**, board, assembly	1	—	—	
		Attaching parts for E.A9.81.4687:—				
28S/1006947	A33/B40	Screw, 4 BA	4	—	C	
	AS.2810–4–08	Tube, distance, 20 SWG	4	T.4	LM	
5E/9100179	†	**WIRE**, equipment type 2, 14/·0076 black ...	QR	—	C	
5E/9100176	†	**WIRE**, equipment type 2, 14/·0076 blue ...	QR	—	C	
5E/9100175	†	**WIRE**, equipment type 2, 14/·0076 red ...	QR	—	C	
5E/9100180	†	**WIRE**, equipment type 2, 14/·0076 white ...	QR	—	C	
		Attaching parts for E.A9.81.4673:—				
28S/1008085	A32/B32	Screw, 4 BA	4	—	C	
	AS.2811–5–050	Tube, distance, 17 SWG	4	T.4	LM	
28W/9419474	SP.15/B	Washer	4	—	C	
24379	E.A9.80.1405	**BRACKET**, mounting, assembly	1	—	C	
		Attaching parts for E.A9.81.1405:—				
28D/1008149	A25/2B	Bolt, 4 BA	5	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	5	—	C	
24381	E.A9.80.1409	Pad, radius	2	—	C	
28W/9419474	SP.15/B	Washer	5	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.G4.81.135	**BOX, JUNCTION, SAFETY LOCK, INSTALLATION (MOD. 3731)**	—	—	—	
		Spares for:—				
	E.G4.81.155	**BOX, JUNCTION SAFETY LOCK, ASSEMBLY** ...	1	—	—	
		Spares for:—				
5X/2863	CZ.24285	**BLOCK,** terminal, 10 way	2	—	C	
		Attaching parts for CZ.24285:—				
28S/1005022	A31/B28	Screw, 4 BA	2	—	C	
28W/9480389	SP.26/B	Washer	2	—	C	
40456	E.G4.81.161	**BOX,** bare	1	—	—	
40457	E.G4.81.163	**LID, ENGRAVED, ASSEMBLY**	1	—	—	
		Spares for:—				
32C/614	†	**RUBBER,** synthetic 0·14" dia.	QR	DTD.552	C	
20457	EEAS.117/1	**SCREW,** cover	4	S.92	C	
1066	EEAS.28/2CU	**WASHER**	8	DTD.124	C	
1108	EEAS.42	**WASHER,** leather	4	—	C	
5X/1004082	Z.50210	**LINK,** connecting 2 way	2	—	C	
5X/1004083	Z.50211	**LINK,** connecting 3 way	1	—	C	
5K/9107066	EEAS.146/12	**SLEEVE**	20	—	C	
		Attaching parts for E.G4.81.155:—				
28S/9419453	A31/B14	Screw, 4 BA	4	—	C	
28W/9480389	SP.26/B	Washer	4	—	C	
	—	**BOX, A.M.A.C. DISTRIBUTION INSTALLATION** (E.A9.81.4243)	—	—	—	
		Spares for:—				
	E.A9.81.6277	**BOX, A.M.A.C. DISTRIBUTION ASSEMBLY (MOD. 4341) (PRE-MOD. 4457)** (For A/C incorporating Mods. 2195 and 4330)	1	—	—	
		Spares for:—				
26678	E.A1.81.410	**BAR, TERMINAL, ASSEMBLY**	1	—	B	
		Spares for:—				
5X/6233	E.A1.81.411	**BAR,** terminal c/w studs	1	—	C	
5X/6234	E.A1.81.410A	**BASE,** $\frac{1}{16}$" thick	1	LFS.21	C	
5X/6235	E.A1.81.410B	**COVER,** plate, $\frac{1}{8}$" thick	1	LFS.21	C	
5077	BULGIN T5	**HEAD,** terminal moulding, 4 BA	2	—	C	
		Attaching parts for E.A1.81.410:—				
28S/9435715	A33/B16	Screw, 4 BA	2	—	C	
	E.B6.81.1319	**BAR,** mounting relay	2	—	—	
	E.A9.81.5719	**BLOCK,** fuse assembly (Made from 5X/3271)	1	—	LM	
	E.A9.81.6081	**BLOCK,** fuse assembly (Made from 5X/3271)	1	—	LM	
	E.A9.81.6085	**BLOCK,** fuse assembly (Made from 5X/3271)	1	—	LM	
	E.A9.81.6089	**BLOCK,** fuse assembly (Made from 5X/3271)	1	—	LM	
	E.A9.81.6259	**BLOCK,** fuse assembly (Made from 5X/3271)	1	—	LM	
		Attaching parts for Block fuse:—				
28S/1009986	A33/B6	Screw, 4 BA (As required)	8	—	C	
28S/1200080	A32/B8	Screw, 4 BA (As required)	2	—	C	
28W/1206041	AGS.2035/B	Washer	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5X/1002694	CZ.50207		**BLOCK,** terminal, 5 way	1	—	C	
			Attaching parts for CZ.50207:—				
28M/1278189	AGS.2001/B/1		Nut, 4 BA	2	—	C	
28S/1011488	A32/B28		Screw, 4 BA	2	—	C	
28W/9419465	SP.13/B		Washer	2	—	C	
5X/3181	CZ.23212/1		**BLOCK,** terminal, 20 way	5	—	C	
			Attaching parts for CZ.23212/1:—				
28D/1214882	AS.1246/20B		Bolt, 4 BA (As required)	4	—	C	
28M/1278189	AGS.2001/B/1		Nut, 4 BA (As required)	2	—	C	
28S/1005622	A31/B28		Screw, 4 BA (As required)	6	—	C	
28W/9419465	SP.13/B		Washer	2	—	C	
28W/1206041	AGS.2035/B		Washer (As required)	4	—	C	
5X/9402793	AS.2652		**BOARD,** terminal	1	—	C	
	E.A9.81.5773		**BOX, A.M.A.C. DISTRIBUTION SUB, ASSEMBLY (MOD. 3847)**	—	—	—	
			Spares for:—				
	E.A9.81.4127		**BOX,** shell, assembly	1	—	—	
34356	E.A9.81.5775		**LID, ASSEMBLY (MOD. 3847)**	1	—	B	
			Spares for:—				
28N/9511950	AS.1878		**HINGE**	QR	—	C	
32368	E.A9.81.4357		**SCREW,** cover	5	—	C	
32C/614	†		**SEAL,** rubber, 0·"14 dia.	QR	DTD.552	C	
32C/600	†		**SEAL,** rubber, $\frac{1}{4}$" dia. x 0·"05 slot ...	QR	—	C	
1066	EEAS.28/2CU		**WASHER**	10	—	C	
1108	EEAS.42		**WASHER,** leather	5	—	C	
			Attaching parts for E.A9.81.5775:—				
28M/1278189	AGS.2001/B/1		Nut, 4 BA	5	—	C	
28S/9435716	A33/B12		Screw, 4 BA	5	—	C	
	E.A9.81.5991		**BRACKET,** mounting assembly terminal board	1	—	—	
5E/4188	†		**CABLE,** Uninyvin 10	QR	—	C	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5CY/4520	†		**CAP,** protective, circuit breaker trip button	3	—	C	
5CY/9992777	†		**CIRCUIT-BREAKER,** type A4	2	—	C	
5CY/2563	†		**CIRCUIT-BREAKER,** type A5	1	—	C	
			Attaching parts for Ref. 5CY/9992777 and 5CY/2563:—				
28S/1009108	A32/A4		Screw, 6 BA	2	—	C	
28W/9419464	SP.13/A		Washer	2	—	C	
5X/9402797	AS.2639		**COVER,** terminal board	1	—	C	
5X/9400056	AS.2675		**FERRULE**	1	—	C	
5X/	Z.49631		**FERRULE**	2	—	—	
10H/21791	102096		**FUSE,** dummy	8	—	C	
10H/21797	†		**FUSE,** 2·5 amp.	9	—	C	
10H/21798	†		**FUSE,** 5 amp.	4	—	C	
10H/21799	†		**FUSE,** 10 amp.	4	—	C	
10H/23801	†		**FUSE,** 20 amp. type S	2	—	C	
5X/1004082	Z.50210		**LINK,** terminal, 2 way	1	—	C	
5X/1004083	Z.50211		**LINK,** commoning, 3 way	2	—	C	
5X/6286	EEAS.71/2		**LINK,** commoning	2	—	C	
5X/6237	EEAS.71/1		**LINK,** commoning	1	—	C	
5X/6238	EEAS.71/3		**LINK,** commoning	1	—	C	
5X/9400390	Z.77864		**LUG,** crimping No. 10A	7	—	C	
5CY/3137	†		**LUG,** terminal No. 25	4	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.B6.81.1307	**MOUNTING,** relay, assembly	2	—	—	
	E.B6.81.1311	**MOUNTING,** relay, assembly	1	—	—	
	E.A9.81.5969	**PLATE, MOUNTING RESISTOR, ASSEMBLY (MOD. 4330)** Consisting of:—	1	—	—	
10H/22535	156/S0/LP	**INSULATOR,** barb type 156	2	—	C	
	E.G4.81.1037	**PLATE,** mounting	1	—	—	
10W/0113470	†	**RESISTOR,** 200 ohms, type R.W.V. 4-K ...	1	—	C	
5K/	†	**SLEEVE,** thermofit C.R.N. size 1, 0"4 long	2	—	—	
5K/9107065	EEAS.146/20	**SLEEVE**	QR	—	C	
5X/9450396	HC.490	**TAG**	2	—	C	
5E/9705514	†	**WIRE,** equipment type B, 19/·0076 blue ...	QR	—	C	
10F/0530473	4190HD	**RELAY,** midget	2	—	B	
5K/9107066	EEAS.146/10	**SLEEVE,** ¼" long	QR	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** ⅝" long	QR	—	C	
5K/9107065	EEAS.146/16	**SLEEVE,** ¼" long	QR	—	C	
5K/9107065	EEAS.146/20	**SLEEVE**	QR	—	C	
5K/	†	**SLEEVE,** 3 m/m i/d. x ⅜" long grade CXH, pink	QR	—	—	
5K/	AS.4017 RAYCHEM	**SLEEVE**	1	—	—	
5K/5919	TC.4003CRN-G	**SLEEVE,** terminal, red	3	—	C	
5X/9002	AS.2640 CANNON	**SOCKET,** terminal 37 amp.	3	—	C	
5X/	MS.3102E-36-9S CANNON	**SOCKET**	2	—	—	
5X/	MS.3102E-28-20S	**SOCKET**	2	—	—	
		Attaching parts for MS.3102E-36-9S and MS.3102E-28-20S:—				
28M/1278189	AGS.2001/B/1	Nut, 4 BA	4	—	C	
28S/1200034	A31/B16	Screw, 4 BA	4	—	C	
28W/9419465	SP.13/B	Washer	4	—	C	
5F/9434858	HV.3254	**STRAPPING**	QR	—	C	
5F/9138823	NT.3255	**STUD**	20	—	C	
33420	E.B7.81.347	**SUPPORT,** terminal block	2	—	C	
	E.B6.81.1403	**SUPPORT,** terminal block	2	—	—	
5CW/6717	†	**SWITCH,** magnetic relay type, S7	3	—	B	
5CW/6719	†	**SWITCH,** magnetic relay type, S9	1	—	B	
5X/9450396	HC.490	**TAG,** quick release terminal	67	—	C	
5X/9482491	HC.500	**TAG,** quick release terminal	20	—	C	
5X/9450224	HC.510	**TAG,** quick release terminal	26	—	C	
5E/9705511	†	**WIRE,** equipment, B, 19/·0076 black ...	QR	—	C	
5E/9424113	†	**WIRE,** equipment, type 23/0·0076	QR	—	C	
5E/9424124	†	**WIRE,** equipment, type 40/0·0076	QR	—	C	
	E.A9.81.6381	**BOX, A.M.A.C. DISTRIBUTION, ASSEMBLY (MOD. 4457)** (For A/C incorporating Mod. 2195) Spares for this assembly are identical to assembly Part No. E.A9.81.6277 on page 249, except for the following deletions and additions:	1	—	—	
		Delete:—				
	E.A9.81.6081	**BLOCK,** fuse, assembly (Made from 5X/3271) ...	1	—	LM	
10H/21791	102096	**FUSE,** dummy	1	—	C	
		Add:—				
	E.A9.81.6379	**BLOCK,** fuse assembly (Made from 5X/3271)	1	—	LM	
10H/21797	†	**FUSE,** 2·5 amp.	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		Attaching parts for E.A9.81.6277 or E.A9.81.6381:—				
28D/1010030	A25/7C	Bolt, 2 BA	6	—	C	
28W/9419402	SP.13/C	Washer	6	—	C	
	E.A9.81.4721	**BRACKET, A.Y.F. INDICATOR WIRING BREAK ASSEMBLY (MOD. 2507)**	—	—	—	
		Spares for:—				
33426	E.A9.81.4719	**BRACKET, A.Y.F. 2,** plug mounting	1	—	C	
		Attaching parts for E.A9.81.4719:—				
28D/1007982	AS.1248/1C	Bolt, 2 BA	2	—	C	
	E.A9.81.2459	**BRACKET,** mounting inverter type 200, on frame 12, port	1	—	—	
	E.A9.81.2891	**BRACKET,** mounting inverter type 200, on frame 12, starboard	1	—	—	
		Attaching parts for E.A9.81.2459 and E.A9.81.2891:—				
28S/9997545	A31/C16	Screw, 2 BA	8	—	C	
28W/9416643	SP.47/C	Washer	8	—	C	
	E.A9.81.3471	**BRACKET,** mounting, accelerometer, frame 12, starboard	1	—	—	
		Attaching parts for E.A9.81.3471:—				
28D/1008149	A25/2B	Bolt, 4 BA	4	—	C	
28W/9419401	SP.10/B	Washer	4	—	C	
28W/9419465	SP.13/B	Washer	4	—	C	
	E.A9.81.5769	**BRACKET, SWITCH ON PILOT'S COAMING, INSTALLATION (MOD. 3846)**	—	—	—	
		For A/C No. incorporating Mod. 2195)				
		Spares for:—				
	E.A9.81.5771	**BRACKET, SWITCH, ASSEMBLY**	1	—	—	
		Spares for:—				
	E.A9.81.5735	**BRACKET,** switch, engraved	1	—	—	
5E/4183	† PAGE ENG. CO.	**CABLE,** Uninyvin 20	QR	—	C	
5L/9959118	A.259	**FILAMENT,** 28 volt, 1 watt	2	—	C	
26DK/	E.B2.81.8209	**SLEEVE,** special	1	—	—	
26DK/8896	E.B2.81.8211	**SLEEVE,** special	1	—	C	
5CW/6634	PAGE ENG. CO. A.257	**SLEEVE,** cable	2	—	C	
5CW/6460	PAGE ENG. CO C.180/A/7	**SWITCH,** push button	1	—	B	
5CW/6682	C.180/D/7	**SWITCH,** push button	1	—	B	
5CW/9438526	C.5162-Y-MK.3	**SWITCH,** push, type B	1	—	B	
		Attaching parts for C.5162-Y-Mk. 3:—				
28M/9403517	A47/Z	Nut, 8 BA	2	—	C	
28S/1006960	A32/Z8	Screw, 8 BA	2	—	C	
28W/9419186	AGS.2035/AA	Washer	2	—	C	
5CW/6683	8804/B103	**SWITCH,** tumbler	1	—	B	
5CW/6533	8824/B104	**SWITCH,** tumbler	1	—	B	
5X/7363	HC.295	**TAG**	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
		Attaching parts for E.A9.81.5771:—				
28D/1010658	A25/1B	Bolt, 4 BA	2	—	C	
28D/9419452	A25/3B	Bolt, 4 BA	1	—	C	
28D/9140638	A25/4B	Bolt, 4 BA	1	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	4	—	C	
	E.A9.81.5739	Packing, R.H.	1	—	—	
	E.A9.82.417	Packing, L.H.	1	—	—	
28W/9419465	SP.13/B	Washer	2	—	C	
	E.A9.81.4513	Washer, taper	2	—	—	
	E.A9.81.5731	**BRACKET, SWITCH ON PILOT'S COAMING INSTALLATION (MOD. 3847)** (For A/C incorporating Mod. 2195) Spares for this installation are identical with those for installation Drg. No. E.A9.81.5769 on page 252, except for the following deletions and additions:—	—	—	—	
		Delete:—				
	E.A9.81.5771	**BRACKET, SWITCH, ASSEMBLY**	1	—	—	
		Add:—				
	E.A9.81.5733	**BRACKET, SWITCH, ASSEMBLY**	1	—	—	
		Spares for:—				
	AS.2811-10-030	**TUBE,** distance X17 SWG	2	T.4	LM	
	—	**CANOPY, JETTISON SYSTEM** (E.A9.81.2059) ...	—	—	—	
		Spares for:—				
5CZ/430	†	**BLOCK,** terminal type B, 2 way No. 1	1	—	C	
		Attaching parts for Ref. 5CZ/430:—				
28S/1200061	A33/A18	Screw, 6 BA	2	—	C	
28W/9419474	SP.15/B	Washer	2	—	C	
	E.A9.81.1367/2	**CABLE, ASSEMBLY, 13J2C FROM PRESSURE BULKHEAD CONNECTION TO DETONATOR RESISTANCE UNIT, AFT**	1	—	—	
		Consisting of:—				
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
33H/56	†	**CEMENT,** Bostik	QR	—	C	
5X/240	Z.2277/2	**FERRULE,** cut	1	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** $\frac{1}{4}$" long	4	—	C	
5K/9107068	EEAS.146/D1	**SLEEVE,** 1" long	2	—	C	
5X/6029	CZ.27905	**SOCKET,** size Z.2 way (Pre. Mod. 3382) ...	1	—	C	
5X/7176	2CZ.111436	**SOCKET,** size Z.2 way (Mod. 3382)	1	—	C	
	E.A9.81.2201/2	**CABLE, ASSEMBLY 13J2B FROM PRESSURE BULKHEAD CONNECTION, TO DETONATOR RESISTANCE UNIT, AFT**	1	—	—	
		Consisting of:—				
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
33H/56	†	**CEMENT,** Bostik	QR	—	C	
5X/240	Z.2277/2	**FERRULE,** Cut	1	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** $\frac{1}{4}$" long	4	—	C	
5K/9107068	EEAS.146/D1	**SLEEVE,** 1" long	1	—	C	
5X/6029	CZ.27905	**SOCKET,** size Z.2 way (Pre. Mod. 3382) ...	2	—	C	
5X/7176	2CZ.111436	**SOCKET,** size Z.2 way (Mod. 3382	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.1999		**CABLE, ASSEMBLY 12J2A, FROM DETONATOR RESISTANCE UNIT FORWARD, TO PRESSURE BULKHEAD CONNECTION** Consisting of:—	1	—	—	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
33H/56	†		**CEMENT,** Bostik	QR	—	C	
5X/240	Z.2277/2		**FERRULE,** cut	1	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** $\frac{1}{4}$" long	4	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	2	—	C	
5X/6030	CZ.27985		**SOCKET,** size Z. 2 way	1	—	C	
32B/498	†		**THREAD,** waxed linen No. 18	QR	—	C	
	E.C3.81.935		**CABLE, ASSEMBLY, 13J2 FROM PORT JUNCTION PANEL TO DETONATOR RESISTANCE UNIT (MOD. 2625)** Consisting of:—	1	—	—	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5K/9107066	EEAS.146/B		**SLEEVE,** $\frac{3}{4}$" long	4	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	4	—	C	
5X/9400065	Z.19926		**TAG,** quick release terminal	2	—	C	
5X/9400066	Z.19981		**THIMBLE,** quick release	2	—	C	
5F/2270	†		**TUBING,** P.V.C. $\frac{5}{16}$" i/d. x 1 m/m wall ...	QR	—	C	
	E.C3.81.937/2		**CABLE, ASSEMBLY, 13J2D, FROM PORT JUNCTION PANEL TO PRESSURE BULKHEAD CONNECTION (MOD. 2625)** Consisting of:—	1	—	—	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
33H/56	†		**CEMENT,** Bostik	QR	—	C	
5X/240	Z.2277/2		**FERRULE,** cut	1	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** $\frac{1}{4}$" long	4	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	4	—	C	
5X/6030	CZ.27985		**SOCKET,** size Z, 2 way (Pre. Mod. 3382) ...	1	—	C	
5X/7198	2CZ.111452		**SOCKET,** size Z, 2 way (Mod. 3382)	1	—	C	
5X/9450224	HC.510		**TAG,** quick release terminal	2	—	C	
32B/498	†		**THREAD,** waxed linen No. 18	QR	—	C	
5F/2270	†		**TUBING,** P.V.C., $\frac{5}{16}$" i/d. x 1 m/m wall ...	QR	—	C	
1802	E.A1.81.425		**CAP,** detonator spring retaining	10	L.1	C	
12G/1438	E.A9.81.863		**DETONATOR,** No. 108 Mk. 2	3	—	C	
12G/1278	†		**DETONATOR,** No. 108 Mk. 1	7	—	C	
12G/1279	†		**DETONATOR,** No. 109 Mk. 1	1	—	C	
2159	E.A3.81.1667		**RESISTANCE,** unit	2	—	B	
			Attaching parts for E.A3.81.1667:—				
28M/10288	AGS.2001/C/1		Nut, 2 BA	4	—	C	
5K/3455	†		**SLEEVE,** 1" long	QR	—	C	
1579	E.A1.81.938		**SPRING,** detonator resistance tube retaining ...	10	DTD.215	C	
3900	E.A1.81.943		**STUD,** assembly, resistance unit mounting ...	4	—	C	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.5855	**SWITCH, CIRCUIT TEST DETONATOR INSTALLATION (MOD. 3907)**	—	—	—	
		Spares for:—				
5E/3894	†	**CABLE,** Unitersil 20	QR	—	C	
41939	E.A9.80.10681	**DOOR, ASSEMBLY**	1	—	C	
		Spares for:—				
28FP/1014631	DZUS.A3/25	**FASTENER**	1	—	C	
	E.A9.80.10697	**HINGE,** (make from AS. 1879 Ref. 28N/16453)	QR	—	LM	
	E.A9.80.10693	**LABEL,** engraved	1	—	—	
41965	E.A9.80.10689	**PLATE,** reinforcing	1	—	C	
5K/9107065	EEAS.146/20	**SLEEVE**	6	—	C	
28FP/9434091	DZUS.S3/175	**SPRING**	1	—	C	
5CW/6511	NSF.8810/B101	**SWITCH**	1	—	B	
5X/7363	HC.295	**TAG**	4	—	C	
5F/2232	†	**TAPE,** insulating	QR	—	C	
1807	E.A1.81.426	**TUBE,** detonator resistance	10	T.4	C	
5F/2124	†	**TUBING,** insulating	QR	—	C	
	—	**COMPENSATOR, VOLTAGE, FRAME 12 INSTALLATION (E.A9.81.5087)** (Mod. 2136)	—	—	—	
		Spares for:—				
6A/1678	†	**COMPENSATOR,** voltage type A. No. 1 ...	1	—	A	
		Attaching parts for Ref. 6A/1678:—				
28S/9997545	A31/C16	Screw, 2 BA	3	—	C	
28W/9419475	SP.15/C	Washer	3	—	C	
	—	**CONTROL, CAMERA OVERRUN, FRAME A, INSTALLATION (E.A9.81.2475)**	—	—	—	
		Spares for:—				
	E.A9.81.2477	**BRACKET,** mounting	1	—	—	
5CW/4435	FHM/A/29	**SWITCH,** time delay	1	—	A	
		Attaching parts for FHM/A/29:—				
28D/9133012	A25/3C	Bolt, 2 BA	4	—	C	
	EEAS.27/6HV	Washer	4	—	—	
	—	**EARTH POINTS ON FRAMES 2 ,5, 6, 9 AND 12A AND ON BULKHEAD (E.A9.81.2029)**	—	—	—	
		Spares for:—				
	†	**EARTH POINT, E30 ON BULKHEAD**	—	—	—	
		Consisting of:—				
28D/1206739	A25/4J	**BOLT,** $\frac{3}{8}$" BSF	1	—	C	
28M/10284	AGS.2001/J/3	**NUT,** $\frac{3}{8}$" BSF	1	—	C	
	EEAS.28/33EPH	**WASHER**	2	—	—	
	EEAS.28/37EPH	**WASHER**	2	—	—	
	†	**EARTH POINT, E34, ON BULKHEAD**	—	—	—	
		Consisting of:—				
28D/1011238	A25/3E	**BOLT,** $\frac{1}{4}$" BSF	1	—	C	
28M/10290	AGS.2001/E/1	**NUT,** $\frac{1}{4}$" BSF	1	—	C	
	EEAS.28/15EPH	**WASHER**	2	—	—	
	EEAS.28/15JPH	**WASHER**	1	—	—	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	†		**EARTH POINT, E.23 AND E.60, FRAME 2** ...	—	—	—	
			Consisting of:—				
5X/9007	AS.2696		**ADAPTOR,** lug, 2 way	1	—	C	
5X/9008	AS.2697		**ADAPTOR,** lug, 4 way	1	—	C	
28D/1011255	A25/3G		**BOLT,** $\frac{5}{16}$" BSF	1	—	C	
28M/7002431	AGS.2002/G/1		**NUT,** $\frac{5}{16}$" BSF	1	—	C	
	EEAS.28/32EPH		**WASHER**	2	—	—	
	†		**EARTH POINT, E12, E25, AND EW, FRAME 5**	—	—	—	
			Consisting of:—				
5X/9007	AS.2696		**ADAPTOR,** lug, 2 way	1	—	C	
5X/9008	AS.2697		**ADAPTOR,** lug, 4 way	2	—	C	
28D/1011254	A25/2G		**BOLT,** $\frac{5}{16}$" BSF	1	—	C	
28D/1011255	A25/3G		**BOLT,** $\frac{5}{16}$" BSF	1	—	C	
28M/7002431	AGS.2002/G/1		**NUT,** $\frac{5}{16}$" BSF	2	—	C	
	EEAS.15/69ER		**PACKING**	1	—	—	
	EEAS.28/32EPH		**WASHER**	4	—	—	
	†		**EARTH POINT, E13 AND E27, FRAME 6** ...	—	—	—	
			Consisting of:—				
5X/9008	AS.2697		**ADAPTOR,** lug, 4 way	2	—	C	
28D/1011255	A25/3G		**BOLT,** $\frac{5}{16}$" BSF	1	—	C	
28M/7002431	AGS.2002/G/1		**NUT,** $\frac{5}{16}$" BSF	1	—	C	
	EEAS.28/32EPH		**WASHER**	2	—	C	
	†		**EARTH POINT, E14, E29 AND EJ, FRAME 9**	—	—	—	
			Consisting of:—				
5X/9008	AS.2697		**ADAPTOR,** lug, 4 way	2	—	C	
28D/1011255	A25/3G		**BOLT,** $\frac{5}{16}$" BSF	1	—	C	
28M/7002431	AGS.2002/G/1		**NUT,** $\frac{5}{16}$" BSF	1	—	C	
	EEAS.28/32EPH		**WASHER**	2	—	—	
	†		**EARTH POINT, E28, FRAME 12A**	—	—	—	
			Consisting of:—				
5X/9007	AS.2696		**ADAPTOR,** lug, 2 way	1	—	C	
28D/1011254	A25/2G		**BOLT,** $\frac{5}{16}$" BSF	1	—	C	
28M/7002431	AGS.2002/G/1		**NUT,** $\frac{5}{16}$" BSF	1	—	C	
	EEAS.23/32/EPH		**WASHER**	2	—	—	
	E.A9.81.10869		**EARTH POINT, E80, GROUND SERVICE, FRAME 10 (MOD. 3976)**	—	—	—	
			Consisting of:—				
41316	E.A9.81.10865		**BOLT,** special	1	—	C	
41317	E.A9.81.10867		**LABEL**	1	—	C	
28M/9416047	A.103/GT		**NUT,** $\frac{5}{16}$" U.N.F.	2	—	C	
28M/19259	AGS.3413/G		**NUT,** wing $\frac{5}{16}$" U.N.F.	1	—	C	
28P/19227	SP.90/C6		**PIN,** split	1	—	C	
	EEAS.28/31ERH		**WASHER**	1	—	—	
28W/7002438	SP.55/G		**WASHER,** spring	1	—	C	
28W/9459071	SP.126/G		**WASHER**	1	—	C	
	—		**ELECTRICS ON BLUE SILK, REMOTE CONTROL LER, FRAME 'B' STARBOARD INSTALLATION (E.A9.81.10485) (Mod. 2625)**	—	—	—	
			Spares for:—				
5CZ/5003	†		**INDICATOR,** magnetic, 24 volt, type C1	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.3087	**GUARD, CABLE E2A COMPASS, ASSEMBLY** ...	—	—	—	
		Spares for:—				
	E.A9.81.3091	**CLIP**	2	—	—	
	E.A9.81.3089	**PIPE,** cable guard	1	—	—	
	E.A9.81.3653	**GUARD, CABLE, FRAME 4 TO FRAME 6 ASSEMBLY**	—	—	—	
		Spares for:—				
	E.A9.81.3147	**GUARD,** assembly	1	—	—	
		Attaching parts for E.A9.81.3147:—				
28D/1008149	A25/2B	Bolt, 4 BA	7	—	C	
28W/9419474	SP.15/B	Washer	7	—	C	
	—	**INVERTER, NO. 2 AND MAGNETIC STARTING SWITCH INSTALLATION (E.A9.81.2501) (MOD. 2136)**	—	—	—	
		Spares for:—				
	E.A9.81.2515	**BRACKET,** mounting for starting switch	2	—	—	
		Attaching parts for E.A9.81.2515:—				
28D/9138768	A25/½C	Bolt, 2 BA	2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	2	—	C	
5UB/6731	†	**INVERTER,** type, 103A	1	—	A	
		Attaching parts for Ref. 5UB/6731:—				
28D/1202771	A25/4G	Bolt, $\frac{3}{16}$" BSF	2	—	C	
28D/1011256	A25/5G	Bolt, $\frac{3}{16}$" BSF	2	—	C	
28W/9419403	SP.13/G	Washer	2	—	C	
	E.A9.81.2503	**RAIL,** inboard mounting aassembly	1	—	—	
		Attaching parts for E.A9.81.2503:—				
28D/1010658	A25/1B	Bolt, 4 BA	10	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	10	—	C	
28W/9419465	SP.13/B	Washer	10	—	C	
	E.A9.81.2507	**RAIL,** inboard mounting assembly	1	—	—	
		Attaching parts for E.A9.81.2507:—				
28D/1010658	A25/1B	Bolt, 4 BA	4	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	4	—	C	
28W/9419465	SP.13/B	Washer	4	—	C	
5CW/5016	U.2005	**SWITCH,** starting magnetic type, 1A No. 5 ...	1	—	A	
		Attaching parts for U.2005:—				
28D/9436920 or 28D/9133015	A25/1C or A25/5C	Bolt, 2 BA	4	—	C	
	AS.2809/4/050 or	Tube, distance, 22 SWG	4	T.4	LM	
28W/9419475	SP.15/C	Washer	4	—	C	
5UB/6475	†	**INVERTER,** type 201B, on pressure bulkhead ...	1	—	A	
		Attaching parts for Ref. 5UB/6475:—				
28D/1008145	A25/6E	Bolt, ¼" BSF	4	—	C	
5UB/5083	†	**INVERTER,** type 200 on pressure bulkhead ...	1	—	A	
		Attaching parts for Ref. 5UB/5083:—				
28D/1011029	A25/1E	Bolt, ¼" BSF	6	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	—		**INVERTER, TYPE 100A AND CONTROL PANEL AT PRESSURE BULKHEAD INSTALLATION (E.A9.81.5081) (MOD. 2136)**	—	—	—	
			Spares for:—				
5UB/4938	†		**INVERTER,** type 100A	1	—	A	
	E.A9.81.2045		**LABEL,** No. 1 inverter	1	—	—	
	E.A9.81.2043		**LABEL,** No. 4 inverter	1	—	—	
	E.A9.81.2049		**LABEL,** No. 5 inverter	1	—	—	
5UC/4939	†		**PANEL,** control, type 12	1	—	A	
			Attaching parts for Ref. 5UC/4939:—				
28D/1011240	A25/5E		Bolt, $\frac{1}{4}$" BSF	4	—	C	
28M/10290	AGS.2001/E/1		Nut, $\frac{1}{4}$" BSF	4	—	C	
	E.A9.81.2339		Washer, special	4	—	—	
28W/9419405	SP.15/E		Washer	4	—	C	
	—		**LIGHTS, CALL, FRAME B AND FRAME 3 INSTALLATION (E.A9.81.3101) (MOD. 2674)**	--	—	—	
			Spares for:—				
5X/2863	CZ.24285		**BLOCK** terminal, 10 way at navigator's station ...	1	—	C	
			Attaching parts for CZ.24285:—				
	E.A9.81.3121		Pillar, Fixing	2	—	--	
5X/3275	CZ.26808		**COVER,** terminal block	1	—	C	
5L/9951273	†		**FILAMENT,** 28v, 3·5 w.	3	—	C	
5CX/1645	†		**LAMP,** warning, clear, type B	3	—	C	
	E.A9.81.3103		**LOOMS, CABLE, CALL LIGHTS**	--	—	--	
			Spares for:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
	E.A9.81.3105		**CABLE, ASSEMBLY, CL1, FROM TERMINAL BLOCK AT PILOT'S STATION TO TERMINAL BLOCK AT NAVIGATOR'S STATION**	1	—	--	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** 1" long	6	—	C	
5K/9107068	EES.146/D		**SLEEVE,** 1" long	2	—	C	
5X/9450396	HC.490		**TAG,** quick release terminal	6	—	C	
	E.A9.81.3107		**CABLE, ASSEMBLY, CL2, FROM TERMINAL BLOCK AT NAVIGATOR'S STATION TO BOMB AIMER'S CALL LIGHT**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** 1" long	4	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** 1" long	4	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** 1" long	4	—	C	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	12	—	C	
5X/9450396	HC.490		**TAG,** quick release terminal	4	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.6023	**CABLE, ASSEMBLY, CL1A, FROM CALL BUTTON TO TERMINAL BLOCK (MOD. 4320)**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5K/9107065	EEAS.146/16	**SLEEVE**	QR	—	C	
5K/9107065	EEAS.146/20	**SLEEVE**	QR	—	C	
5X/7297	HC.296	**TAG**	2	—	C	
5X/9450396	HC.490	**TAG**	2	—	C	
	E.A9.81.6025	**CABLE, ASSEMBLY, CL1B, FROM WARNING LIGHT TO TERMINAL BLOCK (MOD. 4320)**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5K/9107065	EEAS.146/16	**SLEEVE**	QR	—	C	
5K/9107065	EEAS.146/20	**SLEEVE**	QR	—	C	
5X/7297	HC.296	**TAG**	2	—	C	
5X/9450396	HC.490	**TAG**	2	—	C	
5X/6171	Z.50211	**LINK,** commoning, 3 way	1	—	C	
5X/1004082	Z.50210	**LINK,** terminal, 2 way	2	—	C	
5X/9450396	HC.490	**TAG,** quick release, terminal	4	—	C	
	E.A9.81.5921	**PANEL,** engraved, assembly (Mod. 4320)... ...	1	L.72	—	
		Attaching parts for E.A9.81.5921:—				
28D/9436920	A25/1C	Bolt, 2 BA	4	—	C	
28W/9419402	SP.13/C	Washer	4	—	C	
5CW/9438526	C.5162Y Mk. 3	**SWITCH,** push, type B	3	—	B	
		Attaching parts for C.5162Y, Mk.3:—				
28S/9135420	A32/Z12	Screw, 8 BA	2	—	C	
28S/1011493	A32/Z10	Screw, 8 BA for switch at frame B	2	—	C	
28W/9419186	AGS.2035/AA	Washer	2	—	C	
	—	**LIGHTING, FRONT FUSELAGE, ASSEMBLY (E.A9.81.2651)** ...	—	—	—	
		Spares for:—				
	—	**BATTERY, EMERGENCY INSTALLATION (E.A9.81.10533) (MOD. 3192)**	—	—	—	
		Spares for:—				
5J/9101808	†	**BATTERY,** 2·4 volt 3 amp.	1	—	B	
4888	E.A3.81.1107	**BOX, BATTERY, ASSEMBLY**	1	—	B	
		Spares for:—				
	E.A3.81.1109	**BOX**	1	—	—	
	E.A1.81.373	**STRIP,** retaining	1	—	—	
		Attaching parts for E.A1.81.373:—				
28D/1010658	A25/1B	Bolt, 4 BA	1	—	C	
28M/1006504	A27/BT	Nut, 4 BA	2	—	C	
	E.A1.81.378	Nut, 2 BA, knurled	1	—	—	
28W/9419465	SP.13/B	Washer	1	—	C	
		Attaching parts for E.A3.81.1107:—				
28D/1010658	A.25/1B	Bolt, 4 BA	4	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	4	—	C	
28W/9419474	SP.15/B	Washer	4	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.A9.10.10261	**PLATE,** mounting	1	—	—	
5X/3276	CZ.50205	**BLOCK,** terminal, Q.R. 2 way	2	—	C	
5X/1002694	CZ.50207	**BLOCK,** terminal, Q.R. 5 way	3	—	C	
5X/2863	CZ.24285	**BLOCK,** terminal, Q.R. 10 way	1	—	C	
		Attaching parts for CZ.50205, CZ.50207 and CZ.24285:—				
5X/9450403	Z.28426	Pillar, fixing	2	—	C	
38367	E.A9.81.10111	**BRACKET,** mounting, cockpit light in prone position, port (Mod. 3159)	1	—	C	
		Attaching parts for E.A9.81.10111:—				
28D/9436920	A25/1C	Bolt, 2 BA	4	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	4	—	C	
28W/9419402	SP.13/C	Washer	4	—	C	
	E.A9.81.1203	**CABLE, ASSEMBLY 11A, FROM J/B11 TO BOMB AIMER'S CONTROL PANEL**	1	—	—	
		Consisting of:—				
5E/4182	†	**CABLE,** Uninyvin 22	QR	—	C	
5X/2785	Z.22430	**GROMMET,** No. 2	1	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¼" long	2	—	C	
5K/9107066	†	**SLEEVE**	4	—	C	
5X/9482491	HC.500	**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.1207	**CABLE, ASSEMBLY, 11C FROM J.B.11 TO NAVIGATOR'S FLOODLIGHT**	1	—	—	
		Consisting of:—				
5E/4182	†	**CABLE,** Uninyvin 22	QR	—	C	
5X/2785	Z.22430	**GROMMET,** No. 2	1	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¼" long	2	—	C	
5K/9107066	†	**SLEEVE**	4	—	C	
5X/9482491	HC.500	**TAG,** Q.R. 7 amp.	2	—	C	
32B/498	†	**THREAD,** waxed linen	QR	—	C	
	E.A9.81.1289	**CABLE, ASSEMBLY 60E, FROM PORT FUSE PANEL TO NAVIGATOR'S LIGHT CONTROL PANEL**	1	—	—	
		Consisting of:—				
5E/4182	†	**CABLE,** Uninyvin 22	QR	—	C	
5X/2785	Z.22430	**GROMMET,** No. 2	1	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¼" long	6	—	C	
5K/9107068	EEAS.146/D	**SLEEVE,** 1" long	2	—	C	
5X/9482491	HC.500	**TAG,** Q.R. 7 amp.	6	—	C	
	E.A9.81.1393	**CABLE, ASSEMBLY, F48, FROM D.C. DISTRIBUTION BOX TO EQUIPMENT BAY LIGHT**	1	—	—	
		Consisting of:—				
5E/4182	†	**CABLE,** Uninyvin 22	QR	—	C	
5X/2785	Z.22430	**GROMMET,** No. 2	1	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ⅛" long	2	—	C	
5K/9107066	†	**SLEEVE**	4	—	C	
5X/9482491	HC.500	**TAG,** Q.R. 7 amp.	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.A9.81.1395	**CABLE, ASSEMBLY, F.48, FROM M.E.P. TO WHEEL, WELL WALL BAY LIGHT**	1	—	—	
		Consisting of:—				
5E/4182	†	**CABLE,** Uninyvin 22	QR	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¾" long	2	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE**	4	—	C	
5X/9482491	HC.500	**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.2657	**CABLE, ASSEMBLY, L1A, FROM PORT COAMING PANEL TO PILOT'S EMERGENCY LIGHT, STARBOARD**	1	—	—	
		Consisting of:—				
5E/4182	†	**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†	**SLEEVE**	4	—	C	
5X/9482491	HC.500	**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.2659	**CABLE, ASSEMBLY, L1B, FROM PORT COAMING PANEL TO PILOT'S EMERGENCY LIGHT, PORT**	1	—	—	
		Consisting of:—				
5E/4182	†	**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†	**SLEEVE**	4	—	C	
5X/9482491	HC.500	**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.2663	**CABLE, ASSEMBLY, L1D, FROM PORT COAMING PANEL T/B, TO PILOT'S INSTRUMENT PANEL RED LIGHT, PORT**	1	—	—	
		Consisting of:—				
5E/4182	†	**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†	**SLEEVE**	4	—	C	
5X/9482491	HC.500	**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.2665	**CABLE, ASSEMBLY, L1E, FROM PORT COAMING PANEL T/B, TO PILOT'S INSTRUMENT PANEL U/V LIGHT, PORT**	1	—	—	
		Consisting of:—				
5E/4182		**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†	**SLEEVE**	4	—	C	
5X/9482491	HC.500	**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.2667	**CABLE, ASSEMBLY, L1F, FROM PORT COAMING PANEL T/B, TO PILOT'S INSTRUMENT PANEL U/V LIGHT, PORT**	1	—	—	
		Consisting of:—				
5E/4182	†	**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†	**SLEEVE**	4	—	C	
5X/9482491	HC.500	**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.2669	**CABLE, ASSEMBLY, L1G, FROM PORT COAMING PANEL TO E2A COMPASS LIGHT**	1	—	—	
		Consisting of:—				
5E/4182	†	**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†	**SLEEVE**	4	—	C	
5X/9482491	HC.500	**TAG,** Q.R. 7 amp.	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.2671		**CABLE, ASSEMBLY, L1H, FROM PORT COAMING PANEL T/B, TO PILOT'S RED LIGHT DIMMER SWITCH**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5X/9482491	HC.500		**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.2673		**CABLE, ASSEMBLY, L1J, FROM PORT COAMING PANEL T/B, TO RED LIGHT ON INNER SKIN**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5X/9482491	HC.500		**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.2675		**CABLE, ASSEMBLY, L1C, FROM COAMING PANEL T/B, TO MACHMETER LIGHT DIMMER SWITCH**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5X/9482491	HC.500		**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.2679		**CABLE, ASSEMBLY, L2A, FROM STARBOARD COAMING PANEL T/B, TO E.S.1 FLOODLIGHT**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5X/9482491	HC.500		**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.2681		**CABLE, ASSEMBLY, L2B, FROM STARBOARD COAMING PANEL T/B, TO PILOT'S STARBOARD PANEL T/B**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†		**SLEEVE**	2	—	C	
5K/9107068	†		**SLEEVE**	6	—	C	
5X/9482491	HC.500		**TAG,** Q.R. 7 amp.	6	—	C	
	E.A9.81.2683		**CABLE, ASSEMBLY, L2C, FROM STARBOARD COAMING PANEL T/B, TO PILOT'S STARBOARD INSTRUMENT PANEL U/V LIGHT**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5X/9482491	HC.500		**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.2685		**CABLE, ASSEMBLY, L2D, FROM STARBOARD COAMING PANEL T/B, TO PILOT'S STARBOARD INSTRUMENT PANEL U/V LIGHT**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5X/9482491	HC.500		**TAG,** Q.R. 7 amp.	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.2687		**CABLE, ASSEMBLY, L2E, FROM STARBOARD COAMING PANEL T/B, TO PILOT'S INSTRUMENT PANEL U/V LIGHT**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5X/9482491	HC.500		**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.2689		**CABLE, ASSEMBLY, L2F, FROM STARBOARD COAMING PANEL T/B, TO PILOT'S STARBOARD INSTRUMENT PANEL U/V LIGHT**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5X/9482491	HC.500		**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.2691		**CABLE, ASSEMBLY, L2G, FROM STARBOARD COAMING PANEL T/B, TO PILOT'S INSTRUMENT PANEL RED LIGHT**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5X/9482491	HC.500		**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.2693		**CABLE, ASSEMBLY L2H, FROM STARBOARD COAMING PANEL T/B, TO PILOT'S STARBOARD INSTRUMENT PANEL RED LIGHT**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5X/9482491	HC.500		**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.2695		**CABLE, ASSEMBLY, L2J, FROM PILOT'S STARBOARD PANEL T/B, TO PILOT'S STARBOARD PANEL RED LIGHT**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5X/9482491	HC.500		**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.2697		**CABLE, ASSEMBLY, L2K, FROM PILOT'S STARBOARD PANEL T/B, TO PILOT'S STARBOARD PANEL RED LIGHT**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5X/9482491	HC.500		**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.2699		**CABLE, ASSEMBLY, L2L, FROM PILOT'S STARBOARD PANEL T/B, TO PILOT'S STARBOARD PANEL RED LIGHT**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5X/9482491	HC.500		**TAG,** Q.R. 7 amp.	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.A9.81.2701		**CABLE, ASSEMBLY, L2M, FROM PILOT'S STARBOARD PANEL T/B, TO PILOT'S STARBOARD PANEL U/V LIGHT**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5X/9482491	HC.500		**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.2703		**CABLE, ASSEMBLY, L2N, FROM PILOT'S STARBOARD PANEL T/B, TO PILOT'S STARBOARD PANEL U/V LIGHT**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5X/9482491	HC.500		**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.2705		**CABLE, ASSEMBLY, L2P, FROM STARBOARD COAMING PANEL T/B, TO RED LIGHT ON INNER SKIN**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5X/9482491	HC.500		**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.2707		**CABLE, ASSEMBLY, L2Q, FROM STARBOARD COAMING PANEL T/B, TO RED LIGHT ON STARBOARD COAMING PANEL**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5X/9482491	HC.500		**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.2713		**CABLE, ASSEMBLY, L3D, FROM NAVIGATOR'S LIGHTING CONTROL PANEL T/B, TO NAVIGATOR'S PORT PANEL LIGHT OUTBOARD POSITION**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5X/9482491	HC.500		**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.2717		**CABLE, ASSEMBLY, L3F, FROM NAVIGATOR'S LIGHTING CONTROL PANEL T/B, TO NAVIGATOR'S PORT PANEL RED LIGHT**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5X/9482491	HC.500		**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.2719		**CABLE, ASSEMBLY, L3G, FROM NAVIGATOR'S LIGHTING CONTROL PANEL T/B, TO AMBER FLOOR LIGHT**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5X/7209	12355		**LUG,** crimping, 6 BA	1	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5X/9482491	HC.500		**TAG,** Q.R. 7 amp.	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.2721		**CABLE, ASSEMBLY, L3H, FROM NAVIGATOR'S LIGHTING CONTROL PANEL T/B, TO CHART BOARD LIGHT**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¾" long	2	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5X/9482491	HC.500		**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.2723		**CABLE, ASSEMBLY, 11E3, FROM DIMMER SWITCH TO OXYGEN RED BLINKER LIGHT**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5X/9482491	HC.500		**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.3109		**CABLE, ASSEMBLY, 60B, FROM PORT FUSE PANEL TO PORT COAMING PANEL T/B, AND TO T/B, FOR CALL LIGHTS**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/2786	Z.22431		**GROMMET,** No. 3	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	10	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** 1" long	1	—	C	
5K/9107068	EEAS.146/D		**SLEEVE,** 1" long	2	—	C	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	18	—	C	
5X/7298	†		**TAG,** Q.R. 4 amp.	10	—	C	
	E.A9.81.3189/2		**CABLE, ASSEMBLY, N62, FROM STARBOARD ELECTRICAL CONTROL PANEL TO PANEL ILLUMINATING LAMP AND A.P.I. RED COCKPIT LAMP**	1	—	C	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5X/1373	Z.11394/2		**FERRULE**	1	—	C	
5X/1005131	Z.49428		**SLEEVE**	4	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5K/	†		**SLEEVE**	11	—	—	
5K/9107068	EEAS.146/D		**SLEEVE,** 1" long	2	—	C	
5X/6777	CZ.56100		**SOCKET,** 9 way, size B (Pre. Mod. 3382) ...	1	—	C	
5X/5805564	2CZ.111234		**SOCKET,** 9 way, size B (Mod. 3382)	1	—	C	
32B/498	†		**THREAD,** waxed linen No. 18	QR	—	C	
5F/2124	†		**TUBING,** tenatube, 3 m/m i/d.	QR	—	C	
	E.A9.81.3191		**CABLE, ASSEMBLY, L3A, FROM NAVIGATOR'S LIGHTING SWITCH PANEL TO T/B, ON I.F.F. CONTROL PANEL**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†		**SLEEVE**	6	—	C	
5K/9107068	†		**SLEEVE**	2	—	C	
5X/9482491	HC.500		**TAG,** Q.R. 7 amp.	6	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.3193		**CABLE, ASSEMBLY, L3A1, FROM T/B, AT FRAME 3 TO COCKPIT LAMP FOR I.F.F. CONTROL PANEL**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5X/9482491	HC.500		**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.3195		**CABLE, ASSEMBLY, L3A2, FROM T/B, AT FRAME 3 TO COCKPIT LAMP FOR S.I.F. CONTROL PANEL**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5X/9482491	HC.500		**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.3197		**CABLE, ASSEMBLY, L3A3, FROM T/B, ON I.F.F. PANEL TO COCKPIT LAMP FOR ARMAMENT PANEL**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5X/9482491	HC.500		**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.3199		**CABLE, ASSEMBLY, L3A4, FROM T/B, ON I.F.F. PANEL TO COCKPIT LAMP FOR ARMAMENT PANEL**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5X/9482491	HC.500		**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.3201		**CABLE, ASSEMBLY, L3B, FROM NAVIGATOR'S LIGHTING SWITCH PANEL TO MK. 2 COCKPIT LAMP FOR BOMB DISTRIBUTOR**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5X/9482491	HC.500		**TAG,** Q.R. 7 amp.	2	—	C	
5F/2124	†		**TUBING,** tenatube 3 m/m i/d.	QR	—	C	
	E.A9.81.3255		**CABLE, ASSEMBLY, L1L, FROM PORT COAMING PANEL T/B, TO INSTRUMENT PANEL, LOWER STARBOARD U/V LIGHT**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5X/9482491	HC.500		**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.3257		**CABLE, ASSEMBLY, L1K, FROM PORT COAMING PANEL T/B, TO INSTRUMENT PANEL UPPER PORT U/V LIGHT**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5X/9482491	HC.500		**TAG,** Q.R. 7 amp.	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.3259	**CABLE, ASSEMBLY, L1C1, FROM T/B, ON MACHMETER BRACKET TO DIMMER SWITCH RED**	1	—	—	
		Consisting of:—				
5E/4182	†	**CABLE,** Uninyvin 22	QR	—	C	
5K/9107066	†	**SLEEVE**	4	—	C	
5X/9482491	HC.500	**TAG,** Q.R. 7 amp.	2	—	C	
	E.A9.81.4441	**CABLE, ASSEMBLY, N301, FROM PORT FUSE PANEL TO ANTI-DAZZLE LIGHT SWITCH ON COAMING PANEL (MOD. 2356)**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5X/9491421	Z.22431	**GROMMET,** No. 3	1	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** 1" long	1	—	C	
5K/9107068	EEAS.146/D1	**SLEEVE,** 1" long	5	—	C	
5X/7298	†	**TAG,** Q.R. 4 amp.	1	—	C	
	E.A9.81.5803	**CABLE, ASSEMBLY, N302, FROM PILOT'S ANTI-DAZZLE SWITCH, TO RESISTANCE UNIT (MOD. 2687)**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5K/9107066	EEAS.146/12	**SLEEVE**	13	—	C	
5K/9107065	EEAS.146/20	**SLEEVE**	4	—	C	
	E.A9.81.4445	**CABLE, ASSEMBLY, N303, COUPLING RESISTANCE UNITS ON PILOT'S U/C PANEL, (MOD. 2356)**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ½ long	4	—	C	
5K/9107068	EEAS.146/D1	**SLEEVE**	3	—	C	
5F/9143294	†	**TUBING,** P.V.C. ¼" i/d.	QR	—	C	
	E.A9.81.5805	**CABLE, ASSEMBLY, N304, FROM ANTI-DAZZLE LAMP TO RESISTANCE UNIT (MOD. 2687)**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5K/9107065	EEAS.146/20	**SLEEVE**	8	—	C	
	E.A9.81.5807	**CABLE, ASSEMBLY, N305, FROM RESISTANCE UNIT TO ANTI-DAZZLE LAMP (MOD. 2687)**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5K/9107065	EEAS.146/20	**SLEEVE**	8	—	C	
	E.A9.81.5809	**CABLE, ASSEMBLY, N306, FROM NAVIGATOR'S ANTI-DAZZLE SWITCH TO PILOT'S ANTI-DAZZLE SWITCH AND RESISTANCE UNIT, (MOD. 2687)**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5K/9107065	EEAS.146/16	**SLEEVE** ½" long	23	—	C	
5K/9107065	EEAS.146/20	**SLEEVE,** 1" long	10	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.A9.81.6021		**CABLE, ASSEMBLY, N433, FROM PILOT'S STARBOARD PANEL TO RADIO JUNCTION BOX, (MOD. 4320)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/2784	†		**GROMMET,** No. 1	1	—	C	
5K/9107065	EEAS.146/20		**SLEEVE**	QR	—	C	
5X/9450396	HC.490		**TAG**	2	—	C	
	E.A9.81.10119		**CABLE, ASSEMBLY, L4B, FROM PRONE POSITION LIGHT 5 WAY T/B, TO PORT PRONE POSITION RED LIGHT (MOD. 3159)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	2	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE**	12	—	C	
5X/9450396	HC.490		**TAG,** Q.R. 4 amp.	2	—	C	
	E.A9.81.10121		**CABLE, ASSEMBLY, N25, FROM STARBOARD FUSE PANEL TO FUSE PANEL RED LIGHT (MOD. 3159)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/9491421	Z.22431		**GROMMET,** No. 3	1	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	2	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	2	—	C	
5K/9107068	EEAS.146/D		**SLEEVE,** 1" long	5	—	C	
5X/9450396	HC.490		**TAG,** Q.R. 4 amp.	2	—	C	
5F/9143294	†		**TUBING,** P.V.C. ¼" i/d.	QR	—	C	
	E.A9.81.10123		**CABLE, ASSEMBLY, L3N, FROM T/B ON NAVIGATOR'S STARBOARD INSTRUMENT PANEL TO DIMMER SWITCH (MOD. 3159)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	4	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	3	—	C	
5X/9450396	HC.490		**TAG,** Q.R. 4 amp.	2	—	C	
5F/9143294	†		**TUBING,** P.V.C. ¼" i/d.	QR	—	C	
	E.A9.81.10125		**CABLE, ASSEMBLY, 11F, FROM JB11 TO DIMMER SWITCH, PORTSIDE FR1, AND 2 WAY T/B, IN NAVIGATOR'S POSITION, (MOD. 3159)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/2785	Z.22430		**GROMMET,** No. 2	1	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	2	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	6	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** 1" long	4	—	C	
5K/9107068	EEAS.146/D		**SLEEVE,** 1" long	2	—	C	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	QR	—	C	
5X/9450396	HC.490		**TAG,** Q.R. 4 amp.	6	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.10127	**CABLE, ASSEMBLY, N402, FROM T/B, ON NAVIGATOR'S STARBOARD INSTRUMENT PANEL TO STARBOARD FUSE PANEL (MOD. 3159)**	1	—	--	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5X/2785	Z.22430	**GROMMET,** No. 2	1	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¾" long	4	—	C	
5K/9107069	EEAS.146/E	**SLEEVE,** 1" long	3	—	C	
5X/7298	†	**TAG,** Q.R. 4 amp.	4	—	C	
5F/9143294	†	**TUBING,** P.V.C. ¼" i/d.	QR	—	C	
	E.A9.81.10129	**CABLE, ASSEMBLY, 11E4, FROM T/B, ON OXYGEN LIGHT DIMMER SWITCH BRACKET, TO RED LIGHT ON OXYGEN REGULATOR MOUNTING (MOD. 3159)**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¼" long	4	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** 1" long	5	—	C	
5X/7298	†	**TAG,** Q.R. 4 amp.	2	—	C	
	E.A9.81.10131	**CABLE, ASSEMBLY, 11FB1, FROM T/B, IN ROOF AT NAVIGATOR'S POSITION TO AMBER LIGHT AT BLUE SILK INDICATOR (MOD. 3159)**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¼" long	4	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** 1 long	3	—	C	
5X/7298	†	**TAG,** Q.R. 4 amp.	2	—	C	
5F/9143294	†	**TUBING,** P.V.C. ¼" i/d.	QR	—	C	
	E.A9.81.10475	**CABLE, ASSEMBLY, L1C2, FROM T/B, ON MACHMETER BRACKET TO MACHMETER RED LIGHT (MOD. 2767)**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¾" long	2	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** ¼" long	2	—	C	
5X/7298	†	**TAG,** Q.R. 4 amp.	2	—	C	
	E.A9.81.10477	**CABLE, ASSEMBLY, L1C3, FROM T/B, ON MACHMETER BRACKET TO A.S.I. RED LIGHT (MOD. 2676)**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¾" long	2	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** ¾" long	2	—	C	
5X/7298	†	**TAG,** Q.R. 4 amp.	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.A9.81.10523		**CABLE, ASSEMBLY, N417, FROM T/B, AT NAVIGATOR'S POSITION TO EXIT DOOR LIGHT (MOD. 3192)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	4	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** 1" long	4	—	C	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	21	—	C	
5X/7298	†		**TAG,** Q.R. 4 amp.	2	—	C	
	E.A9.81.10525		**CABLE, ASSEMBLY, N418, FROM EMERGENCY ACCUMULATOR TO T/B, AT NAVIGATOR'S POSITION (MOD. 3192)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	4	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** 1" long	4	—	C	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	41	—	C	
5X/7298	†		**TAG,** Q.R. 4 amp.	2	—	C	
5K/3349	WE.321		**TERMINAL,** flag type	2	—	C	
	E.A9.81.10527		**CABLE, ASSEMBLY, N419, FROM T/B, AT NAVIGATOR'S POSITION TO PARACHUTE STOWAGE LIGHT (MOD. 3192)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	4	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** 1" long	4	—	C	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	21	—	C	
5X/7298	†		**TAG,** Q.R. 4 amp.	2	—	C	
	E.A9.81.10529		**CABLE, ASSEMBLY, N422, FROM T/B, AT NAVIGATOR'S POSITION TO EMERGENCY LIGHT SWITCH AT PRONE POSITION (MOD. 3192)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	4	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** 1" long	4	—	C	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	13	—	C	
5X/7298	†		**TAG,** Q.R. 4 amp.	2	—	C	
	E.A9.81.10531		**CABLE, ASSEMBLY, N423, FROM T/B, AT NAVIGATOR'S POSITION TO NAVIGATOR'S EMERGENCY LIGHT SWITCH (MOD. 3192)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	4	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** ¼" long	3	—	C	
5X/9450396	HC.490		**TAG,** Q.R. 4 amp.	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.C3.81.977		**CABLE, ASSEMBLY, L3K, FROM STARBOARD NAVIGATOR'S INSTRUMENT PANEL T/B, TO COCKPIT RED LIGHT (MOD. 3159)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¾" long	4	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	4	—	C	
5X/9450396	HC.490		**TAG,** Q.R. 4 amp.	2	—	C	
5F/9143294	†		**TUBING,** P.V.C. ¼" i/d.	QR	—	C	
	E.C3.81.979		**CABLE, ASSEMBLY, L3L, FROM STARBOARD NAVIGATOR'S INSTRUMENT PANEL T/B, TO COCKPIT RED LIGHT (MOD. 3159)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¾" long	4	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	4	—	C	
5X/9450396	HC.490		**TAG,** Q.R. 4 amp.	2	—	C	
	E.C3.81.981		**CABLE, ASSEMBLY, L3M, FROM STARBOARD NAVIGATOR'S INSTRUMENT PANEL T/B, TO COCKPIT RED LIGHT (MOD. 3159)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¾" long	4	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	4	—	C	
5X/9450396	HC.490		**TAG,** Q.R. 4 amp.	2	—	C	
	E.C3.81.1301		**CABLE, ASSEMBLY, ILA1, FROM BOMB AIMER'S CONTROL PANEL DIMMER SWITCH TO PRONE POSITION LIGHTS T/B (MOD. 3159)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¾" long	2	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	9	—	C	
5X/9450396	HC.490		**TAG,** Q.R. 4 amp.	2	—	C	
	E.C3.81.1303		**CABLE, ASSEMBLY, L4A, FROM PRONE POSITION LIGHT T/B, TO STARBOARD PRONE POSITION RED LIGHT (MOD. 3159)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** 1" long	9	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¾" long	2	—	C	
5X/9450396	HC.490		**TAG,** Q.R. 4 amp.	2	—	C	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/3275	CZ.26808		**COVER,** for 10 way terminal block	1	—	C	
5X/9149641	CZ.26805		**COVER,** for 5 way terminal block	3	—	C	
5X/9149641	CZ.26799		**COVER,** for 2 way terminal block	2	—	C	
5L/9951130	†		**FILAMENT,** 2·5v, 0·75w, amber	2	—	C	
5L/9953271	†		**FILAMENT,** 28v, 7w	4	—	C	
5L/9951273	†		**FILAMENT,** 28v, 3·5w, clear	1	—	C	
5L/9951263	†		**FILAMENT,** 24v, 2·8w, red	23	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5L/9951278	†	**FILAMENT,** 28v, 3·5w, amber	6	—	C	
5L/9952261	†	**FILAMENT,** 12v, 7w, clear	10	—	C	
5L/9953275	†	**FILAMENT,** 24v, 18w, clear	1	—	C	
5L/9959211	†	**FILAMENT,** 24v, 2·4w, clear	1	—	C	
5L/9951282	†	**FILAMENT,** 28v, 12w	2	—	C	
5CX/4858	†	**FILTER,** amber	1	—	C	
5K/1201019	SP.40/A8	**GROMMET**	1	—	C	
	E.A9.81.2067	**LAMP, E2A, COMPASS, ASSEMBLY**	1	—	—	
		Spares for:—				
5L/9959211	†	**FILAMENT,** 24v, 2·4w, clear	1	—	C	
5CX/462	†	**LAMP,** instrument	1	—	C	
16684	E.A3.80.2639	**SCREEN**	1	—	C	
5CX/4712	E.A3.81.2321	**SHADE**	1	—	C	
		Attaching parts for E.A3.80.2639 and E.A3.81.2321:—				
28M/10279	AGS.2001/A/3	Nut, 6 BA	2	—	C	
28S/9144890	A39/A10	Screw, 6 BA	2	—	C	
	E.A9.81.3163	**LAMP AND MOUNTING, COCKPIT ARMAMENT PANEL PORT, ASSEMBLY**	—	—	—	
		Consisting of:—				
5L/9953271	†	**FILAMENT,** 24v, 7w	1	—	C	
5CX/366	†	**LAMP,** Mk. 2	1	—	C	
	E.A9.81.3171	**MOUNTING,** for lamp	1	—	—	
28M/13451	A29/JS	**NUT,** $\frac{3}{8}$" BSF, securing friction plate	1	—	C	
28M/10286	AGS.2001/A/1	**NUT,** 6 BA	5	—	C	
28P/9527619	SP.90/C7	**PIN,** split	1	—	C	
	E.A9.81.3167	**PLATE,** friction	1	—	—	
	E.A9.81.3169	**PLATE,** friction	1	—	—	
	E.A9.81.3165	**PLATE,** mounting lamp, assembly	1	—	—	
28S/1200059	A33/A14	**SCREW,** 6 BA	4	—	C	
	E.A9.81.3173	**STOP,** for lamp	1	—	—	
28W/9419466	SP.13/J	**WASHER**	2	—	C	
28W/1011234	SP.55/J	**WASHER**	1	—	C	
	E.A9.81.2833	**LAMP, STARBOARD, EQUIPMENT BAY, ASSEMBLY**	—	—	—	
		Spares for:—				
5L/9953271	†	**FILAMENT,** 28v, 7w	1	—	C	
5CX/446	†	**LAMP,** Mk. 1A	1	—	C	
		Attaching parts for Ref. 5CX/446:—				
28M/1278189	AGS.2001/B/1	Nut, 4 BA	3	—	C	
28S/9992525	A32/B12	Screw, 4 BA	3	—	C	
	—	**LAMP, INSPECTION AND EXTENSION LEAD INSTALLATION (E.A9.81.10495) (MOD. 3159)**	—	—	—	
		Spares for:—				
4683	E.A3.81.1831	**BAG,** stowage for inspection lamp	1	—	B	
		Attaching parts for E.A3.81.1831:—				
28S/1200034	A31/B16	Screw, 4 BA	4	—	C	
28W/9419486	SP.16/B	Washer	4	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5L/9953271	†	**FILAMENT,** 28v, 7w	1	—	C	
5CX/369	†	**LAMP,** inspection, Mk. 2	1	—	C	
5CX/370	†	**LEAD,** extension, C/W plug and socket in canvas satchel	1	—	C	
		Attaching parts for Ref. 5CX/370:—				
28S/1200049	A31/A12	Screw, 6 BA	3	—	C	
28W/9419473	SP.15/A	Washer	3	—	C	
5CX/366	†	**LAMP,** cockpit, Mk. 2	2	—	C	
5CX/446	†	**LAMP,** cockpit, Mk. 1A	2	—	C	
5CX/462	†	**LAMP,** instrument	1	—	C	
5CX/2454	†	**LAMP,** cockpit, U/V, type B, No. 1	5	—	C	
5CX/2676	†	**LAMP,** cockpit, U/V type, B. No. 2	5	—	C	
5CX/4058	†	**LAMP,** cockpit, type, C. No. 2	35	—	C	
5CX/4857	†	**LAMP,** chartboard, type E	1	—	C	
5CX/5128	†	**LAMP,** cockpit, high intensity anti-dazzle ...	2	—	C	
5X/1004083	Z.50211	**LINK,** commoning	2	—	C	
5X/1004082	Z.50210	**LINK,** commoning	2	—	C	
	E.A9.81.5591	**PANEL, NAVIGATOR'S LIGHTING SWITCH, ASSEMBLY (MOD. 3765)**	—	—	—	
		Spares for:—				
5X/2863	CZ.24285	**BLOCK,** terminal, 10 way	1	—	C	
		Attaching parts for CZ.24285:—				
28M/10327	AGS.2002/B/1	Nut, 4 BA	2	—	C	
5X/9450403	Z.28426	Pillar, fixing	2	—	C	
28W/9419465	SP.13/B	Washer	2	—	C	
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5X/3275	CZ.26808	**COVER,** terminal block	1	—	C	
5K/1009086	SP.40/A6	**GROMMET**	1	—	C	
5K/1009087	SP.40/A10	**GROMMET**	1	—	C	
5X/1004082	Z.50210	**LINK,** commoning, 2 way	1	—	C	
5X/6172	Z.50212	**LINK,** commoning, 4 way	1	—	C	
	E.A9.81.5679	**PANEL**	1	—	—	
5K/9107065	EEAS.146/16	**SLEEVE,** $\frac{3}{8}$" long	6	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** $\frac{3}{4}$" long	8	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** $\frac{3}{8}$" long	14	—	C	
5CW/2530	†	**SWITCH,** dimmer, 75 ohms	3	—	B	
		Attaching parts for Ref. 5CW/2530:—				
28S/9419437	A31/A16	Screw, 6 BA	3	—	C	
5CW/5856	8396/B102	**SWITCH,** for under table light	1	—	B	
		Attaching parts for 8396/B102:—				
17104	E.B7.81.259	Washer, packing	2	—	C	
5X/9450396	HC.490	**TAG,** Q.R. 4 amp.	7	—	C	
5X/[illegible]553	HC.296B	**TAG**	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.4461		**PANEL, NAVIGATOR'S ANTI-DAZZLE LIGHT SWITCH, ASSEMBLY (MOD. 2356)**	—	—	—	
			Spares for:—				
	E.A9.81.4463		**PLATE,** mounting, switch	1	—	—	
			Attaching parts for E.A9.81.4463:—				
28D/9133013	A25/5C		Bolt, 2 BA	2	—	C	
28M/10288	AGS.2001/C/1		Nut, 2 BA	2	—	C	
	AS.2300/4/04		Tube, distance	2	—	—	
28W/9419402	SP.13/C		Washer	2	—	C	
5CW/5856	8396/B102		**SWITCH,** N.S.F.	1	—	B	
38369	E.A9.81.10115		**PLATE,** stud mounting for cockpit lamp in prone position, port (Mod. 3159)	1	—	C	
			Attaching parts for E.A9.81.10115:—				
28M/10290	AGS.2001/E/1		Nut, ¼", BSF	1	—	C	
8772	EEAS.28/30ER		Washer	1	L.72	C	
38370	E.A9.81.10117		Washer, special	1	—	C	
5CZ/2742	†		**RESISTANCE,** unit, type A. No. 3	2	—	C	
5CX/3414	†		**SCREEN,** cockpit lamps end aparture	2	—	C	
5CX/3364	†		**SCREEN,** cockpit lamps, vertical slot	1	—	C	
5CX/3430	†		**SCREEN,** cockpit lamps, side aperture	27	—	C	
	E.A9.81.3045		**SCREEN,** for instrument panel light, port ...	2	—	—	
	E.A9.81.3049		**SCREEN,** pilot's starboard instrument panel red light	1	—	—	
	E.A9.81.3273		**SCREEN,** for machmeter light	1	—	—	
	EA9.81.10710		**SCREEN,** navigator's equipment rack lamp (make from Ref. 5CX/2280)	1	—	—	
5CX/4712	E.A3.81.2321		**SHADE,** for instrument lamp	1	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¾" long	10	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	4	—	C	
5K/9107066	EEAS.146/B		**SLEEVE,** 1" long	3	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** ⅜" long	12	—	C	
3417	EEAS.132/9		**STRAPPING,** cable	QR	—	C	
5F/9454141	NY.18007A		**STRAPPING,** cable, ½" wide	QR	—	C	
5F/9138822	NY.3342		**STUD**	50	—	C	
5CW/2452	†		**SWITCH,** dimmer, type R. 135 ohms.	1	—	B	
5CW/2453	†		**SWITCH,** dimmer, type R. 275 ohms.	2	—	B	
5CW/2451	†		**SWITCH,** dimmer, type R. 22 ohms. (Mod. 4320)	1	—	B	
5CW/2531	†		**SWITCH,** dimmer, type R. 115 ohms.	3	—	B	
5CW/2530	†		**SWITCH,** dimmer, type R. 75 ohms.	2	—	B	
5CW/8337	8396/B114		**SWITCH,** N.S.F., type 3A	2	—	B	
5CW/5856	8396/B102		**SWITCH,** (Mod. 4320)	1	—	B	
			Attaching parts for 8396/B102:—				
17104	E.B7.81.259		Washer, packing	2	—	C	
5X/7298	†		**TAG,** Q.R. 4 amp.	4	—	C	
	E.A9.81.1571		**LOOMS, ARMAMENT CABLE, ASSEMBLY** ...	—	—	—	
			Spares for:—				
			BRACKET, MOUNTING INSTALLATION (E.A9.10.5269) ...	—	—	—	
			Spares for:—				
33649	E.A9.10.5271		**BRACKET,** mounting	1	L.72	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.A9.81.1915/2		**CABLE, ASSEMBLY, NA2, FROM ARMAMENT RELAY PANEL TO CONNECTION AT PRESSURE BULKHEAD**	1	—	—	
			Consisting of:—				
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5X/1524	Z.18500/B		**FERRULE,** inner	2	—	C	
5X/1531	Z.18501/B		**RING,** clamping	2	—	C	
	EEAS.118/3/NA2		**SLEEVE,** identification	2	—	—	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	18	—	C	
5X/6191	CZ.50410		**SOCKET,** assembly 9 way, size B (Pre. Mod. 3382)	1	—	C	
5X/6197	CZ.50410		**SOCKET,** assembly 9 way, size B (Pre. Mod. 3382)	1	—	C	
5X/5805564	2CZ.111234		**SOCKET,** assembly 9 way, size B (Mod. 3382) ...	1	—	C	
5X/7200	2CZ.111454		**SOCKET,** assembly 9 way, size B (Mod. 3382) ...	1	—	C	
5F/2036	†		**TUBING,** P.V.C. 15·8 m/m i/d.	QR	—	C	
	E.A9.81.1917/2		**CABLE, ASSEMBLY, NA2A, FROM ARMAMENT RELAY PANEL TO CONNECTION AT PRESSURE BULKHEAD**	1	—	—	
			Consisting of:—				
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5X/1530	Z.1850/Z		**CLAMP,** cable	2	—	C	
5X/1523	Z.18500/Z		**FERRULE**	2	—	C	
	EEAS.118/2/NA2A		**SLEEVE,** identification	2	—	—	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	10	—	C	
5X/6190	CZ.50400		**SOCKET,** assembly 5 way, size Z (Pre. Mod. 3382)	1	—	C	
5X/6196	CZ.50409		**SOCKET,** assembly 5 way, size Z (Pre. Mod. 3382)	1	—	C	
5X/7175	2CZ.111233		**SOCKET,** assembly 5 way, size Z (Mod. 3382) ...	1	—	C	
5X/7197	2CZ.111451		**SOCKET,** assembly 5 way, size Z (Mod. 3382) ...	1	—	C	
5F/2035	†		**TUBING,** P.V.C. 12·7 m/m i/d.	QR	—	C	
	E.A9.81.1921		**CABLE, ASSEMBLY, NA4, FROM ARMAMENT RELAY PANEL TO CONNECTION AT PRESSURE BULKHEAD**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/1548	Z.18764/B		**FERRULE,** size B	2	—	C	
10H/0970060	Z.60669		**GASKET,** outlet	2	—	C	
10H/20436	CZ.64133		**OUTLET,** straight	2	—	C	
10H/0560400	CZ.49228		**PLUG,** assembly, Mk. 4, 25 way	1	—	C	
5X/1532	Z.18501/C		**RING,** clamping	2	—	C	
10H/0970092	Z.62232		**RING,** sealing	2	—	C	
5K/	EEAS.118/4/NA4		**SLEEVE,** identification	2	—	—	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	50	—	C	
10H/0560221	CZ.49070/1		**SOCKET,** assembly, Mk. 4, 25 way	1	—	C	
5F/2037	†		**TUBING,** P.V.C. 19 m/m i/d.	QR	—	C	
	E.A9.81.1923/2		**CABLE, ASSEMBLY, NA40, FROM ARMAMENT RELAY PANEL TO CONNECTION AT PRESSURE BULKHEAD**	1	—	—	
			Consisting of:—				
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5X/1524	Z.18500/B		**FERRULE**	2	—	C	
5X/1531	Z.18501/B		**RING,** clamping	2	—	C	
5K/	EEAS.118/3/NA40		**SLEEVE,** identification	2	—	—	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	18	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5X/6191	CZ.50401		**SOCKET,** assembly 9 way, size B (Pre. Mod. 3382)	1	—	C	
5X/6197	CZ.50410		**SOCKET,** assembly 9 way, size B (Pre. Mod. 3382)	1	—	C	
5X/5805564	2CZ.111234		**SOCKET,** assembly 9 way, size B (Mod. 3382) ...	1	—	C	
5X/7200	2CZ.111454		**SOCKET,** assembly 9 way, size B (Mod. 3382) ...	1	—	C	
5F/2045	†		**TUBING,** P.V.C. 15·8 m/m i/d.	QR	—	C	
	E.A9.81.1925/2		**CABLE, ASSEMBLY, NA5, FROM CONSOLE JUNCTION PANEL TO CONNECTION AT PRESSURE BULKHEAD**	1	—	—	
			Consisting of:—				
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
33H/56	†		**CEMENT,** Bostik	QR	—	C	
5X/7320	Z.14485/B		**FERRULE,** cut size A	1	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¾" long	2	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	2	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** 1" long	2	—	C	
5X/6195	CZ.50408		**SOCKET,** 4 way, size A (Pre. Mod.3382) ...	1	—	C	
5X/7195	2CZ.111449		**SOCKET,** 4 way, size A (Mod. 3382) ...	1	—	C	
32B/498	†		**THREAD,** waxed linen No. 18	QR	—	C	
	E.A9.81.6039		**CABLE, ASSEMBLY, NA6, FROM PORT FUSE BOX TO ARMAMENT RELAY UNIT (MOD. 4330 or 4347)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
10H/0970295	†		**CLAMP,** cable	1	—	C	
10H/0970059	Z.60668		**GASKET,** outlet	1	—	C	
10H/0970109	Z.62236		**GASKET,** union	1	—	C	
5X/9491421	Z.22431		**GROMMET,** No. 3	1	—	C	
10H/0119117	Z.51526		**OUTLET,** straight	1	—	C	
10H/0970091	Z.62231		**RING,** sealing	1	—	C	
10H/0970097	Z.51342		**RING,** thrust	1	—	C	
5K/9107068	EEAS.146/2		**SLEEVE**	QR	—	C	
5K/9107065	EEAS.146/20		**SLEEVE**	QR	—	C	
10H/0560182	CZ.49126/2		**SOCKET,** 12 way	1	—	C	
5F/9434858	HV.3254		**STRAP**	QR	—	C	
5F/9138823	NT.3255		**STUD**	6	—	C	
5X/9450396	HC.490		**TAG**	10	—	C	
	E.A9.81.1929		**CABLE, ASSEMBLY, NA10, FROM ARMAMENT RELAY PANEL TO R.P. FIRING UNIT**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
18864	EEAS.111/3		**FERRULE**	2	—	C	
10H/0970059	Z.60668		**GASKET,** outlet	2	—	C	
10H/0970065	CZ.49182		**OUTLET,** straight	2	—	C	
10H/0560360	CZ.49458		**PLUG,** assembly, Mk. 4, 12 way	1	—	C	
5X/1530	Z.18501/Z		**RING,** clamping	2	—	C	
10H/0970091	Z.62231		**RING,** sealing	2	—	C	
5K/	EEAS.118/2/NA10		**SLEEVE,** identification	2	—	—	
5K/9107065	EEAS.146/A		**SLEEVE,** ¾" long	24	—	C	
10H/0560180	CZ.49126		**SOCKET,** assembly, Mk 4, 12 way	1	—	C	
5F/2035	†		**TUBING,** P.V.C. 12·7 m/m i/d.	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.1931	**CABLE, ASSEMBLY, NA11, FROM ARMAMENT RELAY PANEL TO R.P. FIRING UNIT** Consisting of:—	1	—	—	
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
26DK/6014	EEAS.111/2	**FERRULE**	2	—	C	
10H/0970058	Z.60667	**GASKET,** outlet	2	—	C	
10H/0970062	CZ.49180	**OUTLET,** straight	2	—	C	
10H/0560300	CZ.49222	**PLUG,** assembly, Mk. 4, 6 way	1	—	C	
5X/1529	Z.18501/A	**RING,** clamping	2	—	C	
10H/0970088	Z.62229	**RING,** sealing	2	—	C	
5K/	EEAS.118/1/NA11	**SLEEVE,** identification	2	—	—	
5K/9107065	EEAS.146/A	**SLEEVE,** ¾" long	12	—	C	
10H/0560120	CZ.49017	**SOCKET,** assembly Mk 4, 6 way	1	—	C	
5F/9434857	HV.3341	**STRAPPING**	QR	—	C	
5F/2282	HV.3342	**STUD**	QR	—	C	
5F/2027	†	**TUBING,** P.V.C. 9·5 m/m i/d.	QR	—	C	
	E.A9.81.1935	**CABLE, ASSEMBLY, NA13, FROM ARMAMENT RELAY PANEL TO CONTROL COLUMN TERMINAL BOARD** Consisting of:—	1	—	—	
5E/3079	†	**CABLE,** Quinpren 6	QR	—	C	
10H/0970058	Z.60667	**GASKET,** outlet	1	—	C	
10H/0970108	Z.62235	**GASKET,** union	1	—	C	
10H/0970062	CZ.49180	**OUTLET,** straight	1	—	C	
10H/0560300	CZ.49222	**PLUG,** free, Mk. 4, 6 way	1	—	C	
10H/0970088	Z.62229	**RING,** sealing	1	—	C	
10H/0970096	Z.49037	**RING,** thrust	1	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¾" long	5	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¾" long	5	—	C	
5K/9107068	EEAS.146/D1	**SLEEVE,** 1" long	2	—	C	
5X/7298	†	**TAG,** Q.R.	5	—	C	
	E.A9.81.1937	**CABLE, ASSEMBLY, NA14, FROM BOMB CONTROL UNIT TO CONSOLE JUNCTION PANEL ARMAMENT RELAYS** Consisting of:—	1	—	—	
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
4588	†	**CHANNEL,** rubber, 0·"25 long	1	E & I.652 SECT.1	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¾" long	4	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** 1" long	2	—	C	
5K/9107068	EEAS.146/D	**SLEEVE,** 1¼" long	1	—	C	
5X/755	†	**SOCKET,** type, M. 2 pin	1	—	B	
32B/498	†	**THREAD,** waxed linen, No. 18	QR	—	C	
	E.A9.81.1939	**CABLE, ASSEMBLY, NA15, FROM BOMB CONTROL UNIT TO BOMB AIMER'S CONTROL PANEL** Consisting of:—	1	—	—	
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
4588	†	**CHANNEL,** rubber 0·"75 long	2	E & I·652 SECT.1	C	
5X/846	†	**INSERT,** socket type M.	44	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¾" long	44	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5K/9107070	EEAS.146/H		**SLEEVE,** 1" long	2	—	C	
5K/9107071	EEAS.146/L		**SLEEVE,** 2" long	2	—	C	
5X/796	†		**SOCKET,** type M. 22 way	2	—	B	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	QR	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
	E.A9.81.1941		**CABLE, ASSEMBLY, NA16, FROM BOMB CONTROL UNIT TO BOMB AIMER'S CONTROL PANEL**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
4588	†		**CHANNEL,** rubber, 0·"75 long	2	E & 1·652 SECT.1	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	44	—	C	
5K/9107070	EEAS.146/H		**SLEEVE,** 1" long	2	—	C	
5K/9107071	EEAS.146/L		**SLEEVE,** 2" long	2	—	C	
5X/796	†		**SOCKET,** type M. 22 way	2	—	B	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	QR	—	C	
32B/498	†		**THREAD,** waxed linen No. 18	QR	—	C	
	E.A9.81.1943		**CABLE, ASSEMBLY, A23A, FROM ARMAMENT RELAY PANEL TO BOMB CONTROL PANEL**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
4587	†		**CHANNEL,** rubber, 0·"75 long	1	E & 1.652 SECT.2	C	
5X/9491421	Z.22431		**GROMMET,** Helsyn No. 3	1	—	C	
5X/846	†		**INSERT,** socket type M.	8	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	16	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	4	—	C	
5K/9107069	EEAS.146/E		**SLEEVE,** 1" long	1	—	C	
5K/9107071	EEAS.146/L		**SLEEVE,** 2" long	1	—	C	
5X/802	†		**SOCKET,** type M. 22 way	1	—	B	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	QR	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	8	—	C	
32B/498	†		**THREAD,** waxed linen No. 18	QR	—	C	
	E.A9.81.1945		**CABLE, ASSEMBLY, A23B, FROM ARMAMENT RELAY UNIT TO BOMB CONTROL UNIT**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
4588	†		**CHANNEL,** rubber 0·"5 long	1	E & 1.652 SECT.1	C	
5X/2784	Z.23671		**GROMMET,** Helsyn No. 1	1	—	C	
5X/846	†		**INSERT,** socket type M.	2	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	4	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** 1" long	4	—	C	
5K/9107068	EEAS.146/D		**SLEEVE,** 1" long	1	—	C	
5K/9107070	EEAS.146/H		**SLEEVE,** 1½" long	1	—	C	
5X/790	†		**SOCKET,** type M. 12 way	1	—	B	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	QR	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	2	—	C	
32B/498	†		**THREAD,** waxed linen No. 18	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.6243		**CABLE, ASSEMBLY, A23C, FROM ARMAMENT RELAY PANEL TO BOMB CONTROL UNIT (MOD. 4341 or 4343)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
4588	†		**CHANNEL,** rubber, 0·"38 long	1	E & I.652 SECT.1	C	
5X/9491421	Z.22431		**GROMMET,** Helsyn No. 3	1	—	C	
5X/846	†		**INSERT,** socket, type M.	6	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** ¾" long	QR	—	C	
5K/9107065	EEAS.146/20		**SLEEVE,** 1" long	QR	—	C	
5X/774	†		**SOCKET,** type M. 6 way	1	—	B	
5F/9454141	NY.18007A		**STRAPPING**	QR	—	C	
5F/9138822	NY.3342		**STUD**	QR	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	6	—	C	
32B/498	†		**THREAD,** waxed linen No. 18	QR	—	C	
	E.A9.81.1953		**CABLE, ASSEMBLY, A23G, FROM ARMAMENT RELAY UNIT TO PILOT'S PORT COAMING PANEL**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/2785	Z.22430		**GROMMET,** Helsyn No. 2	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	4	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** 1" long	2	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	4	—	C	
	E.A9.81.1957		**CABLE, ASSEMBLY, A23J, FROM ARMAMENT RELAY PANEL TO CAMERA OVERRUN CONTROL**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/2785	Z.22430		**GROMMET,** Helsyn No. 2	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	8	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	2	—	C	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	QR	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	4	—	C	
	E.A9.81.1959		**CABLE, ASSEMBLY, E23, FROM ARMAMENT RELAY UNIT TO EARTH CONNECTION**	1	—	—	
			Consisting of:—				
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5X/9400055	AS.2674		**FERRULE**	2	—	C	
5X/9491421	Z.22431		**GROMMET,** Helsyn No. 3	1	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** ¾" long	4	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	1	—	C	
5X/9450224	HC.510		**TAG,** Q.R.	2	—	C	
	E.A9.81.3619		**CABLE, ASSEMBLY, N64A, FROM T2, BOMB SIGHT, SIGHTING HEAD TO TERMINAL BLOCK (MOD. 2142)**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
10AD/9145218	AN.3057/6		**CLAMP,** cable	1	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¾" long	6	—	C	
5K/9107068	EEAS.146/D		**SLEEVE,** 1" long	2	—	C	
10H/	AN.3108-14S-1S		**SOCKET,** 3 way	1	—	—	
5X/9482491	HC.500		**TAG,** Q.R.	3	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.3621		**CABLE, ASSEMBLY, NA64B, FROM T/B, TO BOMB AIMER'S CONTROL PANEL (MOD. 2142)** Consisting of:—	1	—	—	
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
10AD/9145218	AN.3057-6		**CLAMP,** cable	1	—	C	
10H/	AN.3106-14S-1P		**PLUG,** 3 way	1	—	—	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	6	—	C	
5K/9107068	EEAS.146/D		**SLEEVE,** 1" long	2	—	C	
5X/9482491	HC.500		**TAG,** Q.R.	3	—	C	
	E.A9.81.5727		**CABLE, ASSEMBLY, NA54, FROM PILOT'S SWITCH PANEL TO L.A.B.S. DISTRIBUTION BOX (MOD. 3847)** (For A/C incorporating Mod. 2195) Consisting of:—	1	—	—	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/2788	Z.23672		**GROMMET,** No. 5	1	—	C	
5K/9107068	EEAS.146/2		**SLEEVE,** 1" long	QR	—	C	
5K/3367	EEAS.146/2		**SLEEVE,** 2" long	QR	—	C	
5K/9107065	EEAS.146/20		**SLEEVE,** ¼" long	QR	—	C	
5F/9454141	NY.18007A		**STRAP**	QR	—	C	
5F/9138822	NY.3342		**STUD**	QR	—	C	
5X/7363	HC.295		**TAG,** Q.R.	6	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	13	—	C	
	E.A9.81.6249		**CABLE, ASSEMBLY, NA54, FROM DISTRIBUTION BOX TO PORT COAMING PANEL, PILOT'S CONSOLE AND ARMAMENT RELAY UNIT (MOD. 4343)** (For A/C not incorporating Mod. 2195) Consisting of:—	1	—	—	
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/9491421	Z.22431		**GROMMET,** No. 3	1	—	C	
	MS.3108E-18-19P		**PLUG**	1	—	—	
5K/9107068	EEAS.146/2		**SLEEVE,** 1" long	QR	—	C	
5K/3367	EEAS.146/2		**SLEEVE,** 2" long	QR	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** 1" long	QR	—	C	
5K/9107065	EEAS.146/16		**SLEEVE,** ¼" long	QR	—	C	
5K/9107065	EEAS.146/20		**SLEEVE,** ¼" long	QR	—	C	
5K/4449	EEAS.146/20		**SLEEVE,** 1" long	QR	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	7	—	C	
	E.A9.81.6097		**CABLE, ASSEMBLY, N138, FROM L.A.B.S. DISTRIBUTION BOX TO PILOT'S CONSOLE AND LOCAL EARTH (MOD. 4330)** (For A/C incorporating Mod. 2195) Consisting of:—	1	—	—	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/9491421	Z.22431		**GROMMET,** No. 3	1	—	C	
5X/9400388	†		**LUG,** copper	2	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** 1" long	QR	—	C	
5K/9107066	EEAS.146/12		**SLEEVE,** 1" long	QR	—	C	
5K/9107065	EEAS.146/20		**SLEEVE,** ¾" long	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5F/9434858	HV.3254		**STRAP**	QR	—	C	
5F/9138823	NT.3255		**STUD**	QR	—	C	
5X/9450396	HC.490		**TAG**	8	—	C	
5X/9450224	HC.510		**TAG**	2	—	C	
	E.A9.81.4035		**CABLE, ASSEMBLY, NA47, FROM T145 SWITCH PANEL AND CONTROL UNIT TO DISTRIBUTION BOX (MOD. 2195) (PRE-MOD.4457)** Consisting of:—	1	—	—	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5E/4189	†		**CABLE,** Uninyvin 8	QR	—	C	
5X/9400056	AS.2675		**FERRULE**	1	—	C	
5CZ/3137	†		**LUG,** terminal No. 25	3	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** $\frac{3}{4}$" long	12	—	C	
5K/9107066	EEAS.146/B		**SLEEVE,** $\frac{3}{4}$" long	8	—	C	
5K/9107068	EEAS.146/D		**SLEEVE,** $\frac{3}{4}$" long	2	—	C	
5K/9107069	EEAS.146/E		**SLEEVE,** $\frac{3}{4}$" long	4	—	C	
5K/9107071	EEAS.146/L		**SLEEVE,** $\frac{3}{4}$" long	4	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	3	—	C	
5X/9482491	HC.500		**TAG,** Q.R.	3	—	C	
5X/9450224	HC.510		**TAG,** Q.R.	1	—	C	
5F/2037	†		**TUBING,** P.V.C. 0·"75 i/d.	QR	—	C	
5F/2143	†		**TUBING,** P.V.C. $\frac{1}{4}$" i/d.	QR	—	C	
	E.A9.81.6375		**CABLE, ASSEMBLY, NA47, FROM WEAPON TO A.M.A.C. DISTRIBUTION BOX (MOD. 4457)** (For A/C incorporating Mod. 2195) Consisting of:—	1	—	—	
5E/4189	†		**CABLE,** Uninyvin 8	QR	—	C	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/9400056	AS.2675		**FERRULE**	1	—	C	
5K/3946	SR.2032		**GROMMET**	1	—	C	
5X/	CANNON MS.3108E-12S-3P		**PLUG**	1	—	—	
5K/9107068	EEAS.146/2		**SLEEVE,** 1" long	QR	—	C	
5K/3367	EEAS.146/2		**SLEEVE,** 2" long	QR	—	C	
5K/9107067	EEAS.146/8		**SLEEVE,** 1" long	QR	—	C	
5K/9107066	EEAS.146/12		**SLEEVE,** 1" long	QR	—	C	
5K/9107065	EEAS.146/16		**SLEEVE,** $\frac{3}{4}$" long	QR	—	C	
5K/4446	EEAS.146/16		**SLEEVE,** 2" long	QR	—	C	
5K/9107065	EEAS.146/20		**SLEEVE,** $\frac{3}{4}$" long	QR	—	C	
5F/9454141	NY.18007A		**STRAP**	QR	—	C	
5F/9138822	NY.3342		**STUD**	QR	—	C	
5X/9462957	HC.316A		**TAG**	3	—	C	
5X/9450396	HC.490		**TAG**	3	—	C	
5X/9482491	HC.500		**TAG**	3	—	C	
5X/9450224	HC.510		**TAG**	1	—	C	
	E.A9.81.4037		**CABLE, ASSEMBLY, N106, FROM DISTRIBUTION BOX TO MAIN ELECTRICAL PANEL (MOD. 2195) (PRE. MOD. 3234)** Consisting of:—	1	—	—	
28D/1214865	AS.1246/2B		**BOLT,** 4 BA	8	—	C	
5X/7254	SR.3840		**BUNG,** pressure	1	—	C	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5E/4189	†		**CABLE,** Uninyvin 8	QR	—	C	
5X/9400056	AS.2675		**FERRULE**	5	—	C	
33519	E.A9.81.3531		**GASKET**	1	—	C	
5X/2788	Z.23672		**GROMMET,** Helsyn No. 5	1	—	C	
5X/6706	4402/K		**HOUSING**	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5X/9400083	Z.70017		**LUG,** crimping No. 17	2	—	C	
5X/9400084	Z.70018		**LUG,** crimping, No 18	3	—	C	
28M/10278	AGS.2001/B/1		**NUT,** 4 BA	8	—	C	
5K/9107066	EEAS.146/12		**SLEEVE**	2	—	C	
5K/9107067	EEAS.146/6		**SLEEVE**	7	—	C	
5K/9107069	EEAS.146/00		**SLEEVE**	4	—	C	
5X/9450224	HC.510		**TAG,** Q.R.	2	—	C	
5F/2036	†		**TUBING,** P.V.C. 0·"25 i/d.	QR	—	C	
28W/9419465	SP.13/B		**WASHER**	8	—	C	
	E.A9.81.5373		**CABLE, ASSEMBLY, N106, FROM DISTRIBUTION BOX TO MAIN ELECTRICAL PANEL (MOD. 3234)** Spares for this assembly are identical with those for assembly Part No. E.A9.81.4037 on page 281	1	—	—	
	E.A9.81.6047		**CABLE, ASSEMBLY, N140, FROM WEAPON PANEL CABLE ASSEMBLY N111E TO L.A.B.S. DISTRIBUTION BOX (MOD. 4330)** (For A/C incorporating Mod. 2195) Consisting of:—	1	—	—	
5X/10843	AN.342D-28		**BUSHING**	1	—	C	
5E/4188	†		**CABLE,** Uninyvin 10	QR	—	C	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5X/10844	MS.3057-28A		**CLAMP,** cable	1	—	C	
5X/9400056	AS.2675		**FERRULE**	1	—	C	
5X/9453964	SP.40/A22		**GROMMET**	2	—	C	
5X/10773	PS.418943		**PIN,** contact	1	—	C	
5X/7748	PS.22025		**PIN,** contact	24	—	C	
5X/7749	PS.22040		**PIN,** contact	22	—	C	
5X/8975	HAN3106E-40-9P-9099 Type 2		**PLUG**	1	—	C	
5X/8474	PC.14020		**PLUG,** filler	7	—	C	
5X/10497	PC.14031		**PLUG,** filler	3	—	C	
5K/9107066	EEAS.146/10		**SLEEVE,** 1" long	QR	—	C	
5K/9107066	EEAS.146/12		**SLEEVE,** 1" long	QR	—	C	
5K/9107065	EEAS.146/16		**SLEEVE,** ¾" long	QR	—	C	
5K/9107066	EEAS.146/B		**SLEEVE,** 1" long	QR	—	C	
5K/9140109	EEAS.146/B		**SLEEVE,** 1½" long	QR	—	C	
5F/9434858	HV.3254		**STRAP**	QR	—	C	
5F/9138823	NT.3255		**STUD**	26	—	C	
5X/9482491	HC.500		**TAG**	17	—	C	
5X/9450224	HC.510		**TAG**	19	—	C	
	E.A9.81.6213		**CABLE, ASSEMBLY, N141, FROM ARMAMENT RELAY UNIT, PORT COAMING AND ARMAMENT PANEL (BOMBER) PLUG BREAK TO A.M.A.C. DISTRIBUTION BOX (MOD. 4341)** (For A/C incorporating Mod. 2195) Consisting of:—	1	—	C	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/2787	Z.22432		**GROMMET,** No. 4	1	—	C	
5K/9107068	EEAS.146/2		**SLEEVE,** 1" long	QR	—	C	
5K/3367	EEAS.146/2		**SLEEVE,** 2" long	QR	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** 1" long	QR	—	C	
5K/9107066	EEAS.146/12		**SLEEVE,** 1" long	QR	—	C	
5K/9107065	EEAS.146/20		**SLEEVE,** ¾" long	QR	—	C	
5F/9454141	NY.18007A		**STRAP**	QR	—	C	
5F/9138822	NY.3342		**STUD**	QR	—	C	
5X/9450396	HC.490		**TAG**	17	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.4049	**CABLE, ASSEMBLY, N137, FROM BOMB BAY CARRIER JUNCTION BOX TO STOWAGE CLAMPS (MOD. 2195)**	1	—	—	
		Consisting of:—				
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
5E/4188	†	**CABLE,** Uninyvin 10	QR	—	C	
10AD/9145217	AN.3057–16A	**CLAMP,** cable	1	—	C	
10AD/4136	AN.3057/24A	**CLAMP,** cable	1	—	C	
10AD/	AN.3057/28A	**CLAMP,** cable	1	—	—	
33H/2202125	†	**COMPOUND,** Bostik, sealing No. 1790 ...	QR	—	C	
10N/	AN.3101B–36–9P	**PLUG**	1	—	—	
10H/	AN.3101B–28–20P HELLERMANN	**PLUG**	1	—	—	
5K/	P.12	**SLEEVE,** ¾" long	3	—	—	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¾" long	34	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** ¾" long	38	—	C	
5K/9107071	EEAS.146/K	**SLEEVE,** 1" long	4	—	C	
10H/	AN.3106A–40–9S	**SOCKET**	1	—	—	
32B/498	†	**THREAD,** waxed linen No. 18	QR	—	C	
5F/2037	†	**TUBING,** P.V.C. ¼" i/d.	QR	—	C	
5F/9152733	†	**TUBING,** P.V.C. 1¼" i/d.	QR	—	C	
5F/2047	†	**TUBING,** P.V.C. ⅞" i/d.	QR	—	C	
	E.A9.81.4313	**CABLE, ASSEMBLY, FA68, FROM FUSE CHARGE UNIT TO BOMB BAY CARRIER (MOD. 2195)**	1	—	—	
		Consisting of:—				
5E/9100022	†	**CABLE,** Miniature 6C	QR	—	C	
10H/0970059	Z.60668	**GASKET,** outlet	2	—	C	
10H/0970108	CZ.62235	**GASKET,** union	2	—	C	
10H/19104	CZ.49184	**OUTLET,** straight	2	—	C	
10H/0560350	CZ.53157	**PLUG,** free 6 way	1	—	C	
10H/0970102	CZ.49040	**RING,** compression	2	—	C	
10H/0970096	CZ.49037	**RING,** thrust	2	—	C	
10H/0970114	CZ.62240	**SLEEVE,** cable	2	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¾" long	12	—	C	
5K/9107068	EEAS.146/D1	**SLEEVE,** ¾" long	4	—	C	
10H/0560170	CZ.50142	**SOCKET,** free 6 way	1	—	C	
	E.A9.81.4315	**CABLE, ASSEMBLY, FA69, FROM FUSE CHARGE UNIT TO BOMB BAY CARRIER (MOD. 2195)**	1	—	—	
		Consisting of:—				
5E/9100022	†	**CABLE,** Miniature 6C	QR	—	C	
10H/0970059	Z.60668	**GASKET,** outlet	2	—	C	
10H/0970108	CZ.62235	**GASKET,** union	2	—	C	
10H/19104	CZ.49184	**OUTLET,** straight	2	—	C	
10H/0560351	CZ.53157/1	**PLUG,** free 6 way	1	—	B	
10H/0970102	CZ.49040	**RING,** compression	2	—	C	
10H/0970096	CZ.49037	**RING,** thrust	2	—	C	
10H/0970114	CZ.62240	**SLEEVE,** cable	2	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¾" long	12	—	C	
5K/9107068	EEAS.146/D	**SLEEVE,** ¾" long	4	—	C	
10H/0560171	CZ.50142/1	**SOCKET,** free, 6 way	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1	2	3	4	5	6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.6217							**CABLE, ASSEMBLY, NA51, NA52, NA53, N105, N107, N124, N125, N126, FROM ELECTRICAL CONTROL PANEL A.C. CONTROL UNIT A.M.A.C. DISTRIBUTION BOX TERMINAL BLOCK, FRAME 8 AND L.A.B.S. INDICATOR TO INVERTER RELAY PANEL, CONTROL PANEL, L.A.B.S. JUNCTION BOX AND L.A.B.S. CALIBRATOR (MOD. 4341)** (For A/C incorporating Mod. 2195) Consisting of:—	1	—	—	
28D/1214865	AS.1246/2B							**BOLT,** 4 BA	8	—	C	
5X/7253	SR.3807							**BUNG**	1	—	C	
5E/4187	†							**CABLE,** Uninyvin 12	QR	—	C	
5E/4185	†							**CABLE,** Uninyvin 16	QR	—	C	
5E/4183	†							**CABLE,** Uninyvin 20	QR	—	C	
5X/9400058	AS.2679							**FERRULE,** No. 9	2	—	C	
33519	E.A9.81.3531							**GASKET,** bung-housing	1	—	C	
5X/2784	Z.22634							**GROMMET,** No. 1	1	—	C	
5X/2787	Z.22432							**GROMMET,** No. 4	1	—	C	
5X/2789	Z.22433							**GROMMET,** No. 6	1	—	C	
5X/6706	4402K							**HOUSING**	1	—	C	
28M/10287	AGS.2001/B/1							**NUT,** 4 BA	8	—	C	
	CANNON MS.3018E-18-12P							**PLUG**	1	—	—	
5K/9107068	EEAS.146/2							**SLEEVE,** 1" long	QR	—	C	
5K/3367	EEAS.146/2							**SLEEVE,** 2" long	QR	—	C	
5K/9107067	EEAS.146/6							**SLEEVE,** 1" long	QR	—	C	
5K/3366	EEAS.146/6							**SLEEVE,** 2" long	QR	—	C	
5K/9107066	EEAS.146/12							**SLEEVE,** 1" long	QR	—	C	
5K/9107065	EEAS.146/16							**SLEEVE,** ¾" long	QR	—	C	
5K/9107065	EEAS.146/20							**SLEEVE,** ¾" long	QR	—	C	
5K/4449	EEAS.146/20							**SLEEVE,** 1" long	QR	—	C	
34355	E.A9.81.4555							**SOCKET,** assembly	1	—	C	
	CANNON MS.3106E10SL-4S							**SOCKET**	1	—	—	
	MS.3108E-20-27S							**SOCKET**	1	—	—	
5F/9454141	NY.18007A							**STRAP**	QR	—	C	
5F/9138822	NY.3342							**STUD**	QR	—	C	
5X/9450396	HC.490							**TAG**	19	—	C	
5X/9482491	HC.500							**TAG**	2	—	C	
5X/9450224	HC.510							**TAG**	2	—	C	
28W/9419465	SP.13/B							**WASHER**	8	—	C	
	E.A9.81.4539							**CABLE, ASSEMBLY, N139, FROM DISTRIBUTION BOX TO TIME MARKER BOX (MOD. 2549)** Consisting of:—	1	—	—	
5E/4183	†							**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†							**CABLE,** Uninyvin 16	QR	—	C	
33H/2202125	†							**COMPOUND,** Bostik, sealing No. 1790 ...	QR	—	C	
26DK/6014	EEAS.111/2							**FERRULE**	1	—	C	
5X.1524	Z.18500/B							**FERRULE,** size B	1	—	C	
10H/0970058	Z.60667							**GASKET,** outlet	1	—	C	
10H/0970060	Z.60669							**GASKET,** outlet	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5K/3946	2032	**GROMMET,** Helsyn	1	—	C	
10H/0970069	CZ.49181	**OUTLET,** angle	1	—	C	
10H/0970073	CZ.50784	**OUTLET,** angle	1	—	C	
5X/1529	Z.18501/A	**RING,** clamping	1	—	C	
5X/1531	Z.18501/B	**RING,** clamping	1	—	C	
10H/0970088	Z.62229	**RING,** sealing	1	—	C	
10H/0970092	Z.62232	**RING,** sealing	1	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** $\frac{3}{4}$" long	40	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE**	2	—	C	
5K/9107067	EEAS.146/C	**SLEEVE**	1	—	C	
5K/9107071	EEAS.146/J	**SLEEVE**	5	—	C	
10H/0560120	CZ.49017	**SOCKET,** free, 6 way	1	—	B	
10H/0560210	CZ.50794	**SOCKET,** free, 18 way	1	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	20	—	C	
5X/9482491	HC.500	**TAG,** Q.R.	1	—	C	
32B/498	†	**THREAD,** waxed linen, No. 18	QR	—	C	
5F/9013643	†	**TUBING,** P.V.C. $\frac{1}{16}$" i/d.	QR	—	C	
5F/2036	†	**TUBING,** P.V.C. $\frac{5}{16}$" i/d.	QR	—	C	
5F/2037	†	**TUBING,** P.V.C. $\frac{1}{4}$" i/d.	QR	—	C	
	E.A9.81.4553	**CABLE, ASSEMBLY, NA53A, FROM L.A.B.S. INDICATOR TO T/B (PRE. MOD. 2195) (MOD. 2142)**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5X/1529	Z.18501/A	**RING,** clamping	1	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** $\frac{3}{4}$" long	12	—	C	
5K/9107069	EEAS.146/F	**SLEEVE,** $\frac{3}{4}$" long	3	—	C	
34355	E.A9.81.4555	**SOCKET,** assembly	1	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	6	—	C	
	E.A9.81.4571	**CABLE, ASSEMBLY, A23D, FROM ARMAMENT RELAY UNIT TO CAMERA CONTROL TYPE 48 (MOD. 2342)**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
5X/2785	Z.22430	**GROMMET,** Helsyn No. 2	1	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** $\frac{3}{4}$" long	6	—	C	
5K/9107066	EEAS.146/B	**SLEEVE,** 1" long	1	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** 1" long	1	—	C	
5K/9107068	EEAS.146/D	**SLEEVE,** 1" long	1	—	C	
5X/1768	S.I.S.1083	**SOCKET,** camera, 3 way	1	—	B	
5CY/1951	W.9376-2	**SOCKET,** type R. No. 2 red	1	—	C	
5F/9434858	HV.3254	**STRAPPING**	QR	—	C	
5F/9138823	NT.3255	**STUD**	30	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	2	—	C	
5X/9482491	HC.500	**TAG,** Q.R.	2	—	C	
32B/498	†	**THREAD,** waxed linen, No. 18	QR	—	C	
5F/2025	†	**TUBING,** 7 m/m i/d.	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
39624	E.A9.81.4701/2		**CABLE, ASSEMBLY, NA21, FROM CAMERA CONTROL UNIT TO CONNECTION AT PRESSURE, BULKHEAD (MOD. 2342)** Consisting of:—	1	—	B	
5E/3079	†		**CABLE,** Quinpren 6	QR	—	C	
33H/56	†		**CEMENT,** Bostik No. 771	QR	—	C	
5X/240	Z.2277/2		**FERRULE,** cut	1	—	C	
5X/1005131	Z.49428		**SLEEVE,** adaptor	5	—	C	
5K/9107069	EEAS.146/E		**SLEEVE,** 1" long	2	—	C	
5X/1769	†		**SOCKET,** camera, 5 way	1	—	C	
5X/6196	CZ.50409		**SOCKET,** assembly, 5 way, size Z (Pre. Mod. 3382)	1	—	C	
5X/7197	2CZ.111451		**SOCKET,** assembly, 5 way, size Z (Mod. 3382) ...	1	—	C	
32B/498	†		**THREAD,** waxed linen No. 18	QR	—	C	
	E.A9.81.6035		**CABLE, ASSEMBLY, A1, FROM ARMAMENT RELAY UNIT TO SAFETY BREAK (MOD. 4330 or 4347)** Consisting of:—	1	—	—	
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
10H/0970294	CZ.69735		**CLAMP,** cable	1	—	C	
10H/9472444	2CZ.139115		**GASKET,** union	1	—	C	
5X/2787	Z.22432		**GROMMET,** No. 4	1	—	C	
26DK/12101	EEAS.276/B		**OUTLET,** adaptor	1	—	C	
10H/1051296	2CZ.139104		**RING,** sealing	1	—	C	
10H/0120240	Z.66473		**RING,** thrust	1	—	C	
5K/9107068	EEAS.146/2		**SLEEVE,** 1" long	QR	—	C	
5K/3367	EEAS.146/2		**SLEEVE,** 2" long	QR	—	C	
5K/9107065	EEAS.146/16		**SLEEVE,** ¾" long	QR	—	C	
5X/5805564	2CZ.111234		**SOCKET,** 9 way	1	—	C	
5F/9434858	HV.3254		**STRAP**	QR	—	C	
5F/9138823	NT.3255		**STUD**	10	—	C	
	E.A9.81.6381		**CABLE, ASSEMBLY, NA1, FROM SAFETY BREAK TO FUSE BOX (MOD. 4424)** Consisting of:—	1	—	—	
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
	HELLERMANN DEUTSCH						
10H/	0613-1-1601		**FILLER,** plug	3	—	—	
5X/2787	Z.22432		**GROMMET,** No. 4	1	—	C	
5K/9107068	EEAS.146/2		**SLEEVE,** 1" long	QR	—	C	
5K/3367	EEAS.146/2		**SLEEVE,** 2" long	QR	—	C	
5K/9107065	EEAS.146/16		**SLEEVE,** ¾" long	QR	—	C	
	HELLERMANN DEUTSCH						
10H/	466-18-11S-059		**SOCKET,** free	1	—	—	
5F/9434858	HV.3254		**STRAP**	QR	—	C	
5F/9138823	NT.3255		**STUD**	9	—	C	
5X/9482491	HC.500		**TAG,** Q.R.	8	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.4811	**CABLE, ASSEMBLY, NA12A, FROM ARMAMENT RELAY UNIT TO CONSOLE JUNCTION PANEL (MOD. 2383)** Consisting of:—	1	—	—	
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
18864	EEAS.111/3	**FERRULE**	2	—	C	
10H/0970059	Z.60668	**GASKET,** outlet	2	—	C	
10H/0970065	CZ.49182	**OUTLET,** straight	2	—	C	
10H/0560360	CZ.49458	**PLUG,** free 12 way	1	—	C	
5X/1530	Z.18501/Z	**RING,** clamping	2	—	C	
10H/0970091	Z.62231	**RING,** sealing	2	—	C	
5K/	EEAS.118/2/ NA12A	**SLEEVE,** identification	2	—	—	
5K/9107065	EEAS.146/A	**SLEEVE,** ¼" long	24	—	C	
10H/0560180	CZ.49126	**SOCKET,** free 12 way	1	—	C	
5F/2035	†	**TUBING,** P.V.C. 12·7 m/m i/d.	QR	—	C	
	E.A9.81.4813	**CABLE, ASSEMBLY, NA12B, FROM ARMAMENT RELAY UNIT TO CONSOLE JUNCTION BOX (MOD. 2383)** Consisting of:—	1	—	—	
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
18864	EEAS.111/3	**FERRULE**	2	—	C	
10H/0970059	Z.60668	**GASKET,** outlet	2	—	C	
10H/0970065	CZ.49182	**OUTLET,** straight	2	—	C	
10H/0560340	CZ.51329	**PLUG,** free, Mk. 4 4 way	1	—	C	
5X/1530	Z.18501/Z	**RING,** clamping	2	—	C	
10H/0970091	Z.62231	**RING,** sealing	2	—	C	
5K/	EEAS.118/2/ NA12B	**SLEEVE,** identification	2	—	—	
5K/9107065	EEAS.146/A	**SLEEVE,** ¼" long	8	—	C	
10H/0560160	CZ.51328	**SOCKET,** free, Mk. 4 4 way	1	—	C	
5F/2035	†	**TUBING,** P.V.C. ½" i/d.	QR	—	C	
	E.A9.81.4815	**CABLE, ASSEMBLY, NA10/NA11, BETWEEN CONNECTIONS OF R.P. FIRING UNIT (MOD. 2383)** Consisting of:—	1	—	—	
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
10H/0970292	CZ.69733	**CLAMP,** cable	1	—	C	
10H/0970295	CZ.69736	**CLAMP,** cable	1	—	C	
10H/0970058	Z.60667	**GASKET,** outlet	1	—	C	
10H/0970059	Z.60668	**GASKET,** outlet	1	—	C	
10H/0970108	Z.62235	**GASKET,** union	1	—	C	
10H/0970109	Z.62236	**GASKET,** union	1	—	C	
10H/19071	Z.49032	**OUTLET,** straight	1	—	C	
10H/	Z.51526	**OUTLET,** straight	1	—	—	
10H/0560470	CZ.49907	**PLUG,** coupler free, 12 way	1	—	C	
10H/0970088	Z.62229	**RING,** sealing	1	—	C	
10H/0970091	Z.62231	**RING,** sealing	1	—	C	
10H/0970096	Z.49037	**RING,** thrust	1	—	C	
10H/0970097	Z.51342	**RING,** thrust	1	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¼" long	8	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** 1" long	2	—	C	
10H/0560630	CZ.56259	**SOCKET,** coupler free, 6 way	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.4851		**CABLE, ASSEMBLY, NA6, FROM PORT FUSE PANEL TO ARMAMENT RELAY PANEL (MOD. 3327)** (For A/C incorporating Mod. 2142 and not incorporating Mod. 2195) Consisting of:—	1	—	—	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
	EEAS.111/5		**FERRULE**	1	—	—	
10H/0970059	Z.60668		**GASKET,** outlet	1	—	C	
5X/2787	Z.22432		**GROMMET,** Helsyn No. 4	1	—	C	
10H/19104	CZ.49184		**OUTLET,** straight	1	—	C	
5X/1530	Z.1850/Z		**RING,** clamping	1	—	C	
10H/0970088	Z.62229		**RING,** sealing	1	—	C	
5K/	EEAS.118/1/NA6		**SLEEVE,** identification	1	—	—	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	24	—	C	
5K/9107069	EEAS.146/F		**SLEEVE,** 1" long	1	—	C	
10H/0560182	CZ.49126/2		**SOCKET,** free Mk. 4, 12-way	1	—	C	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	6	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	12	—	C	
5F/2035	†		**TUBING,** P.V.C. 12·8 m/m/ i/d.	QR	—	C	
	E.A9.81.5759/2		**CABLE, ASSEMBLY, NA52, NA53, N105, N107, FROM TERMINAL BLOCK DISTRIBUTION BOX AND STARBOARD ELECTRICAL CONTROL PANEL TO L.A.B.S. CALIBRATOR, L.A.B.S. JUNCTION BOX INVERTER RELAY PANEL AND CONTROL PANEL (MOD. 3846)** (For A/C not incorporating Mod. 2195) Consisting of:—	1	—	—	
28D/1214865	AS.1246/2B		**BOLT,** 4 BA	8	—	C	
5X/7253	SR.3807		**BUNG,** pressure	1	—	C	
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/240	Z.2277/2		**FERRULE,** cut	1	—	C	
33519	E.A9.81.3531		**GASKET,** bung housing	2	—	C	
10H/0970058	Z.970058		**GASKET**	2	—	C	
10H/0970108	Z.970108		**GASKET**	2	—	C	
5X/6706	4402/K		**HOUSING**	1	—	C	
28M/10287	AGS.2001/B/1		**NUT,** 4 BA	8	—	C	
10H/0970062	Z.970062		**OUTLET,** straight	2	—	C	
	CANNON						
	MS.3106E-20-27P		**PLUG**	1	—	—	
	MS.3108E-18-12P		**PLUG**	1	—	—	
5X/7241	PC.14000		**PLUG,** filler	2	—	C	
10H/0970096	Z.970096		**RING,** thrust	2	—	C	
5K/9107068	EEAS.146/2		**SLEEVE,** 1" long	2	—	C	
5K/3367	EEAS.146/2		**SLEEVE,** 2" long	101	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** 1" long	14	—	C	
5K/3366	EEAS.146/6		**SLEEVE,** 2" long	218	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5K/9107065	EEAS.146/16	**SLEEVE,** ¼" long	5	—	C	
5K/4446	EEAS.146/16	**SLEEVE,** 2" long	2	—	C	
5K/9107065	EEAS.146/20	**SLEEVE,** ¾" long	28	—	C	
5K/4449	EEAS.146/20	**SLEEVE,** 1" long	6	—	C	
10H/0560100	Z.560100	**SOCKET**	2	—	C	
5X/6190	CZ.50400	**SOCKET** (Pre. Mod. 3382)	1	—	C	
5X/7175	2CZ.111233 CANNON	**SOCKET** (Mod. 3382)	1	—	C	
5X/	MS.3106E-20-5S	**SOCKET**	1	—	—	
10H/23036	MS.3108E-20-27S	**SOCKET**	1	—	C	
5X/9450396	HC.490	**TAG**	9	—	C	
28W/9419465	SP.13/B	**WASHER**	8	—	C	
	E.A9.81.6095	**CABLE, ASSEMBLY, N110, FROM L.A.B.S. DISTRIBUTION BOX TO PLUG BREAK (MOD. 4330) (PRE-MOD. 4457)** (For A/C incorporating Mod. 2195) Consisting of:—	1	—	—	
5X/11808	AN.3420(18220-8)	**BUSHING**	1	—	C	
5X/	AN.3420(18220-10)	**BUSHING**	1	—	—	
5X/	AN.3420(18220-12)	**BUSHING**	1	—	—	
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5X/2788	Z.23672	**GROMMET,** No. 5	1	—	C	
5K/5919	TC.4003-CRN-G	**SLEEVE**	1	—	C	
5K/9107069	EEAS.146/00	**SLEEVE,** 1" long	QR	—	C	
5K/3368	EEAS.146/00	**SLEEVE,** 2" long	QR	—	C	
5K/9107065	EEAS.146/20	**SLEEVE,** ¾" long	QR	—	C	
5K/4449	EEAS.146/20	**SLEEVE,** 1" long	QR	—	C	
10H/9997016	MS.3100E-24-28S	**SOCKET**	1	—	C	
5F/9434858	HV.3254	**STRAP**	QR	—	C	
5F/9138823	NT.3255	**STUD**	QR	—	C	
5X/9450396	HC.490	**TAG**	23	—	C	
	E.A9.81.6387	**CABLE, ASSEMBLY, N110, FROM A.M.A.C. DISTRIBUTION BOX TO PLUG BREAK (MOD. 4457)** (For A/C incorporating Mod. 2195) Spares for this assembly are identical to assembly Part No. E.A9.81.6095, except for the following deletion Delete:—	1	—	—	
5K/5919	TC.4003-CRN-G	**SLEEVE**	1	—	C	
	E.A9.81.6151	**CABLE, ASSEMBLY, NA49/50, FROM CABLE ASSEMBLY, N111F, AND DISTRIBUTION BOX TO CARRIER JUNCTION BOX (MOD. 4347)** (For A/C not incorporating Mod. 2195) Consisting of:—	1	—	—	
28D/1214865	AS.1246/2B	**BOLT,** 4 BA	8	—	C	
5X/6750	SR.3427	**BUNG,** pressure	1	—	C	
5X/10843	AN.3420-28	**BUSHING**	1	—	C	
5E/3900	†	**CABLE,** Unitersil 8	QR	—	C	
5E/3899	†	**CABLE,** Unitersil 10	QR	—	C	
5E/3898	†	**CABLE,** Unitersil 12	QR	—	C	
5E/3896	†	**CABLE,** Unitersil 16	QR	—	C	
5E/3894	†	**CABLE,** Unitersil 20	QR	—	C	
5X/10844	MS.3057-28A	**CLAMP,** cable	1	—	C	
5X/7545	HC.1352	**FERRULE**	1	—	C	
33264	E.A9.81.3533	**GASKET,** bung housing	1	—	C	
5X/6723	4400/K	**HOUSING**	1	—	C	
	418952	**INSERT** (Alternative to Part No. PS.418943) Ref. 5X/10773	1	—	—	
28M/1278189	AGS.2001/B/1	**NUT,** 4 BA	8	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	PS.24621 or	**PIN,** contact (Alternative to Part No. PS.418943)	1	—	—	
5X/10773	PS.418943	**PIN,** contact (Alternative to Part No. 418952 and PS. 24621)	1	—	C	
5X/7748	PS.22025	**PIN,** contact	24	—	C	
5X/7749	PS.22040	**PIN,** contact	22	—	C	
5X/7886	PC.14021	**PLUG,** filler	7	—	C	
5X/10497	PC.14031	**PLUG,** filler	3	—	C	
5X/	MS.3106E-22-27P	**PLUG**	1	—	—	
5X/8975	HAN.3106E-40-9P-9029 TYPE 2	**PLUG**	1	—	C	
5K/9107068	EEAS.146/2	**SLEEVE,** 1" long	QR	—	C	
5K/3367	EEAS.146/2	**SLEEVE,** 2" long	QR	—	C	
5K/9107067	EEAS.146/8	**SLEEVE,** 1" long	QR	—	C	
5K/9107066	EEAS.146/10	**SLEEVE,** 1" long	QR	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** 1" long	QR	—	C	
5K/9107065	EEAS.146/16	**SLEEVE,** ¾" long	QR	—	C	
5K/9107065	EEAS.146/20	**SLEEVE,** ¾" long	QR	—	C	
5K/	EEAS.146/B	**SLEEVE,** 2" long x 21 m/m i/d.	QR	—	—	
5X/	CD./191-245	**SLEEVE**	1	—	—	
5X/11316	MS.3106E-40-9S	**SOCKET**	1	—	C	
5X/8371	MS.3106E-22-27S	**SOCKET**	1	—	C	
5F/9434858	HV.3254	**STRAP**	QR	—	C	
5F/9138823	NT.3255	**STUD**	QR	—	C	
5X/11800	HC.5109	**TAG**	1	—	C	
28W/9419465	SP.13/B	**WASHER**	8	—	C	
	E.A9.81.6013	**CABLE, ASSEMBLY, NA49/50, FROM L.A.B.S. DISTRIBUTION BOX TO L.A.B.S. JUNCTION BOX A AND L.A.B.S. CARRIER (MOD. 4330)** For A/C incorporating Mod. 2195) Consisting of:—	1	—	—	
28D/1214865	AS.1246/2B	**BOLT,** 4 BA	8	—	C	
5X/6750	SR.3427	**BUNG,** pressure	1	—	C	
5E/3900	†	**CABLE,** Unitersil 8	QR	—	C	
5E/3899	†	**CABLE,** Unitersil 10	QR	—	C	
5E/3898	†	**CABLE,** Unitersil 12	QR	—	C	
5E/3896	†	**CABLE,** Unitersil 16	QR	—	C	
5E/3894	†	**CABLE,** Unitersil 20	QR	—	C	
33264	E.A9.81.3533	**GASKET,** bung pressure	1	—	C	
5X/2788	Z.23672	**GROMMET,** No. 5	1	—	C	
5X/6723	4400/K	**HOUSING,** pressure bung	1	—	C	
28M/1278189	AGS.2001/B/1	**NUT,** 4 BA	8	—	C	
10H/9992629	MS.3106E-28-20P	**PLUG**	1	—	C	
10H/9996082	MS.3106E-36-9P	**PLUG**	1	—	C	
5K/5919	TC.4003-CRN-G	**SLEEVE**	1	—	C	
5K/9107070	EEAS.146/0000	**SLEEVE,** 1" long	QR	—	C	
5K/9107069	EEAS.146/00	**SLEEVE,** 1" long	QR	—	C	
5K/9107068	EEAS.146/2	**SLEEVE,** 1" long	QR	—	C	
5K/9107067	EEAS.146/8	**SLEEVE,** 1" long	QR	—	C	
5K/9107066	EEAS.146/10	**SLEEVE,** 1" long	QR	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** 1" long	QR	—	C	
5K/9107065	EEAS.146/16	**SLEEVE,** ¾" long	QR	—	C	
5K/9107065	EEAS.146/20	**SLEEVE,** ¾" long	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	EEAS.146/B	**SLEEVE,** 1½" long and 2 m/m i/d.	QR	—	—	
	MS.3106E-22-27S	**SOCKET**	1	—	—	
5X/8578	MS.3106E-28-20S	**SOCKET**	1	—	—	
	MS.3106E-36-9S	**SOCKET**	1	—	—	
5F/9434858	HV.3254	**STRAP**	QR	—	C	
5F/9138823	NT.3255	**STUD**	QR	—	C	
5X/9450396	HC.490	**TAG**	5	—	C	
5X/9482491	HC.500	**TAG**	2	—	C	
	HC.5109	**TAG**	1	—	—	
28W/9419465	SP.13/B	**WASHER**	8	—	C	
	E.A9.81.10561	**CABLE, ASSEMBLY, NA413, FROM CAMERA CONTROL PANEL TO ARMAMENT RELAY UNIT (MOD. 2697)**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
5X/2788	Z.23672	**GROMMET,** Helsyn No. 5	1	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¾" long	18	—	C	
5K/9107069	EEAS.146/G	**SLEEVE,** 1" long	12	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	7	—	C	
5X/9482491	HC.500	**TAG,** Q.R.	3	—	C	
	E.A9.81.10563	**CABLE, ASSEMBLY, NA414, FROM CAMERA CONTROL PANEL INTERDICTOR SWITCH TO CONTROL COLUMN T/B MOD. 2697)**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¾" long	8	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** 1" long	24	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	4	—	C	
	E.A9.81.10565	**CABLE, ASSEMBLY, NA415, FROM ARMAMENT RELAY UNIT TO STARBOARD FUSE PANEL (MOD. 2697)**	1	—	—	
		Consisting of:—				
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
10H/0970293	CZ.69734	**CLAMP,** cable	2	—	C	
10H/0970058	Z.60667	**GASKET,** outlet	2	—	C	
10H/0970107	Z.62234	**GASKET,** union	2	—	C	
10H/0970061	CZ.49178	**OUTLET,** straight	2	—	C	
10H/0560270	CZ.49216	**PLUG,** free, Mk. 4, 2 way	1	—	C	
10H/0970087	Z.62228	**RING,** sealing	2	—	C	
10H/0970095	Z.49051	**RING,** thrust	2	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¾" long	4	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** 1" long	32	—	C	
10H/0560090	CZ.490/4	**SOCKET,** free, Mk. 4, 2 way	1	—	C	
40091	E.A9.81.10569	**CABLE, ASSEMBLY, NA412, FROM CAMERA CONTROLLER AND CAMERA CONTROL TERMINAL BLOCK TO F95 CAMERA MOTOR AND IRIS MOTOR (MOD. 2697)**	1	—	B	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
10H/0970292	CZ.69733	**CLAMP,** cable	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
10H/0970294	CZ.69735		**CLAMP,** cable	1	—	C	
10H/0970058	Z.60667		**GASKET,** outlet	2	—	C	
10H/0970059	Z60668		**GASKET,** outlet	1	—	C	
10H/0970108	Z.62235		**GASKET,** union	2	—	C	
10H/0970111	Z.62237		**GASKET,** union	1	—	C	
10H/0970069	CZ.49181		**OUTLET,** angle	2	—	C	
10H/0970072	CZ.49183		**OUTLET,** angle	1	—	C	
10H/0970088	Z.62229		**RING,** sealing	2	—	C	
10H/0970091	Z.62231		**RING,** sealing	1	—	C	
10H/0970096	Z.49037		**RING,** thrust	2	—	C	
10H/	S.616		**RING,** thrust	1	—	—	
5K/9107065	EEAS.146/A		**SLEEVE,** ¾" long	22	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	2	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	4	—	C	
5K/9107071	EEAS.146/J		**SLEEVE,** 1" long	2	—	C	
10H/0560120	CZ.49017		**SOCKET,** free, Mk. 4, 6 way	1	—	C	
10H/0560182	CZ.49126/2		**SOCKET,** free, Mk. 4, 12 way	1	—	C	
10H/0560521	CZ.49017/1		**SOCKET,** free, Mk. 4, 6 way	1	—	C	
5X/9482491	HC.500		**TAG,** Q.R.	1	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
5F/2034	†		**TUBING,** P.V.C. ⅛" i/d. x 1 m/m wall ...	QR	—	C	
5F/2036	†		**TUBING,** P.V.C. ⅝" i/d. x 1 m/m wall ...	QR	—	C	
	E.A9.81.6245		**CABLE, ASSEMBLY, NA44, FROM A.M.A.C. DISTRIBUTION BOX TO ARMAMENT RELAY UNIT (MOD. 4343)** (For A/C not incorporating Mod. 2195) Consisting of:—	1	—	C	
	AN.3420-4		**BUSHING,** telescoping	1	—	—	
	AN.3420-6		**BUSHING,** telescoping	1	—	—	
	AN.3420-8		**BUSHING,** telescoping	1	—	—	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
	AN.3057-10A		**CLAMP,** cable	1	—	—	
5X/9491421	Z.22431		**GROMMET,** No. 3	1	—	C	
	AN.3106-18-4P		**PLUG**	1	—	—	
5K/9107067	EEAS.146/6		**SLEEVE,** 1" long	QR	—	—	
5K/9107065	EEAS.146/20		**SLEEVE,** ¾" long	QR	—	C	
5X/9450396	HC.490		**TAG,**	4	—	C	
	E.A9.81.6247		**CABLE, ASSEMBLY, NA48, FROM A.M.A.C. DISTRIBUTION BOX TO ARMAMENT PANEL PLUG BREAK AND PILOT'S SWITCH PANEL (MOD. 4343)** (For A/C not incorporating Mod. 2195) Consisting of:—	1	—	—	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5K/9107068	EEAS.146/2		**SLEEVE,** 1" long	QR	—	C	
5K/3367	EEAS.146/2		**SLEEVE,** 2" long	QR	—	C	
5K/9107066	EEAS.146/12		**SLEEVE,** 1" long	QR	—	C	
5K/9107065	EEAS.146/20		**SLEEVE,** ¾" long	QR	—	C	
5K/4449	EEAS.146/20		**SLEEVE,** 1" long	QR	—	C	
5X/8164	MS.3106E-22-14S		**SOCKET**	1	—	C	
5F/9454141	NY.18007A		**STRAP**	QR	—	C	
5F/9138822	NY.3342		**STUD**	QR	—	C	
5X/7593	HC.294D		**TAG**	4	—	C	
5X/7316	HC.1187		**TAG**	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.6207		**CABLE, ASSEMBLY, N312, N313, FROM JUNCTION BOX 'B' TO ARMAMENT RELAY UNIT (MOD. 4341 or 4343)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/11355	AN.3057-4		**CLAMP**	1	—	C	
5X/12285	AN.3057/10		**CLAMP**	1	—	C	
5X/2785	Z.22430		**GROMMET,** No. 2	1	—	C	
5K/3367	EEAS.146/2		**SLEEVE,** 2" long	4	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** 1" long	QR	—	C	
5K/3366	EEAS.146/6		**SLEEVE,** 2" long	3	—	C	
5K/9107066	EEAS.146/12		**SLEEVE,** 1" long	QR	—	C	
5K/9107065	EEAS.146/20		**SLEEVE,** ¾" long	QR	—	C	
5X/	MS.3106A-12S-3S		**SOCKET**	1	—	—	
10H/23495	MS.3108A-18-1S		**SOCKET**	1	—	C	
5X/9450396	HC.490		**TAG**	4	—	C	
	E.A9.81.5479		**CABLE, ASSEMBLY, F301, FROM MAIN ELECTRICAL PANEL TO SAFETY LOCK JUNCTION BOX (MOD. 3731)**	1	—	—	
			Consisting of:—				
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5X/9491421	Z.22431		**GROMMET,** No. 3	1	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** 1" long	2	—	C	
5K/3366	EEAS.146/6		**SLEEVE,** 2" long	14	—	C	
5K/9107065	EEAS.146/16		**SLEEVE,** ¾" long	8	—	C	
5X/9482491	HC.500		**TAG**	8	—	C	
	E.A9.81.10979		**CABLE, ASSEMBLY, F302, FROM CONSOLE PANEL TO SAFETY LOCK JUNCTION BOX (MOD. 4466)**	1	—	—	
			Consisting of:—				
5X/8710	SR.26611		**BUNG,** pressure	1	—	C	
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/2788	Z.23672		**GROMMET,** No. 5	1	—	C	
5X/7571	4413C		**HOUSING,** pressure bung	1	—	C	
5K/9107069	EEAS.146/00		**SLEEVE,** 1" long	2	—	C	
5K/3368	EEAS.146/00		**SLEEVE,** 2" long	16	—	C	
5K/9107066	EEAS.146/12		**SLEEVE,** 1" long	6	—	C	
5K/9107065	EEAS.146/16		**SLEEVE,** ¾" long	6	—	C	
5K/9107065	EEAS.146/20		**SLEEVE,** ¾" long	12	—	C	
5X/7620	HC.304D		**TAG**	6	—	C	
5X/9450396	HC.490		**TAG**	6	—	C	
5X/9482491	HC.500		**TAG**	6	—	C	
	E.A9.81.10913		**CABLE, ASSEMBLY, NA434 (MOD. 4057)** ...	1	—	—	
			Consisting of:—				
5E/3113	†		**CABLE,** Duprensheath 6	QR	—	C	
5CY/2174	†		**SOCKET,** type R. No. 2 blue	1	—	C	
5D/534	†		**SWITCH,** firing	1	—	C	
	E.A9.81.10841		**CABLE, ASSEMBLY, E60, FROM F95 CAMERA CONTROL PANEL TO PORT FUSE PANEL (MOD. 2697)**	1	—	—	
			Consisting of:—				
5E/3896	†		**CABLE,** Unitersil 16	QR	—	C	
5K/4449	EEAS.146/16		**SLEEVE,** 1" long	3	—	C	
5X/9482491	HC.500		**TAG**	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
33266	E.A9.81.3563	**CABLE, ASSEMBLY, NA46, FROM DISTRIBUTION BOX TO T.145 CONTROL UNIT (PRE. MOD. 2195)**	1	—	B	
		Consisting of:—				
	E.A9.81.3953	**ADAPTOR**	1	—	—	
	E.A9.81.3955	**ADAPTOR**	1	—	—	
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
5E/4188	†	**CABLE,** Uninyvin 8	QR	—	C	
10AD/9145217	AN.3057-16A	**CLAMP**	2	—	C	
5X/9402101	AN.3106A-28-1P	**PLUG**	1	—	C	
5K/9107070	EEAS.146/0000	**SLEEVE,** 1" long	3	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	2	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** 1" long	12	—	C	
5K/9107065	EEAS.146/16	**SLEEVE,** ¼" long	4	—	C	
10H/9470364	AN.3108A-24-11S	**SOCKET**	1	—	C	
5F/2037	†	**TUBING,** insulated	QR	—	C	
33267	E.A9.81.3557	**CABLE, ASSEMBLY, NA47, FROM DISTRIBUTION BOX TO T.145 CONTROL UNIT (PRE. MOD. 2195)**	1	—	B	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
10AR/9438705	AN.3057-4A	**CLAMP**	2	—	C	
10H/9465513	AN.3106A-12S-3P	**PLUG**	2	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	3	—	C	
5K/9107065	EEAS.146/16	**SLEEVE,** ¼" long	4	—	C	
5F/9143294	†	**TUBING,** insulated	QR	—	C	
	E.A9.81.833	**LOOMS, CABLE, ASSEMBLY**	—	—	—	
		Spares for:—				
	E.A1.81.675/1	**CABLE, ASSEMBLY, 4C4, FROM UNDERCARRIAGE TERMINAL BLOCK TO NOSE-WHEEL DOORS SWITCH**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¼" long	2	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** ¾" long	2	—	C	
	E.A3.81.1969	**CABLE, ASSEMBLY, E34, FROM EARTH POINT, AIRFRAME, TO INVERTER NO. 4 TYPE 200**	1	—	—	
		Consisting of:—				
5E/4204	†	**CABLE,** Uninyvinmet 10	QR	—	C	
5K/1494	AGS.1600/B	**CABLE, END,** eye type 2 BA	1	—	C	
5K/1570	AGS.1600/C	**CABLE, END,** eye type ¼"	1	—	C	
5K/88	AGS.1658/1	**NUT,** gland	1	—	C	
5K/26	AGS.1651/3	**SLEEVE,** plain	1	—	C	
5K/9107068	EEAS.146/D	**SLEEVE,** ¾" long	1	—	C	
5K/9107068	EEAS.146/D1	**SLEEVE,** 1" long	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.103	**CABLE, ASSEMBLY, N91, FROM AC FUSE BOX TO T2 BOMBSIGHT HEAD (MOD. 1497)**	1	—	—	
		Consisting of:—				
5E/4199	†	**CABLE,** Uninyvinmetsheath 20	QR	—	C	
10AR/9729904	AN.30574	**CLAMP,** cable	1	—	C	
10H/0970078	Z.49041	**FERRULE,** inner	1	—	C	
10H/0970077	Z.49042	**FERRULE,** outer	1	—	C	
10H/0970058	Z.60667	**GASKET,** outlet	1	—	C	
10H/0970062	CZ.49180	**OUTLET,** straight	1	—	C	
10H/0560282	CZ.49218/2	**PLUG,** free, Mk. 4, 12 way	1	—	C	
10H/0970088	Z.62229	**RING,** sealing	1	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ½" long	3	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¾" long	2	—	C	
5K/9107068	EEAS.146/D	**SLEEVE,** 1" long	2	—	C	
10H/9457248	AN.3018-10SL-3S	**SOCKET,** 3 way	1	—	C	
	E.A9.81.1201/2	**CABLE, ASSEMBLY, N11, FROM JB11 TO STARBOARD FUSE PANEL**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5X/6413	EEAS.88/3	**FERRULE**	1	—	C	
18864	EEAS.111/3	**FERRULE**	1	—	C	
10H/0970059	Z.60668	**GASKET,** outlet	1	—	C	
10H/0970072	CZ.49183	**OUTLET,** angle	1	—	C	
10H/0560360	CZ.49458	**PLUG,** free, Mk. 4, 12 way	1	—	C	
5X/1531	Z.18501/B	**RING,** clamping	2	—	C	
10H/0970091	Z.62231	**RING,** sealing	1	—	C	
5X/1005131	Z.49428	**SLEEVE,** adaptor, 4-7A	12	—	C	
5K/	EEAS.118/3/N11	**SLEEVE,** identification	2	—	—	
5K/9107065	EEAS.146/A	**SLEEVE,** ¾" long	12	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¾" long	12	—	C	
5X/6193	CZ.50404	**SOCKET,** C size, 12 way (Pre. Mod. 3382) ...	1	—	C	
5X/7184	2CZ.111235	**SOCKET,** C size, 12 way (Mod. 3382) ...	1	—	C	
5F/2030	†	**TUBING,** P.V.C. 12·7 m/m i/d.	QR	—	C	
5F/2045	†	**TUBING,** P.V.C. 15·8 m/m i/d.	QR	—	C	
	E.A9.81.1205	**CABLE, ASSEMBLY, 11B, FROM JB11 TO ARMAMENT RELAY UNIT**	1	—	—	
		Consisting of:—				
5E/3079	†	**CABLE,** Quinpren 6	QR	—	C	
10H/0970058	Z.60667	**GASKET,** outlet	1	—	C	
10H/0970108	Z.62235	**GASKET,** union	1	—	C	
5X/9491421	Z.22431	**GROMMET,** Helsyn No. 3	1	—	C	
10H/0970062	CZ.49180	**OUTLET,** straight	1	—	C	
10H/0560300	CZ.49222	**PLUG,** free, Mk. 4, 6 way	1	—	C	
10H/0970096	Z.49037	**RING,** thrust	1	—	C	
10H/0970088	Z.62229	**RING,** sealing	1	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¾" long	4	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¾" long	4	—	C	
5K/9107068	EEAS.146/D1	**SLEEVE,** 1" long	2	—	C	
5X/7298	†	**TAG,** Q.R.	4	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.A9.81.1209		**CABLE, ASSEMBLY, 11D, FROM JB11 TO BOMB AIMER'S OXYGEN REGULATOR** Consisting of:—	1	—	—	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/2785	Z.22430		**GROMMET,** Helsyn No. 2	1	—	C	
5D/645	†		**PLUG,** type K, 3 way	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	2	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** 1" long	2	—	C	
5X/7298	†		**TAG,** Q.R.	2	—	C	
32B/498	†		**THREAD,** waxed linen No. 18	QR	—	C	
	E.A9.81.1211		**CABLE, ASSEMBLY, 11E, FROM JB11 TO 6 WAY TERMINAL BLOCK BRACKET ASSEMBLY, PORTSIDE FRAME A** Consisting of:—	1	—	—	
5E/3079	†		**CABLE,** Quinpren 6	QR	—	C	
5X/9491421	Z.22431		**GROMMET,** Helsyn, No. 3	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	10	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	2	—	C	
5X/7298	†		**TAG,** Q.R.	10	—	C	
	E.A9.81.1213		**CABLE, ASSEMBLY, 11E1, FROM 6 WAY TERMINAL BLOCK DIMMER SWITCH BRACKET ASSEMBLY FRAME A, TO BOMB AIMER'S OXYGEN INDICATOR** Consisting of:—	1	—	—	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	2	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	2	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** 1" long	2	—	C	
5X/7298	†		**TAG,** Q.R.	2	—	C	
	E.A9.81.1215		**CABLE, ASSEMBLY, 11G, FROM JB11 TO TERMINAL BLOCK A.M. AND BOMB AIMER'S CONTROL PANEL** Consisting of:—	1	—	—	
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
10AR/9729904	AN.3057-4		**CLAMP,** cable	1	—	C	
5X/9491421	Z.22431		**GROMMET,** Helsyn, No. 3	1	—	C	
5K/	EEAS.146/CX1		**SLEEVE,** cable	1	—	—	
5K/9107065	EEAS.146/A		**SLEEVE,** ½" long	2	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	2	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	4	—	C	
5K/9107066	EEAS.146/B		**SLEEVE,** 1" long	1	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	2	—	C	
105X/68	AN.3106-128-35		**SOCKET,** 2 way	1	—	C	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	6	—	C	
5X/9482491	HC.500		**TAG,** Q.R.	4	—	C	
	E.A9.81.1217/2		**CABLE, ASSEMBLY, N12, FROM STARBOARD FUSE PANEL TO JB12** Consisting of:—	1	—	—	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5X/1526	Z.18500/D		**FERRULE**	2	—	C	
5X/1533	Z.18501/D		**RING,** clamping	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5K/	EEAS.118/5/N12	**SLEEVE,** identification	2	—	—	
5X/1005131	Z.49428	**SLEEVE,** cable	32	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¼" long	48	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** ¼" long	4	—	C	
5X/6194	CZ.50405	**SOCKET,** D size, 26-way (Pre-Mod. 3382) ...	2	—	C	
5X/7192	2CZ/111238	**SOCKET,** D size, 26-way (Mod. 3382)	2	—	C	
5F/	†	**TUBING,** P.V.C. 25 m/m i/d.	QR	—	C	
	E.A9.81.1235/2	**CABLE, ASSEMBLY, N14, FROM STARBOARD FUSE PANEL TO JB14**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
5X/6413	EEAS.88/3	**FERRULE**	2	—	C	
5X/1531	Z.18501/B	**RING,** clamping	2	—	C	
5X/1005131	Z.49428	**SLEEVE,** cable	18	—	C	
5K/	EEAS.118/3/N14	**SLEEVE,** identification	2	—	—	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¼" long	24	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** ¼" long	4	—	C	
5X/6094	CZ.27918	**SOCKET,** C size, 14-way (Pre-Mod. 3382) ...	2	—	C	
5X/7185	2CZ/111236	**SOCKET,** C size, 14 way (Mod. 3382)	2	—	C	
5F/2045	†	**TUBING,** P.V.C. 15·8 m/m i/d.	QR	—	C	
	E.A9.81.1237	**CABLE, ASSEMBLY, 14A, FROM JB14 TO CABIN PRESSURE CONTROL VALVE**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5X/9491422	Z.22430	**GROMMET,** Helsyn No. 2	1	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¼" long	2	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¼" long	2	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** 1" long	2	—	C	
5X/9450396	HC.490	**TAG,** QR	2	—	C	
	E.A9.81.1239	**CABLE, ASSEMBLY, 14B, FROM JB14 TO PILOT'S OXYGEN REGULATOR**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5X/9491422	Z.22430	**GROMMET,** Helsyn, No. 2	1	—	C	
5D/645	E. & I. 7562	**PLUG,** type K, 3-way	1	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¼" long	2	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** 1" long	2	—	C	
5X/9450396	HC.490	**TAG,** QR	2	—	C	
32B/498	†	**THREAD,** waxed linen, No. 18	QR	—	C	
	E.A9.81.1241	**CABLE, ASSEMBLY, 14C, FROM JB14 TO I.L.S. SWITCH**	1	—	—	
		Consisting of:—				
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
5X/9491421	Z.22431	**GROMMET,** Helsyn No. 3	1	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** ¼" long	4	—	C	
5K/9107068	EEAS.146/D1	**SLEEVE,** 1" long	2	—	C	
5X/9450224	HC.510	**TAG,** QR	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. Off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.5927		**CABLE, ASSEMBLY, 14D, FROM JB14 TO SWITCH PANEL (MOD. 4320)**	1	—	—	
			Consisting of:—				
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/9491421	†		**GROMMET,** No. 3	1	—	C	
5K/9107067	EEAS.146/6		**SLEEVE**	QR	—	C	
5K/9107065	EEAS.146/16		**SLEEVE**	QR	—	C	
5K/9107065	EEAS.146/20		**SLEEVE**	QR	—	C	
5X/9718094	HC.295		**TAG**	1	—	C	
5X/7539	HC.305		**TAG**	3	—	C	
5X/9450396	HC.490		**TAG**	1	—	C	
5X/9482491	HC.500		**TAG**	3	—	C	
	E.A9.81.10987		**CABLE, ASSEMBLY, 13G, FROM ELEVATOR TUBE DETONATOR TERMINAL BLOCK TO JB13 (MOD. 4702)**	1	—	—	
			Consisting of:—				
	†		CABLE, Uniminyvin 12	QR	—	C	
5X/9491421	Z.22431		**GROMMET,** Helsyn No. 3	1	—	C	
5K/9107067	EEAS.146/6		**SLEEVE**	9	—	C	
5K/9107066	EEAS.146/12		**SLEEVE**	4	—	C	
5X/9450224	HC.510		**TAG,** QR	2	—	C	
	E.A9.81.1251		**CABLE, ASSEMBLY, 13H, FROM JB13 TO AILERON TRIM ACTUATOR AND TRIM TRANSMITTER**	1	—	—	
			Consisting of:—				
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5E/3079	†		**CABLE,** Quinpren 6	QR	—	C	
5X/9009937	Z.23672		**GROMMET,** Helsyn No. 5	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	8	—	C	
5K/9107068	EEAS.146/D		**SLEEVE,** 1" long	2	—	C	
5K/9107069	EEAS.146/F		**SLEEVE,** 1" long	1	—	C	
5F/9434857	HV.3341		**STRAPPING**	QR	—	C	
5F/9138822	NY.3342		**STUD**	QR	—	C	
5X/9450396	HC.490		**TAG,** QR	5	—	C	
5X/9482491	HC.500		**TAG,** QR	3	—	C	
	E.A9.81.1261		**CABLE, ASSEMBLY, N22, FROM STARBOARD FUSE PANEL TO CONSOLE JUNCTION PANEL**	1	—	—	
			Consisting of:—				
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
	EEAS.111/5		**FERRULE,** conduit	2	—	—	
10H/0970059	Z.60668		**GASKET,** outlet	2	—	C	
10H/0970070	CZ.51529		**OUTLET,** angle (...	1	—	C	
10H/0970063	CZ.51528		**OUTLET,** straight	1	—	C	
10H/0560340	CZ.51329		**PLUG,** free, Mk. 4, 4-way	1	—	C	
5X/1530	Z.18501/Z		**RING,** clamping	2	—	C	
10H/0970089	Z.62230		**RING,** sealing	2	—	C	
5K/	EEAS.118/2/N22		**SLEEVE,** identification	2	—	—	
5K/9107067	EEAS.146/C		**SLEEVE,** ¾" long	8	—	C	
10H/0560160	CZ.51328		**SOCKET,** free, Mk. 4, 4-way	1	—	C	
5F/2030	†		**TUBING,** P.V.C., 12·7 m/m i/d.	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.A9.81.1263		**CABLE, ASSEMBLY, N23, FROM STARBOARD FUSE PANEL TO CONSOLE JUNCTION PANEL**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/1548	Z.18764.B		**FERRULE,** size B	2	—	C	
10H/0970060	Z.60669		**GASKET,** outlet	2	—	C	
10H/20435	CZ.64165		**OUTLET,** angle	1	—	C	
10H/20436	CZ.64133		**OUTLET,** straight	1	—	C	
10H/0560400	CZ.49228		**PLUG,** free Mk. 4, 25 way	1	—	C	
5X/1532	Z.18501/C		**RING,** clamping	2	—	C	
10H/0970092	Z.62232		**RING,** sealing	2	—	C	
5K/	EEAS.118/4/N23		**SLEEVE,** identification	2	—	—	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	50	—	C	
10H/0560220	CZ.49070		**SOCKET,** free, Mk. 4, 25 way	1	—	C	
5F/2115	†		**TUBING,** P.V.C. 19 m/m i/d.	QR	—	C	
24238	E.A9.81.1275		**CABLE, ASSEMBLY, N34, FROM MID-REMOVABLE PANEL TO FUEL C/B PANEL**	1	—	B	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
10H/	CZ.59317		**CLAMP,** cable	1	—	—	
10H/0970059	Z.60668		**GASKET,** outlet	1	—	C	
10H/0970111	Z.62237		**GASKET,** union	1	—	C	
5X/	12402		**LUG,** crimping	10	—	—	
10H/0970065	CZ.49182		**OUTLET,** straight	1	—	C	
10H/0970091	Z.62231		**RING,** sealing	1	—	C	
	E.A9.81.3039		**RING,** thrust	1	—	—	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	10	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	10	—	C	
5K/9107069	EEAS.146/E		**SLEEVE,** 1" long	2	—	C	
10H/0560850	CZ.56745		**SOCKET,** coupler, 12 way	1	—	C	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	5	—	C	
	E.A9.81.1283		**CABLE, ASSEMBLY, N42, FROM FUEL C/B PANEL (PILOT'S STARBOARD PANEL TO FUEL PUMP TEST PANEL**	1	—	—	
			Consisting of:—				
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
33H/56	†		**CEMENT,** Bostik	QR	—	C	
5X/9400388	Z.77862		**LUG,** crimping	10	—	C	
5K/96	AGS.1658/5		**NUT,** gland	1	—	C	
5K/32	AGS.1651/9		**SLEEVE,** slotted	1	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** ¼" long	20	—	C	
5K/9107070	EEAS.146/H		**SLEEVE,** 1" long	2	—	C	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	2	—	C	
5X/9450224	HC.510		**TAG,** Q.R.	10	—	C	
32B/498	†		**THREAD,** waxed linen No. 18	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.A9.81.1285		**CABLE, ASSEMBLY, N43, FROM FUEL CONTROL PANEL TO FUEL PUMP TEST PANEL**	1	—	—	
			Consisting of:—				
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
33H/56	†		**CEMENT,** Bostik	QR	—	C	
5K/100	AGS.1658/7		**NUT,** gland	1	—	C	
5K/7	AGS.1651/10		**SLEEVE,** slotted	1	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	20	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	20	—	C	
5K/9107070	EEAS.146/H		**SLEEVE,** 1" long	2	—	C	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	1	—	C	
5X/9482491	HC.500		**TAG,** Q.R.	20	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
	E.A9.81.1293/2		**CABLE, ASSEMBLY, N51, FROM DC CONTROL UNIT TO STARBOARD ELECTRICAL CONTROL PANEL**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5X/1526	Z.18500/D		**FERRULE**	2	—	C	
5X/1533	Z.18501/D		**RING,** clamping	2	—	C	
5X/1005131	Z.49428		**SLEEVE,** cable	40	—	C	
5K/	EEAS.118/5/N51		**SLEEVE,** identification	2	—	—	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	48	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** ¼" long	4	—	C	
5X/6194	CZ.50405		**SOCKET,** D size, 26 way (Pre. Mod. 3382) ...	2	—	C	
5X/7182	2CZ.111238		**SOCKET,** D size, 26 way (Mod.3382)	2	—	C	
5F/	†		**TUBING,** P.V.C. 25 m/m i/d.	QR	—	—	
	E.A9.81.1295/2		**CABLE, ASSEMBLY, N52, FROM STARBOARD ELECTRICAL CONTROL PANEL TO CONSOLE JUNCTION PANEL**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/6417	EEAS.88/2		**FERRULE**	2	—	C	
5X/1530	Z.18501/Z		**RING,** clamping	2	—	C	
5X/1005131	Z.49428		**SLEEVE,** cable	18	—	C	
5K/	EEAS.118/2/N52		**SLEEVE,** identification	2	—	—	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	18	—	C	
5X/	CZ.50401		**SOCKET,** size B, 9 way (Pre. Mod. 3382) ...	2	—	C	
5X/5805564	2CZ.111234		**SOCKET,** size B, 9 way (Mod. 3382)	2	—	C	
5F/2030	†		**TUBING,** P.V.C. 12·7 m/m i/d.	QR	—	C	
	E.A9.81.1301/2		**CABLE, ASSEMBLY, N55, FROM STARBOARD ELECTRICAL CONTROL PANEL TO TEDDINGTON TIME SWITCH NO. 1**	1	—	—	
			Consisting of:—				
5E/3079	†		**CABLE,** Quinpren 6	QR	—	C	
33H/56	†		**CEMENT,** Bostik	QR	—	C	
5X/240	Z.2277/2		**FERRULE,** cut	1	—	C	
5X/1373	Z.11394/2		**FERRULE,** cut	1	—	C	
5X/1005131	Z.49428		**SLEEVE,** cable	10	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5K/9107066	EEAS.146/A1	**SLEEVE,** ¾" long	10	—	C	
5K/9107068	EEAS.146/D1	**SLEEVE,** 1" long	2	—	C	
5X/6190	CZ.50400	**SOCKET,** size Z, 5 way (Pre. Mod. 3382) ...	1	—	C	
5X/6191	CZ.50401	**SOCKET,** size B, 9 way (Pre. Mod. 3382 ...	1	—	C	
5X/7175	2CZ.111233	**SOCKET,** size Z, 5 way (Mod. 3382	1	—	C	
5X/5805564	2CZ.111234	**SOCKET,** size B, 9 way (Mod. 3382)	1	—	C	
32B/498	†	**THREAD,** waxed linen No. 18	QR	—	C	
	E.A9.81.1303/2	**CABLE, ASSEMBLY, N56, FROM STARBOARD ELECTRICAL CONTROL PANEL TO TEDDINGTON TIME SWITCH NO. 2**	1	—	—	
		Consisting of:—				
5E/3079	†	**CABLE,** Quinpren 6	QR	—	C	
33H/56	†	**CEMENT,** Bostik	QR	—	C	
5X/240	Z.2277/2	**FERRULE,** cut	1	—	C	
5X/1373	Z.11394/2	**FERRULE,** cut	1	—	C	
5X/1005131	Z.49428	**SLEEVE,** cable	10	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¾" long	10	—	C	
5K/9107068	EEAS./146/D1	**SLEEVE,** 1" long	2	—	C	
5X/6190	CZ.50400	**SOCKET,** size Z, 5 way (Pre. Mod. 3382) ...	1	—	C	
5X/6191	CZ.50401	**SOCKET,** size B, 9 way (Pre. Mod. 3382 ...	1	—	C	
5X/7175	2CZ.111233	**SOCKET,** size Z, 5 way (Mod. 3382	1	—	C	
5X/5805564	2CZ.111234	**SOCKET,** size B, 9 way (Mod. 3382)	1	—	C	
32B/498	†	**THREAD,** waxed linen No. 18	QR	—	C	
	E.A9.81.1315	**CABLE, ASSEMBLY, 60A, FROM PORT FUSE BOX TO BOMBSIGHT B4 SUPPRESSOR**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
33H/56	†	**CEMENT,** Bostik	QR	—	C	
5X/2785	Z.22430	**GROMMET,** Helsyn No. 2	1	—	C	
5K/87	AGS.1658/0	**NUT,** gland	1	—	C	
5K/36	AGS.1652/1	**SLEEVE,** oval	1	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¾" long	2	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¾" long	2	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** 1" long	2	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	2	—	C	
32B/498	†	**THREAD,** waxed linen No. 18	QR	—	C	
24343	E.A9.81.1317	**CABLE, ASSEMBLY, 60A1, FROM T2 BOMB-SIGHT COMPUTOR TO B4 SUPPRESSOR**	1	—	B	
		Consisting of:—				
5E/4199	†	**CABLE,** Uninyvinmetsheath 20	QR	—	C	
10AR/4860	AN.3057/8	**CLAMP,** cable	1	—	C	
5K/87	AGS.1658/0	**NUT,** gland	1	—	C	
5K/59	AGS.1655/1	**SLEEVE,** inner	1	—	C	
5K/62	AGS.1656/1	**SLEEVE,** outer	1	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¾" long	2	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ½" long	2	—	C	
5K/9107068	EEAS.146/D	**SLEEVE,** 1" long	2	—	C	
10H/	AN.3106-16S-4S	**SOCKET,** 2 way	1	—	—	
5K/201	†	**STRAP,** trimmed copper 0·"005 x 0·"75 ...	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.1319		**CABLE, ASSEMBLY, N70, FROM AC FUSE BOX TO CONNECTION AT PRESSURE BULKHEAD** Consisting of:—	1	—	—	
5E/9100032	†		**CABLE,** Miniature 12C	QR	—	C	
10H/0970059	Z.60668		**GASKET,** outlet	2	—	C	
10H/0970111	Z.62237		**GASKET,** union	2	—	C	
10H/0970065	CZ.49182		**OUTLET,** straight	2	—	C	
10H/0560361	CZ.49458/1		**PLUG,** free, Mk. 4, 12 way	1	—	C	
10H/0970105	Z.49147		**RING,** compression	2	—	C	
10H/0970099	Z.54092		**RING,** thrust	2	—	C	
10H/0970115	Z.62241		**SLEEVE,** cable	2	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¾" long	24	—	C	
5K/9107069	EEAS.146/F		**SLEEVE,** 1" long	2	—	C	
10H/0560181	CZ.49126/1		**SOCKET,** free, Mk. 4, 12 way	1	—	C	
	E.A9.81.10811		**CABLE, ASSEMBLY, N71, FROM SUPPRESSOR PANEL AND TERMINAL BLOCK A.M. TO CONNECTION AT PRESSURE BULKHEAD (MOD. 3722)** Consisting of:—	1	—	—	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
33H/56	†		**CEMENT,** Bostik	QR	—	C	
10H/0970292	CZ.69733		**CLAMP,** cable	1	—	C	
5K/3472	G.157/1		**CONE,** sleeve sealing	1	—	C	
5K/26	AGS.1651/3		**FERRULE,** cut	1	—	C	
10H/0970058	Z.60667		**GASKET,** outlet	1	—	C	
10H/0970108	Z.62235		**GASKET,** union	1	—	C	
5K/88	AGS.1658/1		**NUT,** gland	1	—	C	
5K/3564	G.172/1		**NUT,** union	1	—	C	
10H/0970062	CZ.49180		**OUTLET,** straight	1	—	C	
10H/0970088	Z.62229		**RING,** sealing	1	—	C	
10H/0970096	Z.49037		**RING,** thrust	1	—	C	
5K/9107065	EEAS.146/16		**SLEEVE,** ¾" long	10	—	C	
5K/9107066	EEAS.146/12		**SLEEVE,** 1" long	1	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** 1" long	4	—	C	
10H/0560120	CZ.49017		**SOCKET,** free, Mk. 4, 6 way	1	—	C	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	10	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	1	—	C	
32B/498	†		**THREAD,** waxed linen No. 18	QR	—	C	
5K/3516	G.71/1		**WASHER**	1	—	C	
	E.A9.81.1323		**CABLE, ASSEMBLY, N72, FROM AC FUSE BOX TO CONNECTION AT PRESSURE BULKHEAD** Consisting of:—	1	—	—	
5E/9100007	†		**CABLE,** Miniature 2Q	QR	—	C	
10H/0970076	Z.49047		**FERRULE,** inner	2	—	C	
10H/0970075	Z.49048		**FERRULE,** outer	2	—	C	
10H/0970058	Z.60667		**GASKET,** outlet	2	—	C	
10H/0970061	CZ.49178		**OUTLET,** straight	2	—	C	
10H/0560270	CZ.49216		**PLUG,** free, Mk. 4, 2 way	1	—	C	
10H/0970087	Z.62228		**RING,** sealing	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5K/9107067	EEAS.146/C	**SLEEVE,** ¾" long	4	—	C	
5K/9107069	EEAS.146/E	**SLEEVE,** 1" long	2	—	C	
10H/0560090	CZ.49014	**SOCKET,** free, Mk. 4, 2 way	1	—	C	
	E.A9.81.1325	**CABLE, ASSEMBLY, N73, FROM AC CONTROL UNIT TO CONNECTION AT PRESSURE BULKHEAD**	1	—	—	
		Consisting of:—				
5E/9100007	†	**CABLE,** Miniature 2Q	QR	—	C	
10H/0970076	Z.49047	**FERRULE,** inner	2	—	C	
10H/0970075	Z.49048	**FERRULE,** outer	2	—	C	
10H/0970058	Z.60667	**GASKET,** outlet	2	—	C	
10H/0970068	CZ.49179	**OUTLET,** angle	1	—	C	
10H/0970061	CZ.49178	**OUTLET,** straight	1	—	C	
10H/0560271	CZ.49216/1	**PLUG,** free, Mk. 4, 2 way	1	—	C	
10H/0970087	Z.62228	**RING,** sealing	2	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** ¾" long	4	—	C	
5K/9107069	EEAS.146/E	**SLEEVE,** 1" long	2	—	C	
10H/0560090	CZ.49014	**SOCKET,** free, Mk. 4, 2 way	1	—	C	
	E.A9.81.1327	**CABLE, ASSEMBLY, N74, FROM AC FUSE BOX TO CONNECTION AT PRESSURE BULKHEAD**	1	—	—	
		Consisting of:—				
5E/4199	†	**CABLE,** Uninyvinmetsheath 12	QR	—	C	
10H/0970078	Z.49041	**FERRULE,** inner	2	—	C	
10H/0970077	Z.49042	**FERRULE,** outer	2	—	C	
10H/0970058	Z.60667	**GASKET,** outlet	2	—	C	
10H/0970062	CZ.49180	**OUTLET,** straight	2	—	C	
10H/0560280	CZ.49218	**PLUG,** free, Mk. 4, 3 way	1	—	C	
10H/0970088	Z.62229	**RING,** sealing	2	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¾" long	6	—	C	
5K/9107068	EEAS.146/D1	**SLEEVE,** 1" long	2	—	C	
10H/0560100	CZ.49015	**SOCKET,** free, Mk. 4, 3 way	1	—	C	
	E.A9.81.1333	**CABLE, ASSEMBLY, N77, FROM AC FUSE BOX TO CONNECTION AT PRESSURE BULKHEAD**	1	—	—	
		Consisting of:—				
5E/9100010	†	**CABLE,** Miniature 3R	QR	—	C	
10H/20406	Z.54443	**FERRULE,** inner	2	—	C	
10H/20407	Z.54444	**FERRULE,** outer	2	—	C	
10H/0970058	Z.60667	**GASKET,** outlet	2	—	C	
10H/0970062	CZ.49180	**OUTLET,** straight	2	—	C	
10H/0560282	CZ.49218/2	**PLUG,** free Mk. 4	1	—	C	
10H/0970088	Z.62229	**RING,** sealing	2	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¾" long	6	—	C	
5K/9107068	EEAS.146/D	**SLEEVE,** 1" long	2	—	C	
10H/0560502	CZ.49015/2	**SOCKET,** free, Mk. 4	1	—	C	
	E.A9.81.1335	**CABLE, ASSEMBLY, 60D, FROM PORT FUSE BOX TO ARMAMENT SERVICES CIRCUIT BREAKER**	1	—	—	
		Consisting of:—				
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
5X/9491421	Z.22431	**GROMMET,** Helsyn No. 3	1	—	C	
5X/9400384	Z.77858	**LUG,** crimping	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
5X/9400385	Z.77859		**LUG,** crimping	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	4	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** 1" long	2	—	C	
5X/9482491	HC.500		**TAG,** Q.R.	1	—	C	
	E.A9.81.1339		**CABLE, ASSEMBLY, N81, FROM AC FUSE BOX TO CONNECTION AT PRESSURE BULKHEAD**	1	—	—	
			Consisting of:—				
5E/9100021	†		**CABLE,** Miniature 6 B	QR	—	C	
10H/0970078	Z.49041		**FERRULE,** inner	2	—	C	
10H/0970077	Z.49042		**FERRULE,** outer	2	—	C	
10H/0970058	Z.606667		**GASKET,** outlet	2	—	C	
10H/0970062	CZ.49180		**OUTLET,** straight	2	—	C	
10H/0560301	CZ.49222/1		**PLUG,** free, Mk. 4, 6 way	1	—	C	
10H/0970088	Z.62229		**RING,** sealing	2	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¾" long	12	—	C	
5K/9107069	EEAS.146/E		**SLEEVE,** 1" long	2	—	C	
10H/0560120	CZ.49017		**SOCKET,** free, Mk. 4, 6 way	1	—	C	
	E.A9.81.1345		**CABLE, ASSEMBLY, N88, FROM AC FUSE BOX TO G4B COMPASS AMPLIFIER**	1	—	—	
			Consisting of:—				
5E/9100021	†		**CABLE,** Miniature 6 B	QR	—	C	
10H/0970078	Z.49041		**FERRULE,** inner	2	—	C	
10H/0970077	Z.49042		**FERRULE,** outer	2	—	C	
10H/0970058	Z.60667		**GASKET,** outlet	2	—	C	
10H/0970069	CZ.49181		**OUTLET,** angle	1	—	C	
10H/0970062	CZ.49180		**OUTLET,** straight	1	—	C	
10H/0560300	CZ.49222		**PLUG,** free, Mk. 4, 6 way	1	—	C	
10H/0970088	Z.62229		**RING,** sealing	2	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¾" long	12	—	C	
5K/9107069	EEAS.146/E		**SLEEVE,** 1" long	2	—	C	
10H/0560120	CZ.49017		**SOCKET,** free, Mk. 4, 6 way	1	—	C	
	E.A9.81.1347		**CABLE, ASSEMBLY, N89, FROM AC FUSE BOX TO AUTO-PILOT AMPLIFIER**	1	—	—	
			Consisting of:—				
5E/9100021	†		**CABLE,** Miniature 6 B	QR	—	C	
10H/0970078	Z.49041		**FERRULE,** inner	2	—	C	
10H/0970077	Z.49042		**FERRULE,** outer	2	—	C	
10H/0970058	Z.60667		**GASKET,** outlet	2	—	C	
10H/0970062	CZ.49180		**OUTLET,** straight	2	—	C	
10H/0560301	CZ.49222/1		**PLUG,** free, Mk. 4, 6 way	1	—	C	
10H/0970088	Z.62229		**RING,** sealing	2	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¾" long	12	—	C	
5K/9107069	EEAS.146/E		**SLEEVE,** 1" long	2	—	C	
10H/0560523	CZ.49017/3		**SOCKET,** free, Mk. 4, 6 way	1	—	C	
	E.A9.81.10813		**CABLE, ASSEMBLY, N90, FROM AC CONTROL UNIT TO SUPPRESSOR PANEL (MOD. 3722)**	1	—	—	
			Consisting of:—				
5E/4199	†		**CABLE,** Uninyvinmetsheath 20	QR	—	C	
33H/56	†		**CEMENT,** Bostik	QR	—	C	
5K/3497	G.162/1		**CONE,** sealing	1	—	C	
5K/3463	3Z.86146		**FERRULE**	1	—	C	
10H/0970058	Z.60667		**GASKET,** outlet	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5K/88	AGS.1658/1	**NUT,** gland	1	—	C	
5K/3564	G.172/1	**NUT,** union	1	—	C	
10H/0970069	CZ.49181	**OUTLET,** angle	1	—	C	
10H/0560280	CZ.49218	**PLUG,** 3-way	1	—	C	
5K/9107067	EEAS.146/6	**SLEEVE**	5	—	C	
5K/9107066	EEAS.146/12	**SLEEVE**	7	—	C	
5K/26	AGS.1651/3	**SLEEVE**	1	—	C	
5K/3524	G.167/1	**SLEEVE,** inner	1	—	C	
5K/3537	G.168/1	**SLEEVE,** outer	1	—	C	
5F/9434858	HV.3254	**STRAP**	QR	—	C	
5F/9138823	NT.3255	**STUD**	4	—	C	
5E/9102377	†	**WIRE,** tinned copper, 24 SWG	QR	—	C	
5E/3141	†	**WIRE,** tinned copper, 32 SWG	QR	—	C	
	E.A9.81.1353	**CABLE, ASSEMBLY, N92, FROM T2 BOMBSIGHT COMPUTOR TO A.C. FUSE BOX**	1	—	—	
		Consisting of:—				
5E/4199	†	**CABLE,** Uninyvinmetsheath 20	QR	—	C	
10AR/9729904	AN.3057-4	**CLAMP,** cable	1	—	B	
10H/0970078	Z.49041	**FERRULE,** inner	1	—	C	
10H/0970077	Z.49042	**FERRULE,** outer	1	—	C	
10H/0970058	Z.60667	**GASKET,** outlet	1	—	C	
10H/0970062	Z.49180	**OUTLET,** straight	1	—	C	
10H/0560281	CZ.49218/1	**PLUG,** free, Mk. 4, 3-way	1	—	C	
10H/0970088	Z.62229	**RING,** scaling	1	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ½" long	3	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¾" long	3	—	C	
5K/9107068	EEAS.146/D1	**SLEEVE,** 1" long	2	—	C	
10H/9457248	AN.3108-10SL-3S	**SOCKET,** 3-way	1	—	C	
5E/3141	†	**WIRE,** tinned copper, 32 SWG	QR	—	C	
	E.A9.81.1357	**CABLE, ASSEMBLY, N94, FROM A.C. FUSE BOX TO CONNECTION AT PRESSURE BULKHEAD**	1	—	—	
		Consisting of:—				
5E/9100010	†	**CABLE,** miniature, 3B	QR	—	C	
10H/20406	Z.54443	**FERRULE,** inner	2	—	C	
10H/20407	Z.54444	**FERRULE,** outer	2	—	C	
10H/0970058	Z.60667	**GASKET,** outlet	2	—	C	
10H/0970062	CZ.49180	**OUTLET,** straight	2	—	C	
10H/0560280	CZ.49218	**PLUG,** free, Mk. 4, 3-way	1	—	C	
10H/0970088	Z.62229	**RING,** scaling	2	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¾" long	6	—	C	
5K/9107068	EEAS.146/D1	**SLEEVE,** 1" long	2	—	C	
10H/0560100	CZ.49015	**SOCKET,** free, Mk. 4, 3-way	1	—	C	
	E.A9.81.1359	**CABLE, ASSEMBLY, N96, FROM A.C. FUSE BOX TO CONNECTION AT PRESSURE BULKHEAD**	1	—	—	
		Consisting of:—				
5E/9100007	†	**CABLE,** miniature, 2Q	QR	—	C	
10H/0970076	Z.49047	**FERRULE,** inner	2	—	C	
10H/0970075	Z.49048	**FERRULE,** outer	2	—	C	
10H/0970058	Z.60667	**GASKET,** outlet	2	—	C	
10H/0970061	CZ.49178	**OUTLET,** straight	1	—	C	
10H/0560270	CZ.49216	**PLUG,** Mk. 4, 2-way	1	—	C	
10H/0970087	Z.62228	**RING,** sealing	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5K/9107067	EEAS.146/C		**SLEEVE,** ¼" long	4	—	C	
5K/9107069	EEAS.146/E		**SLEEVE,** 1" long	2	—	C	
10H/0560090	CZ.49014		**SOCKET,** free, Mk. 4, 2-way	1	—	C	
	E.A9.81.5441/2		**CABLE, ASSEMBLY, F24, FROM BUSBAR PANEL TO D.C. DISTRIBUTION BOX (MOD. 3773)**	1	—	—	
			Consisting of:—				
	EEAS.276/C1		**ADAPTOR,** outlet	1	—	—	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
10H/0970294	CZ.69735		**CLAMP,** cable	1	—	C	
10H/0970111	Z.62237		**GASKET,** union	1	—	C	
10H/0970091	Z.62231		**RING,** sealing	1	—	C	
	Z.66473		**RING,** thrust	1	—	—	
5X/1005131	Z.49428		**SLEEVE**	12	—	C	
5K/9107068	EEAS.146/2		**SLEEVE**	10	—	C	
5K/9107066	EEAS.146/12		**SLEEVE**	4	—	C	
5K/9107065	EEAS.146/20		**SLEEVE**	24	—	C	
	2CZ.111659		**SOCKET** (Pre-Mod. 3382)	1	—	—	
5X/7185	2CZ.111236		**SOCKET** (Mod. 3382)	1	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	12	—	C	
5X/9450224	HC.510		**TAG,** Q.R.	2	—	C	
	E.A9.81.5259		**CABLE, ASSEMBLY, F27, FROM MAIN ELECTRICAL PANEL TO PORT INERTIA SWITCH (MOD. 3234)**	1	—	—	
			Consisting of:—				
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5K/9107067	EEAS.146/6		**SLEEVE**	16	—	C	
5K/9107066	EEAS.146/12		**SLEEVE**	2	—	C	
5K/9107065	EEAS.146/16		**SLEEVE**	2	—	C	
5X/9482491	HC.500		**TAG,** Q.R.	2	—	C	
	E.A9.81.1377		**CABLE, ASSEMBLY, F29, FROM CIRCUIT BREAKER, MAIN ELECTRICAL PANEL, TO NO. 5 INVERTER, TYPE 201**	1	—	—	
			Consisting of:—				
5E/4193	†		**CABLE,** Uninyvin 1	QR	—	C	
5X/9400096	Z.70030		**LUG**	1	—	C	
5K/9107070	EEAS.146/H		**SLEEVE,** 1" long	3	—	C	
5F/9401215	†		**TAPE,** insulating rubber	QR	—	C	
	E.A9.81.5961		**CABLE, ASSEMBLY, F500, FROM MAIN ELECTRICAL PANEL TO RESISTOR UNIT (MOD. 4320)**	1	—	—	
			Consisting of:—				
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5K/9107066	EEAS.146/12		**SLEEVE**	QR	—	C	
5K/9107065	EEAS.146/16		**SLEEVE**	QR	—	C	
5X/9482491	HC.500		**TAG**	4	—	C	
	E.A9.81.1387		**CABLE, ASSEMBLY, F43, FROM D.C. DISTRIBUTION BOX TO FRAME SWITCH (PRE-MOD. 2614)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/2785	Z.22430		**GROMMET,** Helsyn No. 2	1	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ½" long	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	2	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** 1" long	2	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	2	—	C	
	E.A9.81.1389		**CABLE, ASSEMBLY, F44, FROM D.C. DISTRIBUTION BOX TO NOSEWHEEL TERMINAL BLOCK**	1	—	—	
			Consisting of:—				
5E/3080	†		**CABLE,** Septopren 6	QR	—	C	
5X/9491421	Z.22431		**GROMMET,** Helsyn No. 3	2	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¾" long	6	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	6	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	2	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	6	—	C	
	E.A9.81.1391		**CABLE, ASSEMBLY, F45, FROM D.C. DISTRIBUTION BOX TO JET PIPE TEMPERATURE VOLTAGE COMPENSATOR**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5X/9491421	Z.22431		**GROMMET,** Helsyn No. 3	1	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¾" long	4	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	4	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** 1" long	2	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	1	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	2	—	C	
5X/9482491	HC.500		**TAG,** Q.R.	2	—	C	
	E.A9.81.1401		**CABLE, ASSEMBLY, F70, FROM CONNECTION AT PRESSURE BULKHEAD TO REAR WARNING WAVE FORM GENERATOR**	1	—	—	
			Consisting of:—				
5E/9100032	†		**CABLE,** miniature, 12C	QR	—	C	
10H/0970059	Z.60668		**GASKET,** outlet	2	—	C	
10H/0970111	Z.62237		**GASKET,** union	2	—	C	
10H/0970065	CZ.49182		**OUTLET,** straight	2	—	C	
10H/0560361	CZ.49458/1		**PLUG,** free, Mk. 4, 12-way	1	—	C	
10H/0970105	Z.49147		**RING,** compression	2	—	C	
10H/0970099	Z.54092		**RING,** thrust	2	—	C	
10H/0970115	Z.62241		**SLEEVE,** cable	2	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	24	—	C	
5K/9107069	EEAS.146/F		**SLEEVE,** 1" long	2	—	C	
10H/0560182	CZ.49126/2		**SOCKET,** free, Mk. 4, 12-way	1	—	C	
	E.A9.81.1405		**CABLE, ASSEMBLY, F72, FROM CONNECTION AT PRESSURE BULKHEAD TO NO. 5 INVERTER, TYPE 201**	1	—	—	
			Consisting of:—				
5E/9100007	†		**CABLE,** miniature, 2Q	QR	—	C	
10H/0970076	Z.49047		**FERRULE,** inner	2	—	C	
10H/0970075	Z.49048		**FERRULE,** outer	2	—	C	
10H/0970058	Z.60667		**GASKET,** outlet	2	—	C	
10H/0970068	CZ.49179		**OUTLET,** angle	1	—	C	
10H/0970061	CZ.49178		**OUTLET,** straight	1	—	C	
10H/0560270	CZ.49216		**PLUG,** free, Mk. 4, 2-way	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
10H/0970087	Z.62228		**RING,** sealing	2	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** ¼" long	4	—	C	
5K/9107069	EEAS.146/E		**SLEEVE,** 1" long	2	—	C	
10H/0560090	CZ.49014		**SOCKET,** free, Mk. 4, 2-way	1	—	C	
	E.A9.81.1407		**CABLE, ASSEMBLY, F73, FROM CONNECTION AT PRESSURE BULKHEAD TO NO. 4 INVERTER, TYPE 200**	1	—	—	
			Consisting of:—				
5E/9100007	†		**CABLE,** miniature, 2Q	QR	—	C	
10H/0970076	Z.49047		**FERRULE,** inner	2	—	C	
10H/0970075	Z.49048		**FERRULE,** outer	2	—	C	
10H/0970058	Z.60667		**GASKET,** outlet	2	—	C	
10H/0970068	CZ.49179		**OUTLET,** angle	1	—	C	
10H/0970061	CZ.49178		**OUTLET,** straight	1	—	C	
10H/0560270	CZ.49216		**PLUG,** free, Mk. 4, 2-way	1	—	C	
10H/0970087	Z.62228		**RING,** sealing	2	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** ¼" long	4	—	C	
5K/9107069	EEAS.146/E		**SLEEVE,** 1" long	2	—	C	
10H/0560591	CZ.49014/1		**SOCKET,** free, Mk. 4, 2-way	1	—	C	
	E.A9.81.1415		**CABLE, ASSEMBLY, F77, FROM CONNECTION AT PRESSURE BULKHEAD TO ELECTRONIC REGULATOR**	1	—	—	
			Consisting of:—				
5E/9100010	†		**CABLE,** miniature, 3B	QR	—	C	
10H/20406	Z.54443		**FERRULE,** inner	2	—	C	
10H/20407	Z.54444		**FERRULE,** outer	2	—	C	
10H/0970058	Z.60667		**GASKET,** outlet	2	—	C	
10H/0970069	CZ.49181		**OUTLET,** angle	1	—	C	
10H/0970062	CZ.49180		**OUTLET,** straight	1	—	C	
10H/0560282	CZ.49218/2		**PLUG,** free, Mk. 4, 3-way	1	—	C	
10H/0970088	Z.62229		**RING,** sealing	2	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	6	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	2	—	C	
10H/0560100	CZ.49015		**SOCKET,** free, Mk. 4, 3-way	1	—	C	
	E.A9.81.1417		**CABLE, ASSEMBLY, F78, FROM ELECTRONIC REGULATOR TO NO. 5 INVERTER, TYPE 201**	1	—	—	
			Consisting of:—				
5E/9100031	†		**CABLE,** miniature, 12B	QR	—	C	
10H/0970084	Z.49137		**FERRULE,** inner	2	—	C	
10H/0970083	Z.49138		**FERRULE,** outer	2	—	C	
10H/0970059	Z.60668		**GASKET,** outlet	2	—	C	
10H/0970072	CZ.49183		**OUTLET,** angle	2	—	C	
10H/0560360	CZ.49458		**PLUG,** free, Mk. 4, 12-way	1	—	C	
10H/0970091	Z.62231		**RING,** sealing	2	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	24	—	C	
5K/9107069	EEAS.146/F		**SLEEVE,** 1" long	2	—	C	
10F/0560180	CZ.49126		**SOCKET,** free, Mk. 4, 12-way	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.1421	**CABLE, ASSEMBLY, F81, FROM CONNECTION AT PRESSURE BULKHEAD TO D.C. DISTRIBUTION BOX**	1	—	—	
		Consisting of:—				
5E/9100021	†	**CABLE,** miniature, 6B	QR	—	C	
10H/0970078	Z.49041	**FERRULE,** inner	2	—	C	
10H/0970077	Z.49042	**FERRULE,** outer	2	—	C	
10H/0970058	Z.60667	**GASKET,** outlet	2	—	C	
10H/0970062	CZ.49180	**OUTLET,** straight	2	—	C	
10H/0560300	CZ.49222	**PLUG,** free, Mk. 4, 6-way	1	—	C	
10H/0970088	Z.62229	**RING,** sealing	2	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¼" long	12	—	C	
5K/9107069	EEAS.146/E	**SLEEVE,** 1" long	2	—	C	
10H/0560120	CZ.49017	**SOCKET,** free, Mk. 4, 6-way	1	—	C	
	E.A9.81.1437	**CABLE, ASSEMBLY, 4C5, FROM UNDER-CARRIAGE TERMINAL BLOCK TO NOSEWHEEL DOOR SWITCH**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¼" long	2	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** 1" long	2	—	C	
	E.A9.81.1447	**CABLE, ASSEMBLY, N41, BUNG, BETWEEN FUEL SERVICES PANEL AND MAIN ELECTRICAL PANEL THROUGH PRESSURE BULKHEAD**	1	—	—	
		Consisting of:—				
5X/6856	SR.3123	**BUNG,** pressure sealing	1	—	C	
5E/4190	†	**CABLE,** Uninyvin 6	QR	—	C	
5E/4191	†	**CABLE,** Uninyvin 4	QR	—	C	
5K/2911	HV.2032	**GROMMET,** Helsyn	1	—	C	
5X/6723	4400	**HOUSING,** bung	1	—	C	
5X/9400086	12120	**LUG,** crimping, Mk. 20	2	—	C	
5X/9400089	12123	**LUG,** crimping, Mk. 23	8	—	C	
5K/9107069	EEAS.146/E	**SLEEVE,** ¼" long	2	—	C	
5K/9107069	EEAS.146/F	**SLEEVE,** ¼" long	8	—	C	
5K/9107071	EEAS.146/J	**SLEEVE,** 1" long	4	—	C	
5F/9434857	HV.3341	**STRAPPING**	QR	—	C	
5F/9138822	NY.3342	**STUD**	21	—	C	
	E.A9.81.1451	**CABLE, ASSEMBLY, E12, FROM JB12 TO EARTH TERMINAL**	1	—	—	
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
5X/9400055	AS.2674	**FERRULE**	2	—	C	
5X/9491421	Z.22431	**GROMMET,** Helsyn No. 3	1	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** ¼" long	4	—	C	
5K/9107068	EEAS.146/D1	**SLEEVE,** 1" long	1	—	C	
5X/9450224	HC.510	**TAG,** QR	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. Off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.1453		**CABLE, ASSEMBLY, E14, FROM JB14 TO EARTH TERMINAL**	1	—	—	
			Consisting of:—				
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5X/9400053	AS.2673		**FERRULE**	2	—	C	
5X/9491422	Z.22430		**GROMMET,** Helsyn No. 2	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	4	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** 1" long	1	—	C	
5X/9482491	HC.500		**TAG,** Q.R.	2	—	C	
	E.A9.81.1459		**CABLE, ASSEMBLY, E28, FROM D.C. DISTRIBUTION BOX TO EARTH TERMINAL**	1	—	—	
			Consisting of:—				
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5X/9400055	AS.2674		**FERRULE**	2	—	C	
5X/9491421	Z.22431		**GROMMET,** Helsyn No. 3	1	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** ¾" long	4	—	C	
5K/9107068	EEAS.146/D		**SLEEVE,** 1" long	1	—	C	
5X/9450224	HC.510		**TAG,** QR	2	—	C	
	E.A9.81.1463		**CABLE, ASSEMBLY, E29, FROM A.C. FUSE BOX TO EARTH TERMINAL**	1	—	—	
			Consisting of:—				
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5X/9400055	AS.2674		**FERRULE**	2	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** ¾" long	4	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	1	—	C	
5X/1005121	Z.56547		**TAG,** closed end, 4 BA	2	—	C	
5X/9400066	Z.19981		**THIMBLE,** QR	2	—	C	
	E.A9.81.1465		**CABLE, ASSEMBLY, E60, FROM PORT FUSE BOX TO EARTH TERMINAL**	1	—	—	
			Consisting of:—				
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5X/9400055	AS.2674		**FERRULE**	2	—	C	
5X/9491421	Z.22431		**GROMMET,** Helsyn No. 3	1	—	C	
5X/9107067	EEAS.146/C		**SLEEVE,** ¾" long	4	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	1	—	C	
5X/9450224	HC.510		**TAG,** QR	2	—	C	
	E.A9.81.10985		**CABLE, ASSEMBLY, 27A, FROM CONSOLE JUNCTION PANEL TO SNATCH UNIT (MOD. 4702)**	1	—	—	
			Consisting of:—				
	†		**CABLE,** Uniminyvin 12	QR	—	C	
32A/0119481	†		**CORD,** nylon	QR	—	C	
5K/9107068	EEAS.146/2		**SLEEVE,** 1" long	2	—	C	
5K/3367	EEAS.146/2		**SLEEVE,** 2" long	6	—	C	
5K/9107066	EEAS.146/12		**SLEEVE,** 1" long	8	—	C	
5X/9462956	HC.314		**TAG,** QR	4	—	C	
5X/9450224	HC.510		**TAG,** QR	4	—	C	
5F/9013643	†		**TUBE,** P.V.C., ⅜" i/d.	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.A9.81.5795	**CABLE, ASSEMBLY, N144, FROM CONSOLE JUNCTION PANEL TO CANOPY RELEASE SWITCH (MOD. 2687)**	1	—	—	
		Consisting of:—				
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
10H/0970292	CZ.69733	**CLAMP,** cable	1	—	C	
5F/9143294	†	**CONDUIT,** flexible, ¼" i/d	QR	—	C	
32A/0119481	†	**CORD,** nylon	QR	—	C	
10H/0970058	Z.60667	**GASKET,** outlet	1	—	C	
10H/0970108	Z.62235	**GASKET,** union	1	—	C	
10H/19071	Z.49032	**OUTLET,** straight	1	—	C	
10H/0560270	CZ.49216	**PLUG**	1	—	C	
10H/0970088	Z.62229	**RING,** sealing	1	—	C	
10H/0970096	Z.49037	**RING,** thrust	1	—	C	
5K/9107068	EEAS.146/2	**SLEEVE**	7	—	C	
5K/9107066	EEAS.146/12	**SLEEVE**	4	—	C	
5X/7014	HC.314	**TAG**	2	—	C	
	E.A9.81.1859	**CABLE, ASSEMBLY, EW, FROM A.C. CONTROL UNIT TO EARTH TERMINAL**	1	—	—	
		Consisting of:—				
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
5X/9400055	AS.2674	**FERRULE**	2	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** ¼" long	4	—	C	
5K/9107068	EEAS.146/D1	**SLEEVE,** 1" long	1	—	C	
5X/1005121	Z.56547	**TAG,** closed end, 4 BA	2	—	C	
5X/9400066	Z.19981	**THIMBLE,** Q.R.	2	—	C	
	E.A9.81.1861	**CABLE, ASSEMBLY, E.25A, FROM A.C. CONTROL UNIT TO EARTH TERMINAL**	1	—	—	
		Consisting of:—				
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
5X/9400055	AS.2674	**FERRULE**	2	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** ¼" long	4	—	C	
5K/9107068	EEAS.146/D1	**SLEEVE,** 1" long	1	—	C	
5X/1005121	Z.56547	**TAG,** closed end, 4 BA	2	—	C	
5X/9400066	Z.19981	**THIMBLE,** Q.R.	2	—	C	
	E.A9.81.1863	**CABLE, ASSEMBLY, E.25B, FROM D.C. CONTROL UNIT TO EARTH TERMINAL**	1	—	—	
		Consisting of:—				
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
5X/9400055	AS.2674	**FERRULE**	2	—	C	
5X/9491421	Z.22431	**GROMMET,** Helsyn No. 3	1	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** ¼" long	4	—	C	
5K/9107068	EEAS.146/D1	**SLEEVE,** 1" long	1	—	C	
5X/9450224	HC.510	**TAG,** Q.R.	2	—	C	
	E.A9.81.1867	**CABLE, ASSEMBLY, E.27, FROM CONSOLE JUNCTION PANEL TO EARTH TERMINAL**	1	—	—	
		Consisting of:—				
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
5X/9400055	AS.2674	**FERRULE**	2	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** ¼" long	4	—	C	
5K/9107068	EEAS.146/D	**SLEEVE,** 1" long	1	—	C	
5X/9450224	HC.510	**TAG,** Q.R.	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.1871		**CABLE, ASSEMBLY, E.30B, FROM EARTH TERMINAL TO NO. 5 INVERTER, TYPE 201**	1	—	—	
			Consisting of:—				
5E/4193	†		**CABLE,** Uninyvin 1	QR	—	C	
5X/9400097	Z.70031		**LUG,** crimping, Mk. 13	1	—	C	
5K/9107070	EEAS.146/H		**SLEEVE,** 1" long	3	—	C	
5F/9401215	†		**TAPE,** insulating, rubber	QR	—	C	
	E.A9.81.2147		**CABLE, ASSEMBLY, F.39, FROM MAIN ELECTRICAL PANEL TO ELECTRONIC REGULATOR SUPPRESSOR, TYPE P.1**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
33H/56	†		**CEMENT,** Bostik	QR	—	C	
5K/88	AGS.1658/1		**NUT,** gland	1	—	C	
5K/37	AGS.1652/2		**SLEEVE,** cable	1	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	2	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	2	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** 1" long	2	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	2	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
	E.A9.81.2149		**CABLE, ASSEMBLY, F.79, FROM ELECTRONIC REGULATOR TO SUPPRESSOR, TYPE P.1**	1	—	—	
			Consisting of:—				
5E/4199	†		**CABLE,** Uninyvinmetsheath 20	QR	—	C	
10H/20406	Z.54443		**FERRULE,** inner	1	—	C	
10H/20407	Z.54444		**FERRULE,** outer	1	—	C	
10H/0970058	Z.60667		**GASKET,** outlet	1	—	C	
5K/88	AGS.1658/1		**NUT,** gland	1	—	C	
10H/0970069	CZ.49181		**OUTLET,** angle	1	—	C	
10H/0970088	Z.62229		**RING,** sealing	1	—	C	
5K/62	AGS.1656/1		**SLEEVE,** inner	1	—	C	
5K/59	AGS.1655/1		**SLEEVE,** outer	1	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	4	—	C	
5K/9107068	EEAS.146/D		**SLEEVE,** 1" long	2	—	C	
10H/0560110	CZ.49016		**SOCKET,** free, Mk. 4, 4-way	1	—	B	
	E.A9.81.2345		**CABLE, ASSEMBLY, 60F, FROM FORWARD DEMISTER SWITCH TO PORT FUSE PANEL**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/2785	Z.22430		**GROMMET,** Helsyn No. 2	1	—	C	
5X/9400382	Z.77451		**LUG,** crimping, Mk. 2A	2	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	4	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** 1" long	2	—	C	
5X/7298	†		**TAG,** Q.R.	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.2347	**CABLE, ASSEMBLY, 60G, FROM FORWARD DE-MISTER BLOWER SUPPRESSOR TO PORT FUSE PANEL**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
10H/0970058	Z.60667	**GASKET,** outlet	1	—	C	
10H/0970108	Z.62235	**GASKET,** union	1	—	C	
5X/2785	Z.22430	**GROMMET,** Helsyn No. 2	1	—	C	
10H/0970069	CZ.49181	**OUTLET,** angle	1	—	C	
10H/0970088	Z.62229	**RING,** sealing	1	—	C	
10H/0970096	Z.49037	**RING,** thrust	1	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¼" long	2	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¼" long	2	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** 1" long	2	—	C	
10H/0560100	CZ.49015	**SOCKET,** free, Mk. 4, 3-way	1	—	C	
5X/7298	†	**TAG,** Q.R.	2	—	C	
	E.A9.81.2489/2	**CABLE, ASSEMBLY, BUNG, N37, FROM CONSOLE JUNCTION PANEL TO D.C. DISTRIBUTION BOX**	1	—	—	
		Consisting of:—				
5X/6865	SR.3827	**BUNG,** pressure, 129-way	1	—	C	
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
5E/4188	†	**CABLE,** Uninyvin 10	QR	—	C	
10H/	CZ.59315	**CLAMP,** cable	1	—	—	
5X/1526	Z.18500/D	**FERRULE,** D size	6	—	C	
5X/3172	Z.28156/D	**GASKET,** ferrule	1	—	C	
5X/6169	Z.23198	**GASKET,** plug moulding	1	—	C	
10H/0970058	Z.60667	**GASKET,** outlet	1	—	C	
10H/0970108	Z.62235	**GASKET,** union	1	—	C	
5X/9491421	Z.22431	**GROMMET,** Helsyn No. 3	1	—	C	
5X/6866	4652/C	**HOUSING,** bung	1	—	C	
5X/9400079	Z.70013	**LUG,** crimping, Mk. 13	2	—	C	
5X/9400080	Z.70014	**LUG,** crimping, Mk. 14	2	—	C	
5X/6425	Z.61539	**NUT,** coupling	1	—	C	
10H/0970062	CZ.49180	**OUTLET,** straight	1	—	C	
5X/6658	HV.3433	**PLUG,** bung, Helvin 4/6	35	—	C	
5X/6659	HV.3434	**PLUG,** bung, Helvin 12	4	—	C	
5X/6885	HV.3435	**PLUG,** bung, Helvin 18/24	9	—	C	
5X/6660	HV.3436	**PLUG,** bung, Helvin 35	1	—	C	
10H/0560280	CZ.49218	**PLUG,** free, Mk. 4, 3-way	1	—	C	
5X/6185	CZ.50361	**PLUG,** "D" 21, 26-way (Pre-Mod. 3382) ...	1	—	C	
5X/7159	2CZ.111229	**PLUG,** "D" 21, 26-way (Mod. 3382)	1	—	C	
5X/1533	Z.18501/D	**RING,** clamp, "D" size	6	—	C	
10H/0970088	Z.62229	**RING,** sealing	1	—	C	
10H/0970096	Z.49037	**RING,** thrust	1	—	C	
5X/286	Z.1690	**SHROUD,** plug	1	—	C	
5X/1005131	CZ.49428	**SLEEVE,** cable	116	—	C	
5K/	EEAS.118/5/N37A	**SLEEVE,** identification	2	—	—	
5K/	EEAS.118/5/N37B	**SLEEVE,** identification	2	—	—	
5K/	EEAS.118/5/N37C	**SLEEVE,** identification	2	—	—	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5K/9107065	EEAS.146/A	**SLEEVE,** ¼" long	3	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¼" long	144	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** ¾" long	16	—	C	
5K/9107068	EEAS.146/D	**SLEEVE,** 1" long	1	—	C	
5K/9107069	EEAS.146/F	**SLEEVE,** 1" long	2	—	C	
5X/6194	CZ.50405	**SOCKET,** "D" 21, 26-way (Pre-Mod. 3382) ...	5	—	C	
5X/7172	2CZ.111230	**SOCKET,** "D" 21, 26-way (Mod. 3382)	5	—	C	
5F/9434858	HV.3254	**STRAPPING**	QR	—	C	
5F/9138823	NT.3255	**STUD**	60	—	C	
5F/	†	**TUBING,** P.V.C., 25·4 m/m i/d	QR	—	C	
	E.A9.81.2491/2	**CABLE, ASSEMBLY, BUNG, N38, FROM PILOT'S MID-REMOVABLE PANEL, ENGINE STARTING PANEL AND FUEL PANELS TO D.C. DISTRIBUTION BOX** Consisting of:—	1	—	—	
5X/6865	SR.3827	**BUNG,** pressure, 129-way	1	—	C	
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
33H/56	†	**CEMENT,** Bostik 771	QR	—	C	
5K/32	AGS.1651/9	**FERRULE,** cut	1	—	C	
5X/6417	EEAS.88/2	**FERRULE**	1	—	C	
5X/6413	EEAS.88/3	**FERRULE**	3	—	C	
5X/1526	Z.18500/D	**FERRULE**	3	—	C	
5X/1548	Z.18764/B	**FERRULE**	3	—	C	
	EEAS.111/1	**FERRULE**	1	—	—	
10H/0970058	Z.60667	**GASKET,** outlet	1	—	C	
10H/0970060	Z.60669	**GASKET,** outlet	3	—	C	
5X/6866	4652/C	**HOUSING,** bung	1	—	C	
5K/96	AGS.1658/5	**NUT,** gland	1	—	C	
10H/0970061	CZ.49178	**OUTLET,** straight	1	—	C	
10H/20436	CZ.64133	**OUTLET,** straight	3	—	C	
5X/6658	HV.3433	**PLUG,** bung, Helvin 4/6	9	—	C	
5X/6659	HV.3434	**PLUG,** bung, Helvin 12	18	—	C	
5X/6885	HV.3435	**PLUG,** bung, Helvin 18/24	3	—	C	
5X/6660	HV.3436	**PLUG,** bung, Helvin 35	3	—	C	
5X/1529	Z.18501/A	**RING,** clamping	1	—	C	
5X/1531	Z.18501/B	**RING,** clamping	3	—	C	
5X/1532	Z.18501/C	**RING,** clamping	3	—	C	
5X/1533	Z.18501/D	**RING,** clamping	3	—	C	
5X/1530	Z.18501/Z	**RING,** clamping	1	—	C	
10H/0970087	Z.62228	**RING,** sealing	1	—	C	
10H/0970092	Z.62232	**RING,** sealing	3	—	C	
5K/	EEAS.118/1/N38G	**SLEEVE,** identification	1	—	—	
5K/	EEAS.118/2/N38B	**SLEEVE,** identification	1	—	—	
5K/	EEAS.118/3/N38A	**SLEEVE,** identification	1	—	—	
5K/	EEAS.118/3/N38C	**SLEEVE,** identification	2	—	—	
5K/	EEAS.118/4/N38D	**SLEEVE,** identification	1	—	—	
5K/	EEAS.118/4/N38E	**SLEEVE,** identification	1	—	—	
5K/	EEAS.118/4/N38F	**SLEEVE,** identification	1	—	—	
5K/	EEAS.118/5/N38D	**SLEEVE,** identification	1	—	—	
5K/	EEAS.118/5/N38E	**SLEEVE,** identification	1	—	—	
5K/	EEAS.118/5/N38F	**SLEEVE,** identification	1	—	—	
5K/9107065	EEAS.146/A	**SLEEVE,** ¼" long	72	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5K/9107066	EEAS.146/A1	**SLEEVE,** ¾" long	96	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** ¾" long	24	—	C	
5K/9107070	EEAS.146/H	**SLEEVE,** 1" long	1	—	C	
5X/1005131	Z.49428	**SLEEVE,** cable	96	—	C	
5X/6099	CZ.27919	**SOCKET,** assembly, 6-way (Pre-Mod. 3382) ...	1	—	C	
5X/6192	CZ.50403	**SOCKET,** assembly, 5-way (Pre-Mod. 3382) ...	1	—	C	
5X/6193	CZ.50404	**SOCKET,** assembly, 12-way (Pre-Mod. 3382 ...	2	—	C	
5X/6194	C.50405	**SOCKET,** assembly, 26-way (Pre-Mod. 3382) ...	3	—	C	
5X/7184	2CZ.111235	**SOCKET,** assembly, 12-way (Mod. 3382) ...	2	—	C	
5X/7192	2CZ.111238	**SOCKET,** assembly, 26-way (Mod. 3382) ...	3	—	C	
5X/7186	2CZ.111296	**SOCKET,** assembly, 6-way (Mod. 3382)	1	—	C	
5X/7181	2CZ.111439	**SOCKET,** assembly, 5-way (Mod. 3382)	1	—	C	
10H/0560790	CZ.56740	**SOCKET,** coupler-assembly, Mk.4, 2-way ...	1	—	C	
10H/0560870	CZ.56746	**SOCKET,** coupler-assembly, Mk.4, 25-way ...	1	—	C	
10H/0560871	CZ.56746/1	**SOCKET,** coupler-assembly, Mk.4, 25-way ...	1	—	C	
10H/0560873	CZ.56746/3	**SOCKET,** coupler-assembly, Mk.4, 25-way ...	1	—	C	
5F/9434857	HV.3341	**STRAPPING**	QR	—	C	
5F/9138822	NY.3342	**STUD**	120	—	C	
5X/9450224	HC.510	**TAG,** Q.R.	10	—	C	
32B/498	†	**THREAD,** waxed linen, No. 18	QR	—	C	
5F/9103643	†	**TUBING,** P.V.C., ⅛" dia.	QR	—	C	
5F/2035	†	**TUBING,** P.V.C., ½" dia.	QR	—	C	
5F/2036	†	**TUBING,** P.V.C., ⅝" dia.	QR	—	C	
5F/2037	†	**TUBING,** P.V.C., ¾" dia.	QR	—	C	
5F/2038	†	**TUBING,** P.V.C., 1" dia.	QR	—	C	
	E.A9.81.2537	**CABLE, ASSEMBLY, M.12, BETWEEN MAGNETIC STARTING SWITCH, TERMINALS NO.2 AND NO.3 OF INVERTER NO. 1 TYPE 103**	1	—	—	
		Consisting of:—				
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
5X/9400389	Z.77863	**LUG,** crimping, 2 BA	1	—	C	
5X/9400390	Z.77864	**LUG,** crimping, ¼" BSF	1	—	C	
5X/6681	HV.2256	**SLEEVE,** adaptor	1	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** ¾" long	2	—	C	
	E.A9.81.2539/2	**CABLE, ASSEMBLY, 12J, FROM STARBOARD COAMING PANEL TO JB 12**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
33H/56	†	**CEMENT,** Bostik	QR	—	C	
32A/94	†	**CORD,** braided waxed	QR	—	C	
5X/	Z.1386/2	**FERRULE,** cut	1	—	—	
5X/1005131	Z.49428	**SLEEVE,** cable	12	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¾" long	24	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** ¾" long	4	—	C	
5K/9107070	EEAS.146/H	**SLEEVE,** 1" long	2	—	C	
5X/6094	CZ.27918	**SOCKET,** "C" size, 14-way (Pre. Mod. 3382)...	1	—	C	
5X/7185	2CZ.11236	**SOCKET,** "C" size, 14-way (Mod. 3382) ...	1	—	C	
5F/9434858	HV.3254	**STRAPPING**	QR	—	C	
5F/9138823	NT.3255	**STUD**	4	—	C	
5X/7298	†	**TAG,** Q.R.	12	—	C	
5X/9450224	HC.510	**TAG,** Q.R.	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.3097		**CABLE, ASSEMBLY, 13E, FROM JB13 TO I.L.S. RECUPERATORS, J.B., TYPE 157** Consisting of:—	1	—	—	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
10H/0970295	CZ.69736		**CLAMP,** cable	2	—	C	
10H/0970059	Z.60668		**GASKET,** outlet	2	—	C	
10H/0970109	Z.62236		**GASKET,** union	2	—	C	
5X/2788	Z.23672		**GROMMET,** Helsyn No. 5	1	—	C	
10H/0970070	CZ.51529		**OUTLET,** angle	2	—	C	
10H/0970089	Z.62230		**RING,** sealing	2	—	C	
10H/0970097	Z.51342		**RING,** thrust	2	—	C	
5K/9107067	EEAS.146/B		**SLEEVE,** ¾" long	16	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	2	—	C	
5K/9107069	EEAS.146/G		**SLEEVE,** 1" long	8	—	C	
10H/0560160	CZ.51328		**SOCKET,** free, Mk. 4, 4 way	2	—	C	
5X/9450224	HC.510		**TAG,** Q.R.	8	—	C	
	E.A9.81.3141		**CABLE, ASSEMBLY, N.29, FROM AIR BRAKE SWITCH TO CONSOLE JUNCTION PANEL** Consisting of:—	1	—	—	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
26DK/6014	EEAS.111/2		**FERRULE**	1	—	C	
10H/0970058	Z.60667		**GASKET,** outlet	1	—	C	
10H/0970062	CZ.49180		**OUTLET,** straight	1	—	C	
10H/0560300	CZ.49222		**PLUG,** free, Mk.4, 6-way	1	—	C	
5X/1529	Z.18501/A		**RING,** clamp	1	—	C	
10H/0970088	Z.62229		**RING,** sealing	1	—	C	
5K/	EEAS.118/1/N29		**SLEEVE,** identification	2	—	—	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	8	—	C	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	10	—	C	
	E.A9.81.3217		**CABLE, ASSEMBLY, N.102, FROM DISTRIBUTION BOX TO PILOT'S CONSOLE CONTROL COLUMN TERMINAL BLOCK ISOLATING RELAY AND UPPER AND LOWER LIMIT SWITCHES (MOD. 1930)** Consisting of:—	1	—	—	
5E/3685	†		**CABLE,** Uninypren 6	QR	—	C	
5X/6738	SR.3413		**BUNG,** pressure, 14-way	1	—	C	
5K/2918	SP.40/D16		**GROMMET**	1	—	C	
5X/9491421	Z.22431		**GROMMET,** Helsyn, No.3	2	—	C	
5X/6737	4413/K		**HOUSING,** bung, pressure	1	—	C	
			Attaching parts for 4413/K:—				
28D/1008149	A25/2B		Bolt, 4 BA	8	—	C	
22451	EEAS.150/3		Gasket	1	Linatex	C	
28M/10287	AGS.2001/B/1		Nut, 4 BA	8	—	C	
28W/9419474	SP.15/B		Washer	8	—	C	
5X/6658	HV.3433		**PLUG,** filter, Helvin	9	—	C	
5X/1005131	Z.49428		**SLEEVE,** cable	1	—	C	
5K/3699	HV.2104		**SLEEVE,** junction	3	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5K/3618	HV.2358	**SLEEVE,** junction	1	—	C	
5K/3700	HV.2362	**SLEEVE,** junction	2	—	C	
5K/3701	HV.2378	**SLEEVE,** junction	2	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¾" long	QR	—	C	
5K/9107066	EEAS.146/B	**SLEEVE,** 1" long	4	—	C	
5K/9107068	EEAS.146/D	**SLEEVE,** 1" long	12	—	C	
5K/9107069	EEAS.146/F	**SLEEVE,** 1" long	2	—	C	
5F/9434858	HV.3254	**STRAPPING**	QR	—	C	
5F/9138823	NT.3255	**STUD**	30	—	C	
13140	E.A3.81.3131	**TAG,** special closed end (Make from Ref. 5X/6215)	1	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	7	—	C	
	†	**TAPE,** empire	QR	—	—	
5X/9400064	Z.19980	**THIMBLE,** Q.R.	1	—	C	
32B/498	†	**THREAD,** waxed linen, No.18	QR	—	C	
5F/	†	**TUBING,** P.V.C., 3 m/m i/d x ½ m/m	QR	—	—	
5F/9013643	†	**TUBING,** P.V.C., 9·5 m/m i/d	QR	—	C	
5F/9143294	†	**TUBING,** P.V.C., ¼" i/d	QR	—	C	
	E.A9.81.3219	**CABLE ASSEMBLY N.103 FROM CONTROL COLUMN TERMINAL BLOCK TO STARBOARD FUSE PANEL (MOD. 1930)**	1	—	—	
		Consisting of:—				
5E/3685	†	**CABLE,** Uninypren 6	QR	—	C	
5X/2787	Z.22432	**GROMMET,** Helsyn, No.4	1	—	C	
5K/3701	HV.2378	**SLEEVE,** junction	1	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¾" long	4	—	C	
5K/9107068	EEAS.146/D	**SLEEVE,** 1" long	2	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	4	—	C	
5F/9013643	†	**TUBING,** P.V.C. 7 m/m i/d	QR	—	C	
	E.A9.81.5229	**CABLE, ASSEMBLY, F.26 FROM MAIN ELECTRICAL PANEL TO STARBOARD INERTIA SWITCH (MOD.3234)**	1	—	—	
		Consisting of:—				
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** ¾" long	10	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** ¾" long	2	—	C	
5K/9107065	EEAS.146/16	**SLEEVE,** 1" long	2	—	C	
5X/9482491	HC.500	**TAG,** Q.R.	2	—	C	
5F/9143294	†	**TUBING,** P.V.C., ¼" i/d	QR	—	C	
	E.A9.81.10921	**CABLE, ASSEMBLY, EARTH FROM RUDDER TRIM SWITCH TO CONSOLE JUNCTION PANEL TERMINAL BLOCK (MOD.4009)**	1	—	—	
		Consisting of:—				
5E/3894	†	**CABLE,** Unitersil 20	QR	—	C	
5K/9107065	EEAS.146/20	**SLEEVE,** ¾" long	4	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	1	—	C	
5X/7316	HC.1187	**TAG,** crimping	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.A9.81.10923		**CABLE, ASSEMBLY, N37F, FROM PILOT'S CONSOLE SWITCH PANEL TO CRIMPING CONNECTOR, ABOVE JB.6 (MOD.4009)**	1	—	—	
			Consisting of:—				
5E/3894	†		**CABLE,** Unitersil 20	QR	—	C	
5K/9107065	EEAS.146/20		**SLEEVE,** 1" long	6	—	C	
5K/9107066	EEAS.146/10		**SLEEVE,** ¼" long	39	—	C	
5X/9461	HC.294E		**TAG**	3	—	C	
	E.A9.81.4893		**CABLE, ASSEMBLY, E21, FROM EARTH CONNECTION WHEEL WELL WALL, TO NO.2 INVERTER TYPE 103 (MOD.2136)**	1	—	—	
			Consisting of:—				
5E/4190	†		**CABLE,** Uninyvin 6	QR	—	C	
5X/9400088	Z.70022		**LUG,** crimping, No. 22	1	—	C	
5K/87	AGS.1658/0		**NUT,** gland	1	—	C	
5K/2367	AGS.1733/2		**SLEEVE,** plain	1	—	C	
5K/9107068	EEAS.146/D		**SLEEVE,** 1" long	4	—	C	
33085	E.B7.81.1859		**THIMBLE**	1	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
	E.A9.81.4895		**CABLE, ASSEMBILY, E21, FROM BUS-BAR PANEL TO No.4 TERMINAL MAGNETIC STARTING SWITCH INVERTER No.2 TYPE 103 (MOD.2136)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/9400383	Z.77450		**LUG,** crimping, No.3A	1	—	C	
5X/6681	HV.2256		**SLEEVE,** adaptor	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	2	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	1	—	C	
	E.A9.81.4905		**CABLE, ASSEMBLY, N.76 FROM A.C. FUSE BOX TO CONNECTION AT PRESSURE BULKHEAD (MOD. 2136)**	1	—	—	
			Consisting of:—				
5E/4199	†		**CABLE,** Uninyvinmetsheath 20	QR	—	C	
10H/20406	Z.54443		**FERRULE,** inner	2	—	C	
10H/20407	Z.54444		**FERRULE,** outer	2	—	C	
10H/0970058	Z.60667		**GASKET,** outlet	2	—	C	
10H/0970062	CZ.49180		**OUTLET,** straight	2	—	C	
10H/0560281	CZ.49218/1		**PLUG,** free, Mk.4, 3-way	1	—	C	
10H/0970088	Z.62229		**RING,** sealing	2	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	6	—	C	
5K/9107069	EEAS.146/E		**SLEEVE,** 1" long	2	—	C	
10H/0560501	CZ.49015/1		**SOCKET,** free, Mk.4	1	—	C	
	E.A9.81.4911		**CABLE, ASSEMBLY, N.21, FROM MAGNETIC RELAY TO MAGNETIC STARTING SWITCH (MOD. 2136)**	1	—	—	
			Consisting of:—				
5E/4190	†		**CABLE,** Uninyvin 6	QR	—	C	
5X/9400086	Z.70020		**LUG,** crimping, No. 20	2	—	C	
5K/3612	HV.2222		**SHROUD,** cable lug	1	—	C	
5K/9107068	EEAS.146/D		**SLEEVE,** 1" long	4	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.4913		**CABLE, ASSEMBLY, M.22, FROM MAGNETIC STARTING SWITCH TO INERTIA TYPE 103 (MOD. 2136)**	1	—	—	
			Consisting of:—				
5E/4190	†		**CABLE,** Uninyvin 6	QR	—	C	
5X/9400086	Z.70020		**LUG,** crimping, No. 20	1	—	C	
5K/87	AGS.1658/0		**NUT,** gland	1	—	C	
5K/3612	HV.2222		**SHROUD,** cable lug	1	—	C	
5K/2367	AGS.1733/2		**SLEEVE,** plain	1	—	C	
5K/9107068	EEAS.146/D		**SLEEVE,** 1" long	4	—	C	
33085	E.B7.81.1859		**THIMBLE**	1	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
	E.A9.81.4915		**CABLE, ASSEMBLY, F65, FROM MAIN ELECTRICAL PANEL TO NO. 1 INVERTER CONTROL PANEL (MOD. 2136)**	1	—	—	
			Consisting of:—				
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5E/4203	†		**CABLE,** Uninyvinmet 12	QR	—	C	
33H/56	†		**CEMENT,** Bostik	QR	—	C	
5K/86	AGS.1657/0		**COLLET**	1	—	C	
5X/7320	Z.14485/2		**FERRULE,** cut	1	—	C	
5K/197	AGS.1686/4		**SLEEVE,** inner	1	—	C	
5K/198	AGS.1687/4		**SLEEVE,** outer	1	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** ¾" long	4	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** 1" long	1	—	C	
5K/9107068	EEAS.146/D		**SLEEVE,** 1" long	2	—	C	
5F/2363	†		**SLEEVE,** systoflex	QR	—	C	
5X/7174	2CZ.111232		**SOCKET,** A size, 1-way	1	—	C	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	12	—	C	
5X/9450224	HC.510		**TAG,** Q.R.	2	—	C	
32B/498	†		**THREAD,** waxed, linen, No. 18	QR	—	C	
5E/3141	†		**WIRE,** tinned copper, 32 SWG	QR	—	C	
	E.A9.81.4917		**CABLE, ASSEMBLY, F.74, NO. 2, INVERTER TYPE 103 TO CONNECTION AT PRESSURE BULKHEAD (MOD. 2136)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
10H/0970058	Z.60667		**GASKET,** outlet	2	—	C	
10H/0970108	Z.62235		**GASKET,** union	2	—	C	
10H/0970069	CZ.49181		**OUTLET,** angle	1	—	C	
10H/0970062	CZ.49180		**OUTLET,** straight	1	—	C	
10H/0970088	Z.62229		**RING,** sealing	2	—	C	
10H/0970096	Z.49037		**RING,** thrust	2	—	C	
10H/0970114	Z.62240		**SLEEVE,** cable	2	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¾" long	6	—	C	
5K/9107068	EEAS.146/D		**SLEEVE,** 1" long	2	—	C	
10H/0560100	CZ.94015		**SOCKET,** free, Mk.4, 3-way	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.4919		**CABLE, ASSEMBLY, F.74, FROM CONNECTION AT PRESSURE BULKHEAD TO NO. 1 INVERTER CONTROL PANEL TYPE 12 (MOD. 2136)**	1	—	—	
			Consisting of:—				
5E/4199	†		**CABLE,** Uninyvinmetsheath 20	QR	—	C	
33H/56	†		**CEMENT,** Bostik	QR	—	C	
5X/240	Z.2277/2		**FERRULE,** cut	1	—	C	
10H/0970078	Z.49041		**FERRULE,** inner	1	—	C	
10H/0970077	Z.49042		**FERRULE,** outer	1	—	C	
10H/0970058	Z.60667		**GASKET,** outlet	1	—	C	
10H/0970062	CZ.49180		**OUTLET,** straight	1	—	C	
10H/0970088	Z.62229		**RING,** sealing	1	—	C	
5X/1005131	Z.49428		**SLEEVE,** cable	3	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	6	—	C	
5K/9107069	EEAS.146/E		**SLEEVE,** 1" long	2	—	C	
10H/0560501	CZ.49015/1		**SOCKET,** free, Mk.4	1	—	C	
5X/7128	2CZ.84874		**SOCKET,** Z size, 5-way	1	—	C	
5E/2904	†		**WIRE,** tinned copper, 25 SWG	QR	—	C	
5E/3141	†		**WIRE,** tinned copper, 32 SWG	QR	—	C	
	E.A9.81.4921		**CABLE, ASSEMBLY, F.83, FROM CONTROL PANEL TYPE 15, TO NO. 2 INVERTER TYPE 103 (MOD. 2136)**	1	—	—	
			Consisting of:—				
5E/9100031	†		**CABLE,** miniature 12 B	QR	—	C	
10H/0970084	Z.49137		**FERRULE,** inner	2	—	C	
10H/0970083	Z.49138		**FERRULE,** outer	2	—	C	
10H/0970059	Z.60668		**GASKET,** outlet	2	—	C	
10H/0970072	CZ.49183		**OUTLET,** angle	1	—	C	
10H/0970065	C.49182		**OUTLET,** straight	1	—	C	
10H/0970091	Z.62231		**RING,** sealing	2	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¾" long	23	—	C	
5K/9107069	EEAS.146/F		**SLEEVE,** 1" long	2	—	C	
10H/0560180	CZ.49126		**SOCKET,** free, Mk.4, 12-way	2	—	C	
	E.A9.81.4923		**CABLE, ASSEMBLY, F.95 FROM NO. 1 INVERTER TYPE 100A, TO CONTROL PANEL TYPE 12 (MOD. 2136)**	1	—	C	
			Consisting of:—				
5E/4201	†		**CABLE,** Uninyvinmetsheath 16	QR	—	C	
5E/4203	†		**CABLE,** Uninyvinmetsheath 12	QR	—	C	
5X/6624	CZ.61568		**ELBOW,** size B	2	—	C	
5X/335	Z.2260/2		**FERRULE,** cut	2	—	C	
5X/3170	Z.28156/B		**GASKET,** ferrule, size B	2	—	C	
5X/3146	Z.49397		**SLEEVE,** adaptor	6	—	C	
5K/	EEAS.118/1/F95		**SLEEVE,** identification	2	—	—	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	6	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** ¼" long	4	—	C	
5X/7043	2CZ.108948		**SOCKET,** B size, 5-way	2	—	C	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	2	—	C	
5E/2904	†		**WIRE,** tinned copper, 25 SWG	QR	—	C	
5E/3141	†		**WIRE,** tinned copper, 32 SWG	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.5007	**CABLE, ASSEMBLY, F47, FROM TERMINAL NO. 1 RELAY TYPE "T" MAIN ELECTRICAL PANEL TO INVERTER TYPE 103A (MOD. 2136)** Consisting of:—	1	—	—	
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
37790	E.C1.81.1573	**FERRULE**	1	—	C	
5X/1005131	Z.49428	**SLEEVE,** adaptor	1	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** 1" long	3	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** 1" long	1	—	C	
5X/6215	Z.56545	**TAG,** closed end	1	—	C	
	E.A9.81.5055	**CABLE, ASSEMBLY, N.307, FROM DC CONTROL UNIT TO A.C. FUSE BOX (MOD. 2684)** Consisting of:—	1	—	—	
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
10H/0970292	CZ.69733	**CLAMP,** cable	2	—	C	
10H/0970108	Z.62235	**GASKET,** union	2	—	C	
10H/	Z.49032	**OUTLET,** straight	2	—	—	
10H/0560280	CZ.49218	**PLUG,** free 3-way	1	—	C	
10H/0970096	Z.49037	**RING,** thrust	2	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** 1" long	4	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** ¾" long	2	—	C	
5K/9107068	EEAS.146/D	**SLEEVE,** ¾" long	4	—	C	
10H/0560100	CZ.49015	**SOCKET,** free, 3-way	1	—	C	
5F/9143294	†	**TUBING,** P.V.C., ¼" i/d	QR	—	C	
	E.A9.81.10277	**CABLE, ASSEMBLY, N.93, FROM A.C. CONTROL UNIT TO F.2 AND B.4 SUPPRESSORS (MOD. 2624)** Consisting of:—	1	—	—	
5E/4199	†	**CABLE,** Uninyvinmetsheath 20	QR	—	C	
33H/56	†	**CEMENT,** Bostik	QR	—	C	
10H/	CZ.59315	**CLAMP,** cable	1	—	—	
5F/	†	**FOIL,** copper tinned	QR	—	C	
10H/0970058	Z.60667	**GASKET,** outlet	1	—	C	
10H/0970108	Z.62235	**GASKET,** union	1	—	C	
5K/88	AGS.1658/1	**NUT,** gland	2	—	C	
10H/0970062	CZ.49180	**OUTLET,** straight	1	—	C	
10H/0970096	Z.49037	**RING,** thrust	1	—	C	
5K/24	AGS.1651/1	**SLEEVE,** slotted	1	—	C	
5K/27	AGS.1651/4	**SLEEVE,** slotted	1	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¾" long	8	—	C	
5K/9107068	EEAS.146/D	**SLEEVE,** 1" long	1	—	C	
5K/9107069	EEAS.146/E	**SLEEVE,** 1" long	1	—	C	
5K/	EEAS.146/16	**SLEEVE,** ¾" long	1	—	—	
10H/0560120	CZ.49017	**SOCKET,** free, Mk.4	1	—	C	
5F/9434858	HV.3254	**STRAPPING**	QR	—	C	
5F/9138823	NT.3255	**STUD**	5	—	C	
5E/2904	†	**WIRE,** tinned copper, 25 SWG	QR	—	C	
5E/3141	†	**WIRE,** tinned copper, 32 SWG	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.A9.81.10279	**CABLE, ASSEMBLY, N.58, FROM D.C. CONTROL UNIT TO F.2 AND B.4 SUPPRESSORS AND TERMINAL BLOCK (MOD. 2624)**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
33H/56	†	**CEMENT,** Bostik	QR	—	C	
5X/6417	EEAS.88/2	**FERRULE**	1	—	C	
5K/87	AGS.1658/0	**NUT,** gland	1	—	C	
5K/88	AGS.1658/1	**NUT,** gland	1	—	C	
5X/1530	Z.18501/Z	**RING,** clamp	1	—	C	
5X/1005131	Z.49428	**SLEEVE,** adaptor	4	—	C	
5K/24	AGS.1651/1	**SLEEVE,** cable	1	—	C	
5K/26	AGS.1651/3	**SLEEVE,** cable	1	—	C	
5K/	EEAS.118/2/N58	**SLEEVE,** identification	1	—	—	
5K/9107065	EEAS.146/A	**SLEEVE,** ¼" long	3	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¾" long	7	—	C	
5K/9107069	EEAS.146/E	**SLEEVE,** 1" long	1	—	C	
5X/6191	CZ.50401	**SOCKET,** B size, 9-way	1	—	C	
5F/9434858	HV.3254	**STRAPPING**	QR	—	C	
5F/9138823	NT.3255	**STUD**	6	—	C	
5X/7298	†	**TAG,** Q.R.	1	—	C	
32B/498	†	**THREAD,** waxed linen, No. 18	QR	—	C	
5F/2030	†	**TUBING,** P.V.C., 12·7 m/m i/d	QR	—	C	
	E.A9.81.10313	**CABLE, ASSEMBLY, N.411 FROM STARBOARD ELECTRICAL CONTROL PANEL TO TERMINAL BLOCK NAVIGATOR'S INSTRUMENT PANEL TO D.C. CONTROL UNIT AND SUPPRESSOR TYPE B.4 (MOD. 2625)**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/4199	†	**CABLE,** Uninyvinmetsheath 20	QR	—	C	
33H/56	†	**CEMENT,** Bostik	QR	—	C	
10H/0970292	CZ.69733	**CLAMP,** cable	1	—	C	
5F/	†	**FOIL,** copper tinned	QR	—	C	
10H/0970058	Z.60667	**GASKET,** outlet	1	—	C	
5X/9491421	Z.22431	**GROMMET,** Helsyn No. 3	1	—	C	
5K/87	AGS.1658/0	**NUT,** gland	1	—	C	
10H/0970062	CZ.49180	**OUTLET,** straight	1	—	C	
10H/0970088	Z.62229	**RING,** sealing	1	—	C	
10H/0970096	Z.49037	**RING,** thrust	1	—	C	
5K/24	AGS.1651/1	**SLEEVE,** cable	1	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¾" long	12	—	C	
5K/9107068	EEAS.146/D	**SLEEVE,** 1" long	4	—	C	
5K/9107069	EEAS.146/F	**SLEEVE,** 1" long	2	—	C	
10H/0560120	CZ.49017	**SOCKET,** free, Mk.4, 6-way	1	—	C	
5X/7298	†	**TAG,** Q.R.	4	—	C	
32B/498	†	**THREAD,** waxed linen, No. 18	QR	—	C	
5F/9143294	†	**TUBING,** P.V.C., ¼" i/d	QR	—	C	
5E/2904	†	**WIRE,** tinned copper, 25 SWG	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.A9.81.10315	**CABLE, ASSEMBLY, N.410, FROM A.C. CONTROL UNIT TO SUPPRESSOR TYPE 2 (MOD. 2625)**	1	—	--	
		Consisting of:—				
5E/4199	†	**CABLE,** Uninyvinmetsheath 20	QR	—	C	
33H/56	†	**CEMENT,** Bostik	QR	—	C	
10H/0970292	CZ.69733	**CLAMP,** cable	1	—	C	
5F/	†	**FOIL,** copper, tinned	QR	—	C	
10H/0970058	Z.60667	**GASKET,** outlet	1	—	C	
5K/88	AGS.1658/1	**NUT,** gland	1	—	C	
10H/0970062	CZ.49180	**OUTLET,** straight	1	—	C	
10H/0970088	Z.62229	**RING,** sealing	1	—	C	
5K/27	AGS.1651/4	**SLEEVE,** cable	1	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¼" long	6	—	C	
5K/9107068	EEAS.146/D	**SLEEVE,** 1" long	4	—	C	
10H/0560100	CZ.49015	**SOCKET,** free, 3-way	1	—	C	
5F/9434858	HV.3254	**STRAPPING**	QR	—	C	
5F/9138823	NT.3255	**STUD**	5	—	C	
5E/2904	†	**WIRE,** tinned copper, 25 SWG	QR	—	C	
5E/3141	†	**WIRE,** tinned copper, 32 SWG	QR	—	C	
	E.A9.81.10317	**CABLE, ASSEMBLY, N.409, FROM STARBOARD ELECTRICAL CONTROL PANEL TO SUPPRESSOR F2 (MOD. 2625)**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
33H/56	†	**CEMENT,** Bostik	QR	—	C	
10H/0970292	CZ.69733	**CLAMP,** cable	1	—	C	
10H/0970108	Z.62235	**GASKET,** union	1	—	C	
10H/0970058	Z.60667	**GASKET,** outlet	1	—	C	
5K/88	AGS.1658/1	**NUT,** gland	1	—	C	
10H/0970062	CZ.49180	**OUTLET,** straight	1	—	C	
10H/0560280	CZ.49218	**PLUG,** free, 3-way	1	—	C	
10H/0970088	Z.62229	**RING,** sealing	1	—	C	
10H/0970096	Z.49037	**RING,** thrust	1	—	C	
5K/27	AGS.1651/4	**SLEEVE,** cable	1	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¼" long	6	—	C	
5K/9107068	EEAS.146/D	**SLEEVE,** 1" long	2	—	C	
5F/9434858	HV.3254	**STRAPPING**	QR	—	C	
5F/9138823	NT.3255	**STUD**	QR	—	C	
32B/498	†	**THREAD,** waxed linen, No.18	QR	—	C	
	E.A9.81.10319	**CABLE, ASSEMBLY, F408, FROM INVERTER NO.9 TYPE 103, TO CONNECTION AT PRESSURE BULKHEAD (MOD. 2625)**	1	—	—	
		Consisting of:—				
5E/4201	†	**CABLE,** Unionyvinmetsheath 16	QR	—	C	
33H/56	†	**CEMENT,** Bostik	QR	—	C	
10H/0970292	CZ.69733	**CLAMP,** cable	2	—	C	
5F/	†	**FOIL,** copper, tinned	QR	—	C	
10H/0970058	Z.60667	**GASKET,** outlet	2	—	C	
10H/0970069	CZ.49181	**OUTLET,** angle	2	—	C	
10H/0560285	CZ.49218/5	**PLUG,** free, Mk.4, 3-way	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
10H/0970088	Z.62229		**RING,** sealing	2	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	6	—	C	
5K/9107069	EEAS.146/E		**SLEEVE,** 1" long	4	—	C	
10H/0560100	CZ.49015		**SOCKET,** free, Mk.4, 3-way	1	—	C	
10H/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	7	—	C	
5E/3141	†		**WIRE,** tinned copper, 32 SWG	QR	—	C	
	E.A9.81.10321		**CABLE, ASSEMBLY, N.408 FROM AC FUSE BOX TO CONNECTION AT PRESSURE BULKHEAD (MOD. 2625)** Consisting of:—	1	—	—	
5E/4201	†		**CABLE,** Uninyvinmetsheath 16	QR	—	C	
33H/56	†		**CEMENT,** Bostik	QR	—	C	
10H/0970292	CZ.69733		**CLAMP,** cable	2	—	C	
5F/	†		**FOIL,** tinned copper	QR	—	C	
10H/0970058	Z.60667		**GASKET,** outlet	2	—	C	
10H/0970062	CZ.49180		**OUTLET,** straight	2	—	C	
10H/0970280	CZ.48218		**PLUG,** free, Mk.4, 3-way	1	—	C	
10H/0970088	Z.662229		**RING,** sealing	2	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	6	—	C	
5K/9107068	EEAS.146/D		**SLEEVE,** ¼" long	4	—	C	
10H/0560505	CZ.49015/5		**SOCKET,** free, Mk.4, 3-way	1	—	C	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	5	—	C	
5E/3141	†		**WIRE,** tinned copper, 32 SWG	QR	—	C	
	E.A9.81.10323		**CABLE, ASSEMBLY, F407, FROM CONTROL PANEL TYPE 24, TO CONNECTION AT PRESSURE BULKHEAD (MOD. 2625)** Consisting of:—	1	—	—	
5E/4201	†		**CABLE,** Uninyvinmetsheath 16	QR	—	C	
33H/56	†		**CEMENT,** Bostik	QR	—	C	
10H/0970292	CZ.69733		**CLAMP,** cable	2	—	C	
5F/	†		**FOIL,** tinned copper	QR	—	C	
10H/0970058	Z.60667		**GASKET,** outlet	2	—	C	
10H/0970069	CZ.49181		**OUTLET,** angle	1	—	C	
10H/0970062	CZ.49180		**OUTLET,** straight	1	—	C	
10H/0560280	CZ.49218		**PLUG,** free, Mk.4, 3-way	1	—	C	
10H/0970088	Z.62229		**RING,** sealing	2	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	6	—	C	
5K/9107069	EEAS.146/E		**SLEEVE,** 1" long	4	—	C	
10H/0560100	CZ.49015		**SOCKET,** free, Mk.4, 3-way	1	—	—	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	11	—	C	
5E/3141	†		**WIRE,** tinned copper, 32 SWG	QR	—	C	
	E.A9.81.10325		**CABLE, ASSEMBLY, N.407, FROM A.C. CONTROL UNIT TO CONNECTION AT PRESSURE BULKHEAD (MOD. 2625)** Consisting of:—	1	—	—	
5E/4201	†		**CABLE,** Uninyvinmetsheath 16	QR	—	C	
33H/56	†		**CEMENT,** Bostik	QR	—	C	
10H/0970292	CZ.69733		**CLAMP,** cable	2	—	C	
5F/	†		**FOIL,** tinned copper	QR	—	C	
10H/0970058	Z.60667		**GASKET,** outlet	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
10H/0970069	CZ.49181	**OUTLET,** angle	1	—	C	
10H/0970062	CZ.49180	**OUTLET,** straight	1	—	C	
10H/0560280	CZ.49218	**PLUG,** free, Mk.4, 3-way	1	—	C	
10H/0970088	Z.62229	**RING,** sealing	2	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¼" long	6	—	C	
5K/9107068	EEAS.146/D	**SLEEVE,** 1" long	4	—	C	
10H/0560100	CZ.49015	**SOCKET,** free, Mk.4, 3-way	1	—	C	
5F/9434858	HV.3254	**STRAPPING**	QR	—	C	
5F/9138823	NT.3255	**STUD**	11	—	C	
5E/3141	†	**WIRE,** tinned copper, 32 SWG	QR	—	C	
	E.A9.81.10327	**CABLE, ASSEMBLY, E.30A, FROM INVERTER NO.9 TYPE 103, TO EARTH CONNECTION AT PRESSURE BULKHEAD (MOD. 2625)**	1	—	—	
		Consisting of:—				
5E/4190	†	**CABLE,** Uninyvin 6	QR	—	C	
5X/9400088	Z.70022	**LUG,** crimping, No. 22	1	—	C	
5K/87	AGS.1658/0	**NUT,** gland	1	—	C	
5K/2367	AGS.1733/2	**SLEEVE,** cable	1	—	C	
5K/9107068	EEAS.146/D	**SLEEVE,** 1" long	3	—	C	
33085	E.B7.81.1859	**THIMBLE**	1	—	C	
32B/498	†	**THREAD,** waxed linen, No. 18	QR	—	C	
	E.A9.81.10329	**CABLE ASSEMBLY, F.403, FROM CONTROL PANEL TYPE 15 INVERTER NO.3 TO CONTROL PANEL TYPE 24 INVERTER NO. 3 (MOD. 2625)**	1	—	—	
		Consisting of:—				
5E/9100032	†	**CABLE,** miniature, 12 C	QR	—	C	
10H/0970294	†	**CLAMP,** cable	2	—	C	
10H/0970059	Z.60668	**GASKET,** outlet	2	—	C	
10H/0970111	Z.62237	**GASKET,** union	2	—	C	
10H/0970072	CZ.49183	**OUTLET,** angle	1	—	C	
10H/0970065	CZ.49182	**OUTLET,** straight	1	—	C	
10H/0970105	Z.49147	**RING,** compression	2	—	C	
10H/	S.616	**RING,** thrust	2	—	—	
10H/0970115	Z.62241	**SLEEVE,** cable	2	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¼" long	16	—	C	
5K/9107069	EEAS.146/F	**SLEEVE,** 1" long	4	—	C	
10H/0560180	CZ.49126	**SOCKET,** free, Mk.4, 12-way	2	—	C	
	E.A9.81.10331	**CABLE, ASSEMBLY, F413, FROM MAIN ELECTRICAL PANEL AND MAGNETIC RELAY ON AUXILIARY PANEL TO MAGNETIC STARTING SWITCH NO. 9 INVERTER TYPE 103 (MOD. 2625)**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/4190	†	**CABLE,** Uninyvin 6	QR	—	C	
5X/9400086	Z.70020	**LUG,** crimping No. 20	2	—	C	
5X/9400383	Z.77450	**LUG,** crimping No. 3A	1	—	C	
5K/3612	HV.2222	**SHROUD,** cable lug	1	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¼" long	2	—	C	
5K/9107068	EEAS.146/D	**SLEEVE,** 1" long	3	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5K/9107069	EEAS.146/E		**SLEEVE,** 1" long	2	—	C	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	21	—	C	
5X/7298	†		**TAG,** Q.R.	1	—	C	
	E.A9.81.10333		**CABLE, ASSEMBLY, N.401, FROM A.C. FUSE BOX TO TERMINAL BLOCK, NAVIGATOR'S CRATE (MOD. 2625)**	1	—	—	
			Consisting of:—				
5E/4199	†		**CABLE,** Uninyvinmetsheath 20	QR	—	C	
33H/56	†		**CEMENT,** Bostik	QR	—	C	
10H/0970292	CZ.69733		**CLAMP,** cable	1	—	C	
5F/	†		**FOIL,** tinned copper	QR	—	—	
10H/0970058	Z.60667		**GASKET,** outlet	1	—	C	
10H/0970062	CZ.49180		**OUTLET,** straight	1	—	C	
10H/0560290	CZ.49220		**PLUG,** Mk.4, 4-way	1	—	C	
10H/0970088	Z.62229		**RING,** sealing	1	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	8	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	4	—	C	
5K/9107068	EEAS.146/D		**SLEEVE,** 1" long	4	—	C	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	20	—	C	
5X/7298	†		**TAG,** Q.R.	4	—	C	
5E/3141	†		**WIRE,** tinned copper, 32 SWG	QR	—	C	
	E.A9.81.10335		**CABLE, ASSEMBLY, M.92, FROM MAGNETIC STARTING SWITCH EQUIPMENT BAY TO NO. 9 INVERTER TYPE 103 EQUIPMENT BAY (MOD. 2625)**	1	—	—	
			Consisting of:—				
¡5E/4190	†		**CABLE,** Uninyvin 6	QR	—	C	
5X/9400086	Z.70020		**LUG** crimping No. 20	1	—	C	
5K/87	AGS.1658/0		**NUT,** gland	1	—	C	
5K/3612	HV.2222		**SHROUD,** cable lug	1	—	C	
5K/2367	AGS.1733/2		**SLEEVE,** cable	1	—	C	
5K/9107068	EEAS.146/D		**SLEEVE,** 1" long	4	—	C	
33085	E.B7.81.1859		**THIMBLE,** brass	1	—	C	
	E.A9.81.10337		**CABLE, ASSEMBLY, M.92 (LINK) FROM TERMINAL NO.2 TO TERMINAL NO.3, MAGNETIC STARTING SWITCH, INVERTER NO. 9, TYPE 103 (MOD. 2625)**	1	—	—	
			Consisting of:—				
'5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5X/9400389	Z.77863		**LUG,** crimping 2 BA	1	—	C	
5X/9400390	Z.77864		**LUG,** crimping ¼"	1	—	C	
5X/6681	HV.2256		**SLEEVE,** adaptor	1	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** ¼" long	2	—	C	
	E.A9.81.10339		**CABLE, ASSEMBLY, F.405, FROM INVERTER NO. 9, TYPE 24 (MOD. 2625)**	1	—	—	
			Consisting of:—				
¡5E/9100032	†		**CABLE,** miniature 12 C	QR	—	C	
10H/0970294	CZ.69735		**CLAMP,** cable	2	—	C	
10H/0970059	Z.60668		**GASKET,** outlet	2	—	C	
10H/0970111	Z.62237		**GASKET,** union	2	—	C	
10H/0970065	CZ.49182		**OUTLET,** straight	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
10H/0970105	Z.49147	**RING,** compression	2	—	C	
10H/	S.616	**RING,** thrust	2	—	C	
10H/0970115	Z.62241	**SLEEVE,** cable	2	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¾" long	16	—	C	
5K/9107069	EEAS.146/F	**SLEEVE,** 1" long	4	—	C	
10H/0560180	CZ.49126	**SOCKET,** Mk. 4, 12-way	2	—	C	
	E.A9.81.10341	**CABLE, ASSEMBLY, N.80, FROM A.C. FUSE BOX TO AUXILIARY SUPPRESSOR PANEL (MOD. 2625)**	1	—	—	
		Consisting of:—				
5E/4199	†	**CABLE,** Uninyvinmetsheath 20	QR	—	C	
33H/56	†	**CEMENT,** Bostik	QR	—	C	
10H/0970292	CZ.69733	**CLAMP,** cable	1	—	C	
5F/	†	**FOIL,** tinned copper	QR	—	—	
10H/0970058	Z.60667	**GASKET,** outlet	1	—	C	
5K/88	AGS.1658/1	**NUT,** gland	2	—	C	
10H/0970062	CZ.49180	**OUTLET,** straight	1	—	C	
10H/0970088	Z.62229	**RING,** sealing	1	—	C	
5K/27	AGS.1651/4	**SLEEVE,** cable	1	—	C	
5K/37	AGS.1652/2	**SLEEVE,** cable	1	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¾" long	10	—	C	
5K/9107068	EEAS.146/D	**SLEEVE,** 1" long	4	—	C	
5K/9107069	EEAS.146/E	**SLEEVE,** 1" long	2	—	C	
10H/0560120	CZ.49017	**SOCKET,** free, Mk. 4, 6-way	1	—	C	
5F/9434858	HV.3254	**STRAPPING**	QR	—	C	
5F/9138823	NT.3255	**STUD**	16	—	C	
5E/2904	†	**WIRE,** tinned copper 25 SWG	QR	—	C	
5E/3141	†	**WIRE,** tinned copper, 32 SWG	QR	—	C	
	E.A9.81.10343	**CABLE, ASSEMBLY, N.54, FROM STARBOARD ELECTRICAL CONTROL PANEL TO AUXILIARY SUPPRESSOR PANEL (MOD. 2625)**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
33H/56	†	**CEMENT,** Bostik	QR	—	C	
10H/0970292	CZ.69733	**CLAMP,** cable	1	—	C	
10H/0970058	Z.60667	**GASKET,** outlet	1	—	C	
10H/0970108	Z.62235	**GASKET,** union	1	—	C	
5K/88	AGS.1658/1	**NUT,** gland	2	—	C	
10H/0970062	CZ.49180	**OUTLET,** straight	1	—	C	
10H/0970096	Z.49037	**RING,** thrust	1	—	C	
5K/27	AGS.1651/14	**SLEEVE,** plain, cable	1	—	C	
5K/37	AGS.1652/2	**SLEEVE,** cable	1	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¾" long	10	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** ¾" long	4	—	C	
5K/9107069	EEAS.146/E	**SLEEVE,** 1" long	2	—	C	
10H/0560120	CZ.49017	**SOCKET,** free, Mk. 4, 6-way	1	—	C	
5F/9434858	HV.3254	**STRAPPING**	QR	—	C	
5F/9138823	NT.3255	**STUD**	16	—	C	
32B/498	†	**THREAD,** waxed linen, No. 18	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.A9.81.10349		**CABLE ASSEMBLY, 13C, FROM JB.13 TO I.L.S. VOLTAGE REGULATOR, TYPE 60 (MOD. 3159)**	1	—	—	
			Consisting of:—				
'5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5X/2787	Z.22432		**GROMMET,** Helsyn No. 4	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** $\frac{1}{4}$" long	6	—	C	
5K/9107069	EEAS.146/G		**SLEEVE,** 1" long	4	—	C	
5X/9450224	HC.510		**TAG,** Q.R.	3	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
5F/	†		**TUBING,** P.V.C., $\frac{7}{16}$" i/d	QR	—	C	
	E.A9.81.10933		**CABLE ASSEMBLY, N.40, FROM MAIN ELECTRICAL PANEL, NO. 4 INVERTER AND D.C. DISTRIBUTION BOX TO STARBOARD FUSE PANEL, JUNCTION BOX 12, D.C. CONTROL UNIT AND PILOT'S CONSOLE (MOD. 4279)**	1	—	—	
			Consisting of:—				
26DK/12101	EEAS.276/B		**ADAPTOR,** outlet	2	—	C	
	EEAS.276/C1		**ADAPTOR,** outlet	2	—	—	
	EEAS.285		**ADAPTOR,** outlet	4	—	—	
5X/6865	SR.3827		**BUNG,** pressure	1	—	C	
5E/4188	†		**CABLE,** Uninyvin 10	QR	—	C	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
10H/0970294	CZ.69735		**CLAMP,** cable	4	—	C	
10H/0970297	CZ.69737		**CLAMP,** cable	4	—	C	
	50928		**FERRULE,** 37A	1	—	—	
	PC.14031		**FILLER,** plug	10	—	—	
	PC.14032		**FILLER,** plug	1	—	—	
10H/0970111	Z.62237		**GASKET,** union	4	—	C	
10H/0970112	Z.62238		**GASKET,** union	4	—	C	
5X/2785	†		**GROMMET,** No. 2	1	—	C	
5X/6866	4652/C		**HOUSING,** bung	1	—	C	
	12110		**LUG**	1	—	—	
	12112		**LUG**	1	—	—	
	12113		**LUG**	1	—	—	
	12116		**LUG**	1	—	—	
10H/0970091	Z.62231		**RING,** sealing	4	—	C	
10H/0970092	Z.62232		**RING,** sealing	4	—	C	
10H/0970100	Z.50776		**RING,** thrust	4	—	C	
	Z.66473		**RING,** thrust	4	—	—	
	†		**ROD,** nylon 66, $\frac{3}{32}$" x $\frac{7}{8}$" long	33	—	—	
	†		**ROD,** nylon 66, $\frac{1}{8}$" x $\frac{7}{8}$" long	3	—	—	
5X/3146	Z.49397		**SLEEVE,** reducing	1	—	C	
5X/1005131	Z.49428		**SLEEVE,** reducing	108	—	C	
5K/9107070	EEAS.146/0000		**SLEEVE**	QR	—	C	
5K/9107068	EEAS.146/2		**SLEEVE**	QR	—	C	
5K/9107066	EEAS.146/10		**SLEEVE**	QR	—	C	
5K/9107066	EEAS.146/12		**SLEEVE**	QR	—	C	
5K/9107065	EEAS.146/16		**SLEEVE**	QR	—	C	
5K/9107065	EEAS.146/20		**SLEEVE**	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	50604	**SLEEVE,** adaptor	1	—	—	
5X/5805564	2CZ.111234	**SOCKET,** 9-way	2	—	C	
5X/7185	2CZ.111236	**SOCKET,** 14-way	2	—	C	
5X/7192	2CZ/111238	**SOCKET,** 26-way	4	—	C	
5F/9434858	HV.3254	**STRAP**	QR	—	C	
5F/9138823	NT.3255	**STUD**	QR	—	C	
5X/9462951	HC.294	**TAG**	1	—	C	
5X/6988	HC.304	**TAG**	2	—	C	
5X/9450396	HC.490	**TAG**	14		C	
5X/9482491	HC.500	**TAG**	3	—	C	
5X/7214	HC.1189	**TAG**	2	—	C	
	E.A9.81.10355	**CABLE, ASSEMBLY, N.50 FROM STARBOARD FUSE PANEL TO STARBOARD ELECTRICAL CONTROL PANEL (MOD. 3159)**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
¡5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
	EEAS.83/4	**FERRULE**	1	—	—	
5K/3073	HV.3114	**GROMMET,** bung, 26-way	1	—	C	
5X/3237	Z.27330	**INSERT,** socket	1	—	C	
5X/1532	Z.18501/C	**RING,** clamping	1	—	C	
5X/1005131	Z.49428	**SLEEVE,** cable	23	—	C	
5K/	EEAS.118/4/N50	**SLEEVE,** identification	1	—	—	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¾" long	48	—	C	
5K/9107071	EEAS.146/J	**SLEEVE,** 1" long	1	—	C	
5X/7192	2CZ.111238	**SOCKET,** D size, 26-way	1	—	C	
5F/9434858	HV.3254	**STRAPPING**	QR	—	C	
5F/9138823	NT.3255	**STUD**	1	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	22	—	C	
5X/9482491	HC.500	**TAG,** Q.R.	2	—	C	
5F/2037	†	**TUBING,** P.V.C., 0·"75 i/d	QR	—	C	
	E.A9.81.10357	**CABLE, ASSEMBLY, N.59, FROM D.C. CONTROL UNIT TO CABIN PRESSURE WARNING HORN (MOD. 3159)**	1	—	—	
		Consisting of:—				
¡5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5X/2785	Z.22430	**GROMMET,** Helsyn No. 2	1	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¾" long	2	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¾" long	2	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** 1" long	14	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	2	—	C	
	E.A9.81.10359	**CABLE, ASSEMBLY, E.25, FROM STARBOARD FUSE PANEL TO EARTH TERMINAL (MOD. 2624)**	1	—	—	
		Consisting of:—				
¡5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
5X/9400055	AS.2674	**FERRULE**	4	—	C	
5X/9400058	AS.2679	**FERRULE**	2	—	C	
5X/2788	Z.23672	**GROMMET,** Helsyn No. 5	1	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** ¾" long	8	—	C	
5K/9107069	EEAS.146/E	**SLEEVE,** 1" long	1	—	C	
5X/9450224	HC.510	**TAG,** Q.R.	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.10363		**CABLE, ASSEMBLY, N.26, FROM STARBOARD FUSE PANEL TO I/C AMPLIFIER A.1961 (MOD. 2624)**	1	—	—	
			Consisting of:—				
5E/4203	†		**CABLE,** Uninyvinmet 12	QR	—	C	
33H/56	†		**CEMENT,** Bostik	QR	—	C	
10H/0970293	CZ.69734		**CLAMP,** cable	1	—	C	
30B/1623	†		**FOIL,** tinned copper	QR	—	C	
10H/0970058	Z.60667		**GASKET,** outlet	1	—	C	
5X/9491421	Z.22431		**GROMMET,** Helsyn No. 3	1	—	C	
10H/0970068	CZ.49179		**OUTLET,** right angle	1	—	C	
10H/0970087	Z.62228		**RING,** sealing	1	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** ¼" long	4	—	C	
5K/9107068	EEAS.146/D		**SLEEVE,** 1" long	2	—	C	
10H/0560090	CZ.49014		**SOCKET,** Mk. 4, 2-way	1	—	C	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	33	—	C	
5X/9450224	HC.510		**TAG,** Q.R.	2	—	C	
5E/9102380	†		**WIRE,** tinned copper, 30 SWG	QR	—	C	
	E.A9.81.4691		**CABLE, ASSEMBLY, N.61, FROM A.C. FUSE BOX TO P.F. CORRECTION BOX (MOD. 4010)**	1	—	—	
			Consisting of:—				
5E/9100010	†		**CABLE,** miniature 3B	QR	—	C	
10H/20406	Z.54443		**FERRULE,** inner	2	—	C	
10H/20407	Z.54444		**FERRULE,** outer	2	—	C	
10H/0970058	Z.60667		**GASKET,** outlet	2	—	C	
10H/0970062	CZ.49180		**OUTLET,** straight	2	—	C	
10H/0560280	CZ.49218		**PLUG,** 3-way	1	—	C	
10H/0970088	CZ.62229		**RING,** sealing	2	—	C	
5K/9107068	EEAS.146/2		**SLEEVE**	2	—	C	
5K/9107065	EEAS.146/16		**SLEEVE**	6	—	C	
10H/0560120	CZ.49017		**SOCKET,** 6-way	1	—	B	
	E.A9.81.10487		**CABLE, ASSEMBLY, MM.91A, FROM RELAY TYPE T.1 TO INVERTER NO. 9 (MOD. 2625)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
	E.B7.81.3187		**FERRULE**	1	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** 1" long	3	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** 1" long	1	—	C	
	E.A9.81.10673		**CABLE, ASSEMBLY, N.20, FROM STARBOARD FUSE PANEL TO D.C. CONTROL UNIT (MOD. 3155)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
33H/56	†		**CEMENT,** Bostik	QR	—	C	
5X/1373	Z.11394/2		**FERRULE,** cut	1	—	C	
5X/9491421	Z.22431		**GROMMET,** Helsyn No. 3	1	—	C	
5X/1005131	Z.49428		**SLEEVE,** adaptor	5	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	10	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** ¼" long	4	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5X/7182	2CZ.111440	**SOCKET,** size B, 9-way	1	—	C	
5X/7298	†	**TAG,** Q.R.	5	—	C	
5X/9450224	HC.510	**TAG,** Q.R.	2	—	C	
32B/498	†	**THREAD,** waxed linen, No. 18	QR	—	C	
	E.A9.81.10677	**CABLE, ASSEMBLY, N.87, FROM A.C. CONTROL UNIT TO A.C. FUSE BOX (MOD. 3155)** Consisting of:—	1	—	—	
5E/3089	†	**CABLE,** Uniprenmet 4	QR	—	C	
5E/4199	†	**CABLE,** Uninyvinmetsheath 20	QR	—	C	
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
5E/4203	†	**CABLE,** Uninyvinmet 12	QR	—	C	
33H/56	†	**CEMENT,** Bostik	QR	—	C	
10H/0970296	CZ.59319	**CLAMP,** cable	1		C	
10H/0970293	CZ.69734	**CLAMP,** cable	1	—	C	
5X/1357	Z.2273/2	**FERRULE**	1	—	C	
5F/	†	**FOIL,** tinned copper	QR	—	C	
10H/0970058	Z.60667	**GASKET,** outlet	1	—	C	
10H/0970060	Z.60669	**GASKET,** outlet	1	—	C	
5K/96	AGS.1658/5	**NUT,** gland	1	—	C	
10H/0970061	CZ.49178	**OUTLET,** straight	1	—	C	
10H/0970067	CZ.49186	**OUTLET,** straight	1	—	C	
10H/0560270	CZ.49216	**PLUG,** free, Mk. 4, 2-way	1	—	C	
10H/0560400	CZ.49228	**PLUG,** free, Mk. 4, 25-way	1	—	C	
10H/0970087	Z.62228	**RING,** scaling	1	—	C	
10H/0970090	Z.62233	**RING,** scaling	1	—	C	
5K/	EEAS.146/00	**SLEEVE,** 1" long	1	—	—	
5K/	EEAS.146/0000	**SLEEVE,** 1" long	1	—	—	
5K/	EEAS.146/6	**SLEEVE,** ¾" long	4	—	—	
5K/	EEAS.146/6	**SLEEVE,** 1" long	1	—	—	
5K/	EEAS.146/16	**SLEEVE,** ¾" long	16	—	—	
5K/	EEAS.146/20	**SLEEVE,** ¾" long	12	—	—	
5F/9434858	HV.3254	**STRAPPING**	QR	—	C	
5F/9138823	NT.3255	**STUD**	8	—	C	
5X/7298	†	**TAG,** Q.R.	11	—	C	
5X/9482491	HC.500	**TAG,** Q.R.	3	—	C	
5X/9450224	HC.510	**TAG,** Q.R.	2	—	C	
5E/2904	†	**WIRE,** tinned copper, 25 SWG	QR	—	C	
5E/3141	†	**WIRE,** tinned copper, 32 SWG	QR	—	C	
	E.A9.81.10707	**CABLE, ASSEMBLY, N.424, FROM A.C. FUSE BOX TO B.4 SUPPRESSOR AND G.4B COMPASS JUNCTION BOX (MOD. 3714)** Consisting of:—	1	—	—	
5E/4199	†	**CABLE,** Uninyvinmetsheath 20	QR	—	C	
10H/0970292	CZ.69733	**CLAMP,** cable	1	—	C	
5F/	†	**FOIL,** tinned copper	QR	—	C	
10H/0970058	Z.60667	**GASKET,** outlet	1	—	C	
5K/87	AGS.1658/0	**NUT,** gland	2	—	C	
10H/0970069	CZ.49181	**OUTLET,** angle	1	—	C	
10H/0560290	CZ.49220	**PLUG,** Mk. 4, 4-way	1	—	C	
10H/0970088	Z.62229	**RING,** sealing	1	—	C	
5K/24	AGS.1651/1	**SLEEVE,** cable	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5K/28	AGS.1651/5	**SLEEVE,** cable	1	—	C	
5K/	EEAS.146/3	**SLEEVE,** ¼" long	4	—	—	
5K/	EEAS.146/14	**SLEEVE,** 1" long	4	—	—	
5K/	EEAS.146/18	**SLEEVE,** ¼" long	6	—	—	
5E/3141	†	**WIRE,** tinned copper, 32 SWG	QR	—	C	
	E.B7.81.1321	**CABLE, ASSEMBLY, ACCUMULATOR LEAD** ... Consisting of:—	1	—	—	
'5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
5X/9400389	Z.77863	**LUG,** crimping	2	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** ¾" long	2	—	C	
	E.B7.81.1783	**CABLE, ASSEMBLY, 4C1, NOSEWHEEL "UP" FROM TERMINAL BLOCK TO INDICATOR CONTROL SWITCH (MOD. 1497)** Consisting of:—	1	—	—	
5E/3113	†	**CABLE,** Duprensheath 6, circular	QR	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¼" long	2	—	C	
5K/9107071	EEAS.146/0	**SLEEVE,** ¼" long	2	—	C	
	E.B7.81.1785	**CABLE, ASSEMBLY, 4C2, NOSEWHEEL "DOWN" FROM TERMINAL BLOCK TO INDICATOR CONTROL SWITCH (MOD. 1497)** Consisting of:—	1	—	—	
5E/3113	†	**CABLE,** Duprensheath 6, circular	QR	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¼" long	2	—	C	
5K/9107068	EEAS.146/D	**SLEEVE,** ¼" long	2	—	C	
	E.B7.81.1787	**CABLE, ASSEMBLY, 4C3, NOSEWHEEL "DOWN" FROM TERMINAL BLOCK TO INDICATOR CONTROL SWITCH (MOD. 1497)** Consisting of:—	1	—	—	
5E/3113	†	**CABLE,** Duprensheath 6, circular	QR	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¼" long	2	—	C	
5K/9107068	EEAS.146/D	**SLEEVE,** ¼" long	2	—	C	
	E.C3.81.429/2	**CABLE, ASSEMBLY, N.13B, FROM JB.13 TO STARBOARD FUSE PANEL (MOD. 2625)** Consisting of:—	1	—	C	
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
5X/6413	EEAS.88/3	**FERRULE**	2	—	C	
5X/1531	Z.18501/B	**RING,** clamping	2	—	C	
5X/1005131	Z.49428	**SLEEVE,** cable	24	—	C	
5K/	EEAS.118/3/N13B	**SLEEVE,** identification	2	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¼" long	24	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** ¾" long	4	—	C	
5K/9107071	EEAS.146/J	**SLEEVE,** 1" long	2	—	C	
5X/	CZ.27918	**SOCKET,** size C, 14-way (Alternative)	2	—	—	
5X/7185	2CZ111236	**SOCKET,** size C, 14-way (Alternative)	2	—	C	
5F/2045	†	**TUBING,** P.V.C., 15·8 m/m i/d	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.C3.81.673	**CABLE, ASSEMBLY, E/T4„ FROM T-4B JB TO EARTH TERMINAL, PILOT'S FLOOR (MOD. 2625)**	1	—	—	
		Consisting of:—				
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
5X/9400053	AS.2673	**FERRULE**	2	—	C	
5X/9400384	Z.77858	**LUG,** crimping	2	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¾" long	4	—	C	
5K/9107069	EEAS.146/E	**SLEEVE,** 1" long	4	—	C	
32B/498	†	**THREAD,** waxed linen, No. 18	QR	—	C	
5F/9013643	†	**TUBING,** P.V.C. $\frac{5}{16}$" i/d.	QR	—	C	
	E.C3.81.675	**CABLE, ASSEMBLY, 13A, FROM JB TO AIR TEMPERATURE INDICATOR NAVIGATOR'S INSTRUMENT PANEL (MOD. 2625)**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5X/9491422	Z.22430	**GROMMET,** Helsyn No. 2	1	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¾" long	3	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¾" long	3	—	C	
5K/9107068	EEAS.146/D	**SLEEVE**	2	—	C	
5X/9450396	HC.490	**TAG,** QR	3	—	C	
32B/498	†	**THREAD,** waxed linen, No. 18	QR	—	C	
5F/9143294	†	**TUBING,** P.V.C. ¼" i/d.	QR	—	C	
	E.A9.81.10983	**CABLE, ASSEMBLY, 13B, FROM JB13 TO CONSOLE JUNCTION PANEL (MOD. 4702)**	1	—	—	
		Consisting of:—				
	†	CABLE, Uniminyvin 12	QR	—	—	
	†	CABLE, Uniminyvin 20	QR	—	—	
26DK/6014	EEAS.111/2	**FERRULE**	1	—	C	
	EEAS.111/5	**FERRULE**	1	—	—	
10H/0970058	Z.60667	**GASKET,** outlet	1	—	C	
10H/0970059	Z.60668	**GASKET,** outlet	1	—	C	
5X/2787	Z.22432	**GROMMET,** Helsyn No. 4	1	—	C	
10H/0970062	CZ.49180	**OUTLET,** straight	1	—	C	
10H/0970063	CZ.51528	**OUTLET,** straight	1	—	C	
5X/1529	Z.18501/A	**RING,** clamping	1	—	C	
5X/1530	Z.18501/Z	**RING,** clamping	1	—	C	
10H/0970088	Z.62229	**RING,** sealing	1	—	C	
10H/0970089	Z.62230	**RING,** sealing	1	—	C	
5K/9107068	EEAS.146/2	**SLEEVE,** 1" long	QR	—	C	
5K/3367	EEAS.146/2	**SLEEVE,** 2" long	QR	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	QR	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** 1" long	QR	—	C	
5K/9107065	EEAS.146/20	**SLEEVE,** ¾" long	QR	—	C	
10H/0560120	CZ.49017	**SOCKET,** free, Mk. 4, 6-way	1	—	C	
10H/0560161	CZ.51328/1	**SOCKET,** free, Mk. 4, 4-way	1	—	C	
5F/9434858	HV.3254	**STRAPPING**	QR	—	C	
5F/9138823	NT.3255	**STUD**	18	—	C	
5X/9450396	HC.490	**TAG,** QR	4	—	C	
5X/9450224	HC.510	**TAG,** QR	3	—	C	
5F/2027	†	**TUBING,** P.V.C., 9·7 m/m i/d.	QR	—	C	
5F/2030	†	**TUBING,** P.V.C., 12·7 m/m i/d.	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. Off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.C3.81.679		**CABLE, ASSEMBLY, 13F, FROM JB13 TO PORT COAMING PANEL (MOD. 2625)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/9491421	Z.22431		**GROMMET,** Helsyn No. 3	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	10	—	C	
5K/9107069	EEAS.146/E		**SLEEVE,** 1" long	4	—	C	
5X/9450396	HC.490		**TAG,** QR	10	—	C	
5F/9013643	, †		**TUBING,** P.V.C., $\frac{5}{16}$" i/d.	QR	—	C	
	E.C3.81.681		**CABLE, ASSEMBLY, 13J1, FROM PORT JUNCTION PANEL TO CANOPY JETTISON BATTERIES (MOD. 3159)**	1	—	—	
			Consisting of:—				
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5X/9400389	Z.77863		**LUG,** crimping, No. 9A	2	—	C	
5K/9107066	EEAS.146/B		**SLEEVE,** ¾" long	4	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	4	—	C	
5X/9450224	HC.510		**TAG,** QR	2	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
5F/9013643	†		**TUBING,** P.V.C., $\frac{5}{8}$" i/d.	QR	—	C	
	E.C3.81.683		**CABLE, ASSEMBLY, 13J4, FROM PORT JUNCTION PANEL TERMINAL BLOCK TO CANOPY DE-MISTING BLOWER SUPPRESSOR (MOD. 2625)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
10H/0970292	CZ.69733		**CLAMP,** cable	1	—	C	
10H/0970058	Z.60667		**GASKET,** outlet	1	—	C	
10H/0970108	Z.62235		**GASKET,** union	1	—	C	
10H/0970062	CZ.49180		**OUTLET,** straight	1	—	C	
10H/0970088	Z.62229		**RING,** sealing	1	—	C	
10H/0970096	Z.49037		**RING,** thrust	1	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¾" long	2	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	2	—	C	
5K/9107068	EEAS.146/D		**SLEEVE,** 1" long	4	—	C	
10H/0560100	CZ.49015		**SOCKET,** free, 3-way	1	—	C	
5X/9450396	HC.490		**TAG,** QR	2	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
5F/9143294	†		**TUBING,** P.V.C., ¼" i/d.	QR	—	C	
	E.C3.81.685		**CABLE, ASSEMBLY, E13, FROM JB13 TO EARTH TERMINAL (MOD. 2625)**	1	—	—	
			Consisting of:—				
5E/4187	†		**CABLE,** Uninynvin 12	QR	—	C	
5X/9400055	AS.2674		**FERRULE**	2	—	C	
5X/9491421	Z.22431		**GROMMET,** Helsyn No. 3	1	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** ¾" long	4	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	4	—	C	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	16	—	C	
5X/9450224	HC.510		**TAG,** QR	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.C3.81.687		**CABLE, ASSEMBLY, N.13A, BETWEEN JB.12 AND JB.13 (MOD. 2625)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5X/6459	EEAS.88/4		**FERRULE,** conduit	2	—	C	
5X/1532	Z.18501/C		**RING,** clamping	2	—	C	
5X/1005131	Z.49428		**SLEEVE,** cable, adaptor	24	—	C	
5K/	EEAS.118/4/13A		**SLEEVE,** identification	2	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	24	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** ¾" long	8	—	C	
5K/9107071	EEAS.146/J		**SLEEVE,** 1" long	2	—	C	
5X/6129	CZ.27925		**SOCKET,** D size, 16-way (Alternative)	2	—	C	
5X/7191	2CZ.111445		**SOCKET,** D size, 16-way (Alternative)	2	—	C	
5F/2037	†		**TUBING,** P.V.C., 0·"75 i/d	QR	—	C	
	E.C3.81.689		**CABLE, ASSEMBLY, ER, FROM PORT JUNCTION PANEL TO EARTH TERMINAL (MOD. 2625)**	1	—	—	
			Consisting of:—				
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5X/9400055	AS.2674		**FERRULE**	2	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** ¾" long	4	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	4	—	C	
5X/9450224	HC.510		**TAG,** Q.R.	2	—	C	
	E.C3.81.691		**CABLE, ASSEMBLY, 13K, FROM OXYGEN DEMAND REGULATOR, NAVIGATOR'S POSITION, TO JB.13 (MOD. 2625)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/2784	Z.23671		**GROMMET,** Helsyn No. 1	1	—	C	
5D/645	E & I.17562		**PLUG,** type K, 3-way	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	4	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	1	—	C	
	H. D. SYMONS LTD.						
5F/2736	SP.1172/5/3C		**TAPE,** nylon, 1" wide	QR	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
	E.A9.81.5879		**CABLE, ASSEMBLY, N.310, FROM VIBRATOR, NAVIGATOR'S ALTIMETER, AND ALTIMETER TO A.C. FUSE BOX (MOD. 3897)**	1	—	—	
			Consisting of:—				
5E/9100004	†		**CABLE,** miniature 2C	QR	—	C	
	AN.3057-4		**CLAMP,** cable	1	—	—	
10H/0970292	CZ.69733		**CLAMP,** cable	1	—	C	
10H/0970293	CZ.69734		**CLAMP,** cable	1	—	C	
10H/0970058	Z.60667		**GASKET,** outlet	2	—	C	
10H/0970108	Z.62235		**GASKET,** union	1	—	C	
30B/2079	†		**LEAD,** foil, 0·"5 wide x 0·"02 thick	QR	—	C	
10H/19072	Z.49033		**OUTLET,** angle	1	—	C	
10H/0970061	CZ.49178		**OUTLET,** straight	1	—	C	
10H/0560290	CZ.49220		**PLUG,** 4-way	1	—	C	
10H/0970102	Z.49040		**RING,** compression	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1	2	3	4	5	6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
10H/0970091	Z.62231							**RING,** sealing	1	—	C	
10H/0970096	Z.49037							**RING,** thrust	1	—	C	
	2Z.85838							**RING,** thrust	1	—	—	
10H/0970114	Z.62240							**SLEEVE**	1	—	C	
5K/9107068	EEAS.146/2							**SLEEVE**	2	—	C	
5K/9107067	EEAS.146/6							**SLEEVE**	4	—	C	
5K/9107065	EEAS.146/20							**SLEEVE**	8	—	C	
10H/0560100	CZ.49015							**SOCKET,** 3-way	1	—	C	
5X/7983	MS.3106A-10SL-3S							**SOCKET**	1	—	C	
5F/9434858	HV.3254							**STRAP**	QR	—	C	
5F/9138823	NT.3255							**STUD**	15	—	C	
5E/3141	†							**WIRE,** tinned copper, 32 SWG	QR	—	C	
	E.A9.81.5887							**CABLE, ASSEMBLY, N.311, FROM ALTIMETER AMPLIFIER TO ALTIMETER (MOD. 3897)** Consisting of:—	1	—	—	
5E/9100030	†							**CABLE,** miniature, 12A	QR	—	C	
10H/0970294	CZ.69735							**CLAMP,** cable	2	—	C	
10H/0970059	Z.60668							**GASKET,** outlet	2	—	C	
10H/0970111	Z.62237							**GASKET,** union	2	—	C	
	Z.49144							**OUTLET,** angle	2	—	—	
10H/0560360	CZ.49458							**PLUG,** 12-way	1	—	C	
10H/0970091	Z.62231							**RING,** sealing	2	—	C	
	Z.66473							**RING,** thrust	2	—	—	
5K/9107068	EEAS.146/2							**SLEEVE**	QR	—	C	
5K/9107065	EEAS.146/20							**SLEEVE**	QR	—	C	
10H/0560180	CZ.49126							**SOCKET,** 12-way	1	—	C	
	E.A9.81.5995							**CABLE, ASSEMBLY, N.53, FROM STARTER PANEL AND TERMINAL BLOCK TO STARBOARD PANEL PLUG BREAK STARBOARD ELECTRICAL CONTROL PANEL, GM.4B CONTROL UNIT AND EARTH (MOD. 4320)** Consisting of:—	1	—	—	
26DK/2122	EEAS.276D							**ADAPTOR,** outlet	1	—	C	
5E/4183	†							**CABLE,** Uninyvin 20	QR	—	C	
10H/0970295	CZ.69733							**CLAMP,** cable	1	—	C	
10H/0970296	CZ.69738							**CLAMP,** cable	2	—	C	
	508/1/05602/002							**CONTACT,** socket	37	—	—	
5X/7545	HC.1352							**FERRULE**	4	—	C	
	508/2/04367							**FILLER,** plug	6	—	—	
10H/0970059	Z.60668							**GASKET,** outlet	1	—	C	
10H/0970060	Z.60669							**GASKET,** outlet	1	—	C	
	2Z.139119							**GASKET,** union	1	—	—	
10H/0970109	Z.62235							**GASKET,** union	1	—	C	
10H/0970110	Z.62239							**GASKET,** union	1	—	C	
10H/0119121	Z.49083							**OUTLET,** angle	1	—	C	
10H/0119117	Z.49153							**OUTLET,** straight	1	—	C	
10H/0560401	CZ.49228/1							**PLUG,** 25-way	1	—	C	
10H/0560361	CZ.49458/1							**PLUG,** 12-way	1	—	B	
	2CZ.111238							**PLUG,** 26-way	1	—	—	
	508/2/05851/011							**RING,** chafing	1	—	—	
10H/0970090	Z.62233							**RING,** sealing	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
10H/0970091	Z.62229	**RING,** sealing	1	—	C	
	2Z.139108	**RING,** sealing	1	—	—	
10H/0970097	Z.49037	**RING,** thrust	1	—	C	
10H/0970098	Z.49084	**RING,** thrust	2	—	C	
	2Z.139623	**SLEEVE,** packing	31	—	—	
5X/1005131	Z.49428	**SLEEVE**	18	—	C	
5K/9107069	EEAS.146/00	**SLEEVE**	QR	—	C	
5K/9107068	EEAS.146/2	**SLEEVE**	QR	—	C	
5K/9107066	EEAS.146/10	**SLEEVE**	QR	—	C	
5K/9107066	EEAS.146/12	**SLEEVE**	QR	—	C	
5K/9107065	EEAS.146/20	**SLEEVE**	QR	—	C	
	UK-AN-7000-28-21-S	**SOCKET**	1	—	—	
5F/9454141	NY.18007A	**STRAP**	QR	—	C	
5F/9138822	NY.3342	**STUD**	QR	—	C	
	E.B6.81.10903	**CABLE, ASSEMBLY, N.196, FROM EARTH EQUIPMENT BAY TO BATTERY EQUIPMENT BAY (MOD. 4320)**	1	—	—	
		Consisting of:—				
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
5K/9107065	EEAS.146/16	**SLEEVE**	QR	—	C	
5X/7009	HC.302	**TAG**	1	—	C	
5X/6988	HC.304	**TAG**	1	—	C	
	E.A9.81.5841	**CABLE, ASSEMBLY, QG.3, FROM TERMINAL BLOCK TO STARBOARD FUSE PANEL (MOD. 4129)**	1	—	—	
		Consisting of:—				
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
5X/9491422	†	**GROMMET**	1	—	C	
5K/9107066	EEAS.146/12	**SLEEVE**	QR	—	C	
5K/9107065	EEAS.146/16	**SLEEVE**	QR	—	C	
5X/9482491	HC.500	**TAG**	4	—	C	
	E.A9.81.6015	**CABLE, ASSEMBLY, N.430, FROM TEST SOCKET TO FORWARD FUSE PANEL (MOD. 4039)**	1	—	—	
		Consisting of:—				
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
10H/0970293	CZ.69734	**CLAMP,** cable	1	—	C	
10H/0970058	Z.60667	**GASKET,** outlet	1	—	C	
10H/0970107	Z.62234	**GASKET,** union	1	—	C	
10H/0119115	Z.49030	**OUTLET,** straight	1	—	C	
10H/0970087	Z.62228	**RING,** sealing	1	—	C	
10H/0970095	Z.49051	**RING,** thrust	1	—	C	
5K/9107066	EEAS.146/12	**SLEEVE**	QR	—	C	
5K/9107065	EEAS.146/16	**SLEEVE**	QR	—	C	
10H/0560790	CZ.56740	**SOCKET**	1	—	C	
5X/7098	HC.306B	**TAG**	1	—	C	
5X/9482491	HC.500	**TAG**	1	—	C	
5E/4183	†	**CABLE,** Uninyvin 20 (Mod. 3159)	QR	—	C	
	EEAS.150/1	**GASKET,** bung mounting, 3·"5	1	—	—	
	EEAS.150/2	**GASKET,** bung mounting, 4·"5	3	—	—	
		Attaching parts for EEAS.150/1 and EEAS.150/2:—				
28D/1010658	A25/1B	Bolt, 4 BA	8	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	8	—	C	
28W/9419474	SP.15/B	Washer	8	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5X/7209	12355		**LUG,** crimping (Mod. 3159)	8	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long (Mod. 3159)	20	—	C	
5X/9450396	HC.490		**TAG,** Q.R. (Mod. 3159)	10	—	C	
	E.A9.81.843		**LOOMS, INSTRUMENT, CABLE ASSEMBLY** ...	—	—	—	
			Spares for:—				
	E.A9.81.1767		**CABLE, ASSEMBLY, M1–A1, FROM G.4B MASTER INDICATOR TO G.4B COMPASS AMPLIFIER**	1	—	—	
			Consisting of:—				
5E/9100031	†		**CABLE,** miniature, 12B	QR	—	C	
10H/0970084	Z.49137		**FERRULE,** inner	2	—	C	
10H/0970083	Z.49138		**FERRULE,** outer	2	—	C	
10H/0970059	Z.60668		**GASKET,** outlet	2	—	C	
10H/0970065	CZ.49182		**OUTLET,** straight	2	—	C	
10H/0560360	CZ.49458		**PLUG,** free, Mk. 4	1	—	C	
10H/0970091	Z.62231		**RING,** sealing	2	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	24	—	C	
5K/9107069	EEAS.146/F		**SLEEVE,** 1" long	2	—	C	
10H/0560184	CZ.49126/4		**SOCKET,** free, Mk. 4	1	—	C	
	E.A9.81.1769		**CABLE, ASSEMBLY, M2–A4, FROM G.4B MASTER INDICATOR TO G.4B COMPASS AMPLIFIER**	1	—	—	
			Consisting of:—				
5E/9100031	†		**CABLE,** miniature, 12B	QR	—	C	
10H/0970084	Z.49137		**FERRULE,** inner	2	—	C	
10H/0970083	Z.49138		**FERRULE,** outer	2	—	C	
10H/0970059	Z.60668		**GASKET,** outlet	2	—	C	
10H/0970065	CZ.49182		**OUTLET,** straight	2	—	C	
10H/0560362	CZ.49458/2		**PLUG,** free, Mk. 4	1	—	C	
10H/0970091	Z.62231		**RING,** sealing	2	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	24	—	C	
5K/9107069	EEAS.146/F		**SLEEVE,** 1" long	2	—	C	
10H/0560182	CZ.49126/2		**SOCKET,** free, Mk. 4	1	—	C	
	E.A9.81.1771		**CABLE, ASSEMBLY, M3–D1C, FROM G.4B MASTER INDICATOR TO PRESSURE BULKHEAD CONNECTION**	1	—	—	
			Consisting of:—				
5E/9100031	†		**CABLE,** miniature, 12B	QR	—	C	
10H/0970084	Z.49137		**FERRULE,** inner	2	—	C	
10H/0970083	Z.49138		**FERRULE,** outer	2	—	C	
10H/0970059	Z.60668		**GASKET,** outlet	2	—	C	
10H/0970065	CZ.49182		**OUTLET,** straight	2	—	C	
10H/0560360	CZ.49458		**PLUG,** free, Mk. 4	1	—	C	
10H/0970091	Z.62231		**RING,** sealing	2	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	24	—	C	
5K/9107069	EEAS.146/F		**SLEEVE,** 1" long	2	—	C	
10H/0560180	CZ.49126		**SOCKET,** free, Mk. 4	1	—	C	
	E.A9.81.1775		**CABLE, ASSEMBLY, C2–A2 FROM G.4B CONTROL PANEL TO G.4B COMPASS AMPLIFIER**	1	—	—	
5E/9100031	†		**CABLE,** miniature, 12B	QR	—	C	
10H/0970084	Z.49137		**FERRULE,** inner	2	—	C	
10H/0970083	Z.49138		**FERRULE,** outer	2	—	C	
10H/0970059	Z.60668		**GASKET,** outlet	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
10H/0970065	CZ.49182	**OUTLET,** straight	2	—	C	
10H/0560363	CZ.49458/3	**PLUG,** free, Mk. 4	1	—	C	
10H/0970091	Z.62231	**RING,** sealing	2	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¾" long	24	—	C	
5K/9107069	EEAS.146/F	**SLEEVE,** 1" long	2	—	C	
10H/0560181	†	**SOCKET,** free, Mk. 4	1	—	C	
	E.A9.81.1781	**CABLE, ASSEMBLY, G1–C3, FROM G.4B CONTROL PANEL TO GYRO UNIT**	1	—	—	
		Consisting of:—				
5E/9100031	†	**CABLE,** miniature, 12B	QR	—	C	
10H/0970084	Z.49137	**FERRULE,** inner	2	—	C	
10H/0970083	Z.49138	**FERRULE,** outer	2	—	C	
10H/0970059	Z.60668	**GASKET,** outlet	2	—	C	
10H/0970065	CZ.49182	**OUTLET,** straight	1	—	C	
10H/0970072	C.49183	**OUTLET,** angle	1	—	C	
10H/0560365	CZ.49458/5	**PLUG,** free, Mk. 4	1	—	C	
10H/0970091	Z.62231	**RING,** sealing	2	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¾" long	24	—	C	
5K/9107069	EEAS.146/F	**SLEEVE,** 1" long	2	—	C	
10H/0560185	CZ.49126/5	**SOCKET,** free, Mk. 4	1	—	C	
	E.A9.81.1795	**CABLE, ASSEMBLY, BS1–AJ2, FROM T2 BOMBSIGHT COMPUTOR REPEATER TO COMPASS REPEATER J.B.**	1	—	—	
		Consisting of:—				
5E/3105	†	**CABLE,** Triprenmet 4	QR	—	C	
10AR/4860	AN.3057/8	**CLAMP,** cable	1	—	B	
30B/1623	†	**FOIL,** tinned copper	QR	—	C	
5K/87	AGS.1658/D	**NUT,** gland	1	—	C	
5K/41	AGS.1653/1	**SLEEVE,** inner	1	—	C	
5K/1008392	AGS.1654/1	**SLEEVE,** outer	1	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¾" long	3	—	C	
5K/9107068	EEAS.146/D1	**SLEEVE,** 1" long	2	—	C	
10H/22586	AN.3106–16S–1S	**SOCKET,** assembly, 7–way	1	—	B	
	E.A9.81.10709	**CABLE, ASSEMBLY, M5–AJ3, FROM G.4B MASTER INDICATOR TO REPEATER J.B. (MOD. 3714)**	1	—	—	
		Consisting of:—				
5E/9100015	†	**CABLE,** miniature, 4C	QR	—	C	
10H/0970292	†	**CLAMP,** cable	1	—	C	
10H/0970058	†	**GASKET,** outlet	1	—	C	
10H/0970108	†	**GASKET,** union	1	—	C	
5K/87	AGS.1658/D	**NUT,** gland	1	—	C	
10H/0970062	†	**OUTLET,** straight	1	—	C	
10H/0560300	†	**PLUG,** Mk. 4, 6–way	1	—	C	
10H/0970102	†	**RING,** compression	1	—	C	
10H/0970096	†	**RING,** thrust	1	—	C	
10H/0970114	†	**SLEEVE**	1	—	C	
5K/41	AGS.1653/1	**SLEEVE,** inner	1	—	C	
5K/1008392	AGS.1654/1	**SLEEVE,** outer	1	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	4	—	C	
5K/9107065	EEAS.146/18	**SLEEVE,** ¼" long	4	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
10H/0970065	CZ.51539		**CAP,** protective	1	—	C	
10AJ/158	†		**MOUNTING,** A/V., for electronic regulator	2	—	B	
10AJ/159	†		**MOUNTING,** A/V., for electronic regulator	2	—	B	
			Attaching parts for Ref. 10AJ/158 and 10AJ/159:—				
28M/9403520	A.27/CP		Nut, 2 BA	4	—	C	
28S/1200047	A31/C24		Screw, 2 BA	4	—	C	
28W/9416643	SP.47/C		Washer	4	—	C	
	E.A9.81.5627		**MOUNTING FOR L.A.B.S. TIMER (MOD. 3765)** ...	—	—	—	
			Spares for:—				
	E.A9.81.5629		**PANEL,** assembly	1	—	—	
	E.A9.81.1643		**PANEL, ARMAMENT ASSEMBLY, AT FRAMES 1 AND 2**	—	—	—	
			Spares for:—				
5CY/2560	†		**CIRCUIT-BREAKER,** type A2	1	—	C	
			Attaching parts for Ref. 5CY/2560:—				
28S/1213081	A44/A6		Screw, 6 BA	2	—	C	
5CY/5420	†		**COVER,** circuit-breaker	1	—	C	
	E.A9.81.539		**PANEL CONTROL, BOMB AIMER'S ASSEMBLY** ...	—	—	—	
			Spares for:—				
5CZ/430	†		**BLOCK,** terminal type B. 2-way, No. 1	1	—	C	
			Attaching parts for Ref. 5CZ/430:—				
28S/1200062	A33/A20		Screw, 6 BA	2	—	C	
10A/13766	†		**BRACKET,** cord retaining, type 84	1	—	B	
	E.A9.81.541		**CABLE, ASSEMBLY, 11G1 FROM PUSH BUTTON SWITCH TO TERMINAL BOARD**	1	—	—	
			Consisting of:—				
5E/3113	†		**CABLE,** Duprensheath 6	QR	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	2	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** 1" long	2	—	C	
5D/534	†		**SWITCH,** firing	1	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
5K/1201019	SP.40/A8		**GROMMET**	1	—	C	
109/82	†		**PANEL,** control	1	—	A	
			Attaching parts for Ref. 109/82:—				
28S/1011490	A32/C16		Screw, 2 BA	3	—	C	
	E.A9.81.2605		**PANEL COAMING PILOT'S PORT AND STARBOARD ASSEMBLY (MOD. 2362)**	—	—	—	
			Spares for:—				
5X/3181	Z.23212/1		**BLOCK,** terminal, 20-way	3	—	C	
			Attaching parts for Z.23212/1:—				
28M/10287	AGS.2001/B/1		Nut, 4 BA	2	—	C	
5X/9450403	Z.28426		Pillar, fixing	2	—	C	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/9149643	†		**COVER,** terminal, block type G	3	—	C	
5L/9951284	†		**FILAMENT,** 28V. 3·5W	2	—	C	
5X/3761	HV.3108		**GROMMET**	4	—	C	
5K/	SP.40		**GROMMET**	4	—	—	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5K/	HV.3033	**GROMMET**	1	—	—	
	E.A9.80.1393	**LABEL**	1	—	—	
	E.A9.80.1391	**LABEL**	1	—	—	
5CW/4528	†	**LABEL,** F.1	1	—	C	
5CW/4529	†	**LABEL,** F.2	1	—	C	
5X/1004082	Z.50210	**LINK,** 2-way	2	—	C	
5X/1004083	Z.50211	**LINK,** 3-way	1	—	C	
5X/1004085	Z.50213	**LINK,** 5-way	1	—	C	
5X/6314	Z.50214	**LINK,** 6-way	1	—	C	
5X/7209	ERMA-12355	**LUG**	6	—	C	
5F/9434858	HV.3254	**STRAPPING**	QR	—	C	
5CW/4326	ZA.4001	**STRIP,** luminised	1	—	B	
5F/9138823	NT.3255	**STUD**	QR	—	C	
5CW/6311	†	**SWITCH,** push, fire warning	2	—	B	
		Attaching parts for Ref. 5CW/6311:—				
28S/9992525	A32/B12	Screw, 4 BA	4	—	C	
28W/9416642	SP.47/B	Washer	4	—	C	
5CW/5515	D.5431/1	**SWITCH,** anti-dazzle lights	1	—	B	
		Attaching parts for D.5431/1:—				
28S/1200080	A32/B8	Screw, 4 BA	2	—	C	
5CW/2452	†	**SWITCH,** dimmer "Port Reds" 135 ohms	1	—	B	
5CW/2530	†	**SWITCH,** dimmer "Starboard Reds" 75 ohms	1	—	B	
5CW/2525	†	**SWITCH,** dimmer, u/v lights, 13 ohms	2	—	B	
		Attaching parts for Ref. 5CW/2452, 5CW/2530 and 5CW/2525:—				
28S/1200081	A32/A18	Screw, 6 BA	3	—	C	
5CW/5856	8396/B102	**SWITCH,** emergency and compass lights	3	—	B	
5CW/9438526	C5162Y Mk.3	**SWITCH,** type B, flare release	2	—	B	
		Attaching parts for C.5162Y, Mk. 3:—				
28S/9135420	A32/Z12	Screw, 8 BA	2	—	C	
28W/9419186	AGS.2035/AA	Washer	2	—	C	
5X/9450396	HC.490	**TAG,** QR	30	—	C	
	—	**PANEL, CONSOLE JUNCTION, INSTALLATION (E.A9.81.1657) (MOD. 2383)**	—	—	—	
		Spares for:—				
	E.A9.81.5797	**PANEL, CONSOLE JUNCTION, ASSEMBLY (MOD. 2687)**	1	—	—	
		Spares for:—				
5X/1004088	CZ.24285	**BLOCK,** terminal, 10-way	1	—	C	
5X/1002694	CZ.50207	**BLOCK,** terminal, 5-way	2	—	C	
		Attaching parts for CZ.24285 and CZ.50207:—				
28S/1011488	A32/B28	Screw, 4 BA	2	—	C	
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
	B.S.G.195	**CABLE,** Uniminyvin 12	QR	—	—	
5K/2921	SP.40/A18	**GROMMET,** rubber	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5X/1004082	Z.50210	**LINK,** commoning, 2-way	1	—	C	
5X/1004083	Z.50211	**LINK,** commoning, 3-way	1	—	C	
5X/6172	Z.50212	**LINK,** commoning, 4-way	1	—	C	
	E.A9.81.5815	**PANEL**	1	—	—	
5X/6182	CZ.50357	**PLUG,** size B, 9-way (Pre-Mod. 3382)	2	—	C	
5X/5805562	2CZ.111224	**PLUG,** 9-way (Mod. 3382)	2	—	C	
5X/6185	CZ.50361	**PLUG,** size D, 26-way (Pre-Mod. 3382) ...	2	—	C	
5X/7159	2CZ.111229	**PLUG,** 26-way (Mod. 3382)	2	—	C	
10H/0560080	CZ.48995	**PLUG,** fixed, 6-way	1	—	C	
10H/0560130	CZ.51327	**PLUG,** fixed, 4-way	2	—	C	
10H/0560150	CZ.49112	**PLUG,** fixed, 12-way	1	—	C	
10H/0560200	CZ.49061	**PLUG,** fixed, 25-way	1	—	C	
10H/0560531	CZ.51327/1	**PLUG,** fixed, 4-way	1	—	C	
10H/0560532	CZ.51327/2	**PLUG,** fixed, 4-way	1	—	C	
5X/1005131	Z.49428	**SLEEVE,** adaptor	42	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** ¾" long	42	—	C	
5K/9107065	EEAS.146/16	**SLEEVE,** ¾" long	2	—	C	
5K/9107065	EEAS.146/20	**SLEEVE,** ¾" long	189	—	C	
10H/0560230	CZ.49217	**SOCKET,** fixed, 2-way	1	—	C	
10H/0560260	CZ.49223	**SOCKET,** fixed, Mk. 4, 6-way	1	—	C	
10H/0560380	CZ.49229	**SOCKET,** fixed, 25-way	1	—	C	
10H/0560381	CZ.49229/1	**SOCKET,** fixed, 25-way	1	—	C	
10H/0560382	CZ.49229/2	**SOCKET,** fixed, 25-way	1	—	C	
10H/0560383	CZ.49229/3	**SOCKET,** fixed, 25-way	1	—	C	
5F/9434858	HV.3254	**STRAPPING**	QR	—	C	
5F/9434857	HV.3341	**STRAPPING**	QR	—	C	
5F/9138823	NT.3255	**STUD**	48	—	C	
5F/9138822	NY.3342	**STUD**	12	—	C	
5CW/3943	†	**SWITCH,** relay, magnetic, type S.2	1	—	B	
5CW/3945	†	**SWITCH,** relay, magnetic, type S.4	1	—	B	
		Attaching parts for Ref. 5CW/3943 and 5CW/3945:—				
28S/1200040	A31/B20	Screw, 4 BA	4	—	C	
5CW/9137	HENDREY	**SWITCH,** relay, magnetic, type 20B, No. 2 ...	1	—	B	
		Attaching parts for Ref. 5CW/9137:—				
28S/9140642	A31/B36	Screw, 4 BA	3	—	C	
28M/10297	AGS.2001/B/2	Nut, 4 BA	3	—	C	
28W/9149465	SP.13/B	Washer	3	—	C	
5X/9450396	HC.490	**TAG** QR	21	—	C	
5X/9450224	HC.510	**TAG** QR	12	—	C	
1109	EEAS.43/1	**WASHER,** special	3	DTD.390	C	
1110	EEAS.43/2	**WASHER,** special	5	—	C	
17524	EEAS.43/3	**WASHER,** special	5	—	C	
		Attaching parts for E.A9.81.5797:—				
28S/9419453	A31/B14	Screw, 4 BA	6	—	C	
	—	**PANEL, CONTROL, F.95, CAMERA, INSTALLATION (E.A9.83.10023) (MOD. 2697)**	—	—	—	
		Spares for:—				
5X/3276	CZ.50205	**BLOCK,** terminal, 2-way	1	—	C	
		Attaching parts for CZ.50205:—				
5X/9450403	†	Pillar, fixing	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.A9.81.10561		**CABLE, ASSEMBLY, NA.413, FROM CAMERA CONTROL PANEL TO ARMAMENT RELAY UNIT**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5X/2788	Z.23672		**GROMMET,** No. 5	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	18	—	C	
5K/9107069	EEAS.146/G		**SLEEVE,** 1" long	12	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	7	—	C	
5X/9482491	HC.500		**TAG,** Q.R.	3	—	C	
	E.A9.81.10563		**CABLE, ASSEMBLY, NA.414, FROM CAMERA CONTROL PANEL INTERDICTOR SWITCH TO CONTROL COLUMN TERMINAL BLOCK**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	8	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** 1" long	24	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	4	—	C	
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5X/3272	CZ.26799		**COVER,** terminal block	1	—	C	
14A/3094	†		**CONTROL,** camera, remote, type 48	1	—	A	
10H/0970058	Z.60667		**GASKET,** outlet	1	—	C	
10H/0970108	Z.62235		**GASKET,** union	1	—	C	
10H/0970292	CZ.69733		**NUT,** union, 6-way, cable clamp	1	—	C	
10H/0970069	CZ.49181		**OUTLET**	1	—	C	
	E.A9.83.10035		**PANEL,** control, sub assembly	1	—	—	
10H/0970088	Z.62229		**RING,** sealing	1	—	C	
10H/0970096	Z.49037		**RING,** thrust	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	7	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** ⅜" long	2	—	C	
10H/0560120	CZ.49017		**SOCKET,** Mk. 4, 6-way	1	—	C	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	4	—	C	
5CW/5251	8375/B104		**SWITCH,** change over	1	—	B	
5CW/6579	8824/B107		**SWITCH,** ground test	1	—	B	
5CW/5817	8810/K6		**SWITCH,** camera heater, "on" "off"	1	—	B	
5CW/5773	8800/B103		**SWITCH,** camera heater, manual/auto	1	—	B	
5X/9482491	HC.500		**TAG,** Q.R.	3	—	C	
5F/9013643	†		**TUBING,** P.V.C., ⅜" i/d x 1 m/m wall	QR	—	C	
	E.A9.81.10787		**PANEL CONTROL, ELECTRICAL, STARBOARD ASSEMBLY (MOD. 3404) (PRE-MOD. 3234)**	—	—	—	
			Spares for:—				
5X/3181	CZ.23212/1		**BLOCK,** terminal, 20-way	3	—	C	
			Attaching parts for CZ.23212/1:—				
28S/1005622	A31/B28		Screw, 4 BA	2	—	C	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.C3.81.97		**COVER,** assembly	1	—	—	
			Attaching parts for E.C3.81.97:—				
28S/9435715	A33/B16		Screw, 4 BA	14	—	C	
5K/1009086	SP.40/A6		**GROMMET**	1	—	C	
5K/2973	SP.40/A48		**GROMMET**	2	—	C	
5CZ/5074	†		**INDICATOR,** 24V, type B.2	2	—	C	
5X/1004083	Z.50211		**LINK,** 3-way	1	—	C	
5X/6315	Z.50215		**LINK,** 7-way	1	—	C	
5X/1004082	Z.50210		**LINK,** 2-way	2	—	C	
5X/7209	ERMA – 12355		**LUG,** 6 BA	14	—	C	
	E.A9.81.301		**PIN,** location	2	—	—	
			Attaching parts for E.A9.81.301:—				
28M/10288	AGS.2001/C/1		Nut, 2 BA	1	—	C	
10H/0560080	CZ.48995		**PLUG**	2	—	C	
5X/7159	2CZ.111229		**PLUG**	3	—	C	
5X/7142	2CZ111401		**PLUG**	3	—	C	
5X/5805562	2CZ.111224		**PLUG**	2	—	C	
10H/0560050	CZ.48992		**PLUG**	1	—	C	
5CZ/4725	FKX/A/1		**RESISTANCE,** unit	2	—	A	
			Attaching parts for FRX/A/1:—				
28S/9997545	A31/C16		Screw, 2 BA	3	—	C	
5K/9107065	EEAS.146/20		**SLEEVE,** ¾" long	5	—	C	
5K/9107065	EEAS.146/16		**SLEEVE,** ¾" long	201	—	C	
5K/9107066	EEAS.146/12		**SLEEVE,** ¾" long	29	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** ⅜" long	59	—	C	
5X/1005131	Z.49428		**SLEEVE**	75	—	C	
10H/0560240	CZ.49219		**SOCKET,** Mk.4	1	—	C	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	75	—	C	
5CW/7548	†		**SWITCH,** D.P. centre, off, No. 3	1	—	C	
5CW/7748	†		**SWITCH,** D.P., C.D.	1	—	C	
			Attaching parts for Ref. 5CW/7543 and 5CW/7748:—				
28S/1200080	A32/B8		Screw, 4 BA	4	—	C	
28W/9419448	AGS.2035/B		Washer	4	—	C	
5CW/5056	C.5162Y Mk. 2		**SWITCH,** push, type A	2	—	B	
			Attaching parts for C.5162 Mk.2:—				
28M/10326	AGS.2002/A/1		Nut, 6 BA	2	—	C	
28S/9992524	A32/A8		Screw, 6 BA	2	—	C	
5CW/2453	†		**SWITCH,** dimmer, type R	1	—	B	
			Attaching parts for Ref. 5CW/2453:—				
28M/10326	AGS.2002/A/1		Nut, 6 BA	3	—	C	
28S/9995324	A32/A16		Screw, 6 BA	3	—	C	
28W/9419473	SP.15/A		Washer	3	—	C	
5CW/5855	8572/B109		**SWITCH,** N.S.F.	1	—	B	
5CW/5856	8396/B102		**SWITCH,** N.S.F.	6	—	B	
5CW/7094	8295/B121		**SWITCH,** N.S.F.	1	—	B	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5X/9450396	HC.490	**TAG,** Q.R.	97	—	C	
5X/9482491	HC.500	**TAG,** Q.R.	4	—	C	
	E.A9.81.5369	**PANEL, CONTROL, ELECTRICAL, STARBOARD ASSEMBLY (MOD. 3234)**	—	—	—	
		Spares for this assembly are identical with those for assembly Part No. E.A9.81.10787 on page 343, except for the following deletions and additions:—				
		Delete:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
5X/7209	ERMA 12355	**LUG,** 6 BA	14	—	C	
5K/9107065	EEAS.146/20	**SLEEVE,** $\frac{3}{4}$" long	5	—	C	
5K/9107065	EEAS.146/16	**SLEEVE,** $\frac{3}{4}$" long	175	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** $\frac{3}{4}$" long	29	—	C	
		Add:—				
5K/9107067	EEAS.146/6	**SLEEVE,** $\frac{3}{8}$" long	5	—	C	
5K/9107065	EEAS.146/22	**SLEEVE,** $\frac{3}{4}$" long	214	—	C	
5X/1005131	Z.49428	**SLEEVE**	2	—	C	
5X/1010324	HC.296	**TAG,** Q.R.	20	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	5	—	C	
5E/9424113	†	**WIRE,** equipment, type 3, 23/·0076, black ...	QR	—	C	
5E/9424124	†	**WIRE,** equipment, type 3, 40/·0076, black ...	QR	—	C	
		Attaching parts for E.A9.81.10787 or E.A9.81.5369:—				
28S/9435713	A31/C20	Screw, 2 BA	3	—	C	
28W/9419475	SP.15/C	Washer	3	—	C	
5UC/5759	†	**PANEL,** control, type 15, on pressure bulkhead ...	1	—	A	
		Attaching parts for Ref. 5UC/5759:—				
28D/1008151	A25/4E	Bolt, $\frac{1}{4}$" BSF	4	—	C	
28W/9419405	SP.15/E	Washer	4	—	C	
5UC/5760	†	**PANEL,** control type 24, on pressure bulkhead ...	1	—	A	
		Attaching parts for Ref. 5UC/5760:—				
28D/1011030	A25/2E	Bolt, $\frac{1}{4}$" BSF	4	—	C	
28W/9419487	SP.16/E	Washer	4	—	C	
	—	**PANEL, FUEL PUMP TEST, INSTALLATION (E.A9.81.45)**	—	—	—	
		Spares for:—				
	E.A9.81.49	**PANEL, FUEL PUMP TEST, ASSEMBLY**	—	—	—	
		Spares for:—				
5X/2863	CZ.24285	**BLOCK,** terminal, 10-way	1	—	C	
5X/3181	CZ.23212/1	**BLOCK,** terminal, 20-way	1	—	C	
		Attaching parts for CZ.24285 and CZ.23212/1:—				
28M/1278189	AGS.2001/B/1	Nut, 4 BA	2	—	C	
28S/1011488	A32/B28	Screw, 4 BA	2	—	C	
28W/9419474	SP.15/B	Washer	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.41	**BOX, ASSEMBLY**	1	—	—	
		Spares for:—				
	E.A9.81.43	**BOX,** shell	1	—	—	
	E.A9.81.37	**COVER,** assembly	1	—	—	
5K/2622	AGS.1756/5	**GLAND,** cable	2	—	C	
5K/2624	AGS.1756/7	**GLAND,** cable	1	—	C	
	E.A9.81.139	**LABEL**	1	—	C	
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
5X/1004083	Z.50211	**LINK,** 3-way	2	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** $\frac{1}{8}$" long	26	—	C	
5CY/597	†	**SOCKET,** type F	1	—	B	
5CW/4224	D.5503	**SWITCH,** D.P.	5	—	B	
		Attaching parts for D.5503—				
28S/1200080	A32/B8	Screw, 4 BA	2	—	C	
28W/9419448	AGS.2035/B	Washer	2	—	C	
5X/9482491	HC.500	**TAG,** Q.R.	32	—	C	
		Attaching parts for E.A9.81.49:—				
28S/9992533	A32/C20	Screw, 2 BA	4	—	C	
28W/9419475	SP.15/C	Washer	4	—	C	
	E.A9.81.10975	**PANEL, FUSE, STARBOARD ASSEMBLY (MOD. 4462)**	—	—	—	
		Spares for:—				
26678	E.A1.81.410	**BAR, TERMINAL, ASSEMBLY**	2	—	B	
		Spares for:—				
5X/6233	E.A1.81.411	**BAR,** terminal, c/w studs	1	—	C	
		Attaching parts for E.A1.81.411:—				
28S/9992528	A45/B12	Screw, 4 BA	2	—	C	
5X/6234	E.A1.81.410A	**BASE,** $\frac{1}{16}$" thick	1	LFS.21	B	
33C/9109210	CS.2551	**COMPOUND,** insulating chattertons	QR	—	C	
5X/6235	E.A1.81.410B	**COVER,** plate, $\frac{1}{8}$" thick	1	LFS.21	B	
5077	BULGIN T5	**HEAD,** terminal moulded, 4 BA	2	—	C	
28M/12344	AGS.2002/E/4	**NUT,** $\frac{1}{4}$" BSF	3	—	C	
		Attaching parts for E.A1.81.410:—				
28M/1086618	AGS.2002/B/1	Nut, 4 BA	2	—	C	
28S/9435715	A33/B16	Screw, 4 BA	2	—	C	
5X/3271	CZ.52815	**BLOCK,** fuse, 4-way	25	—	C	
		Attaching parts for CZ.52815:—				
28S/1200080	A32/B8	Screw, 4 BA	2	—	C	
28W/1206041	AGS.2035/B	Washer	2	—	C	
5X/2863	CZ.24285	**BLOCK,** terminal, 10-way	1	—	C	
		Attaching parts for CZ.24285:—				
28S/1005622	A31/B28	Screw, 4 BA	2	—	C	
5X/3181	CZ.23212/1	**BLOCK,** terminal, 20-way	1	—	C	
		Attaching parts for CZ.23212/1:—				
28S/1007817	A32/B24	Screw, 4 BA	2	—	C	
28W/1206041	AGS.2035/B	Washer	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5X/9402792	AS.2651	**BOARD,** terminal, 2-way, 37 amp.	2	—	C	
		Attaching parts for AS.2651:—				
28M/1278189	AGS.2001/B/1	Nut, 4 BA	1	—	C	
28M/1086618	AGS.2002/B/1	Nut, 4 BA	1	—	C	
28S/9992522	A32/B16	Screw, 4 BA	2	—	C	
28W/9419465	SP.13/B	Washer	2	—	C	
	E.A9.81.10369	**BOX,** shell, assembly	1	—	—	
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
5E/4188	†	**CABLE,** Uninyvin 10	QR	—	C	
24494	E.A9.81.2177	**CHANNEL,** fuse block	4	—	C	
24495	E.A9.81.2179	**CHANNEL,** fuse block	3	—	C	
		Attaching parts for E.A9.81.2177 and E.A9.81.2179:—				
28S/9992525	A32/B12	Screw, 4 BA	4	—	C	
28W/1206041	AGS.2035/B	Washer	4	—	C	
24202	E.A9.81.393	**CIRCUIT-BREAKER,** dummy	3	—	C	
		Attaching parts for E.A9.81.393:—				
28M/1086618	AGS.2002/B/1	Nut, 4 BA	2	—	C	
28S/1200080	A32/B8	Screw, 4 BA	2	—	C	
5CY/2560	†	**CIRCUIT-BREAKER,** type A2	1	—	C	
5CY/2561	†	**CIRCUIT-BREAKER,** type A3	2	—	C	
5CY/9992777	†	**CIRCUIT-BREAKER,** type A4	1	—	C	
5CY/2564	†	**CIRCUIT-BREAKER,** type A6	1	—	C	
		Attaching parts for 5CY/2560, 5CY/2561, 5CY/9992777 and 5CY/2564:—				
28S/9150965	A44/A6	Screw, 6 BA	2	—	C	
24229	E.A9.81.517	**CONNECTOR,** circuit breaker	1	—	C	
5CY/4520	†	**COVER,** circuit breaker	5	—	C	
5X/9435997	AS.2638	**COVER,** assembly, connector, block	1	—	C	
24238	E.A9.81.597	**COVER,** assembly, terminal board	1	—	C	
	E.A9.81.10825	**COVER, TOP, ASSEMBLY (MOD. 3351)**	1	—	—	
		Spares for:—				
	E.A9.81.10831	**COVER**	1	L.72	—	
20457	EEAS.117/1	**SCREW,** 4 BA, securing cover	3	S.92	C	
	E.A9.81.4277	**STRIP,** sealing, 0·"3 o/d x 0·156 i/d x 0·"05 thick	1	Natural Rubber	C	
1108	EEAS.42	**WASHER,** special	3	Leather	C	
1066	EEAS.28/2CU	**WASHER,** special	6	DTD.126A	C	
26DK/	E.B2.81.15129	**FERRULE**	3	—	—	
5X/9400058	AS.2679	**FERRULE,** No. 9	2	—	C	
24240	E.A9.81.659	**FERRULE,** dummy	1	—	C	
10H/21791	†	**FUSE,** dummy	6	—	C	
10H/21797	†	**FUSE,** 2·5 amp., type S	25	—	C	
10H/21798	†	**FUSE,** 5 amp., type S	45	—	C	
10H/21799	†	**FUSE,** 10 amp., type S	25	—	C	
10H/21800	†	**FUSE,** 20 amp., type S	1	—	C	
10H/23801	†	**FUSE,** 20 amp., type S	3	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
10H/23862	†		**FUSE,** 10 amp., type AS	1	—	C	
5K/1009086	SP.40/A6		**GROMMET,** rubber	1	—	C	
1438603	E.A9.81.10397		**LID, HINGED ASSEMBLY (MOD. 2625)**	1	—	B	
			Spares for:—				
28FP/1468	ODDIE SK192		**CIRCLIP**	11	—	C	
	AS.1876/140		**HINGE** (make from Ref. 28N/9486470) ...	1	—	LM	
	E.A9.81.10835		**LID,** hinged, lower	1	L.72	—	
	E.A9.81.10833		**LID,** hinged, upper	1	L.72	—	
38529	E.A9.81.10391		**STRAP,** valise, stowage	2	—	C	
			Attaching parts for E.A9.81.10391:—				
28D/9133013	A25/5C		Bolt, 2 BA	1	—	C	
28M/1278190	AGS.2001/C/1		Nut, 2 BA	1	—	C	
28W/9419475	SP.15/C		Washer	1	—	C	
	E.A9.81.389		**STRIP,** sealing, $\frac{3}{16}$" x $\frac{1}{32}$" x 55" long	1	—	—	
28FP/9424331	ODDIE 325W		**STUD,** atom	11	—	C	
28FP/9424332	ODDIE 326		**WASHER**	11	—	C	
5X/6237	EEAS.71/1		**LINK,** commoning, 2-way	2	—	C	
5X/6286	EEAS.71/2		**LINK,** commoning, 3-way	1	—	C	
5X/6238	EEAS.71/3		**LINK,** commoning	22	—	C	
5X/1004085	Z.50213		**LINK,** commoning, 5-way	1	—	C	
5X/6510	Z.70010		**LUG,** Mk. 10	14	—	C	
5X/9400078	Z.70012		**LUG,** Mk. 12	1	—	C	
5X/9400384	Z.77858		**LUG,** Mk. 4A	1	—	C	
5X/9400388	Z.77862		**LUG,** Mk. 8A	3	—	C	
5X/6091	CZ.28108		**PLUG,** size C, 14-way (Pre-Mod. 3382)	2	—	C	
5X/7152	2CZ.111227		**PLUG,** size C, 14-way (Pre-Mod. 3382)	2	—	C	
5X/6185	C.50361		**PLUG,** size D, 26-way (Pre-Mod. 3382)	2	—	C	
5X/7159	2CZ.111229		**PLUG,** size D, 26-way (Pre-Mod. 3382)	2	—	C	
5X/1005131	Z.49428		**SLEEVE**	66	—	C	
5K/9107065	EEAS.146/16		**SLEEVE**	QR	—	C	
5K/9107066	EEAS.146/12		**SLEEVE**	QR	—	C	
5K/9107066	EEAS.146/10		**SLEEVE**	QR	—	C	
5K/9107065	EEAS.146/20		**SLEEVE**	QR	—	C	
5X/9002	AS.2640		**SOCKET,** assembly, 37A, single tier	1	—	C	
10H/0560230	CZ.49217		**SOCKET,** fixed, 2-way	1	—	C	
10H/0560310	CZ.51330		**SOCKET,** Mk. 4, 4-way	1	—	C	
10H/0560330	CZ.49459		**SOCKET,** Mk. 4, 12-way	2	—	C	
10H/0560380	CZ.49229		**SOCKET,** Mk. 4, 25-way	1	—	C	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	QR	—	C	
5CW/2453	S.I.S.3095		**SWITCH,** dimmer, type R	1	—	B	
			Attaching parts for S.I.S.3095:—				
28S/1011484	A32/A20		Screw, 6 BA	3	—	C	
28W/9419473	SP.15/A		Washer	3	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	82	—	C	
5X/9482491	HC.500		**TAG,** Q.R.	13	—	C	
5X/9450224	HC.510		**TAG,** Q.R.	68	—	C	
5X/9540	HC.520		**TAG,** Q.R.	1	—	C	
5X/9[illegible]798	AS.2641		**TERMINAL,** screwed head, 2-way	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
1110	EEAS.43/2	**WASHER,** socket panel, mounting	2	—	C	
17524	EEAS.43/3	**WASHER,** socket panel, mounting	1	—	C	
10H/0970050	†	**WASHER**	1	—	C	
5E/9424124	†	**WIRE,** equipment, type 3, 40/·0076 black	QR	—	C	
		Attaching parts for E.A9.81.10975:—				
28S/9992533	A32/C20	Screw, 2 BA	6	—	C	
	E.A9.81.137	**PANEL, GENERATOR TEST, ASSEMBLY (PRE-MOD. 3234)**	—	—	—	
		Spares for:—				
5X/1002694	CZ.50207	**BLOCK,** terminal, 5-way	1	—	C	
		Attaching parts for CZ.50207:—				
28M/1086618	AGS.2002/B/1	Nut, 4 BA	2	—	C	
28S/1011488	A32/B28	Screw, 4 BA	2	—	C	
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
24410	E.A9.81.1615	**COVER, ASSEMBLY**	1	—	C	
		Spares for:—				
28FP/1468	ODDIE SK.192	**CIRCLIP**	4	—	C	
28FP/1200135	ODDIE 325	**STUD**	4	—	C	
28FP/9403521	ODDIE 326	**WASHER**	4	—	C	
5X/6091	CZ.28108	**PLUG** (Pre-Mod. 3382)	1	—	C	
5X/7152	2CZ.111227	**PLUG** (Mod. 3382)	1	—	C	
5UC/5210	†	**RESISTOR** unit, type 4, 10 ohms	2	—	C	
		Attaching parts for Ref. 5UC/5210:—				
28M/1086618	AGS.2002/B/1	Nut, 4 BA	2	—	C	
28S/1008327	A32/B24	Screw, 4 BA	2	—	C	
5X/3146	Z.49397	**SLEEVE,** 4-19A	1	—	C	
5X/1005131	Z.49428	**SLEEVE,** 4-7A	12	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** $\frac{1}{4}$" long	29	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** $\frac{1}{4}$" long	9	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** $\frac{1}{8}$" long	3	—	C	
5CY/3002	†	**SOCKET,** 3 pole, 2 amp.	2	—	C	
		Attaching parts for Ref. 5CY/3002:—				
28S/1200080	A32/B8	Screw, 4 BA	4	—	C	
28W/9419448	AGS.2035/B	Washer	4	—	C	
5F/9434858	HV.3254	**STRAPPING**	QR	—	C	
5F/9138823	NT.3255	**STUD**	QR	—	C	
		Attaching parts for E.A9.81.137:—				
28S/9992533	A32/C20	Screw, 2 BA	4	—	C	
	—	**PANEL, JUNCTION, PORT, INSTALLATION (E.A9.81.10581)**	—	—	—	
		Spares for:—				
	E.A9.81.10555	**PANEL, JUNCTION, PORT, ASSEMBLY (MOD. 2625)**	—	—	—	
		Consisting of:—				
5X/3276	CZ.50205	**BLOCK,** terminal, 2-way	1	—	C	
		Attaching parts for CZ.50205:—				
28M/1086618	AGS.2002/B/1	Nut, 4 BA	2	—	C	
28S/1008327	A32/B24	Screw, 4 BA	2	—	C	
28W/9419474	SP.15/B	Washer	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5X/2863	CZ.24285		**BLOCK,** terminal, 10 way	1	—	C	
			Attaching parts for CZ.24285:—				
28M/1086618	AGS.2002/B/1		Nut, 4 BA	2	—	C	
5X/9450403	Z.28426		Pillar, fixing	2	—	C	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
24408	E.A9.81.1593		**COVER,** back assembly	1	—	C	
			Attaching parts for E.A9.81.1593:—				
28S/9992525	A32/B12		Screw, 4 BA	4	—	C	
5X/3275	CZ.26808		**COVER,** terminal block, 10 way	1	—	C	
5X/2788	Z.23672		**GROMMET,** No. 5	1	—	C	
5X/2789	Z.22433		**GROMMET,** No. 6	1	—	C	
5X/1004082	Z.50210		**LINK,** commoning, 2 way	1	—	C	
5X/6172	Z.50212		**LINK,** commoning, 4 way	1	—	C	
	E.C3.81.205		**PANEL**	1	—	—	
5CZ/4327	PAINTON P2000		**RESISTOR,** type A, 15 ohms	1	—	C	
			Attaching parts for P.2000:—				
28D/1200120	A25/14B		Bolt, 4 BA	1	—	C	
28M/1086618	AGS.2002/B/1		Nut, 4 BA	1	—	C	
28W/9419474	SP.15/B		Washer	1	—	C	
17225	E.B7.81.1301		Washer	2	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** $\frac{3}{4}$" long	13	—	C	
5K/9107066	EEAS.146/B		**SLEEVE,** $\frac{3}{8}$" long	11	—	C	
5K/9107066	EEAS.146/B		**SLEEVE,** $\frac{3}{4}$" long	10	—	C	
5F/	†		**SLEEVING,** systoflex, 2 m/m	QR	—	—	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9138823	NT.3255		**STUD**	QR	—	C	
5CW/9729122	†		**SWITCH,** magnetic relay, type S1	1	—	B	
			Attaching parts for Ref. 5CW/9729122:—				
28M/10286	AGS.2001/A/1		Nut, 6 BA	4	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	4	—	C	
5X/9482491	HC.500		**TAG,** Q.R.	8	—	C	
5X/9450224	HC.510		**TAG,** Q.R.	7	—	C	
			Attaching parts for E.A9.81.10555:—				
28D/9133011	A25/2C		Bolt, 2 BA	4	—	C	
28W/9419475	SP.15/C		Washer	4	—	C	
	E.A9.81.6275		**PANEL, MAIN ELECTRICAL, ASSEMBLY (MODS. 4330–4347)**	—	—	—	
			Spares for:—				
5X/9008	AS.2697		**ADAPTOR**	2	—	C	
	E.A9.81.5953		**BLOCK, FUSE, ASSEMBLY (MOD. 4320)**	1	—	—	
			Consisting of:—				
	E.B6.81.1049		**BASE**	1	—	—	
32334	E.B6.81.1043		**BOLT**	2	BS.249	C	
28D/1215164	AS.4565/7C		**BOLT,** 2 BA	2	—	C	
	E.A9.81.5951		**COVER,** assembly	1	—	—	
	E.B6.81.1047		**END**	2	—	—	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
28M/5238	A14/GB		**NUT,** $\frac{5}{16}$" BSF, electro tinned, DTD.924 ...	2	—	C	
28M/10312	AGS.2002/G/4		**NUT,** $\frac{5}{16}$" BSF	2	—	C	
28S/9435715	A33/B16		**SCREW,** 4 BA	2	—	C	
28S/1008075	A41/B16		**SCREW,** 4 BA	4	—	C	
28S/1213960	A41/B20		**SCREW,** 4 BA	2	—	C	
28W/19544	AS.2721		**WASHER,** contact	4	—	C	
			Attaching parts for E.A9.81.5953:—				
28S/9997545	A31/C16		Screw, 2 BA	2	—	C	
33511	E.B6.81.4281		**BOLT,** special, attachment for cable assemblies C.31 and C.32 to magnetic switch	2	BS.249	C	
33510	E.B6.81.4779		**BOLT,** special, attachment for bus-bar P.3 and P.4 to magnetic switch	2	BS.249	C	
	E.A9.81.1003		**BRACKET,** assembly, for "Field G.B.'s"	1	—	—	
			Attaching parts for E.A9.81.1003:—				
28D/9128739	AS.1248/$\frac{1}{2}$B		Bolt, 4 BA	4	—	C	
33512	E.B6.81.4943		**BUS-BAR,** assembly, P.3	1	—	C	
33513	E.B6.81.4945		**BUS-BAR,** assembly, P.4	1	—	C	
	E.A9.81.4157		**BUS-BAR,** assembly, P.10 (Mod. 2390)	1	—	—	
5E/3894	†		**CABLE,** Unitersil 20	QR	—	C	
5E/3896	†		**CABLE,** Unitersil 16	QR	—	C	
5E/3898	†		**CABLE,** Unitersil 12	QR	—	C	
5E/3899	†		**CABLE,** Unitersil 10	QR	—	C	
5E/3904	†		**CABLE,** Unitersil 1	QR	—	C	
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
	E.A9.81.10747		**CABLE, ASSEMBLY, F.428, FROM P.10 BUS-BAR TO 40 AMP FUSE, P.T.R.175 (MOD. 3404)**	1	—	—	
			Consisting of:—				
5E/4189	†		**CABLE,** Uninyvin 8	QR	—	C	
5X/9400084	Z.70018		**LUG,** crimping, No. 18	2	—	C	
	EEAS.146/8		**SLEEVE,** 1" long	6	—	—	
	E.A9.81.10935		**CABLE, ASSEMBLY, F.203, FROM TERMINAL BLOCK M.E.P. BAY TO RELAY M.E.P. BAY (MOD. 4279)**	1	—	—	
			Consisting of:—				
5E/4188	†		**CABLE,** Uninyvin 10	QR	—	C	
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
	12112		**LUG**	1	—	—	
	12116		**LUG**	1	—	—	
5K/9107068	EEAS.146/2		**SLEEVE**	4	—	C	
5K/9107067	EEAS.146/6		**SLEEVE**	2	—	C	
5K/9107066	EEAS.146/10		**SLEEVE**	4	—	C	
5K/9107065	EEAS.146/16		**SLEEVE**	1	—	C	
5X/6988	HC.304		**TAG**	3	—	C	
5X/9482491	HC.500		**TAG**	5	—	C	
	E.B6.81.555		**CABLE, ASSEMBLY, F.33, FROM BUS-BAR PANEL TO FRAME 11, ABOVE DOOR FRAME**	1	—	—	
			Consisting of:—				
	E.B6.81.425		**BRACKET,** mounting, plug	1	—	—	
5E/4189	†		**CABLE,** Uninyvin 8	QR	—	C	
5X/9400083	Z.70017		**LUG,** cable	2	—	C	
5X/6101	CZ.28110		**PLUG,** size C	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
5K/9107068	EEAS.146/D		**SLEEVE,** 1" long	2	—	C	
5K/9107069	EEAS.146/F		**SLEEVE,** 1" long	1	—	C	
5X/2107	Z.18415		**STRAINER,** cable, type C	1	—	C	
			Attaching parts for E.B6.81.555:—				
28D/1007971	A25/$\frac{1}{2}$B		Bolt, 4 BA	4	—	C	
28M/10287	AGS.2001/B/1		Nut, 4 BA	4	—	C	
	E.A9.81.3075		Packing	1	—	—	
	E.A9.81.5261		**CABLE, ASSEMBLY, E.21, FROM GROUND SUPPLY SOCKET TO EARTH STUD, FRAME 10 (MOD. 3234)**	1	—	—	
			Consisting of:—				
5E/4193	†		**CABLE,** Uninyvin 1	QR	—	C	
5X/	12130		**LUG,** $\frac{5}{16}$" dia., 150 amp	1	—	—	
5X/	12131		**LUG,** $\frac{3}{8}$" dia., 150 amp	1	—	—	
5K/3367	EEAS.146/2		**SLEEVE,** $1\frac{1}{2}$" long	3	—	C	
	E.A9.81.5309		**CARRIER, SPARE FUSE INSTALLATION (MOD. 3234)**	—	—	—	
			Spares for:—				
	E.A9.81.5307		**BRACKET,** fuse carrier	1	—	—	
			Attaching parts for E.A9.81.5307:—				
28D/1007982	AS.1248/1C		Bolt, 2 BA	1	—	C	
28M/10288	AGS.2001/C/1		Nut, 2 BA	1	—	C	
28S/9997545	A31/C16		Screw, 2 BA	4	—	C	
28W/9419402	SP.13/C		Washer	1	—	C	
15336	E.A1.81.542		**CARRIER,** spare fuse, 8-way	1	—	C	
			Attaching parts for E.A1.81.542:—				
28M/10326	AGS.2002/A/1		Nut 6 BA	2	—	C	
28S/1200049	A31/A12		Screw, 6 BA	2	—	C	
10H/21798	†		**FUSE,** 5 amp, type S	4	—	C	
10H/21799	†		**FUSE,** 10 amp, type S	2	—	C	
10H/23801	†		**FUSE,** 20 amp, type S	2	—	C	
5CY/2561	†		**CIRCUIT-BREAKER**	2	—	C	
			Attaching parts for Ref. 5CY/2561:—				
28S/1213081	A44/A6		Screw, 6 BA	2	—	C	
40633	E.B6.81.3729		**CLAMP,** half, cable attachment	2	BS.2572	C	
40634	E.B6.81.4939		**CLAMP,** half, cable attachment	2	BS.2572	C	
			Attaching parts for E.B6.81.3729 and E.B6.81.4939:				
28D/1017157	A25/25C		Bolt, 2 BA	2	—	C	
28W/9419402	SP.13/C		Washer	2	—	C	
	E.A9.81.2421		**CONNECTOR,** between bus-bar P.10 and fuse ...	1	—	—	
32A/0119481	†		**CORD,** nylon, P.V.C. covered	QR	—	C	
5X/9400053	AS.2673		**FERRULE**	4	—	C	
5X/9400055	AS.2674		**FERRULE**	10	—	C	
10H/21797	†		**FUSE,** 2·5 amp, type S	1	—	C	
10H/21798	†		**FUSE,** 5 amp, type S	2	—	C	
10H/21799	†		**FUSE,** 10 amp, type S	4	—	C	
5920-99-059-0126	†		**FUSE,** H.R.C., 40 amp	1	—	C	
10H/21791	†		**FUSE,** dummy	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5X/6237	EEAS.71/1	**LINK,** 2-way	1	—	C	
5X/6286	EEAS.71/2	**LINK,** 3-way	1	—	C	
5X/6238	EEAS.71/3	**LINK,** 4-way	5	—	C	
5X/6317	Z.50218	**LINK,** 10-way	1	—	C	
5X/6314	Z.50214	**LINK,** 6-way	1	—	C	
5X/1004083	Z.50211	**LINK,** 3-way	2	—	C	
5X/1004082	Z.50210	**LINK,** 2-way	13	—	C	
5CZ/3137	†	**LUG,** No. 25	1	—	C	
	12104	**LUG,** 12 amp, 4 BA	1	—	—	
	12382	**LUG,** 6 amp, $\frac{3}{8}$"	1	—	—	
	E.A9.81.5653	**PANEL, AFT ASSEMBLY (MOD. 3883)**	—	—	—	
		Spares for:—				
	E.A9.81.5655	**BLOCK, FUSE, MOUNTING ASSEMBLY**	1	—	—	
		Spares for:—				
	E.A9.81.5141	**BLOCK,** fuse, assembly (Made from 5X/3271)	1	—	—	
	E.A9.81.5659	**BLOCK,** fuse, assembly (Made from 5X/3271)	1	—	—	
		Attaching parts for E.A9.81.5141 and E.A9.81.5659:—				
28S/5687	A45/B6	Screw, 4 BA	2	—	C	
	E.A9.81.4205	**PLATE,** mounting	1	—	—	
		Attaching parts for E.A9.81.5655:—				
28S/1200034	A31/B16	Screw, 4 BA	4	—	C	
28W/9419465	SP.13/B	Washer	4	—	C	
	E.B6.81.3173	**PANEL,** sub assembly	1	—	—	
5UC/5210	†	**RESISTOR,** remote, type 4	2	—	C	
		Attaching parts for Ref. 5UC/5210:—				
28S/1011488	A32/B28	Screw, 4 BA	2	—	C	
5CW/6165	F.6701	**SWITCH,** magnetic, type 18B	2	—	A	
		Attaching parts for F.6701:—				
28S/1200040	A31/B20	Screw, 4 BA	4	—	C	
28W/9419465	SP.13/B	Washer	4	—	C	
5CW/6166	F.6801	**SWITCH,** magnetic, type 19B	2	—	A	
		Attaching parts for F.6801:—				
28D/9133013	A25/5C	Bolt, 2 BA	4	—	C	
28W/9419402	SP.13/C	Washer	4	—	C	
		Attaching parts for E.A9.81.5653:—				
28D/9133013	A25/5C	Bolt, 2 BA	6	—	C	
28D/1011240	A25/5E	Bolt, $\frac{1}{4}$" BSF	3	—	C	
28W/9419402	SP.13/C	Washer	6	—	C	
28W/9418921	SP.13/E	Washer	3	—	C	
	E.A9.81.5349	**PANEL, AUXILIARY, ASSEMBLY (MOD. 3234)**	—	—	—	
		Spares for:—				
	E.A9.81.10251	**BLOCK, FUSE ASSEMBLY**	1	—	—	
		Consisting of:—				
40179	E.A9.81.10257	**BLOCK,** mounting	1	—	—	
	E.A9.81.10259	**BLOCK,** mounting	1	—	—	
27402	E.A9.81.3443	**BOLT,** special, securing bus-bar and fuse	8	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
33269	E.A9.81.10261		**BUS-BAR,** P.10	1	—	C	
5920-99-011-9128	†		**FUSE,** 125 amp, H.R.C.	1	—	C	
10H/0590127	†		**FUSE,** 60 amp, H.R.C.	1	—	C	
33268	E.A9.81.10255		**PLATE,** base	1	—	C	
			Attaching parts for E.A9.81.10251:—				
33270	E.A9.81.10267		Pillar	3	—	C	
28S/1200039	A31/B32		Screw, 4 BA	1	—	C	
5E/4190	†		**CABLE,** Uninyvin 6	QR	—	C	
	E.A9.81.10919		**COVER,** H.R.C., fuse assembly (Mod. 4040) ...	1	—	—	
			Attaching parts for E.A9.81.10919:—				
28D/1213720	AS.1248/11B		Bolt, 4 BA	2	—	C	
28D/1213730	AS.1248/15B		Bolt, 4 BA	3	—	C	
5X/9400086	Z.70020		**LUG,** Mk. 20, $\frac{1}{4}$" hole	2	—	C	
5X/9400087	Z.70021		**LUG,** Mk. 21 $\frac{5}{16}$" hole	2	—	C	
	E.A9.81.10263		**PANEL,** auxiliary, sub assembly	1	—	—	
5CW/4620	S.I.S.6241		**SWITCH,** relay, magnetic, type T, No. 1 ...	2	—	B	
			Attaching parts for S.I.S.6241:—				
28D/9133011	A25/2C		Bolt, 2 BA	2	—	C	
			Attaching parts for E.A9.81.5349:—				
28D/1011006	A25/5B		Bolt, 2 BA	5	—	C	
28W/9419465	SP.13/B		Washer	5	—	C	
	E.A9.81.5581		**PANEL, BUS-BAR, ASSEMBLY (MOD. 3731)** ...	—	—	—	
			Spares for:—				
5X/9000	AS.2654		**BLOCK,** connector, 1 way, 200 amp	1	—	C	
			Attaching parts for AS.2654:—				
28S/1200039	A31/B32		Screw, 4 BA	2	—	C	
5X/3271	CZ.52815		**BLOCK,** fuse, 4-way	6	—	C	
			Attaching parts for CZ.52815:—				
28S/9435712	A31/B8		Screw, 4 BA	2	—	C	
5X/3181	CZ.23212/1		**BLOCK,** terminal, 20-way	3	—	C	
			Attaching parts for CZ.23212/1:—				
5X/9450403	Z.28426		Pillar	2	—	C	
	E.A9.81.807		**BOLT,** special, $\frac{5}{16}$" BSF, bus-bar, connecting ...	18	S.91		
24295	E.A9.81.1043		**BOLT,** special, $\frac{1}{4}$" BSF, bus-bar and fuse connection	9	S.91		
	E.A9.81.1045		**BOLT,** special, $\frac{5}{16}$" BSF, bus-bar and fuse connection	3	—	—	
	E.A9.81.815		**BUS-BAR,** strip, P.10	1	—	—	
	E.A9.81.817		**BUS-BAR,** strip, P.9	1	—	—	
	E.A9.81.1029		**CLEAT,** half, bottom	1	—	—	
	E.A9.81.1031		**CLEAT,** half, top	1	—	—	
			Attaching parts for E.A9.81.1029 and E.A9.81.1031:—				
28D/9015170	A25/16B		Bolt, 4 BA	2	—	C	
28W/9419465	SP.13/B		Washer	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
24265	E.A9.81.893	**CONNECTOR,** bus-bar	1	—	C	
24266	E.A9.81.894	**CONNECTOR,** bus-bar	1	—	C	
24261	E.A9.81.809	**COVER, H.R.C., FUSE ASSEMBLY**	1	—	C	
		Spares for:—				
13145	E.A4.81.1611	**SCREW,** special	7	—	C	
5X/9001	AS.2655	**COVER,** connector block	1	—	C	
5X/9149643	CZ.25111	**COVER,** terminal block	3	—	C	
10H/21798	†	**FUSE,** 5 amp., type S	8	—	C	
10H/21799	†	**FUSE,** 10 amp., type S	10	—	C	
10H/23801	†	**FUSE,** 20 amp., type S	5	—	C	
10H/0590126	AP.19264	**FUSE,** 40 amp., H.R.C.	1	—	C	
10H/0590127	AP.19265	**FUSE,** 60 amp., H.R.C.	3	—	C	
10H/0590128	†	**FUSE,** 80 amp., H.R.C.	1	—	C	
10H/0590129	AP.19275	**FUSE,** 100 amp., H.R.C.	4	—	C	
24267	E.A9.81.895	**LINK,** H.R.C. fuses	9	—	C	
5X/9008	AS.2697	**LUG,** 19 amp., 4-way	2	—	C	
24247	E.A9.81.767	**PANEL,** bus-bar, sub-assembly	1	—	C	
		Attaching parts for E.A9.81.5581:—				
28D/9133013	A25/5C	Bolt, 2 BA	5	—	C	
	E.B6.81.3165	**PANEL, FORWARD, ASSEMBLY (MOD. 3234)**	—	—	—	
		Spares for:—				
5CY/5337	†	**CIRCUIT-BREAKER,** type D.2B	1	—	A	
		Attaching parts for Ref. 5CY/5337:—				
28D/1011025	A25/24C	Bolt, 2 BA	4	—	C	
24525	E.A9.81.2433	Piece, distance	8	—	C	
28W/9419402	SP.13/C	Washer	4	—	C	
5CY/5352	L.E.A.300/B4	**CIRCUIT-BREAKER,** type 1B, No. 6	2	—	A	
		Attaching parts for L.E.A.300/B4:—				
28D/9436920	A25/1C	Bolt, 2 BA	4	—	C	
24521	E.A9.81.2411	**CONNECTOR,** bus-bar, assembly	1	—	C	
24518	E.A9.81.2405	**CONNECTOR,** bus-bar, circuit-breaker, top joint	1	—	C	
24520	E.A9.81.2409	**CONNECTOR,** bus-bar, circuit-breaker, top joint	1	—	C	
24522	E.A9.81.2415	**CONNECTOR,** bus-bar, P.10 circuit-breaker ...	2	—	C	
24508	E.A9.81.2357	**COVER,** circuit-breaker link	1	—	C	
		Attaching parts for E.A9.81.2357:—				
28S/1011490	A32/C16	Screw, 2 BA	3	—	C	
24511	E.A9.81.2371	**COVER,** end, circuit-breaker link	1	—	C	
24510	E.A9.81.2369	**COVER,** top, circuit-breaker link	1	—	C	
		Attaching parts for E.A9.81.2371 and E.A9.81.2369:—				
28S/1008327	A32/B14	Screw, 4 BA	5	—	C	
28S/9995376	A32/B20	Screw, 4 BA, for end cover	1	—	C	
28W/9419448	AGS.2035/B	Washer	6	—	C	
	E.B7.81.967	**LABEL,** "INVERTER 201"	1	—	—	
	E.B7.81.969	**LABEL,** "AC AND VE"	1	—	—	
	E.A9.81.947	**LABEL,** "GROUND SUPPLY"	1	—	—	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.B6.81.10155	**PANEL,** forward, sub-assembly	1	—	—	
24509	E.A9.81.2365	**PLUG, EXTERNAL SUPPLY**	1	—	B	
		Spares for:—				
	E.A9.81.869	**COVER,** side, aft	1	LFS.21	—	
	E.A9.81.2367	**COVER,** side	1	LFS.21	—	
42475	E.A9.81.2417	**CONNECTOR,** bus-bar	1	L.16	C	
5CY/4314	S.I.S.6202	**PLUG,** power supply	1	—	C	
33181	E.A9.81.891	**STRIP**	1	—	C	
27316	E.A9.81.2419	**WASHER,** spacing	1	—	C	
5CW/6185	†	**SWITCH,** relay, magnetic, type R.3	1	—	A	
		Attaching parts for Ref. 5CW/6185:—				
28D/1011025	A25/24C	Bolt, 2 BA	4	—	C	
24525	E.A9.81.2433	Piece, distance	8	—	C	
28W/9419402	SP.13/C	Washer	4	—	C	
5CW/3945	†	**SWITCH,** magnetic, relay, type S.4	2	—	B	
		Attaching parts for Ref. 5CW/3945:—				
28S/1200040	A31/B20	Screw, 4 BA	4	—	C	
24284	E.A9.81.951	**TERMINAL,** earth	2	—	C	
		Attaching parts for E.A9.81.951:—				
28S/1200066	A33/B20	Screw, 4 BA	2	—	C	
24517	E.A9.81.2403	**WASHER,** contact, bus-bar connector	4	—	C	
		Attaching parts for E.B6.81.3165:—				
28D/1011240	A25/5E	Bolt, $\frac{1}{4}$" BSF	8	—	C	
28W/9418921	SP.13/E	Washer	8	—	C	
	E.B6.81.4881	**PANEL, GENERATOR, TEST ASSEMBLY (MOD. 3234)**	1	—	—	
		Spares for:—				
40756	E.B6.81.4879	**PANEL,** engraved	1	—	C	
5CY/3002	†	**SOCKET,** 3-pole, 2 amp.	2	—	C	
		Attaching parts for Ref. 5CY/3002:—				
28M/1086618	AGS.2002/B/1	Nut, 4 BA	3	—	C	
28S/1007469	A33/B14	Screw, 4 BA	3	—	C	
28W/9419465	SP.13/B	Washer	3	—	C	
5CW/6441	†	**SWITCH,** D.P.	2	—	B	
		Attaching parts for Ref. 5CW/6441:—				
28S/9992525	A32/B12	Screw, 4 BA	4	—	C	
28W/1206041	AGS.2035/B	Washer	4	—	C	
		Attaching parts for E.B6.81.4881:—				
28S/1200034	A31/B16	Screw, 4 BA	4	—	C	
28W/9419465	SP.13/B	Washer	4	—	C	
5K/9107068	EEAS.146/4	**SLEEVE,** $\frac{1}{4}$" long	2	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** $\frac{3}{4}$" long	2	—	C	
5K/9107065	EEAS.146/14	**SLEEVE,** $\frac{7}{8}$" long	50	—	C	
5K/9107065	EEAS.146/16	**SLEEVE,** 1" long	16	—	C	
5K/9107065	EEAS.146/20	**SLEEVE,** $1\frac{1}{4}$" long	170	—	C	
5F/9454141	NY.18007A	**STRAPPING**	QR	—	C	
5F/9138822	NY.3342	**STUD**	300	—	C	
24503	E.A9.81.2335	**STUD,** earth	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5X/6669	HC.292	**TAG**	9	—	C	
5X/9462951	HC.294	**TAG**	2	—	C	
5X/7593	HC.294D	**TAG**	18	—	C	
5X/7297	HC.296	**TAG**	48	—	C	
5X/6988	HC.304	**TAG**	6	—	C	
5X/7060	HC.306A	**TAG**	3	—	C	
5X/7395	HC.314C	**TAG**	4	—	C	
5X/9400078	HC.324C	**TAG**	2	—	C	
5X/8726	HC.326G	**TAG**	4	—	C	
5X/9450396	HC.490	**TAG**	72	—	C	
5X/9482491	HC.500	**TAG**	6	—	C	
5X/9450224	HC.510	**TAG**	24	—	C	
5X/7218	HC.1183	**TAG**	6	—	C	
5X/7299	HC.4010	**TAG**	2	—	C	
	HC.4212	**TAG**	2	—	—	
	HC.5132	**TAG**	1	—	—	
5X/7324	ERMA 12341	**TAG**	1	—	C	
	EEAS.28/33EW	**WASHER,** special, earth stud	1	—	—	
24517	E.A9.81.2403	**WASHER,** contact, P.3 and P.4 bus-bars	4	—	C	
33509	E.B6.81.4713	**WASHER,** bearing, bus-bar and cable attachment	4	—	C	
	—	**PANEL, SUPPRESSOR, INSTALLATION** (E.A9.81.2011)	—	—	—	
		Spares for:—				
	E.A9.81.2133	**PANEL, SUPPRESSOR, ASSEMBLY**	—	—	—	
		Spares for:—				
5X/3276	CZ.50205	**BLOCK,** terminal, 2-way	1	—	C	
		Attaching parts for CZ.50205:—				
28M/10327	AGS.2002/B/1	Nut, 4 BA	2	—	C	
5X/9450403	Z.28426	Pillar, fixing	2	—	C	
5X/3272	CZ.26799	**COVER,** terminal block	1	—	C	
	E.A9.81.2135	**PANEL**	1	—	—	
5K/9107067	EEAS.146/C	**SLEEVE,** $\frac{3}{8}$" long	1	—	C	
5CY/2682	†	**SUPPRESSOR,** type F, No. 2	3	—	B	
		Attaching parts for Ref. 5CY/2682:—				
28M/10328	AGS.2002/C/1	Nut, 2 BA (For end suppressor only)	1	—	C	
28S/9435713	A31/C20	Screw, 2 BA	2	—	C	
5CY/7001363	†	**SUPPRESSOR,** type B, No. 4	1	—	B	
		Attaching parts for Ref. 5CY/7001363:—				
28S/9131095	A31/C14	Screw, 2 BA	4	—	C	
	—	**PLUGS AND SOCKETS THROUGH PRESSURE BULKHEAD** (E.A9.81.125)	—	—	—	
		Spares for:—				
10H/0970055	CZ.51538	**CAP,** protective, small	8	—	C	
10H/0970056	CZ.51539	**CAP,** protective, medium	4	—	C	
10H/0970057	CZ.51540	**CAP,** protective, large	4	—	C	
	E.A9.81.10079	**PLATE,** patch	1	—	—	
		Attaching parts for E.A9.81.10079:—				
28M/10287	AGS.2001/B/1	Nut, 4 BA	4	—	C	
28S/1200034	A31/B16	Screw, 4 BA	4	—	C	
28W/9419474	SP.15/B	Washer	4	—	C	
	E.A9.81.10081	Washer, sealing	4	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
10H/19610	†		**PLUG,** type 757	3	—	B	
10H/1920	†		**PLUG,** type W.387	1	—	C	
5X/6038	CZ.28038		**PLUG,** type B7 (Pre-Mod. 3382)	2	—	C	
5X/7166	2CZ.111419		**PLUG,** type B7 (Mod. 3382)	2	—	C	
5X/6018	CZ.28034		**PLUG,** type Z7 (Pre-Mod. 3382)	2	—	C	
5X/7163	2CZ.111416		**PLUG,** type Z7 (Mod. 3382)	2	—	C	
5X/6028	CZ.28036		**PLUG,** type Z19 (Pre-Mod. 3382)	2	—	C	
5X/8551	2CZ.138098		**PLUG,** type Z19 (Mod. 3382)	2	—	C	
5X/6008	CZ.28032		**PLUG,** type A7 (Pre-Mod. 3382)	1	—	C	
5X/7162	2CZ.111414		**PLUG,** type A7 (Mod. 3382)	1	—	C	
5X/6093	CZ.28049		**PLUG,** type C7 (Pre-Mod. 3382)	1	—	C	
5X/8558	2CZ.138113		**PLUG,** type C7 (Mod. 3382)	1	—	C	
10H/19475	CZ.62274		**PLUG/SOCKET,** type 41	1	—	C	
10H/19947	CZ.62269/2		**PLUG/SOCKET,** type 13	1	—	C	
10H/19446	CZ.62269/1		**PLUG/SOCKET,** type 12	1	—	C	
10H/19445	CZ.62269		**PLUG/SOCKET,** type 11	4	—	B	
10H/19439	CZ.62268		**PLUG/SOCKET,** type 5	2	—	B	
10H/19440	CZ.62268/1		**PLUG/SOCKET,** type 6	1	—	C	
10H/19457	CZ.62271		**PLUG/SOCKET,** type 23	4	—	C	
10H/19482	CZ.62275/1		**PLUG/SOCKET,** type 48	2	—	B	
10H/19487	CZ.62276		**PLUG/SOCKET,** type 53	1	—	B	
10H/19488	CZ.62276/1		**PLUG/SOCKET,** type 54	1	—	C	
10H/19493	CZ.62277		**PLUG/SOCKET,** type 59	3	—	B	
10H/19494	CZ.62277/1		**PLUG/SOCKET,** type 60	2	—	B	
10H/19481	CZ.62275		**PLUG/SOCKET,** type 47	4	—	B	
10H/19459	CZ.62271/2		**PLUG/SOCKET,** type 25	1	—	C	
10H/19450	CZ.62269/5		**PLUG/SOCKET,** type 16	1	—	C	
10H/20417	CZ.61887		**SOCKET**	1	—	B	
26DK/5039	EEAS.20/2CR		**TAB,** locking	1	—	C	
	—		**PLUG, STOWAGE, FRAME NO. 1, PORT, INSTALLATION (E.A9.81.4259) (MOD. 2195)**				
			Spares for:—				
	CANNON						
10H/	2182/12		**RECEPTACLE,** plug, dummy	1	—	—	
	or						
	E.A9.10.5111		**RECEPTACLE,** plug, dummy	1	—	—	
			Attaching parts for 2182/12 or E.A9.10.5111:—				
28D/9133011	A25/2C		Bolt, 2 BA	4	—	C	
28M/9403520	A27/CP		Nut, 2 BA	4	—	C	
28W/9416643	SP.47/C		Washer	4	—	C	
	CANNON						
10H/	2182/9		**RECEPTACLE,** plug, dummy	1	—	—	
	or						
	E.A9.10.5109		**RECEPTACLE,** plug, dummy	1	—	—	
			Attaching parts for 2182/9 or E.A9.10.5109:—				
28D/1008149	A25/2B		Bolt, 4 BA	4	—	C	
28M/9403519	A27/BP		Nut, 4 BA	4	—	C	
28W/9416642	SP.47/B		Washer	4	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	CANNON					
10H/	2182/3	**RECEPTACLE,** plug, dummy	1	—	—	
	or					
	E.A9.10.5107	**RECEPTACLE,** plug, dummy	1	—	—	
		Attaching parts for 2182/3 or E.A9.10.5107:—				
28D/1008147	A25/1A	Bolt, 6 BA	4	—	C	
28M/9403518	A27/AP	Nut, 6 BA	4	—	C	
28W/9416641	SP.47/A	Washer	4	—	C	
	—	**RELAY UNIT, ARMAMENT, INSTALLATION** (E.A9.81.1601)	—	—	—	
		Spares for:—				
	E.A9.81.6241	**RELAY UNIT, ASSEMBLY (MOD. 4341)** (For A/C incorporating Mod. 2195, not incorporating Mod. 2142) †	—	—	—	
		Spares for:—				
5X/2863	CZ.24285	**BLOCK,** terminal, 10-way	2	—	C	
5X/3181	CZ.23212/1	**BLOCK,** terminal, 20-way	4	—	C	
		Attaching parts for CZ.24285 and CZ.23212/1:—				
28S/1005622	A31/B28	Screw, 4 BA	2	—	C	
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
10H/0970056	CZ.51539	**CAP,** protective, medium	1	—	C	
10H/0970057	CZ.51540	**CAP,** protective, large	1	—	C	
	E.A9.81.5009	**COVER, ASSEMBLY**	1	—	—	
		Spares for:—				
32C/614	†	**RUBBER,** synthetic, 0·"14 dia.	QR	D.T.D.552	C	
20457	EEAS.117/1	**SCREW,** cover	7	—	C	
	EEAS.28/2DR	**WASHER**	14	—	—	
5CX/1635	S.I.S.2968	**LAMP,** warning, type A, green	1	—	C	
5X/1004082	Z.50210	**LINK,** commoning, 2-way	7	—	C	
5X/1004083	Z.50211	**LINK,** commoning, 3-way	1	—	C	
5X/6172	Z.50212	**LINK,** commoning, 4-way	1	—	C	
5X/6317	Z.50218	**LINK,** commoning, 10-way	1	—	C	
5X/1004086	Z.50219	**LINK,** transverse	1	—	C	
	E.A9.81.1879	**MOUNTING,** relay	1	—	—	
		Attaching parts for E.A9.81.1879:—				
28D/1215092	AS.1246/19C	Bolt, 2 BA	4	—	C	
28W/9419402	SP.13/C	Washer	4	—	C	
	E.A9.81.1881	**MOUNTING,** relay	1	—	—	
		Attaching parts for E.A9.81.1881:—				
28D/1007981	AS.1248/½C	Bolt, 2 BA	3	—	C	
	E.A9.81.6205	**PLATE, MOUNTING, DIODE, ASSEMBLY** ...	1	—	—	
		Spares for:—				
	156/SO/LP	**BARB,** insulator type 156	6	—	—	
	†	**DIODE,** type IS.111	3	—	—	
		Attaching parts for E.A9.81.6205:—				
28D/9130082	AS.1246/3B	Bolt, 4 BA	2	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	2	—	C	
	AS.2810-4-030	Tube, distance, 20 SWG	2	T4	LM	
28W/9419465	SP.13/B	Washer	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
10H/0560050	CZ.48992		**PLUG,** fixed, Mk. 4	1	—	C	
10H/0560200	CZ.49061		**PLUG,** panel unit, 25-pole, 5 amp	1	—	C	
10H/0560080	CZ.48995		**PLUG,** panel unit, 6-pole, 5 amp	1	—	C	
10H/0560150	CZ.49112		**PLUG,** 12-pole, 5 amp	1	—	C	
10H/0560152	CZ.49112/2		**PLUG,** 12-pole, 5 amp	1	—	C	
10H/0560151	CZ.49112/1		**PLUG,** 12-pole, 2·5 amp	1	—	C	
5X/5805562	2CZ.111224		**PLUG,** size B, 7 amp	3	—	C	
5X/7142	2CZ.111401		**PLUG,** size Z, 7 amp	1	—	C	
5CW/9729122	†		**RELAY,** type S1	6	—	B	
5CW/9729123	†		**RELAY,** type S3	4	—	B	
5CW/6719	†		**RELAY,** type S9	1	—	B	
	E.A9.81.6309		**RELAY,** unit, sub assembly	1	—	—	
5X/1005131	Z.49428		**SLEEVE,** 4·7 amp	20	—	C	
5K/9107066	EEAS.146/12		**SLEEVE,** 1" long	352	—	C	
5K/9107065	EEAS.146/16		**SLEEVE,** ¼" long	1	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** 1" long	1	—	C	
5K/9107065	EEAS.146/20		**SLEEVE,** ¼" long	QR	—	C	
10H/0560240	CZ.49219		**SOCKET,** panel unit	1	—	C	
10H/0560260	CZ.49223		**SOCKET,** panel unit	2	—	C	
10H/0560310	CZ.51330		**SOCKET,** Mk. 4	1	—	C	
10H/0560380	CZ.49229		**SOCKET**	1	—	C	
10H/0560330	CZ.49459		**SOCKET**	2	—	C	
5CW/4179	S.I.S.5495		**SWITCH,** S.P.	1	—	—	
			Attaching parts for S.I.S.5495:—				
28S/1012450	A32/B10		Screw, 4 BA	2	—	C	
28W/9416642	SP.47/B		Washer	2	—	C	
5CW/5056	C.5162Y		**SWITCH,** push, Mk. 2	1	—	B	
5X/9450396	HC.490		**TAG,** Q.R.	159	—	C	
5X/9482491	HC.500		**TAG,** Q.R.	6	—	C	
5CW/4328	†		**TRANSFER,** "OFF"	1	—	C	
5CW/4327	†		**TRANSFER,** "ON"	1	—	C	
1109	EEAS.43/1		**WASHER,** special, for socket	4	—	C	
1110	EEAS.43/2		**WASHER,** special, for socket	6	—	C	
17524	EEAS.43/3		**WASHER,** special, for socket	2	—	C	
5E/9705514	†		**WIRE,** equipment, type B,19/·0076, blue ...	QR	—	C	
5E/9100188	†		**WIRE,** equipment, type 2.23/·0076, black ...	QR	—	C	
			Attaching parts for E.A9.81.6241:—				
28S/1007405	A32/C14		Screw, 2 BA	4	—	C	
	E.A9.81.6287		**RELAY UNIT, ASSEMBLY (MOD. 4343)** ... ... (For A/C incorporating Mod. 2142, not incorporating Mod. 2195)	1	—	—	
			Spares for this assembly are identical with those for assembly Part No. E.A9.81.6241 on page 359, except for the following deletions and additions.				
			Delete:—				
	E.A9.81.5009		**COVER, ASSEMBLY**	1	—	—	
			Add:—				
	E.A9.81.6315		**COVER, ASSEMBLY**	1	—	—	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
5UC/6042	†	**REGULATOR,** electronic, type 2B, on pressure bulkhead	1	—	A	
		Attaching parts for Ref. 5UC/6042:—				
8474	E.A3.81.1787	Bolt, special, ¼" BSF	4	—	C	
28M/1011475	A27/EP	Nut, ¼" BSF	4	—	C	
28M/1007403	A27/ET	Nut, ¼" BSF	4	—	C	
28W/9416644	SP.47/E	Washer	8	—	C	
	—	**REGULATOR, VOLTAGE AND BATTERY EMERGENCY, CABIN FLOOR, FRAME 6, PORT, INSTALLATION (E.A9.81.10479) (MOD. 3159)**	—	—	—	
		Spares for:—				
5J/9101543	†	**BATTERY,** 12 volt	2	—	B	
	E.A9.10.10123	**BRACKET,** battery tray support	2	—	—	
	E.A9.10.10127	**BRACKET,** terminal	1	—	—	
		Attaching parts for E.A9.10.10127:—				
28D/9436920	A25/1C	Bolt, 2 BA	2	—	C	
28W/9419475	SP.15/C	Washer	2	—	C	
5UC/5418	†	**REGULATOR,** voltage, type 60	1	—	A	
		Attaching parts for Ref. 5UC/5418:—				
28D/1215089	AS.1246/16C	Bolt, 2 BA	4	—	C	
	E.A9.10.10119	**SUPPORT,** voltage regulator	1	—	—	
	E.A9.10.10120	**SUPPORT,** voltage regulator	1	—	—	
5K/3401	BULGIN T.102 BLACK	**TERMINAL**	1	—	C	
5K/3400	BULGIN T.102 RED	**TERMINAL**	1	—	C	
17201	E.B7.81.1177	**TRAY, ASSEMBLY**	1	—	B	
		Spares for:—				
13114	E.B7.81.1181	**BUNGEE,** assembly	2	—	C	
		Attaching parts for E.B7.81.1181:—				
28D/1010029	A25/6B	Bolt, 4 BA	1	—	C	
28D/1212276	A25/15B	Bolt, 4 BA	1	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	2	—	C	
	E.B7.81.1385	Tube, distance	1	—	—	
28W/9419486	SP.16/B	Washer	2	—	C	
		Attaching parts for E.B7.81.1177:—				
28D/9140202	AS.1246/1C	Bolt, 2 BA	4	—	C	
28W/9419475	SP.15/C	Washer	4	—	C	
	E.A9.81.10931	**RELAY AND TERMINAL BLOCK, INSTALLATION (MOD. 4279)**	—	—	—	
		Spares for:—				
5X/1002694	CZ.50207	**BLOCK,** terminal, 5-way	1	—	C	
		Attaching parts for CZ.50207:—				
28M/10287	AGS.2001/B/1	Nut, 4 BA	2	—	C	
5X/9450403	Z.28426	Pillar, fixing	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5X/9149641	CZ.26805		**COVER,** terminal block	1	—	C	
	E.B6.81.6229		**PLATE,** mounting	1	L72	—	
			Attaching parts for E.B6.81.6229:—				
28D/1007972	A25/$\frac{1}{4}$C		Bolt, 2 BA	4	—	C	
	7CZ.105962/1		**RELAY,** BH.1/I.D.M.I.D.B/28/35	1	—	—	
			Attaching parts for 7CZ.105962/1:—				
28M/10287	AGS.2001/B/1		Nut, 4 BA	4	—	C	
28S/1214674	A39/B14		Screw, 4 BA	4	—	C	
28W/9419474	SP.15/B		Washer	4	—	C	
	E.A9.81.10815		**SUPPRESSOR, TYPE B.6, INSTALLATION (MOD. 3722)**	—	—	—	
			Spares for:—				
40750	E.A9.81.10759		**PANEL,** assembly	1	—	C	
			Attaching parts for E.A9.81.10759:—				
28S/9131095	A31/C14		Screw, 2 BA	7	—	C	
5CY/5169	†		**SUPPRESSOR,** type B, No. 6	1	—	A	
			Attaching parts for Ref. 5CY/5169:—				
28S/9419453	A31/B14		Screw, 4 BA	4	—	C	
	—		**SUPPRESSOR ON NAVIGATOR'S CRATE, AFT OF FRAME 4, INSTALLATION (E.A9.81.10493) (MOD. 2625)**	—	—	—	
			Spares for:—				
5CY/7001363	†		**SUPPRESSOR,** type B.4	1	—	C	
			Attaching parts for Ref. 5CY/7001363:—				
28M/10287	AGS.2001/B/1		Nut, 4 BA	2	—	C	
28S/9995376	A32/B20		Screw, 4 BA	2	—	C	
5CY/7001363	†		**SUPPRESSOR,** type B.4, on bomb distributor structure frame 1, port	1	—	C	
			Attaching parts for Ref. 5CY/7001363:—				
28S/9992522	A32/B16		Screw, 4 BA	2	—	C	
5CY/2682	†		**SUPPRESSOR,** type F.2, frame 8, starboard	1	—	C	
			Attaching parts for Ref. 5CY/2682:—				
28S/9997545	A31/C16		Screw, 2 BA	2	—	C	
5CY/1002	†		**SUPPRESSOR** type P, No. 1, on auxiliary suppressor panel, frame 8	1	—	C	
			Attaching parts for Ref. 5CY/1002:—				
28S/1200040	A31/B20		Screw, 4 BA	4	—	C	
	—		**SUPPRESSOR ON PRESSURE BULKHEAD, INSTALLATION (E.A9.81.2005)**	—	—	—	
			Spares for:—				
5CY/1002	†		**SUPPRESSOR,** type P, No. 1	1	—	C	
			Attaching parts for Ref. 5CY/1002:—				
28S/9995376	A32/B20		Screw, 4 BA	4	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	—	**STOWAGE, BOMB PANEL LINKS ON WIND-BREAK DOOR, INSTALLATION (E.A9.81.10001) (MOD. 2563)**	—	—	—	
		Spares for:—				
38021	E.C3.81.797	**BAG,** canvas, assembly	1	—	B	
		Attaching parts for E.C3.81.797:—				
28D/9133011	A25/2C	Bolt, 2 BA	2	—	C	
28D/1007982	AS.1248/1C	Bolt, 2 BA	2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	4	—	C	
28W/9419475	SP.15/C	Washer	4	—	C	
	—	**STOWAGE, PLUG, ON BULKHEAD, FRAME 12, ASSEMBLY (E.A9.81.4241) (MOD. 2195)**	—	—	—	
		Spares for:—				
	E.B6.81.1505	**CLAMP,** half	2	—	—	
		Attaching parts for E.B6.81.1505:—				
28D/1212400	A25/29C	Bolt, 2 BA	3	—	C	
28W/9419475	SP.15/C	Washer	3	—	C	
	E.A9.10.5117	**PLATE,** plug, stowage	1	—	—	
		Attaching parts for E.A9.10.5117:—				
28D/1010658	A25/1B	Bolt, 4 BA	4	—	C	
28M/9403519	A27/BP	Nut, 4 BA	4	—	C	
28W/9416642	SP.47/B	Washer	4	—	C	
10H/0560140	CZ.50743	**PLUG**	2	—	C	
	—	**SWITCH, INERTIA, FRAME 11, PORT AND STARBOARD, INSTALLATION** (E.A9.81.1577–E.A9.81.1578)	—	—	—	
		Spares for:—				
27N/93	†	**SWITCH,** inertia	1	—	A	
		Attaching parts for Ref. 27N/93:—				
28D/9137409	AS.1246/2C	Bolt, 2 BA	4	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	4	—	C	
5CW/5016	†	**SWITCH,** starting, magnetic, type 1A, on pressure bulkhead	1	—	A	
		Attaching parts for Ref. 5CW/5016:—				
28D/9133013	A25/5C	Bolt, 2 BA	4	—	C	
28W/9419404	SP.16/C	Washer	8	—	C	
	E.A9.81.2601	**SWITCH, AIR BRAKE, ASSEMBLY**	—	—	—	
		Spares for:—				
	E.A9.81.2603	**BRACKET,** mounting, switch	1	—	—	
		Attaching parts for E.A9.81.2603:—				
28D/	A25/1½B	Bolt, 4 BA (Make from 28D/1008149)	4	—	—	
28M/10287	AGS.2001/B/1	Nut, 4 BA	4	—	C	
28W/9419474	SP.15/B	Washer	2	—	C	
	E.A9.81.2545	**STRAP,** switch, overshoot	1	—	—	
5CW/4612	D.10001	**SWITCH,** 3-way, type 8B, No. 1	1	—	B	
		Attaching parts for D.10001:—				
28S/1200080	A32/B8	Screw, 4 BA	2	—	C	
28W/9419448	AGS.2035/B	Washer	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.1639		**SWITCH, I.L.S. AND BRACKET ON PRESSURE BULKHEAD, ASSEMBLY**	—	—	—	
			Spares for:—				
	E.A9.81.351		**BRACKET,** mounting, switch	1	—	—	
			Attaching parts for E.A9.81.351:—				
28S/1008327	A32/B14		Screw, 4 BA	4	—	C	
5CW/4179	D.5406		**SWITCH**	1	—	B	
			Attaching parts for D.5406:—				
28S/1200080	A32/B8		Screw, 4 BA	2	—	C	
28W/9416642	SP.47/B		Washer	2	—	C	
	—		**SWITCH AND SUPPRESSOR, NOSE DE-MISTER, FRAME 1, PORT, INSTALLATION** (E.A9.81.2097)	—	--	—	
			Spares for:—				
5CY/5289	A.E.C.603002		**SUPPRESSOR,** unit	1	—	A	
5CW/5856	8396/B102		**SWITCH,** N.S.F.	1	—	B	
	—		**SWITCH, TIME DELAY AND PANEL, FRAME 5 AND 6, STARBOARD, INSTALLATION** (E.A9.81.2017)	—	—	—	
			Spares for:—				
	E.A9.81.2015		**PANEL,** mounting, switch	1	—	—	
			Attaching parts for E.A9.81.2015:—				
28D/9436920	A25/1C		Bolt, 2 BA	4	—	C	
5CW/4439	E.H.M./A/25		**SWITCH,** time, delay	2	—	A	
			Attaching parts for E.H.M./A/25:—				
28D/9133011	A25/2C		Bolt, 2 BA	4	—	C	
	E.A9.81.10653		**UNIT, A.C. CONTROL, ASSEMBLY (MOD. 3155)**	—	—	—	
			Spares for:—				
5X/2863	CZ.24285		**BLOCK,** terminal, 10-way	1	—	C	
			Attaching parts for CZ.24285:—				
28S/1005622	A31/B28		Screw, 4 BA	2	—	C	
5X/3181	CZ.23212/1		**BLOCK,** terminal, 20-way	2	—	C	
			Attaching parts for CZ.23212/1:—				
28M/10287	AGS.2001/B/1		Nut, 4 BA	1	—	C	
28S/1011488	A32/B28		Screw, 4 BA	1	—	C	
28S/1009187	A32/B36		Screw, 4 BA	1	—	C	
	E.A9.81.10687		**BOX,** shell assembly	1	—	—	
	E.A9.81.1521		**BRACKET,** relay assembly	2	—	—	
			Attaching parts for E.A9.81.1521:—				
28S/9995376	A32/B20		Screw, 4 BA	2	—	C	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
10H/0970055	†		**CAP,** protective, small	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.1515	**COVER, A.C. CONTROL UNIT, STARBOARD, ASSEMBLY**	1	—	—	
		Spares for:—				
	E.A9.81.1517	**COVER**	1	—	—	
		Attaching parts for E.A9.81.1517:—				
20457	EEAS.117/1	Screw	9	S.92	C	
	E.A9.81.1531	Strip, sealing	1	—	—	
1108	EEAS.42	Washer, special	9	LEATHER	C	
1066	EEAS.28/2CU	Washer, special	18	DTD.124	C	
	E.A9.81.10233	**COVER, A.C. CONTROL UNIT, TOP, ASSEMBLY**	1	—	—	
		Spares for:—				
	E.A9.81.4235	**COVER**	1	—	—	
		Attaching parts for E.A9.81.4235:—				
20457	EEAS.117/1	Screw	2	S.92	C	
	E.A9.81.4247	Strip, sealing	1	—	—	
1108	EEAS.42	Washer, special	2	LEATHER	C	
1066	EEAS.28/2CU	Washer, special	4	DTD.124	C	
	E.A9.81.10223	**DISC,** blanking	2	—	—	
		Attaching parts for E.A9.81.10223:—				
28M/1278189	AGS.2001/B/1	Nut, 4 BA	1	—	C	
28S/9992522	A32/B16	Screw, 4 BA	1	—	C	
5X/1004082	Z.50210	**LINK,** commoning, 2-way	1	—	C	
5X/6172	Z.50212	**LINK,** commoning, 4-way	1	—	C	
5X/1004085	Z.50213	**LINK,** commoning, 5-way	1	—	C	
5X/9400384	ERMA.12104	**LUG,** coupling, Mk. 4	4	—	C	
10H/0560050	CZ.48992	**PLUG,** Mk. 4, 2-way	1	—	C	
10H/0560060	CZ.48993	**PLUG,** Mk. 4, 3-way	1	—	C	
10H/0560070	CZ.48994	**PLUG,** Mk. 4, 4-way	1	—	C	
10H/0560080	CZ.48995	**PLUG,** Mk. 4, 6-way	1	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** $\frac{1}{4}$" long	23	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** $\frac{1}{4}$" long	75	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** $\frac{3}{8}$" long	45	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** $\frac{1}{4}$" long	26	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** $\frac{3}{8}$" long	3	—	C	
5K/9107065	EEAS.146/16	**SLEEVE,** $\frac{1}{4}$" long	12	—	C	
10H/0560240	CZ.49219	**SOCKET,** fixed, Mk. 4, 3-way	2	—	C	
10H/0560260	CZ.49223	**SOCKET,** fixed, Mk. 4, 6-way	1	—	C	
5F/9434858	HV.3254	**STRAPPING**	QR	—	C	
5F/9138823	NT.3255	**STUD**	QR	—	C	
5CW/9729123	†	**SWITCH,** relay, magnetic, type S.3	1	—	B	
5CW/6717	†	**SWITCH,** relay, magnetic, type S.7	5	—	B	
5CW/5907	E.A.P.2340	**SWITCH,** torque	1	—	A	
		Attaching parts for E.A.P.2340:—				
28S/9992522	A32/B16	Screw, 4 BA	4	—	C	
	E.A3.81.2247	**TAG,** special	5	—	—	
5X/9450396	HC.490	**TAG,** QR	46	—	C	
5X/9482491	HC.500	**TAG,** QR	11	—	C	
5X/9450224	HC.510	**TAG,** QR	8	—	C	
1109	EEAS.43/1	**WASHER,** plug, mounting	7	DTD.390	C	
		Attaching parts for E.A9.81.10653:—				
28S/9992533	A32/C20	Screw, 2 BA	4	—	C	
	E.A9.81.10989	**UNIT, SNATCH, INSTALLATION (MOD. 4702)** ...	—	—	—	
		Spares for:—				
5CZ/7263	WB/UN/1146/D/3/W	**BLOCK,** connector, 6-way	1	—	C	
5CZ/7407	WB/NY/1110/B/8	**COVER,** terminal block	1	—	C	
5CZ/6424	WB/1114/28	**PILLAR,** fixing	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.5371	**UNIT, D.C. CONTROL, ASSEMBLY (MOD. 3234)**	—	—	—	
		Spares for:—				
	E.A9.81.4935	**BLOCK, FUSE, ASSEMBLY**	1	—	—	
		Spares for:—				
5X/3271	CZ.52815	**BLOCK,** fuse, 4-way	1	—	C	
		Attaching parts for E.A9.81.4935:—				
28S/1012450	A32/B10	Screw, 4 BA	2	—	C	
28W/9419448	AGS.2035/B	Washer	2	—	C	
5X/1002695	CZ.23212/1	**BLOCK,** terminal, 20-way	2	—	C	
		Attaching parts for CZ.23212/1 :—				
28M/10287	AGS.2001/B/1	Nut, 4 BA	1	—	C	
28S/1011488	A32/B28	Screw, 4 BA	1	—	C	
28S/1009187	A32/B36	Screw, 4 BA	1	—	C	
	E.A9.81.10273	**BOX,** assembly	1	—	—	
	E.A9.81.1521	**BRACKET,** relay, assembly	2	—	—	
		Attaching parts for E.A9.81.1521:—				
28S/9995376	A32/B20	Screw, 4 BA	2	—	C	
5E/3894	†	**CABLE,** Unitersil 20	QR	—	C	
5E/3898	†	**CABLE,** Unitersil 12	QR	—	C	
	E.A9.81.10271	**COVER, D.C. CONTROL, ASSEMBLY**	1	—	—	
		Spares for:—				
	E.A9.81.4281	**COVER**	1	—	—	
		Attaching parts for E.A9.81.4281:—				
20457	EEAS.117/1	Screw, 4 BA	6	—	C	
	E.A9.81.4283	Strip, sealing	1	Rubber	—	
1108	EEAS.42	Washer, special	6	Leather	C	
1066	EEAS.28/2CU	Washer, special	12	DTD.124	C	
10H/21798	†	**FUSE,** 5 amp.	1	—	C	
5X/1004082	Z.50210	**LINK,** commoning, 2-way	2	—	C	
5X/6314	Z.50214	**LINK,** commoning, 6-way	1	—	C	
5X/7152	2CZ.111227	**PLUG,** size C, 14-way	1	—	C	
5X/5805562	2CZ.111224	**PLUG,** size B, 9-way	1	—	C	
5X/7159	2CZ.111229	**PLUG,** size D, 26-way	1	—	C	
5X/7149	2CZ.111225	**PLUG,** size B, 9-way	1	—	C	
5CZ/6603	MDA/18/2/1RGZ	**RECTIFIER**	1	—	C	
		Attaching parts for MDA/18/2/1RGZ:—				
28M/1278189	AGS.2001/B/1	Nut, 4 BA	1	—	C	
28W/9419448	AGS.2035/B	Washer	1	—	C	
5X/1005131	Z.49428	**SLEEVE,** adaptor	35	—	C	
5K/9107065	EEAS.146/20	**SLEEVE**	6	—	C	
5K/9107065	EEAS.146/16	**SLEEVE**	35	—	C	
5K/9107066	EEAS.146/12	**SLEEVE**	100	—	C	
5K/9107067	EEAS.146/6	**SLEEVE**	45	—	C	
5F/9434858	HV.3254	**STRAPPING**	QR	—	C	
5F/9138823	NT.3255	**STUD**	24	—	C	
5CW/9729122	†	**SWITCH,** relay, magnetic, type S.1	5	—	B	
5CW/9729123	†	**SWITCH,** relay, magnetic, type S.3	2	—	B	
5X/9450396	HC.490	**TAG,** QR	72	—	C	
5X/9450224	HC.510	**TAG,** QR	4	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	—		**WIRING, NOSE, UNDERCARRIAGE ON PRESSURE BULKHEAD, UNDER EQUIPMENT FLOOR (E.A9.81.1503)**	—	—	—	
			Spares for:—				
5CZ/430	†		**BLOCK,** terminal, type B, 2-way	1	—	C	
			Attaching parts for Ref. 5CZ/430:—				
28M/9403518	A27/AP		Nut, 6 BA	1	—	C	
28S/1200062	A33/A20		Screw, 6 BA	1	—	C	
28W/9416641	SP.47/A		Washer	1	—	C	
5CZ/868	†		**BLOCK,** terminal, type B, 5-way	1	—	C	
			Attaching parts for Ref. 5CZ/868:—				
28M/9403518	A27/AP		Nut, 6 BA	2	—	C	
28S/1200062	A33/A20		Screw, 6 BA	2	—	C	
28W/9416641	SP.47/A		Washer	2	—	C	
5CW/6672	†		**SWITCH,** micro, u/c door (Pre-Mod. 4080) ...	1	—	B	
5CW/11254	†		**SWITCH,** micro, u/c door (Mod. 4080)	1	—	B	
	—		**WIRING AND CLIPPING, PRESSURE BULKHEAD TO FRAME 12 (E.A9.81.2861)**	—	—	—	
			Spares for:—				
6734	EEAS.136		**BRACKET**	20	—	C	
3420	EEAS.73		**PLATE,** clamp	2	L.72	C	
3416	EEAS.132/7		**STRAP,** cable, c/w buckle	2	—	C	
3417	EEAS.132/9		**STRAP,** cable, c/w buckle	3	—	C	
3418	EEAS.132/12		**STRAP,** cable, c/w buckle	23	—	C	
3419	EEAS.132/15		**STRAP,** cable, c/w buckle	1	—	C	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9454141	NY.18007A		**STRAP**	QR	—	C	
5F/9138823	NT.3255		**STUD**	QR	—	C	
5F/9138822	NY.3342		**STUD**	18	—	C	
5F/2232	†		**TAPE,** insulating	QR	—	C	
32B/1168	†		**TAPE,** P.V.C.	QR	—	C	
	—		**WIRING AND CLIPPING, FRONT FUSELAGE ASSEMBLY (E.A9.81.2865)**	—	—	—	
			Spares for:—				
5X/3181	CZ.23212/1		**BLOCK,** terminal, 20-way	1	—	C	
			Attaching parts for CZ.23212/1:—				
28M/10287	AGS.2001/B/1		Nut, 4 BA	2	—	C	
28S/1005622	A31/B28		Screw, 4 BA	2	—	C	
5X/1002694	CZ.50207		**BLOCK,** terminal, 5-way	1	—	C	
			Attaching parts for CZ.50207:—				
28M/10327	AGS.2002/B/1		Nut, 4 BA	2	—	C	
5X/9450403	Z.28426		Pillar, fixing	2	—	C	
28W/9419465	SP.13/B		Washer	2	—	C	
	E.A1.81.252		**BRACKET,** strap support	8	—	—	
	E.A1.81.266		**BRACKET,** strap support	7	—	—	
	E.A9.81.111		**BRACKET,** strap support	1	—	—	
	E.A9.81.1167		**BRACKET,** strap support	1	—	—	
	E.A9.81.1169		**BRACKET,** strap support	2	—	—	
	E.A9.81.1179		**BRACKET,** strap support	3	—	—	
	E.A9.81.1873		**BRACKET,** strap support	5	—	—	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.1909		**BRACKET,** strap support	1	—	—	
	E.A9.81.4011		**BRACKET,** assembly, cable, support	1	—	—	
6734	EEAS.136		**BRACKET,** clip support	45	—	C	
	E.A9.81.6073		**BRACKET,** mounting, armament safety break (Mod. 4330 and 4347)	1	—	—	
			Attaching parts for E.A9.81.6073:—				
28D/9137408	AS.1246/½B		Bolt, 4 BA	4	—	C	
28M/10287	AGS.2001/B/1		Nut, 4 BA	4	—	C	
28W/9419465	SP.13/B		Washer	4	—	C	
	E.A9.81.715		**CLIP,** cable	2	—	—	
5X/9149641	CZ.26805		**COVER,** terminal block	1	—	C	
	E.A9.81.6301		**EARTH POINT, AND CABLE STRAP INSTALLATION (MOD. 4347)** (For A/c not incorporating Mod. 2195) Spares for:—	—	—	—	
	E.A9.81.6303		**BLOCK,** mounting, strap support	1	BS.2572	—	
			Attaching parts for E.A9.81.6303:—				
28D/1214302	AS.1242/8B		Bolt, 4 BA	2	—	C	
28M/10287	AGS.2001/B/1		Nut, 4 BA	2	—	C	
28W/9419465	SP.13/B		Washer	2	—	C	
5X/9400051	†		**FERRULE**	2	—	C	
3417	EEAS.132/9		**STRAP,** cable	1	—	C	
3418	EEAS.132/12		**STRAP,** cable	1	—	C	
			Attaching parts for EEAS.132/9 and EEAS.132/12:—				
28D/8337	AS.1248/1B		Bolt, 4 BA (EEAS.132/9)	1	—	C	
28D/1213722	AS.1248/9B		Bolt, 4 BA (EEAS.132/12)	1	—	C	
28M/10287	AGS.2001/B/1		Nut, 4 BA	1	—	C	
3420	EEAS.73		Plate, clamp	1	L.72	C	
28W/9419465	SP.13/B		Washer	1	—	C	
	E.G4.81.1075		**TERMINAL, EARTH, ASSEMBLY** ... ... Spares for:—	1	—	—	
	E.G4.81.1073		**BRACKET**	1	—	—	
5X/9028	AS.2747		**SOCKET,** assembly	4	—	C	
			Attaching parts for E.G4.81.1075:—				
28M/10288	AGS.2001/C/1		Nut, 2 BA	1	—	C	
28M/1006473	A27/CT		Nut, 2 BA	1	—	C	
28S/1200047	A31/C24		Screw, 2 BA	1	—	C	
28W/9419475	SP.15/C		Washer	2	—	C	
28W/9416643	SP.47/C		Washer	1	—	C	
	E.A9.81.6011		**EARTH, POINT, AND CABLE STRAP INSTALLATION (MOD. 4330)** (For A/c incorporating Mod. 2195) Spares for:—	—	—	—	
	E.A9.81.6225		**BLOCK,** mounting, strap support	1	BS.2572	—	
			Attaching parts E.A9.81.6225:—				
28D/1214867	AS.1246/5B		Bolt, 4 BA	2	—	C	
28M/10287	AGS.2001/B/1		Nut, 4 BA	2	—	C	
28W/9419465	SP.13/B		Washer	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
5X/9400051	†	**FERRULE**	2	—	C	
3417	EEAS.132/9	**STRAP,** cable	3	—	C	
		Attaching parts for EEAS.132/9:—				
28D/8337	AS.1248/1B	Bolt, 4 BA (as required)	1	—	C	
28D/1007982	AS.1248/1C	Bolt, 2 BA (as required)	1	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA (as required)	1	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA (as required)	1	—	C	
3420	EEAS.73	Plate, clamp	1	L.72	C	
28W/9419465	SP.13/B	Washer (as required)	1	—	C	
28W/9419402	SP.13/C	Washer (as required)	1	—	C	
3418	EEAS.132/12	**STRAP,** cable	1	—	C	
		Attaching parts for EEAS.132/12:—				
28D/1214269	AS.1242/12B	Bolt, 4 BA	1	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	1	—	C	
	E.B6.81.10177	Support, strap	1	—	—	
28W/9419465	SP.13/B	Washer	1	—	C	
	E.G4.81.1075	**TERMINAL, EARTH, ASSEMBLY**	1	—	—	
		Spares for:—				
	E.G4.81.1073	**BRACKET**	1	—	—	
5X/9028	AS.2747	**SOCKET,** assembly	4	—	C	
		Attaching parts for E.G4.81.1075:—				
28M/10288	AGS.2001/C/1	Nut, 2 BA	1	—	C	
28M/1006473	A27/CT	Nut, 2 BA	1	—	C	
28S/1200047	A31/C24	Screw, 2 BA	1	—	C	
28W/9419475	SP.15/C	Washer	2	—	C	
28W/9416643	SP.47/C	Washer	1	—	C	
	508-2-04368	**FILLER,** plug	1	—	—	
	E.A9.81.725	**GUIDE,** cable strap	4	—	—	
5K/3355	AS.3360.B4B	**LEAD,** bonding	2	—	C	
5K/3394	AS.3360.B6C	**LEAD,** bonding	3	—	C	
	E.A9.81.4831	**LID,** armament safety break (Mod. 2383)	1	—	—	
		Attaching parts for E.A9.81.4813:—				
28S/1006979	A32/A10	Screw, 6 BA	4	—	C	
28W/9149185	AGS.2035/A	Washer	4	—	C	
5X/1004086	Z.50219	**LINK,** transverse	1	—	C	
	E.A9.81.6269	**PANEL,** plug, frames 7 and 8 (Mod. 4320)	1	—	—	
		Attaching parts for E.A9.81.6269:—				
	SNU 0536/17/2	Nut, spire	4	—	—	
	J8 x $\frac{3}{8}$	Screw, N.P.K.	4	—	—	
	E.A9.81.1683	**PANEL,** plug, at frame 7	1	L.72	—	
		Attaching parts for E.A9.81.1683:—				
28S/1007405	A32/C14	Screw, 2 BA	2	—	C	
	E.A9.81.10457	**PANEL,** plug, extension	1	—	—	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.B6.81.10977		**PENNANT, ASSEMBLY (MOD. 4330 AND 4347)**	1	—	—	
			Spares for:—				
29G/4171	CARR. 671		**BUTTON**	2	—	C	
29G/4174	CARR. 550A		**EYELET**	2	—	C	
29G/4136	CARR. C548		**SOCKET**	2	—	C	
29G/4173	CARR. 550		**STUD**	2	—	C	
	508-2-04548-002		**PIN,** plug (Mod. 4330 and 4347)	9	—	—	
3420	EEAS.73		**PLATE,** clamp, for strap attachments	10	L.72	C	
			Attaching parts for EEAS.73:—				
28D/1007982	AS.1248/1C		Bolt, 2 BA	1	—	C	
28M/10288	AGS.2001/C/1		Nut, 2 BA	1	—	C	
	680-16-9P		**PLUG** (Mod. 4330 and 4347)	1	—	—	
	E.A9.81.5907		**PLUG, BREAK, INSTALLATION (MOD. 4320)** ...	—	—	—	
			Spares for:—				
	E.A9.81.5911		**ANGLE**	1	L.72	C	
	E.A9.81.5913		**ANGLE**	1	L.72	C	
5X/9402802	AS.2633		**BOARD,** terminal	1	—	C	
			Attaching parts for AS.2633:—				
28M/10287	AGS.2001/B/1		Nut, 4 BA	2	—	C	
28S/9992522	A32/B16		Screw, 4 BA	2	—	C	
28W/9419465	SP13/B		Washer	2	—	C	
	E.A9.81.5915		**BRACKET,** engraved	1	L.72	—	
5X/9402796	AS.2601		**COVER,** terminal board	1	—	C	
5X/9402799	AS.2606		**TERMINAL,** screwed head	2	—	C	
5K/9107067	EEAS.146/6		**SLEEVE**	15	—	C	
5K/9107065	EEAS.146/20		**SLEEVE**	8	—	C	
3416	EEAS.132/7		**STRAP,** cable c/w buckle	4	—	C	
3417	EEAS.132/9		**STRAP,** cable c/w buckle	15	—	C	
3418	EEAS.132/12		**STRAP,** cable c/w buckle	23	—	C	
3419	EEAS.132/15		**STRAP,** cable c/w buckle	4	—	C	
5F/9434858	HV.3254		**STRAPPING**	QR	—	C	
5F/9434857	HV.3341		**STRAPPING**	QR	—	C	
5F/9454141	NY.18007A		**STRAPPING**	QR	—	C	
5F/9138822	NY.3342		**STUD**	QR	—	C	
5F/9138823	NT.3255		**STUD**	QR	—	C	
5F/2282	HV.3342		**STUD**	QR	—	C	
7724	EEAS.28/2EPH		**WASHER,** bonding	14	—	C	
4910	EEAS.28/18DR		**WASHER**	1	L.72	C	
1109	EEAS.43/1		**WASHER,** special	1	—	C	
1110	EEAS.43/2		**WASHER,** special	1	—	C	
17524	EEAS.43/3		**WASHER,** special	3	—	C	
	EEAS.28/22EP		**WASHER,** special, accumulator earth	4	—	—	
10H/	†		**WASHER,** check for A/V mountings	8	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	—	**WIRING, NOSE, UNDERCARRIAGE ON PRESSURE BULKHEAD, UNDER EQUIPMENT FLOOR (E.A9.81.1503)**	—	—	—	
		Spares for:—				
5CZ/430	†	**BLOCK,** terminal, type B, 2-way	1	—	C	
		Attaching parts for Ref. 5CZ/430:—				
28M/9403518	A27/AP	Nut, 6 BA	1	—	C	
28S/1200062	A33/A20	Screw, 6 BA	1	—	C	
28W/9416641	SP.47/A	Washer	1	—	C	
5CZ/868	†	**BLOCK,** terminal, type B, 5-way	1	—	C	
		Attaching parts for Ref. 5CZ/868:—				
28M/9403518	A27/AP	Nut, 6 BA	2	—	C	
28S/1200062	A33/A20	Screw, 6 BA	2	—	C	
28W/9416641	SP.47/A	Washer	2	—	C	
5CW/6672	†	**SWITCH,** micro, u/c door (Pre-Mod. 4080) ...	1	—	B	
5CW/1085884	†	**SWITCH,** micro, u/c door (Mod. 4080)	1	—	B	
	—	**WIRING AND CLIPPING, PRESSURE BULKHEAD TO FRAME 12 (E.A9.81.2861)**	—	—	—	
		Spares for:—				
6734	EEAS.136	**BRACKET**	20	—	C	
3420	EEAS.73	**PLATE,** clamp	2	L.72	C	
3416	EEAS.132/7	**STRAP,** cable, c/w buckle	2	—	C	
3417	EEAS.132/9	**STRAP,** cable, c/w buckle	3	—	C	
3418	EEAS.132/12	**STRAP,** cable, c/w buckle	23	—	C	
3419	EEAS.132/15	**STRAP,** cable, c/w buckle	1	—	C	
5F/9434858	HV.3254	**STRAPPING**	QR	—	C	
5F/9454141	NY.18007A	**STRAP**	QR	—	C	
5F/9138823	NT.3255	**STUD**	QR	—	C	
5F/9138822	NY.3342	**STUD**	18	—	C	
5F/2232	†	**TAPE,** insulating	QR	—	C	
32B/1168	†	**TAPE,** P.V.C.	QR	—	C	
	—	**WIRING AND CLIPPING, FRONT FUSELAGE ASSEMBLY (E.A9.81.2865)**	—	—	—	
		Spares for:—				
5X/3181	CZ.23212/1	**BLOCK,** terminal, 20-way	1	—	C	
		Attaching parts for CZ.23212/1:—				
28M/1278189	AGS.2001/B/1	Nut, 4 BA	2	—	C	
28S/1005622	A31/B28	Screw, 4 BA	2	—	C	
5X/1002694	CZ.50207	**BLOCK,** terminal, 5-way	1	—	C	
		Attaching parts for CZ.50207:—				
28M/1086618	AGS.2002/B/1	Nut, 4 BA	2	—	C	
5X/9450403	Z.28426	Pillar, fixing	2	—	C	
29W/9419465	SP.13/B	Washer	2	—	C	
	E.A1.81.252	**BRACKET,** strap support	8	—	—	
	E.A1.81.266	**BRACKET,** strap support	7	—	—	
	E.A9.81.111	**BRACKET,** strap support	1	—	—	
	E.A9.81.1167	**BRACKET,** strap support	1	—	—	
	E.A9.81.1169	**BRACKET,** strap support	2	—	—	
	E.A9.81.1179	**BRACKET,** strap support	3	—	—	
	E.A9.81.1873	**BRACKET,** strap support	5	—	—	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.1909		**BRACKET,** strap support	1	—	—	
	E.A9.81.4011		**BRACKET,** assembly, cable, support	1	—	—	
6734	EEAS.136		**BRACKET,** clip support	45	—	C	
	E.A9.81.6327		**BRACKET,** mounting, armament safety break (Mod. 4424)	1	—	—	
			Attaching parts for E.A9.81.6327:—				
28D/9137408	AS.1246/$\frac{1}{2}$B		Bolt, 4 BA	4	—	C	
28M/1278189	AGS.2001/B/1		Nut, 4 BA	4	—	C	
28W/9419465	SP.13/B		Washer	4	—	C	
24245	E.A9.81.715		**CLIP,** cable	2	—	C	
5X/9149641	CZ.26805		**COVER,** terminal block	1	—	C	
	E.A9.81.6301		**EARTH, POINT, AND CABLE STRAP, INSTALLATION (MOD. 4347)** (For A/c not incorporating Mod. 2195)	—	—	—	
			Spares for:—				
	E.A9.81.6303		**BLOCK,** mounting, strap support	1	BS.2572	—	
			Attaching parts for E.A9.81.6303:—				
28D/1214302	AS.1242/8B		Bolt, 4 BA	2	—	C	
28M/1278189	AGS.2001/B/1		Nut, 4 BA	2	—	C	
28W/9419465	SP.13/B		Washer	2	—	C	
5X/9400051	†		**FERRULE**	2	—	C	
3417	EEAS.132/9		**STRAP,** cable	1	—	C	
3418	EEAS.132/12		**STRAP,** cable	1	—	C	
			Attaching parts for EEAS.132/9 and EEAS.132/12:				
28D/8337	AS.1248/1B		Bolt, 4 BA (EEAS.132/9)	1	—	C	
28D/1213722	AS.1248/9B		Bolt, 4 BA (EEAS.132/12)	1	—	C	
28M/1278189	AGS.2001/B/1		Nut, 4 BA	1	—	C	
3420	EEAS.73		Plate, clamp	1	L.72	C	
28W/9419465	SP.13/B		Washer	1	—	C	
	E.G4.81.1075		**TERMINAL, EARTH, ASSEMBLY**	1	—	—	
			Spares for:—				
	E.G4.81.1073		**BRACKET**	1	—	—	
5X/9028	AS.2747		**SOCKET,** assembly	4	—	C	
			Attaching parts for E.G4.81.1075:—				
28M/1278190	AGS.2001/C/1		Nut, 2 BA	1	—	C	
28M/1006473	A27/CT		Nut, 2 BA	1	—	C	
28S/1200047	A31/C24		Screw, 2 BA	1	—	C	
28W/9419475	SP.15/C		Washer	2	—	C	
28W/9416643	SP.47/C		Washer	1	—	C	
	E.A9.81.6011		**EARTH, POINT, AND CABLE STRAP INSTALLATION (MOD. 4330)** (For A/c incorporating Mod. 2195)	—	—	—	
			Spares for:—				
	E.A9.81.6225		**BLOCK,** mounting, strap support	1	BS.2572	—	
			Attaching parts E.A9.81.6225:—				
28D/1214867	AS.1246/5B		Bolt, 4 BA	2	—	C	
28M/1278189	AGS.2001/B/1		Nut, 4 BA	2	—	C	
28W/9419465	SP.13/B		Washer	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5X/9400051	†	**FERRULE**	2	—	C	
3417	EEAS.132/9	**STRAP,** cable	3	—	C	
		Attaching parts for EEAS.132/9:—				
28D/8337	AS.1248/1B	Bolt, 4BA (as required)	1	—	C	
28D/1007982	AS.1248/1C	Bolt, 2 BA (as required)	1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA (as required)	1	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA (as required)	1	—	C	
3420	EEAS.73	Plate, clamp	1	L.72	C	
28W/9419465	SP.13/B	Washer (as required)	1	—	C	
28W/9419402	SP.13/C	Washer (as required)	1	—	C	
3418	EEAS.132/12	**STRAP,** cable	1	—	C	
		Attaching parts for EEAS.132/12:—				
28D/1214269	AS.1242/12B	Bolt, 4 BA	1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA	1	—	C	
	E.B6.81.10177	Support, strap	1	—	—	
28W/9419465	SP.13/B	Washer	1	—	C	
	E.G4.81.1075	**TERMINAL, EARTH, ASSEMBLY**	1	—	—	
		Spares for:—				
	E.G4.81.1073	**BRACKET**	1	—	—	
5X/9028	AS.2747	**SOCKET,** assembly	4	—	C	
		Attaching parts for E.G4.81.1075:—				
28M/1278190	AGS.2001/C/1	Nut, 2 BA	1	—	C	
28M/1006473	A27/CT	Nut, 2 BA	1	—	C	
28S/1200047	A31/C24	Screw, 2 BA	1	—	C	
28W/9419475	SP.15/C	Washer	2	—	C	
28W/9416643	SP.47/C	Washer	1	—	C	
	HELLERMANN DEUTSCH					
10H/	0613-1-1601	**FILLER,** plug	3	—	—	
	E.A9.81.725	**GUIDE,** cable strap	4	—	—	
5K/3355	AS.3360/B4B	**LEAD,** bonding	2	—	C	
5K/3394	AS.3360/B6C	**LEAD,** bonding	3	—	C	
38102	E.A9.81.4831	**LID,** armament safety break (Mod. 2383)	1	—	C	
		Attaching parts for E.A9.81.4813:—				
28S/1006979	A32/A10	Screw, 6 BA	4	—	C	
28W/9149185	AGS.2035/A	Washer	4	—	C	
5X/1004086	Z.50219	**LINK,** transverse	1	—	C	
	E.A9.81.6269	**PANEL,** plug, frames 7 and 8 (Mod. 4320)	1	—	—	
		Attaching parts for E.A9.81.6269:—				
	SNU.0536/17/2	Nut, spire	4	—	—	
	J8 × $\frac{3}{8}$	Screw, N.P.K.	4	—	—	
	E.A9.81.1683	**PANEL,** plug, at frame 7	1	L.72	—	
		Attaching parts for E.A9.81.1683:—				
28S/1007405	A32/C14	Screw, 2 BA	2	—	C	
	E.A9.81.10457	**PANEL,** plug, extension	1	—	—	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
43085	E.B6.81.10977	**PENNANT, ASSEMBLY (MOD. 4330 AND 4347)**	1	—	B	
		Spares for:—				
29G/4171	CARR.671	**BUTTON**	2	—	C	
29G/4174	CARR.550A	**EYELET**	2	—	C	
29G/4136	CARR.C548	**SOCKET**	2	—	C	
29G/4173	CARR.550	**STUD**	2	—	C	
3420	EEAS.73	**PLATE,** clamp, for strap attachments	10	L.72	C	
		Attaching parts for EEAS.73:—				
28D/1007982	AS.1248/1C	Bolt, 2 BA	1	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA	1	—	C	
	HELLERMANN DEUTSCH					
10H/0015393	460-18-11P	**PLUG,** fixed (Mod. 4424)	1	—	C	
		Attaching parts for 460–18–11P:—				
28M/10286	AGS.2001/A/1	Nut, 6 BA	4	—	C	
28S/9419437	A31/A16	Screw, 6 BA	4	—	C	
28W/9419464	SP.13/A	Washer	4	—	C	
	E.A9.81.5907	**PLUG, BREAK, INSTALLATION (MOD. 4320)** ...	—	—	—	
		Spares for:—				
	E.A9.81.5911	**ANGLE**	1	L.72	C	
	E.A9.81.5913	**ANGLE**	1	L.72	C	
5X/9402802	AS.2633	**BOARD,** terminal	1	—	C	
		Attaching parts for AS.2633:—				
28M/1278189	AGS.2001/B/1	Nut, 4 BA	2	—	C	
28S/9992522	A32/B16	Screw, 4 BA	2	—	C	
28W/9419465	SP.13/B	Washer	2	—	C	
	E.A9.81.5915	**BRACKET,** engraved	1	L.72	—	
5X/9402796	AS.2601	**COVER,** terminal board	1	—	C	
5X/9402799	AS.2606	**TERMINAL,** screwed head	2	—	C	
5K/9107067	EEAS.146/6	**SLEEVE**	15	—	C	
3416	EEAS.132/7	**STRAP,** cable c/w buckle	4	—	C	
3417	EEAS.132/9	**STRAP,** cable c/w buckle	15	—	C	
3418	EEAS.132/12	**STRAP,** cable c/w buckle	23	—	C	
3419	EEAS.132/15	**STRAP,** cable c/w buckle	4	—	C	
5F/9434858	HV.3254	**STRAPPING**	QR	—	C	
5F/9434857	HV.3341	**STRAPPING**	QR	—	C	
5F/9454141	NY.18007A	**STRAPPING**	QR	—	C	
5F/9138822	NY.3342	**STUD**	QR	—	C	
5F/9138823	NT.3255	**STUD**	QR	—	C	
7724	EEAS.28/2EPH	**WASHER,** bonding	14	—	C	
4910	EEAS.28/18DR	**WASHER**	1	L.72	C	
1109	EEAS.43/1	**WASHER,** special	1	—	C	
1110	EEAS.43/2	**WASHER,** special	1	—	C	
17524	EEAS.43/3	**WASHER,** special	3	—	C	
	EEAS.28/22EP	**WASHER,** special, accumulator earth	4	—	—	
10A/	†	**WASHER,** check for A/V mountings	8	—	C	

371 - 392 (ALT 18)

Pages ~~373~~ 365 to 392 not issued

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		SUMMARY OF STOCK ITEMS USED ON ELECTRICAL EQUIPMENT IN FRONT FUSELAGE				
28D/1008147	A25/1A	Bolt, 6 BA			C	
28D/1007971	A25/½B	Bolt, 4 BA			C	
28D/1010658	A25/1B	Bolt, 4 BA			C	
28D/	A25/1½B	Bolt, 4 BA			C	
28D/1008149	A25/2B	Bolt, 4 BA			C	
28D/9419452	A25/3B	Bolt, 4 BA			C	
28D/1010029	A25/6B	Bolt, 4 BA			C	
28D/1200120	A25/14B	Bolt, 4 BA			C	
28D/1212276	A25/15B	Bolt, 4 BA			C	
28D/9138768	A25/½C	Bolt, 2 BA			C	
28D/9436920	A25/1C	Bolt, 2 BA			C	
28D/9133011	A25/2C	Bolt, 2 BA			C	
28D/9133012	A25/3C	Bolt, 2 BA			C	
28D/9133013	A25/5C	Bolt, 2 BA			C	
28D/1010030	A25/7C	Bolt, 2 BA			C	
28D/1214311	A25/17C	Bolt, 2 BA			C	
28D/1011025	A25/24C	Bolt, 2 BA			C	
28D/1212400	A25/29C	Bolt, 2 BA			C	
28D/1011029	A25/1E	Bolt, ¼" BSF			C	
28D/1011030	A25/2E	Bolt, ¼" BSF			C	
28D/1011238	A25/3E	Bolt, ¼" BSF			C	
28D/1008151	A25/4E	Bolt, ¼" BSF			C	
28D/1011240	A25/5E	Bolt, ¼" BSF			C	
28D/1008145	A25/6E	Bolt, ¼" BSF			C	
28D/1011254	A25/2G	Bolt, 5/16" BSF			C	
28D/1011255	A25/3G	Bolt, 5/16" BSF			C	
28D/1202771	A25/4G	Bolt, 5/16" BSF			C	
28D/1011256	A25/5G	Bolt, 5/16" BSF			C	
28D/12824	A25/4J	Bolt, 3/8" BSF			C	
28D/9137408	AS.1246/½B	Bolt, 4 BA			C	
28D/1214865	AS.1246/2B	Bolt, 4 BA			C	
28D/1214882	AS.1246/20B	Bolt, 4 BA			C	
28D/9140202	AS.1246/1C	Bolt, 2 BA			C	
28D/9137409	AS.1246/2C	Bolt, 2 BA			C	
28D/9137410	AS.1246/10C	Bolt, 2 BA			C	
28D/1215089	AS.1246/16C	Bolt, 2 BA			C	
28D/1213720	AS.1248/11B	Bolt, 4 BA			C	
28D/1213730	AS.1248/15B	Bolt, 4 BA			C	
28D/1007982	AS.1248/1C	Bolt, 2 BA			C	
28M/9403518	A27/AP	Nut, 6 BA			C	
28M/9403519	A27/BP	Nut, 4 BA			C	
28M/1006504	A27/BT	Nut, 4 BA			C	
28M/9403520	A27/CP	Nut, 2 BA			C	
28M/1011475	A27/EP	Nut, ¼" BSF			C	
28M/1007403	A27/ET	Nut, ¼" BSF			C	
28M/13451	A29/JS	Nut, ⅜" BSF			C	
28M/10286	AGS.2001/A/1	Nut, stiff. 6 BA			C	
28M/10279	AGS.2001/A/3	Nut, stiff. 6 BA			C	
28M/10287	AGS.2001/B/1	Nut, stiff. 4 BA			C	
28M/10288	AGS.2001/C/1	Nut, stiff. 2 BA			C	
28M/10290	AGS.2001/E/1	Nut, stiff. ¼" BSF			C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
28M/10284	AGS.2001/J/3	Nut, stiff, $\frac{1}{8}$" BSF			C	
28M/10326	AGS.2002/A/1	Nut, stiff, 6 BA			C	
28M/10327	AGS.2002/B/1	Nut, stiff, 4 BA			C	
28M/10328	AGS.2002/C/1	Nut stiff, 2 BA			C	
28M/12344	AGS.2002/E/4	Nut, stiff, $\frac{1}{4}$" BSF			C	
28M/7002431	AGS.2002/G/1	Nut, stiff, $\frac{5}{16}$" BSF			C	
28P/1007741	SP.9/C8	Pin, split			C	
28S/1200049	A31/A12	Screw, 6 BA			C	
28S/9419437	A31/A16	Screw, 6 BA			C	
28S/9435712	A31/B8	Screw, 4 BA			C	
28S/9419453	A31/B14	Screw, 4 BA			C	
28S/1200034	A31/B16	Screw, 4 BA			C	
28S/1200040	A31/B20	Screw, 4 BA			C	
28S/1200033	A31/B24	Screw, 4 BA			C	
28S/1005622	A31/B28	Screw, 4 BA			C	
28S/1200039	A31/B32	Screw, 4 BA			C	
28S/9131095	A31/C14	Screw, 2 BA			C	
28S/9997545	A31/C16	Screw, 2 BA			C	
28S/9435713	A31/C20	Screw, 2 BA			C	
28S/1200047	A31/C24	Screw, 2 BA			C	
28S/1009108	A32/A4	Screw, 6 BA			C	
28S/9992524	A32/A8	Screw, 6 BA			C	
28S/1006979	A32/A10	Screw, 6 BA			C	
28S/1006948	A32/A12	Screw, 6 BA			C	
28S/9995324	A32/A16	Screw, 6 BA			C	
28S/1200081	A32/A18	Screw, 6 BA			C	
28S/1011484	A32/A20	Screw, 6 BA			C	
28S/6287	A32/B6	Screw, 4 BA			C	
28S/1200080	A32/B8	Screw, 4 BA			C	
28S/13887	A32/B10	Screw, 4 BA			C	
28S/9992525	A32/B12	Screw, 4 BA			C	
28S/14005	A32/B14	Screw, 4 BA			C	
28S/9992522	A32/B16	Screw, 4 BA			C	
28S/9995376	A32/B20	Screw, 4 BA			C	
28S/1007817	A32/B24	Screw, 4 BA			C	
28S/1011488	A32/B28	Screw, 4 BA			C	
28S/1009187	A32/B36	Screw, 4 BA			C	
28S/1007405	A32/C14	Screw, 2 BA			C	
28S/1011490	A32/C16	Screw, 2 BA			C	
28S/9992533	A32/C20	Screw, 2 BA			C	
28S/1011493	A32/Z10	Screw, 8 BA			C	
28S/9135420	A32/Z12	Screw, 8 BA			C	
28S/1200059	A33/A14	Screw, 6 BA			C	
28S/1200061	A33/A18	Screw, 6 BA			C	
28S/1200062	A33/A20	Screw, 6 BA			C	
28S/9995325	A33/B8	Screw, 4 BA			C	
28S/9435715	A33/B16	Screw, 4 BA			C	
28S/1200066	A33/B20	Screw, 4 BA			C	
28S/9144890	A39/A10	Screw, 6 BA			C	
28S/9130752	A43/B24	Screw, 4 BA			C	
28S/1203081	A44/A6	Screw, 6 BA			C	
28S/5687	A45/B6	Screw, 4 BA			C	
28S/9992528	A45/B12	Screw, 4 BA			C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
28W/9419401	SP.10/B	Washer			C	
28W/9419464	SP.13/A	Washer			C	
28W/9419465	SP.13/B	Washer			C	
28W/9419402	SP.13/C	Washer			C	
28W/9419403	SP.13/G	Washer			C	
28W/9419466	SP.13/J	Washer			C	
28W/9143227	SP.14/B	Washer			C	
28W/9419473	SP.15/A	Washer			C	
28W/9419474	SP.15/B	Washer			C	
28W/9419475	SP.15/C	Washer			C	
28W/9419405	SP.15/E	Washer			C	
28W/9419486	SP.16/B	Washer			C	
28W/9419404	SP.16/C	Washer			C	
28W/9419487	SP.16/E	Washer			C	
28W/9416641	SP.47/A	Washer			C	
28W/9416642	SP.47/B	Washer			C	
28W/9416643	SP.47/C	Washer			C	
28W/9416644	SP.47/E	Washer			C	
28W/1011234	SP.55/J	Washer			C	
28W/9419185	AGS.2035/A	Washer			C	
28W/9419186	AGS.2035/AA	Washer			C	
28W/1206041	AGS.2035/B	Washer			C	

Ref. No.	Part No.	1	2	3	4	5	6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.A9.81.707	**ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE ASSEMBLY**	—	—	—	
		Spares for:—				
	E.A9.81.10949	**BLOCK, FUSE INSTALLATION (MOD. 4279)** ...	—	—	—	
		Spares for:—				
	E.A9.81.10947	**BLOCK,** fuse assembly (Make from Ref. 5X/3271)	1	—	—	
	E.A9.81.2627	**BOX, JUNCTION, NO. 1 INSTALLATION**	—	—	—	
		Spares for:—				
	E.A9.81.5663	**BOX, JUNCTION, NO. 1 ASSEMBLY (MOD. 3883)**				
		Spares for:—				
5X/3181	CZ.23212/1	**BLOCK,** terminal, 20-way	2	—	C	
		Attaching parts for CZ.23212/1:—				
28S/1200033	A31/B24	Screw, 4 BA	2	—	C	
	E.A1.81.583	**BOX,** junction, 40-way	1	—	—	
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
	E.B6.81.387	**COVER,** assembly	1	—	—	
5X/6168	Z.23197	**GASKET,** adaptor plate	2	—	C	
5X/6169	Z.23198	**GASKET,** plug and blanking plate	2	—	C	
5X/1004082	Z.50210	**LINK,** commoning, 2-way	1	—	C	
5X/6174	Z.50216	**LINK,** commoning, 8-way	1	—	C	
16779	E.A1.81.464	**PLATE,** adaptor	2	—	C	
8402	E.A1.81.461	**PLATE,** blanking	1	—	C	
		Attaching parts for E.A1.81.464 or E.A1.81.461:—				
23M/9403518	A27/AP	Nut, 6 BA	4	—	C	
28S/1006948	A32/A12	Screw, 6 BA	4	—	C	
29W/9416641	SP.47/A	Washer	4	—	C	
5X/6185	CZ.50361	**PLUG,** size D, 26-way (Pre-Mod. 3382)	1	—	C	
5X/7159	2CZ.111229	**PLUG,** size D, 26-way (Mod. 3382)	1	—	C	
5X/1005131	Z.49428	**SLEEVE,** cable	12	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** 1" long	2	—	C	
5K/9107065	EEAS.146/18	**SLEEVE,** ¾" long	18	—	C	
5K/9107065	EEAS.146/22	**SLEEVE,** ¾" long	29	—	C	
5X/9482491	HC.500	**TAG,** Q.R.	18	—	C	
5X/9450224	HC.510	**TAG,** Q.R.	2	—	C	
5E/9100188	†	**WIRE,** equipment, type 2, 23/·0076 black ...	QR	—	C	
5E/9424124	†	**WIRE,** equipment, type 3, 40/·0076 black ...	QR	—	C	
		Attaching parts for E.A9.81.5663:—				
28D/9436920	A25/1C	Bolt, 2 BA	4	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	4	—	C	
29W/9419475	SP.15/C	Washer	4	—	C	
	—	**BOX, JUNCTION NO. 2, STARBOARD INSTALLATION (DRG. E.A9.81.2300)**	—	—	—	
		Spares for:—				
	E.A9.81.2303	**BOX, JUNCTION NO. 2, ASSEMBLY**	—	—	—	
		Spares for:—				
5X/3181	CZ.23212/1	**BLOCK,** terminal, 20-way	1	—	C	
		Attaching parts for CZ.23212/1:—				
28S/1012358	A43/B32	Screw, 4 BA	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A1.81.589		**BOX,** shell, 20–way	1	—	—	
	E.A9.81.2291		**COVER,** junction, fuse	1	—	—	
5X/6168	Z.23197		**GASKET**	1	—	C	
5X/1004082	Z.50210		**LINK,** 2–way	3	—	C	
5X/6172	Z.50212		**LINK,** 4–way	1	—	C	
16779	E.A1.81.464		**PLATE,** adaptor	1	—	C	
			Attaching parts for E.A1.81.464:—				
28M/9403518	A27/AP		Nut, 6 BA	4	—	C	
28S/1006948	A32/A12		Screw, 6 BA	4	—	C	
28W/9475535	AGS.162/A		Washer	4	—	C	
5K/9107066	EEAS.146/B		**SLEEVE,** $\frac{1}{8}$" long	19	—	C	
			Attaching parts for E.A9.81.2303:—				
28D/9436920	A25/1C		Bolt, 2 BA	4	—	C	
28M/10288	AGS.2001/C/1		Nut, 2 BA	4	—	C	
	E.A9.81.2857		**BOX, JUNCTION, NO. 3 INSTALLATION**	—	—	—	
			Spares for:—				
	E.A9.81.4059		**BOX, JUNCTION, NO. 3 ASSEMBLY (MOD. 2304)**	—	—	—	
			Spares for:—				
5X/3181	CZ.23212/1		**BLOCK,** terminal, 20 way	2	—	C	
			Attaching parts for CZ.23212/1:—				
28S/9130752	A43/B24		Screw, 4 BA	2	—	C	
	E.A1.81.583		**BOX,** junction, 40–way	1	—	—	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
	E.B6.81.341		**COVER,** assembly	1	—	—	
5X/6168	Z.23197		**GASKET,** adaptor plate	2	—	C	
5X/6169	Z.23198		**GASKET,** blanking plate	2	—	C	
5X/1004082	Z.50210		**LINK,** 2–way	3	—	C	
5X/6174	Z.50216		**LINK,** 8–way	1	—	C	
16779	E.A1.81.464		**PLATE,** adaptor	2	—	C	
8402	E.A1.81.461		**PLATE,** blanking	1	—	C	
			Attaching parts for E.A1.81.464 or E.A1.81.461:—				
28M/9403518	A27/AP		Nut, 6 BA	4	—	C	
28S/1006948	A32/A12		Screw, 6 BA	4	—	C	
28W/9416641	SP.47/A		Washer	4	—	C	
5X/6185	CZ.50361		**PLUG,** size D, 26–way (Pre–Mod. 3382)	1	—	C	
5X/7159	2CZ.111229		**PLUG,** size D, 26–way (Mod. 3382)	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** $\frac{1}{4}$" long	21	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** $\frac{3}{8}$" long	34	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** $\frac{3}{4}$" long	2	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	18	—	C	
5X/9482491	HC.500		**TAG,** Q.R.	4	—	C	
5X/9450224	HC.510		**TAG,** Q.R.	2	—	C	
			Attaching parts for E.A9.81.4059:—				
28D/9436920	A25/1C		Bolt, 2 BA	4	—	C	
28M/10288	AGS.2001/C/1		Nut, 2 BA	4	—	C	
28W/9419475	SP.15/C		Washer	4	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
3418	EEAS.132/12	**STRAP,** cable, c/w buckle (Mods. 4330 or 4347)	1	—	C	
		Attaching parts for EEAS.132/12:—				
28D/1007973	AS.1242/2B	Bolt, 4 BA	1	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	1	—	C	
	E.B6.81.10177	Support strap	1	—	—	
28W/9419474	SP.15/B	Washer	1	—	C	
	—	**BOX, JUNCTION, NO. 4, AND BOMB DISTRIBUTOR, TYPE 9, INSTALLATION (E.A9.81.1721)**	—	—	—	
		Spares for:—				
	E.A9.81.6257	**BOX, JUNCTION, NO. 4 ASSEMBLY (MOD. 4341 or 4343)**	1	—	—	
		Spares for:—				
5X/3181	CZ.23212/1	**BLOCK,** terminal, 20-way	2	—	C	
		Attaching parts for CZ.23212/1:—				
28S/1200039	A31/B32	Screw, 4 BA	2	—	C	
28W/9419448	AGS.2035/B	Washer	2	—	C	
	E.A9.81.1729	**BOX,** shell, 40-way	1	—	—	
32A/0119481	†	**CORD,** nylon, P.V.C. covered	QR	—	C	
12845	E.A9.81.1735	**COVER, ASSEMBLY**	1	—	B	
		Spares for:—				
32C/614	†	**RUBBER,** synthetic, 0·"14 dia.	QR	DTD.552	C	
20457	EEAS.117/1	**SCREW,** cover	6	—	C	
1108	EEAS.42	**WASHER,** leather	6	—	C	
1066	EEAS.28/2CU	**WASHER**	12	—	C	
5X/2789	Z.22433	**GROMMET,** type 6	1	—	C	
5X/1004082	Z.50210	**LINK,** 2-way	4	—	C	
5X/1004083	Z.50211	**LINK,** 3-way	1	—	C	
5X/6172	Z.50212	**LINK,** 4-way	1	—	C	
5X/1004086	Z.50219	**LINK,** transverse	11	—	C	
10H/0560070	CZ.48994	**PLUG,** fixed, 4-way, Mk. 4	1	—	C	
10H/0560583	CZ.48995/3	**PLUG,** fixed, 6-way, Mk. 4	1	—	C	
10H/0560582	CZ.48995/2	**PLUG,** fixed, 6-way, Mk. 4	1	—	C	
10H/0560581	CZ.48995/1	**PLUG,** fixed, 6-way, Mk. 4	1	—	C	
10H/0560200	CZ.49061	**PLUG,** fixed, 25-way, Mk. 4	1	—	C	
5K/9107065	EEAS.146/20	**SLEEVE,** ¼" long	QR	—	C	
10H/0560240	CZ.49219	**SOCKET,** fixed, 3-way, Mk. 4	1	—	C	
10H/0560250	CZ.49221	**SOCKET,** fixed, 4-way, Mk. 4	1	—	C	
10H/0560380	CZ.49229	**SOCKET,** fixed, 25-way, Mk. 4	1	—	C	
10H/0560381	CZ.49229/1	**SOCKET,** fixed, 25-way, Mk. 4	1	—	C	
10H/0560382	CZ.49229/2	**SOCKET,** fixed, 25-way, Mk. 4	1	—	C	
33420	E.B7.81.347	**SUPPORT,** terminal block	3	—	C	
		Attaching parts for E.B7.81.347:—				
28M/10287	AGS.2001/B/1	Nut, 4 BA	2	—	C	
28S/1011488	A32/B28	Screw, 4 BA	2	—	C	
28W/9419474	SP.15/B	Washer	2	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	50	—	C	
1109	EEAS.43/1	**WASHER,** plug/socket	6	—	C	
17524	EEAS.43/3	**WASHER,** plug/socket	4	—	C	
5E/9705514	†	**WIRE,** equipment, type B, 19/·0076 blue ...	QR	—	C	
		Attaching parts for E.A9.81.6257:—				
28D/9436920	A25/1C	Bolt, 2 BA	4	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
10H/0970055	CZ.51538	**CAP,** protective	1	—	C	
10H/0970056	CZ.51539	**CAP,** protective	1	—	C	
5D/1741	S.I.S. 5454	**DISTRIBUTOR,** bomb, type 9	1	—	A	
10A/17598	†	**MOUNTING,** A/V, type 664	4	—	B	
		Attaching parts for Ref. 10A/17598:—				
28D/1010658	A25/1B	Bolt, 4 BA	4	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	4	—	C	
28W/9419474	SP.15/B	Washer	4	—	C	
	E.A9.81.2299	**BOX, JUNCTION, NO. 5, PORT INSTALLATION**	—	—	—	
		Spares for:—				
	E.A9.81.4001	**BOX, JUNCTION, NO. 5, ASSEMBLY (MOD. 2200)**	1	—	—	
		Spares for:—				
5X/3181	CZ.23212/1	**BLOCK,** terminal, 20-way	1	—	C	
		Attaching parts for CZ.23212/1:—				
28S/1012358	A43/B32	Screw, 4 BA	2	—	C	
	E.A1.81.589	**BOX,** shell, 20-way	1	—	—	
	E.A9.81.2293	**COVER,** junction, box	1	—	—	
5X/6168	Z.23197	**GASKET**	1	—	C	
5X/1004082	Z.50210	**LINK,** 2-way	1	—	C	
5X/1004083	Z.50211	**LINK,** 3-way	1	—	C	
16779	E.A1.81.464	**PLATE,** adapter	1	—	C	
		Attaching parts for E.A1.81.464:—				
28M/9403518	A27/AP	Nut, 6 BA	4	—	C	
28S/1006948	A32/A12	Screw, 6 BA	4	—	C	
28W/9475535	AGS.162/A	Washer	4	—	C	
5K/9107066	EEAS.146/B	**SLEEVE,** $\frac{3}{8}$" long	11	—	C	
		Attaching parts for E.A9.81.4001:—				
28D/9436920	A25/1C	Bolt, 2 BA	4	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	4	—	C	
	E.B6.81.1771	**ELECTRICAL EQUIPMENT, REAR BOMB BAY BULKHEAD, FRAME 29, ASSEMBLY**	—	—	—	
		Spares for:—				
10H/0560042	†	**ADAPTOR,** bulkhead, plug	1	—	B	
7791	E.A3.81.1829	**BAG,** cable stowage	1	—	C	
		Attaching parts for E.A3.81.1829:—				
28M/10288	AGS.2001/C/1	Nut, 2 BA	3	—	C	
28S/9131095	A31/C14	Screw, 2 BA	3	—	C	
28W/9419402	SP.13/C	Washer	3	—	C	
5CZ/430	†	**BLOCK,** terminal No. 1, type B, 2-way	2	—	C	
		Attaching parts for Ref. 5CZ/430:—				
28M/10286	AGS.2001/A/1	Nut, 6 BA	2	—	C	
28S/1200062	A33/A20	Screw, 6 BA	2	—	C	
28W/9419473	SP.15/A	Washer	2	—	C	
5X/7099	HV.3874/D	**CAP,** protective (Mod. 2505)	1	—	C	
	E.A9.81.4005	**FAIRLEAD,** half	2	—	—	
		Attaching parts for E.A9.81.4005 (per pair):—				
28D/1010029	A25/6B	Bolt, 4 BA	6	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	6	—	C	
28W/9419474	SP.15/B	Washer	6	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.A9.82.447	**FAIRLEAD,** half (Mod. 3292)	2	—	—	
		Attaching parts for E.A9.82.447:—				
28M/10286	AGS.2001/A/1	Nut, 6 BA	4	—	C	
28S/1200044	A31/A14	Screw, 6 BA	4	—	C	
28W/9419473	SP.15/A	Washer	4	—	C	
5X/6263	CZ.50364	**PLUG,** bulkhead, size A (Pre-Mod. 3382)	1	—	C	
5X/7162	2CZ.111414	**PLUG,** bulkhead, size A (Mod. 3382)	1	—	C	
5X/6102	CZ.28200	**PLUG,** bulkhead, size C (Pre-Mod. 3382)	1	—	C	
5X/7170	2CZ.111428	**PLUG,** bulkhead, size C (Mod. 3382)	1	—	C	
5X/6092	CZ.28198	**PLUG,** bulkhead, size C (Pre-Mod. 3382)	1	—	C	
5X/7169	2CZ.111426	**PLUG,** bulkhead, size C (Mod. 3382)	1	—	C	
5X/6265	CZ.50370	**PLUG,** bulkhead, size D (Pre-Mod. 3382)	1	—	C	
5X/7171	2CZ.111433	**PLUG,** bulkhead, size D (Mod. 3382)	1	—	C	
5X/6264	CZ.50365	**PLUG,** bulkhead, size Z (Pre-Mod. 3382)	1	—	C	
5X/7163	2CZ.111416	**PLUG,** bulkhead, size Z (Mod. 3382)	1	—	C	
10H/19492	CZ.62276/5	**PLUG/SOCKET,** type 58, 18-way	1	—	C	
10H/19445	CZ.62269	**PLUG/SOCKET,** type 11, 3-way	1	—	B	
3416	EEAS.132/7	**STRAP,** cable	4	—	C	
		Attaching parts for EEAS.132/7:—				
28M/10287	AGS.2001/B/1	Nut, 4 BA	1	—	C	
28S/9992525	A32/B12	Screw 4 BA	1	—	C	
4910	EEAS.28/18DR	Washer	1	—	C	
	E.B6.81.6091	**LIGHTING, BOMB BAY INSTALLATION (MOD. 4162)**	—	—	—	
		Spares for:—				
	E.B6.81.6093	**BRACKET,** lamp, at frame 15	1	S.510	—	
		Attaching parts for E.B6.81.6093:—				
28D/9436920	A25/1C	Bolt, 2 BA	3	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	3	—	C	
28W/9419475	SP.15/C	Washer	3	—	C	
	E.B6.81.6095	**BRACKET,** lamp, at frame 18	1	S.510	—	
	E.B6.81.6097	**BRACKET,** lamp, at frame 20	1	S.510	—	
		Attaching parts for E.B6.81.6095 and E.B6.81.6097:—				
28D/9436920	A25/1C	Bolt, 2 BA	4	—	C	
28M/10328	AGS.2002/C/1	Nut, 2 BA	4	—	C	
28W/9419475	SP.15/C	Washer	4	—	C	
	E.B6.81.6099	**BRACKET, ASSEMBLY, LAMP, AT FRAME 23**	1	—	—	
		Spares for:—				
	E.B6.81.6101	**BRACKET**	1	L.72	—	
		Attaching parts for E.B6.81.6101:—				
28D/9133011	A25/2C	Bolt, 2 BA	3	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	3	—	C	
28W/9419475	SP.15/C	Washer	3	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.B6.81.6103		**CLAMP,** half	1	L.72	—	
	E.B6.81.6105		**CLAMP,** half	1	L.72	—	
			Attaching parts for E.B6.81.6103 and E.B6.81.6105:—				
28D/9133011	A25/2C		Bolt, 2 BA	2	—	C	
28M/10288	AGS.2001/C/1		Nut, 2 BA	2	—	C	
28W/9419475	SP.15/C		Washer	2	—	C	
	E.B6.81.6111		**CABLE, ASSEMBLY, NO. 1 FROM N.A.T.O. PLUG AND CIRCUIT BREAKER TO LAMP**	1	—	—	
			Consisting of:—				
5E/3894	†		**CABLE,** Unitersil 20	QR	—	C	
5K/913	WE.516		**CABLE-END,** crown, type	1	—	C	
5K/4449	EEAS.146/16		**SLEEVE,** 1" long	18	—	C	
5K/9107065	EEAS.146/20		**SLEEVE,** ¼" long	4	—	C	
5X/9462951	HC.294		**TAG**	1	—	C	
	E.B6.81.6113		**CABLE, ASSEMBLY, NO. 2, FROM LAMP TO LAMP**	1	—	—	
	E.B6.81.6115		**CABLE, ASSEMBLY, NO. 3, FROM LAMP TO LAMP**	1	—	—	
	E.B6.81.6117		**CABLE, ASSEMBLY, NO. 4, FROM LAMP TO LAMP**	1	—	—	
			Consisting of:—				
5E/3894	†		**CABLE,** Unitersil 20	QR	—	C	
5K/4449	EEAS.146/16		**SLEEVE,** 1" long	QR	—	C	
5K/9107065	EEAS.146/20		**SLEEVE,** ¼" long	QR	—	C	
	E.B6.81.6119		**CABLE, ASSEMBLY, NO. 5, FROM N.A.T.O. PLUG TO CIRCUIT BREAKER**	1	—	—	
			Consisting of:—				
5E/3894	†		**CABLE,** Unitersil 20	QR	—	C	
5K/913	WE.516		**CABLE-END,** crown type	1	—	C	
5K/9107065	EEAS.146/20		**SLEEVE,** ¼" long	2	—	C	
5X/9462951	HC.294		**TAG**	1	—	C	
	E.A9.81.10925		**CIRCUIT BREAKER AND N.A.T.O. PLUG INSTALLATION**	—	—	—	
			Spares for:—				
5CY/2559	†		**CIRCUIT-BREAKER**	1	—	C	
			Attaching parts for Ref. 5CY/2559:—				
28M/10287	AGS.2001/B/1		Nut, 4 BA	2	—	C	
28W/9419474	SP.15/B		Washer	2	—	C	
5CY/4314	†		**PLUG,** external power supply	1	—	C	
			Attaching parts for Ref. 5CY/4314:—				
28D/1010132	A25/12E		Bolt, ¼" BSF	2	—	C	
28M/10290	AGS.2001/E/1		Nut, ¼" BSF	2	—	C	
28W/9419405	SP.15/E		Washer	2	—	C	
5L/9953271	†		**FILAMENT,** 28 volt, 7 watt	4	—	C	
5CX/446	†		**LAMP,** cockpit, Mk. 1A	4	—	C	
			Attaching parts for Ref. 5CX/446:—				
28M/10287	AGS.2001/B/1		Nut, 4 BA	3	—	C	
28S/9992522	A32/B16		Screw, 4 BA	3	—	C	
28W/9419474	SP.15/B		Washer	3	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.A9.81.1817	**LOOMS, ARMAMENT, CABLE, ASSEMBLY**	—	—	—	
		Spares for:—				
7678	E.B3.81.762/1	**CABLE, ASSEMBLY, 5B, FROM JB.5 TO BOMB DOOR ACTUATOR VALVE T.B.**	1	—	C	
		Consisting of:—				
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
5X/2785	Z.22430	**GROMMET,** No. 2	1	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** ¾" long	4	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** 1" long	2	—	C	
5X/9482491	HC.500	**TAG,** Q.R.	2	—	C	
	E.A3.81.774/1	**CABLE, ASSEMBLY, FROM COCKING INDICATOR AT FRAME 13 TO BOMB RELEASE UNIT**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5X/9462951	HC.294	**LUG,** crimping, Mk. 2A	1	—	C	
5CY/9330749	†	**PLUG,** 2-pole, type R	1	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¾" long	2	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** 1½" long	2	—	C	
7682	E.A3.81.1839	**CABLE, ASSEMBLY, 5F, FROM JB.5 TO FORWARD SECONDARY BOMB AND FLARE BEAM**	1	—	B	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5X/6416	EEAS.88/1	**FERRULE**	1	—	C	
5X/9491421	Z.22431	**GROMMET,** No. 3	1	—	C	
5X/1529	Z.18501/A	**RING,** clamp	1	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¾" long	10	—	C	
5K/9107069	EEAS.146/E	**SLEEVE,** 1½" long	1	—	C	
5K/	EEAS.118/1/5F	**SLEEVE,** identification	2	—	C	
5X/1005131	Z.49428	**SLEEVE,** cable	5	—	C	
5X/6190	CZ.50400	**SOCKET,** size Z	1	—	B	
5X/9450396	HC.490	**TAG,** Q.R.	5	—	C	
5F/2028	†	**TUBING,** P.V.C., black, 9·5 m/m i/d	QR	—	C	
7685	E.A3.81.1841	**CABLE, ASSEMBLY, 2F, FROM JB.2 TO FORWARD SECONDARY BOMB BEAM**	1	—	B	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5X/6413	EEAS.88/3	**FERRULE**	1	—	C	
5X/2787	Z.22432	**GROMMET,** No. 4	1	—	C	
5X/6488	CZ.23144/B	**RING,** clamp	1	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¾" long	22	—	C	
5K/9107069	EEAS.146/G	**SLEEVE,** 1½" long	1	—	C	
5K/	EEAS.118/3/2F	**SLEEVE,** identification	2	—	—	
5X/1005131	Z.49428	**SLEEVE,** cable	11	—	C	
5X/6193	CZ.50404	**SOCKET,** size C	1	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	11	—	C	
5F/2045	†	**TUBING,** P.V.C., black, 15·8 m/m i/d	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
7687	E.A3.81.1889/2		**CABLE, ASSEMBLY, 2H, FROM JB.2 TO REAR SECONDARY BOMB BEAM**	1	—	B	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/6413	EEAS.88/3		**FERRULE**	1	—	C	
5X/2787	Z.22432		**GROMMET,** No. 4	1	—	C	
5X/6488	CZ.23144/B		**RING,** clamp	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	20	—	C	
5K/9107069	EEAS.146/G		**SLEEVE,** 1½" long	1	—	C	
5K/	EEAS.118/3/2H		**SLEEVE,** identification	2	—	—	
5X/1005131	Z.49428		**SLEEVE,** cable	10	—	C	
5X/6193	CZ.50404		**SOCKET,** size C (Pre-Mod. 3382)	1	—	B	
5X/7184	2CZ.111235		**SOCKET,** size C (Mod. 3382)	1	—	B	
5X/9450396	HC.490		**TAG,** Q.R.	10	—	C	
5F/2045	†		**TUBING,** P.V.C., 15·8 m/m i/d	QR	—	C	
	E.A9.81.5463/2		**CABLE, ASSEMBLY 5H, FROM JB.5 TO AFT SECONDARY BOMB BEAM (MOD. 3736 OR 3734)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
10H/0970292	CZ.69733		**CLAMP,** cable	1	—	C	
10H/0970108	Z.62235		**GASKET,** union	1	—	C	
5X/9491421	Z.22431		**GROMMET,** No. 3	1	—	C	
	EEAS.276/Z		**OUTLET,** adaptor	1	—	—	
10H/0970088	Z.62229		**RING,** sealing	1	—	C	
10H/0970096	Z.49037		**RING,** thrust	1	—	C	
5K/9107068	EEAS.146/2		**SLEEVE,** 1" long	3	—	C	
5K/3367	EEAS.146/2		**SLEEVE,** 2" long	13	—	C	
5K/9107065	EEAS.146/20		**SLEEVE,** ¾" long	5	—	C	
5K/4449	EEAS.146/20		**SLEEVE,** 1" long	5	—	C	
5X/1005131	Z.49428		**SLEEVE**	5	—	C	
5X/6190	CZ.50400		**SOCKET** (Pre-Mod. 3382)	1	—	C	
5X/7175	2CZ.111233		**SOCKET** (Mod. 3382)	1	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	5	—	C	
	E.A3.81.1939		**CABLE, ASSEMBLY, 2G, 2J AND 2 K, FROM JB.2 TO T/B NOSE AND TAIL FUSING UNITS**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/2787	Z.22432		**GROMMET,** No. 4	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	8	—	C	
5K/9107069	EEAS.146/G		**SLEEVE,** 1" long	3	—	C	
5K/910	AGS.1691/A		**TAG**	4	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	8	—	C	
	E.A3.81.1941		**CABLE, ASSEMBLY, 2G1, FROM T/B TO HEAVY BOMB RELEASE UNIT**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/7296	HC.294		**LUG,** crimping, Mk. 2A	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	4	—	C	
5K/9107067	EEAS.146/B		**SLEEVE,** 1" long	2	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.A9.81.1831		**CABLE, ASSEMBLY, CA.4, FROM CONNECTION AT PRESSURE BULKHEAD TO JB.4**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/1548	Z.18764/B		**FERRULE**	2	—	C	
10H/0970060	Z.60669		**GASKET,** outlet	2	—	C	
10H/20436	CZ.64133		**OUTLET,** straight	1	—	C	
10H/20435	CZ.64165		**OUTLET,** angle	1	—	C	
10H/0560401	CZ.49228/1		**PLUG,** free, 25-way, Mk. 4	1	—	C	
5X/1532	Z.18501/C		**RING,** clamp	2	—	C	
10H/0970092	Z.62232		**RING,** sealing	2	—	C	
5K/	EEAS.118/41/CA4		**SLEEVE,** identification	2	—	—	
5K/9107065	EEAS.146/A		**SLEEVE,** ¾" long	50	—	C	
5K/9107069	EEAS.146/E		**SLEEVE,** 1" long	2	—	C	
10H/0560220	CZ.49070		**SOCKET,** free, 25-way, Mk. 4	1	—	C	
5F/2281	AS.2508		**STRAPPING,** cable	QR	—	C	
5F/9434855	AS.2509		**STUD**	60	—	C	
5F/2115	†		**TUBING,** P.V.C., 19 m/m i/d	QR	—	C	
	E.A9.81.1833		**CABLE, ASSEMBLY, 4A, FROM JB.4 TO PORT WING BREAK**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/1548	Z.18764/B		**FERRULE**	2	—	C	
10H/0970060	Z.60669		**GASKET,** outlet	2	—	C	
10H/20436	CZ.64133		**OUTLET,** straight	1	—	C	
10H/20435	CZ.64165		**OUTLET,** angle	1	—	C	
10H/0560401	CZ.49228/1		**PLUG,** free, 25-way, Mk. 4	1	—	C	
5X/1532	Z.18501/C		**RING,** clamp	2	—	C	
10H/0970092	Z.62232		**RING,** sealing	2	—	C	
5K/	EEAS.118/4/A4		**SLEEVE,** identification	2	—	—	
5K/9107065	EEAS.146/A		**SLEEVE,** ¾" long	36	—	C	
5K/9107069	EEAS.146/E		**SLEEVE,** 1" long	2	—	C	
10H/0560221	CZ.49070/1		**SOCKET,** free, 25-way, Mk. 4	1	—	C	
5F/1306	†		**TUBING,** P.V.C., ¼" i/d	QR	—	C	
	E.A9.81.1835		**CABLE, ASSEMBLY, 4B, FROM JB.4 TO STAR-BOARD WING BREAK**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/1548	Z.18764/B		**FERRULE**	2	—	C	
10H/0970060	Z.60669		**GASKET,** outlet	2	—	C	
10H/20436	CZ.64133		**OUTLET,** straight	1	—	C	
10H/20435	CZ.64165		**OUTLET,** angle	1	—	C	
10H/0560402	CZ.49228/2		**PLUG,** free, 25-way, Mk. 4	1	—	C	
5X/1532	Z.18501/C		**RING,** clamp	2	—	C	
10H/0970092	Z.62232		**RING,** sealing	2	—	C	
5K/	EEAS.118/4/4B		**SLEEVE,** identification	2	—	—	
5K/9107065	EEAS.146/A		**SLEEVE,** ¾" long	36	—	C	
5K/9107069	EEAS.146/E		**SLEEVE,** 1" long	2	—	C	
10H/0560222	CZ.49070/2		**SOCKET,** free, 25-way, Mk. 4	1	—	C	
5F/1306	†		**TUBING,** P.V.C., ¼" i/d	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.A9.81.1839		**CABLE, ASSEMBLY, 4F, FROM JB.4 TO BOMB DISTRIBUTOR, TYPE 9** Consisting of:—	1	—	—	
5E/3115	†		**CABLE,** Quinprensheath 6	QR	—	C	
10H/0970058	Z.60667		**GASKET,** outlet	2	—	C	
10H/0970108	Z.62235		**GASKET,** union	2	—	C	
10H/0970069	Z.49181		**OUTLET,** angle	2	—	C	
10H/0560290	CZ.49220		**PLUG,** free, 4-way, Mk. 4	1	—	C	
10H/0970088	Z.62229		**RING,** sealing	2	—	C	
10H/0970096	Z.49037		**RING,** thrust	2	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	8	—	C	
5K/9107069	EEAS.146/E		**SLEEVE,** ¼" long	2	—	C	
10H/0560110	CZ.49016		**SOCKET,** free, 4-way, Mk. 4	1	—	C	
	E.A9.81.1841		**CABLE, ASSEMBLY, 4G, FROM JB.4 TO BOMB DISTRIBUTOR, TYPE 9** Consisting of:—	1	—	—	
5E/3116	†		**CABLE,** Septoprensheath 6	QR	—	C	
10H/0970058	Z.60667		**GASKET,** outlet	1	—	C	
10H/0970059	Z.60668		**GASKET,** outlet	1	—	C	
10H/0970108	Z.62235		**GASKET,** union	2	—	C	
10H/0970069	Z.49181		**OUTLET,** angle	1	—	C	
10H/19105	CZ.49185		**OUTLET,** angle	1	—	C	
10H/0970088	Z.62229		**RING,** sealing	2	—	C	
10H/0970096	Z.49037		**RING,** thrust	2	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	12	—	C	
5K/9107069	EEAS.146/E		**SLEEVE,** 1" long	2	—	C	
10H/0560521	CZ.49017/1		**SOCKET,** free	1	—	C	
10H/0560180	CZ.49126		**SOCKET,** free	1	—	C	
	E.A9.81.1843		**CABLE, ASSEMBLY, 4H, FROM JB.4 TO BOMB DISTRIBUTOR, TYPE 9** Spares for this assembly are identical with those for E.A9.81.1841	1	—	—	
	E.A9.81.1845		**CABLE, ASSEMBLY, 4K, FROM JB.4 TO BOMB DISTRIBUTOR, TYPE 9** Spares for this assembly are identical with those for E.A9.81.1841	1	—	—	
	E.A9.81.1847		**CABLE, ASSEMBLY, 4L, FROM JB.4 TO FLARE CARRIER SOCKET** Consisting of:—	1	—	—	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/1548	Z.18764/B		**FERRULE**	2	—	C	
10H/0970060	Z.60669		**GASKET,** outlet	2	—	C	
10H/20436	CZ.64133		**OUTLET,** straight	2	—	C	
10H/0560400	CZ.49228		**PLUG,** free, 25-way, Mk. 4	1	—	C	
5X/1532	Z.18501/C		**RING,** clamp	2	—	C	
10H/0970092	Z.62232		**RING,** sealing	2	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	40	—	C	
5K/	EEAS.118/4/4L		**SLEEVE,** identification	2	—	—	
5K/9107067	†		**SLEEVE**	2	—	C	
10H/0560870	CZ.56746		**SOCKET,** coupler	1	—	B	
5F/2115	†		**TUBING,** P.V.C., 19 m/m i/d	QR	—	C	
17524	EEAS.43/3		**WASHER,** panel	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.A9.81.1849/2		**CABLE, ASSEMBLY, CA.40, FROM CONNECTION AT PRESSURE BULKHEAD TO GUN PACK SOCKET AT FRAME 29**	1	—	—	
			Consisting of:—				
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5X/1524	Z.18500/B		**FERRULE,** size B	2	—	C	
5X/6206	Z.23196		**GASKET,** plug	1	—	C	
5X/3170	Z.28156/B		**GASKET,** socket	1	—	C	
5X/6423	Z.61537		**NUT,** coupling, size B	1	—	C	
5X/6182	CZ.50357		**PLUG,** 9-pole, size B (Pre-Mod. 3382)	1	—	C	
5X/5805562	2CZ.111224		**PLUG,** 9-pole, size B (Mod. 3382)	1	—	C	
5X/1531	Z.18501/B		**RING,** clamping	2	—	C	
5X/284	Z.1275		**SHROUD,** plug size B	1	—	C	
5K/	EEAS.118/3/CA40		**SLEEVE,** identification	2	—	—	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	18	—	C	
5X/6191	CZ.50401		**SOCKET,** 9-pole, size B (Pre-Mod. 3382) ...	1	—	C	
5X/5805564	2CZ.111234		**SOCKET,** 9-pole, size B (Mod. 3382)	1	—	C	
5F/1304	†		**TUBING,** P.V.C., ⅝" i/d	QR	—	C	
	E.A9.81.1851		**CABLE, ASSEMBLY, 4R, FROM JB.4 TO BOMB DISTRIBUTOR, TYPE 9**	1	—	—	
			Consisting of:—				
5E/3115	†		**CABLE,** Quinprensheath 6	QR	—	C	
10H/0970058	Z.60667		**GASKET,** outlet	2	—	C	
10H/0970108	Z.62235		**GASKET,** union	2	—	C	
10H/0970069	Z.49181		**OUTLET,** angle	4	—	C	
10H/0560280	CZ.49218		**PLUG,** free, 9-pole, Mk. 4	1	—	C	
10H/0970088	Z.62229		**RING,** sealing	2	—	C	
10H/0970096	Z.49037		**RING,** thrust	2	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	4	—	C	
5K/9107067	†		**SLEEVE**	4	—	C	
10H/0560100	Z.49015		**SOCKET,** 3-pole, Mk. 4, free	1	—	C	
	E.A9.81.1853		**CABLE, ASSEMBLY, 4S, FROM JB.4 TO BOMB DISTRIBUTOR, TYPE 9**	1	—	—	
			Consisting of:—				
5E/3115	†		**CABLE,** Quinprensheath 6	QR	—	C	
10H/0970058	Z.60667		**GASKET,** outlet	2	—	C	
10H/0970108	Z.62235		**GASKET,** union	2	—	C	
10H/0970069	Z.49181		**OUTLET,** angle	2	—	C	
10H/0560290	CZ.49220		**PLUG,** free, 4-pole, Mk. 4	1	—	C	
10H/0970088	Z.62229		**RING,** sealing	2	—	C	
10H/0970096	Z.49037		**RING,** thrust	2	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	8	—	C	
5K/9107069	EEAS.146/E		**SLEEVE,** 1" long	2	—	C	
10H/0560110	CZ.49016		**SOCKET,** free, 4-pole, Mk. 4	1	—	C	
	E.A9.81.1855		**CABLE, ASSEMBLY, E4, FROM JB.4 TO EARTH CONNECTION**	1	—	—	
			Consisting of:—				
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5K/3071	HV.3112		**GROMMET**	1	—	C	
5X/9400388	Z.77862		**LUG,** No. 8, 4 BA	2	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** ¼" long	4	—	C	
5X/9450224	HC.510		**TAG,** Q.R.	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.1985		**CABLE, ASSEMBLY, 2C, FROM JB.2 TO PORT AND STARBOARD BOMB DOOR MICRO SWITCHES**	1	—	—	
			Consisting of:—				
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5X/9400053	AS.2673		**FERRULE**	2	—	C	
5K/3071	HV.3112		**GROMMET**	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	4	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** 1" long	2	—	C	
5X/9482491	HC.500		**TAG,** Q.R.	2	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
	E.A9.81.1991		**CABLE, ASSEMBLY, 5C, FROM JB.5 TO PORT AND STARBOARD BOMB DOOR MICRO SWITCHES**	1	—	—	
			Spares for this assembly are identical with those for assembly Part No. E.A9.81.1985				
	E.A9.81.2203/2		**CABLE, ASSEMBLY, CA.2, FROM CONNECTION AT PRESSURE BULKHEAD TO JB.2**	1	—	—	
			Consisting of:—				
5E/3080	†		**CABLE,** Septopren 6	QR	—	C	
5X/1333	Z.1381/2		**FERRULE,** cut	1	—	C	
5X/9491421	Z.22431		**GROMMET,** No. 3	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	12	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	2	—	C	
5X/1005131	Z.49428		**SLEEVE,** cable	6	—	C	
5X/6191	CZ.50401		**SOCKET,** 9-pole, size B (Pre-Mod. 3382) ...	1	—	C	
5X/5805564	2CZ.111234		**SOCKET,** 9-pole, size B (Mod. 3382)	1	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	6	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
	E.A9.81.2205/2		**CABLE, ASSEMBLY, CA.2A, FROM CONNECTION AT PRESSURE BULKHEAD TO JB.2**	1	—	—	
			Consisting of:—				
5E/3079	†		**CABLE,** Quinpren 6	QR	—	C	
5X/240	Z.2277/2		**FERRULE**	1	—	C	
5X/9491421	Z.22431		**GROMMET,** No. 3	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	8	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	2	—	C	
5X/1005131	Z.49428		**SLEEVE,** cable	4	—	C	
5X/6190	CZ.50400		**SOCKET,** size Z (Pre-Mod. 3382)	1	—	C	
5X/7175	2CZ.111233		**SOCKET,** size Z (Mod. 3382)	1	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	4	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
	E.A9.81.2207/2		**CABLE, ASSEMBLY, CA.5, FROM CONNECTION AT PRESSURE BULKHEAD TO JB.5**	1	—	—	
			Consisting of:—				
5E/3076	†		**CABLE,** Tripren 12	QR	—	C	
5X/1356	Z.2272/2		**FERRULE,** cut	1	—	C	
5X/9491421	Z.22431		**GROMMET,** No. 3	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	6	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	2	—	C	
5X/6189	CZ.50399		**SOCKET,** 4-pole, size A (Pre-Mod. 3382) ...	1	—	C	
5X/7173	2CZ.111231		**SOCKET,** 4-pole, size A (Mod. 3382)	1	—	C	
5X/9482491	HC.500		**TAG,** Q.R.	3	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.A9.81.2209/2		**CABLE, ASSEMBLY, CA.21A, FROM CONNECTION AT FRAME 29 TO CAMERA SOCKET**	1	—	—	
			Consisting of:—				
5E/3079	†		**CABLE,** Quinpren 6	QR	—	C	
5X/240	Z.2277/2		**FERRULE,** cut	1	—	C	
5X/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	5	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	2	—	C	
5X/6196	CZ.50409		**SOCKET,** 5-pole, size Z (Pre-Mod. 3382) ...	1	—	C	
5X/7197	2CZ.111451		**SOCKET,** 5-pole, size Z (Mod. 3382)	1	—	C	
5X/1769	†		**SOCKET,** camera, 5-pole	1	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
	E.A9.81.2229/2		**CABLE, ASSEMBLY, CA.21, FROM CONNECTION AT PRESSURE BULKHEAD TO CONNECTION AT FRAME 29**	1	—	—	
			Consisting of:—				
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5X/1523	Z.18500/Z		**FERRULE**	2	—	C	
5X/1530	Z.18501/Z		**RING,** clamp	2	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	10	—	C	
5K/	EEAS.118/2/CA21		**SLEEVE,** identification	2	—	—	
5X/6190	CZ.50400		**SOCKET,** 5-pole, size Z (Pre-Mod. 3382) ...	2	—	C	
5X/7175	2CZ.111233		**SOCKET,** 5-pole, size Z (Mod. 3382)	2	—	C	
27394	E.A9.81.3565		**CABLE, ASSEMBLY, CA.45, FROM ACCELEROMETER TO L.A.B.S. JB. (MOD. 2142)**	1	—	B	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
	CANNON						
10AR/9438705	AN.3057-4A		**CLAMP,** cable	1	—	C	
10AR/	AN.3057-6A		**CLAMP,** cable	1	—	—	
5F/2143	†		**CONDUIT,** flexible	QR	—	C	
	CANNON						
10H/	AN.3106A-14S-2S		**SOCKET**	1	—	—	
10H/	AN.3106A-10SL-3S		**SOCKET**	1	—	—	
5K/9107065	EEAS.146/A		**SLEEVE**	6	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE**	3	—	C	
	E.A9.81.5747		**CABLE, ASSEMBLY, CA.55, FROM L.A.B.S. JB. AND L.A.B.S. RELAY BOX TO L.A.B.S. CALIBRATOR (MOD. 3846 or 3847)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
	CANNON						
	MS.3106E-18-12P		**PLUG**	1	—	—	
	MS.3106E-18-20P		**PLUG**	1	—	—	
5K/9107067	EEAS.146/6		**SLEEVE,** 1" long	2	—	C	
5K/3366	EEAS.146/6		**SLEEVE,** 2" long	7	—	C	
5K/9107065	EEAS.146/20		**SLEEVE,** ¾" long	9	—	C	
5K/4449	EEAS.146/20		**SLEEVE,** 1" long	2	—	C	
5K/4446	EEAS.146/20		**SLEEVE,** 2" long	1	—	C	
5X/9450396	HC.490		**TAG**	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1	2	3	4	5	6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
27387	E.A9.81.3611							**CABLE, ASSEMBLY, CA.56, FROM L.A.B.S. RELAY BOX AND GYRO VERTICAL TO L.A.B.S. JB. (MOD. 2142)**	1	—	B	
								Consisting of:—				
5E/4183	†							**CABLE,** Uninyvin 20	QR	—	C	
	CANNON											
10H/18035	AN.3057A–12A							**CLAMP,** cable	3	—	C	
5F/2036	†							**CONDUIT,** flexible	QR	—	C	
	CANNON											
10H/	AN.3108A–22–14P							**PLUG**	1	—	—	
5K/9107065	EEAS.146/A							**SLEEVE,** ¾" long	38	—	C	
5K/9107068	EEAS.146/D1							**SLEEVE,** 1" long	6	—	C	
	CANNON											
10H/23524	AN.3106A–22–14S							**SOCKET**	1	—	B	
10H/	AN.3106A–20–27SX							**SOCKET**	1	—	—	
27386	E.A9.81.3613							**CABLE, ASSEMBLY, CA.57, FROM L.A.B.S. GYRO HORIZONTAL AND CALIBRATOR TO L.A.B.S. JB. (MOD. 2142)**	1	—	B	
								Consisting of:—				
5E/4183	†							**CABLE,** Uninyvin 20	QR	—	C	
5E/3685	†							**CABLE,** Uninypren 6	QR	—	C	
5E/4185	†							**CABLE,** Uninyvin 16	QR	—	C	
	CANNON											
10H/18035	AN.3057–12A							**CLAMP,** cable	3	—	C	
5F/2035	†							**CONDUIT,** flexible	QR	—	C	
5F/2036	†							**CONDUIT,** flexible	QR	—	C	
5K/9107065	EEAS.146/A							**SLEEVE,** ¾" long	36	—	C	
5K/9107066	EEAS.146/A1							**SLEEVE,** ¾" long	5	—	C	
5K/9107069	EEAS.146/F							**SLEEVE,** 1" long	5	—	C	
5K/9107071	EEAS.146/J							**SLEEVE,** 1" long	2	—	C	
	CANNON											
10H/	AN.3108A–22–14SX							**SOCKET**	1	—	—	
10H/23538	AN.3106A–22–14SY							**SOCKET**	1	—	B	
10H/23337	AN.3106A.–20–29S							**SOCKET**	1	—	B	
	E.A9.81.5609							**CABLE, ASSEMBLY, CA.58, FROM L.A.B.S. RELAY BOX TO L.A.B.S. JB. (MOD. 3765)**	1	—	—	
								Consisting of:—				
5E/4185	†							**CABLE,** Uninyvin 16	QR	—	C	
5E/4183	†							**CABLE,** Uninyvin 20	QR	—	C	
5K/9107068	EEAS.146/2							**SLEEVE,** 1" long	2	—	C	
5K/3367	EEAS.146/2							**SLEEVE,** 2" long	6	—	C	
5K/9107065	EEAS.146/16							**SLEEVE,** ¾" long	10	—	C	
5K/9107065	EEAS.146/20							**SLEEVE,** ¾" long	10	—	C	
5X/8018	MS.3106E–20–27S(W)							**SOCKET**	1	—	C	
5X/7988	MS.3108E–20–29S							**SOCKET**	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.A9.81.6215		**CABLE, ASSEMBLY, N.122, FROM FRONT FUSELAGE TERMINAL BLOCK TO TERMINAL BLOCK ON FORWARD BULKHEAD OF FLARE BAY (MOD. 4341)** (For A/C incorporating Mod. 2195) Consisting of:—	1	—	—	
5E/4188	†		**CABLE,** Uninyvin 10	QR	—	C	
5X/9400057	AS.2676		**FERRULE,** No. 8	4	—	C	
	AS.4017		**SLEEVE**	4	—	C	
5K/9107068	EEAS.146/2		**SLEEVE,** 1" long	QR	—	C	
5K/3367	EEAS.146/2		**SLEEVE,** 2" long	QR	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** 1" long	QR	—	C	
5F/9454141	NY.18007A		**STRAP**	QR	—	C	
5F/9138822	NY.3342		**STUD**	QR	—	C	
	E.A9.81.6307		**CABLE, ASSEMBLY, N.122, FROM FRONT FUSELAGE TERMINAL BLOCK TO TERMINAL BLOCK ON FORWARD BULKHEAD OF FLARE BAY (MOD. 4343)** (For A/C not incorporating Mod. 2195) Spares for this assembly are identical with those for assembly Part No. E.A9.81.6215, except for the following deletions Delete:—	1	—	—	
5X/9400057	AS.2676		**FERRULE,** No. 8	2	—	C	
	AS.4017		**SLEEVE**	4	—	—	
	E.A9.81.4507		**CABLE, ASSEMBLY, 2C1, BETWEEN PORT AND STARBOARD BOMB DOOR MICRO SWITCHES (MOD. 2370)** Consisting of:—	1	—	—	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5X/9400051	AS.2672		**FERRULE**	2	—	C	
5X/9400053	AS.2673		**FERRULE**	6	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** $\frac{3}{4}$" long	10	—	C	
5K/9107068	EEAS.146/D		**SLEEVE,** 1" long	2	—	C	
5F/9434858	HV.3254		**STRAPPING,** $\frac{5}{16}$" wide	QR	—	C	
5F/9138823	NT.3255		**STUD**	QR	—	C	
	E.A9.81.4509		**CABLE, ASSEMBLY, 4C, FROM JB.4 TO PORT AND STARBOARD BOMB DOOR MICRO SWITCHES (MOD. 2370)** Consisting of:—	1	—	—	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5F/9013643	†		**CONDUIT,** flexible	QR	—	C	
5X/9400051	AS.2672		**FERRULE**	2	—	C	
5X/2787	Z.22432		**GROMMET**	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** $\frac{3}{4}$" long	8	—	C	
5K/9107068	EEAS.146/D		**SLEEVE,** 1" long	2	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	4	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.4671/2		**CABLE, ASSEMBLY, CA.41, FROM BULKHEAD, FRAME 29, TO BUS-BAR PANEL (MOD. 2505)**	1	—	—	
			Consisting of:—				
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5X/240	Z.2277/2		**FERRULE,** cut	1	—	C	
5X/3169	Z.28156/Z		**GASKET**	1	—	C	
5X/6402	Z.23414		**GASKET**	1	—	C	
5X/6500	Z.61536		**NUT,** coupling	1	—	C	
5X/6181	CZ.50356		**PLUG,** 5-pole, size Z (Pre-Mod. 3382)	1	—	C	
5X/7142	2CZ.111401		**PLUG,** 5-pole, size Z (Mod. 3382)	1	—	C	
5X/283	Z.1500		**SHROUD,** plug, size Z	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	2	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** ¼" long	5	—	C	
5X/9482491	HC.500		**TAG,** Q.R.	1	—	C	
5F/2303	†		**TUBING,** P.V.C., 5 m/m i/d	QR	—	C	
38235	E.A9.81.4727		**CABLE, ASSEMBLY, M.61, FROM INVERTER RELAY PANEL TO FUSE (MOD. 2626)**	1	—	B	
			Consisting of:—				
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	2	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** 1" long	2	—	C	
5X/9450224	HC.510		**TAG,** Q.R.	2	—	C	
5F/2303	†		**TUBING,** P.V.C., 5 m/m i/d	QR	—	C	
	E.B6.81.491		**CABLE, ASSEMBLY, E2, FROM JB.2 TO EARTH CONNECTION**	1	—	—	
			Consisting of:—				
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5K/3071	HV.3112		**GROMMET**	1	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** ¼" long	4	—	C	
5X/6508	70008		**TAG,** closed end, 4 BA	2	—	C	
5X/9450224	HC.510		**TAG,** Q.R.	2	—	C	
5X/9400066	Z.19981		**THIMBLE**	2	—	C	
	E.B7.81.1125		**CABLE, ASSEMBLY, E5, FROM JB.5 TO EARTH CONNECTION**	1	—	—	
			Spares for this assembly are identical with those for assembly Part No. E.B6.81.491				
	E.B6.81.11071		**CABLE, ASSEMBLY, 4N, FROM TYPE 105 SIMULATOR TO JB.4 (MOD. 4341 or 4343)**	1	—	—	
			Consisting of:—				
	MS.39056-8		**BUSHING**	1	—	—	
	MS.39056-10		**BUSHING**	1	—	—	
5E/3896	†		**CABLE,** Unitersil 16	QR	—	C	
	CANNON						
	AN.3057-12A		**CLAMP,** cable	1	—	—	
5X/2787	Z.22432		**GROMMET,** No. 4	1	—	C	
5X/7956	MS.3106A-22-23P		**PLUG**	1	—	C	
5K/9107068	EEAS.146/2		**SLEEVE,** 1" long	QR	—	C	
5K/3367	EEAS.146/2		**SLEEVE,** 2" long	QR	—	C	
5K/9107065	EEAS.146/16		**SLEEVE,** ¼" long	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
5F/9454141	NY.18007A	**STRAP**	QR	—	C	
5F/9138822	NY.3342	**STUD**	QR	—	C	
5X/9482491	HC.500	**TAG**	6	—	C	
	NT.16	**TUBING**	1	—	—	
	E.A9.81.5603	**CABLE, ASSEMBLY, F.162, FROM PRESSURE BULKHEAD TO L.A.B.S. RELAY BOX (MOD. 3765)**	1	—	—	
		Consisting of:—				
	MS.39056-2-(18220-4)	**BUSHING**	2	—	—	
	MS.39056-3-(18220-6)	**BUSHING**	2	—	—	
	MS.39056-4-(18220-8)	**BUSHING**	2	—	—	
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
	MS.3106E-18-20P	**PLUG**	1	—	—	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	2	—	C	
5K/3366	EEAS.146/6	**SLEEVE,** 2" long	50	—	C	
5K/9107065	EEAS.146/20	**SLEEVE,** ¼" long	8	—	C	
	MS.3108E-18-20S	**SOCKET**	1	—	—	
	YT.3740-15C	**CABLE, ASSEMBLY, F.300**	1	—	—	
5X/2790	Z.22634	**GROMMET,** dummy	2	—	C	
14A/862	†	**LEAD,** electrical, camera control, No. 4	1	—	B	
	E.A9.81.835	**LOOMS, CABLE, ASSEMBLY**	—	—	—	
		Spares for:—				
	E.B7.81.553/2	**CABLE, ASSEMBLY, 3A1, FROM 5-WAY T/B TO REAR TANK VENT VALVE HEATER, STARBOARD**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5X/7320	Z.14485/B	**FERRULE,** cut, size A	1	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¾" long	4	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** 1" long	2	—	C	
5X/1005131	Z.49428	**SLEEVE,** cable	2	—	C	
5X/6772	CZ.56084	**SOCKET,** size A (Pre-Mod. 3382)	1	—	C	
5X/7172	2CZ.111230	**SOCKET,** size A (Mod. 3382)	1	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	2	—	C	
	E.B7.81.555/2	**CABLE, ASSEMBLY, 3A2, FROM 5-WAY T/B TO REAR VENT VALVE HEATER, PORT**	1	—	—	
		Spares for this assembly are identical with those for assembly Part No. E.B7.81.553/2				
	E.B6.81.559	**CABLE, ASSEMBLY F.34B, FROM BATTERY TO MAIN ELECTRICAL PANEL**	1	—	—	
		Consisting of:—				
5E/4192	†	**CABLE,** Uninyvin 2	QR	—	C	
5J/2327	†	**LUG,** battery, type C	1	—	C	
5X/9400093	Z.70027	**LUG,** No. 27	1	—	C	
5K/9107069	EEAS.146/F	**SLEEVE,** 1" long	3	—	C	
5F/9400444	†	**TAPE**	QR	—	C	
5F/9401215	†	**TAPE**	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.B6.81.561		**CABLE, ASSEMBLY, F.34C, FROM BATTERY TO MAIN ELECTRICAL PANEL** Spares for this assembly are identical with those for assembly Part No. E.B6.81.559 on page 413	1	—	—	
	E.A3.81.710/2		**CABLE, ASSEMBLY, 1D, FROM JB.1 TO U/C VALVE ACTUATOR** Consisting of:—	1	—	—	
5E/3076	†		**CABLE,** Tripren 12	QR	—	C	
5X/1356	Z.2272/2		**FERRULE,** cut, size A	1	—	C	
5X/9491421	Z.22431		**GROMMET,** No. 3	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	6	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	2	—	C	
5X/6189	CZ.50399		**SOCKET,** size A (Pre-Mod. 3382)	1	—	C	
5X/7173	2CZ.111231		**SOCKET,** size A (Mod. 3382)	1	—	C	
5X/9482491	HC.500		**TAG,** Q.R.	3	—	C	
	E.A3.81.718/2		**CABLE, ASSEMBLY, 1H3, FROM T/B TO FUEL COCK, TANK NO. 1** Consisting of:—	1	—	—	
5E/3074	†		**CABLE,** Tripren 6	QR	—	C	
5X/7320	Z.14485/B		**FERRULE,** cut, size A	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	6	—	C	
5K/9107068	EEAS.1466/D1		**SLEEVE,** 1" long	2	—	C	
5X/1005131	Z.49428		**SLEEVE,** cable	3	—	C	
5X/6009	CZ.27901		**SOCKET,** size A (Pre-Mod. 3382)	1	—	C	
5X/7039	2CZ.84873		**SOCKET,** size A (Mod. 3382)	1	—	C	
	E.A3.81.722/2		**CABLE, ASSEMBLY, 1J3, FROM T/B TO FUEL COCK, TANK NO. 2** Consisting of:—	1	—	—	
5E/3074	†		**CABLE,** Tripren 6	QR	—	C	
5X/7320	Z.14485/2		**FERRULE,** cut, size A	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	6	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	2	—	C	
5X/1005131	Z.49428		**SLEEVE,** cable	3	—	C	
5X/6189	CZ.50399		**SOCKET,** size A (Pre-Mod. 3382)	1	—	C	
5X/7173	2CZ.111231		**SOCKET,** size A (Mod. 3382)	1	—	C	
	E.A3.81.726/2		**CABLE, ASSEMBLY, 1K3, FROM T/B TO FUEL COCK, TANK NO. 3** Spares for this assembly are identical with those for assembly Part No. E.A3.81.718/2	1	—	—	
	E.B6.81.731		**CABLE, ASSEMBLY, 1J, FROM JB.1 TO TERMINAL BOARD, TANK NO. 2** Consisting of:—	1	—	—	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5X/2788	Z.23672		**GROMMET,** No. 5	1	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	3	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¼" long	3	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** ¼" long	4	—	C	
5K/9107069	EEAS.146/G		**SLEEVE,** 1" long	2	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	3	—	C	
5X/9482491	HC.510		**TAG,** Q.R.	2	—	C	
5F/2031	‡		**TUBING,** P.V.C.	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.B6.81.733		**CABLE, ASSEMBLY, 1K, FROM JB.1 TO TERMINAL BOARD, TANK NO. 3**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5X/2788	Z.23672		**GROMMET,** No. 5	1	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¾" long	3	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	3	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** ¾" long	4	—	C	
5K/9107070	EEAS.146/H		**SLEEVE,** 1" long	1	—	C	
5K/	EEAS.118/2/1K		**SLEEVE,** identification	1	—	—	
5X/9450396	HC.490		**TAG,** Q.R.	3	—	C	
5X/9450224	HC.510		**TAG,** Q.R.	2	—	C	
5F/2031	†		**TUBING,** P.V.C.	QR	—	C	
	E.A3.81.734/1		**CABLE, ASSEMBLY, 3D, FROM JB.3 TO BOMB DOOR VALVE ACTUATOR TERMINAL BOARD**	1	—	—	
			Consisting of:—				
5E/3076	†		**CABLE,** Tripren 12	QR	—	C	
5X/9491421	Z.22431		**GROMMET,** No. 3	1	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	2	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	4	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	2	—	C	
5X/9482491	HC.500		**TAG,** Q.R.	3	—	C	
	E.A3.81.739/2		**CABLE, ASSEMBLY, 3D1, FROM BOMB DOOR VALVE TO TERMINAL BOARD**	1	—	—	
			Consisting of:—				
5E/3076	†		**CABLE,** Tripren 12	QR	—	C	
5X/1356	Z.2272/2		**FERRULE,** size A	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	6	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	2	—	C	
5X/6009	CZ.27901		**SOCKET,** size A (Pre-Mod. 3382)	1	—	C	
5X/7039	2CZ.84873		**SOCKET,** size A (Mod. 3382)	1	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
	E.A3.81.748/2		**CABLE, ASSEMBLY, 3J3, FROM TANK NO. 2 TERMINAL BOARD TO FUEL COCK, STARBOARD**	1	—	—	
			Consisting of:—				
5E/3074	†		**CABLE,** Tripren 6	QR	—	C	
5X/7320	Z.14485/2		**FERRULE,** cut, size A	1	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¾" long	3	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	3	—	C	
5K/9107068	EEAS.146/D		**SLEEVE,** 1" long	2	—	C	
5X/1005131	Z.49428		**SLEEVE,** cable	3	—	C	
5X/6009	CZ.27901		**SOCKET,** size A (Pre-Mod. 3382)	1	—	C	
5X/7039	2CZ.84873		**SOCKET,** size A (Mod. 3382)	1	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
	E.A3.81.752/2		**CABLE, ASSEMBLY, 3K3, FROM TANK NO. 3 TERMINAL BOARD TO FUEL COCK, STARBOARD**	1	—	—	
			Spares for this assembly are identical with those for assembly Part No. E.A3.81.748/2				

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1	2	3	4	5	6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
7674	E.A3.81.753/1							**CABLE, ASSEMBLY, 3L, FROM JB.3 TO FUEL CONTENTS GAUGE TRANSMITTER NO. 1**	1	—	B	
								Consisting of:—				
5E/3074	†							**CABLE,** Tripren 6	QR	—	C	
10H/0970058	Z.54184							**GASKET**	1	—	C	
10H/0970108	Z.49036							**GASKET**	1	—	C	
5X/9491421	Z.22431							**GROMMET,** No. 3	1	—	C	
10H/0970069	CZ.49181							**OUTLET,** angle	1	—	C	
10H/0970096	Z.49037							**RING,** thrust	1	—	C	
10H/0970088	Z.62229							**RING,** sealing	1	—	C	
5K/9107067	†							**SLEEVE**	8	—	C	
10H/0560100	CZ.49015							**SOCKET,** free, Mk. 4	1	—	C	
5X/9450396	HC.490							**TAG,** Q.R.	3	—	C	
7675	E.A3.81.754/1							**CABLE, ASSEMBLY, 3M, FROM JB.3 TO FUEL CONTENTS GAUGE, TRANSMITTER NO. 2**	1	—	B	
								Spares for this assembly are identical with those for assembly Part No. E.A3.81.753/1				
7676	E.A3.81.755/1							**CABLE, ASSEMBLY, 3N, FROM JB.3 TO FUEL CONTENTS GAUGE, TRANSMITTER NO. 3**	1	—	B	
								Spares for this assembly are identical with those for assembly Part No. E.A3.81.753/1				
	E.A3.81.760/1							**CABLE, ASSEMBLY, 3P, FROM JB.3 to FLAME SWITCH (PRE-MOD. 2614)**	1	—	—	
								Consisting of:—				
5E/4183	†							**CABLE,** Uninyvin 20	QR	—	C	
5X/2785	Z.22430							**GROMMET,** No. 2	1	—	C	
5K/9107066	EEAS.146/A1							**SLEEVE,** 1" long	6	—	C	
5X/9450396	HC.490							**TAG,** Q.R.	2	—	C	
	E.B6.81.783							**CABLE, ASSEMBLY, EB, BATTERY EARTH CONNECTION**	1	—	—	
								Consisting of:—				
5E/4192	†							**CABLE,** Uninyvin 2	QR	—	C	
5J/2328	†							**LUG,** connector, battery	2	—	C	
5CZ/850	†							**LUG,** terminal, No. 1	2	—	C	
5K/9107071	EEAS.146/J							**SLEEVE,** 1½" long	4	—	C	
5F/2281	HV.3341							**STRAP**	QR	—	C	
5F/2282	HV.3342							**STUD**	6	—	C	
	E.B7.81.1119							**CABLE, ASSEMBLY E1, FROM JB1 TO EARTH CONNECTION**	1	—	—	
								Consisting of:—				
5E/4187	†							**CABLE,** Uninyvin 12	QR	—	C	
5K/3071	HV.3112							**GROMMET**	1	—	C	
5X/6674	12108							**LUG**	2	—	C	
5K/9107067	EEAS.146/C							**SLEEVE**	4	—	C	
5X/9450224	HC.510							**TAG,** Q.R.	2	—	C	
5X/7395	HC.314C							**TAG,** 4 BA	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.B7.81.1121		**CABLE, ASSEMBLY, E3, FROM JB3 TO EARTH CONNECTION** Spares for this assembly are identical with those for assembly Part No. E.B7.81.1119 on page 416	1	—	—	
	E.A9.81.1403		**CABLE, ASSEMBLY, C71, FROM PRESSURE BULKHEAD, CONNECTION TO I.F.F. JB** Consisting of:—	1	—	—	
5E/3079	†		**CABLE,** Quinpren 6	QR	—	C	
10H/0970058	Z.60667		**GASKET,** outlet	1	—	C	
10H/0970108	Z.62235		**GASKET,** union	1	—	C	
5K/87	AGS.1658/0		**NUT,** gland	1	—	C	
10H/0970062	CZ.49180		**OUTLET,** straight	1	—	C	
10H/0560300	CZ.49222		**PLUG,** free, Mk. 4	1	—	C	
10H/0970096	Z.49037		**RING,** thrust	1	—	C	
10H/0970088	Z.62229		**RING,** sealing	1	—	C	
5K/34	AGS.1688/2		**SLEEVE**	1	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	4	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	4	—	C	
5K/9107069	EEAS.146/E		**SLEEVE,** 1" long	2	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	4	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
	E.A9.81.1989		**CABLE, ASSEMBLY, 3G, FROM JB3 TO BOMB DOOR MICRO SWITCHES** Consisting of:—	1	—	—	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/9400051	AS.2672		**FERRULE**	2	—	C	
5K/3071	HV.3112		**GROMMET**	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	4	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** 1" long	2	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	2	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
	E.A9.81.2211/2		**CABLE, ASSEMBLY, C96, FROM PRESSURE BULKHEAD TO BOMB BAY REAR BULKHEAD, FRAME 29** Consisting of:—	1	—	—	
5E/9100007	†		**CABLE,** miniature, 2Q	QR	—	C	
5X/240	Z.2277/2		**FERRULE,** cut	1	—	C	
10H/0970076	Z.49047		**FERRULE,** inner	1	—	C	
10H/0970075	Z.49048		**FERRULE,** outer	1	—	C	
10H/0970058	Z.60667		**GASKET,** outlet	1	—	C	
10H/0970061	CZ.49178		**OUTLET,** straight	1	—	C	
10H/0560270	CZ.49216		**PLUG,** free, Mk. 4	1	—	C	
10H/0970087	Z.62228		**RING,** sealing	1	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** ¾" long	4	—	C	
5K/9107069	EEAS.146/E		**SLEEVE,** 1" long	2	—	C	
5X/629	CZ.27905		**SOCKET,** size Z, 2 pole (Pre-Mod. 3382) ...	1	—	C	
5X/7176	2CZ.111436		**SOCKET,** size Z, 2 pole (Mod. 3382)	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.2213/2		**CABLE, ASSEMBLY, C94, FROM PRESSURE BULKHEAD TO AFT BOMB BAY BULKHEAD**	1	—	—	
			Consisting of:—				
5E/9100010	†		**CABLE,** miniature 3B	QR	—	C	
5X/1356	Z.2272/2		**FERRULE,** cut	1	—	C	
10H/20406	Z.54443		**FERRULE,** inner	1	—	C	
10H/20407	Z.54444		**FERRULE,** outer	1	—	C	
10H/0970058	Z.60667		**GASKET,** outlet	1	—	C	
10H/0970062	CZ.49180		**OUTLET,** straight	1	—	C	
10H/0560280	CZ.49218		**PLUG,** free, Mk. 4	1	—	C	
10H/0970088	Z.62229		**RING,** sealing	1	—	C	
5X/1005131	Z.49428		**SLEEVE,** cable	3	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¾" long	3	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	3	—	C	
5K/9107068	EEAS.146/D		**SLEEVE,** 1" long	2	—	C	
5X/6189	CZ.50399		**SOCKET,** size A, 4-way	1	—	C	
5X/7173	2CZ.111231		**SOCKET,** size A, 4-way	1	—	C	
	E.A9.81.2215		**CABLE, ASSEMBLY, C38, FROM MAIN ELECTRICAL PANEL TO NEGATIVE SHUNT LEADING EDGE, STARBOARD WING (PRE-MOD. 3234)**				
			Consisting of:—				
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5X/7220	HC.314A		**LUG,** crimping	2	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** ¾" long	4	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	2	—	C	
	E.B6.81.4057		**CABLE, ASSEMBLY, C38, FROM MAIN ELECTRICAL PANEL TO STARBOARD VOLTAGE REGULATOR (MOD. 3234)**	1	—	—	
			Consisting of:—				
5E/4188	†		**CABLE,** Uninyvin 10	QR	—	C	
32A/94	†		**CORD,** waxed, braided	QR	—	C	
5K/9107068	EEAS.146/2		**SLEEVE,** 1" long	5	—	C	
5K/3367	EEAS.146/2		**SLEEVE,** 2" long	3	—	C	
5X/9400078	HC.324C		**TAG**	2	—	C	
5F/9143294	†		**TUBE,** P.V.C., ¼" i/d	QR	—	C	
	E.A9.81.2217		**CABLE, ASSEMBLY, C37, FROM MAIN ELECTRICAL PANEL TO NEGATIVE SHUNT LEADING EDGE, PORT WING PRE-(MOD. 3234)**	1	—	—	
			Spares for this assembly are identical with those for assembly Part No. E.A9.81.2215				
	E.A9.81.5785		**CABLE, ASSEMBLY, C37, FROM MAIN ELECTRICAL PANEL TO PORT VOLTAGE REGULATOR (MOD. 3234)**	1	—	--	
			Spares for this assembly are identical with those for assembly Part No. E.B6.81.4057				

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.A9.81.2219/2		**CABLE, ASSEMBLY, C36, FROM MAIN ELECTRICAL PANEL TO VOLTAGE REGULATOR PANEL STARBOARD WING (PRE-MOD. 3234)**	1	—	—	
			Consisting of:—				
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5E/4186	†		**CABLE,** Uninyvin 14	QR	—	C	
5X/320	Z.1386/2		**FERRULE,** cut, size C	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	6	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** ¾" long	10	—	C	
5K/9107071	EEAS.146/J		**SLEEVE,** 1½" long	2	—	C	
5X/3146	Z.49397		**SLEEVE,** cable	3	—	C	
5X/1005132	Z.28081		**SLEEVE,** cable	10	—	C	
5X/6099	CZ.27919		**SOCKET,** size C (Pre-Mod. 3382)	1	—	C	
5X/7186	2CZ.111296		**SOCKET,** size C (Mod. 3382)	1	—	C	
5F/9434858	HV.3254		**STRAP**	QR	—	C	
5F/9138823	NT.3255		**STUD**	QR	—	C	
5X/9482491	HC.500		**TAG,** Q.R.	3	—	C	
5X/9450224	HC.510		**TAG,** Q.R.	7	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
	E.A9.81.5227		**CABLE, ASSEMBLY, C36, FROM MAIN ELECTRICAL PANEL TO VOLTAGE REGULATOR AND NO. 2 GENERATOR (MOD. 3234)**	1	—	—	
			Consisting of:—				
5E/4188	†		**CABLE,** Uninyvin 10	QR	—	C	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5K/9107068	EEAS.146/2		**SLEEVE,** 1" long	3	—	C	
5K/3367	EEAS.146/2		**SLEEVE,** 2" long	32	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** 1" long	1	—	C	
5K/3366	EEAS.146/6		**SLEEVE,** 2" long	6	—	C	
5K/9107066	EEAS.146/10		**SLEEVE,** 1" long	2	—	C	
5K/9107066	EEAS.146/12		**SLEEVE,** 1" long	6	—	C	
5K/9107065	EEAS.146/16		**SLEEVE,** ¾" long	6	—	C	
5X/7394	HC.304C		**TAG**	3	—	C	
5X/7395	HC.314C		**TAG**	3	—	C	
5X/9400078	HC.324C		**TAG**	2	—	C	
5X/9482491	HC.500		**TAG**	3	—	C	
5X/9450224	HC.510		**TAG**	3	—	C	
	E.A9.81.2221/2		**CABLE, ASSEMBLY, C35, FROM MAIN ELECTRICAL PANEL TO VOLTAGE REGULATOR PANEL, PORT WING (PRE-MOD. 3234)**	1	—	—	
			Spares for this assembly are identical with those for assembly Part No. E.A9.81.2219/2				
	E.A9.81.5225		**CABLE, ASSEMBLY, C35, FROM MAIN ELECTRICAL PANEL TO VOLTAGE REGULATOR AND NO. 1 GENERATOR (MOD. 3234)**	1	—	—	
			Spares for this assembly are identical with those for assembly Part No. E.A9.81.5227				

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.A9.81.2223/2	**CABLE, ASSEMBLY, C33, FROM MAIN ELECTRICAL PANEL TO BOMB BAY BULKHEAD FRAME 29**	1	—	—	
		Consisting of:—				
5E/4189	†	**CABLE,** Uninyvin 8	QR	—	C	
5X/6413	EEAS.88/3	**FERRULE**	2	—	C	
5X/1531	Z.18501/B	**RING,** clamp	2	—	C	
5K/	EEAS.118/3/C33	**SLEEVE,** identification	2	—	—	
5K/9107068	EEAS.146/D	**SLEEVE,** 1" long	4	—	C	
5X/6104	CZ.27920	**SOCKET,** size C, 4-way (Pre-Mod. 3382) ...	2	—	C	
5X/7178	2CZ.111237	**SOCKET,** size C, 4-way (Mod. 3382)	2	—	C	
5F/2045	†	**TUBING,** P.V.C., 15·8 m/m x 1 m/m	QR	—	C	
	E.A9.81.1191	**CABLE, ASSEMBLY, C31, FROM MAIN ELECTRICAL PANEL TO STUD ON LEADING EDGE DIAPHRAGM, PORT (MOD. 2144) (PRE-MOD. 3234)**	1	—	—	
		Consisting of:—				
5E/4197	†	**CABLE,** Uninyvin 0000	QR	—	C	
5X/9400108	†	**LUG,** Mk. 42	2	—	C	
5K/9107071	EEAS.146/J	**SLEEVE,** 1" long	4	—	C	
	E.B6.81.4059	**CABLE, ASSEMBLY, C31, FROM MAIN ELECTRICAL PANEL TO PORT WING BREAK (MOD. 3234)**	1	—	—	
		Consisting of:—				
5E/4197	†	**CABLE,** Uninyvin 0000	QR	—	C	
5X/9400108	†	**LUG,** Mk. 42	2	—	C	
5K/9107070	EEAS.146/K	**SLEEVE,** 1" long	8	—	C	
5K/3369	EEAS.146/K	**SLEEVE,** 2" long	2	—	C	
	E.A9.81.1193	**CABLE, ASSEMBLY, C32, FROM MAIN ELECTRICAL PANEL TO STUD ON LEADING EDGE DIAPHRAGM, STARBOARD (MOD. 2144) (PRE-MOD. 3234)**	1	—	—	
		Spares for the assembly are identical with those for assembly Part No. E.A9.81.1191				
	E.B6.81.4061	**CABLE, ASSEMBLY, C32, FROM MAIN ELECTRICAL PANEL TO STARBOARD WING BREAK (MOD. 3234)**	1	—	—	
		Spares for this assembly are identical with those for assembly Part No. E.B6.81.4059				
	E.A9.81.2231/2	**CABLE, ASSEMBLY, C10, FROM DISTRIBUTION BOX TO WING BREAK, STARBOARD**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
5X/1526	Z.18500/D	**FERRULE**	2	—	C	
5X/1533	Z.18501/D	**RING,** clamp	2	—	C	
5X/1005131	Z.49428	**SLEEVE,** cable	24	—	C	
5K/	EEAS.118/5/C10	**SLEEVE,** identification	2	—	—	
5K/9107066	EEAS.146/A1	**SLEEVE,** $\frac{1}{4}$" long	48	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
5K/9107067	EEAS.146/C	**SLEEVE,** ¼" long	4	—	C	
5X/6194	CZ.50405	**SOCKET,** size D (Pre-Mod. 3382)	2	—	C	
5X/7192	2CZ.111238	**SOCKET,** size D (Mod. 3382)	2	—	C	
5F/2038	†	**TUBING,** P.V.C. 25 m/m x 1·2 m/m	QR	—	C	
	E.A9.81.2233/2	**CABLE, ASSEMBLY, C9, FROM DISTRIBUTION BOX TO WING BREAK, PORT** Spares for this assembly are identical with those for assembly Part No. E.A9.81.2231/2 on page 420	1	—	—	
	E.A9.81.2235/2	**CABLE, ASSEMBLY, C8, FROM D.C. DISTRIBUTION BOX TO J.B.8 STARBOARD** Consisting of:—	1	—	—	
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
5X/1526	Z.18500/D	**FERRULE**	2	—	C	
5X/1533	Z.18501/D	**RING,** clamp	2	—	C	
5X/1005131	Z.49428	**SLEEVE,** cable	40	—	C	
5K/	EEAS.118/5/C8	**SLEEVE,** identification	2	—	—	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¼ "long	48	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** ¼ "long	2	—	C	
5X/6194	CZ.50405	**SOCKET,** size D (Pre-Mod. 3382)	2	—	C	
5X/7192	2CZ.111238	**SOCKET,** size D (Mod. 3382)	2	—	C	
5F/2038	†	**TUBING,** 25·4 m/m x 1·2 m/m	QR	—	C	
	E.A9.81.2237/2	**CABLE, ASSEMBLY, C8X, FROM DISTRIBUTION BOX TO J.R.8, STARBOARD** Consisting of:—	1	—	—	
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
5X/1526	Z.18500/D	**FERRULE**	2	—	C	
5X/1533	Z.18501/D	**RING,** clamp	2	—	C	
5X/1005131	Z.49428	**SLEEVE,** cable	30	—	C	
5K/	EEAS.118/5/C8X	**SLEEVE,** identification	2	—	—	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¼" long	48	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** ¼" long	2	—	C	
5X/6194	CZ.50405	**SOCKET,** size D (Pre-Mod. 3382)	2	—	C	
5X/7192	2CZ.111238	**SOCKET,** size D (Mod. 3382)	2	—	C	
5F/2038	†	**TUBING,** P.V.C., 25·4 m/m x 1·2 m/m	QR	—	C	
	E.A9.81.2241/2	**CABLE, ASSEMBLY, C7X, FROM D.C. DISTRIBUTION BOX TO J.B.7, PORT** Consisting of:—	1	—	—	
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
5X/1526	Z.18500/D	**FERRULE**	2	—	C	
5X/1533	Z.18501/D	**RING,** clamp	2	—	C	
5X/1005131	Z.49428	**SLEEVE,** cable	34	—	C	
5K/	EEAS.118/5/7X	**SLEEVE,** identification	2	—	—	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¼" long	48	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** ¼" long	4	—	C	
5X/6194	CZ.50405	**SOCKET,** size D (Pre-Mod. 3382)	2	—	C	
5X/7192	2CZ.111238	**SOCKET,** size D (Mod. 3382)	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.2239/2		**CABLE, ASSEMBLY, C7, FROM D.C. DISTRIBUTION BOX TO J.B.7, PORT**	1	—	—	
			Spares for this assembly are identical with those for assembly Part No. E.A9.81.-2241/2 on page 421, except for the following deletion and addition.				
			Delete:—				
5K/	EEAS.118/5/C7X		**SLEEVE,** identification	2	—	—	
			Add:—				
5K/	EEAS.118/5/C7		**SLEEVE,** identification	2	—	—	
	E.A9.81.2245/2		**CABLE, ASSEMBLY, C3, FROM D.C. DISTRIBUTION BOX TO J.B.3**	1	—	—	
			Spares for this assembly are identical with those for assembly Part No. E.A9.81.-2241/2 on page 421, except for the following deletion and addition:				
			Delete:				
5K/	EEAS.118/5/C7X		**SLEEVE,** identification	2	—	—	
			Add:—				
5K/	EEAS.118/5/C3		**SLEEVE,** identification	2	—	—	
	E.A9.81.2243/2		**CABLE, ASSEMBLY, C6, FROM D.C. DISTRIBUTION BOX TO REAR BOMB BAY BULKHEAD, FRAME 29**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5X/1526	Z.18500/D		**FERRULE**	2	—	C	
5X/1533	Z.18501/D		**RING,** clamp	2	—	C	
5X/1005131	Z.49428		**SLEEVE,** cable	40	—	C	
5K/9107065	EEAS.146/A		**SLEEVE**	48	—	C	
5K/9107066	EEAS.146/B		**SLEEVE**	4	—	C	
5K/	EEAS.118/5/C6		**SLEEVE,** identification	1	—	—	
5X/6194	CZ.50405		**SOCKET,** size D (Pre-Mod. 3382)	2	—	C	
5X/7192	2CZ.111238		**SOCKET,** size D (Mod. 3382)	2	—	C	
	E.A9.81.2247/2		**CABLE, ASSEMBLY, C1, FROM D.C. DISTRIBUTION BOX TO J.B.1**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5X/1526	Z.18500/D		**FERRULE**	2	—	C	
5X/1533	Z.18501/D		**RING,** clamp	2	—	C	
5X/1005131	Z.49428		**SLEEVE,** cable	26	—	C	
5K/	EEAS.118/5/C1		**SLEEVE,** identification	2	—	—	
5K/9107066	EEAS.146/A1		**SLEEVE,** $\frac{3}{4}$" long	48	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** $\frac{1}{4}$" long	4	—	C	
5X/6194	CZ.50405		**SOCKET,** size D (Pre-Mod. 3382)	2	—	C	
5X/7192	2CZ.111238		**SOCKET,** size D (Mod. 3382)	2	—	C	
5F/2038	†		**TUBING,** P.V.C., 25.4 m/m x 1·2 m/m	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
7691	E.A3.81.2363	**CABLE, ASSEMBLY, 1H, FROM JB1 TO TERMINAL BOARD NO. 1 FUEL TANK, PORT**	1	—	B	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
5X/2788	Z.23672	**GROMMET,** No. 5	1	—	C	
5K/9107065	EEAS.146/A	**SLEEVE,** ¾" long	3	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE,** ¾" long	3	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** ¾" long	4	—	C	
5K/9107069	EEAS.146/G	**SLEEVE,** 1" long	2	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	3	—	C	
5X/9450224	HC.510	**TAG,** Q.R.	2	—	C	
5F/2035	†	**TUBING,** P.V.C., 12·7 m/m x 1 m/m	QR	—	C	
7692	E.A3.81.2365	**CABLE, ASSEMBLY, 1H1, FROM TERMINAL BOARD NO. 1, FUEL TANK TO FUEL PUMP SUPPRESSOR, PORT**	1	—	B	
		Consisting of:—				
5X/6757	EEAS.68/6	**ADAPTOR,** reducing	1	—	C	
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
10H/0970107	Z.62234	**GASKET,** union	1	—	C	
5CZ/3766	†	**LUG,** terminal, No. 27	2	—	C	
10H/0970127	Z.49046	**NUT,** union	1	—	C	
10H/0970087	Z.62228	**RING,** sealing	1	—	C	
10H/0970095	Z.49051	**RING,** thrust	1	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** ½" long	4	—	C	
5K/9107068	EEAS.146/D1	**SLEEVE,** ¾" long	2	—	C	
7695	E.A3.81.2371	**CABLE, ASSEMBLY, 1J1, FROM TERMINAL BOARD TO NO. 2 TANK FUEL PUMP SUPPRESSOR, PORT**	1	—	B	
		Spares for this assembly are identical with those for assembly Part No. E.A3.81.2365				
7698	E.A3.81.2377	**CABLE, ASSEMBLY, 1K1, FROM TERMINAL BOARD TO NO. 3 TANK FUEL PUMP SUPPRESSOR**	1	—	B	
		Spares for this assembly are identical with those for assembly Part No. E.A3.81.2365				
7693	E.A3.81.2367/2	**CABLE, ASSEMBLY, 1H2, FROM SUPPRESSOR TO NO. 1 TANK FUEL PUMP PORT**	1	—	B	
		Consisting of:—				
5X/6757	EEAS.68/6	**ADAPTOR**	1	—	C	
5E/4203	†	**CABLE,** Uninyvinmct 12	QR	—	C	
5X/240	Z.2277/2	**FERRULE,** cut, size Z	1	—	C	
10H/0970076	Z.49047	**FERRULE,** inner	1	—	C	
10H/0970075	Z.49048	**FERRULE,** outer	1	—	C	
5CZ/3766	AGS.1747	**LUG,** terminal, No. 27	2	—	C	
10H/0970127	Z.49046	**NUT,** union	1	—	C	
10H/0970087	Z.62228	**RING,** sealing	1	—	C	
5K/9107067	EEAS.146/C	**SLEEVE,** ¾" long	4	—	C	
5K/9107068	EEAS.146/D1	**SLEEVE,** 1" long	2	—	C	
5X/6029	CZ.27905	**SOCKET,** size Z (Pre-Mod. 3382)	1	—	C	
5X/7176	2CZ.111436	**SOCKET,** size Z (Mod. 3382)	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
7696	E.A3.81.2373/2		**CABLE, ASSEMBLY, 1J2, FROM SUPPRESSOR TO NO. 2 TANK FUEL PUMP, PORT** Spares for this assembly are identical with those for assembly Part No. E.A3.81.-2367/2 on page 423	1	—	B	
7699	E.A3.81.2379/2		**CABLE, ASSEMBLY, 1K2, FROM SUPPRESSOR TO NO. 3 TANK FUEL PUMP** Spares for this assembly are identical with those for assembly Part No. E.A3.-81.2367/2 on page 423	1	—	B	
7700	E.A3.81.2381		**CABLE, ASSEMBLY, 3N, FROM JB3, TO NO. 1 TANK TERMINAL BOARD, STAR BOARD** Consisting of:—	1	—	B	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5X/2788	Z.23672		**GROMMET,** No. 5	1	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** $\frac{3}{4}$" long	3	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** $\frac{3}{4}$" long	3	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** $\frac{3}{4}$" long	3	—	C	
5K/9107069	EEAS.146/G		**SLEEVE**	2	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	3	—	C	
5X/9450224	HC.510		**TAG,** Q.R.	2	—	C	
5F/2035	†		**TUBING,** P.V.C., 12·7 m/m x 1 m/m	QR	—	C	
7701	E.A3.81.2383		**CABLE, ASSEMBLY, 3H1, FROM TERMINAL BOARD TO NO. 1 TANK FUEL PUMP SUPPRESSOR** Consisting of:—	1	—	B	
5X/6757	EEAS.68/6		**ADAPTOR**	1	—	C	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
10H/0970107	Z.62234		**GASKET,** union	1	—	C	
5CZ/3766	AGS.1747		**LUG,** terminal, No. 27	2	—	C	
10H/0970127	Z.49046		**NUT,** union	1	—	C	
10H/0970087	Z.62228		**RING,** sealing	1	—	C	
10H/0970095	Z.49051		**RING,** thrust	1	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** $\frac{1}{4}$" long	4	—	C	
5K/9107068	EEAS.146/D		**SLEEVE,** 1" long	2	—	C	
7702	E.A3.81.2385/2		**CABLE, ASSEMBLY, 3H2 FROM SUPPRESSOR TO NO. 1 FUEL TANK PUMP, STAR-BOARD** Spares for this assembly are identical with those for assembly Part No. E.A3.81.-2367/2 on page 423	1	—	B	
7703	E.A3.81.2387		**CABLE, ASSEMBLY, 3J, FROM JB3 TO NO. 2 TANK TERMINAL BOARD** Consisting of:—	1	—	C	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5X/2788	Z.23672		**GROMMET,** No. 5	1	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** $\frac{3}{4}$" long	3	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** $\frac{3}{4}$" long	3	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** $\frac{3}{4}$" long	4	—	C	
5K/9107069	EEAS.146/G		**SLEEVE,** 1" long	2	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	3	—	C	
5X/9450224	HC.510		**TAG,** Q.R.	2	—	C	
5F/2035	†		**TUBING,** P.V.C., 12·7 m/m x 1 m/m	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
7704	E.A3.81.2389		**CABLE, ASSEMBLY, 3J1, FROM TERMINAL BOARD, TO NO. 2, TANK FUEL PUMP SUPPRESSOR, STARBOARD** Spares for this assembly are identical with those for assembly Part No. E.A3.81.2383 on page 424	1		B	
7705	E.A3.81.2391/2		**CABLE, ASSEMBLY 3J2, FROM SUPPRESSOR TO NO. 2 TANK FUEL PUMP, STARBOARD** Spares for this assembly are identical with those for assembly Part No. E.A3.81.-2367/2 on page 423	1		B	
7706	E.A3.81.2393		**CABLE, ASSEMBLY, 3K, FROM JB3 TO NO. 3 TANK TERMINAL BOARD, STARBOARD** Spares for this assembly are identical with those for assembly Part No. E.A3.81.2381 on page 424	1		B	
7707	E.A3.81.2395		**CABLE, ASSEMBLY, 3K1, FROM TERMINAL BOARD TO NO. 3 TANK FUEL PUMP SUPPRESSOR, STARBOARD** Spares for this assembly are identical with those for assembly Part No. E.A3.81.2383 on page 424	1		B	
7708	E.A3.81.2397/2		**CABLE, ASSEMBLY, 3K2, FROM SUPPRESSOR TO NO. 3, TANK FUEL PUMP, STARBOARD** Spares for this assembly are identical with those for assembly Part No. E.A3.81.-2367/2 on page 423	1		B	
7710	E.A3.81.2427		**CABLE, ASSEMBLY, 1F, FROM JB1 TO AIR BRAKE VALVE ACTUATOR** Consisting of:—	1		B	
5E/3076	†		**CABLE,** Tripren 12	QR	—	C	
5X/1356	Z.2272/2		**FERRULE,** cut	1	—	C	
5X/9491421	Z.22431		**GROMMET,** No. 3	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	6	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	2	—	C	
5X/6189	CZ.50399		**SOCKET,** size A	1	—	C	
5X/9482491	HC.500		**TAG,** Q.R.	3	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
7709	E.A3.81.2429/2		**CABLE, ASSEMBLY 1L FROM JB1 TO SOLENOID VALVE** Consisting of:—	1	—	B	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/7320	Z.14485/2		**FERRULE,** cut	1	—	C	
5X/2785	Z.22430		**GROMMET,** No. 2	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	4	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** 1" long	2	—	C	
5X/1005131	Z.49428		**SLEEVE,** cable	2	—	C	
5X/6004	CZ.27900		**SOCKET,** 2 pole, size A (Pre-Mod. 3382) ...	1	—	C	
5X/7038	2CZ.84872		**SOCKET,** 2 pole, size A (Mod. 3382)	1	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	2	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.A3.81.2539/2		**CABLE, ASSEMBLY, CS2, FROM D.C. DISTRIBUTION BOX TO PLUG, AT FRAME 24 AND PORT AND STARBOARD FUEL COCKS**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5X/335	Z.2260/2		**FERRULE,** cut, size B	2	—	C	
5X/7320	Z.14485/2		**FERRULE,** cut, size A	2	—	C	
5X/6206	Z.23196		**GASKET,** plug	1	—	C	
5X/3170	Z.28156/B		**GASKET,** socket	1	—	C	
5X/6423	Z.61537		**NUT,** coupling	1	—	C	
5X/6183	CZ.50359		**PLUG,** single size B (Pre-Mod. 3382)	1	—	C	
5X/7153	2CZ.111297		**PLUG,** single size B (Mod. 3382)	1	—	C	
5X/284	Z.1275		**SHROUD,** plug	1	—	C	
5X/1005131	Z.49428		**SLEEVE,** cable	14	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	10	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** ¾" long	8	—	C	
5K/9107068	EEAS.146/D		**SLEEVE,** 1" long	3	—	C	
5K/9107070	EEAS.146/H		**SLEEVE,** 1" long	2	—	C	
5X/6189	CZ.50399		**SOCKET,** size A (Pre-Mod. 3382)	2	—	C	
5X/7173	2CZ.111231		**SOCKET,** size A (Mod. 3382)	2	—	C	
5X/6353	CZ.56074		**SOCKET,** size B (Pre-Mod. 3382)	1	—	C	
5X/7182	2CZ.111440		**SOCKET,** size B (Mod. 3382)	1	—	C	
5X/6283	Z.55958		**TAG,** 2 BA, 7 amp	2	—	C	
5X/6602	Z.56546		**TAG,** 2 BA, 19 amp	2	—	C	
5X/9400064	Z.19980		**THIMBLE**	2	—	C	
5X/9400066	Z.19981		**THIMBLE**	2	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
7711	E.A3.81.2541/2		**CABLE, ASSEMBLY, 3H3, FROM TERMINAL BOARD TO NO. 1 TANK FUEL COCK, STARBOARD**	1	—	B	
			Consisting of:—				
5E/3074	†		**CABLE,** Tripren 6	QR	—	C	
5X/7320	Z.14485/2		**FERRULE,** cut	1	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¾" long	3	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	3	—	C	
5K/9107068	EEAS.146/D		**SLEEVE,** 1" long	2	—	C	
5X/1005131	Z.49428		**SLEEVE,** cable	3	—	C	
5X/6009	CZ.27901		**SOCKET,** 4 pole, size A (Pre-Mod. 3382) ...	1	—	C	
5X/7039	2CZ.84873		**SOCKET,** 4 pole, size A (Mod. 3382)	1	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
	E.A3.81.740/2		**CABLE, ASSEMBLY, 3F, FROM JB3, TO FLAP VALVE ACTUATOR**	1	—	—	
			Consisting of:—				
5E/3076	†		**CABLE,** Tripren 12	QR	—	C	
5X/1356	Z.2272/2		**FERRULE,** cut	1	—	C	
5X/9491421	Z.22431		**GROMMET,** No. 3	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	6	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	2	—	C	
5X/6009	CZ.27901		**SOCKET,** 4 pole, size A (Pre-Mod. 3382) ...	1	—	C	
5X/7039	2CZ.84873		**SOCKET,** 4 pole, size A (Mod. 3382)	1	—	C	
5X/9482491	HC.500		**TAG,** Q.R.	3	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.A9.81.2813		**CABLE, ASSEMBLY, 1G, FROM JB.1 TO FLAP POSITION TRANSMITTER**	1	—	—	
			Consisting of:—				
5E/3079	†		**CABLE,** Quinpren 6	QR	—	C	
5X/9491421	Z.22431		**GROMMET,** No. 3	1	—	C	
5K/3651	S.T.C.645–1621		**GROMMET**	1	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	5	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	2	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	5	—	C	
	E.A9.81.3151/2		**CABLE, ASSEMBLY, 3ABC, FROM JB.3 TO FIRE EXTINGUISHER BOTTLE, 5-WAY TERMINAL BOARD FOR VENT VALVE HEATERS AND FRAME SWITCHES (PRE-MOD. 2614)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/7320	Z.14485/2		**FERRULE,** cut	1	—	C	
5X/9491421	Z.22431		**GROMMET,** No. 3	1	—	C	
5X/1005131	Z.49428		**SLEEVE,** cable	2	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¾" long	2	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	10	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** 1" long	6	—	C	
5X/6004	CZ.27900		**SOCKET,** 2-pole, size A (Pre-Mod. 3382) ...	1	—	C	
5X/7038	2CZ.84872		**SOCKET,** 2-pole, size A (Mod. 3382)	1	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	8	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
	E.A9.81.4077/2		**CABLE, ASSEMBLY, 3AB, FROM JB.3 TO FIRE EXTINGUISHER BOTTLE AND 5-WAY TERMINAL BOARD FOR VENT VALVE HEATERS (MOD. 2614)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/7320	Z.14485/2		**FERRULE,** cut	1	—	C	
5X/9491421	Z.22431		**GROMMET,** No. 3	1	—	C	
5X/1005131	Z.49428		**SLEEVE,** cable	2	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	8	—	C	
5K/9107067	EEAS.146/C		**SLEEVE,** 1" long	4	—	C	
5X/6004	CZ.27900		**SOCKET,** 2-pole, size A (Pre-Mod. 3382) ...	1	—	C	
5X/7038	2CZ.84872		**SOCKET,** 2-pole, size A (Mod. 3382)	1	—	C	
5X/9450396	HC.490		**TAG**	6	—	C	
	E.A9.81.3567		**CABLE, ASSEMBLY, C111, FROM RELAY PANEL TO EARTH POINT (MOD. 2142)**	1	—	—	
			Consisting of:—				
5E/4188	†		**CABLE,** Uninyvin 10	QR	—	C	
5X/9400079	Z.70013		**LUG,** No. 13, 2 BA	2	—	C	
5K/9107068	EEAS.146/D		**SLEEVE,** ¾" long	3	—	C	
	E.A9.81.3597		**CABLE, ASSEMBLY, M.62, FROM INVERTER TO INVERTER RELAY PANEL (MOD. 2142)**	1	—	—	
			Consisting of:—				
5E/4190	†		**CABLE,** Uninyvin 6	QR	—	C	
5X/9400086	Z.70020		**LUG,** No. 20	1	—	C	
5X/6792	ERMA.12331		**LUG,** 2 BA	1	—	C	
5K/9107068	EEAS.146/D1		**SLEEVE,** 1" long	4	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.3599		**CABLE, ASSEMBLY, M.72, FROM INVERTER TO INVERTER RELAY PANEL (MOD. 2142)** Spares for this assembly are identical with those for assembly Part No. E.A9.81.3597 on page 427	1	—	—	
	E.A9.81.3601		**CABLE, ASSEMBLY, M.63, FROM INVERTER TO EARTH TERMINAL (MOD. 2142)** Consisting of:—	1	—	—	
5E/4190	†		**CABLE,** Uninyvin 6	QR	—	C	
5X/6792	ERMA. 12331		**LUG,** 2 BA	2	—	C	
5K/9107068	EEAS.146/D		**SLEEVE,** 1" long	4	—	C	
	E.A9.81.3603		**CABLE, ASSEMBLY, M.73, FROM INVERTER TO EARTH TERMINAL (MOD. 2142)** Spares for this assembly are identical with those for assembly Part No. E.A9.81.3601	1	—	—	
	E.A9.81.3607		**CABLE, ASSEMBLY, C.110, FROM MAIN ELECTRICAL PANEL TO INVERTER RELAY PANEL (MOD. 2142)** Consisting of:—	1	—	—	
5E/4190	†		**CABLE,** Uninyvin 6	QR	—	C	
5F/2036	†		**CONDUIT,** flexible	QR	—	C	
5X/9400086	Z.70020		**LUG,** No. 20	3	—	C	
5X/9400087	Z.70021		**LUG,** No. 21	1	—	C	
5K/9107068	EEAS.146/D		**SLEEVE,** ¼" long	4	—	C	
5K/9107069	EEAS.146/G		**SLEEVE,** ¼" long	4	—	C	
	E.A9.81.4349		**CABLE, ASSEMBLY, M.61, FROM INVERTER RELAY PANEL TO INVERTER (MOD. 2142)** Consisting of:—	1	—	—	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/9400080	Z.70014		**LUG,** No. 14	1	—	C	
5X/9400083	Z.77450		**LUG,** No. 3A, 2 BA	1	—	C	
5K/9107068	EEAS.146/D		**SLEEVE**	3	—	C	
	E.A9.81.4497		**CABLE, ASSEMBLY, C.108, FROM CONTROL PANEL TO INVERTER RELAY PANEL (MOD. 2195)** Consisting of:—	1	—	—	
5E/4199	†		**CABLE,** Uninyvinmetsheath 20	QR	—	C	
10H/0970292	†		**CLAMP,** cable	1	—	C	
10H/0970058	Z.60667		**GASKET,** outlet	1	—	C	
10H/0970062	CZ.49180		**OUTLET,** straight	1	—	C	
10H/0560270	†		**PLUG**	1	—	C	
5K/9107065	EEAS.146/A		**SLEEVE,** ¼" long	4	—	C	
5K/9107068	EEAS.146/D		**SLEEVE,** 1" long	2	—	C	
	E.A9.81.4499		**CABLE, ASSEMBLY, C.109, FROM CONTROL PANEL TO INVERTER RELAY PANEL (MOD. 2195)** Spares for this assembly are identical with those for assembly Part No. E.A9.81.4497	1	—	—	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.B6.81.6253	**CABLE, ASSEMBLY, C.204, FROM FUSE BLOCK, FUSE 210, TO GROUND SUPPLY PLUG, FRAME 20 (MOD. 4279)**	1	—	—	
		Consisting of:—				
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
5K/9107065	EEAS.146/16	**SLEEVE,** ¾" long	4	—	C	
5K/4446	EEAS.146/16	**SLEEVE,** 2" long	1	—	C	
5X/9482491	HC.500	**TAG,** Q.R.	1	—	C	
5X/7631	HC.4112	**TAG**	1	—	C	
	E.A9.81.10937	**CABLE, ASSEMBLY, C.202, FROM TERMINAL BLOCK ON MOUNTING PLATE, M.E.P. BAY, STARBOARD, TO FUSE BLOCK, FUSE 210, AND GROUND SUPPLY PLUG (MOD. 4279)**	1	—	—	
		Consisting of:—				
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
5K/9107065	EEAS.146/16	**SLEEVE,** ¾" long	QR	—	C	
5X/9482491	HC.500	**TAG**	3	—	C	
5X/7631	HC.4112	**TAG**	1	—	C	
	SMITH WAYMOUTH					
6A/2767	CA/14	**CONNECTOR**	3	—	B	
6A/2768	CA/26	**CONNECTOR**	3	—	B	
5X/2790	Z.22634	**GROMMET**	5	—	C	
	E.A9.81.845	**LOOMS, INSTRUMENT, CABLE, ASSEMBLY** ...	—	—	—	
		Spares for:—				
	E.A9.81.1783	**CABLE, ASSEMBLY, D.1C–D.1B, FROM CONNECTION AT PRESSURE BULKHEAD TO WING BREAK, STARBOARD**	1	—	—	
		Consisting of:—				
5E/9100031	†	**CABLE,** miniature 12B	QR	—	C	
10H/0970084	Z.49137	**FERRULE,** inner	2	—	C	
10H/0970083	Z.49138	**FERRULE,** outer	2	—	C	
10H/0970059	Z.60668	**GASKET,** outlet	2	—	C	
10H/0970065	CZ.49182	**OUTLET,** straight	1	—	C	
10H/0970072	CZ.49183	**OUTLET,** angle	1	—	C	
10H/0560360	CZ.49458	**PLUG,** free, Mk. 4	1	—	C	
10H/0970091	Z.62231	**RING,** sealing	2	—	C	
5K/9107066	EEAS.146/A	**SLEEVE,** ¾" long	24	—	C	
5K/9107069	EEAS.146/F	**SLEEVE,** 1" long	2	—	C	
10H/0560180	CZ.49216	**SOCKET,** 12-way, Mk. 4, free	1	—	C	
	E.A9.81.5665	**CABLE, ASSEMBLY, C.112, FROM JB.1 TO FATIGUE METER (MOD. 3883)**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
10H/0970293	CZ.69734	**CLAMP,** cable	1	—	C	
10H/0970058	Z.60667	**GASKET,** outlet	1	—	C	
10H/0970107	Z.62234	**GASKET,** union	1	—	C	
5X/9491421	Z.22431	**GROMMET,** No. 3	1	—	C	
10H/0119122	Z.49031	**OUTLET,** angle	1	—	C	
10H/0970095	Z.49051	**RING,** thrust	1	—	C	
10H/0970087	Z.62228	**RING,** sealing	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5K/9107067	EEAS.146/6		**SLEEVE,** 1" long	QR	—	C	
5K/9107066	EEAS.146/12		**SLEEVE,** 1" long	QR	—	C	
5K/9107065	EEAS.146/20		**SLEEVE,** ¾" long	QR	—	C	
10H/0560090	CZ.49014		**SOCKET**	1	—	C	
5X/9450396	HC.390		**TAG,** Q.R.	6	—	C	
	—		**METER, FATIGUE, INSTALLATION (Drg. No. E.A9.80.1395) (MOD. 2330) (Drg. No. E.G4.80.1003) (MOD. 4223)**	—	—	—	
			Spares for:—				
6A/6486	†		**METER,** fatigue, type 13 (Mod. 3245) ... ... (Pre-Mod. 4223)	1	—	A	
6A/9657	†		**METER,** fatigue, type 16 (Mod. 4223)	1	—	A	
			Attaching parts for Ref. 6A/6486 or 6A/9657:—				
28D/9436920	A25/1C		Bolt, 2 BA	4	—	C	
28W/9419402	SP.13/C		Washer	4	—	C	
31529	E.A9.80.1387		**MOUNTING,** meter	1	L.72	C	
			Attaching parts for E.A9.80.1387:—				
28D/9133011	A25/2C		Bolt, 2 BA	4	—	C	
28W/9419402	SP.13/C		Washer	4	—	C	
	—		**MOUNTINGS, GYRO, FRAMES 27 TO 29, INSTALLATION (Drg. E.A9.81.3387)**	—	—	—	
			Spares for:—				
33418	E.A9.81.3545		**BOLT,** special, gyro attachment (Mod. 4330 or 4347)	8	—	C	
	E.A9.81.4823		**BOX, JUNCTION (L.A.B.S.), ASSEMBLY (MOD. 2693)**	1	—	—	
			Spares for:—				
5X/3181	CZ.23212/1		**BLOCK,** terminal, 20-way	1	—	C	
			Attaching parts for CZ.23212/1:—				
28S/1007817	A32/B24		Screw, 4 BA	2	—	C	
	E.A9.81.3463		**BOX,** assembly, 20-way	1	—	—	
32367	E.A9.81.4345		**COVER, ASSEMBLY**	1	—	C	
			Spares for:—				
32C/614	†		**RUBBER,** scaling 0·"14 dia.	QR	DTD.552	C	
32368	E.A9.81.4357		**SCREW,** cover	4	—	C	
1066	EEAS.28/2CU		**WASHER**	8	—	C	
1108	EEAS.42		**WASHER,** leather	4	—	C	
5X/9491421	Z.22431		**GROMMET,** type 3	1	—	C	
5X/2787	Z.22432		**GROMMET,** type 4	1	—	C	
5X/1004083	Z.50211		**LINK,** 3-way	2	—	C	
5X/1004082	Z.50210		**LINK,** 2-way	1	—	C	
5X/9400383	Z.77450		**LUG,** crimping, No. 3A	2	—	C	
5X/8352	CANNON AN3102A-20-27P		**PLUG**	1	—	C	
5X/8354	CANNON AN3102A-20-27PW		**PLUG**	1	—	C	
5X/8355	CANNON AN3102A-20-27PX		**PLUG**	1	—	C	
5X/8356	CANNON AN3102A-20-29P		**PLUG**	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5X/8349	CANNON AN3102A-10SL-3P	**PLUG**	1	—	C	
5X/8350	CANNON AN.3102A-10SL-4P	**PLUG**	1	—	C	
		Attaching parts for AN.3102A-20-27P, 27PW, 27PX, 29P, AN.3102A-10SL-3P and 4P:—				
28M/10326	AGS.2002/A/1	Nut, 6 BA	4	—	C	
28S/1006948	A32/A12	Screw, 6 BA	4	—	C	
5K/9107065	EEAS.146/A	**SLEEVE**	6	—	C	
5K/9107066	EEAS.146/A1	**SLEEVE**	76	—	C	
5K/9107067	EEAS.146/C	**SLEEVE**	21	—	C	
5F/9434858	HV.3254	**STRAP**, cable	QR	—	C	
5F/9138823	NT.3255	**STUD**	2	—	C	
5CW/6452	†	**SWITCH**, magnetic, type 9B, No. 1A	1	—	B	
		Attaching parts for Ref. 5CW/6452:—				
28M/10287	AGS.2001/B/1	Nut, 4 BA	2	—	C	
28S/1200040	A31/B20	Screw, 4 BA	2	—	C	
28W/9419465	SP.13/B	Washer	2	—	C	
5X/9450396	HC.490	**TAG**, Q.R.	23	—	C	
5X/9482491	HC.500	**TAG**, Q.R.	10	—	C	
		Attaching parts for E.A9.81.4823:—				
28D/9436920	A25/1C	Bolt, 2 BA	4	—	C	
28W/9419475	SP.15/C	Washer	4	—	C	
	E.A9.81.3397	**MOUNTING**, calibrator	1	—	—	
		Attaching parts for E.A9.81.3397:—				
28D/1010658	A25/1B	Bolt, 4 BA	6	—	C	
28W/9419474	SP.15/B	Washer	6	—	C	
	E.A9.81.3393	**MOUNTING, GYRO, HORIZONTAL, SUB-ASSEMBLY**	1	—	—	
		Spares for:—				
27407	E.A9.81.3417	**NUT**, adjuster	6	S.96	C	
	E.A9.81.3431	**PLATE**, mounting	1	—	—	
	E.A9.81.3429	**PLATE**, swivel, assem'ly	1	L.72	—	
27406	E.A9.81.3419	**SEAT**, adjuster	6	S.96	C	
27408	E.A9.81.3415	**STUD**	3	S.96	C	
34536	E.A9.81.3391	**MOUNTING, GYRO, VERTICAL, SUB-ASSEMBLY**	1	—	B	
		Spares for:—				
27407	E.A9.81.3417	**NUT**, adjuster	6	S.96	C	
	E.A9.81.3407	**PLATE**, mounting gyro	1	—	—	
	E.A9.81.3413	**PLATE**, swivel, assembly	1	L.72	—	
27406	E.A9.81.3419	**SEAT**, adjuster	6	S.96	C	
27408	E.A9.81.3415	**STUD**	3	—	C	
		Attaching parts for E.A9.81.3393 and E.A9.81.3391:—				
28D/1215686	A59/7E	Bolt, ¼" BSF	3	—	C	
28M/1011467	A27/E5	Nut, ¼" BSF	3	—	C	
28P/19175	SP.90/E5	Pin, split	3	—	C	
28W/9140967	SP.18/B	Washer	2	—	C	
28W/9419405	SP.15/E	Washer	3	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.3399		**PLATE,** base	1	—	—	
	E.A9.81.3401		**PLATE,** base	1	—	—	
			Attaching parts for E.A9.81.3399 and E.A9.81.3401:—				
28D/1212825	AS.1242/4E		Bolt, $\frac{1}{4}$" BSF	4	—	C	
	—		**PANEL, CONTROL, TYPE 15, FRAMES 12–13, INSTALLATION (E.A9.81.2519)**	—	—	—	
			Spares for:—				
	E.A9.81.2521		**BRACKET,** mounting	1	—	—	
	E.A9.81.2522		**BRACKET**	1	—	—	
5UC/5759	†		**PANEL,** control, type 15, 115 volts	1	—	A	
			Attaching parts for Ref. 5UC/5759:—				
28D/1008151	A25/4E		Bolt, $\frac{1}{4}$" BSF	4	—	C	
	E.A9.81.5557		**PANEL, INVERTER RELAY, INSTALLATION (MOD. 3761)**	—	—	—	
			Spares for:—				
	E.A9.81.5519		**PANEL, INVERTER RELAY, ASSEMBLY (MOD. 3761)**	—	—	—	
			Spares for:—				
5X/6237	EEAS.71/1		**BAR,** commoning	1	—	C	
	E.A9.81.4733		**BLOCK,** fuse assembly (Make from 5X/3271)	1	—	—	
			Attaching parts for E.A9.81.4733:—				
28S/1012450	A32/B10		Screw, 4 BA	2	—	C	
28W/9129100	SP.56/B		Washer	2	—	C	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5E/4190	†		**CABLE,** Uninyvin 6	QR	—	C	
5CY/871	†		**COVER,** terminal	4	—	C	
5CZ/1793	16936		**COVER,** terminal	4	—	C	
10H/21797	†		**FUSE,** type S, 2·5 amp	2	—	C	
10H/21799	†		**FUSE,** type S, 10 amp	2	—	C	
33235	E.C3.81.407		**GUARD,** assembly	1	—	C	
			Attaching parts for E.C3.81.407:—				
28D/9436920	A25/1C		Bolt, 2 BA	4	—	C	
28W/9419475	SP.15/C		Washer	4	—	C	
5X/9400086	Z.70020		**LUG,** crimping	2	—	C	
5X/9450393	HC.292		**LUG,** crimping	9	—	C	
5X/6869	ERMA–12311		**LUG,** ring tongue	4	—	C	
	CD/MDSM/6		**MOUNTING,** anti-vibration	4	—	—	
			Attaching parts for CD/MDSM/6:—				
28D/9133012	A25/3C		Bolt, 2 BA	4	—	C	
28M/10288	AGS.2001/C/1		Nut, 2 BA	4	—	C	
28W/9419475	SP.15/C		Washer	4	—	C	
	E.A9.81.5559		**PANEL,** sub assembly	1	—	—	
5K/9107066	EEAS.146/16		**SLEEVE**	19	—	C	
5K/9107067	EEAS.146/6		**SLEEVE**	4	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5CW/5016	U.2005	**SWITCH,** magnetic, Mk. 1A, No. 5	2	—	A	
		Attaching parts for U.2005:—				
28D/9436920	A25/1C	Bolt, 2 BA	4	—	C	
28D/7002428	A25/6C	Bolt, 2 BA (Alternative to type)	4	—	C	
28W/9419475	SP.15/C	Washer	4	—	C	
28W/9416643	SP.47/C	Washer (Alternative to type)	4	—	C	
5CW/4620	EL.38635	**SWITCH,** relay type T1	2	—	B	
		Attaching parts for EL.38635:—				
28D/9133011	A25/2C	Bolt, 2 BA	2	—	C	
28W/9419475	SP.15/C	Washer	2	—	C	
5CW/3943	†	**SWITCH,** relay, type S2	1	—	B	
		Attaching parts for Ref. 5CW/3943:—				
28S/9995376	A32/B20	Screw, 4 BA	4	—	C	
28W/9419474	SP.15/B	Washer	4	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	2	—	C	
	E.A9.81.5497	**TRAY,** anti-vibration mounting, assembly ...	1	—	—	
17519	EEAS.28/4DPH	**WASHER,** earth terminal	3	—	C	
	E.B6.81.6237	**PLUG, GROUND SUPPLY INSTALLATION FOR HEATING OF DECCA CRYSTAL OVENS (MOD. 4279)**	—	—	—	
		Consisting of:—				
	E.B6.81.6227	**PLATE,** adaptor	1	L.72	—	
		Attaching parts for E.B6.81.6227:—				
28D/9436920	A25/1C	Bolt, 2 BA	4	—	C	
5CY/5314	GC/3LV/14	**PLUG,** external power supply, 28 volts	1	—	C	
		Attaching parts for GC/3LV/14:—				
28D/9133011	A25/2C	Bolt, 2 BA	6	—	C	
	E.B6.81.6235	Gasket, rubber, $\frac{3}{32}$" thick	1	DTD.5543	—	
28W/9416643	SP.47/C	Washer	6	—	C	
	—	**STOWAGE, PLUG, INSTALLATION (E.A9.81.4601) (MOD. 2195)**				
		Spares for:—				
	E.B6.81.1767	**STOWAGE, PLUG, ASSEMBLY**	2	—	—	
		Spares for:—				
10H/0970055	CZ.51538	**CAP,** protective	6	—	C	
10H/0970209	Z.62225	**GASKET**	6	—	C	
10H/	Z.67012	**PANEL,** mounting	6	—	—	
10H/19069	Z.49011	**RING,** locking	6	—	C	
10H/0970124	Z.49013	**RING,** mounting	6	—	C	
		Attaching parts for E.B6.81.1767:—				
28D/9435711	A25/10B	Bolt, 4 BA	4	—	C	
28M/9403519	A27/BP	Nut, 4 BA	4	—	C	
	AS.2810/4/090	Tube, distance	4	L.62	LM	
28W/9419474	SP.15/B	Washer	4	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
3417	EEAS.132/9		**STRAP,** cable, c/w buckle	3	—	C	
3418	EEAS.132/12		**STRAP,** cable, c/w buckle	1	—	C	
			Attaching parts EEAS.132/9 and EEAS.132/12:—				
28D/1218385	AS.1248/2B		Bolt, 4 BA	1	—	C	
28M/10287	AGS.2001/B/1		Nut, 4 BA	1	—	C	
3420	EEAS.73		Plate, clamp	1	—	C	
5F/9434858	HV.3254		**STRAP,** cable	QR	—	C	
5F59454141	NY.18007A		**STRAP,** cable	QR	—	C	
5F/9138823	NT.3255		**STUD**	6	—	C	
5F/9138822	NY.3342		**STUD**	6	—	C	
2727	E.A1.81.232		**TRAY, ACCUMULATOR, ASSEMBLY**	1	—	B	
			Spares for:—				
	E.A3.81.2177		**ANGLE,** assembly, locking accumulator tray, L.H.	1	—	—	
	E.A3.81.2178		**ANGLE,** assembly, locking accumulator tray, R.H.	1	—	—	
			Attaching parts for E.A3.81.2177 and E.A3.81.2178:—				
28D/1013173	AS.1242/10C		Bolt, 2 BA	2	—	C	
28M/9403520	A27/CP		Nut, 2 BA	2	—	C	
28W/9416643	SP.47/C		Washer	2	—	C	
2743	E.A1.81.232E		**BUFFER,** rubber	2	Shore 55	C	
2744	E.A1.81.236		**FERRULE,** accumulator securing nut	8	—	C	
			Attaching parts for E.A1.81.236:—				
28D/9709461	AS.1242/3C		Bolt, 2 BA	2	—	C	
28M/9403520	A27/CP		Nut, 2 BA	2	—	C	
28W/1007983	AGS.162/C		Washer	2	—	C	
	E.A1.81.273		Washer, packing, 14 SWG (As required)	2	L.72	LM	
	E.A1.81.274		Washer, packing, 14 SWG (As required)	2	L.72	LM	
2745	E.A1.81.235		NUT, wing, securing accumulator	8	—	C	
	—		**WIRING, FRAMES 12–13, PORT AND STARBOARD, ASSEMBLY (E.A9.81.2253)**	—	—	—	
			Spares for:—				
5CZ/1947	†		**BLOCK,** terminal, dummy, type J	1	—	C	
			Attaching parts for Ref. 5CZ/1947:—				
28D/1200119	A25/4C		Bolt, 2 BA	2	—	C	
28M/10328	AGS.2002/C/1		Nut, 2 BA	2	—	C	
28W/9419402	SP.13/C		Washer	2	—	C	
3416	EEAS.132/7		**STRAP,** cable, c/w buckle	3	—	C	
3417	EEAS.132/9		**STRAP,** cable, c/w buckle	2	—	C	
3418	EEAS.132/12		**STRAP,** cable, c/w buckle	3	—	C	
3419	EEAS.132/15		**STRAP,** cable, c/w buckle	1	—	C	
			Attaching parts for EEAS.132/7, EEAS.132/9, EEAS.132/12 and EEAS.132/15:—				
28D/8337	AS.1248/1B		Bolt, 4 BA	1	—	C	
28M/10287	AGS.2001/B/1		Nut, 4 BA	1	—	C	
28M/9403519	A27/BP		Nut, 4 BA (As required)	1	—	C	
3420	EEAS.73		Plate, clamp (As required)	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
3614	EEAS.132/18	**STRAP,** cable, c/w buckle	3	—	C	
5F/9434857	HV.3341	**STRAPPING,** cable, 0·"5 wide	QR	—	C	
5F/2282	HV.3342	**STUD**	10	—	C	
	—	**WIRING, FRAMES 13–14, ASSEMBLY (E.A9.81.4267 AND E.A9.81.4269) (MOD. 2370)**	—	—	—	
		Spares for:—				
5X/9402147	AS.2634	**BOARD,** terminal, 3-way	2	—	C	
		Attaching parts for AS.2634:—				
28M/10287	AGS.2001/B/1	Nut, 4 BA	2	—	C	
29S/1200040	A31/B20	Screw, 4 BA	2	—	C	
28W/9419465	SP.13/B	Washer	2	—	C	
7729	E.A3.81.1279	**BOLT,** attachment for cocking indicator plug ...	1	S.1	C	
	E.A9.81.2285	**BRACKET,** mounting, micro switch, L.H.	1	L.72	—	
	E.A9.81.2286	**BRACKET,** mounting, micro switch, R.H.	1	L.72	—	
5X/9402795	AS.2602	**COVER,** terminal board	2	—	C	
5X/9400057	AS.2676	**FERRULE,** No. 8	2	—	C	
25480	E.A9.81.3325	**PLUNGER,** assembly, micro switch	2	—	C	
		Attaching parts for E.A9.81.3325:—				
28D/1008149	A25/2B	Bolt, 4 BA	4	—	C	
28W/9419465	SP.13/B	Washer	4	—	C	
5X/9994577	AS.2605/2	**SOCKET,** terminal	6	—	C	
3417	EEAS.132/9	**STRAP,** cable, c/w buckle	1	—	C	
3419	EEAS.132/15	**STRAP,** cable, c/w buckle	1	—	C	
5F/9434858	HV.3254	**STRAPPING,** cable, 0·"3 wide	QR	—	C	
5F/9434857	HV.3341	**STRAPPING,** cable, 0·"5 wide	QR	—	C	
5F/9138823	NT.3255	**STUD**	8	—	C	
5F/2282	HV.3342	**STUD**	12	—	C	
5CW/4742	C.1831Y.MK1	**SWITCH,** micro	4	—	A	
		Attaching parts for C.1831Y-MK.1:—				
28D/1011025	A.25/24C	Bolt, 2 BA	3	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	3	—	C	
28W/9419475	SP.15/C	Washer	3	—	C	
5CW/9438275	BZ.38H	**SWITCH,** micro, type 1A	2	—	B	
		Attaching parts for BZ.38H:—				
28D/9435711	A.25/10B	Bolt, 4 BA	2	—	C	
7724	EEAS.28/2EPH	**WASHER**	8	—	C	
	—	**WIRING, NO. 1 FUEL TANK TRANSMITTER FR.13–14, ASSEMBLY (E.A3.81.387)**	—	—	—	
		Spares for:—				
	SMITH WAYMOUTH					
6A/2763	JLA/103/60	**BOX,** cable connection	1	—	B	
		Attaching parts for JLA/103/60:—				
28D/1200119	A.25/4C	Bolt, 2 BA	2	—	C	
28M/10328	AGS.2002/C/1	Nut, 2 BA	2	—	C	
	AS.2809/4/030	Tube, distance	2	L62	LM	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
7725	EEAS.133		**BRACKET**	1	—	C	
			Attaching parts for EEAS.133:—				
28M/10287	AGS.2001/B/1		Nut, 4 BA	1	—	C	
28S/9419435	A31/B12		Screw, 4 BA	1	—	C	
	—		**WIRING AND SUPPRESSORS, FRAMES 14–15, ASSEMBLY (E.B6.81.751)**	—	—	—	
			Spares for:—				
5CZ/868	†		**BLOCK,** terminal, type B No. 1, 5-way	2	—	C	
			Attaching parts for Ref. 5CZ/868:—				
28M/9403518	A27/AP		Nut, 6 BA	2	—	C	
28S/1200062	A33/A20		Screw, 6 BA	2	—	C	
28W/9416641	SP.47/A		Washer	2	—	C	
3416	EEAS.132/7		**STRAP,** cable, c/w buckle	1	—	C	
			Attaching parts for EEAS.132/7:—				
28D/1218368	AS.1248/3B		Bolt, 4 BA	1	—	C	
28M/10287	AGS.2001/B/1		Nut, 4 BA	1	—	C	
3420	EEAS.73		Plate, clamp	1	—	C	
5CY/2967	†		**SUPPRESSOR,** type O, No. 2	2	—	A	
			Attaching parts for Ref. 5CY/2967:—				
28D/1008149	A25/2B		Bolt, 4 BA	4	—	C	
28M/9403519	A27/BP		Nut, 4 BA	4	—	C	
28W/9416642	SP.47/B		Washer	4	—	C	
12030	EEAS.21/2ER		**WASHER,** "D"	1	—	C	
			WIRING, FRAMES 15, 16, ASSEMBLY (E.A9.81.2277)	—	—	—	
			Spares for:—				
5CZ/432	†		**BLOCK,** terminal, type B, 3-way, No. 1	1	—	C	
			Attaching parts for Ref. 5CZ/432:—				
28M/9403518	A27/AP		Nut, 6 BA	2	—	C	
28S/1200062	A33/A20		Screw, 6 BA	2	—	C	
28W/9416641	SP.47/A		Washer	2	—	C	
6734	EEAS.136		**BRACKET** (Mod. 3731)	2	—	C	
	E.A9.81.2309		**BRACKET,** plug	1	—	—	
41407	E.A9.81.2843		**CLIP,** saddle	1	—	C	
			Attaching parts for E.A9.81.2843:—				
28D/9133012	A25/3C		Bolt, 2 BA	2	—	C	
28M/10288	AGS.2001/C/1		Nut, 2 BA	2	—	C	
	E.A9.81.6107		**CLIP,** saddle (Mod. 4330) (For A/C with Mod. 2195)	1	—	—	
			Attaching parts for E.A9.81.6107:—				
28D/9133011	A25/2C		Bolt, 2 BA	2	—	C	
28M/10288	AGS.2001/C/1		Nut, 2 BA	2	—	C	
28W/9419475	SP.15/C		Washer	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	EEAS.132/17	**STRAP,** cable, c/w buckle	1	—	C	
3614	EEAS.132/18	**STRAP,** cable, c/w buckle	1	—	C	
		Attaching parts for EEAS.132/17 and EEAS.132/18:—				
28D/1218386	AS.1248/3B	Bolt, 4 BA	1	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	1	—	C	
3420	EEAS.73	Plate, clamp	1	—	C	
5F/9434857	HV.3341	**STRAPPING,** cable	QR	—	C	
5F/2282	HV.3342	**STUD**	QR	—	C	
	E.A9.81.2279	**WIRING, FRAMES 16–17, ASSEMBLY**	—	—	—	
		Spares for:—				
41407	E.A9.81.2843	**CLIP,** saddle (Pre-Mod. 4347) (For A/C with Mod. 2195)	1	—	C	
		Attaching parts for E.A9.81.2843:—				
28D/9140644	A25/9C	Bolt, 2 BA	2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	2	—	C	
	E.A9.81.2845	Strap	1	—	—	
	E.A9.81.2847	Washer, spacing	2	—	—	
	E.A9.81.6171	**CLIP,** saddle (Mod. 4347) (For A/C without Mod. 2195)	1	—	—	
		Attaching parts for E.A9.81.6171:—				
28D/9133012	A25/3C	Bolt, 2 BA	1	—	C	
28D/9140644	A25/9C	Bolt, 2 BA	1	—	C	
	E.A9.81.6175	Strap	1	—	—	
	E.A9.81.2847	Washer, spacing	1	—	—	
3416	EEAS.132/7	**STRAP,** cable, c/w buckle	1	—	C	
		Attaching parts for EEAS.132/7:—				
28D/1218385	AS.1248/3B	Bolt, 4 BA	1	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	1	—	C	
3420	EEAS.73	Plate, clamp	1	—	C	
5F/9434857	HV.3341	**STRAP**	QR	—	C	
5F/2282	HV.3342	**STUD**	6	—	C	
5F/2034	†	**TUBE,** P.V.C.	QR	—	C	
5F/2030	†	**TUBE,** P.V.C.	QR	—	C	
		WIRING, FRAMES 17–18, ASSEMBLY (E.A9.81.2273)	—	—	—	
		Spares for:—				
	E.A9.81.6113	**BRACKET,** attachment (Mod. 4330)	1	—	—	
		Attaching parts for E.A9.81.6113:—				
28D/9140202	AS.1246/1C	Bolt, 2 BA	4	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	4	—	C	
28W/9419475	SP.15/C	Washer	4	—	C	
32A/0119481	†	**CORD,** nylon (Mod. 4129)	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.2837		**FAIRLEAD,** half, fuselage to wing, port	1	—	—	
	E.A9.81.2839		**FAIRLEAD,** half, fuselage to wing, port	1	—	—	
	E.A9.81.2838		**FAIRLEAD,** half, fuselage to wing, starboard ...	1	—	—	
	E.A9.81.2840		**FAIRLEAD,** half, fuselage to wing, starboard ...	1	—	—	
			Attaching parts for E.A9.81.2837, E.A9.81.2839, E.A9.81.2838 and E.A9.81.2840:— (Per pair)				
28D/1215079	AS.1246/6C		Bolt, 2 BA	4	—	C	
28M/9403520	A27/CP		Nut, 2 BA	6	—	C	
28S/1200047	A31/C24		Screw, 2 BA	2	—	C	
28W/9416643	SP.47/C		Washer	6	—	C	
28W/9419475	SP.15/C		Washer	6	—	C	
	E.A9.81.2759		**FAIRLEAD,** fuselage to wing	2	—	—	
3614	EEAS.132/18		**STRAP** cable, c/w buckle (Mod. 4330 and Mod. 4347) (1 off for A/C not embodying Mod. 2195)	2	—	C	
			Attaching parts for EEAS.132/18:—				
28D/1218385	AS.1248/2B		Bolt, 4 BA	1	—	C	
28M/10287	AGS.2001/B/1		Nut, 4 BA	1	—	C	
	E.A9.81.2841		Plate, clamp (As required)	1	—	—	
	E.B6.81.10177		Strap, support (As required)	1	—	—	
5F/9434857	HV.3341		**STRAPPING,** cable	QR	—	C	
5F/2282	HV.3342		**STUD**	6	—	C	
5F/2232	†		**TAPE,** insulating, adhesive (Mod. 4129)	QR	—	C	
	—		**WIRING AND SUPPRESSOR, FRAMES 18-19, ASSEMBLY (E.A9.81.2275)**	—	—	—	
			Spares for:—				
5CZ/868	†		**BLOCK,** terminal, type B, 5-way, No. 1	2	—	C	
			Attaching parts for Ref. 5CZ/868:—				
28M/9403518	A27/AP		Nut, 6 BA	2	—	C	
28S/1200062	A33/A20		Screw, 6 BA	1	—	C	
28S/9133018	A33/A28		Screw, 6 BA	1	—	C	
28W/9419485	SP.16/A		Washer	2	—	C	
28W/9416641	SP.47/A		Washer	2	—	C	
	E.A9.81.6113		**BRACKET,** strap support (Mod. 4330 or 4347) ...	1	—	—	
			Attaching parts for E.A9.81.6113:—				
28D/1007979	AS.1246/1B		Bolt, 4 BA	4	—	C	
28M/10287	AGS.2001/B/1		Nut, 4 BA	4	—	C	
28W/9419474	SP.15/B		Washer	4	—	C	
	CANNON CA.2182-10		**RECEPTACLE,** dummy (Mod. 3731)	1	—	—	
			Attaching parts for CA.2182-10:—				
28M/10287	AGS.2001/B/1		Nut, 4 BA	4	—	C	
28S/9992522	A32/B16		Screw, 4 BA	4	—	C	
28W/9419465	SP.13/B		Washer	4	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.B6.81.11167	**RECEPTACLE, DUMMY, INSTALLATION (MOD. 4341 or 4343)**	—	—	—	
		Spares for:—				
	97-181-22	**RECEPTACLE,** dummy	1	—	—	
		Attaching parts for 97-181-22:—				
	E.B6.81.11157	Plate, mounting, assembly	1	—	—	
28S/1200041	A31/A24	Screw, 6 BA	4	—	C	
28W/9419464	SP.13/A	Washer	4	—	C	
5X/6493	Z.24933	**SHELL,** plug, size C	1	—	C	
5X/6495	Z.29252	**SHELL,** plug, size Z	1	—	C	
		Attaching parts for Z.24933 and Z.29252:—				
28M/9403518	A27/AP	Nut, 6 BA	4	—	C	
28S/9419437	A31/A16	Screw, 6 BA	4	—	C	
28W/9416641	SP.47/A	Washer	4	—	C	
3417	EEAS.132/9	**STRAP,** cable, c/w buckle, port	1	—	C	
3418	EEAS.132/12	**STRAP,** cable, c/w buckle, starboard ... ... (Pre-Mod. 4330 or 4347)	1	—	C	
		Attaching parts for EEAS.132/9 and EEAS.132/12):—				
28D/8337	AS.1248/1B	Bolt, 4 BA	1	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	1	—	C	
7735	E.B6.81.745	Plate, clamp, port	1	—	C	
3420	EEAS.73	Plate, clamp, starboard	1	—	C	
3419	EEAS.132/15	**STRAP,** c/w buckle	2	—	C	
		Attaching parts for EEAS.132/15:—				
28D/1007973	AS.1242/2B	Bolt, 4 BA	1	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	1	—	C	
	E.B6.81.10177	Support, strap	1	—	C	
28W/9419474	SP.15/B	Washer	1	—	C	
5F/9454141	NY.16007A	**STRAPPING,** cable	QR	—	C	
5F/9138822	NY.3342	**STUD**	6	—	C	
5CY/2967	†	**SUPPRESSOR,** type O, No. 2	2	—	A	
		Attaching parts for Ref. 5CY/2967:—				
28D/1008149	A25/2B	Bolt, 4 BA (As required)	4	—	C	
28D/9140638	A25/4B	Bolt, 4 BA (As required)	4	—	C	
28M/9403519	A27/BP	Nut, 4 BA	4	—	C	
	AS.2806/4/02	Tube, distance (As required)	4	T35	LM	
28W/9416642	SP.47/B	Washer	4	—	C	
	—	**WIRING, FRAMES 19-20, ASSEMBLY (E.A3.81.1265)**	—	—	—	
		Spares for:—				
5X/3276	CZ.50205	**BLOCK,** terminal, type G, 2-way	2	—	B	
		Attaching parts for CZ.50205:—				
28M/10287	AGS.2001/B/1	Nut, 4 BA	2	—	C	
5X/3278	Z.28426	Pillar, fixing	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	SMITH WAYMOUTH					
6A/2764	JLA/103/61	**BOX,** cable, connection	1	—	B	
		Attaching parts for JLA/103/61:—				
28D/9436920	A25/1C	Bolt, 2 BA	2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	2	—	C	
7725	EEAS.133	**BRACKET,** clip mounting	2	—	C	
		Attaching parts for EEAS.133:—				
28M/10287	AGS.2001/B/1	Nut, 4 BA	1	—	C	
28S/9419435	A31/B12	Screw 4 BA	1	—	C	
5X/3272	CZ.26799	**COVER,** terminal block	2	—	C	
3417	EEAS.132/9	**STRAP,** cable, c/w buckle, port	1	—	C	
3418	EEAS.132/12	**STRAP,** cable, c/w buckle, starboard	1	—	C	
		Attaching parts for EEAS.132/9 and EEAS.132/12:—				
28D/8337	AS.1248/1B	Bolt, 4 BA	1	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	1	—	C	
3420	EEAS.73	Plate, clamp, port	1	—	C	
7735	E.B6.81.745	Plate, clamp, starboard	1	—	C	
	—	**WIRING, FRAMES 20–21, ASSEMBLY (E.B6.81.735)**	—	—	—	
		Spares for:—				
	E.B6.81.737	**BRACKET,** cable support, across cold air pipe ...	1	—	—	
		Attaching parts for E.B6.81.737:—				
28D/9128739	A25/$\frac{1}{2}$B	Bolt, 4 BA	3	—	C	
28M/9403519	A27/BP	Nut, 4 BA	3	—	C	
	EEAS.28/6DU	Washer	3	—	C	
	E.A9.81.6113	**BRACKET,** cable support (Mod. 4330 or 4347)	1	—	—	
		Attaching parts for E.A9.81.6113:—				
28D/1007979	AS.1246/1B	Bolt, 4 BA (Pre-Mod. 2195)	4	—	C	
28D/9140202	AS.1246/1C	Bolt, 2 BA (Post-Mod. 2195)	4	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA (Pre-Mod. 2195)	4	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA (Post-Mod. 2195)	4	—	C	
28W/9419474	SP.15/B	Washer (Pre-Mod. 2195)	4	—	C	
28W/9419475	SP.15/C	Washer (Post-Mod. 2195)	4	—	C	
	E.B6.81.747	**CLIP,** cable, frame 21	1	—	—	
		Attaching parts for E.B6.81.747:—				
28S/1200034	A31/B16	Screw, 4 BA	2	—	C	
28W/9416642	SP.47/B	Washer	2	—	C	
3416	EEAS.132/7	**STRAP,** cable, c/w buckle, port	1	—	C	
		Attaching parts for EEAS.132/7:—				
28D/8337	AS.1248/1B	Bolt, 4 BA	1	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	1	—	C	
7735	E.B6.81.745	Plate, clamp, port	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
3419	EEAS.132/15	**STRAP,** cable c/w buckle (Mod. 4330 or 4347) ...	2	—	C	
		Attaching parts for EEAS.132/15:—				
28D/1007973	AS.1242/2B	Bolt, 4 BA	1	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	1	—	C	
	E.B6.81.10177	Support strap	1	—	—	
28W/9419474	SP.15/B	Washer	1	—	C	
	—	**WIRING, FRAMES 21-22, ASSEMBLY (E.A9.81.2265)**	—	—	—	
		Spares for:—				
32348	E.A9.81.3969	**BOLT,** special, ¼" BSF at earth point	1	—	C	
7731	E.A3.81.1715	**BRACKET**	1	—	C	
		Attaching parts for E.A3.81.1715:—				
28D/1010658	A25/1B	Bolt 4 BA	1	—	C	
28W/9416642	SP.47/B	Washer	1	—	C	
7725	EEAS.133	**BRACKET**	4	—	C	
		Attaching parts for EEAS.133:—				
28M/10287	AGS.2001/B/1	Nut, 4 BA	1	—	C	
28S/1200034	A31/B16	Screw, 4 BA	1	—	C	
	E.A9.81.6103	**BRACKET,** mounting, assembly (Mod. 4330 and 4347)	1	—	—	
		Attaching parts for E.A9.81.6103:—				
28D/9140202	AS.1246/1C	Bolt, 2 BA	4	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	4	—	C	
28W/9419475	SP.15/C	Washer	4	—	C	
	E.A9.81.6113	**BRACKET,** strap attachment (Mod. 4330 and 4347)	1	L.72	—	
		Attaching parts for E.A9.81.6113:—				
28D/9140202	AS.1246/1C	Bolt, 2 BA	4	—	C	
28W/9419475	SP.15/C	Washer	4	—	C	
32A/0119481	†	**CORD,** nylon, P.V.C. covered	QR	—	C	
10H/19494	CZ.62277/1	**PLUG/SOCKET,** bulkhead, type 60	1	—	B	
10H/19495	CZ.62277/2	**PLUG/SOCKET,** bulkhead, type 61	1	—	C	
10H/19481	CZ.62275	**PLUG/SOCKET,** bulkhead, type 47	1	—	B	
5X/6265	CZ.50370	**PLUG,** bulkhead, size D (Pre-Mod. 3382)	2	—	C	
5X/7171	2CZ.111433	**PLUG,** bulkhead, size D (Mod. 3382)	2	—	C	
10H/19160	†	**PLUG,** bulkhead, type 757	2	—	B	
5X/6943	Z.24933	**SHELL,** plug, size C	1	—	C	
5X/6495	Z.49252	**SHELL,** plug, size Z	1	—	C	
		Attaching parts for Z.24933 and Z.49252:—				
28M/10286	AGS.2001/A/1	Nut, 6 BA	1	—	C	
28S/9419437	A31/A16	Screw, 6 BA	4	—	C	
3419	EEAS.132/15	**STRAP,** cable, c/w buckle (Mod. 4330 and 4347)	3	—	C	
		Attaching parts for EEAS.132/15:—				
28D/1007973	AS.1242/2B	Bolt, 4 BA	1	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	1	—	C	
	E.B6.81.10177	Support, strap	1	L.72	—	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.B6.81.11187		**STRAP, CABLE, FRAMES 21–22 INSTALLATION (MOD. 4341 and 4343)**	—	—	—	
			Spares for:—				
3416	EEAS.132/7		**STRAP,** cable, c/w buckle	1	—	C	
			Attaching parts for EEAS.132/7:—				
28D/1007973	AS.1242/2B		Bolt, 4 BA	1	—	C	
28M/10287	AGS.2001/B/1		Nut, 4 BA	1	—	C	
	E.B6.81.10177		Support, strap	1	L72	—	
28W/9419465	SP.13/B		Washer	1	—	C	
	EEAS.28/15EW		**WASHER,** for earth bolt	3	—	—	
	—		**WIRING, FRAMES 22–23, ASSEMBLY (E.A9.81.4223) (MOD. 2195)**	—	—	—	
			Spares for:—				
	E.A9.81.3543		**RING,** D (Mod. 4330 or 4347)	1	—	—	
3416	EEAS.132/7		**STRAP,** cable, c/w buckle (Mod. 4330 or 4347)	1	—	C	
3419	EEAS.132/15		**STRAP,** cable, c/w buckle	1	—	C	
38761	E.B6.81.4411		**STRAP,** cable	1	—	C	
	E.B6.81.10177		**SUPPORT,** strap (Mod. 4330 or 4347)	1	—	—	
	—		**WIRING AND SUPPRESSORS, FRAMES 23–24, ASSEMBLY (E.A9.81.3581) (MOD. 2142)**	—	—	—	
			Spares for:—				
5CZ/868	†		**BLOCK,** terminal type B, No. 1, 5-way	2	—	C	
			Attaching parts for Ref. 5CZ/868:—				
28M/9403518	A27/AP		Nut, 6 BA	2	—	C	
28S/1200062	A33/A20		Screw, 6 BA	2	—	C	
28W/9416641	SP.47/A		Washer	2	—	C	
	CANNON						
10H/9454299	2182–8		**RECEPTACLE,** dummy	1	—	C	
	CANNON						
10H/	2182–13		**RECEPTACLE,** dummy	1	—	—	
			Attaching parts for 2182–8 and 2182–13:—				
28M/10287	AGS.2001/B/1		Nut, 4 BA	4	—	C	
28S/1200034	A31/B16		Screw, 4 BA	4	—	C	
28W/9419465	SP.13/B		Washer	4	—	C	
38761	E.B6.81.4411		**STRAP,** cable	1	—	C	
3418	EEAS.132/12		**STRAP,** cable, c/w buckle	1	—	C	
			Attaching parts for EEAS.132/12:—				
28D/1218385	AS.1248/2B		Bolt, 4 BA	1	—	C	
28M/10287	AGS.2001/B/1		Nut, 4 BA	1	—	C	
3420	EEAS.73		Plate, clamp	1	—	C	
5CY/2967	†		**SUPPRESSOR,** type O, No. 2	2	—	A	
			Attaching parts for Ref. 5CY/2967:—				
28D/1008149	A25/2B		Bolt, 4 BA	4	—	C	
28M/9403519	A27/BP		Nut, 4 BA	4	—	C	
28W/9416642	SP.47/B		Washer	4	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	—	**WIRING, FRAMES 24–25, ASSEMBLY (E.B6.81.1749) (MOD. 2195)**	..	—	–	
		Spares for:—				
	SMITH WAYMOUTH					
6A/2765	JLA/103/J	**BOX,** cable, connection (Pre-Mod. 3391)	1	—	B	
6A/7515	JY/86	**BOX,** cable, connection (Mod. 3391)	1	—	B	
		Attaching parts for JLA/103/J or JY/86:—				
28D/9436920	A25/1C	Bolt, 2 BA	2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	2	—	C	
	E.A3.81.1807	**BRACKET,** plug	1	L.72	--	
10H/0970056	CZ.51539	**CAP,** protective	2	—	C	
26902	E.A9.81.2105	**COVER,** assembly	1	—	C	
10H/0560140	CZ.50143/1	**PLUG,** fixed	1	—	C	
10H/0560541	CZ.50143	**PLUG,** fixed	1	—	C	
	CANNON					
10H/9454299	2182-8	**RECEPTACLE,** dummy	1	—	C	
		Attaching parts for 2182-8:—				
28M/10287	AGS.2001/B/1	Nut, 4 BA	4	—	C	
28S/1007817	A32/B24	Screw, 4 BA	4	—	C	
	AS.2810/4/050	Tube, distance	4	L.62	LM	
28W/9419474	SP.15/B	Washer	4	—	C	
3418	EEAS.132/12	**STRAP,** cable, c/w buckle	2	—	C	
		Attaching parts for EEAS.132/12:—				
28D/1218385	AS.1248/2B	Bolt, 4 BA	1	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	1	—	C	
3420	EEAS.73	Plate clamp	1	—	C	
	—	**WIRING, REAR TANK BULKHEAD, FRAME 27 ASSEMBLY (E.A9.81.839)**	--	—	--	
		Spares for:—				
5X/1002694	CZ.50207	**BLOCK,** terminal, 5-way	1	—	C	
		Attaching parts for CZ.50207:—				
28D/1214867	AS.1246/5B	Bolt, 4 BA	2	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	2	—	C	
6734	EEAS.136	**BRACKET**	6	—	C	
	E.B7.81.923	**BRACKET**	2	—	—	

Ref. No.	Part No.	1	2	3	4	5	6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.

445 - 476 (AL.18)

Pages ~~457~~ 447 to 476 not issued

Alt. 437

ELECTRICAL

ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		SUMMARY OF STOCK ITEMS USED ON ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE, ASSEMBLY				
28D/1007971	A25/½B	**Bolt,** 4 BA, hex. head, 0·"45 long			C	
28D/1010658	A25/1B	**Bolt,** 4 BA, hex. head, 0·"5 long			C	
28D/1008149	A25/2B	**Bolt,** 4 BA, hex. head, 0·"60 long			C	
28D/9140638	A25/4B	**Bolt,** 4 BA, hex. head, 0·"80 long			C	
28D/1010029	A25/6B	**Bolt,** 4 BA, hex. head, 1" long			C	
28D/9438275	A25/10B	**Bolt,** 4 BA, hex. head, 1·"40 long			C	
28D/9436920	A25/1C	**Bolt,** 2 BA, hex. head, ·"55 long			C	
28D/9133011	A25/2C	**Bolt,** 2 BA, hex. head, 0·"65 long			C	
28D/1200119	A25/4C	**Bolt,** 2 BA, hex. head, 0·"85 long			C	
28D/1011025	A25/24C	**Bolt,** 2 BA, hex. head, 2·"85 long			C	
28D/1008151	A25/4E	**Bolt,** ¼" BSF, hex. head, 0·"90 long			C	
28D/1215686	A59/7E	**Bolt,** ¼" BSF, hex. head, 1·"20 long			C	
28D/9709461	AS.1242/3C	**Bolt,** 2 BA, c'sk head, 0·"75 long			C	
28D/1013173	AS.1242/10C	**Bolt,** 2 BA, c'sk head, 1·"45 long			C	
28D/1212825	AS.1242/4E	**Bolt,** ¼" BSF, c'sk head, 0·"90 long			C	
28D/1214867	AS.1246/5B	**Bolt,** 4 BA, round head, 0·"90 long			C	
28D/1215079	AS.1246/6C	**Bolt,** 2 BA, round head, 1·"05 long			C	
28D/8337	AS.1248/1B	**Bolt,** 4 BA, mushroom head, 0·"50 long			C	
28D/1218385	AS.1248/2B	**Bolt,** 4 BA, mushroom head, 0·"60 long			C	
28D/1218386	AS.1248/3B	**Bolt,** 4 BA, mushroom head, 0·"70 long			C	
28M/9403518	A27/AP	**Nut,** 6 BA			C	
28M/9403519	A27/BP	**Nut,** 4 BA			C	
28M/9403520	A27/CP	**Nut,** 2 BA			C	
28M/1011467	A27/ES	**Nut,** ¼" BSF			C	
28M/10286	AGS.2001/A/1	**Nut,** stiff, 6 BA			C	
28M/10287	AGS.2001/B/1	**Nut,** stiff, 4 BA			C	
28M/10288	AGS.2001/C/1	**Nut,** stiff, 2 BA			C	
28M/10326	AGS.2002/A/1	**Nut,** stiff, 6 BA			C	
28M/10328	AGS.2002/C/1	**Nut,** stiff, 2 BA			C	
28P/19175	SP.90/E5	**Pin,** split			C	
28S/1200044	A31/A14	**Screw,** 6 BA, cheesehead, 7/16" long			C	
28S/9419437	A31/A16	**Screw,** 6 BA, cheesehead, ½" long			C	
28S/9419435	A31/B12	**Screw,** 4 BA, cheesehead, ⅜" long			C	
28S/1200034	A31/B16	**Screw,** 4 BA, cheesehead, ½" long			C	
28S/1200040	A31/B20	**Screw,** 4 BA, cheesehead, ⅝" long			C	
28S/1200039	A31/B32	**Screw,** 4 BA, cheesehead, 1" long			C	
28S/9130095	A31/C14	**Screw,** 2 BA, cheesehead, 7/16" long			C	
28S/1200047	A31/C24	**Screw,** 2 BA, cheesehead, ¾" long			C	
28S/1006948	A32/A12	**Screw,** 6 BA, roundhead, ⅜" long			C	
28S/9992525	A32/B12	**Screw,** 4 BA, roundhead, ⅜" long			C	
28S/9995376	A32/B20	**Screw,** 4 BA, roundhead, ⅝" long			C	
28S/1007817	A32/B24	**Screw,** 4 BA, roundhead, ¾" long			C	
28S/1011488	A32/B28	**Screw,** 4 BA, roundhead, ⅞" long			C	
28S/9133018	A33/A28	**Screw,** 6 BA, c'sk head, ⅞" long			C	
28S/9130752	A43/B24	**Screw,** 4 BA, cheesehead, ¾" long			C	
28S/1012358	A43/B32	**Screw,** 4 BA, cheesehead, 1" long			C	
28W/9419465	SP.13/B	**Washer,** plain, 4 BA			C	
28W/9419402	SP.13/C	**Washer,** plain, 2 BA			C	
28W/9419473	SP.15/A	**Washer,** plain, 6 BA			C	
28W/9419474	SP.15/B	**Washer,** plain, 4 BA			C	

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.

ELECTRICAL

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.713	**ELECTRICAL EQUIPMENT IN REAR FUSELAGE ASSEMBLY**	—	—	—	
		Spares for:—				
5W/4695	†	**ACTUATOR,** rudder bias, type 258, Mk. 6	1	—	A	
5W/4697	†	**ACTUATOR,** tailplane, type AE 4022, Mk. 2 ...	1	—	A	
5CZ/430	†	**BLOCK,** terminal, type B, 2-way, No. 1, at frame 46	1	—	C	
		Attaching parts for Ref. 5CZ/430:—				
28S/1200062	A33/A20	Screw, 6 BA	2	—	C	
	—	**BLOCK, TERMINAL, RADIO COMPASS INSTALLATION, FRAME 46 (E.A9.81.1195)**	—	—	—	
		Spares for:—				
5CZ/430	†	**BLOCK,** terminal, type B, 2-way, No. 1	1	—	C	
		Attaching parts for Ref. 5CZ/430:—				
28M/10286	AGS.2001/A/1	Nut, 6 BA	2	—	C	
28S/1200062	A33/A20	Screw, 6 BA	2	—	C	
	E.A9.81.5403	**BOX, JUNCTION, NO. 6, ASSEMBLY (MOD. 3351)**	—	—	—	
		Spares for:—				
5X/3181	CZ.23212/1	**BLOCK,** terminal, 20-way	2	—	C	
		Attaching parts for CZ.23212/1:—				
28S/9130752	A43/B24	Screw, 4 BA	2	—	C	
	E.A1.81.583	**BOX,** 40-way	1	—	—	
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
32A/0119481	†	**CORD,** nylon, P.V.C.	QR	—	C	
18783	E.B7.81.963	**COVER,** assembly	1	—	C	
5X/6168	Z.23197	**GASKET,** sealing, size C	2	—	C	
5X/6169	Z.23198	**GASKET,** sealing, size D	2	—	C	
5X/1004082	Z.50210	**LINK,** 2-way	1	—	C	
5X/6315	Z.50215	**LINK,** 7-way	1	—	C	
5X/6185	CZ.50361	**PLUG,** size D, 26-way (Pre-Mod. 3382)	1	—	C	
5X/7159	2CZ.111229	**PLUG,** size D, 26-way (Mod. 3382)	1	—	C	
5K/9107065	EEAS.146/20	**SLEEVE,** cable	30	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** cable	27	—	C	
5X/1005131	Z.49428	**SLEEVE**	15	—	C	
5X/9450224	HC.510	**TAG,** Q.R.	1	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	15	—	C	
		Attaching parts for E.A9.81.5403:—				
28D/9436920	A25/1C	Bolt, 2 BA	4	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	4	—	C	
28W/9419402	SP.13/C	Washer	4	—	C	
	—	**BRACKET, MOUNTING, RELAY PANEL, INSTALLATION (E.B7.81.435)**	—	—	—	
		Spares for:—				
18757	E.B7.81.437	**BRACKET**	4	—	C	
	E.A1.81.252	**BRACKET,** cable strap	8	—	—	
18753	E.B7.81.331	**BRACKET,** mounting, cable clamp	1	—	C	
6734	EEAS.136	**BRACKET,** cable clips	5	—	C	
		Attaching parts for EEAS.136:—				
28D/1007979	AS.1246/1B	Bolt, 4 BA	1	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A1.81.367	**BRACKET**, plug mounting	1	—	—	
		Attaching parts for E.A1.81.367:—				
28S/9435712	A31/B8	Screw, 4 BA	3	—	C	
28S/1201448	A31/B10	Screw, 4 BA	1	—	C	
18782	E.B7.81.805	**CLAMP**, cable	1	—	C	
		Attaching parts for E.B7.81.805:—				
28D/1011013	A25/13B	Bolt, 4 BA	2	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	2	—	C	
28W/9419465	SP.13/B	Washer	2	—	C	
5X/7310	HC.1290	**CONNECTOR**, cable, at frames 38–39	3	—	C	
	—	**DIODE, CV.7019, INSTALLATION AT FRAMES 39–40 (E.A3.81.5857) (MOD. 3701) (PRE-MOD. 4335)**	—	—	—	
		Spares for:—				
5X/3276	CZ.50205	**BLOCK**, terminal, 2-way	1	—	C	
		Attaching parts for CZ.50205:—				
28M/10287	AGS.2001/B/1	Nut, 4 BA	2	—	C	
5X/9450403	Z.28426	Pillar, fixing	2	—	C	
28W/9419465	SP.13/B	Washer	2	—	C	
28E/9424956	AS.2295/1	**CLIP**, spring	1	—	C	
		Attaching parts for AS.2295/1:—				
28M/9403517	A47/Z	Nut, 8 BA	1	—	C	
28S/1011493	A32/Z10	Screw, 8 BA	1	—	C	
5X/3272	CZ.26799 FERRANTI	**COVER**, terminal block	1	—	C	
10CV/0372025	ZR.12	**DIODE**, type CV.7019	1	—	B	
5K/9107065	EEAS.146/16	**SLEEVE**	4	—	C	
	E.A3.81.6481	**DIODE, TAIL CIRCUIT INSTALLATION (MOD. 4335)**	—	—	—	
		Spares for:—				
1438549	E.A3.81.6473	**PLATE, MOUNTING DIODE, ASSEMBLY** ...	1	—	—	
		Spares for:—				
	E.A3.81.6477	**CABLE, ASSEMBLY, T.451, FROM T.100B RELAY TO DIODE**	1	—	—	
		Consisting of:—				
5E/3894	†	**CABLE**, Unitersil 20	QR	—	C	
5K/9107065	EEAS.146/16	**SLEEVE**	3	—	C	
5K/9107065	EEAS.146/20	**SLEEVE**	4	—	C	
5K/3643	WE.487	**TAG**	2	—	C	
	H.T.X.1380/4C	**CLIP**, "P"	1	—	—	
		Attaching parts for HTX.1380/4C:—				
28M/10287	AGS.2001/B/1	Nut, 4 BA	1	—	C	
28S/9435716	A33/B12	Screw, 4 BA	1	—	C	
	EEAS.238/1A	Washer	1	—	—	
28E/1008744	AS.2295/1	**CLIP**, spring	1	—	C	
10CV/7019	FERRANTI ZR12	**DIODE**	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A3.81.6475	**PLATE,** mounting, diode	1	L.72	—	
	156/SO/LP	**POST,** barb, binding	2	—	—	
		Attaching parts for E.A3.81.6473:—				
28M/10287	AGS.2001/B/1	Nut, 4 BA	2	—	C	
	E.A3.81.6479	Packing, $\frac{3}{16}$" thick, vinton rubber	1	DTD.5543	—	
28S/1200034	A31/B16	Screw, 4 BA	2	—	C	
	E.A1.81.41	**EQUIPMENT, ELECTRICAL, REAR FUSELAGE FAIRING, ASSEMBLY**	—	—	—	
		Spares for:—				
5L/9953294	†	**FILAMENT,** 28 volt, 12 watt	2	—	C	
	E.A1.81.91/1	**LIGHT, TAIL, UPPER ASSEMBLY**	1	—	—	
		Spares for:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5X/2785	Z.22430	**GROMMET,** No. 2	1	—	C	
5CX/4236	E.A1.81.978	**LIGHT, ASSEMBLY (LESS CABLE)**	1	—	C	
		Spares for:—				
5CX/4242	E.A1.81.332	**GLASS,** lamp protection	1	—	C	
5CX/887	†	**LAMP,** navigation, type B	1	—	C	
5CX/4234	E.A1.81.331	**SCREEN,** cap, dome mounting	1	—	C	
		Attaching parts for E.A1.81.331:—				
28M/10286	AGS.2001/A/1	Nut, 6 BA	2	—	C	
28S/1200056	A33/A10	Screw, 6 BA	2	—	C	
5K/9107065	†	**SLEEVE**	4	—	C	
5K/9107066	†	**SLEEVE**	2	—	C	
		Attaching parts for E.A1.81.91/1:—				
28M/9403518	A27/AP	Nut, 6 BA	4	—	C	
28W/9416641	SP.47/A	Washer	4	—	C	
	E.A1.81.92/1	**LIGHT, TAIL, LOWER, ASSEMBLY**	1	—	—	
		Spares for this assembly are identical with those for assembly Part No. E.A1.81.91/1 except for the following deletion:—				
		Delete:—				
5X/2785	Z.22430	**GROMMET,** No. 2	1	—	C	
5X/2788	Z.23672	**GROMMET,** No. 5	2	—	C	
	E.B6.81.10355	**LIGHT, ANTI-COLLISON, FRAMES 33-34, LOWER, INSTALLATION (MOD. 3351)**	—	—	—	
		Spares for:—				
40691	E.B6.81.10363	**COVER,** assembly	1	—	C	
		Attaching parts for E.B6.81.10363:—				
28FP/9488815	A4/30	Fastener	6	—	C	
23FP/9430916	S4/200	Spring	6	—	C	
5L/9952445	†	**FILAMENT,** 28 volt, 40 watt	1	—	C	
5CX/5315	FNL.50	**LAMP**	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.B6.81.10339		**LIGHT, ANTI-COLLISION, FRAMES 32-34, UPPER, AND FLASHER UNIT INSTALLATION (MOD. 3351)**	—	—	—	
			Spares for:—				
5L/9952445	†		**FILAMENT,** 28 volt, 40 watt	1	—	C	
5CX/5315	FNL.50		**LAMP**	1	—	C	
34314	E.B6.81.10341		**MEMBER,** support	1	—	C	
40688	E.B6.81.10347		**PLATE,** packing	1	—	C	
40687	E.B6.81.10345		**RING,** packing	1	—	C	
5CZ/5448	†		**UNIT,** flasher, type A	1	—	A	
			Attaching parts for Ref. 5CZ/5448:—				
28S/1200047	A31/C24		Screw, 2 BA	4	—	C	
	AS.2299/025		Tube, distance	4	—	C	
28W/9419402	SP.13/C		Washer	4	—	C	
	E.A9.81.837		**LOOMS, CABLE, ASSEMBLY**	—	—	—	
			Spares for:—				
	E.A1.81.802/2		**CABLE, ASSEMBLY, T94, FROM REAR BOMB BAY BULKHEAD TO PLUG PANEL REAR SCANNER**	1	—	—	
			Consisting of:—				
5E/9100010	†		**CABLE,** miniature 3 B	QR	—	C	
10H/20406	Z.54443		**FERRULE,** inner	1	—	C	
10H/20407	Z.54444		**FERRULE,** outer	1	—	C	
5X/1356	Z.2277/2		**FERRULE,** cut	1	—	C	
10H/0970058	Z.54184		**GASKET,** outlet	1	—	C	
10H/0970062	CZ.49180		**OUTLET,** straight	1	—	C	
10H/0970088	Z.49043		**RING,** sealing	1	—	C	
5K/9107065	†		**SLEEVE**	3	—	C	
5K/9107066	†		**SLEEVE**	3	—	C	
5K/9107068	†		**SLEEVE**	2	—	C	
10H/0560100	CZ.49015		**SOCKET,** free, Mk. 4	1	—	C	
5X/6823	CZ.56090		**SOCKET** (Alternative to 2CZ.111296)	1	—	B	
5X/7186	2CZ/111296		**SOCKET** (Alternative to CZ.56090)	1	—	C	
	E.A1.81.806/1		**CABLE, ASSEMBLY, CG, FROM JB6, TO TAIL NAVIGATION LIGHTS TERMINAL BLOCK**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/2785	Z.22430		**GROMMET,** No. 2	1	—	C	
5K/9107065	†		**SLEEVE**	2	—	C	
5K/9107066	†		**SLEEVE**	2	—	C	
5K/9107067	†		**SLEEVE**	2	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	2	—	C	
	E.A2.81.1065		**CABLE, ASSEMBLY, 6F, FROM JB6, TO RUDDER TRIM POSITION TRANSMITTER**	1	—	—	
			Consisting of:—				
5E/3115	†		**CABLE,** Quinprensheath 6	QR	—	C	
5X/2787	Z.22432		**GROMMET,** No. 4	2	—	C	
5K/9107065	†		**SLEEVE**	5	—	C	
5K/9107066	†		**SLEEVE**	5	—	C	
5K/9107069	†		**SLEEVE**	2	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	5	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.A3.81.5855		**CABLE, ASSEMBLY, T451, FROM DIODE TO RELAY AT FRAME 40 (MOD. 3701) (PRE-MOD. 4335)**	1	—	—	
			Consisting of:—				
5E/3894	†		**CABLE,** Unitersil 20	QR	—	C	
5K/9107066	EEAS.146/12		**SLEEVE**	1	—	C	
5K/	EEAS.146/12		**SLEEVE**	4	—	—	
5X/9450396	HC.490		**TAG,** Q.R.	2	—	C	
	E.A9.81.2193		**CABLE, ASSEMBLY, 6L, FROM JB6, TO A.Y.F. TERMINAL BLOCK**	1	—	—	
			Consisting of:—				
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5X/2785	Z.22430		**GROMMET,** No. 2	1	—	C	
5K/9107065	†		**SLEEVE**	2	—	C	
5K/9107066	†		**SLEEVE**	2	—	C	
5K/9107067	†		**SLEEVE**	3	—	C	
5X/9482491	HC.500		**TAG,** Q.R.	2	—	C	
	E.A9.81.2195		**CABLE, ASSEMBLY, 6M, FROM JB6, TO I.F.F. JB**	1	—	—	
			Consisting of:—				
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5X/2784	Z.26371		**GROMMET,** No. 1	2	—	C	
5K/9107065	†		**SLEEVE**	2	—	C	
5K/9107066	†		**SLEEVE**	2	—	—	
5X/9482491	HC.500		**TAG,** Q.R.	2	—	C	
	E.A9.81.2197		**CABLE, ASSEMBLY, 6N, FROM JB6, TO RADIO COMPASS TERMINAL BLOCK**	1	—	—	
			Consisting of:—				
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5X/9491421	Z.22431		**GROMMET,** No. 3	1	—	C	
5K/9107065	†		**SLEEVE**	2	—	C	
5K/9107066	†		**SLEEVE**	2	—	C	
5K/9107068	†		**SLEEVE**	2	—	C	
5X/9450224	HC.510		**TAG,** Q.R.	2	—	C	
	E.A9.81.3213		**CABLE, ASSEMBLY, 6C1, FROM RELAY PANEL TO UPPER TAILPLANE LIMIT SWITCHES (MOD. 1930)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5K/3701	2378		**SLEEVE,** junction	2	—	C	
5X/1005131	Z.49428		**SLEEVE,** cable	2	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5K/9107067	†		**SLEEVE**	2	—	C	
5X/6283	Z.55958		**TAG,** closed end	2	—	C	
5X/9400064	Z.19980		**THIMBLE**	2	—	C	
5F/	†		**TUBING,** P.V.C., 7 m/m x 1 m/m	QR	—	C	
	E.A9.81.3215		**CABLE, ASSEMBLY, 6B1, FROM RELAY PANEL TO LOWER TAILPLANE LIMIT SWITCHES (MOD. 1930)**	1	—	—	
			Spares for this assembly are identical with those for assembly Part No. E.A9.81.3213				

ELECTRICAL

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.3299/2		**CABLE, ASSEMBLY, T33, FROM BOMB BAY BULKHEAD TO ISOLATING RELAY** Consisting of:—	1	—	—	
5E/4189	†		**CABLE,** Uninyvin 8	QR	—	C	
5X/6413	EEAS.88/3		**FERRULE,** size C	1	—	C	
5X/9400083	Z.70017		**LUG,** Mk. 17	2	—	C	
5X/1531	Z.18501/B		**RING,** clamping	1	—	C	
5K/9107067	†		**SLEEVE**	4	—	C	
	EEAS.118/3/T33		**SLEEVE,** identification	2	—	—	
5X/6105	CZ.28000		**SOCKET,** size C, 4-way (Pre-Mod. 3382) ...	1	—	C	
5X/7204	2CZ.111463		**SOCKET,** size C, 4-way (Mod. 3382)	1	—	C	
	E.A9.81.3301/2		**CABLE, ASSEMBLY, T33L, FROM TAIL PLANE RELAY PANEL AND ISOLATING RELAY TO TAIL PLANE ACTUATOR LOW SPEED MOTOR** Consisting of:—	1	—	—	
5X/6749	SK.3360		**BUNG,** sealing	1	—	C	
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5E/4189	†		**CABLE,** Uninyvin 8	QR	—	C	
5X/6748	4370		**GLAND,** body, size D	1	—	C	
5X/7012	HC.350		**LUG,** Mk. 10A	2	—	C	
5X/9400083	Z.70017		**LUG,** Mk. 17	1	—	C	
5X/9400385	Z.77859		**LUG,** Mk. 5A	1	—	C	
5X/9400084	Z.70018		**LUG,** Mk. 18	2	—	C	
5K/	EEAS.118/2/T33L		**SLEEVE,** identification	2	—	—	
5K/9107066	†		**SLEEVE**	2	—	C	
5K/9107067	†		**SLEEVE**	4	—	C	
5K/9107068	†		**SLEEVE**	6	—	C	
5X/6109	CZ.27921		**SOCKET,** size D, 8-way (Pre-Mod. 3382) ...	1	—	C	
5X/7188	2CZ.111442		**SOCKET,** size D, 8-way (Mod. 3382)	1	—	C	
5F/9434857	HV.3341		**STRAP**	QR	—	C	
5F/2282	HV.3342		**STUD**	QR	—	C	
	E.A9.81.4739		**CABLE, ASSEMBLY, N37F/A FROM IN-LINE CONNECTOR FRAMES 38-39 TO RUDDER TRIM ACTUATOR** Consisting of:—	1	—	—	
5E/3114	†		**CABLE,** Triprensheath 6	QR	—	C	
5X/9491421	CZ.22431		**GROMMET,** No. 3	1	—	C	
5K/9107065	†		**SLEEVE**	6	—	C	
5K/9107069	†		**SLEEVE**	4	—	C	
	E.A9.81.5385		**CABLE, ASSEMBLY, 6R, FROM JB6, TO FLASHER UNIT AND UPPER AND LOWER ANTI-COLLISION LAMPS (MOD. 3351)** Consisting of:—	1	—	—	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
10H/0970292	CZ.69733		**CLAMP,** cable	1	—	C	
10H/0970108	Z.62235		**GASKET,** union	1	—	C	
10H/0970058	Z.60667		**GASKET,** outlet	1	—	C	
5X/9491421	CZ.22431		**GROMMET,** No. 3	1	—	C	
10H/	Z.49033		**OUTLET,** angle	1	—	C	
10H/0970088	Z.62229		**RING,** sealing	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
10H/0970096	Z.49037	**RING,** thrust	1	—	C	
5K/	EEAS.146/6	**SLEEVE**	14	—	—	
5K/	EEAS.146/12	**SLEEVE**	31	—	—	
5K/	EEAS.146/20	**SLEEVE**	14	—	—	
10H/0560100	CZ.49015	**SOCKET,** free	1	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	7	—	C	
	E.A9.81.5415/2	**CABLE, ASSEMBLY, T96, FROM BOMBAY BULKHEAD TO PLUG PANEL, TYPE 4224 (MOD 3841)**	1	—	—	
		Consisting of:—				
	EEAS.276/Z	**ADAPTOR,** outlet	1	—	—	
5E/9100007	†	**CABLE,** Miniature, 2Q	QR	—	C	
10H/0970075	Z.49048	**FERRULE,** outer	2	—	C	
10H/0970076	Z.49047	**FERRULE,** inner	2	—	C	
10H/0970058	Z.60667	**GASKET,** outlet	1	—	C	
10H/0970127	Z.49046	**NUT,** union	1	—	C	
10H/0970061	CZ.49178	**OUTLET,** straight	1	—	C	
10H/0970087	Z.62228	**RING,** sealing	2	—	C	
5K/	EEAS.146/2	**SLEEVE**	6	—	—	
5K/	EEAS.146/10	**SLEEVE**	4	—	—	
10H/0560090	CZ.49014	**SOCKET,** free, Mk. 4	1	—	C	
5X/7198	2CZ.111452	**SOCKET,** size Z. 2 way	1	—	C	
	E.A9.81.10157	**CABLE ASSEMBLY, 6Q, FROM JB6 TO DOWNWARD IDENT. LAMP (MOD. 2624)**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5X/2785	Z.22430	**GROMMET,** No. 2	1	—	C	
5K/9107065	†	**SLEEVE**	2	—	C	
5K/9107066	†	**SLEEVE**	2	—	C	
5K/9107067	†	**SLEEVE**	26	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	2	—	C	
	E.B6.81.2367	**CABLE, ASSEMBLY, T99, FROM ISOLATING RELAY T.100B, TO REVERSING RELAY PANEL**	1	—	—	
		Consisting of:—				
5E/4189	†	**CABLE,** Uninyvin 8	QR	—	C	
5X/9400083	Z.70017	**LUG** Mk. 18	1	—	C	
5X/9400084	Z.70018	**LUG,** Mk. 17	1	—	C	
5K/9107068	†	**SLEEVE**	3	—	C	
	E.B7.81.299/2	**CABLE, ASSEMBLY, T6, FROM JB6 TO REAR BOMB BAY BULKHEAD**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
5X/1526	Z.18500/D	**FERRULE,** size D	2	—	C	
5X/1533	Z.18501/D	**RING,** clamp	2	—	C	
5K/9109162	EEAS.118/5/T6	**SLEEVE,** identification	2	—	C	
5X/1005131	Z.49428	**SLEEVE**	32	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
5K/9107066	†		**SLEEVE**	48	—	C	
5K/9107067	†		**SLEEVE**	4	—	C	
5X/6194	CZ.50405		**SOCKET,** size D, 26-way (Pre. Mod. 3382)...	1	—	C	
5X/7192	2CZ.111238		**SOCKET,** size D, 26-way (Mod. 3382) ...	1	—	C	
5X/6200	CZ.50414		**SOCKET,** size D, 26-way (Pre. Mod. 3382)...	1	—	C	
5X/7205	2CZ.111468		**SOCKET,** size D, 26-way (Mod. 3382) ...	1	—	C	
	E.B7.81.531		**CABLE, ASSEMBLY, 6E, FROM JB6, TO EARTH CONNECTION**	1	—	—	
			Consisting of:—				
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5K/3071	HV.3112		**GROMMET**	1	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5X/7720	HC.314A		**TAG,** 4 BA, closed end	2	—	C	
5X/9450224	HC.510		**TAG,** Q.R.	2	—	C	
	E.B7.81.575/2		**CABLE, ASSEMBLY, T33H, FROM RELAY PANEL TO TAIL PLANE ACTUATOR HIGH SPEED MOTOR**	1	—	—	
			Consisting of:—				
5X/6749	SK.3360		**BUNG,** sealing	1	—	C	
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5E/4189	†		**CABLE,** Uninyvin 8	QR	—	C	
5X/6748	4370		**GLAND,** body, size D	1	—	C	
5X/9400385	Z.77859		**LUG,** Mk. 5 A	1	—	C	
5X/9400083	Z.70017		**LUG,** No. 17	1	—	C	
5X/9400085	Z.70019		**LUG,** No. 19	3	—	C	
5K/	EEAS.118/2/T33H		**SLEEVE,** identification	1	—	—	
5K/	EEAS.118/3/T33H		**SLEEVE,** identification	1	—	—	
5K/9107066	†		**SLEEVE**	2	—	C	
5K/9107068	†		**SLEEVE**	8	—	C	
5X/6109	CZ.27921		**SOCKET,** size D, 8-way (Pre. Mod. 3382) ...	1	—	C	
5X/7188	2CZ.111442		**SOCKET,** size D, 8-way (Mod. 3382)	1	—	C	
5F/9434857	HV.3341		**STRAP**	QR	—	C	
5F/2282	HV.3342		**STUD**	QR	—	C	
	E.B7.81.579		**CABLE, ASSEMBLY, 6K, FROM JB6, TO TAIL PLANE RELAY PANEL**	1	—	—	
			Consisting of:—				
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5X/2784	Z.23671		**GROMMET,** No. 1	1	—	C	
5K/9107066	†		**SLEEVE**	4	—	C	
5X/9482491	HC.500		**TAG,** Q.R.	2	—	C	
	E.B7.81.583/2		**CABLE, ASSEMBLY, 6A, FROM JB6, TO TAIL PLANE POSITION TRANSMITTER**	1	—	—	
			Consisting of:—				
5X/6718	3229		**BUNG,** sealing	1	—	C	
5E/3079	†		**CABLE,** Quinpren 6	QR	—	C	
5X/6402	Z.23414		**GASKET,** size Z, plug moulding	1	—	C	
5X/6747	4371		**GLAND,** body size Z	1	—	C	
5X/9491421	Z.22431		**GROMMET,** No. 3	1	—	C	
5X/6500	Z.65136		**NUT,** coupling	1	—	C	
5X/6181	CZ.50356		**PLUG,** size Z, (Pre. Mod. 3382)	1	—	C	
5X/7142	2CZ.111401		**PLUG,** size Z, (Mod. 3382)	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
5X/283	Z.1500	**SHROUD,** plug	1	—	C	
5X/1005131	Z.49428	**SLEEVE,** cable	5	—	C	
5K/9107066	†	**SLEEVE**	10	—	C	
5K/9107068	†	**SLEEVE**	3	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	5	—	C	
	E.B7.81.2027	**CABLE, ASSEMBLY, T.33A, FROM ISOLATING RELAY T.100B, TO REVERSING RELAY PANEL**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/4189	†	**CABLE,** Uninyvin 8	QR	—	C	
5X/9400083	Z.70017	**LUG,** No. 17	2	—	C	
5X/9400084	Z.70018	**LUG,** No. 18	2	—	C	
5X/1005131	Z.49428	**SLEEVE,** cable	1	—	C	
5K/9107066	†	**SLEEVE,**	2	—	C	
5K/9107068	†	**SLEEVE,**	4	—	C	
5K/9107071	†	**SLEEVE,**	3	—	C	
5K/	EEAS.118/1/T33A	**SLEEVE,** identification	2	—	—	
5X/9450396	HC.490	**TAG,** Q.R.	1	—	C	
13140	E.A3.81.3131	**TAG,** special closed end	1	—	C	
	E.C1.81.1597	**CABLE, ASSEMBLY, 6P, FROM JB6, TO RUDDER LOCK ACTUATOR (MOD. 3181)**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
5X/2785	Z.22430	**GROMMET,** No. 2	2	—	C	
5K/9107065	†	**SLEEVE**	3	—	C	
5K/9107066	†	**SLEEVE**	3	—	C	
5K/9107068	†	**SLEEVE**	2	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	2	—	C	
5X/9482491	HC.500	**TAG,** Q.R.	1	—	C	
5X/2790	Z.22636	**GROMMET**	1	—	C	
	E.A1.81.42	**MOUNTING FOR JUNCTION BOX AT FRAMES 38–39**	—	—	—	
		Spares for:—				
10972	E.A1.81.489	**CHANNEL**	1	—	C	
10973	E.A1.81.490	**CHANNEL**	1	—	C	
		Attaching parts for E.A1.81.489 and E.A1.81.490:—				
28D/9436920	A25/1C	Bolt, 2 BA	2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	2	—	C	
28W/9419402	SP.13/C	Washer	2	—	C	
	E.A9.81.3303	**PANEL, RELAY, REVERSING, ASSEMBLY**	—	—	–	
		Spares for:—				
5X/3277	CZ.50206	**BLOCK,** terminal, 3-way	1	—	C	
		Attaching parts for CZ.50206:—				
5X/9450403	Z.28426	Pillar, fixing	2	—	C	
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
18755	E.B7.81.429		**CLAMP,** cable	1	—	C	
18756	E.B7.81.431		**CLAMP,** cable	1	—	C	
			Attaching parts for E.B7.81.429 and E.B7.81.431:—				
28D/1213262	AS.4565/10B		Bolt, 4 BA	2	—	C	
5X/3273	CZ.26802		**COVER,** terminal block, perspex	1	—	C	
	E.A9.81.10609		**LABEL**	1	—	—	
5X/1004083	Z.50211		**LINK**	1	—	C	
18754	E.B7.81.427		**PANEL,** bare	1	—	C	
5X/1005131	Z.49428		**SLEEVE,** cable	4	—	C	
5K/9107066	†		**SLEEVE**	5	—	C	
5K/9107067	†		**SLEEVE**	3	—	C	
5CW/9777	D.5107/2		**RELAY,** reversing (Mod. 4107)	1	—	B	
5X/9450396	HC.490		**TAG,** Q.R.	4	—	C	
5X/9450393	HC.292		**TAG,** 2 BA	4	—	C	
			Attaching parts for E.A9.81.3303:—				
28M/10288	AGS.2001/C/1		Nut, 2 BA	4	—	C	
28S/1011490	A32/C16		Screw, 2 BA	4	—	C	
	—		**RELAY, T.100B, FRAMES 39–40, STARBOARD INSTALLATION (E.A3.81.2825)**	—	—	—	
			Spares for:—				
	E.A3.81.2827		**BRACKET,** relay, mounting assembly	1	—	—	
	E.A3.81.2829		**BRACKET**	1	—	—	
	E.A3.81.2831		**BRACKET**	1	—	—	
5CW/5986	†		**RELAY,** type T.100B	1	—	A	
			Attaching parts for Ref. 5CW/5986:—				
28S/1200039	A31/B32		Screw, 4 BA	4	—	C	
1108	EEAS.42		Washer, leather	4	—	C	
5X/	NL.8140		**SLEEVE,** cable	3	—	—	
3416	EEAS.132/7		**STRAP,** cable, c/w buckle	11	—	C	
			Attaching parts for EEAS.132/7:—				
28D/9128739	AS.1248/$\frac{1}{2}$B		Bolt, 4 BA	1	—	C	
28M/10287	AGS.2001/B/1		Nut, 4 BA	1	—	C	
3420	EEAS.73		Plate, clamp	1	—	C	
18752	E.B7.81.329		**STUD,** earth	1	—	C	
	—		**SWITCH AND MOUNTING, TAILPLANE LIMIT INSTALLATION (E.B7.81.1101)**	—	—	—	
			Spares for:—				
	E.B7.81.6555		**BLOCK,** packing (Mod. 4287)	1	—	—	
6946	E.B7.81.1105		**CRADLE,** assembly	1	—	C	
5CW/6672	†		**SWITCH,** micro, top limit (Pre-Mod. 4287) ...	2	—	B	
5CW/6672	†		**SWITCH,** micro, top limit (Mod. 4287) (Pre-Mod. 4288)	1	—	B	
5CW/11254	†		**SWITCH,** micro, top limit, type HY.1 (Mod. 4288)	1	—	B	
			Attaching parts for micro switch and E.B7.81.6555:—				
6943	E.B7.81.1093		Bolt, eccentric	2	—	C	
6944	E.B7.81.1099		Bolt, locking	1	—	C	
28M/10287	AGS.2001/B/1		Nut, 4 BA	3	—	C	
18787	E.B7.81.1097		Plate, locking	1	—	C	
6947	E.B7.81.1095		Washer, eccentric	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5CW/6672	†	**SWITCH,** micro, lower limit (Pre-Mod. 4287) ...	2	—	B	
5CW/6672	†	**SWITCH,** micro, lower limit (Mod. 4287) (Pre-Mod. 4288)	1	—	B	
5CW/11254	†	**SWITCH,** micro, lower limit type, 1 HY1 (Mod. 4288)	1	—	B	
		Attaching parts for micro switch:—				
6945	E.B7.81.1399	Bolt, eccentric	2	—	C	
6944	E.B7.81.1099	Bolt, locking	1	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	3	—	C	
18787	E.B7.81.1097	Plate, locking	1	—	C	
6947	E.B7.81.1095	Washer, eccentric	2	—	C	
17521	EEAS.28/10DPH	**WASHER,** special	2	—	C	

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.

491 - 510

~~491~~ 449.

Pages ~~491~~ to 510 not issued

ELECTRICAL

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	1 2 3 4 5 6 Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		SUMMARY OF STOCK ITEMS USED ON ELECTRICAL EQUIPMENT IN REAR FUSELAGE, ASSEMBLY				
28D/1010658	A25/1B	Bolt, 4 BA, hex. head, ·"5 long			C	
28D/1011013	A25/13B	Bolt, 4 BA, hex. head, 1·"7 long			C	
28D/9436920	A25/1C	Bolt, 2 BA, hex. head, ·"55 long			C	
28D/1007979	AS.1245/1B	Bolt, 4 BA, round head, 0·"50 long			C	
28D/1214874	AS.1246/12B	Bolt 4 BA, round head, 1·"55 long			C	
28D/9128739	AS.1248/$\frac{1}{2}$B	Bolt, 4 BA, mushroom head, ·"4 long			C	
28D/1213262	AS.4565/10B	Bolt, 4 BA, roundhead, 1·"40 long			C	
28M/9403518	A27/AP	Nut, 6 BA, plain			C	
28M/9403519	A27/BP	Nut, 4 BA, plain			C	
28M/1006504	A27/BT	Nut, 4 BA, thin			C	
28M/9403517	A47/ZP	Nut, 8 BA, plain			C	
28M/10286	AGS.2001/A/1	Nut, stiff, 6 BA			C	
28M/10287	AGS.2001/B/1	Nut, stiff, 4 BA			C	
28M/10288	AGS.2001/C/1	Nut, stiff 2 BA			C	
28M/10290	AGS.2001/E/1	Nut, stiff, $\frac{1}{4}$" BSF			C	
28M/10326	AGS.2002/A/1	Nut, stiff, 6 BA			C	
28M/10327	AGS.2002/B/1	Nut, stiff, 4 BA			C	
28S/9435712	A31/B8	Screw, 4 BA, cheese head, $\frac{1}{4}$" long			C	
28S/1201448	A31/B10	Screw, 4 BA, cheese head, $\frac{5}{16}$" long			C	
28S/9419435	A31/B12	Screw, 4 BA, cheese head, $\frac{3}{8}$" long			C	
28S/9419453	A31/B14	Screw, 4 BA, cheese head, $\frac{7}{16}$" long			C	
28S/1200034	A31/B16	Screw, 4 BA, cheese head, $\frac{1}{2}$" long			C	
28S/1200033	A31/B24	Screw, 4 BA, cheese head, $\frac{3}{4}$" long			C	
28S/1200039	A31/B32	Screw, 4 BA, cheese head			C	
28S/1006948	A32/A12	Screw, 6 BA, round head, $\frac{3}{8}$" long			C	
28S/9437020	A31/C12	Screw, 2 BA			C	
28S/1011490	A32/C16	Screw, 2 BA, round head			C	
28S/1200056	A33/A10	Screw, 6 BA, c'sk. head, $\frac{5}{16}$" long			C	
28S/1200058	A33/A12	Screw, 6 BA, c'sk. head, $\frac{3}{8}$" long			C	
28S/1200062	A33/A20	Screw, 4 BA, c'sk. head, $\frac{5}{8}$" long			C	
28S/9130752	A43/B24	Screw, 4 BA, cheese head, $\frac{3}{4}$" long			C	
28W/9419405	SP.13/B	Washer, 4 BA, plain			C	
28W/9419402	SP.13/C	Washer, 2 BA, plain			C	
28W/9416641	SP.47/A	Washer, 6 BA, spring			C	
28W/9416642	SP.47/B	Washer, 4 BA, spring			C	

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.

ELECTRICAL

ELECTRICAL EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description	No. Off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.709	**ELECTRICAL EQUIPMENT IN PORT WING, ASSEMBLY**	—	—	—	
		Spares for:—				
	E.A9.81.1057	**EQUIPMENT, ELECTRICAL, IN INNER WING, REAR, ASSEMBLY**	—	—	—	
		Spares for:—				
	E.B7.81.377	**BOX, JUNCTION, NO. 9, GROUP**	1	—	—	
		Spares for:—				
5X/1002695	CZ.23212/1	**BLOCK,** terminal, 20-way	2	—	C	
		Attaching parts for CZ.23212/1:—				
28S/1200033	A31/B24	Screw, 4 BA	2	—	C	
	E.A1.81.583	**BOX,** bare	1	—	—	
	E.B7.81.381	**COVER,** assembly	1	—	—	
5X/6180	CZ.24650	**FERRULE,** plate	1	—	C	
5X/6168	Z.23197	**GASKET,** size C	2	—	C	
5X/6169	Z.23198	**GASKET,** size D	2	—	C	
5X/6315	Z.50215	**LINK,** commoning, 7-way	1	—	C	
5X/3143	CZ.23144/D	**RING,** clamp, size D	1	—	C	
5K/9107067	EEAS.146/C	**SLEEVE**	33	—	C	
		Attaching parts for E.B7.81.377:—				
28D/9133013	A25/5C	Bolt, 2 BA	4	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA	4	—	C	
	AS.2811/5/045	Tube, distance, 17 SWG	3	T.4	LM	
	AS.2811/5/049	Tube, distance, 17 SWG	1	T.4	LM	
6734	EEAS.136	**BRACKET,** clip	1	L.72	C	
6A/1677	†	**COMPENSATOR,** cold junction, type B	1	—	B	
		Attaching parts for Ref. 6A/1677:—				
28D/9706373	A25/2A	Bolt, 6 BA	4	—	C	
32A/0119481	†	**CORD,** nylon	QR	—	C	
7186	E.A3.81.1473	**FAIRLEAD,** $\frac{3}{4}$" thick	2	LFS	C	
		Attaching parts for E.A3.81.1473:—				
28D/1010142	A25/9B	Bolt, 4 BA	3	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA	3	—	C	
28M/1006504	A27/BT	Nut, 4 BA	3	—	C	
28W/9419474	SP.15/B	Washer	3	—	C	
3416	EEAS.132/7	**STRAP,** c/w buckle	1	—	C	
		Attaching parts for EEAS.132/7:—				
28D/9128739	AS.1248/$\frac{1}{2}$B	Bolt, 4 BA	1	—	C	
3420	EEAS.73	Plate, clamp	1	L.72	C	
3417	EEAS.132/9	**STRAP,** c/w buckle	2	—	C	
		Attaching parts for EEAS.132/9:—				
28D/1218386	AS.1248/3B	Bolt, 4 BA	1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA	1	—	C	
3420	EEAS.73	Plate, clamp	1	L.72	C	
32B/1168	†	**TAPE,** P.V.C.	QR	—	C	
5259	EEAS.21/2ERH	**WASHER,** 'D'	6	L.72	C	
3421	EEAS.28/2DP	**WASHER,** plain	2	L.16	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description	No. Off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.1059	**EQUIPMENT, ELECTRICAL, IN OUTER WING, ASSEMBLY**	—	—	—	
		Spares for:—				
	E.A9.81.6341	**BOX, JUNCTION, NO. 17, GROUP (MOD. 4430)** (For aircraft Embodying Mod. 2383)	1	—	—	
	E.A9.81.6343	**BOX, JUNCTION, NO. 17, GROUP (MOD. 4430)** (For Aircraft Not Embodying Mod. 2383)	1	—	—	
		Spares for:—				
	E.A9.81.6391	**BOX,** junction, No. 17	1	—	—	
		Attaching parts for E.A9.81.6391:—				
28D/9133011	A25/2C	Bolt, 2 BA	4	—	C	
37889	E.A9.81.1711	**LID,** assembly	1	—	B	
17361	E.B6.81.381	**FAIRLEAD,** half	2	LFS.21	C	
	E.A9.81.1061	**EQUIPMENT, ELECTRICAL, IN LEADING EDGE ASSEMBLY**	—	—	—	
		Spares for:—				
9734	E.A3.81.559	**BRACKET,** mounting, air thermo	1	—	C/MR	
6734	EEAS.136	**BRACKET**	1	—	C	
6A/3684	†	**BULB,** thermometer	1	—	C	
17361	E.B6.81.381	**FAIRLEAD,** half	2	LFS.21	C	
		Attaching parts for E.B6.81.381:—				
28D/1008149	A25/2B	Bolt, 4 BA	2	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA	2	—	C	
28W/9419474	SP.15/B	Washer	2	—	C	
	E.A9.81.1083	**PANEL, VOLTAGE REGULATOR AND WIRING, ASSEMBLY (PRE-MOD. 3234)**	1	—	—	
		Spares for:—				
5X/1002694	CZ.50207	**BLOCK,** terminal, 5-way	1	—	C	
		Attaching parts for CZ.50207:—				
28M/1278189	AGS.2001/B/1	Nut, 4 BA	2	—	C	
5X/9450403	Z.28426	Pillar, mounting	2	—	C	
	E.A9.81.2437	**BOX, RESISTANCE, FIELD DISCHARGE, GROUP**	1	—	—	
		Spares for:—				
	E.A9.81.2449	**BLOCK,** resistance, mounting	1	LFS.21	—	
	WELWYN C.L.5 WELWYN	**CLIP,** mounting, No. 1	2	—	—	
5CZ/5286	R.W.V.1-J	**RESISTOR,** C40	1	—	C	
		Attaching parts for E.A9.81.2437:—				
28M/1278189	AGS.2001/B/1	Nut, 4 BA	4	—	C	
28S/9419435	A31/B12	Screw, 4 BA	4	—	C	
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
5E/4186	†	**CABLE,** Uninyvin 14	QR	—	C	
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
5X/9419641	CZ.26805	**COVER**	1	—	C	
5X/2190	Z.2280/2	**FERRULE**	1	—	C	
5X/6168	Z.23197	**GASKET**	1	—	C	
5X/1004082	Z.50210	**LINK,** 2-way	1	—	C	
5X/9400384	†	**LUG,** Mk. 4A	3	—	C	
5X/9400386	†	**LUG,** Mk. 6A	2	—	C	
5X/9400388	†	**LUG,** Mk. 8A	2	—	C	
	E.A9.81.2093	**PANEL,** assembly	1	—	—	
5X/6096	CZ.28109	**PLUG,** 6-way (Pre-Mod. 3382)	1	—	C	
5X/7153	2CZ.111297	**PLUG,** 6-way (Mod. 3382)	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5UC/6360	†	**REGULATOR,** type 114	1	—	A	
		Attaching parts for Ref. 5UC/6360:—				
28D/1011238	A25/3E	Bolt, ¼" BSF	4	—	C	
28M/9480017	AGS.2001/E/1	Nut, ¼" BSF	4	—	C	
5X/1005132	Z.28081	**SLEEVE**	4	—	C	
5X/3146	Z.49397	**SLEEVE**	3	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	10	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** 1" long	8	—	C	
5F/9434858	HV.3254	**STRAP**	QR	—	C	
5F/9138823	NT.3255	**STUD**	4	—	C	
5X/9482491	HC.500	**TAG**	2	—	C	
5X/9450224	HC.510	**TAG**	3	—	C	
	E.A9.81.5453	**PANEL, VOLTAGE REGULATOR, ASSEMBLY (MOD. 3234)**	1	—	—	
		Spares for:—				
43075	E.A9.81.5577	**PANEL,** sub-assembly	1	—	C	
5UC/6360	†	**REGULATOR,** type 114	1	—	A	
		Attaching parts for Ref. 5UC/6360:—				
28D/1011238	A25/3E	Bolt, ¼" BSF	4	—	C	
28M/9480017	AGS.2001/E/1	Nut, ¼" BSF	4	—	C	
5F/9434857	HV.3341	**STRAP**	QR	—	C	
5F/9138822	NY.3342	**STUD**	4	—	C	
		Attaching parts for E.A9.81.1083 or E.A9.81.5453:—				
28D/9133011	A25/2C	Bolt, 2 BA	4	—	C	
28W/9419475	SP.15/C	Washer	4	—	C	
	E.B7.81.41	**LOOMS, CABLE, INSTRUMENT, ASSEMBLY** ...	—	—	—	
		Spares for:—				
4960	E.A3.81.969	**CABLE, ASSEMBLY, A113-E11, FROM A.M.U. MK. 4, TO EARTH CONNECTION**	1	—	C/MR	
		Consisting of:—				
5E/4199	†	**CABLE,** Uninyvinmetsheath 20	QR	—	C	
10H/20406	Z.54443	**FERRULE,** inner	1	—	C	
10H/20407	Z.54444	**FERRULE,** outer	1	—	—	
10H/0970058	Z.60667	**GASKET,** outlet	1	—	C	
10H/0970062	CZ.49180	**OUTLET,** straight	1	—	C	
10H/0970088	Z.62229	**RING,** sealing	1	—	C	
5K/9107065	EEAS.146/16	**SLEEVE,** ¾" long	2	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** 1" long	2	—	C	
10H/0560090	CZ.49014	**SOCKET,** 2-way, Mk. 4	1	—	C	
5X/1005121	Z.56547	**TAG,** eye type, 4 BA	1	—	C	
5X/9100066	Z.19981	**THIMBLE,** Q.R.	1	—	C	
	E.A9.81.831	**LOOMS, CABLE, ASSEMBLY**	—	—	—	
		Spares for:—				
	E.B6.81.503/2	**CABLE, ASSEMBLY, 7H, FROM JB7, TO GENERAL SERVICE JB PLUG, ON INBOARD ENGINE RIB**	1	—	—	
		Consisting of:—				
5X/6644	HV.3327	**BUNG**	1	—	C	
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/[illegible]87	†	**CABLE,** Uninyvin 12	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN PORT WING

Ref. No.	Part No.	1 2 3 4 5 6 Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
33H/56	†	**CEMENT,** Bostik	QR	—	C	
5F/2300	†	**CORD,** glass tying, $\frac{1}{32}$"	QR	—	C	
5X/6295	Z.61544	**COUPLING,** unit	1	—	C	
5X/6754	E.B7.81.327	**FERRULE,** cut, right angle	1	—	C	
5X/2113	Z.22675/C	**FERRULE,** outer	1	—	C	
5X/2120	Z.22676/C	**FERRULE,** inner	1	—	C	
5X/6168	Z.23197	**GASKET,** plug moulding	1	—	C	
5X/3171	Z.28156/C	**GASKET**	1	—	C	
5X/6207	CZ.50377	**PLUG,** size C (Pre-Mod. 3382)	1	—	C	
5X/7036	2CZ.108916	**PLUG,** size C (Mod. 3382)	1	—	C	
5X/3154	Z.27444	**SHROUD,** plug	1	—	C	
5K/9107069	†	**SLEEVE,** 1" long	1	—	C	
5K/3455	EEAS.146/TA	**SLEEVE,** $\frac{3}{4}$" long	12	—	C	
5K/3456	EEAS.146/TB	**SLEEVE,** $\frac{3}{4}$" long	2	—	C	
5K/3458	EEAS.146/TE	**SLEEVE,** $\frac{1}{2}$" long	18	—	C	
5K/3458	EEAS.146/TE	**SLEEVE,** $\frac{3}{4}$" long	2	—	C	
5X/1005131	Z.49428	**SLEEVE,** cable	24	—	C	
5X/6781	CZ.71751	**SOCKET,** size C (Pre-Mod. 3382)	1	—	C	
5X/7185	2CZ.111236	**SOCKET,** size C (Mod. 3382)	1	—	C	
	E.B6.81.505/2	**CABLE, ASSEMBLY, 7J, FROM JB7, TO ANTI-ICING SERVICES JB PLUG ON IN-BOARD ENGINE RIB**	1	—	—	
		Consisting of:—				
5X/6644	HV.3327	**BUNG**	1	—	C	
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
33H/56	†	**CEMENT,** Bostik	QR	—	C	
5F/2300	†	**CORD,** glass tying $\frac{1}{2}$"	QR	—	C	
5X/6295	Z.61544	**COUPLING,** unit	1	—	C	
5X/6754	E.B7.81.327	**FERRULE,** cut right angle	1	—	C	
5X/2113	Z.22675/C	**FERRULE,** outer	1	—	C	
5X/2120	Z.22676/C	**FERRULE,** inner	1	—	C	
5X/6168	Z.23197	**GASKET,** plug, moulding	1	—	C	
5X/3171	Z.28156/C	**GASKET**	1	—	C	
5X/6086	CZ.28107	**PLUG,** size C (Pre-Mod. 3382)	1	—	C	
5X/7035	2CZ.108915	**PLUG,** size C (Mod. 3382)	1	—	C	
5X/3154	Z.27444	**SHROUD,** plug	1	—	C	
5K/9107069	†	**SLEEVE,** 1" long	1	—	C	
5K/3455	EEAS.146/TA	**SLEEVE,** $\frac{3}{4}$" long	12	—	C	
5K/3458	EEAS.146/TE	**SLEEVE,** $\frac{1}{2}$" long	18	—	C	
5K/3458	EEAS.146/TE	**SLEEVE,** $\frac{3}{4}$" long	2	—	C	
5X/1005131	Z.49428	**SLEEVE,** cable	18	—	C	
5X/6193	CZ.50404	**SOCKET,** size C (Pre-Mod. 3382)	1	—	C	
5X/7184	2CZ.111235	**SOCKET,** size C (Mod. 3382)	1	—	C	
	E.B6.81.513/2	**CABLE, ASSEMBLY, 9L, FROM JB9, TO PORT ENGINE, HIGH ENERGY IGNITION UNIT**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
33H/56	†	**CEMENT,** Bostik	QR	—	C	
5F/2300	†	**CORD,** glass tying, $\frac{1}{32}$"	QR	—	C	
5X/1383	Z.14485/2	**FERRULE,** cut	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN PORT WING

Ref. No.	Part No.	1 2 3 4 5 6 Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5X/2785	Z.22430	**GROMMET,** No. 2	1	—	C	
5X/1005131	Z.49428	**SLEEVE,** cable	2	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** ¾" long	4	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	2	—	C	
5X/6004	Z.27900	**SOCKET** (Pre-Mod. 3382)	1	—	C	
5X/7038	2CZ.84872	**SOCKET** (Mod. 3382)	1	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	2	—	C	
	E.A6.81.521	**CABLE, ASSEMBLY, 9C, FROM JB9, TO TANK TRANSMITTER**	1	—	—	
		Consisting of—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
10H/0970058	Z.60667	**GASKET,** outlet	1	—	C	
10H/0970108	Z.49036	**GASKET,** union	1	—	C	
5X/9491421	Z.22431	**GROMMET,** No. 3	1	—	C	
10H/0970062	CZ.49180	**OUTLET,** straight	1	—	C	
10H/0970096	Z.49037	**RING,** thrust	1	—	C	
10H/0970088	Z.62229	**RING,** sealing	1	—	C	
5K/9107065	EEAS.146/16	**SLEEVE,** ¾" long	3	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** ¾" long	3	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** ¾" long	3	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	1	—	C	
10H/0560100	CZ.49015	**SOCKET,** assembly, 3-way	1	—	C	
5X/9482491	HC.500	**TAG,** Q.R.	3	—	C	
	E.B6.81.521/2	**CABLE, ASSEMBLY, 7N, 7M AND 7R, FROM JB7 TO FLAME DETECTORS AND COWL ANTI-ICING PLUGS ON INBOARD ENGINE RIBS**	1	—	—	
		Consisting of:—				
5F/	†	**BRAID,** glass, thick	QR	—	—	
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5X/1383	Z.14485/2	**FERRULE,** cut, size A	3	—	C	
5X/2787	Z.22432	**GROMMET,** No. 4	1	—	C	
5X/1005131	Z.49428	**SLEEVE,** cable	7	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** ¾" long	14	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	4	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	2	—	C	
5X/6004	CZ.27900	**SOCKET,** 2-way, size A (Pre-Mod. 3382) ...	2	—	C	
5X/7038	2CZ.84872	**SOCKET,** 2-way, size A (Mod. 3382)	2	—	C	
5X/6009	CZ.27901	**SOCKET,** 4-way, size A (Pre-Mod. 3382) ...	2	—	C	
5X/7039	2CZ.84873	**SOCKET,** 4-way, size A (Mod. 3382)	1	—	C	
5F/9434858	HV.3254	**STRAP**	QR	—	C	
5F/9138823	NT.3255	**STUD**	12	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	7	—	C	
	E.B6.81.523/2	**CABLE, ASSEMBLY, 7N1, FROM PLUG ON ENGINE RIB TO COWL ANTI-ICING ACTUATOR**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5F/2300	†	**CORD,** glass, tying 1/32"	QR	—	C	
5X/6594	CZ.61555	**ELBOW,** assembly	1	—	C	
5X/6755	E.B7.81.1595	**FERRULE,** cable	1	—	C	
5X/6756	E.A3.81.1963	**FERRULE,** cable	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN PORT WING

Ref. No.	Part No.	1 2 3 4 5 6 Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
5X/3168	Z.28156/A	**GASKET**	1	—	C	
5X/1005131	Z.49428	**SLEEVE,** cable	6	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** ¼" long	6	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	2	—	C	
5X/6009	CZ.27901	**SOCKET,** size A (Pre-Mod. 3382)	1	—	C	
5X/7039	2CZ.84873	**SOCKET,** size A (Mod. 3382)	1	—	C	
5X/6010	CZ/27981	**SOCKET,** size A (Pre-Mod. 3382)	1	—	C	
5X/7052	2CZ.84880	**SOCKET,** size A (Mod. 3382)	1	—	C	
	E.A6.81.524	**CABLE, ASSEMBLY, 9G, FROM JB9, TO FUEL PUMP SUPPRESSOR**	1	—	—	
		Consisting of:—				
5X/6757	EEAS.68/6	**ADAPTOR,** reducing	1	—	C	
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
10H/0970107	Z.62234	**GASKET,** union	1	—	C	
5X/9491421	Z.22431	**GROMMET,** No. 3	1	—	C	
5CZ/3766	AGS.1747	**LUG,** terminal, No. 27	2	—	C	
10H/0970127	Z.49046	**NUT,** union	1	—	C	
10H/0970095	Z.49051	**RING,** thrust	1	—	C	
10H/0970087	Z.62228	**RING,** sealing	1	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** ¼" long	4	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** ¼" long	2	—	C	
5X/9450224	HC.510	**TAG,** Q.R.	2	—	C	
	E.A6.81.525/2	**CABLE, ASSEMBLY, 9G1, FROM SUPPRESSOR TO FUEL PUMP**	1	—	—	
		Consisting of:—				
5X/6757	EEAS.68/6	**ADAPTOR,** reducing	1	—	C	
5E/4203	†	**CABLE,** Uninyvinmet 12	QR	—	C	
33H/56	†	**CEMENT,** Bostik	QR	—	C	
5X/240	Z.2277/2	**FERRULE,** cut	1	—	C	
10H/0970076	Z.49047	**FERRULE,** inner	1	—	C	
10H/0970075	Z.49048	**FERRULE,** outer	1	—	C	
5CZ/3766	AGS.1747	**LUG,** terminal, No. 27	1	—	C	
10H/0970127	Z.49046	**NUT,** union	1	—	C	
10H/0970087	Z.62228	**RING,** sealing	1	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** ¼" long	4	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** ¼" long	2	—	C	
5X/6029	CZ.27905	**SOCKET,** assembly, size Z (Pre-Mod. 3382) ...	1	—	C	
5X/7176	2CZ.111436	**SOCKET,** assembly, size Z (Mod. 3382) ...	1	—	C	
5E/9102377	†	**WIRE,** tinned copper, 24 SWG	QR	—	C	
5E/3141	†	**WIRE,** tinned copper, 32 SWG	QR	—	C	
	E.B6.81.526/2	**CABLE, ASSEMBLY, 9H, FROM JB9 TO ENGINE FUEL COCK**	1	—	—	
		Consisting of:—				
5E/4182	†	**CABLE,** Uninyvin 22	QR	—	C	
33H/56	†	**CEMENT,** Bostik	QR	—	C	
5X/7320	Z.14485/2	**FERRULE,** cut	1	—	C	
5X/9491421	Z.22431	**GROMMET,** No. 3	1	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** ¼" long	6	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** ¼" long	2	—	C	
5K/3366	†	**SLEEVE,** 1" long	1	—	C	
5X/6189	CZ.50399	**SOCKET,** assembly, 4-way, size A (Pre-Mod. 3382)	1	—	C	
5X/7173	2CZ.111231	**SOCKET,** assembly, 4-way, size A (Mod. 3382)	1	—	C	
5X/9482491	HC.500	**TAG,** Q.R.	3	—	C	
32B/498	†	**THREAD,** waxed linen, No. 18	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN PORT WING

Ref. No.	Part No.	1 2 3 4 5 6 Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A6.81.527/2	**CABLE, ASSEMBLY, 9K, FROM JB9, TO MAIN FUEL TANK COCK**	1	—	—	
		Consisting of:—				
5E/4182	†	**CABLE,** Uninyvin 22	QR	—	C	
33H/56	†	**CEMENT,** Bostik	QR	—	C	
5X/7320	Z.14485/2	**FERRULE,** cut	1	—	C	
5X/2785	Z.22430	**GROMMET,** No. 2	1	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** ¾" long	6	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** ¾" long	2	—	C	
5X/1005131	Z.49428	**SLEEVE,** cable	3	—	C	
5X/6189	CZ.50399	**SOCKET,** assembly, 4-way, size A (Pre-Mod. 3382)	1	—	C	
5X/7173	2CZ.111231	**SOCKET,** assembly, 4-way, size A (Mod. 3382)	1	—	C	
5X/9482491	HC.500	**TAG,** Q.R.	3	—	C	
32B/498	†	**THREAD,** waxed linen, No. 18	QR	—	C	
	E.B6.81.527	**CABLE, ASSEMBLY, E7, FROM JB7, TO EARTH CONNECTION**	1	—	—	
		Consisting of:—				
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
5K/3071	HV.3112	**GROMMET**	1	—	C	
5X/9400388	Z.77862	**LUG**	2	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** ¾" long	4	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	1	—	C	
5F/9434858	HV.3254	**STRAP**	QR	—	C	
5F/9138823	NT.3255	**STUD**	6	—	C	
5X/9450224	HC.510	**TAG,** Q.R.	2	—	C	
	E.B6.81.531	**CABLE, ASSEMBLY, E9, FROM JB9, TO EARTH CONNECTION**	1	—	—	
		Consisting of:—				
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
5K/3071	HV.3112	**GROMMET**	1	—	C	
5X/9400388	Z.77862	**LUG**	2	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** ¾" long	4	—	C	
5K/9107068	EEAS.146/2	**SLEEVE,** 1" long	1	—	C	
5F/9434858	HV.3254	**STRAP**	QR	—	C	
5F/9138823	NT.3255	**STUD**	6	—	C	
5X/9450224	HC.510	**TAG,** Q.R.	2	—	C	
	E.B6.81.537/2	**CABLE, ASSEMBLY, P9, FROM JB9, TO FUSELAGE CONNECTION**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
5X/3143	CZ.23144/D	**CLIP**	1	—	C	
5X/1526	Z.18500/D	**FERRULE**	1	—	C	
5X/1005131	Z.49428	**SLEEVE,** cable	18	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** ¾" long	48	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** ¾" long	4	—	C	
5K/	EEAS.118/5/P9	**SLEEVE,** identification	2	—	—	
5X/6200	CZ.50414	**SOCKET,** size D (Pre-Mod. 3382)	1	—	C	
5X/7205	2CZ.111468	**SOCKET,** size D (Mod. 3382)	1	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	18	—	C	
5X/9482491	HC.500	**TAG,** Q.R.	6	—	C	
5X/9450224	HC.510	**TAG,** Q.R.	2	—	C	
5F/2038	†	**TUBING,** P.V.C., 25·4 m/m x 1·2 m/m	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN PORT WING

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.B6.81.601		**CABLE, ASSEMBLY, 7R2, CONNECTION BETWEEN FIRST AND SECOND FLAME DETECTORS (PRE-MOD. 4303)**	1	—	—	
			Consisting of:—				
5E/3759	†		**CABLE,** Unifire, F12	QR	—	C	
22166	E.B6.81.841		**CABLE-END** (made from Ref. 5K/3667) ...	4	—	C	
5F/2300	†		**CORD,** glass, tying $\frac{1}{32}$"	QR	—	C	
5K/88	AGS.1658/1		**NUT,** gland	2	—	C	
5K/9134478	AGS.1652/3		**SLEEVE,** slotted	2	—	C	
5K/3457	EEAS.146/TC		**SLEEVE,** $\frac{1}{4}$" long	6	—	C	
5K/3457	EEAS.146/TD		**SLEEVE,** 1" long	8	—	C	
	E.B6.81.6153		**CABLE, ASSEMBLY, 7R2, CONNECTION BETWEEN FIRST AND SECOND FLAME DETECTORS (MOD. 4303)**	1	—	—	
			Consisting of:—				
5E/3795	†		**CABLE,** Unifire, F12 (Alternative to 5E/3894)	QR	—	C	
5E/3894	†		**CABLE,** Unitersil 20 (Alternative to 5E/3795)	QR	—	C	
	E.B6.81.6149		**CABLE-END** (Made from Part No. WE.571) ...	4	—	—	
5F/2300	†		**CORD,** glass, tying $\frac{1}{32}$"	QR	—	C	
5K/88	AGS.1658/1		**NUT,** gland	2	—	C	
5K/9134478	AGS.1652/3		**SLEEVE**	2	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** 1" long	QR	—	C	
5K/9107065	EEAS.146/20		**SLEEVE,** $\frac{1}{4}$" long	QR	—	C	
	E.B6.81.603		**CABLE, ASSEMBLY, 7R3, BETWEEN SECOND AND THIRD FLAME DETECTORS (PRE-MOD. 4303)**	1	—	—	
5E/3759	†		**CABLE,** Unifire, F12	QR	—	C	
22166	E.B6.81.841		**CABLE-END** (Made from Ref. 5K/3667) ...	4	—	C	
5F/2300	†		**CORD,** glass, tying $\frac{1}{32}$"	QR	—	C	
5K/88	AGS.1658/1		**NUT,** gland	2	—	C	
5K/9134478	AGS.1652/3		**SLEEVE,** slotted	2	—	C	
5K/3457	EEAS.146/TC		**SLEEVE,** $\frac{1}{4}$" long	4	—	C	
5K/3457	EEAS.146/TD		**SLEEVE,** 1" long	10	—	C	
	E.B6.81.6155		**CABLE, ASSEMBLY, 7R3, CONNECTION BETWEEN SECOND AND THIRD FRAME DETECTORS (MOD. 4303)**	1	—	—	
			Consisting of:—				
5E/3795	†		**CABLE,** Unifire, F12 (Alternative to 5E/3894) ...	QR	—	C	
5E/3894	†		**CABLE,** Unitersil 20 (Alternative to 5E/3795)	QR	—	C	
	E.B6.81.6149		**CABLE-END** (Made from Part No. WE.571) ...	4	—	—	
5F/2300	†		**CORD,** glass, tying $\frac{1}{32}$"	QR	—	C	
5K/88	AGS.1658/1		**NUT,** gland	2	—	C	
5K/9134478	AGS.1652/3		**SLEEVE**	2	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** 1" long	QR	—	C	
5K/9107065	EEAS.146/20		**SLEEVE,** $\frac{1}{4}$" long	QR	—	C	
	E.B6.81.605		**CABLE, ASSEMBLY, 7R4, BETWEEN THIRD AND FOURTH FLAME DETECTORS (PRE-MOD. 4303)**	1	—	—	
			Consisting of:—				
5E/3759	†		**CABLE,** Unifire, F12	QR	—	C	
22166	E.B6.81.841		**CABLE-END** (Made from Ref. 5K/3667) ...	4	—	C	
5F/2300	†		**CORD,** glass, tying $\frac{1}{32}$"	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN PORT WING

Ref. No.	Part No.	1 2 3 4 5 6 Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5K/88	AGS.1658/1	**NUT,** gland	2	—	C	
5K/9134478	AGS.1652/3	**SLEEVE,** slotted	2	—	C	
5K/3456	EEAS.146/T/A1	**SLEEVE,** ¼" long	4	—	C	
5K/3457	EEAS.146/T/D	**SLEEVE,** 1" long	6	—	C	
	E.B6.81.6157	**CABLE, ASSEMBLY, 7R4, CONNECTION BETWEEN THIRD AND FOURTH FLAME DETECTORS (MOD. 4303)**	1	—	—	
		Consisting of:—				
5E/3795	†	**CABLE,** Unifire, F12 (Alternative to 5E/3894)	QR	—	C	
5E/3894	†	**CABLE,** Unitersil 20 (Alternative to 5E/3795)	QR	—	C	
	E.B6.81.6149	**CABLE** (Made from Part No. WE.571)	4	—	—	
5F/2300	†	**CORD,** glass, tying 1/32"	QR	—	C	
5K/88	AGS.1658/1	**NUT,** gland	2	—	C	
5K/9134478	AGS.1652/3	**SLEEVE**	2	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	QR	—	C	
5K/9107065	EEAS.146/20	**SLEEVE,** ¾" long	QR	—	C	
	E.B7.81.2949	**CABLE, ASSEMBLY, 7M2, BETWEEN INBOARD AND OUTBOARD ENGINE RIB FLAME DETECTORS (MOD. 2147) (PRE-MOD. 4303)**	1	—	—	
		Consisting of:—				
5E/3759	† ROSS COURTNEY	**CABLE,** Unifire, F12	QR	—	C	
5K/3689	WE.490	**CABLE-END**	2	—	C	
5F/2300	†	**CORD,** glass, tying 1/32"	QR	—	C	
5K/3457	EEAS.146/TC	**SLEEVE,** ¼" long	2	—	C	
5K/3457	EEAS.146/TD	**SLEEVE,** 1" long	2	—	C	
	E.B6.81.6161	**CABLE, ASSEMBLY, 7M2, BETWEEN INBOARD AND OUTBOARD ENGINE RIB FLAME DETECTORS (MOD. 4303)**	1	—	C	
		Consisting of:—				
5E/3795	†	**CABLE,** Unifire, F12 (Alternative to 5E/3894)	QR	—	C	
5E/3894	†	**CABLE,** Unitersil 20 (Alternative to 5E/3795)				
	E.B6.81.6149	**CABLE-END** (Made from Part No. WE.571) ...	2	—	—	
5F/2300	†	**CORD,** glass, tying, 1/32"	QR	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	QR	—	C	
5K/9107065	EEAS.146/20	**SLEEVE,** ¾" long	QR	—	C	
	E.B6.81.615	**CABLE, ASSEMBLY, 7M3, BETWEEN FLAME DETECTORS ON OUTBOARD ENGINE RIB (PRE-MOD. 4303)**	1	—	—	
		Consisting of:—				
5E/3759	†	**CABLE,** Unifire, F12	QR	—	C	
22166	E.B6.81.841	**CABLE-END** (Make from Ref. 5K/3667) ...	4	—	C	
5K/3457	EEAS.146/TC	**SLEEVE,** ¼" long	4	—	C	
5K/3457	EEAS.146/TD	**SLEEVE,** 1" long	1	—	C	
17156	E.B7.81.841	**TUBE,** conduit, assembly	1	—	C	
	E.B6.81.6163	**CABLE, ASSEMBLY, 7M3, CONNECTION BETWEEN OUTBOARD ENGINE RIB FLAME DETECTORS (MOD. 4303)**	1	—	—	
		Consisting of:—				
5E/3795	†	**CABLE,** Unifire, F12 (Alternative to 5E/3894)	QR	—	C	
5E/3894	†	**CABLE,** Unitersil 20 (Alternative to 5E/3795)	QR	—	C	
	E.B6.81.6149	**CABLE-END** (Made from Part No. WE.571) ...	4	—	—	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	QR	—	C	
5K/9107065	EEAS.146/20	**SLEEVE,** ¾" long	QR	—	C	
17156	E.B7.81.841	**TUBE,** conduit	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN PORT WING

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.B6.81.623/2		**CABLE, ASSEMBLY, 7M1, FROM PLUG ON INBOARD ENGINE RIB TO FLAME DETECTOR (PRE-MOD. 4303)** Consisting of:—	1	--	—	
5E/3759	†		**CABLE,** Unifire, F12	QR	--	C	
22166	E.B6.81.841		**CABLE-END** (Make from Ref. 5K/3667) ...	2	--	C	
5X/6594	CZ.61565		**ELBOW,** assembly	1	—	C	
5X/3168	Z.28156/A		**GASKET**	1	—	C	
5X/1005131	Z.49428		**SLEEVE**	2	—	C	
5K/3457	EEAS.146/TD		**SLEEVE,** ¼" long	4	—	C	
5K/3457	EEAS.146/TD		**SLEEVE,** 1" long	1	—	C	
5X/6005	CZ.27980		**SOCKET,** 2-way, size A (Pre-Mod. 3382) ...	1	—	C	
5X/7051	2CZ.84879		**SOCKET,** 2-way, size A (Mod. 3382)	1	—	C	
17157	E.B7.81.847		**TUBE,** conduit, assembly	1	—	C	
	E.B6.81.6159		**CABLE, ASSEMBLY, 7M1, FROM PLUG ON INBOARD ENGINE RIB TO INBOARD WING FLAME DETECTOR (MOD. 4303)** Consisting of:—	1	—	—	
5E/3795	†		**CABLE,** Unifire, F12 (Alternative to 5E/3894)	QR	—	C	
5E/3894	†		**CABLE,** Unitersil 20 (Alternative to 5E/3795) ...	QR	—	C	
	E.B6.81.6149		**CABLE-END** (Made from Part No. WE. 571) ...	2	—	—	
5X/6594	CZ.61565		**ELBOW**	1	—	C	
5X/3168	Z.28156/A		**GASKET**	1	—	C	
5X/1005131	Z.49428		**SLEEVE**	2	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** 1" long	QR	—	C	
5K/9107065	EEAS.146/20		**SLEEVE,** ¼" long	QR	—	C	
5X/7051	2CZ.84879		**SOCKET,** 2-way	1	—	C	
17157	E.B7.81.847		**TUBE,** conduit	1	—	C	
	E.B6.81.627/2		**CABLE, ASSEMBLY, 7R1, FROM PLUG, AT INBOARD ENGINE RIB TO REAR FLAME DETECTOR (PRE-MOD.4303)** Consisting of:—	1	—	—	
5E/3759	†		**CABLE,** Unifire, F12	QR	—	C	
22166	E.B6.81.841		**CABLE-END** (Make from Ref. 5K/3667) ...	2	—	C	
5F/2300	†		**CORD,** glass tying 1/32"	QR	—	C	
5X/1356	Z.2272/2		**FERRULE,** cut	1	—	C	
5K/88	AGS.1658/1		**NUT,** gland	1	—	C	
5X/1005131	Z.49428		**SLEEVE,** cable	2	—	C	
5K/9134478	AGS.1652/3		**SLEEVE,** slotted	1	—	C	
5K/3457	EEAS.146/TC		**SLEEVE,** ¾" long	4	—	C	
5K/3457	EEAS.146/TD		**SLEEVE,** 1" long	12	—	C	
5X/6005	CZ.27980		**SOCKET,** 2-way, size A (Pre-Mod. 3382) ...	1	—	C	
5X/7051	2CZ.84879		**SOCKET,** 2-way, size A (Mod. 3382)	1	—	C	
	E.B6.81.6151		**CABLE, ASSEMBLY, 7R1, FROM PLUG AT INBOARD ENGINE RIB TO FLAME DETECTOR (MOD. 4303)** Consisting of:—	1	—	—	
5E/3795	†		**CABLE,** Unifire, F12 (Alternative to 5E/3894)	QR	—	C	
5E/3894	†		**CABLE,** Unitersil 20 (Alternative to 5E/3795)	QR	—	C	
	E.B6.81.6149		**CABLE-END** (Made from Part No. WE.571) ...	2	—	—	
5F/2300	†		**CORD,** glass tying 1/32"	QR	—	C	
5X/1356	Z.2272/2		**FERRULE,** cut	1	—	C	
5K/88	AGS.1658/1		**NUT,** gland	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
5K/9134478	AGS.1652/3	**SLEEVE**	1	—	C	
5X/1005131	Z.49428	**SLEEVE**	2	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	QR	—	C	
5K/9107065	EEAS.146/20	**SLEEVE,** ¾" long	QR	—	C	
5X/7051	2CZ.84879	**SOCKET,** 2-way	1	—	C	
	E.A1.81.819/1	**CABLE, ASSEMBLY, 7A1, FROM TERMINAL BOARD TO UNDERCARRIAGE "UP" MICRO SWITCH**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5K/9107066	†	**SLEEVE,** ¾" long	4	—	C	
	E.B7.81.1295	**CABLE, ASSEMBLY, 7A2, FROM TERMINAL BOARD TO UNDERCARRIAGE "DOWN" MICRO SWITCH (MOD. 1497)**	1	—	—	
		Consisting of:—				
5E/3802	†	**CABLE,** Duprensheathground 6, circular ...	QR	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	2	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** 1" long	2	—	C	
	E.B7.81.1325	**CABLE, ASSEMBLY, 7A3, FROM TERMINAL BOARD TO UNDERCARRIAGE "DOWN" MICRO SWITCH (MOD. 1497)**	1	—	—	
		Consisting of:—				
5E/3802	†	**CABLE,** Duprensheathground 6, circular ...	QR	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	2	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** 1" long	2	—	C	
	E.A9.81.5437/2	**CABLE, ASSEMBLY, 7DFP, FROM JB7, TO FIRE EXTINGUISHER BOTTLE (MOD. 3773)**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
26DK/10046	EEAS.274	**FERRULE**	3	—	C	
10H/0970108	Z.62235	**GASKET,** outlet	3	—	C	
5X/9491421	†	**GROMMET**	2	—	C	
10H/0970292	CZ.69733	**NUT,** cable, clamp	3	—	C	
10H/0970088	Z.62229	**RING,** sealing	3	—	C	
10H/0970096	Z.49037	**RING,** thrust	3	—	C	
5X/1005131	Z.49428	**SLEEVE**	6	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	9	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** 1" long	17	—	C	
5K/9107065	EEAS.146/20	**SLEEVE,** ¼" long	12	—	C	
	2CZ.111692	**SOCKET,** 2-way (Pre-Mod. 3382)	2	—	—	
5X/7038	2CZ.84872	**SOCKET,** 2-way (Mod. 3382)	2	—	C	
	2CZ.111693	**SOCKET,** 4-way (Pre-Mod. 3382)	1	—	—	
5X/7039	2CZ.84873	**SOCKET,** 4-way (Mod. 3382)	1	—	C	
5X/9450396	HC.490	**TAG**	6	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN PORT WING

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A1.81.876/1		**CABLE, ASSEMBLY, 7A, FROM JB7, TO UNDER-CARRIAGE WIRING TERMINAL BOARDS**	1	—	—	
			Consisting of:—				
5E/3079	†		**CABLE,** Quinpren 6	QR	—	C	
5X/9491421	Z.22341		**GROMMET,** No. 3	2	—	C	
5K/9107068	†		**SLEEVE,** ¾" long	8	—	C	
5K/9107068	†		**SLEEVE,** 1" long	2	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	4	—	C	
	E.A1.81.881/1		**CABLE, ASSEMBLY, 7A4, FROM UNDERCARRIAGE TERMINAL BOARD TO PORT WHEEL DOOR MICRO SWITCH**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5K/9107066	†		**SLEEVE,** ¾" long	4	—	C	
	E.A3.81.895/1		**CABLE, ASSEMBLY, 9B3, FROM JETTISON TANK TERMINAL BOARD TO NAVIGATION LIGHT TERMINAL BOARD**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5K/9107066	†		**SLEEVE,** ¾" long	4	—	C	
5K/9107066	†		**SLEEVE,** 1" long	2	—	C	
5K/301	†		**TAG,** type 0-0	2	—	C	
	E.B7.81.1441		**CABLE, ASSEMBLY, 7C, FROM JB7, TO MIXING VALVE ACTUATOR**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
33H/56	†		**CEMENT,** Bostik	QR	—	C	
5X/1383	Z.14485/2		**FERRULE,** cut	1	—	C	
5X/9491421	Z.22431		**GROMMET,** No. 3	1	—	C	
5X/1005131	Z.49428		**SLEEVE,** cable	3	—	C	
5K/9107066	EEAS.146/12		**SLEEVE,** ¾" long	6	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** ¾" long	2	—	C	
5X/6009	CZ.27901		**SOCKET** (Pre-Mod. 3382)	1	—	C	
5X/7039	2CZ.84873		**SOCKET** (Mod. 3382)	1	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	3	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
	E.B7.81.1443		**CABLE, ASSEMBLY, 7G, FROM JB7, TO MIXING VALVE POSITION TRANSMITTER**	1	—	—	
			Consisting of:—				
5E/3079	†		**CABLE,** Quinpren 6	QR	—	C	
5X/9491421	Z.22431		**GROMMET,** No. 3	1	—	C	
5K/9107066	EEAS.146/12		**SLEEVE,** ¾" long	5	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** ¾" long	2	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	5	—	C	
	E.B7.81.1445/2		**CABLE, ASSEMBLY, 7Q, FROM JB7, TO PORT INBOARD HIGH ENERGY IGNITION UNIT**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
33H/56	†		**CEMENT,** Bostik	QR	—	C	
5X/1383	Z.14485/2		**FERRULE,** cut	1	—	C	
5X/2785	Z.22430		**GROMMET,** No. 2	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
5K/9107066	EEAS.146/12	**SLEEVE,** ¾" long	4	—	C	
5X/1005131	Z.49428	**SLEEVE,** cable	1	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	2	—	C	
5X/6004	CZ.27900	**SOCKET** (Pre-Mod. 3382)	1	—	C	
5X/7038	2CZ.84872	**SOCKET** (Mod. 3382)	1	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	2	—	C	
32B/498	†	**THREAD,** waxed linen, No. 18	QR	—	C	
	E.B7.81.1447/2	**CABLE, ASSEMBLY, 7L, FROM JB7, TO GATE VALVE ACTUATOR**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
33H/56	†	**CEMENT,** Bostik	QR	—	C	
5X/1383	Z.14485/2	**FERRULE,** cut	1	—	C	
5X/9491421	Z.22431	**GROMMET,** No. 3	1	—	C	
5X/1005131	Z.49428	**SLEEVE,** cable	3	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** ¾" long	6	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	2	—	C	
5X/6009	CZ.27901	**SOCKET,** size A (Pre-Mod. 3382)	1	—	C	
5X/7039	2CZ.84873	**SOCKET,** size A (Mod. 3382)	1	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	3	—	C	
	E.A9.81.1467	**CABLE, ASSEMBLY, 9D, FROM JB9, TO LANDING LAMP**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
4588	†	**CHANNEL,** rubber, 0".5 long	1	—	C	
5X/9491421	Z.22431	**GROMMET,** No. 3	1	—	C	
5X/846	†	**PIN,** socket	5	—	C	
5K/9107065	EEAS.146/16	**SLEEVE,** ¾" long	10	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** ¾" long	2	—	C	
5K/3366	EEAS.146/6	**SLEEVE,** 1½" long	1	—	C	
5X/766	†	**SOCKET,** type M	1	—	B	
5X/9450396	HC.490	**TAG,** Q.R.	3	—	C	
5X/9482491	HC.500	**TAG,** Q.R.	2	—	C	
32B/498	†	**THREAD,** waxed linen, No. 18	QR	—	C	
	E.A3.81.1469	**CABLE, ASSEMBLY, 9F, FROM JB9 TO COLD JUNCTION COMPENSATOR**	1	—	—	
		Consisting of:—				
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
5X/2787	Z.22432	**GROMMET,** No. 4	1	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** ¾" long	8	—	C	
5K/9107068	EEAS.146/2	**SLEEVE,** ¾" long	2	—	C	
5X/9450224	HC.510	**TAG,** Q.R.	4	—	C	
32B/498	†	**THREAD,** waxed linen, No. 18	QR	—	C	
	E.A9.81.1473	**CABLE, ASSEMBLY, E.P.G., FROM GENERATOR NO. 1 TYPE 512, TO NEGATIVE SHUNT CONNECTION (PRE-MOD. 3234)**	1	—	—	
		Consisting of:—				
5E/4197	†	**CABLE,** Uninyvin 0000	QR	—	C	
	†	**LUG,** solder type (supplied with generator Ref. 5UA/6005)	1	—	—	
5CZ/6795	12356	**LUG,** crimping	1	—	C	
5K/3368	EEAS.146/00	**SLEEVE,** 1½" long	1	—	C	
5K/3369	EEAS.146/0000	**SLEEVE,** 2" long	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN PORT WING

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.1483		**CABLE, ASSEMBLY, P31, FROM GENERATOR NO. 1 TYPE 512, TO LEADING EDGE DIAPHRAGM CONNECTION** Consisting of:—	1	—	—	
5E/4197	†		**CABLE,** Uninyvin 0000	QR	—	C	
	†		**LUG,** solder type (supplied with generator Ref. 5UA/6005)	1	—	—	
5CZ/6795	12356		**LUG,** crimping	1	—	C	
5K/3368	EEAS.146/00		**SLEEVE,** 1½" long	1	—	—	
5K/3369	EEAS.146/0000		**SLEEVE,** 2" long	1	—	C	
	E.A9.81.1485		**CABLE, ASSEMBLY, P33, FROM VOLTAGE REGULATOR PANEL TO GENERATOR NO. 1, TYPE 512, AND NEGATIVE SHUNT CONNECTION (PRE-MOD. 3234)** Consisting of:—	1	—	—	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
33H/56	†		**CEMENT,** Bostik	QR	—	C	
5X/9400388	12108		**LUG**	3	—	C	
5K/88	AGS.1658/1		**NUT,** gland	1	—	C	
5K/9134478	AGS.1652/3		**SLEEVE,** slotted	1	—	C	
5K/9107065	EEAS.146/16		**SLEEVE,** ¾" long	6	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** 1" long	2	—	C	
5F/9434858	HV.3254		**STRAP**	QR	—	C	
5F/9138823	NT.3255		**STUD**	3	—	C	
5X/9450224	HC.510		**TAG,** Q.R.	3	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
	E.A9.81.1487		**CABLE, ASSEMBLY, EP, FROM PORT NEGATIVE SHUNT CONNECTION TO EARTH TERMINAL (PRE-MOD. 3234)** Consisting of:—	1	—	—	
5E/4197	†		**CABLE,** Uninyvin 0000	QR	—	C	
5X/9400108	12142		**LUG,** crimping	1	—	C	
5X/9400109	12143		**LUG,** crimping	1	—	C	
5K/3369	EEAS.146/0000		**SLEEVE,** 2" long	2	—	—	
	E.B6.81.4705		**CABLE, ASSEMBLY, EP, FROM GENERATOR NO. 1, NEGATIVE TO EARTH (MOD. 3234)** Consisting of:—	1	—	—	
5E/4197	†		**CABLE,** Uninyvin 0000	QR	—	C	
5X/9400109	Z.70039/1		**LUG,** crimping	1	—	C	
5K/3369	EEAS.146/0000		**SLEEVE,** 2" long	7	—	C	
	E.A3.81.1583		**CABLE, ASSEMBLY, 9B, FROM JB9, TO WING TIP TERMINAL BOARD** Consisting of:—	1	—	—	
5E/3079	†		**CABLE,** Quinpren 6	—	—	—	
5X/2787	Z.22432		**GROMMET,** No. 4	QR	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** ¾" long	1	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	12	—	C	
				5	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A3.81.1591	**CABLE, ASSEMBLY, 9B1, FROM WING TIP TERMINAL BOARD TO JETTISON TANK AND NAVIGATION LIGHT TERMINAL BOARD**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5K/9107065	EEAS.146/16	**SLEEVE,** ¾" long	4	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	2	—	C	
5K/301	†	**TAG,** type 0–0	2	—	C	
	E.A3.81.1593	**CABLE, ASSEMBLY, 9B2, FROM WING TIP TERMINAL BOARD TO TAXYING LAMP CONNECTION**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5K/9107065	EEAS.146/16	**SLEEVE,** ¾" long	2	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	2	—	C	
	E.A3.81.1597	**CABLE, ASSEMBLY, 9B4, FROM WING TIP TERMINAL BOARD TO JETTISON TANK, AFT, DETONATOR OR TERMINAL BOARD (PRE-MOD. 4063)**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5CZ/4239	P.2001/H/15	**RESISTANCE** 15 ohms, 25 watts	2	—	B	
5K/9107067	EEAS.146/16	**SLEEVE,** ¾" long	10	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** 1" long	2	—	C	
	E.A3.81.6321	**CABLE, ASSEMBLY, 9B4, FROM WING TIP TERMINAL BLOCK TO JETTISON TANK DETONATOR (MOD. 4063)**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	3	—	C	
5K/9107065	EEAS.146/20	**SLEEVE,** ¾" long	6	—	C	
5X/9462951	HC.294	**TAG**	2	—	C	
	E.A3.81.1599	**CABLE, ASSEMBLY, 9B5, FROM WING TIP TERMINAL BOARD TO JETTISON TANK FORWARD DETONATOR TERMINAL BOARD (PRE-MOD. 4063)**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5CZ/4239	P.2001/H/15	**RESISTANCE,** 15 ohms, 25 watts	1	—	B	
5K/9107065	EEAS.146/16	**SLEEVE,** ¾" long	6	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** 1" long	2	—	C	
	E.A3.81.6319	**CABLE, ASSEMBLY, 9B5, FROM WING TIP TERMINAL BLOCK TO JETTISON TANK FORWARD DETONATOR TERMINAL BLOCK (MOD. 4063)**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** 1" long	19	—	C	
5K/9107065	EEAS.146/20	**SLEEVE,** ¾" long	8	—	C	
5X/9462951	HC.294	**TAG**	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN PORT WING

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.B6.81.2493/2		**CABLE, ASSEMBLY, 9A AND 9J, FROM JB9, TO NITROGEN VALVE HEATERS TERMINAL BOARD**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
33H/56	†		**CEMENT,** Bostik	QR	—	C	
5X/1383	Z.14485/2		**FERRULE,** cut	1	—	C	
5X/9491421	Z.22431		**GROMMET,** No. 3	1	—	C	
5X/1005131	Z.49428		**SLEEVE,** cable	2	—	C	
5K/9107065	EEAS.146/16		**SLEEVE,** ¾" long	2	—	C	
5K/9107066	EEAS.146/12		**SLEEVE,** ¾" long	6	—	C	
5K/9107066	EEAS.146/12		**SLEEVE,** 1" long	4	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** 1" long	1	—	C	
5X/6188	CZ.50398		**SOCKET,** assembly, 2-way, size A (Pre-Mod. 3382)	1	—	C	
5X/7172	2CZ.111230		**SOCKET,** 2-way, size A (Mod. 3382)	1	—	C	
5X/9482491	HC.500		**TAG,** Q.R.	4	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
	E.B6.81.6149 SMITH WAYMOUTH		**CABLE-END,** crown type (Made from WE.571) ...	2	—	—	
6A/2731	CA.12		**CONNECTOR,** from fuel contents junction box to transmitter	1	—	C	
6A/3734	CA.25		**CONNECTOR,** from fuel contents junction box to tank unit terminal block	1	—	C	
6A/2853	CA.55		**CONNECTOR,** from fuel contents junction box to tank unit terminal block	1	—	C	
5K/2374	AGS.1725/1		**DISC,** blanking	2	—	C	
5X/2790	Z.22634		**GROMMET,** dummy	2	—	C	
6827	E.B6.81.519		**LEAD,** H.T. ignition	1	—	B	
6828	E.B7.81.1449		**LEAD,** H.T. ignition	1	—	B	
6A/1942	†		**LEAD,** extension for thermo-couples	4	—	C	
5K/88	AGS.1658/1		**NUT,** cable gland	2	—	C	
	E.A9.81.1819		**LOOMS, INSTRUMENT CABLE, ASSEMBLY**	—	—	—	
			Spares for:—				
	E.A9.81.1821		**CABLE, ASSEMBLY, 4A1, FROM WING ROOT BREAK TO JB.17, PORT WING**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5617	EEAS.111/4		**FERRULE**	1	—	C	
10H/0970060	Z.60669		**GASKET,** outlet	1	—	C	
5X/2789	Z.22433		**GROMMET,** No 6	1	—	C	
10H/0970067	CZ.49186		**OUTLET,** straight	1	—	C	
10H/0560401	CZ.49228/1		**PLUG,** free, Mk. 4	1	—	C	
5X/1531	Z.18501/B		**RING,** clamp	1	—	C	
10H/0970090	Z.62233		**RING,** sealing	1	—	C	
5K/	EEAS.118/3/4A1		**SLEEVE,** identification	2	—	—	
5K/9107065	EEAS.146/16		**SLEEVE,** ½" long	18	—	C	
5K/9107066	EEAS.146/12		**SLEEVE,** ¾" long	18	—	C	
5F/9434857	HV.3341		**STRAP**	QR	—	C	
5F/2282	HV.3342		**STUD**	40	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	18	—	C	
5F/2036	†		**TUBING,** P.V.C., ⅝" dia.	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	E.A9.81.1063	**WIRING ON LEADING EDGE DIAPHRAGM** ...	—	—	—	
		Spares for:—				
13192	E.A9.81.1095	**BODY,** connector block	2	LFB.82	C	
	E.A9.81.5433	**BOX, JUNCTION, NO. 7, ASSEMBLY (MOD. 3773)**	—	—	—	
		Spares for:—				
5X/3181	CZ.23212/1	**BLOCK,** terminal, 20-way	2	—	C	
		Attaching parts for CZ.23212/1:—				
28S/9130752	A43/B24	Screw, 4 BA	2	—	C	
	E.A1.81.583	**BOX,** shell	1	—	—	
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
	E.B7.81.365	**COVER, ASSEMBLY**	1	—	—	
		Spares for:—				
20457	EEAS.117/1	**SCREW,** cover	6	S.92	C	
1066	EEAS.28/2CU	**WASHER**	12	DTD.124	C	
1108	EEAS.42	**WASHER,** leather	6	—	C	
5X/6168	Z.23197	**GASKET**	2	—	C	
5X/6169	Z.23198	**GASKET**	2	—	C	
5X/6174	Z.50216	**LINK,** 8-way	1	—	C	
5X/6184	CZ.50360	**PLUG,** 12-way (Pre-Mod. 3382)	1	—	C	
5X/7151	2CZ.111226	**PLUG,** 12-way (Mod. 3382)	1	—	C	
5X/6091	CZ.28108	**PLUG,** 14-way (Pre-Mod. 3382)	1	—	C	
5X/7152	2CZ.111227	**PLUG,** 14-way (Mod. 3382)	1	—	C	
5X/6185	CZ.50361	**PLUG,** 26-way (Pre-Mod. 3382)	2	—	C	
5X/7159	2CZ.111229	**PLUG,** 26-way (Mod. 3382)	2	—	C	
5X/3146	Z.49397	**SLEEVE**	1	—	C	
5X/1005131	Z.49428	**SLEEVE**	46	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	31	—	C	
5K/9107065	EEAS.146/16	**SLEEVE,** ¾" long	8	—	C	
5K/9107065	EEAS.146/22	**SLEEVE,** ¾" long	64	—	C	
5X/9450396	HC.490	**TAG**	24	—	C	
5E/9424113	†	**WIRE,** equipment, type 3, 23/·0076, black ...	QR	—	C	
5E/9424124	†	**WIRE,** equipment, type 3, 40/·0076, black ...	QR	—	C	
		Attaching parts E.A9.81.5433:—				
28D/9133011	A25/2C	Bolt, 2 BA	4	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	4	—	C	
28W/9419475	SP.15/C	Washer	4	—	C	
13193	E.A9.81.1099	**FAIRLEAD,** half	2	LFS.21	C	
5X/7546	HV.2962	**SHROUD**	1	—	C	
3417	EEAS.132/9	**STRAP,** cable	6	—	C	
13194	E.A9.81.1097	**STUD,** connector	1	BS.369	C	
5F/2023	†	**TUBING,** insulating	QR	—	C	
37A/1401	NB.25/2	**UNIT,** high energy ignition (Alternative to Ref. 37A/1790)	1	—	B	
37A/1790	C.10-TS/3	**UNIT,** high energy ignition (Alternative to Ref. 37A/1401)	1	—	B	
		Attaching parts for NB25/2 and C.10-TS/3:—				
28D/1011247	A25/13E	Bolt, ¼" BSF	3	—	C	
13195	EEAS.28/23EP	**WASHER**	4	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN PORT WING

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.B7.81.603		**WIRING AND EQUIPMENT, ENGINE BAY, ASSEMBLY**	—	—	--	
			Spares for:—				
21902	E.B6.81.897		**CONDUIT,** $\frac{7}{16}$" o/d x 22 SWG	1	L.62	C	
17242	E.B7.81.1523		**RING,** adaptor, locking	2	L.64	C	
7782	EEAS.21/1ER		**WASHER,** special	6	—	C	
	E.B7.81.1307		**WIRING, MAIN UNDERCARRIAGE, ASSEMBLY**	—	—	—	
			Spares for:—				
5CZ/868	S.I.S.2057		**BLOCK,** terminal, type B, No. 1, 5-way	1	—	C	
			Attaching parts for S.I.S.2057:—				
28M/10286	AGS.2001/A/1		Nut, 6 BA	2	—	C	
28S/1200062	A33/A20		Screw, 6 BA	2	—	C	
5CW/6575	†		**SWITCH,** micro, type 1A, U/C up lock ... ... (Mod. 3759) (Pre-Mod. 4080)	1	—	B	
5CW/6672	†		**SWITCH,** micro, type 4A, down lock ... ... (Mod. 3759) (Pre-Mod. 4080)	1	—	B	
5CW/11254	†		**SWITCH,** micro, type 1HY1 (Mod. 4080)	2	—	B	
			Attaching parts for Ref. 5CW/6575 and 5CW/6672 or 5CW/11254:—				
28D/1010029	A25/6B		Bolt, 4 BA	1	—	C	
2029	E.A1.20.1245		Bolt, special, 2 BA	1	—	C	
28M/9403520	A27/CP		Nut, 2 BA	1	—	C	
28W/1206041	AGS.2035/B		Washer	1	—	C	
28W/1006946	AGS.2035/C		Washer	1	—	C	
	E.A3.81.93		**WIRING AND ELECTRICAL EQUIPMENT, OUTBOARD OF RIB 8, ASSEMBLY**	—	—	—	
			Spares for:—				
5CZ/4301	E.A1.81.1047		**BLOCK,** contact, assembly	1	--	C	
5X/6287	CZ.50178		**BLOCK,** terminal, type J, 2-way	1	—	C	
5X/6288	CZ.50179		**BLOCK,** terminal, type J, 3-way	1	--	C	
			Attaching parts for CZ.50178 and CZ.50179:—				
28S/9130752	A43/B24		Screw, 4 BA	2	—	C	
5CZ/868	†		**BLOCK,** terminal, type B, No. 1	1	—	—	
			Attaching parts for Ref. 5CZ/868:—				
28S/1200062	A33/A20		Screw, 6 BA	2	—	C	
9757	E.A3.81.493		**PLATE,** base, resistance block, assembly (Pre-Mod. 4063)	1	—	C	
41770	E.A3.81.6307		**PLATE,** base, resistor, assembly (Mod. 4063) ...	1	—	C	
5385	E.A3.81.495		**PLATE,** base, resistance block, assembly (Pre-Mod. 4063)	1	—	C	
41769	E.A3.81.6305		**PLATE,** base, resistor, assembly (Mod. 4063) ...	1	—	C	
5905-99-024-1026	P.2001/F/15		**RESISTOR,** 15 ohms, 25 watt (Mod. 4063) ...	3	—	C	
5F/9454141	NY.18007A		**STRAP**	QR	—	C	
5F/9138822	NY.3342		**STUD**	QR	—	C	
5X/9450396	HC.490		**TAG**	2	—	C	
5K/9436636	†		**TAG,** terminal	5	—	C	

531 - 560

Pages 541 to 560 not issued

ELECTRICAL

ELECTRICAL EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	Description	No. Off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.710	**ELECTRICAL EQUIPMENT IN STARBOARD WING, ASSEMBLY**	—	—	—	
		Spares for:—				
	E.A9.81.1058	**EQUIPMENT, ELECTRICAL, IN INNER WING, REAR, ASSEMBLY**	—	—	—	
		Spares for:—				
	E.B7.81.379	**BOX, JUNCTION, NO. 10, ASSEMBLY**	1	—	—	
		Spares for:—				
5X/1002695	CZ.23212/1	**BLOCK,** terminal, 20-way	2	—	C	
		Attaching parts for CZ.23212/1:—				
28S/1200033	A31/B24	Screw, 4 BA	2	—	C	
	E.A1.81.583	**BOX,** bare	1	—	—	
	E.B7.81.383	**COVER,** assembly	1	—	—	
5X/6180	CZ.24650	**FERRULE,** plate	1	—	C	
5X/6168	Z.23197	**GASKET,** size C	2	—	C	
5X/6169	Z.23198	**GASKET,** size D	2	—	C	
5X/6315	Z.50215	**LINK,** commoning	1	—	C	
5X/3143	CZ.23144/D	**RING,** clamp, size D	1	—	C	
5K/9107067	EEAS.146/C	**SLEEVE**	33	—	C	
		Attaching parts for E.B7.81.379:—				
28D/9133013	A25/5C	Bolt, 2 BA	4	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA	4	—	C	
	AS.2811/5/045	Tube, distance, 17 SWG	3	T.4	LM	
	AS.2811/5/049	Tube, distance, 17 SWG	1	T.4	LM	
6734	EEAS.136	**BRACKET,** clip	1	L.72	C	
6A/1677	†	**COMPENSATOR,** cold junction, type B	1	—	B	
		Attaching parts for Ref. 6A/1677:—				
28D/9706373	A25/2A	Bolt, 6 BA	4	—	C	
32A/0119481	†	**CORD,** nylon	QR	—	C	
7186	E.A3.81.1473	**FAIRLEAD,** ¼" thick	2	LFS	C	
		Attaching parts for E.A3.81.1473:—				
28D/1010142	A25/9B	Bolt, 4 BA	3	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA	3	—	C	
28M/1006504	A27/BT	Nut, 4 BA	3	—	C	
28W/9419474	SP.15/B	Washer	3	—	C	
3416	EEAS.132/7	**STRAP,** c/w buckle	1	—	C	
		Attaching parts for EEAS.132/7:—				
28D/9128739	AS.1248/½B	Bolt, 4 BA	1	—	C	
3420	EEAS.73	Plate, clamp	1	L.72	C	
3417	EEAS.132/9	**STRAP,** c/w buckle	2	—	C	
		Attaching parts for EEAS.132/9:—				
28D/1218386	AS.1248/3B	Bolt, 4 BA	1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA	1	—	C	
3420	EEAS.73	Plate, clamp	1	L.72	C	
32B/1168	†	**TAPE,** P.V.C.	QR	—	C	
5259	EEAS.21/2ERH	**WASHER,** "D"	6	L.72	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	Description	No. Off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A9.81.1060	**EQUIPMENT, ELECTRICAL, IN OUTER WING, ASSEMBLY**	—	—	—	
		Spares for:—				
	E.A3.81.1537	**BOX, JUNCTION, G.4B, ASSEMBLY**	1	—	—	
		Spares for:—				
	E.A3.81.1539	**BOX,** junction	1	—	—	
	E.A3.81.1543	**LID,** assembly	1	—	—	
	E.A9.81.6342	**BOX, JUNCTION, NO. 18, GROUP (MOD. 4430)** (For Aircraft Embodying Mod. 2383)	1	—	—	
	E.A9.81.6344	**BOX, JUNCTION, NO. 18, GROUP (MOD. 4430)** (For Aircraft Not Embodying Mod. 2383)	1	—	—	
		Spares for:—				
	E.A9.81.6392	**BOX,** junction, No. 18	1	—	—	
		Attaching parts for E.A9.81.6392:—				
28D/9133011	A25/2C	Bolt, 2 BA	4	—	C	
37890	E.A9.81.1713	**LID,** assembly	1	—	B	
17361	E.B6.81.381	**FAIRLEAD,** half	2	LFS.21	C	
	E.A9.81.1062	**EQUIPMENT, ELECTRICAL, IN LEADING EDGE, ASSEMBLY**	2	LFS.21	—	
		Spares for:—				
	E.G5.81.665	**BRACKET, ASSEMBLY, NOSE RIB, NO. 1, INSTALLATION (MOD. 3930)**	—	—	—	
		Spares for:—				
	E.G5.81.615	**BRACKET AND WIRING, ASSEMBLY**	—	—	—	
		Spares for:—				
5X/1002694	CZ.50207	**BLOCK,** terminal, 5-way	2	—	C	
	E.G5.81.655	**BRACKET, SUB-ASSEMBLY**	1	—	—	
		Spares for:—				
	E.G5.81.657	**BRACKET,** engraved	1	L.72	—	
10H/0970052	CZ.51541	**CAP,** protective	1	—	C	
5E/9100020	†	**CABLE,** miniature, 6A	QR	—	C	
10H/0970055	CZ.51538	**CAP,** protective	1	—	C	
32A/0119481	†	**CORD,** nylon, P.V.C.	QR	—	C	
5X/9149641	CZ.26805	**COVER,** terminal block	2	—	C	
5L/9959118	†	**FILAMENT,** 28v, 0·04A	1	—	C	
5X/1004082	Z.50210	**LINK,** 2-way	4	—	C	
10H/9144806	2CZ/10811	**OUTLET,** assembly	1	—	C	
5X/9450403	Z.28426	**PILLAR,** fixing	4	—	C	
10H/0560300	CZ.49222	**PLUG,** 6-way	1	—	C	
10H/0970102	Z.49040	**RING,** sealing	1	—	C	
5W/6634	PAGE A.257	**SLEEVE**	1	—	C	
10H/0560820	CZ.56743	**SOCKET,** 6-way	1	—	C	
5CW/7299	C.750/B/8	**SWITCH,** push	1	—	B	
5X/9450396	HC.490	**TAG**	16	—	C	
5E/9100224	†	**WIRE,** equipment, type 3, 14/·0076, black	QR	—	C	
17361	E.B6.81.381	**FAIRLEAD,** half	2	LFS.21	C	
		Attaching parts for E.B6.81.381:—				
28D/1008149	A25/2B	Bolt, 4 BA	2	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA	2	—	C	
28W/9419474	SP.15/B	Washer	2	—	C	
	W. VINTEN LTD.					
14A/	447/1A	**UNIT,** conversion, G.90 camera, assembly ...	1	—	—	
		Attaching parts for 447/1A:—				
28S/9992522	A32/B16	Screw, 4 BA	4	—	C	
28W/9419465	SP.13/B	Washer	4	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	1 2 3 4 5 6 Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.B7.81.42	**LOOMS, CABLE, INSTRUMENT, ASSEMBLY** Consisting of:—	—	—	—	
	E.A3.81.917	**CABLE, ASSEMBLY, D.1A–D.1, FROM G.4B COMPASS JB. TO DETECTORS UNIT CONNECTION** Consisting of:—	1	—	—	
5K/2863	†	**BRAIDING,** copper	QR	—	C	
5E/4182	†	**CABLE,** Uninyvin 22	QR	—	C	
18864	EEAS.111/3	**FERRULE**	1	—	C	
10H/0970059	Z.60668	**GASKET,** outlet	1	—	C	
10H/0970065	CZ.49182	**OUTLET,** straight	1	—	C	
5X/1530	Z.18501/Z	**RING,** clamp	1	—	C	
10H/0970091	Z.54187	**RING,** sealing	1	—	C	
5K/9107065	EEAS.146/16	**SLEEVE,** $\frac{3}{4}$" long	24	—	C	
5K/9107068	EEAS.146/2	**SLEEVE,** 1" long	2	—	C	
5K/9107069	EEAS.146/00	**SLEEVE,** 1" long	1	—	C	
10H/0560180	CZ.49126	**SOCKET,** body	1	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	12	—	C	
	E.A3.81.919	**CABLE, ASSEMBLY, D.1B–D.1A, FROM WING ROOT CONNECTION TO G.4B COMPASS JB.** Consisting of:—	1	—	—	
5K/2863	†	**BRAIDING,** copper	QR	—	C	
5E/4182	†	**CABLE,** Uninyvin 22	QR	—	C	
18864	EEAS.111/3	**FERRULE**	1	—	C	
10H/0970059	Z.60668	**GASKET,** outlet	1	—	C	
10H/0970065	CZ.49182	**OUTLET,** straight	1	—	C	
10H/0560360	CZ.49458	**PLUG,** assembly	1	—	C	
5X/1530	Z.18501/Z	**RING,** clamp	1	—	C	
10H/0970091	Z.62231	**RING,** sealing	1	—	C	
5K/9107065	EEAS.146/16	**SLEEVE,** $\frac{3}{4}$" long	12	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** $\frac{3}{4}$" long	12	—	C	

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.

ELECTRICAL

ELECTRICAL EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5K/9107069	EEAS.146/00	**SLEEVE,** 1" long	1	—	C	
5K/9107069	EEAS.146/00	**SLEEVE,** 1" long	2	—	C	
5X/9482491	HC.500	**TAG,** Q.R.	12	—	C	
	E.A9.81.832	**LOOMS, CABLE, ASSEMBLY**	—	—	—	
		Spares for:—				
	E.B6.81.515/2	**CABLE, ASSEMBLY, 10L, FROM JB.10 TO OUTBOARD HIGH ENERGY IGNITION UNIT**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
33H/56	†	**CEMENT,** Bostik	QR	—	C	
5F/2300	†	**CORD,** glass tying, $\frac{1}{32}$"	QR	—	C	
5X/7320	Z.14485/2	**FERRULE,** cut	1	—	C	
5X/2785	Z.22430	**GROMMET,** No. 2	1	—	C	
5K/9107065	EEAS.146/16	**SLEEVE,** $\frac{1}{4}$" long	4	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** 1" long	2	—	C	
5X/1005131	Z.49428	**SLEEVE,** cable	2	—	C	
5X/6004	CZ.27900	**SOCKET** (Pre-Mod. 3382)	1	—	C	
5X/7038	2CZ.84872	**SOCKET** (Mod. 3382)	1	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	2	—	C	
	E.B6.81.525/2	**CABLE, ASSEMBLY, 8N1, FROM PLUG ON INBOARD ENGINE RIB TO COWL ANTI-ICING ACTUATOR**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5F/2300	†	**CORD,** glass tying, $\frac{1}{32}$"	QR	—	C	
5X/6594	CZ.61565	**ELBOW,** assembly	1	—	C	
5X/6755	E.B7.81.1595	**FERRULE,** cable	1	—	C	
5X/6756	E.A3.81.1963	**FERRULE,** cable	1	—	C	
5X/1005131	Z.49428	**SLEEVE,** cable	6	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** $\frac{1}{4}$" long	6	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	2	—	C	
5X/6009	CZ.27901	**SOCKET,** size A (Pre-Mod. 3382)	1	—	C	
5X/7039	2CZ.84873	**SOCKET,** size A (Mod. 3382)	1	—	C	
5X/6010	CZ.27981	**SOCKET,** size A (Pre-Mod. 3382)	1	—	C	
5X/7052	2CZ.84880	**SOCKET,** size A (Mod. 3382)	1	—	C	
	E.B6.81.529	**CABLE ASSEMBLY, E8, FROM JB.8 TO EARTH CONNECTION**	1	—	—	
		Consisting of:—				
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
5K/3071	HV.3112	**GROMMET**	1	—	C	
5X/9400388	12108	**LUG,** crimping	2	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** $\frac{3}{4}$" long	4	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** $\frac{3}{4}$" long	1	—	C	
5F/9434858	HV.3254	**STRAP**	QR	—	C	
5F/9138823	NT.3255	**STUD**	QR	—	C	
5X/9450224	HC.510	**TAG,** Q.R.	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.B6.81.533		**CABLE, ASSEMBLY, E.10, FROM JB.10 TO EARTH CONNECTION** Consisting of:—	1	—	—	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5K/3071	HV.3112		**GROMMET**	1	—	C	
5X/9400388	12108		**LUG,** crimping	2	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** ¾" long	4	—	C	
5K/9107068	EEAS.146/2		**SLEEVE,** 1" long	1	—	C	
5F/9434858	HV.3254		**STRAP**	QR	—	C	
5F/9138823	NT.3255		**STUD**	QR	—	C	
5X/9450224	HC.510		**TAG,** Q.R.	2	—	C	
	E.B6.81.539/2		**CABLE, ASSEMBLY, S.10, FROM JB.10 TO FUSELAGE CONNECTION** Consisting of:—	1	—	—	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†		**CABLE,** Uninyvin 16	QR	—	C	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5X/1526	Z.18500/D		**FERRULE**	1	—	C	
5X/3143	CZ.23144/D		**RING,** clamp	1	—	C	
5X/1005131	Z.49428		**SLEEVE,** cable	19	—	C	
5K/9107066	EEAS.146/12		**SLEEVE,** ¾" long	48	—	C	
5K/9107066	EEAS.146/12		**SLEEVE,** ¾" long	4	—	C	
5K/	EEAS.118/5/S10		**SLEEVE,** identification	2	—	—	
5X/6200	CZ.50414		**SOCKET,** size D (Pre-Mod. 3382)	1	—	C	
5X/7205	2CZ.111468		**SOCKET,** size D (Mod. 3382)	1	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	19	—	C	
5X/9482491	HC.500		**TAG,** Q.R.	5	—	C	
5X/9450224	HC.510		**TAG,** Q.R.	2	—	C	
	E.A6.81.565/2		**CABLE, ASSEMBLY, 10A AND 10J, FROM JB.10 TO NITROGEN VALVE AND VENT VALVE HEATER TERMINAL BOARD** Consisting of:—	1	—	—	
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
33H/56	†		**CEMENT,** Bostik	QR	—	C	
5X/1383	Z.14485/2		**FERRULE,** cut	1	—	C	
5X/9491421	Z.22431		**GROMMET,** No. 3	1	—	C	
5K/9107065	EEAS.146/16		**SLEEVE,** ¾" long	2	—	C	
5K/9107066	EEAS.146/12		**SLEEVE,** ¾" long	6	—	C	
5K/9107066	EEAS.146/12		**SLEEVE,** ¾" long	4	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** ¾" long	1	—	C	
5X/6188	CZ.50398		**SOCKET,** assembly, 2-way, size A (Pre-Mod. 3382)	1	—	C	
5X/7172	2CZ.111230		**SOCKET,** 2-way, size A (Mod. 3382)	1	—	C	
5X/9482491	HC.500		**TAG,** Q.R.	4	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
	E.A6.81.572		**CABLE, ASSEMBLY, 10C, FROM JB.10 TO TANK TRANSMITTER** Consisting of:—	1	—	—	
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
10H/0970108	Z.49036		**GASKET,** union	1	—	C	
10H/0970058	Z.60667		**GASKET,** outlet	1	—	C	
5X/2785	Z.22430		**GROMMET,** No. 2	1	—	C	
10H/0970062	CZ.49180		**OUTLET,** straight	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
10H/0970096	Z.49037	**RING,** thrust	1	—	C	
10H/0970088	Z.62229	**RING,** sealing	1	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** ¼" long	6	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** ¼" long	3	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	1	—	C	
10H/0560100	CZ.49015	**SOCKET,** assembly, 3-way	1	—	C	
5X/9482491	HC.500	**TAG,** Q.R.	3	—	C	
	E.A6.81.574	**CABLE, ASSEMBLY, 10G, FROM JB.10 TO FUEL PUMP SUPPRESSOR**	1	—	—	
		Consisting of:—				
5X/6757	EEAS.68/6	**ADAPTOR,** reducing	1	—	C	
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
10H/0970107	Z.62234	**GASKET,** union	1	—	C	
5X/9491421	Z.22431	**GROMMET,** No. 3	1	—	C	
5CZ/3766	†	**LUG,** terminal, No. 27	2	—	C	
10H/0970127	Z.49046	**NUT,** union	1	—	C	
10H/0970095	Z.49051	**RING,** thrust	1	—	C	
10H/0970087	Z.62228	**RING,** sealing	1	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** ¼" long	4	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** ¼" long	2	—	C	
5X/9450224	HC.510	**TAG,** Q.R.	2	—	C	
	E.A6.81.575/2	**CABLE, ASSEMBLY, 10G1, FROM SUPPRESSOR TO FUEL PUMP**	1	—	—	
		Consisting of:—				
5X/6757	EEAS.68/6	**ADAPTOR,** reducing	1	—	C	
5E/4203	†	**CABLE,** Uninyvinmet 12	QR	—	C	
33H/56	†	**CEMENT,** Bostik	QR	—	C	
5X/240	Z.2277/2	**FERRULE,** cut	1	—	C	
10H/0970076	Z.49047	**FERRULE,** inner	1	—	C	
10H/0970075	Z.49048	**FERRULE,** outer	1	—	C	
5CZ/3766	†	**LUG,** terminal, No. 27	1	—	C	
10H/0970127	Z.49046	**NUT,** union	1	—	C	
10H/0970087	Z.62228	**RING,** sealing	1	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** ¼" long	4	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** ¼" long	2	—	C	
5X/6029	CZ.27905	**SOCKET,** assembly, size Z (Pre-Mod. 3382) ...	1	—	C	
5X/7176	2CZ.111436	**SOCKET,** size Z (Mod. 3382)	1	—	C	
5E/9102377	†	**WIRE,** tinned copper, 24 SWG	QR	—	C	
5E/3141	†	**WIRE,** tinned copper 32 SWG	QR	—	C	
	E.A6.81.576/2	**CABLE, ASSEMBLY, 10H, FROM JB.10 TO ENGINE FUEL COCK**	1	—	—	
		Consisting of:—				
5E/4182	†	**CABLE,** Uninyvin 22	QR	—	C	
33H/56	†	**CEMENT,** Bostik	QR	—	C	
5X/1383	Z.144885/2	**FERRULE,** cut	1	—	C	
5X/9491421	Z.22431	**GROMMET,** No. 3	1	—	C	
5X/1005131	Z.49428	**SLEEVE,** cable	3	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** ¾" long	6	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** ¼" long	2	—	C	
5X/6189	CZ.50399	**SOCKET,** 4-way, size A (Pre-Mod. 3382) ...	1	—	C	
5X/7173	2CZ.111231	**SOCKET,** 4-way, size A (Mod. 3382)	1	—	C	
5X/9482491	HC.500	**TAG,** Q.R.	3	—	C	
32B/498	†	**THREAD,** waxed linen, No. 18	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A6.81.577/2		**CABLE, ASSEMBLY, 10K, FROM JB.10 TO MAIN TANKS FUEL COCK**	1	—	—	
			Consisting of:—				
5E/4182	†		**CABLE,** Uninyvin 22	QR	—	C	
33H/56	†		**CEMENT,** Bostik	QR	—	C	
5X/1383	Z.14485/2		**FERRULE,** cut	1	—	C	
5X/9491421	Z.22431		**GROMMET,** No. 3	1	—	C	
5X/1005131	Z.49428		**SLEEVE,** cable	3	—	C	
5K/9107066	EEAS.146/12		**SLEEVE,** $\frac{3}{4}$" long	6	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** $\frac{3}{4}$" long	2	—	C	
5X/6189	CZ.50399		**SOCKET,** 4-way, size A (Pre-Mod. 3382) ...	1	—	C	
5X/7173	2CZ.111231		**SOCKET,** 4-way, size A (Mod. 3382)	1	—	C	
5X/9482491	HC.500		**TAG,** Q.R.	3	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
	E.B6.81.607		**CABLE, ASSEMBLY, 8R2, CONNECTION BETWEEN FIRST AND SECOND FLAME DETECTORS (PRE-MOD. 4303)**	1	—	—	
			Consisting of:—				
5E/3759	†		**CABLE,** Unifire F12	QR	—	C	
22166	E.B6.81.841		**CABLE-END** (Make from Ref. 5K/3667) ...	4	—	C	
5F/2300	†		**CORD,** glass tying, $\frac{1}{32}$"	QR	—	C	
5K/88	AGS.1658/1		**NUT,** gland	2	—	C	
5K/9134478	AGS.1652/3		**SLEEVE,** slotted	2	—	C	
5K/3457	EEAS.146/TC		**SLEEVE,** $\frac{1}{4}$" long	4	—	C	
5K/3457	EEAS.146/TD		**SLEEVE,** 1" long	6	—	C	
	E.B6.81.6167		**CABLE, ASSEMBLY, 8R2, CONNECTION BETWEEN FIRST AND SECOND FLAME DETECTORS (MOD. 4303)**	1	—	—	
			Consisting of:—				
5E/3759	†		**CABLE,** Unifire F12 (Alternative to 5E/3894)	QR	—	C	
5E/3894	†		**CABLE,** Unitersil 20 (Alternative to 5E/3759)	QR	—	C	
	E.B6.81.6149		**CABLE-END** (Made from Part No. WE.571) ...	4	—	C	
5F/2300	†		**CORD,** glass tying, $\frac{1}{32}$"	QR	—	C	
5K/88	AGS.1658/1		**NUT,** gland	2	—	C	
5K/9134478	AGS.1652/3		**SLEEVE**	2	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** 1" long	QR	—	C	
5K/9107065	EEAS.146/20		**SLEEVE,** $\frac{1}{4}$" long	QR	—	C	
	E.B6.81.609		**CABLE, ASSEMBLY, 8R3, BETWEEN SECOND AND THIRD FLAME DETECTORS (PRE-MOD. 4303)**	1	—	—	
			Consisting of:—				
5E/3759	†		**CABLE,** Unifire F12	QR	—	C	
22166	E.B6.81.841		**CABLE-END** (Make from Ref. 5K/3667) ...	4	—	C	
5F/2300	†		**CORD,** glass tying, $\frac{1}{32}$"	QR	—	C	
5K/88	AGS.1658/1		**NUT,** gland	2	—	C	
5K/9134478	AGS.1652/3		**SLEEVE,** slotted	2	—	C	
5K/3457	EEAS.146/TC		**SLEEVE,** $\frac{1}{4}$" long	4	—	C	
5K/3457	EEAS.146/TD		**SLEEVE,** 1" long	10	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.B6.81.6169		**CABLE, ASSEMBLY, 8R3, BETWEEN SECOND AND THIRD FLAME DETECTORS (MOD. 4303)**	1	—	—	
			Consisting of:—				
5E/3759	†		**CABLE,** Unifire F12 (Alternative to 5E/3894)	QR	—	C	
5E/3894	†		**CABLE,** Unitersil 20 (Alternative to 5E/3759) ...	QR	—	C	
	E.B6.81.6149		**CABLE-END** (Make from Part No. WE.571) ...	4	—	—	
5F/2300	†		**CORD,** glass tying, $\frac{1}{32}$"	QR	—	C	
5K/88	AGS.1658/1		**NUT,** gland	2	—	C	
5K/9134478	AGS.1652/3		**SLEEVE**	2	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** 1" long	QR	—	C	
5K/9107065	EEAS.146/20		**SLEEVE,** $\frac{3}{4}$" long	QR	—	C	
	E.B6.81.611		**CABLE, ASSEMBLY, 8R4, BETWEEN THIRD AND FOURTH FLAME DETECTORS (PRE-MOD. 4303)**	1	—	C	
			Consisting of:—				
5E/3759	†		**CABLE,** Unifire F12	QR	—	C	
22166	E.B6.81.841		**CABLE-END** (Make from Ref. 5K/3667) ...	4	—	C	
5F/2300	†		**CORD,** glass tying, $\frac{1}{32}$"	QR	—	C	
5K/88	AGS.1658/1		**NUT,** gland	2	—	C	
5K/9134478	AGS.1652/3		**SLEEVE,** slotted	2	—	C	
5K/3456	EEAS.146/T/A1		**SLEEVE,** $\frac{3}{4}$" long	4	—	C	
5K/3457	EEAS.146/TC		**SLEEVE,** $\frac{3}{4}$" long	4	—	C	
	E.B6.81.6171		**CABLE, ASSEMBLY, 8R4, BETWEEN THIRD AND FOURTH FLAME DETECTORS (MOD. 4303)**	1	—	—	
			Consisting of:—				
5E/3759	†		**CABLE,** Unifire F12 (Alternative to 5E/3894)	QR	—	C	
5E/3894	†		**CABLE,** Unitersil 20 (Alternative to 5E/3759)	QR	—	C	
	E.B6.81.6149		**CABLE-END** (Made from Part No. WE.571) ...	4	—	—	
5F/2300	†		**CORD,** glass tying, $\frac{1}{32}$"	QR	—	C	
5K/88	AGS.1658/1		**NUT,** gland	2	—	C	
5K/9134478	AGS.1652/3		**SLEEVE**	2	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** 1" long	QR	—	C	
5K/9107065	EEAS.146/20		**SLEEVE,** $\frac{3}{4}$" long	QR	—	C	
21895	E.B6.81.617		**CABLE, ASSEMBLY, 8M2, BETWEEN FLAME DETECTORS ON INBOARD ENGINE RIB (PRE-MOD. 4303)**	1	—	B	
			Consisting of:—				
5E/3759	†		**CABLE,** Unifire F12	QR	—	C	
22166	E.B6.81.841		**CABLE-END** (Make from Ref. 5K/3667) ...	4	—	C	
5K/3457	EEAS.146/TC		**SLEEVE,** $\frac{3}{4}$" long	4	—	C	
5K/3457	EEAS.146/TD		**SLEEVE,** 1" long	1	—	C	
17155	E.B7.81.837		**TUBE,** conduit, assembly	1	—	C	
	E.B6.81.6175		**CABLE, ASSEMBLY, 8M2, BETWEEN INBOARD ENGINE RIB FLAME DETECTORS (MOD. 4303)**	1	—	—	
			Consisting of:—				
5E/3759	†		**CABLE,** Unifire F12 (Alternative to 5E/3894)	QR	—	C	
5E/3894	†		**CABLE,** Unitersil 20 (Alternative to 5E/3759) ...	QR	—	C	
	E.B6.81.6149		**CABLE-END** (Make from Part No. WE.571) ...	4	—	—	
5K/9107067	EEAS.146/6		**SLEEVE,** 1" long	QR	—	C	
5K/9107065	EEAS.146/20		**SLEEVE,** $\frac{3}{4}$" long	QR	—	C	
17155	E.B7.81.837		**TUBE,** conduit	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.B7.81.2947		**CABLE, ASSEMBLY, 8M3, BETWEEN INBOARD AND OUTBOARD FLAME DETECTORS (MOD. 2147) (PRE-MOD. 4303)** Consisting of:—	1	—	—	
5E/3759	†		**CABLE,** Unifire F12	QR	—	C	
5K/910	WE.490		**CABLE-END**	2	—	C	
5F/2300	†		**CORD,** glass tying, $\frac{1}{32}$"	QR	—	C	
5K/3457	EEAS.146/TC		**SLEEVE,** $\frac{1}{4}$" long	2	—	C	
5K/3457	EEAS.146/TD		**SLEEVE,** 1" long	2	—	C	
	E.B6.81.6177		**CABLE, ASSEMBLY, 8M3, BETWEEN INBOARD AND OUTBOARD ENGINE RIB FLAME DETECTORS (MOD. 4303)** Consisting of:—	1	—	—	
5E/3759	†		**CABLE,** Unifire F12 (Alternative to 5E/3894) ...	QR	—	C	
5E/3894	†		**CABLE,** Unitersil 20 (Alternative to 5E/3759) ...	QR	—	C	
	E.B6.81.6149		**CABLE-END** (Made from Part No. WE.571) ...	2	—	—	
5F/2300	†		**CORD,** glass tying, $\frac{1}{32}$"	QR	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** 1" long	QR	—	C	
5K/9107065	EEAS.146/20		**SLEEVE,** $\frac{1}{4}$" long	QR	—	C	
	E.B6.81.621		**CABLE, ASSEMBLY, 8M4, BETWEEN OUTBOARD ENGINE RIB FLAME DETECTORS (PRE-MOD. 4303)** Consisting of:—	1	—	—	
5E/3759	†		**CABLE,** Unifire F12	QR	—	C	
22166	E.B6.81.841		**CABLE-END** (Made from Ref. 5K/3667) ...	4	—	C	
5K/3456	EEAS.146/T/A1		**SLEEVE,** $\frac{1}{4}$" long	4	—	C	
5K/3457	EEAS.146/TC		**SLEEVE,** $\frac{1}{4}$" long	1	—	C	
17153	E.B7.81.827		**TUBE,** conduit, assembly	1	—	C	
	E.B6.81.6179		**CABLE, ASSEMBLY, 8M4, BETWEEN OUTBOARD ENGINE RIB FLAME DETECTORS (MOD. 4303)** Consisting of:—	1	—	—	
5E/3759	†		**CABLE,** Unifire F12 (Alternative to 5E/3894) ...	QR	—	C	
5E/3894	†		**CABLE,** Unitersil 20 (Alternative to 5E/3759) ...	QR	—	C	
	E.B6.81.6149		**CABLE-END** (Made from Part No. WE.571) ...	4	—	—	
5K/9107067	EEAS.146/6		**SLEEVE,** 1" long	QR	—	C	
5K/9107065	EEAS.146/20		**SLEEVE,** $\frac{1}{4}$" long	QR	—	C	
17153	E.B7.81.827		**TUBE,** conduit	1	—	C	
	E.B6.81.625/2		**CABLE, ASSEMBLY, 8M1, FROM PLUG ON INBOARD ENGINE RIB TO INBOARD WING FLAME DETECTOR (PRE-MOD. 4303)** Consisting of:—	1	—	—	
5E/3759	†		**CABLE,** Unifire F12	QR	—	C	
22166	E.B6.81.841		**CABLE-END** (Made from Ref. 5K/3667) ...	2	—	C	
5X/6594	CZ.61565		**ELBOW,** assembly	1	—	C	
5X/3168	Z.28156/A		**GASKET**	1	—	C	
5X/1005131	Z.49428		**SLEEVE,** cable	2	—	C	
5K/3457	EEAS.146/TD		**SLEEVE,** $\frac{1}{4}$" long	4	—	C	
5K/3457	EEAS.146/TD		**SLEEVE,** 1" long	1	—	C	
5X/6005	CZ.37980		**SOCKET,** 2-way, size A (Pre-Mod. 3382) ...	1	—	C	
5X/7051	2CZ.84879		**SOCKET,** 2-way, size A (Mod. 3382)	1	—	C	
17158	E.B7.81.853		**TUBE,** conduit, assembly	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.B6.81.6173	**CABLE, ASSEMBLY, 8M1, FROM PLUG ON INBOARD ENGINE RIB TO INBOARD WING FLAME DETECTOR (MOD. 4303)** Consisting of:—	1	—	—	
5E/3759	†	**CABLE,** Unifire F12 (Alternative to 5E/3894) ...	QR	—	C	
5E/3894	†	**CABLE,** Unitersil 20 (Alternative to 5E/3759) ...	QR	—	C	
	E.B6.81.6149	**CABLE-END** (Made from Part No. WE.571) ...	2	—	—	
5X/6594	CZ.61565	**ELBOW**	1	—	C	
5X/3168	Z.28156/A	**GASKET**	1	—	C	
5X/1005131	Z.49428	**SLEEVE**	2	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	QR	—	C	
5K/9107065	EEAS.146/20	**SLEEVE,** ¼" long	QR	—	C	
5X/7051	2CZ.84879	**SOCKET,** 2-way	1	—	C	
17158	E.B7.81.853	**TUBE,** conduit	1	—	C	
	E.B6.81.629/2	**CABLE, ASSEMBLY, 8R1, FROM PLUG AT INBOARD ENGINE RIB TO REAR FLAME DETECTOR (PRE-MOD. 4303)** Consisting of:—	1	—	—	
5E/3759	†	**CABLE,** Unifoil F12	QR	—	C	
22166	E.B6.81.841	**CABLE-END**	2	—	C	
5F/2300	†	**CORD,** glass tying, 1/32"	QR	—	C	
5X/1356	Z.2272/2	**FERRULE,** cut	1	—	C	
5K/88	AGS.1658/1	**NUT,** gland	1	—	C	
5K/3457	EEAS.146/TC	**SLEEVE,** ¼" long	4	—	C	
5K/3457	EEAS.146/TD	**SLEEVE,** 1" long	12	—	C	
5K/9134478	AGS.1652/3	**SLEEVE,** slotted	1	—	C	
5X/6005	CZ.27980	**SOCKET,** 2-way, size A (Pre-Mod. 3382) ...	1	—	C	
5X/7051	2CZ.84879	**SOCKET** 2-way, size A (Mod. 3382)	1	—	C	
	E.B6.81.6165	**CABLE, ASSEMBLY, 8R1, FROM PLUG ON INBOARD ENGINE RIB TO REAR FLAME DETECTOR (MOD. 4303)** Consisting of:—	1	—	—	
5E/3759	†	**CABLE,** Unifire F12 (Alternative to 5E/3894) ...	QR	—	C	
5E/3894	†	**CABLE,** Unitersil 20 (Alternative to 5E/3759) ...	QR	—	C	
	E.B6.81.6149	**CABLE-END** (Made from Part No. WE.571) ...	2	—	—	
5F/2300	†	**CORD,** glass tying, 1/32"	QR	—	C	
5X/1356	Z.2272/2	**FERRULE**	1	—	C	
5K/88	AGS.1658/1	**NUT,** gland	1	—	C	
5K/9134478	AGS.1652/3	**SLEEVE**	1	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	QR	—	C	
5K/9107065	EEAS.146/20	**SLEEVE,** ¼" long	QR	—	C	
5X/7051	2CZ.84879	**SOCKET,** 2-way	1	—	C	
	E.A1.81.820/1	**CABLE, ASSEMBLY, 8A1, FROM TERMINAL BOARD TO UNDERCARRIAGE "UP" MICRO SWITCH** Consisting of:—	1	—	—	
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5K/9107066	†	**SLEEVE,** ¾" long	4	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.B7.81.1327		**CABLE, ASSEMBLY, 8A2, FROM TERMINAL BOARD TO UNDERCARRIAGE "DOWN" MICRO SWITCH (MOD. 1497)**	1	—	—	
			Consisting of:—				
5E/3802	†		**CABLE,** Duprensheathground 6 circular ...	QR	—	C	
5K/9107066	†		**SLEEVE,** ¾" long	4	—	C	
	E.B7.81.1329		**CABLE, ASSEMBLY, 8A3, FROM TERMINAL BOARD TO UNDERCARRIAGE "DOWN" MICRO SWITCH (MOD. 1497)**	1	—	—	
			Consisting of:—				
5E/3802	†		**CABLE,** Duprensheathground 6 circular ...	QR	—	C	
5K/9107066	†		**SLEEVE,** ¾" long	4	—	C	
	E.A1.81.829/1		**CABLE, ASSEMBLY, 8A4, BETWEEN TERMINAL BOARD AND OLEO LEG SWITCH CIRCUIT**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5K/9107066	†		**SLEEVE,** ¾" long	4	—	C	
5K/9107066	†		**SLEEVE,** 1" long	2	—	C	
	E.B7.81.1331		**CABLE, ASSEMBLY, 8A5, FROM TERMINAL BOARD TO OLEO SWITCH (MOD. 1497)**	1	—	—	
			Consisting of:—				
5E/3802	†		**CABLE,** Duprensheathground 6 circular ...	QR	—	C	
5K/9107066	†		**SLEEVE,** ¾" long	2	—	C	
5K/9107066	†		**SLEEVE,** 1" long	2	—	C	
	E.A1.81.880/1		**CABLE, ASSEMBLY, 8A6, FROM UNDER-CARRIAGE TERMINAL BOARD TO STARBOARD WHEEL DOOR MICRO SWITCH**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5K/9107066	†		**SLEEVE,** ¾" long	4	—	C	
9705	E.A3.81.896/1		**CABLE, ASSEMBLY, 10B3, FROM JETTISON TANK TERMINAL BOARD TO NAVI-GATION LIGHT TERMINAL BOARD**	1	—	B	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5K/9107066	†		**SLEEVE,** ¾" long	4	—	C	
5K/9107066	†		**SLEEVE,** 1" long	2	—	C	
	E.A9.81.5439/2		**CABLE, ASSEMBLY, 8DFP, FROM JB.8 TO FIRE EXTINGUISHER BOTTLE (MOD. 3773)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
26DK/10066	EEAS.274		**FERRULE**	3	—	C	
10H/0970108	Z.62235		**GASKET**	3	—	C	
5X/9491421	†		**GROMMET**	2	—	C	
10H/0970292	CZ.69733		**NUT,** cable clamp	3	—	C	
10H/0970088	Z.62229		**RING,** sealing	3	—	C	
10H/0970096	Z.49037		**RING,** thrust	3	—	C	
5X/1005131	Z.49428		**SLEEVE**	6	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** 1" long	7	—	C	
5K/9107066	EEAS.146/12		**SLEEVE,** 1" long	16	—	C	
5K/9107065	EEAS.146/20		**SLEEVE,** ¾" long	12	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
	2CZ.111692	**SOCKET,** 2-way (Pre-Mod. 3382)	2	—	—	
5X/7038	2CZ.84872	**SOCKET,** 2-way (Mod. 3382)	2	—	C	
	2CZ.111693	**SOCKET,** 4-way (Pre-Mod. 3382)	1	—	—	
5X/7039	2CZ.84873	**SOCKET,** 4-way (Mod. 3382)	1	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	6	—	C	
	E.B7.81.1453	**CABLE, ASSEMBLY, 8A, FROM JB.8 TO UNDER-CARRIAGE WIRING TERMINAL BOARD**	1	—	—	
		Consisting of:—				
5E/3080	†	**CABLE,** Septopren 6	QR	—	C	
5X/9491421	Z.22431	**GROMMET,** No. 3	2	—	C	
5K/9107065	EEAS.146/16	**SLEEVE,** ¾" long	6	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** ¾" long	6	—	C	
5K/9107068	EEAS.146/2	**SLEEVE,** 1" long	2	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	6	—	C	
	E.B7.81.1455/2	**CABLE, ASSEMBLY, 8Q, FROM JB.8 TO STAR-BOARD INBOARD HIGH ENERGY IGNITION UNIT**	1	—	—	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
33H/56	†	**CEMENT,** Bostik	QR	—	C	
5X/1383	Z.14485/2	**FERRULE,** cut	1	—	C	
5X/2785	Z.22430	**GROMMET,** No. 2	1	—	C	
5X/1005131	Z.49428	**SLEEVE,** cable	2	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** ¾" long	4	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	2	—	C	
5X/6004	CZ.27900	**SOCKET,** 2-way (Pre-Mod. 3382)	1	—	C	
5X/7038	2CZ.84872	**SOCKET,** 2-way (Mod. 3382)	1	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	2	—	C	
32B/498	†	**THREAD,** waxed linen, No. 18	QR	—	C	
	E.B7.81.1457/2	**CABLE, ASSEMBLY, 8N, 8M AND 8R, FROM JB.8 TO FLAME DETECTORS AND COWL ANTI-ICING ACTUATOR PLUGS ON INBOARD ENGINE RIB**	1	—	C	
		Consisting of:—				
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5F/2300	†	**CORD,** glass tying, 1/32"	QR	—	C	
5X/1383	Z.14485/2	**FERRULE,** cut	3	—	C	
5X/2787	Z.22432	**GROMMET,** No. 4	1	—	C	
5X/1005131	Z.49428	**SLEEVE,** cable	7	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** ¾" long	14	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	4	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	2	—	C	
5X/6004	CZ.27900	**SOCKET,** 2-way, size A (Pre-Mod. 3382) ...	2	—	C	
5X/7038	2CZ.84872	**SOCKET,** 2-way, size A (Mod. 3382)	2	—	C	
5X/6009	CZ.27901	**SOCKET,** 4-way, size A (Pre-Mod. 3382) ...	1	—	C	
5X/7039	2CZ.84873	**SOCKET,** 4-way, size A (Mod. 3382)	1	—	C	
5F/9434858	HV.3254	**STRAP**	QR	—	C	
5F/9138823	NT.3255	**STUD**	24	—	C	
5X/9450396	HC.490	**TAG,** Q.R.	7	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	1 2 3 4 5 6 Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.B7.81.1459/2	**CABLE, ASSEMBLY, 8H, FROM JB.8 TO GENERAL SERVICES JB. PLUG ON INBOARD ENGINE RIB** Consisting of:—	1	—	—	
5X/6644	HV.3327	**BUNG**	1	—	C	
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
33H/56	†	**CEMENT,** Bostik	QR	—	C	
5F/2300	†	**CORD,** glass tying $\frac{1}{32}$"	QR	—	C	
5X/6754	E.B7.81.327	**FERRULE,** right angle, cut	1	—	C	
5X/2113	Z.22675/C	**FERRULE,** outer	1	—	C	
5X/2120	Z.22676/C	**FERRULE,** inner	1	—	C	
5X/6168	Z.23197	**GASKET,** plug moulding	1	—	C	
5X/3171	Z.28156/C	**GASKET**	1	—	C	
5X/6295	Z.61544	**NUT,** coupling	1	—	C	
5X/6207	CZ.50377	**PLUG,** size C (Pre-Mod. 3382)	1	—	C	
5X/7036	2CZ.108916	**PLUG,** size C (Mod. 3382)	1	—	C	
5X/3154	Z.27444	**SHROUD,** plug	1	—	C	
5K/3456	EEAS.146/T/A1	**SLEEVE,** $\frac{1}{4}$" long	12	—	C	
5K/3457	EEAS.146/TC	**SLEEVE,** $\frac{1}{4}$" long	2	—	C	
5K/3458	EEAS.146/TE	**SLEEVE,** $\frac{1}{2}$" long	14	—	C	
5K/3458	EEAS.146/TE	**SLEEVE,** $\frac{3}{4}$" long	2	—	C	
5K/9107069	†	**SLEEVE,** 1" long	1	—	C	
5X/1005131	Z.49428	**SLEEVE,** cable	24	—	C	
5X/6094	CZ.27918	**SOCKET,** size C (Pre-Mod. 3382)	1	—	C	
	2CZ.111659	**SOCKET,** size C (Mod. 3382)	1	—	—	
	E.B7.81.1461/2	**CABLE, ASSEMBLY, 8J, FROM JB8, TO ANTI-ICING SERVICES JB PLUG ON IN-BOARD ENGINE RIB** Consisting of:—	1	—	—	
5X/6644	HV.3327	**BUNG**	1	—	C	
5E/4183	†	**CABLE,** Uninyvin 20	QR	—	C	
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
33H/56	†	**CEMENT,** Bostik	QR	—	C	
5F/2300	†	**CORD,** glass tying $\frac{1}{32}$"	QR	—	C	
5X/6754	E.B7.81.327	**FERRULE,** right angle cut	1	—	C	
5X/2113	Z.22675/C	**FERRULE,** outer	1	—	C	
5X/2120	Z.22676/C	**FERRULE,** union	1	—	C	
5X/6168	Z.23197	**GASKET,** plug moulding	1	—	C	
5X/3171	Z.28156/C	**GASKET**	1	—	C	
5X/6295	Z.61544	**NUT,** coupling	1	—	C	
5X/6086	CZ.28107	**PLUG,** size C (Pre-Mod. 3382)	1	—	C	
5X/7035	2CZ.108915	**PLUG,** size C (Mod. 3382)	1	—	C	
5X/3154	Z.27444	**SHROUD,** plug	1	—	C	
5K/3456	EEAS.146/T/A1	**SLEEVE,** $\frac{3}{4}$" long	12	—	C	
5K/3458	EEAS.146/TE	**SLEEVE,** $\frac{1}{2}$" long	14	—	C	
5K/3458	EEAS.146/TE	**SLEEVE,** $\frac{3}{4}$" long	2	—	C	
5K/9107069	†	**SLEEVE,** 1" long	1	—	C	
5X/1005131	Z.49428	**SLEEVE,** cable	18	—	C	
5X/6193	CZ.50404	**SOCKET,** size C (Pre-Mod. 3382)	1	—	C	
5X/7184	2CZ.111235	**SOCKET,** size C (Mod. 3382)	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.B7.81.1463/2		**CABLE, ASSEMBLY, 8L, FROM JB8, TO GATE VALVE ACTUATOR**	1	—	--	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
33H/56	†		**CEMENT,** Bostik	QR	—	C	
5X/1383	Z.14485/2		**FERRULE,** cut	1	—	C	
5K/9491421	Z.22431		**GROMMET,** No. 3	1	—	C	
5X/1005131	Z.49428		**SLEEVE,** cable	3	—	C	
5K/9107066	EEAS.146/12		**SLEEVE,** ¾" long	6	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** 1" long	2	—	C	
5X/6009	CZ.27901		**SOCKET,** size A (Pre-Mod. 3382)	1	—	C	
5X/7184	2CZ.111235		**SOCKET,** size A (Mod. 3382)	1	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	3	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
	E.A3.81.1470		**CABLE, ASSEMBLY, 10F, FROM JB10, TO COLD JUNCTION COMPENSATOR**	1	—	—	
			Consisting of:—				
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
5X/2787	Z.22432		**GROMMET,** No. 4	1	—	C	
5K/9107066	†		**SLEEVE,** ¾" long	10	—	C	
5X/9450224	HC.510		**TAG,** Q.R.	4	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
	E.A9.81.1489		**CABLE, ASSEMBLY, ESG, FROM GENERATOR NO. 2, TYPE 512, TO NEGATIVE SHUNT CONNECTION (PRE-MOD. 3234)**	1	—	—	
			Consisting of:—				
5E/4197	†		**CABLE,** Uninyvin 0000	QR	—	C	
	†		**LUG,** solder type	1	—	—	
5CZ/6795	12356		**LUG,** crimping	1	—	C	
5K/3368	EEAS.146/00		**SLEEVE,** 1½" long	1	—	C	
5K/3369	EEAS.146/0000		**SLEEVE,** 2" long	1	—	C	
	E.A9.81.1491		**CABLE, ASSEMBLY, S32, FROM GENERATOR NO. 2, TYPE 512, TO LEADING EDGE DIAPHRAGM CONNECTION**	1	—	—	
			Consisting of:—				
5E/4197	†		**CABLE,** Uninyvin 0000	QR	—	C	
	†		**LUG,** solder type	1	—	—	
5CZ/6795	12356		**LUG,** crimping	1	—	C	
5K/3368	EEAS.146/00		**SLEEVE,** 1½" long	1	—	C	
5K/3369	EEAS.146/0000		**SLEEVE,** 2" long	1	—	C	
	E.A9.81.1493		**CABLE, ASSEMBLY, S34, FROM VOLTAGE REGULATOR PANEL TO GENERATOR NO. 2, TYPE 512, AND NEGATIVE SHUNT CONNECTION (PRE-MOD. 3234)**	1	—	--	
			Consisting of:—				
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
33H/56	†		**CEMENT,** Bostik	QR	—	C	
5X/9400388	12108		**LUG**	3	—	C	
5K/88	AGS.1658/1		**NUT,** gland	1	—	C	
5K/9134478	AGS.1652/3		**SLEEVE,** slotted	1	—	C	
5K/9107065	EEAS.146/16		**SLEEVE,** ¾" long	6	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** 1" long	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5F/9434858	HV.3254		**STRAP**	QR	—	C	
5F/9138823	NT.3255		**STUD**	8	—	C	
5X/9450224	HC.510		**TAG,** Q.R.	3	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
	E.A9.81.1495		**CABLE, ASSEMBLY, ES, FROM STARBOARD NEGATIVE SHUNT CONNECTION TO EARTH TERMINAL (PRE-MOD. 3234)**	1	—	—	
			Consisting of:—				
5E/4197	†		**CABLE,** Uninyvin 0000	QR	—	C	
5X/9400108	12142		**LUG,** crimping	1	—	C	
5X/9400109	12143		**LUG,** crimping	1	—	C	
5K/3369	EEAS.146/0000		**SLEEVE,** 2" long	2	—	C	
	E.B6.81.4707		**CABLE, ASSEMBLY, ES. FROM GENERATOR NO. 2 NEGATIVE TO EARTH (MOD. 3234)**	1	—	—	
			Consisting of:—				
5E/4197	†		**CABLE,** Uninyvin 0000	QR	—	C	
5X/6795	12356		**LUG,** 280 A	1	—	C	
5X/9400109	Z.70039/1		**LUG,** Mk. 43	1	—	C	
5K/9107070	EEAS.146/0000		**SLEEVE,** 1" long	6	—	C	
5K/3369	EEAS.146/0000		**SLEEVE,** 2" long	1	—	C	
	E.A9.81.1497		**CABLE, ASSEMBLY, 8B, FROM JB8, TO G45B, CAMERA**	1	—	—	
			Consisting of:—				
5E/3080	†		**CABLE,** Septopren 6	QR	—	C	
5X/9491421	Z.22431		**GROMMET,** No. 3	1	—	C	
5K/9107065	EEAS.146/16		**SLEEVE,** $\frac{1}{2}$" long	7	—	C	
5K/9107066	EEAS.146/12		**SLEEVE,** $\frac{3}{4}$" long	7	—	C	
5K/9107068	EEAS.146/2		**SLEEVE,** $\frac{1}{4}$" long	2	—	C	
5CY/958	†		**SOCKET,** type S, 7-way	1	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	7	—	C	
32B/498	†		**THREAD,** waxed linen, No. 18	QR	—	C	
	E.A9.81.1499		**CABLE, ASSEMBLY, 10D, FROM JB10. TO AIR BRAKEJACK MICRO SWITCHES**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5X/9491421	Z.22431		**GROMMET,** No. 3	1	—	C	
5K/9107065	EEAS.146/16		**SLEEVE,** $\frac{1}{2}$" long	3	—	C	
5K/9107066	EEAS.146/12		**SLEEVE,** $\frac{3}{4}$" long	3	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** 1" long	2	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	3	—	C	
	E.A3.81.1584		**CABLE, ASSEMBLY, 10B, FROM JB10, TO WING TIP TERMINAL BOARD**	1	—	—	
			Consisting of:—				
5E/3079	†		**CABLE,** Quinpren 6	QR	—	C	
5X/2787	Z.22432		**GROMMET,** No. 4	1	—	C	
5K/9107068	†		**SLEEVE,** $\frac{1}{4}$" long	12	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	5	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.A3.81.1592		**CABLE, ASSEMBLY, 10B1, FROM WING TIP TERMINAL BOARD TO JETTISON TANK AND NAVIGATION LIGHT TERMINAL BOARD**	1	—	— —	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5K/9107066	†		**SLEEVE,** ¾" long	4	—	C	
5K/9107066	†		**SLEEVE,** 1" long	2	—	C	
5K/301	†		**TAG,** type 0–0	2	—	C	
9709	E.A3.81.1594		**CABLE, ASSEMBLY, 10B2, FROM WING TIP TERMINAL BOARD TO TAXYING LAMP CONNECTION**	1	—	B	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5K/9107066	†		**SLEEVE,** ¾" long	2	—	C	
5K/9107066	†		**SLEEVE,** 1" long	2	—	C	
9710	E.A3.81.1598		**CABLE, ASSEMBLY, 10B4, FROM WING TIP TERMINAL BOARD TO JETTISON TANK AFT DETONATOR TERMINAL BOARD (PRE-MOD. 4063)**	1	—	B	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5CZ/4239	P.2001/H/15		**RESISTANCE,** 15 ohms, 25 watt	2	—	C	
5K/9107067	†		**SLEEVE,** ¾" long	10	—	C	
5K/9107067	†		**SLEEVE,** 1" long	2	—	C	
	E.A3.81.6317		**CABLE, ASSEMBLY, 10B4, FROM TERMINAL BLOCK TO JETTISON TANK DETONATOR (MOD. 4063)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5K/9107067	EEAS.146/6		**SLEEVE,** 1" long	3	—	C	
5K/9107065	EEAS.146/20		**SLEEVE,** ¼" long	6	—	C	
5X/9462951	HC.294		**TAG**	2	—	C	
9711	E.A3.81.1600		**CABLE, ASSEMBLY, 10B5, FROM WING TIP TERMINAL BOARD TO JETTISON TANK FORWARD DETONATOR TERMINAL BOARD (PRE-MOD. 4063)**	1	—	B	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5CZ/4239	P.2001/H/15		**RESISTANCE,** 15 ohms, 25 watt	1	—	C	
5K/9107066	†		**SLEEVE,** ¾" long	6	—	C	
5K/9107066	†		**SLEEVE,** 1" long	2	—	C	
	E.A3.81.6315		**CABLE, ASSEMBLY, 10B5, FROM WING TIP TERMINAL BLOCK TO JETTISON TANK FORWARD DETONATOR TERMINAL (MOD. 4063)**	1	—	—	
			Consisting of:—				
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5K/9107066	EEAS.146/12		**SLEEVE,** 1" long	19	—	C	
5K/9107065	EEAS.146/20		**SLEEVE,** ¾" long	8	—	C	
5X/9462951	HC.294		**TAG**	2	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.B6.81.6149		**CABLE-END** (Made from Part No. WE.571) ...	2	—	—	
6A/2731	CA.12		**CONNECTOR,** from fuel contents junction box to transmitter	1	—	C	
6A/3734	CA.25		**CONNECTOR,** from fuel contents junction box to tank unit terminal block	1	—	C	
6A/2853	CA.55		**CONNECTOR,** from fuel contents junction box to tank unit terminal block	1	—	C	
5K/2374	AGS.1725/1		**DISC,** blanking	2	—	C	
5X/2790	Z.22634		**GROMMET,** dummy	2	—	C	
6829	E.B6.81.517		**LEAD,** H.T. ignition	1	—	B	
6827	E.B6.81.519		**LEAD,** H.T. ignition	1	—	B	
6A/1942	†		**LEAD,** extension for thermo couples	4	—	C	
5K/88	AGS.1658/1		**NUT,** cable gland	2	—	C	
	E.A9.81.1820		**LOOMS, INSTRUMENT CABLE, ASSEMBLY** ... Consisting of:—	—	—	—	
	E.A9.81.1823		**CABLE, ASSEMBLY, 4B1 FROM WING ROOT BREAK TO JB18 STARBOARD WING** Consisting of:—	1	—	—	
5E/4183	†		**CABLE,** Uninyvin 20	QR	—	C	
5617	EEAS.111/4		**FERRULE**	1	—	C	
10H/0970060	Z.60669		**GASKET,** outlet	1	—	C	
5X/2789	Z.22433		**GROMMET,** No. 6	1	—	C	
10H/0970067	CZ.49186		**OUTLET,** straight	1	—	C	
10H/0560402	CZ.49228/2		**PLUG,** free, Mk. 4	1	—	C	
5X/1531	Z.18501/B		**RING,** clamp	1	—	C	
10H/0970090	Z.62233		**RING,** sealing	1	—	C	
5K/	EEAS.118/3/4B1		**SLEEVE,** identification	2	—	—	
5K/9107065	EEAS.146/A		**SLEEVE,** ½" long	18	—	C	
5K/9107066	EEAS.146/A1		**SLEEVE,** ¾" long	18	—	C	
5F/9434857	HV.3341		**STRAP**	QR	—	C	
5F/2282	HV.3342		**STUD**	40	—	C	
5X/9450396	HC.490		**TAG,** Q.R.	18	—	C	
5F/2036	†		**TUBING,** P.V.C., ⅝" dia.	QR	—	C	
	E.A9.81.1065		**WIRING ON LEADING EDGE, DAPHRAGM** ... Spares for:—	1	—	—	
13192	E.A9.81.1095		**BODY,** connector block	2	LFB.82	C	
	E.A9.81.5435		**BOX, JUNCTION, NO. 8, ASSEMBLY (MOD. 3773)** Spares for:—	—	—	—	
5X/3181	CZ.23212/1		**BLOCK,** terminal, 20-way ... ... Attaching parts for CZ.23212/1:—	2	—	C	
28S/9130752	A43/B24		Screw, 4 BA	2	—	C	
	E.A1.81.583		**BOX,** shell	1	—	—	
5E/4187	†		**CABLE,** Uninyvin 12	QR	—	C	
	E.B7.81.369		**COVER, ASSEMBLY** ... ... Spares for:—	1	—	—	
20457	EEAS.117/1		**SCREW,** cover	6	S.92	C	
1066	EEAS.28/2CU		**WASHER**	12	DTD.124	C	
1108	EEAS.42		**WASHER,** leather	6	—	C	
5X/6168	Z.23197		**GASKET**	2	—	C	
5X/6169	Z.23198		**GASKET**	2	—	C	
5X/6174	Z.50216		**LINK,** 8-way	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5X/6184	CZ.50360	**PLUG,** 12-way (Pre-Mod. 3382)	1	—	C	
5X/7151	2CZ.111226	**PLUG,** 12-way (Mod. 3382)	1	—	C	
5X/6091	CZ.28108	**PLUG,** 14-way (Pre-Mod. 3382)	1	—	C	
5X/7152	2CZ.111227	**PLUG,** 14-way (Mod. 3382)	1	—	C	
5X/6185	CZ.50361	**PLUG,** 26-way (Pre-Mod. 3382)	2	—	C	
5X/7159	2CZ.111229	**PLUG,** 26-way (Mod. 3382)	2	—	C	
5X/3146	Z.49397	**SLEEVE**	1	—	C	
5X/1005131	Z.49428	**SLEEVE**	43	—	C	
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	30	—	C	
5K/9107065	EEAS.146/16	**SLEEVE,** ¾" long	8	—	C	
5K/9107065	EEAS.146/22	**SLEEVE,** ¾" long	64	—	C	
5X/9450396	HC.490	**TAG**	21	—	C	
5E/9424113	†	**WIRE,** equipment, type 3, 23/·0076 black ...	QR	—	C	
5E/9424124	†	**WIRE,** equipment, type 3, 40/·0076 black ...	QR	—	C	
		Attaching parts for E.A9.81.5435:—				
28D/9133011	A25/2C	Nut, 2 BA	4	—	C	
28W/9419475	SP.15/C	Washer	4	—	C	
13193	E.A9.81.1099	**FAIRLEAD,** half	2	LFS.21	C	
	E.A9.81.1081	**PANEL, VOLTAGE, REGULATOR, ASSEMBLY (PRE-MOD. 3234)**	1	—	—	
		Spares for:—				
5X/1002694	CZ.50207	**BLOCK,** terminal, 5-way	1	—	C	
		Attaching parts for CZ.50207:—				
5X/9450403	Z.28426	Pillar, mounting	2	—	C	
	E.A9.81.2439	**BOX, RESISTOR, ASSEMBLY**	1	—	—	
		Spares for:—				
	E.A9.81.2449	**BLOCK,** resistor, mounting	1	—	—	
	WELWYN CL.5	**CLIP,** No. 1	1	—	—	
5CZ/5286	R.W.V.1-J	**RESISTOR,** C.40	1	—	C	
		Attaching parts for E.A9.81.2439:—				
28D/1007979	AS.1246/1B	Bolt, 4 BA	4	—	C	
5E/4187	†	**CABLE,** Uninyvin 12	QR	—	C	
5E/4186	†	**CABLE,** Uninyvin 14	QR	—	C	
5E/4185	†	**CABLE,** Uninyvin 16	QR	—	C	
5X/9149641	CZ.26805	**COVER**	1	—	C	
5X/2190	Z.2280/2	**FERRULE**	1	—	C	
5X/6168	Z.23197	**GASKET**	1	—	C	
5X/1004082	Z.50210	**LINK,** 2-way	1	—	C	
5X/9400384	†	**LUG,** Mk. 4A	3	—	C	
5X/9400386	†	**LUG,** Mk. 6A	2	—	C	
5X/9400388	†	**LUG,** Mk. 8A	2	—	C	
	E.A9.81.1085	**PANEL,** assembly	1	—	—	
5X/6096	CZ.28109	**PLUG,** 6-way (Pre-Mod. 3382)	1	—	C	
5X/7153	2CZ.111297	**PLUG,** 6-way (Mod. 3382)	1	—	C	
5UC/6360	†	**REGULATOR,** type 114	1	—	A	
		Attaching parts for Ref. 5UC/6360:—				
28D/1011238	A25/3E	Bolt, ¼" BSF	4	—	C	
5X/1005132	Z.28081	**SLEEVE**	4	—	C	
5X/3146	Z.49397	**SLEEVE**	3	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	1 2 3 4 5 6 Description	off	Matl. Spec.	Cl. of Equip. M.R. / L.M.	Plate No.
5K/9107067	EEAS.146/6	**SLEEVE,** 1" long	15	—	C	
5K/9107066	EEAS.146/12	**SLEEVE,** 1" long	8	—	C	
5X/9482491	HC.500	**TAG**	2	—	C	
5X/9450224	HC.510	**TAG**	3	—	C	
	E.A9.81.5451	**PANEL, VOLTAGE, REGULATOR, ASSEMBLY (MOD. 3234)**	1	—	—	
		Spares for:—				
	E.A9.81.5573	**PANEL,** sub-assembly	1	—	—	
5UC/6360	†	**REGULATOR,** type 114	1	—	A	
		Attaching parts for Ref. 5UC/6360:—				
28D/1011238	A25/3E	Bolt, ¼" BSF	4	—	C	
5F/9434857	HV.3341	**STRAP**	QR	—	C	
5F/2282	HV.3342	**STUD**	4	—	C	
		Attaching parts for E.A9.81.1081 or E.A9.81.5451:—				
28S/9997545	A31/C16	Screw, 2 BA	4	—	C	
5X/7546	HV.2962	**SHROUD**	1	—	C	
3417	EEAS.132/9	**STRAP,** cable	3	—	C	
13194	E.A9.81.1097	**STUD,** connector	1	BS.369	C	
5F/2023	†	**TUBING,** insulating	QR	—	C	
37A/1401	NB.25/2	**UNIT,** high energy ignition (Alternative to Ref. 37A/1790)	1	—	B	
37A/1790	C.10-TS/3	**UNIT,** high energy ignition (Alternative to Ref. 37A/7401)	1	—	B	
		Attaching parts for Ref. 37A/1401 or 37A/1790:—				
28D/1011247	A25/13E	Bolt, ¼" BSF	3	—	C	
13195	EEAS.28/23EP	**WASHER,** special	4	—	C	
	E.B7.81.604	**WIRING AND EQUIPMENT, ENGINE BAY ASSEMBLY**	—	—	—	
		Spares for:—				
21902	E.B6.81.897	**CONDUIT,** 7/16" o/d x 22 SWG	1	L.72	C	
17242	E.B7.81.1523	**RING,** adapter locking	2	L.64	C	
7782	EEAS.21/1ER	**WASHER,** special	5	—	C	
	E.B7.81.1308	**WIRING, MAIN UNDERCARRIAGE, ASSEMBLY**	—	—	—	
		Spares for:—				
5CZ/430	†	**BLOCK,** terminal type B, No. 1, 2-way	2	—	C	
5CZ/868	†	**BLOCK,** terminal, type B, No. 1, 5-way	1	—	C	
		Attaching parts for Ref. 5CZ/430 and 5CZ/868:—				
28M/10286	AGS.2001/A/1	Nut, 6 BA	2	—	C	
28S/1200062	A33/A20	Screw, 6 BA	2	—	C	
5CW/6575	†	**SWITCH,** micro type 1A, u/c up lock (Mod. 3759) (Pre-Mod. 4080)	2	—	B	
5CW/6672	†	**SWITCH,** micro type 4A, u/c down lock (Mod 3759) (Pre-Mod. 4080)	1	—	B	

ELECTRICAL

ELECTRICAL EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5CW/11254	†		**SWITCH,** micro, type 1.HY.1 (Mod. 4080) ...	3	—	B	
			Attaching parts for Ref. 5CW/6575 and 5CW/6672 or 5CW/11254:—				
28D/1010029	A25/6B		Bolt, 4 BA	1	—	C	
2029	E.A1.81.1245		Bolt, special, 2 BA	1	—	C	
28M/9403520	A27/CP		Nut, 2 BA	1	—	C	
28W/1206041	AGS.2035/B		Washer	1	—	C	
28W/1006946	AGS.2035/C		Washer	1	—	C	
	E.A3.81.94		**WIRING AND ELECTRICAL EQUIPMENT, OUTBOARD OF RIB 8, ASSEMBLY**	—	—	—	
			Spares for:—				
5CZ/4301	E.A1.81.1047		**BLOCK,** contact, assembly	1	—	C	
5X/6287	CZ.50178		**BLOCK,** terminal, type J, 2-way	1	—	C	
5X/6288	CZ.50179		**BLOCK,** terminal, type J, 3-way	1	—	C	
			Attaching parts for CZ.50178 and CZ.50179:—				
28S/9130752	A43/B24		Screw, 4 BA	2	—	C	
5CZ/868	†		**BLOCK,** terminal, type B, No. 1	1	—	C	
			Attaching parts for Ref. 5CZ/868:—				
28S/1200062	A33/A20		Screw, 6 BA	2	—	C	
	E.A3.81.2653		**CLIP,** socket support	1	—	—	
			Attaching parts for E.A3.81.2653:—				
28D/1212940	A61/2C		Bolt, 2 BA	2	—	C	
9757	E.A3.81.493		**PLATE,** base resistance block assembly (Pre-Mod. 4063)	1	—	C	
41770	E.A3.81.6307		**PLATE,** base resistor assembly (Mod. 4063) ...	1	—	C	
5385	E.A3.81.495		**PLATE,** base resistance block assembly (Pre-Mod. 4063)	1	—	C	
41769	E.A3.81.6305		**PLATE,** base resistor assembly (Mod. 4063) ...	1	—	C	
5905-99-024-1026	P.2001/F/15		**RESISTOR,** 15-ohms, 25 watt (Mod 4063) ...	3	—	C	
5F/9454141	NY.18007A		**STRAP**	QR	—	C	
5F/9138822	NY.3342		**STUD**	QR	—	C	
5X/9450396	HC.490		**TAG**	2	—	C	
5K/9436636	†		**TAG,** terminal	5	—	C	

Ref. No.	Part No.	1 2 3 4 5 6	Description	off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.

591 - 608

Pages 589 to 608 not issued

ELECTRICAL

ELECTRICAL EQUIPMENT IN PORT AND STARBOARD WING

Ref. No.	Part No.	1 2 3 4 5 6 Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		SUMMARY OF STOCK ITEMS USED ON ELECTRICAL EQUIPMENT IN PORT AND STARBOARD WING, ASSEMBLY				
28D/9706373	A25/2A	Bolt, 6 BA, hex. head, ·"55 long			C	
28D/1010658	A25/1B	Bolt, 4 BA, hex. head, ·"5 long			C	
28D/1008149	A25/2B	Bolt, 4 BA, hex. head, ·"6 long			C	
28D/1010142	A25/9B	Bolt, 4 BA, hex. head, 1·"3 long			C	
28D/1007972	A25/½C	Bolt, 2 BA, hex. head, ·"5 long			C	
28D/9436920	A25/1C	Bolt, 2 BA, hex. head, ·"55 long			C	
28D/9133011	A25/2C	Bolt, 2 BA, hex. head, ·"65 long			C	
28D/1200119	A25/4C	Bolt, 2 BA, hex. head, ·"85 long			C	
28D/9133013	A25/5C	Bolt, 2 BA, hex. head, ·"95 long			C	
28D/1011019	A25/8C	Bolt, 2 BA, hex. head, 1·"25 long			C	
28D/1011238	A25/3E	Bolt, ¼" BSF, hex. head, ·"8 long			C	
28D/1011247	A25/13E	Bolt, ¼" BSF, hex. head, 1·"8 long			C	
28D/1007979	AS.1246/1B	Bolt, 4 BA, round head, ·"45 long			C	
28D/9128739	AS.1248/½B	Bolt, 4 BA, mushroom head, 0·"45 long			C	
28D/1218386	AS.1248/3B	Bolt, 4 BA, mushroom head, ·"65 long			C	
28D/1007982	AS.1248/1C	Bolt, 2 BA, mushroom head, ·"5 long			C	
28M/9403518	A27/AP	Nut, 6 BA, plain			C	
28M/1006504	A27/BT	Nut, 4 BA, thin			C	
28M/1006939	A27/GP	Nut, 5/16" BSF, plain			C	
28M/13717	A29/GP	Nut, 5/16" BSF, plain			C	
28M/9136152	A54/B	Nut, lock, 4 BA, brass			C	
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA			C	
28M/10274	AGS.2001/B/4	Nut, stiff, 4 BA			C	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA			C	
28M/10291	AGS.2001/G/1	Nut, stiff, 3/16" BSF			C	
28M/1220743	AGS.2001/G/4	Nut, stiff, 5/16" BSF			C	
28M/7002430	AGS.2002/E/1	Nut, stiff, ¼" BSF			C	
28S/9419435	A31/B12	Screw, 4 BA, cheese head, 3/8" long			C	
28S/1200034	A31/B16	Screw, 4 BA, cheese head, ½" long			C	
28S/1200033	A31/B24	Screw, 4 BA, cheese head, ¾" long			C	
28S/1005622	A31/B28	Screw, 4 BA, cheese head, 7/8" long			C	
28S/9997545	A31/C16	Screw, 2 BA, cheese head, ½" long			C	
28S/1006948	A32/A12	Screw, 6 BA, round head, 3/8" long			C	
28S/9992525	A32/B12	Screw, 4 BA, round head, 3/8" long			C	
28S/1008327	A32/B14	Screw, 4 BA, round head, 7/16" long			C	
28S/9144116	A43/B20	Screw, 4 BA, cheese head, 5/8" long			C	
28S/9130752	A43/B24	Screw, 4 BA, cheese head, ¾" long			C	
28W/9419465	SP.13/B	Washer, 4 BA, plain			C	
28W/9419402	SP.13/C	Washer, 2 BA, plain			C	
28W/9419474	SP.15/B	Washer, 4 BA, plain			C	
28W/9419475	SP.15/C	Washer, 2 BA, plain			C	
28W/9416641	SP.47/A	Washer, 6 BA, spring			C	

Ref. No.	Part No.	1 2 3 4 5 6	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

