

CANBERRA B. Mk. 6

Page 1311

UNDERCARRIAGE **MAIN UNDERCARRIAGE, PORT**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	E.A1.40.727	MAIN UNDERCARRIAGE, PORT, ASSEMBLY ...	1	—	—	
	E.A1.40.729	Consisting of:— LEG, OLEO (LESS WHEEL BRAKE UNIT AND FIXED FAIRING) ASSEMBLY	1	—	—	U.1
		Consisting of:—				
2168	E.A6.40.35	BOLT , special, securing	10	S.97	C	U.1
4173	E.A1.40.517	BOLT , special, securing cowl door mechanism to leg (Made from A25/5E)	4	H.T.S.	C	U.2
4174	E.A1.40.519	BOLT , special, securing fixed fairing mounting bracket to leg (Made from A25/5G)	8	H.T.S.	C	
27G/4085	DUNLOP A5.9780	BRAKE , unit (For spares see AP.4515C, Vol. 3, Part 1, sect. 2, Chap. 37)	1	—	A	U.1
6848	E.B6.20.729	FAIRING, MIXED, ASSEMBLY (Supplied with trim allowance)	1	—	B	U.1
		Spares for:—				
3060	E.A3.20.853	FAIRING, FIXED, GROUP	1	—	B	
		Spares for:—				
16205	E.A3.20.831	MEMBER , edge	1	—	C	
16214	E.A3.20.847	MEMBER , edge	1	—	C	
21164	E.A3.20.2869	PANEL, HINGE, ASSEMBLY	1	—	B	
		Spares for:—				
	E.A1.20.1679	HINGE (Made from 28N/9486785) ...	1	—	LM	
3025	E.A1.20.1675	PANEL , hinge, 16 SWG	1	L.72	C	
520	E.A1.40.435	SPRING	2	Spring Steel	C	
1413	E.A1.20.6817	PANEL , access picket point	1	—	C	U.1
	E.A3.20.1627	SEAL , $\frac{3}{8}$ " dia. x 90" long (Make from Ref. 4432)	1	Synthetic Rubber	LM	U.1
16160	E.A1.20.9367	STIFFENER	1	—	C	
5970	E.A3.73.93	WASHER , special, for flexible pipe, bottom bracket	2	L.72	C	U.1
34712	E.A9.40.59	LEG, SLIDING AND OLEO HEAD, GROUP (MOD. 4270)	1	—	A	
		Spares for:—				
661	E.A1.40.153	BUSH , bearing	4	DTD.412	C	U.2
	E.A9.40.57	HEAD, OLEO, GROUP (MOD. 4270)	1	—	—	
		Spares for:—				
663	E.A1.40.89	BEARING , spherical, seated ball joint side stay	1	S.11	C	U.2
664	E.A1.40.101	BUSH , bearing	1	DTD.412	C	U.2
1438501	E.A9.40.63	BUSH , pivot (Mod. 4270)	2	—	C/MR	U.2
666	E.A1.40.111	BUSH , torque, link leg	2	DTD.412	C	U.2
667	E.A1.40.133	DISC , sealing, piston dowel plug	2	L.40	C	U.2
668	E.A1.40.131	DOWEL , special, piston	2	S.11	C	U.2
	or					
36258	E.A3.03.101	DOWEL , piston, (First repair)	2	—	C	
	or					
36259	E.A3.03.103	DOWEL , piston (Second repair)	2	—	C	
42058	E.A9.40.55	HEAD , oleo, forging (Mod. 4270)	1	DTD.5094	A/MR	U.2
669	E.A1.40.103	HOOK , "S" shaped, 16 SWG	2	M.S. Wire	C	U.2
20656	E.A1.40.127	PIPE , stack, assembly	1	—	B/MR	U.2

UNDERCARRIAGE **MAIN UNDERCARRIAGE, PORT**

Ref. No.	Part No.							No. off	Matl. Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
	E.A6.40.5							1	—	—	U.2
683	E.A1.40.61							3	S.11	C	U.2
1099	EEAS.37/22A							2	S.11	C	U.2
670	E.A1.40.647							1	DTD.197	C	U.2
22528	E.A6.40.33							1	S.11	C/MR	U.2
672	E.A1.40.651							1	—	C	U.2
	EEAS.38/3A							1	S.11	LM	U.2
	E.A1.40.117							1	T.4	—	U.2
30A/9140209	†							QR	Soft Iron	C	
673	E.A1.40.679							2	L.40	C	U.2
674	E.A1.40.95							1	DTD.124	C	U.2
676	E.A1.40.97							1	DTD.124	C	U.2
678	E.A1.40.155							2	Synthetic Rubber	C	U.2
679	E.A1.40.625							2	L.40	C	U.2
680	E.A1.40.99							12	S.11	C	U.2
681	E.A1.40.105							1	L.40	C	U.2
28Y/15486	AGS.2096							1	—	C	U.2
682	E.A1.40.149							1	DTD.124	C	U.2
	E.A9.40.61							1	—	—	U.2
26640	E.A3.40.201							1	S.95 or S.96	C	
683	E.A1.40.61							6	S.11	C	U.2
684	E.A1.40.161							2	DTD.124	C	U.2
2467	E.A3.40.45							1	—	C	U.2
	E.A3.40.217							1	—	MR	U.2
21355	E.A3.40.23							1	L.16	C	U.2
13024	E.A3.40.183							1	—	C	U.2
1753	E.A3.40.19							1	—	C	U.2
21537	E.A3.40.21							1	—	C	U.2
14706	E.A3.40.209							1	L.65	C	
1462	E.A3.40.9							1	—	A	U.2
6627	E.A3.40.51							1	S.65	C	
6500	E.A3.40.53							1	S.95	C	
691	E.A1.40.41							1	S.11	C	U.2
32210	E.A3.40.221							3	S.97	C	
	E.A3.40.219							1	DTD.197	—	
693	E.A1.40.175							1	S.65	C	U.2
694	E.A1.40.655							1	DTD.683	C	
14701	E.A3.40.203							1	DTD.683	C	U.2
695	E.A1.40.677							2	L.40	C	U.2
696	E.A1.40.37							2	Synthetic Rubber	C	
14703	E.A3.40.213							2	Synthetic Rubber	C	U.2
12915	E.A1.40.45							1	M.S.	C	U.2
697	E.A1.40.57							1	—	C	U.2
14705	E.A3.40.215							2	Fabric CX.18	C	U.2

CANBERRA B. Mk. 6

Page 1313

UNDERCARRIAGE **MAIN UNDERCARRIAGE, PORT**

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L M	
21221	E.A1.40.635							3	DTD.138	C	
14700	E.A3.40.207							1	L.64	C	U.2
12913	E.A1.40.657							1	DTD.683	C	U.2
21354	E.A1.40.659							1	DTD.683	C	U.2
698	E.A1.40.661							1	Synthetic Rubber	C	
14702	E.A3.40.205							1	Synthetic Rubber	C	
14704	E.A3.40.211							1	Soft rubber	C	U.2
700	E.A1.40.167							1	S.1	C	
701	E.A1.40.39							1	BS.216	C	U.2
702	E.A1.40.43							1	Hard Felt	C	
3631	E.A1.40.27							1	DTD.683	C	U.2
3632	E.A1.40.28							1	DTD.683	C	U.2
703	E.A1.40.67							1	S.11	C	U.2
704	E.A1.40.69							1	S.11	C	U.2
1500	E.A3.40.27							1	S.97	C	U.2
707	E.A1.40.77							2	S.11	C	U.2
708	E.A1.40.139							2	M.S.	C	U.2
709	E.A1.40.619							2	LA	C	U.2
710	E.A1.40.71							1	S.11	C	U.2
711	E.A1.40.73							1	S.11	C	U.2
712	E.A1.40.137							1	M.S.	C	U.2
713	E.A1.40.75							2	DTD.412	C	U.2
714	E.A1.40.79							2	M.S.	C	U.2
715	E.A1.40.83							1	S.11	C	U.2
1514	E.A3.40.29							1	S.96	C	U.2
1515	E.A3.40.31							1	S.96	C	U.2
718	E.A1.40.147							2	DTD.412	C	U.2
521	E.A1.40.467							1	—	C	U.2
522	E.A1.40.465							2	L.40	C	U.2
	E.A1.40.529							1	—	—	U.2
27G/2485	DUNLOP A.H.M.2572							1	—	B	
27G/2486	DUNLOP A.H.M.2574							1	—	B	
27A/3153	DUNLOP D.T.1606							1	—	A	U.1
27A/3152	DUNLOP DF.1621							1	—	A	U.1
	FIRESTONE ZA.101										
	or										
27A/4655	DUNLOP DR.1623										
	GOODYEAR GA.1266										
	FIRESTONE ZA.303										

UNDERCARRIAGE MAIN UNDERCARRIAGE, PORT

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
27G/2382	AC.11516	UNIT, maxaret automatic brake control						1	—	A	U.1
2169	EA3.40.43	WASHER						10	DTD.124A	C	U.1
27A/4217	DUNLOP	WHEEL, undercarriage (Pre-Mod. 4481) (For spares see AP.4515C, Vol. 3)						1	—	A	U.1
	AH.51337										
27A/1450713	DUNLOP	WHEEL, undercarriage (Mod. 4481) (For spares see AP.4515C, Vol. 3)						1	—	A	
	AH.52692										
30A/9140209	†	WIRE, locking, 20 SWG						QR	—	C	
523	EA1.40.29	STAY, SIDE UNDERCARRIAGE, GROUP (PRE-MOD. 3585)						1	—	A	
		Spares for:—									
525	EA1.40.195	BOLT, special, hook						1	S.65 or S.81	C	U.3
526	EA1.40.197	BOLT, special, connecting stay and link						1	S.65 or S.81	C	U.3
527	EA1.40.203	BOLT, special, for roller, assembly, locking gear						1	S.11	C	U.3
528	EA1.40.221	BOLT, special, connecting undercarriage operating jack						1	S.65 or S.81	C	U.3
529	EA1.40.239	BOLT, stop, special, link stay						1	S.65 or S.81	C	U.3
530	EA1.40.405	BOLT, special, sequence valve operating						1	S.11	C	U.3
7112	EA1.40.229	BRACKET, stop bolt						1	S.11	C	U.3
7114	EA1.40.403	BRACKET, sequence valve operating stud						1	L.40	C	U.3
531	EA1.40.199	LEVER, UNDERCARRIAGE, LOCK, GROUP ...						1	—	C	U.3
		Consisting of:—									
532	EA1.40.213	BUSH						1	DTD.197	C	U.3
	EA1.40.201	LEVER						1	S.11	—	
533	EA1.40.200	LEVER, UNDERCARRIAGE, LOCK, GROUP ...						1	—	C	U.3
		Consisting of:—									
532	EA1.40.213	BUSH						1	DTD.197	C	U.3
	EA1.40.202	LEVER						1	S.11	—	
13168	EA3.40.191	LEVER, UNDERCARRIAGE, "DOWN", MICRO SWITCH, ASSEMBLY (MOD. 2151)						1	—	C	U.3
		Spares for:—									
179	EA1.40.569	SCREW, tappet						1	S.11	C	U.3
6472	EA1.40.225	LINK, SIDE STAY, GROUP						1	—	B	U.3
		Spares for:—									
536	EA1.40.227	BUSH, bearing						2	DTD.197	C	U.3
26667	EA3.40.193	NUT, special, slotted for undercarriage operating jack bolt (Make from A27/JS)						1	MT.5	C	U.3
12916	EA1.40.347	NUT, special, slotted, for link and link stay connecting bolt (Make from A27/VS)						1	M.S.	C	U.3
	EA1.40.351	NUT, special, slotted, for hook catch pin bolt (Make from A27/QS)						1	M.S.	C	U.3
	EA1.40.349	NUT, special, slotted, for undercarriage roller locking bolt (Make from A27/JS)						1	M.S.	—	U.3
537	EA1.40.353	NUT, special, lock for stay link stop bolt ...						1	S.11	C	U.3
13184	EA3.40.199	PLATE						1	DTD.124	C	U.3
538	EA1.40.223	PLUG, adaptor, for Tecalet grease nipple in link and stay connecting bolt						1	L.40	C	U.3
539	EA1.40.205	ROLLER, stop lever, assembly						1	—	C	U.3
7113	EA1.40.233	SLEEVE, operating spring for undercarriage lock stop						1	DTD.197	C	U.3
540	EA1.40.237	SPRING, compression at lock stop						1	Spring Steel	C	U.3
30706	EA1.40.31	STAY, side						1	DTD.683	MR	

CANBERRA B. Mk. 6

Page 1315

UNDERCARRIAGE MAIN UNDERCARRIAGE, PORT

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
541	EA1.40.235	STOP	;	undercarriage	lock	...	...	1	S.11	C	U.3
542	EA1.40.217	TUBE	;	distance, for undercarriage	"down" switch	operating	bracket	1	L.40	C	U.3
543	EA1.40.219	TUBE	;	distance, for undercarriage	"down" switch	operating	bracket	1	L.40	C	U.3
544	EA1.40.291	WASHER	;	tab at undercarriage hook catch bolt	20	SWG		1	S.3	C	U.3
545	EA1.40.355	WASHER	;	special, for link and link stay connecting	bolt, 18	SWG		1	L.72	C	U.3
546	EA1.40.357 or EA1.40.765	WASHER	;	special, for link and link stay connecting	bolt, 18	SWG		1	S.3	C	U.3
547	EA1.40.417	WASHER	;	special, under tab and connecting bolts,	24	SWG		1	L.72	C	U.3
34172	EA9.40.43	STAY, SIDE, UNDERCARRIAGE, GROUP		(MOD. 3585)				1	—	A	U.1
		spares for this group are identical with those for group Part No. EA1.40.29 on page 1314, except for the following deletion and addition									
		Delete:—									
	EA1.40.31	STAY	;	side	...	...	...	1	DTD.683	—	
		Add:—									
	EA9.40.39	STAY	;	side	...	...	...	1	DTD.5024	—	U.3

Restricted

[illegible]

Restricted

1317
Pages ~~1317~~ to 1328 not issued

AL 20 1315

AL 23. 1317

UNDERCARRIAGE **MAIN UNDERCARRIAGE, STARBOARD**

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	EA1.40.728	MAIN, UNDERCARRIAGE, STARBOARD, ASSEMBLY						1	—	—	
	EA1.40.730	Consisting of— LEG, OLEO (LESS WHEEL BRAKE UNIT AND FIXED FAIRING), GROUP						1	—	—	U.1
		Consisting of:—									
2168	EA.6.40.35	BOLT , special, securing						10	S.97	C	U.1
4173	EA1.40.517	BOLT , special, securing cowl door mechanism to leg (Made from A25/5E)						4	H.T.S.	C	U.2
4174	EA1.40.519	BOLT , special, securing fixed fairing mounting bracket to leg (Made from A25/5G)						8	H.T.S.	C	
27G/4086	DUNLOP AH.9781	BRAKE , unit (For spares see AP.4515C, 1641E and 4303B, Vol. 3, Part 1, Sect. 2, Chap. 37)						1	—	A	U.1
6849	EB6.20.730	FAIRING, FIXED, ASSEMBLY (Supplied with trim allowance)						1	—	B	U.1
		Spares for:—									
3061	EA3.20.854	FAIRING, FIXED, GROUP						1	—	B	
		Spares for:—									
16206	EA3.20.832	MEMBER , edge						1	—	C	
16215	EA3.20.848	MEMBER , edge						1	—	C	
21721	EA3.20.2870	PANEL, HINGE, ASSEMBLY						1	—	B	
		Spares for:—									
	EA1.20.1679	HINGE (Made from 28N/9486785)						1	—	LM	
3026	EA1.20.1676	PANEL , hinge, 16 SWG						1	L.72	C	
1887	EA1.40.436	SPRING						2	Spring Steel	C	
1413	EA1.20.6817	PANEL , access						1	—	C	
	EA3.20.1627	SEAL , $\frac{3}{8}$ " dia. x 90" long (Make from Ref. 4432)						1	Synthetic rubber	LM	
16161	EA1.20.9368	STIFFENER						1	—	C	
5970	EA6.73.93	WASHER , special, for flexible pipe, bottom bracket						2	L.72	C	U.1
34713	EA9.40.60	LEG, SLIDING OLEO HEAD, GROUP (MOD. 4270)						1	—	A	
		Spares for:—									
660	EA1.40.639	BRACKET , angle, micro switch mounting, 20 SWG						1	L.72	C	U.1
661	EA1.40.153	BUSH , bearing						4	DTD.462	C	U.2
662	EA1.40.671	FINGER , operating micro switch						1	—	C	U.1
	EA9.40.58	HEAD, OLEO, GROUP (MOD. 4270)						1	—	—	
		Spares for:—									
663	EA1.40.89	BEARING , special, seated ball joint side stay						1	S.11	C	U.2
664	EA1.40.101	BUSH , bearing						1	DTD.412	C	U.2
1438501	EA9.40.63	BUSH , pivot (Mod. 4270)						2	DTD.412	MR	U.2
666	EA1.40.111	BUSH , torque, link leg						2	DTD.412	C	U.2
667	EA1.40.133	DISC , sealing, piston dowel plug						2	L.40	C	U.2
668	EA1.40.131	DOWEL , special, piston						2	S.11	C	U.2
	or										
36258	EA3.03.101	DOWEL , piston (First repair)						2	—	C	
	or										
36259	EA3.03.103	DOWEL , piston (Second repair)						2	—	C	

UNDERCARRIAGE **MAIN UNDERCARRIAGE, STARBOARD**

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
42059	EA9.40.56	HEAD , oleo forging (Mod. 4270)						1	DTD.5094	A/MR	U.2
669	EA1.40.103	HOOK , "S" shaped, 6 SWG						2	M.S. Wire	C	U.2
20656	EA1.40.127	PIPE , stack, assembly						1	—	B/MR	U.2
	EA6.40.6	PISTON, OPERATING, GROUP						1	—	—	U.2
		Consisting of:—									
683	EA1.40.61	BOLT , special, attachment enclosure orifice plate						3	S.11	C	U.2
1099	EEAS.37/22A	NIPPLE , 2 BA						2	S.11	C	U.2
670	EA1.40.647	PISTON						1	DTD.197	C	U.2
22528	EA6.40.33	PLATE , orifice enclosure control						1	S.11	C/MR	U.2
672	EA1.40.651	RING , piston						1	—	C	U.2
	EEAS.38/3A	SPOKE , 2 BA (Make from 28R/6328)						1	S.11	LM	U.2
12914	EA1.40.118	STRUT , piston, main						1	T.4	C	U.2
30A/9140209	†	WIRE , locking, 20 SWG						QR	Soft Iron	C	
673	EA1.40.679	PLUG , pivot bearing bush retaining						2	L.40	C	U.2
675	EA1.40.96	RING , lower, retaining ball joint						1	DTD.124	C	U.2
677	EA1.40.98	RING , upper, retaining ball joint						1	DTD.124	C	U.2
678	EA1.40.155	RING , sealing at dowel						2	Synthetic Rubber	C	U.2
679	EA1.40.625	SCREW , special, retaining plug dowel seal						2	L.40	C	U.2
680	EA1.40.99	STUD , for retaining rings at ball joint						12	S.11	C	U.2
681	EA1.40.105	TUBE , distance, packing for locking washer						1	L.40	C	U.2
15486	AGS.2096	VALVE , charging, hydraulic						1	—	C	U.2
682	EA1.40.149	WASHER , special, locking, 14 SWG						1	DTD.124	C	U.2
	EA9.40.62	LEG, SLIDING, COMPRESSION, GROUP (MOD. 4270)						1	—	—	U.2
		Spares for:—									
26640	EA3.40.201	BOLT , special, clamp locking (Mod. 2308)						1	S.95 or S.96	C	
683	EA1.40.61	BOLT , special, stud						6	S.11	C	U.2
684	EA1.40.161	BUSH , bearing, in lug						2	DTD.124	C	U.2
2467	EA3.40.45	BUSH , bearing						1	—	C	U.2
	EA3.40.217	CLAMP, AXLE, GROUP						1	—	MR	U.2
		Spares for:—									
21355	EA3.40.23	BUSH						1	L.16	C	U.2
13024	EA3.40.183	CLAMP , axle body (Mod. 1999)						1	—	C	U.2
1753	EA3.40.19	LINK , towing						1	—	C	U.2
21537	EA3.40.21	WASHER , special, tow link						1	—	C	U.2
14706	EA3.40.209	HOUSING , seals (Mod. 2361)						1	L.65	C	
1463	EA3.40.10	LEG, SLIDING, C/W INTEGRAL AXLE, ASSEMBLY						1	—	A	
		Spares for:—									
6627	EA3.40.51	PIN , shear						1	S.65	C	
6500	EA3.40.53	SCREW , grub						1	S.95	C	
691	EA3.40.41	NUT , stop, special						1	S.11	C	U.2
32210	EA3.40.221	PIN , locking, piston						3	S.97	C	
	EA3.40.219	PISTON , sliding leg						1	DTD.197	—	
693	EA1.40.175	PLATE , orifice						1	S.65	C	U.2
694	EA1.40.655	PLUG , sealing (Pre-Mod. 2361)						1	DTD.683	C	
4701	EA3.40.203	PLUG , sealing, (Mod. 2361)						1	DTD.683	C	U.2
695	EA1.40.677	PLUG , pivot bearing bush retaining						2	L.40	C	U.2

CANBERRA B. Mk. 6

Page 1331

UNDERCARRIAGE **MAIN UNDERCARRIAGE, STARBOARD**

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
696	EA1.40.37							2	Synthetic Rubber	—	
14703	EA3.40.213							2	Soft Rubber	C	U.2
12915	EA1.40.45							1	M.S.	C	U.2
697	EA1.40.57							1	—	C	U.2
14705	EA3.40.215							2	Fabric CX.18	C	U.2
21221	EA1.40.635							3	DTD.138	C	
14700	EA3.40.207							1	L.64	C	U.2
12913	EA1.40.657							1	DTD.683	C	U.2
21354	EA1.40.659							1	DTD.683	C	
698	EA1.40.661							1	Synthetic Rubber	C	
14702	EA3.40.205							1	Soft Rubber	C	U.2
14704	EA3.40.211							1	Soft Rubber	C	U.2
700	EA1.40.167							1	S.L.	C	
701	EA1.40.39							1	BS.216	C	U.2
702	EA1.40.43							1	Hard Felt	C	U.2
3631	EA1.40.27							1	DTD.683	C	U.2
3632	EA1.40.28							1	DTD.683	C	U.2
703	EA1.40.67							1	S.11	C	U.2
704	EA1.40.69							1	S.11	C	U.2
1500	EA3.40.27							1	S.97	C	U.2
706	EA1.40.335							1	L.A.	C	U.1
707	EA1.40.77							2	S.11	C	U.2
708	EA1.40.139							2	S.11	C	U.2
709	EA1.40.619							2	L.40	C	U.2
710	EA1.40.71							1	S.11	C	U.2
711	EA1.40.73							1	S.11	C	U.2
712	EA1.40.137							1	M.S.	C	U.2
713	EA1.40.75							2	DTD.412	C	U.2
714	EA1.40.79							2	M.S.	C	U.2
715	EA1.40.83							1	S.11	C	U.2
1514	EA3.40.29							1	S.96	C	U.2
718	EA1.40.147							2	DTD.412	C	U.2
1515	EA3.40.31							1	S.96	C	U.2
521	EA1.40.467							1	—	C	U.2
522	EA1.40.465							2	L.40	C	U.2
	EA1.40.529							1	—	—	U.2
27G/2487	DUNLOP AHM.2576							1	—	C	
27G/2488	DUNLOP AHM.2578							1	—	C	
27A/3153	DUNLOP DT.1606							1	—	A	U.1

UNDERCARRIAGE MAIN UNDERCARRIAGE, STARBOARD

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
27A/3152	DUNLOP (DF.1621 FIRESTONE ZA.101 or DUNLOP DR.1623 GOODYEAR GA.1266 FIRESTONE ZA.303 DUNLOP AC.11514 EA3.40.43 DUNLOP AH.51337	TYRE, outer, 43" x 12"5 x 21"						1	—	A	U.1
27A/4655	DUNLOP DR.1623 GOODYEAR GA.1266 FIRESTONE ZA.303 DUNLOP AC.11514 EA3.40.43 DUNLOP AH.51337	TYRE, outer, 43" x 12"5 x 21"						1	—	A	U.1
27G/2381 2169	DUNLOP AC.11514 EA3.40.43 DUNLOP AH.51337	UNIT, maxaret automatic brake control						1	—	A	U.1
27A/4217	DUNLOP AH.51337	WASHER, special						10	DTD.124A	C	U.1
27A/1450713	DUNLOP AH.52692	WHEEL, undercarriage (Pre-Mod. 4481) (For spares— see AP.4515C, vol. 3)						1	—	A	U.1
30A/9140209 524	† EA1.40.30	WHEEL, undercarriage (Pre-Mod. 4481) (For spares— see AP.4515C, vol. 3)						1	—	A	U.1
		WIRE, locking, 20 SWG						QR	Soft Iron	C	
		STAY, SIDE UNDERCARRIAGE, GROUP (PRE-MOD. 3585)						1	—	A	
		Spares for this group are identical with those for group Part No. E.A1.40.29 on page 1314, except for the following deletions and additions									
		Delete:—									
7114 13168	EA1.40.403 EA3.40.191	BRACKET, sequence valve operating stud ...						1	L.40	C	U.3
		LEVER, UNDERCARRIAGE, "DOWN" MICRO SWITCH, ASSEMBLY (MOD. 2151)						1	—	C	U.3
38706	EA1.40.31	STAY, side						1	DTD.683	MR	
		Add:—									
32731 13169	EA1.40.404 EA3.40.192	BRACKET, sequence valve operating stud ...						1	L.40	C	U.3
		LEVER, UNDERCARRIAGE, "DOWN" MICRO SWITCH, ASSEMBLY (MOD. 2151)						1	—	C	U.3
38707 34173	EA1.40.32 EA9.40.44	STAY, side						1	DTD.683	MR	
		STAY, SIDE UNDERCARRIAGE, GROUP (MOD. 3585)						1	—	A	U.1
		Spares for this group are identical with those for group Part No. E.A1.40.30, except for the following deletion and addition									
		Delete:—									
38707	EA1.40.32	STAY, side						1	DTD.683	MR	
		Add:—									
40651	EA9.40.40	STAY, side						1	DTD.5024	MR	U.3

CANBERRA B. Mk. 6

Page 1345

UNDERCARRIAGE **MAIN UNDERCARRIAGE, PORT AND STARBOARD**

Ref. No.	Part No.							No. off	Matl. Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
SUMMARY OF STOCK ITEMS USED ON MAIN UNDERCARRIAGE, PORT AND STARBOARD, ASSEMBLY											
28D/9140638	A25/4B	Bolt, 4 BA	...	...	...	...	...	...		C	
28D/1010142	A25/9B	Bolt, 4 BA	...	...	...	...	...	...		C	
28D/9436920	A25/1C	Bolt, 2 BA	...	...	...	...	...	...		C	
28D/9133011	A25/2C	Bolt, 2 BA	...	...	...	...	...	...		C	
28D/9133012	A25/3C	Bolt, 2 BA	...	...	...	...	...	...		C	
28D/9133013	A25/5C	Bolt, 2 BA	...	...	...	...	...	...		C	
28D/7002428	A25/6C	Bolt, 2 BA	...	...	...	...	...	...		C	
28D/1011019	A25/8C	Bolt, 2 BA	...	...	...	...	...	...		C	
28D/9140644	A25/9C	Bolt, 2 BA	...	...	...	...	...	...		C	
28D/9453970	A25/15C	Bolt, 2 BA	...	...	...	...	...	...		C	
28D/1206739	A25/4J	Bolt, 1/2" BSF	...	...	...	...	...	...		C	
28D/1011299	A25/6J	Bolt, 1/2" BSF	...	...	...	...	...	...		C	
28D/1011310	A25/8L	Bolt, 1/2" BSF	...	...	...	...	...	...		C	
28D/1212690	A25/15L	Bolt, 1/2" BSF	...	...	...	...	...	...		C	
28D/1212688	A25/18L	Bolt, 1/2" BSF	...	...	...	...	...	...		C	
28D/1007285	AS.1242/1B	Bolt, 4 BA	...	...	...	...	...	...		C	
28D/1215078	AS.1246/5C	Bolt, 2 BA	...	...	...	...	...	...		C	
28N/9156370	SP.21	Nipple, lubricating	...	...	...	...	...	...		C	
28M/1011001	A24/NS	Nut, 1/2" BSF	...	...	...	...	...	...		C	
28M/9403519	A27/BP	Nut, 4 BA	...	...	...	...	...	...		C	
28M/9403520	A27/CP	Nut, 2 BA	...	...	...	...	...	...		C	
28M/1011470	A27/GT	Nut, 1/2" BSF	...	...	...	...	...	...		C	
28M/1011476	A27/JS	Nut, 1/2" BSF	...	...	...	...	...	...		C	
28M/13259	A27/NS	Nut, 1/2" BSF	...	...	...	...	...	...		C	
28M/13590	A27/SS	Nut, 1/2" BSF	...	...	...	...	...	...		C	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	...	...	...	...	...	...		C	
28M/12050	AGS.2007/C/3	Nut, plate, 2 BA	...	...	...	...	...	...		C	
28P/19157	SP.90/G10	Pin, split	...	...	...	...	...	...		C	
28P/1207	AGS.166/3	Pin, split	...	...	...	...	...	...		C	
28P/19241	SP.90/G16	Pin, split	...	...	...	...	...	...		C	
28P/9486478	SP.90/C5	Pin, split	...	...	...	...	...	...		C	
28P/9527619	SP.90/C7	Pin, split	...	...	...	...	...	...		C	
28P/1011034	SP.9/E12	Pin, split	...	...	...	...	...	...		C	
28P/20112	SP.90/K20	Pin, split	...	...	...	...	...	...		C	
28S/1200034	A31/B16	Screw, 4 BA	...	...	...	...	...	...		C	
28S/9437020	A31/C12	Screw, 2 BA	...	...	...	...	...	...		C	
28F/9435713	A31/C20	Screw, 2 BA	...	...	...	...	...	...		C	
28W/9419466	SP.13/J	Washer	...	...	...	...	...	...		C	
28W/9419474	SP.15/B	Washer	...	...	...	...	...	...		C	
28W/9419475	SP.15/C	Washer	...	...	...	...	...	...		C	
28W/9416642	SP.47/B	Washer, spring	...	...	...	...	...	...		C	
28W/9416643	SP.47/C	Washer, spring	...	...	...	...	...	...		C	
28W/9416644	SP.47/E	Washer, spring	...	...	...	...	...	...		C	

Restricted

[illegible]

Restricted

UNDERCARRIAGE NOSEWHEEL

Ref. No.	Part No.	Description	No. Off	Matl Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	E.A9.40.1	NOSEWHEEL, ASSEMBLY (MOD. 1740)	1	—	—	
		Spares for:—				
22055	E.A9.40.15	BLOCK , flexible hose support	2	LFS.21	C	U.6
161	E.A1.40.451	BOLT , special, c/w spoke and nut, radius rod, strut bearing	1	—	C	U.6
22373	E.A9.40.19	BOLT , special, connecting operating jack to undercarriage locking lever (Pre-Mod. 2704)	1	S.96	C	
32172	E.A9.40.21	BOLT , special, connecting operating jack to undercarriage locking lever (Mod. 2704)	1	S.96	C	
163	E.A1.40.491	BOLT , special, nosewheel door "up" latch	1	S.11	C	U.4
164	E.A1.40.493	BOLT , special, nosewheel door "up" catch	1	S.11	C	U.6
4507	E.A3.40.139	BOLT , special, jack attachment to crosshead	1	S.11	C	U.6
166	E.A1.40.581	BOLT , special, fulcrum, undercarriage door actuating sequence valve	1	S.11	C	U.6
167	E.A1.40.593	BOLT , special, connecting door operating strut to door	2	S.11	C	U.6
168	E.A1.40.595	BOLT , special, attachment door actuating link to crosshead	2	S.11	C	U.6
169	E.A1.40.605	BOLT , special, hydraulic jack anchor	1	S.65	C	U.6
3753	E.A1.40.617	BOLT , special, adjusting undercarriage door crosshead (Made from 28D/1008145)	2	H.T.S.	C	U.6
170	E.A1.40.683	BOLT , special, connecting stay link and undercarriage unit	1	S.11	C	U.4
22056	E.A9.40.11	BOLT , special, nose undercarriage jack hinge	1	S.96	C	U.6
12023	E.A3.40.159	BRACKET, UNDERCARRIAGE "UP" HOOK, GROUP	1	—	B/MR	U.4
1439142	E.A3.40.251	BRACKET, UNDERCARRIAGE "UP" HOOK, GROUP (MOD. 4449—S.O.O.) Consisting of:—	1	—	B/MR	
	E.A1.40.385	BEAM, BRACKET, LOCKING HOOK, GROUP	1	—	—	U.4
		Spares for:—				
20845	E.A1.40.369	LUG	1	L.40	C/MR	U.4
25628	E.A1.40.377	PLATE , locking	1	L.72	C	U.4
171	E.A1.40.371	BOLT , special, pivot hook	1	S.11	C	U.4
12024	E.A3.40.151	BOLT , special, for buffer, assembly	2	—	C	U.4
22251	E.A1.40.373	BRACKET , hook suspension	1	S.11	C	U.4
12025	E.A3.40.143	HOOK, UNDERCARRIAGE "UP" LATCH, GROUP	1	—	B	U.4
1439143	E.A3.40.249	HOOK, UNDERCARRIAGE "UP" LATCH, GROUP (MOD. 4449—S.O.O.) Consisting of:—	1	—	B	
13109	E.A3.40.147	BOLT , special	1	DTD.126A	C	U.4
	E.A1.40.393	BUSH	1	DTD.197	—	U.4
	E.A3.40.145	HOOK , "up" latch	1	H.T.S.	—	U.4
	E.A3.40.243	HOOK , "up" latch (Mod. 4449—S.O.O.)	1	—	—	
20846	E.A1.40.389	SCREW , special, hook stop	1	S.11	C/MR	U.4
	E.A1.40.381	TUBE , distance, for beam mounting bolts	8	T.4	—	U.4
174	E.A1.40.399	WASHER , special, laminum, at buffer bolts	3	L.A.	C	U.4
22057	E.A9.40.13	CLIP , flexible hose support	2	L.72	C	U.6
4694	E.A3.40.93	CROSSHEAD, NOSEWHEEL DOORS, C/W VALVE TRIP, ASSEMBLY Spares for:—	1	—	B/MR	U.6
5514	E.A3.40.97	PIN , roller top	1	S.11	C	U.6
12926	E.A3.40.181	PIN , roller, bottom	1	S.11	C	U.6
178	E.A1.40.553	ROLLER , guide	2	DTD.683	C	U.6
5515	E.A1.40.561	VALVE , trip	1	—	C	U.6

UNDERCARRIAGE NOSEWHEEL

Ref. No.	Part No.	Description						No. Off	Matl Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
3751	E.A1.40.567	LEVER, UNDERCARRIAGE SEQUENCE VALVE, GROUP						1	—	B/MR	U.6
		Spares for:—									
179	E.A1.40.569	TAPPET, valve screw						1	S.11	C	U.6
3754	E.A1.40.703	LEVER, BRACKET, UNDERCARRIAGE SEQUENCE VALVE, GROUP						1	—	B/MR	U.4
		Spares for:—									
13182	E.A1.40.709	BOLT, special, operating lever fulcrum						1	S.11	C	U.4
	E.A1.40.573	LEVER, sequence valve operating						1	DTD.683	—	U.4
179	E.A1.40.569	TAPPET, valve screw						1	S.11	C	U.4
	E.A1.40.711	WASHER, special, fulcrum bolt						2	L.40	—	U.4
39181	E.A9.40.35	LEVER, micro switch operating, undercarriage (Mod. 2183)						1	—	C	U.4
		Attaching parts for E.A9.40.35:—									
28D/9140647	A25/14C	Bolt, 2 BA						1	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA						1	—	C	
4141	E.A1.45.989	Shim						2	Alumn.	C	U.4
	AS.2811/7/023	Spacer						2	T.4	LM	
180	E.A1.40.531	LINK, DOOR, OPERATING, GROUP						2	—	C	U.6
		Spares for:—									
4778	E.A1.40.535	BOLT, eye, assembly						2	—	C	U.6
33793	E.A1.40.541	NUT, special (Make from 28M/14533)						2	M.S.	C	U.6
8987	E.A3.40.169	MUDGUARD, NOSEWHEEL, ASSEMBLY						1	—	B	U.4
		Consisting of:—									
28D/9133012	A25/3C	BOLT, 2 BA						12	H.T.S.	C	
28D/1007974	AS.1242/1/2C	BOLT, 2 BA						3	H.T.S.	C	
28D/1013177	AS.1242/2E	BOLT, 1" BSF						9	H.T.S.	C	
5503	E.A3.40.133	FLAP, rubber, nosewheel mudguard						1	Shore 40	C	U.4
5504	E.A3.40.127	MUDGUARD, nosewheel						1	L.72	C	U.4
28M/1006473	A27/CT	NUT, 2 BA						12	M.S.	C	
28M/1007403	A27/ET	NUT, 1" BSF						6	M.S.	C	
5505	E.A3.40.131	NUT, special, shoulder, 1" BSF						3	S.95	C	
5506	E.A3.40.137	NUT, special, shoulder, 2 BA						3	S.95	C	
6948	E.A3.40.165	STAY, mudguard						1	—	C	U.4
6949	E.A3.40.167	STAY, end, mudguard attachment						3	DTD.683	C	U.4
20930	E.A3.40.135	STRIP, backing						1	L.72	C/MR	U.4
28W/9419475	SP.15/C	WASHER						12	Alumn.	C	
8988	E.A3.40.170	MUDGUARD, NOSEWHEEL, ASSEMBLY						1	—	B	U.4
		Spares for this assembly are identical with those for Part No. E.A3.40.169									
28N/9156370	SP.21	NIPPLE, lubricating						1	—	C	
181	E.A1.40.449	PIN, strut pivot, radius rod bearing						1	S.65	C	U.6
3688	E.A6.40.37	ROD, RADIUS, GROUP						1	—	A	U.5
1439144	E.A3.40.261	ROD, RADIUS, GROUP (MOD. 4449—S.O.O.)						1	—	A	
		Consisting of:—									
34309	E.A9.40.47	BOLT, special, operating lever bearing (Mod. 3487)						1	S.96	C	U.5
4447	E.A1.40.321	BOLT, special, bearing for undercarriage "up" micro switch, operating finger						1	DTD.126A	C	U.5
184	E.A1.40.681	BOLT, special, connecting radius rod and stay link						1	S.11	C	U.5
5126	E.A3.40.77	BRACKET, micro switch						1	L.72	C	U.5
1439148	E.A3.40.255	BRACKET, micro switch (Mod. 4449—S.O.O.)						1	—	C	

CANBERRA B Mk. 6

Page 1349

UNDERCARRIAGE NOSEWHEEL

Ref. No.	Part No.	Description						No. Off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
3656	E.A3.40.65	BUSH,	spring	plunger	...	...	...	1	DTD.197	C	U.5
28N/2001540	AGS.2031/4	CIRCLIP,	"Seegar",	external	dia. $\frac{3}{8}$ "	for	under-	2	—	C	
			carriage	hook	latch	spindle					
186	E.A1.40.621	DOWEL,	special	...	...	...	...	2	S.11	C	U.5
1893	E.A6.40.21	END, PLUG	RADIUS	ROD, GROUP	...	...	...	1	—	B	U.5
		Spares for:—									
187	E.A1.40.363	BUSH,	bearing	...	...	...	...	1	DTD.197	C	U.5
28N/9156370	SP.21	NIPPLE,	lubricating	...	...	...	...	1	—	C	
4937	E.A1.40.311	FINGER,	operating	undercarriage	"up"	micro	switch	1	L.40	C	U.5
1894	E.A6.40.29	FORK,	strut	end	...	...	...	1	DTD.683	C	U.5
3655	E.A3.40.73	HOUSING,	spring	locking	plunger	...	...	1	L.40	C	U.5
41255	E.A9.40.49	LEVER,	LOCKING,	NOSEWHEEL	UNDER-	CARRIAGE, GROUP (MOD. 3487)		1	—	B	U.5
		Spares for:—									
188	E.A1.40.343	BOLT,	special	...	...	...	...	1	S.11	C	U.5
189	E.A1.40.345	BOLT,	special	...	...	...	...	1	S.11	C	U.5
190	E.A1.40.337	BUSH,	bearing	...	...	...	...	2	DTD.197	C	U.5
28N/9156370	SP.21	NIPPLE,	lubricating	...	...	...	...	1	—	C	U.5
191	E.A1.40.341	ROLLER,	assembly	...	...	...	...	1	—	C	U.5
192	E.A1.40.339	ROLLER,	assembly	...	...	...	...	1	—	C	U.5
549	EEAS.5	WASHER,	for	grease	nipple	(only	required	1	BSS.216	C	U.5
			when	locking	lever	unit	is				
			modified)								
1889	E.A6.40.23	LINK, STAY,	NOSEWHEEL	UNDERCARRIAGE	AT	RADIUS	ROD, GROUP	1	—	C	U.5
		Spares for:—									
194	E.A1.40.359	BUSH,	bearing	...	...	...	...	2	DTD.197	C	U.5
195	E.A1.40.361	BUSH,	bearing	...	...	...	...	2	DTD.197	C	U.5
28N/9156370	SP.21	NIPPLE,	lubricating	...	...	...	...	2	—	C	U.5
28N/9156370	SP.21	NIPPLE,	lubricating	...	...	...	...	1	—	C	
1100	EEAS.37/24A	NIPPLE, $\frac{1}{4}$ "	BSF	...	...	...	...	24	—	C	U.5
6187	E.A1.40.415	PAD,	undercarriage	"down"	micro	switch	...	1	L.40	C	U.5
1439145	E.A3.40.241	PAD,	undercarriage	"down"	micro	switch (Mod. 4449—S.O.O.)		1	L.40	C	
3659	E.A3.40.75	PIN,	latch	...	...	...	...	1	S.11	C	U.5
197	E.A1.40.277	PLATE,	stop	stay	link	...	...	1	S.11	C	U.5
3657	E.A3.40.67	SCREW,	cap	retaining	undercarriage	locking	plunger	1	L.40	C	U.5
3660	E.A3.40.71	SCREW,	grub,	latch	pin	and	bush	1	S.97	C	U.5
199	E.A1.40.431	SPINDLE,	hook	latch,	nosewheel	undercarriage	stay	1	S.11	C	U.5
	EEAS.38/44	SPOKE, $\frac{1}{4}$ "	BSF (Make from 28R/6330)	...	...	...	...	12	S.11	LM	U.5
3658	E.A3.40.69	SPRING,	compression	operating	locking	plunger	14 SWG	1	Spring Wire	C	U.5
201	E.A1.40.313	SPRING,	leaf,	for	micro	switch	operating	1	Spring Steel	C	U.5
1439146	E.A3.40.259	SPRING,	leaf,	for	micro	switch	operating	1	S.513	C	
			(Mod. 4449—S.O.O.)								
5CW/9504373	BURGESS MS.5752	SWITCH,	micro,	undercarriage	"up"	lock (Mod. 3562) (Pre-Mod. 4080)		1	—	C	
5CW/1085884	HONEYWELL 1H.Y1	SWITCH,	limit,	undercarriage	"up"	lock (Mod. 4080)		1	—	B	
28D/1011011	A25/8B	Attaching parts for switches:—									
28M/1278189	AGS.2001/B/1	Bolt,	4	BA	...	...	...	2	—	C	
28W/9419474	SP.15/B	Nut,	4	BA	...	...	...	2	—	C	
		Washer,	4	BA	...	...	...	2	—	C	

UNDERCARRIAGE NOSEWHEEL

Ref. No.	Part No.	Description						No. Off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
5CW/12444	DOWTY DN1322Z MK.2	SWITCH, limit, undercarriage "up" lock (Mod. 4449—S.O.O.) (Pre-Mod. 4959)						1	—	B	
5CW/13598	DN1322Z MK.3	SWITCH, limit, undercarriage "up" lock (Mod. 4959)						1	—	B	
5CW/6672	BURGESS MS.5750	SWITCH, micro, undercarriage "down" lock (Mod. 3562) (Pre-Mod. 4080)						1	—	C	
5CW/1085884	HONEYWELL 1H.Y1	SWITCH, limit, undercarriage "down" lock (Mod. 4080)						1	—	B	
5CW/12444	DOWTY DN1322Z MK.2	SWITCH, limit, undercarriage "down" lock (Mod. 4449—S.O.O.) (Pre-Mod. 4959)						1	—	B	
5CW/13598	DN1322Z MK.3	SWITCH, limit, undercarriage "down" lock (Mod. 4959)						1	—	B	
28D/1214303	AS.1242/10B	Attaching parts for switches:—									
28M/1278189	AGS.2001/B/1	Bolt, 4 BA						2	—	C	
28W/9419474	SP.15/B	Nut, 4 BA						2	—	C	
		Washer						2	—	C	
1895	E.A.6.40.27	TUBE, strut nose, undercarriage						1	T.60	C	U.5
6182	E.A.1.40.309	TUBE, distance spindle						1	—	C	U.5
202	E.A.1.40.325	WASHER, special, cap						1	DTD.126A	C	U.5
203	E.A.1.40.327	WASHER, special, at operating lever bearing ...						1	DTD.126A	C	U.5
3748	E.A.1.40.455	SCREW, grub, 2 BA, special, strut bearing retaining						1	S.11	C/MR	U.6
343	E.A.1.31.277	SHIM						2	Alumn.	C	
	or EEAS.27/8/4										
4141	E.A.1.45.989	SHIM						2	Alumn.	C	
204	E.A.1.40.599	SPRING, return undercarriage hook, 14 SWG ...						1	Spring Steel	C	U.4
1439147	E.A.3.40.245	SPRING, return, undercarriage hook, 11 SWG (Mod. 4449—S.O.O.)						1	DTD.215	C	
205	E.A.1.40.601	SPRING, tension, undercarriage sequence valve, 18 SWG						1	Spring Steel	C	U.6
1587	E.A.1.40.719	SPRING,						1	Spring Steel	C	U.4
4693	E.A.3.40.157	STOP, door jack extension						2	S.11	C/MR	U.6
992	E.A.1.40.701	STOP, sequence valve filter						1	S.11	C	U.6
39182	E.A.9.40.37	TAPPET (Mod. 2183)						1	S.1	C	
3755	E.A.1.40.731	TUBE, distance						1	M.S.	C	
	DUNLOP										
27A/2655	KK.2	TUBE						2	—	A	
	DUNLOP										
27A/2654	K.K.E.N.14N	TYRE, 26" x 6"5 x 14"						2	—	A	
	or										
	DUNLOP										
	DR.2565										
27A/4683	GOODYEAR										
	GA.1202										
	FIRESTONE										
	ZA.297										

Ref. No.	Part No.	Description						No. Off	Matl Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
27QM/	DOWTY 2:0039.6040	UNBT, undercarriage (For spares see A.P.4515B, Vol. 3, Part 1) (Mod. 4855)						1	—	A	
202	E.A1.40.325	WASHER, special, cup						3	DTD.126A	C	U.6
3752	E.A1.40.587	WASHER, special, packing undercarriage sequence valve mounting bolt						2	DTD.683	C	U.4
22329	E.A9.40.17	WASHER, corner						2	L.72	C	U.6
1877	EEAS.28/30EU	WASHER, special, 18 SWG						1	DTD.124	C	
1078	EEAS.28/35FU	WASHER, special, sequence valve fulcrum						1	DTD.124	C	
	DUNLOP										
27A/2814	AH.9590	WHEEL, landing						2	—	A	
Pages 1353 to 1362 not issued											

Restricted

[illegible]


CANBERRA B Mk. 6

Page 1363

UNDERCARRIAGE NOSEWHEEL

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip.	Plate No.
										M.R. L.M.	
		1	2	3	4	5	6				
		SUMMARY OF STOCK ITEMS USED ON NOSEWHEEL ASSEMBLY									
28D/1011011	A25/8B	Bolt, 4 BA	...	...	...	...	...	...	...		
28D/1200120	A25/14B	Bolt, 4 BA	...	...	...	...	...	...	...		
28D/9436920	A25/1C	Bolt, 2 BA	...	...	...	...	...	...	...		
28D/9133011	A25/2C	Bolt, 2 BA	...	...	...	...	...	...	...		
28D/9133012	A25/3C	Bolt, 2 BA	...	...	...	...	...	...	...		
28D/9140647	A25/14C	Bolt, 2 BA	...	...	...	...	...	...	...		
28D/1012995	A25/22C	Bolt, 2 BA	...	...	...	...	...	...	...		
28D/9140649	A25/23C	Bolt, 2 BA	...	...	...	...	...	...	...		
28D/1011240	A25/5E	Bolt, 1/2" BSF	...	...	...	...	...	...	...		
28D/1008145	A25/6E	Bolt, 1/2" BSF	...	...	...	...	...	...	...		
28D/1011242	A25/7E	Bolt, 1/2" BSF	...	...	...	...	...	...	...		
28D/1010031	A25/8E	Bolt, 1/2" BSF	...	...	...	...	...	...	...		
28D/12282	AS.1242/10B	Bolt, 4 BA	...	...	...	...	...	...	...		
28M/9403519	A27/BP	Nut, 4 BA	...	...	...	...	...	...	...		
28M/9403520	A27/CP	Nut, 2 BA	...	...	...	...	...	...	...		
28M/1006473	A27/CT	Nut, 2 BA	...	...	...	...	...	...	...		
28M/12928	A27/EP	Nut, 1/2" BSF	...	...	...	...	...	...	...		
28M/1011467	A27/ES	Nut, 1/2" BSF	...	...	...	...	...	...	...		
28M/12931	A27/ET	Nut, 1/2" BSF	...	...	...	...	...	...	...		
28M/1006939	A27/GP	Nut, 5/8" BSF	...	...	...	...	...	...	...		
28M/13122	A27/GS	Nut, 5/8" BSF	...	...	...	...	...	...	...		
28M/1011470	A27/GT	Nut, 5/8" BSF	...	...	...	...	...	...	...		
28M/1011476	A27/JS	Nut, 5/8" BSF	...	...	...	...	...	...	...		
28M/9129449	A27/LS	Nut, 5/8" BSF	...	...	...	...	...	...	...		
28M/13266	A24/ES	Nut, 1/2" BSF	...	...	...	...	...	...	...		
28M/1011001	A24/NS	Nut, 1/2" BSF	...	...	...	...	...	...	...		
28M/10287	AGS.2001/B/1	Nut, stiff, 4 BA	...	...	...	...	...	...	...		
28M/10288	AGS.2001/C/1	Nut, stiff, 2 BA	...	...	...	...	...	...	...		
28M/10290	AGS.2001/E/1	Nut, stiff, 1/2" BSF	...	...	...	...	...	...	...		
28M/10292	AGS.2001/J/1	Nut, stiff, 1/2" BSF	...	...	...	...	...	...	...		
28M/10339	AGS.2002/C/2	Nut, stiff, 2 BA	...	...	...	...	...	...	...		
28P/1007741	SP.9/C8	Pin, split, 3/8" dia. x 1" long	...	...	...	...	...	...	...		
28P/9429652	SP.9/E10	Pin, split, 3/8" dia. x 1 1/2" long	...	...	...	...	...	...	...		
28P/9429653	SP.9/G12	Pin, split, 1/2" dia. x 1 1/2" long	...	...	...	...	...	...	...		
28S/9437020	A31/C12	Screw, 2 BA	...	...	...	...	...	...	...		
28S/9997545	A31/C16	Screw, 2 BA	...	...	...	...	...	...	...		
28S/9416378	A35/C8	Screw, 2 BA	...	...	...	...	...	...	...		
28W/9419402	SP.13/C	Washer	...	...	...	...	...	...	...		
28W/9419403	SP.13/E	Washer	...	...	...	...	...	...	...		
28W/9419404	SP.13/G	Washer	...	...	...	...	...	...	...		
28W/9419405	SP.13/L	Washer	...	...	...	...	...	...	...		
28W/9419406	SP.15/B	Washer	...	...	...	...	...	...	...		
28W/9419407	SP.15/C	Washer	...	...	...	...	...	...	...		
28W/9419408	SP.15/E	Washer	...	...	...	...	...	...	...		
28W/9419409	SP.15/L	Washer	...	...	...	...	...	...	...		
28W/9419410	SP.16/J	Washer	...	...	...	...	...	...	...		
28W/9416442	SP.47/B	Washer, spring	...	...	...	...	...	...	...		
28W/9416643	SP.47/C	Washer, spring	...	...	...	...	...	...	...		
28W/9416644	SP.47/E	Washer, spring	...	...	...	...	...	...	...		
28W/1006499	SP.55/C	Washer, spring	...	...	...	...	...	...	...		


Plate UI



MAIN UNDERCARRIAGE

RESTRICTED


Plate U2



MAIN UNDERCARRIAGE OLEO

RESTRICTED


Plate U 3



MAIN UNDERCARRIAGE SIDE STAY

RESTRICTED


Plate U 4



NOSE UNDERCARRIAGE


RESTRICTED

Plate U5



NOSEWHEEL RADIUS ROD

RESTRICTED



NOSEWHEEL DOOR MECHANISM

RESTRICTED