

CONTROLS
MISCELLANEOUS


Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
	FLARE DOOR AND UNDERCARRIAGE EMERGENCY RELEASE FRONT FUSELAGE (EB8.45.525)	-	-	-	-	R
	Spares for:					
EB8.45.557	CABLE, emergency release	1	-	C	CJ1/1	R
EB8.45.1307	HANDLE and Pulleys at Frames 5-6 Assembly	1	-	-	CJ1/2	R
	Spares for:					
EB8.45.1309	HANDLE, u/c emergency release	1	-	C	CJ1/3	R
	Attachment of handle to panel structure					
A25/1C	Bolt, 2BA	4	-	C	CJ1/5	R
AGS2001/C1	Nut, 2BA	4	-	C	CJ1/6	R
SP13/C	Washer	4	-	C	CJ1/7	R
	Attachment of handle to cable					
AGS899/1	Collar	1	-	C	CJ1/8	R
SP4/Y/A4	Pin, shackle	1	-	C	CJ1/9	R
SP90/C6	Pin, split 1/16in. dia.	1	-	C	CJ1/10	R
AS107	PULLEY, shrouded	3	-	C	CJ1/11	R
	Attachment of pulley (top) to spigot on frame 5					
AGS2002/E1	Nut, 1/4in. BSF	1	-	C	CJ1/12	R
SP13/E	Washer, 1/4in.	1	-	C	CJ1/13	R
	Attachment of pulley at stringers 8 and 9 and frame 6					
A25/8E	Bolt, 1/4in. BSF	2	-	C	CJ1/14	R
AGS2001/E1	Nut, 1/4in. BSF	2	-	C	CJ1/15	R
SP16/E	Washer, 1/4in.	2	-	C	CJ1/16	R
EA9.45.263	SPIGOT, pulley	1	-	C	CJ1/17	R
EB8.45.539	LEVER and Brackets on Frame 8 Assembly	1	-	-	CJ1/18	R
	Spares for:					
EB8.45.547	LEVER, flare door emergency release	1	-	C	CJ1/19	R
	Attachment of lever to bracket					
A25/3E	Bolt, 1/4in. BSF	1	-	C	CJ1/20	R
AGS2001/E1	Nut, 1/4in BSF	1	-	C	CJ1/21	R
SP15/E	Washer, 1/4in.	1	-	C	CJ1/22	R
	Attachment of lever to link					
AGS899/2	Collar	1	-	C	CJ1/23	R
EA1.45.1317	Piece, distance	2	S1	C	CJ1/24	R
SP4/Y/B14	Pin, shackle	1	-	C	CJ1/25	R
SP90/C4	Pin, split, 1/16 in. dia.	1	-	C	CJ1/26	R

CONTROLS
MISCELLANEOUS

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
AS107	PULLEY, shrouded	2	-	C	CJ1/27	R
	Attachment of top pulley to frame 8					
A25/8E	Bolt, 1/4 in. BSF	1	-	C	CJ1/28	R
AGS2001/E1	Nut, 1/4 in. BSF	1	-	C	CJ1/29	R
SP15/E	Washer	1	-	C	CJ1/30	R
	Attachment of bottom pulleys to frame 8					
A25/9E	Bolt, 1/4 in. BSF	1	-	C	CJ1/31	R
AGS2001/E1	Nut, 1/4 in. BSF	1	-	C	CJ1/32	R
SP15/E	Washer	1	-	C	CJ1/33	R
-	FLARE DOOR AND UNDERCARRIAGE EMERGENCY RELEASE, CENTRE FUSELAGE (EB8.45.575)	-	-	-	-	R
	Spares for:					
EB8.84.101/5	BRACKET, roller (Pre Mod 5380)	1	L72	C	-	R
EB8.84.101/7	BRACKET, roller (Mod 5380)	1	L72	C	CJ1/35	R
EA2.45.219	CABLE, flare door	1	-	C	CJ1/36	R
EB8.45.581	CABLE, flare door	1	-	C	CJ1/37	R
EB8.45.1025	CABLE, undercarriage	1	-	C	CJ1/38	R
EB8.45.577	CABLE, undercarriage	1	-	C	CJ1/39	R
EB8.84.101/8	PIECE, distance (Mod 5380) (make from ST1698/D/16)	1	-	C	CJ1/40	R
	Attachment of distance piece to bracket at frame 22					
A25/18C	Bolt, hex hd, 2BA	1	-	C	CJ1/41	R
AGS2001/C3	Nut, 2BA	1	-	C	CJ1/42	R
SP15/C	Washer	1	-	C	CJ1/43	R
AS108	PULLEY, shrouded, twin	1	-	C	CJ1/44	R
	Attachment of pulley to frame					
A25/11E	Bolt, 1/4in. BSF	1	-	C	CJ1/45	R
AGS2002/E1	Nut, 1/4in. BSF	1	-	C	CJ1/46	R
SP16/E	Washer, 1/4in.	1	-	C	CJ1/47	R
AS107	PULLEY, shrouded single	3	-	C	CJ2/48	R
	Attachment of port inboard pulley					
A25/7E	Bolt, 1/4in. BSF	1	-	C	CJ2/49	R
AGS2002/E1	Nut, 1/4in. BSF	1	-	C	CJ2/50	R
SP15/E	Washer, 1/4in.	1	-	C	CJ2/51	R
	Attachment of centre pulley					
A25/17E	Bolt, 1/4in. BSF	1	-	C	CJ1/52	R
AGS2002/E1	Nut, 1/4in. BSF	1	-	C	CJ1/53	R
EB8.45.1033	Packing	1	-	C	CJ1/54	R
SP16/E	Washer	1	-	C	CJ1/55	R

CONTROLS
MISCELLANEOUS

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
	Attachment of starboard pulley					
A25/8E	Bolt, 1/4in. BSF	1	-	C	CJ2/56	R
AGS2002/E1	Nut, 1/4in. BSF	1	-	C	CJ2/57	R
SP16/E	Washer, 1/4in.	1	-	C	CJ2/58	R
EB8.84.101/6	ROLLER, nylon	1	-	C	CJ2/59	R
	Attachment of roller to bracket at frame 22					
A25/18C	Bolt, hex hd, 2BA	1	-	C	CJ2/60	R
AGS2001/C3	Nut, 2BA	1	-	C	CJ2/61	R
SP15/C	Washer	1	-	C	CJ2/62	R



CANBERRA PR. Mk9—FLARE DOOR AND UNDERCARRIAGE EMERGENCY RELEASE

