

FUSELAGE
CANOPY AND RELEASE MECHANISM

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
	1 2 3 4 5 6				
	CANOPY, Pilot's, Assembly (EB8.00.221)	-	-	-	-
	Spares for:				
	ARM, Canopy Locating, Assembly (Mod 3105) (EB8.15.371)	-	-	-	-
	Spares for:				
EB8.15.395	BRACKET, strut stowage c/w spring clip	1	-	C	FA1/1
	Attachment of bracket to fuselage				
AGS2050/419BS	Rivet	2	-	C	FA1/2
EB8.15.375	BUSH, fork-end	1	S94	C	FA3/1
EB8.15.391	FORK-END, c/w spigot stop	1	-	C	FA3/2
	Attachment of fork-end and bush to windscreen hoop				
AS1242/20C	Bolt, csk. hd. 2BA	1	-	C	FA3/3
A27/CP	Nut, 2BA	1	-	C	FA3/4
EB8.15.389	Washer, locating	1	L73	C	FA3/5
EB8.15.377	STRUT, canopy retaining (Pre Mod 5010)	1	L65	C	FA1/3
EB8.15.405	STRUT, canopy retaining (Mod 5010)	1	L65	C	FA3/6
	Attachment of strut to fork-end				FA1/4
					FA3/7
A25/8E	Bolt, in. BSF	1	-	C	FA3/8
A29/ES	Nut, slotted, 1/4 in. BSF	1	-	C	FA3/9
SP90/C8	Pin, split, 1/16 in. dia.	1	-	C	FA3/10
SP15/E	Washer	1	-	C	FA3/11
EB8.10.727	ARM, operating	1	DTD304	C	FA2/1
	Attachment of operating arm to hinge pin				
A25/12C	Bolt, 2BA	1	-	C	FA2/2
A27/CS	Nut, slotted, 2BA	1	-	C	FA2/3
SP90/C8	Pin, split, 1/16 in. dia.	1	-	C	FA2/4
SP13/C	Washer, 2BA	1	-	C	FA2/5
EB8.15.17	BOLT, hook	1	S95	C	FA3/12
	Attachment of hook bolt to canopy				
A27/NT	Nut, lock, 1/2 in. BSF	1	-	C	FA3/13
EB8.15.101	Pin, locating, 2BA	1	S95	C	FA3/14
SP15/N	Washer	1	-	C	FA3/15
EB8.11.915	BOX, Spring, Group	1	-	C	FA2/6
	Spares for:				
EB8.11.925	CAP, end	1	S92	C	FA2/7
	Attachment of cap end to spring box barrel				
A31/B6	Screw, locking, 4BA	2	-	C	FA2/8

FUSELAGE
CANOPY AND RELEASE MECHANISM

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
	1 2 3 4 5 6				
EB8.11.929	PIECE, retaining	2	DTD5054	C	FA2/9
EB8.11.933	SCREW, locking	1	DTD5054	C	FA2/10
EB8.11.935	SCREW, spring adjustment	1	DTD683	C	FA2/11
EB8.11.919	SPRING, outer	1	EN45	C	FA2/12
	Attachment of spring box to mounting brackets and operating arm				
EB8.11.939	Bolt, hinge	2	S95	C	FA2/13
AGS899/6	Collar, 5/16 in. dia	1	-	C	FA2/14
SP4/Y/F19	Pin, 5/16 in. dia	1	-	C	FA2/15
EB8.10.7593	BRACKET, locking pin, port	1	DTD304	C	FA2/16
EB8.10.7594	BRACKET, locking pin, starboard	1	DTD304	C	FA2/17
	Attachment of bracket to hinge block				
A25/13C	Bolt, 2BA	2	-	C	FA2/18
AS1242/4C	Bolt, csk. 2BA	2	-	C	FA2/19
AGS2001/C1	Nut, stiff, 2BA	4	-	C	FA2/20
EB8.10.3553	CABLE & SPRING BOX, hinge breaking mechanism, group	1	-	C	FA1/5 FA3/16
	Attachment of cable and spring box to torque tube and lever				
AGS899/1	Collar, 5/32 in. dia	1	-	C	FA2/21
AGS899/2	Collar, 3/16 in. dia	1	-	C	FA3/17
SP4/Y/A4	Pin, 5/32 in. dia	1	-	C	FA2/22
SP4/Y/B17	Pin, 3/16 in. dia	1	-	C	FA3/18
SP90/C6	Pin, split, 1/16 in. dia	2	-	C	FA2/23 FA3/19
EB8.15.339	CANOPY, Pilots, Group (Mod 3329) (Pre Mod 5163 Issue 3)	1	-	P	FA1/6
EB8.15.339x7	CANOPY, Pilots, Group (Mod 5163 Issue 3 Pre SA5561)	1	-	P	-
EB8.15.339x8	CANOPY, Pilots, Group, (Post SA5561)	1	-	P	FA1/7
EB8.00.457	CANOPY, Pilots, Group (Supplied to this Pt No for spares purposes)	1	-	P	-
	Spares for:				
EB8.15.149	BLOCK, jack thrust	1	DTD5054	C	-
EB8.15.150	BLOCK, jack thrust	1	DTD5054	C	-
EB8.15.35	BRACKET, yoke attachment, port	1	DTD5054	C/MR	FA1/8
EB8.15.36	BRACKET, yoke attachment, starboard	1	DTD5054	C/MR	FA1/9
	Attachment of bracket to yoke and edge members				
A25/7C	Bolt, 2BA	6	-	C	FA1/10
AS1242/20C	Bolt, csk. 2BA	4	-	C	FA1/11
A27/CP	Nut, 2BA	10	-	C	FA1/12
SP15/C	Washer, 2BA	10	-	C	FA1/13
EB8.15.379	BRACKET, strut retaining, group (Mod 3105)	1	-	C	FA2/24
	Attachment of bracket to starboard latchbolt receiver No. 3				
A60/19E	Bolt, 1/4 in. BSF	2	-	C	FA2/25

FUSELAGE
CANOPY AND RELEASE MECHANISM

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
	1 2 3 4 5 6				
A24/EP	Nut, 1/4 in. BSF	2	-	C	FA2/26
EB8.15.401	Washer, taper	2	-	C	FA2/27
EA9.15.461	BUSH (Make from 32C/507)	140	-	C	
EB8.15.185	FILLET, canopy fairing, port	1	L72	C	
EB8.15.187	FILLET, canopy fairing, starboard	1	L72	C	
EB8.15.131	HANDLE, Canopy, Closing, Port, Assy	1	-	-	FA2/28
EB8.15.132	HANDLE, Canopy, Closing, Stbd, Assy	1	-	-	FA2/29
	Spares for:				
EB8.15.135	BRACKET, mounting	1	L45	C	FA2/30
	Attachment of mounting bracket to bottom edge member				
AS1242/18C	Bolt, csk, 2BA	3	-	C	FA2/31
A27/CP	Nut, 2BA	3	-	C	FA2/32
SP15/C	Washer, 2BA	3	-	C	FA2/33
EB8.15.137	CAM	1	L65	C	FA2/34
	Attachment of cam to mounting bracket				
A25/12C	Bolt, 2BA	2	-	C	FA2/35
A27/CP	Nut, 2BA	2	-	C	FA2/36
SP13/C	Washer, 2BA	2	-	C	FA2/37
EB8.15.133	HANDLE, closing	1	L65	C	FA2/38
	Attachment of handle to cam				
AGS899/2	Collar, 3/16 in. i/dia.	1	-	C	FA2/39
SP4/Y/B16	Pin, 3/16 in. dia.	1	-	C	FA2/40
SP90/C6	Pin, split, 1/16 in. dia.	1	-	C	FA2/41
EB8.10.2785	SPRING, compression	1	DTD215	C	FA2/42
EB8.15.111	TUBE, guide	1	S1	C	FA2/43
EB8.15.41	HINGE, Port, Group	1	-	C	FA1/14
EB8.15.42	HINGE, Starboard, Group	1	-	C	FA1/15
	Consisting of:				
EB8.15.39	BRACKET, hinge, port only	1	S80	C	FA1/16
EB8.15.40	BRACKET, hinge, starboard only	1	S80	C	FA1/17
EB8.15.46	PAWL, port only	1	S80	C	FA1/18
EB8.15.45	PAWL, starboard only	1	S80	C	FA1/19
	Attachment of pawl to bracket				
EB8.15.47	Pin	1	S80	C	FA1/20
EB8.15.303	Ring, flange	1	S80	C	FA1/21
EB8.15.59	PLUNGER, compression spring	1	S80	C	FA1/22
EB8.15.43	RETAINER, hinge	1	S80	C	FA1/23
	Attachment of hinge retainer to bracket				
EB8.15.47	Pin	1	S80	C	FA1/24
EB8.15.303	Ring, flange	1	S80	C	FA1/25
EB8.15.53	PIN, spring anchor	1	S80	C	FA1/26
EB8.15.51	SPRING, tension	1	DTD215	C	FA1/27
EB8.15.55	SPRING, compression	1	DTD215	C	FA1/28

FUSELAGE
CANOPY AND RELEASE MECHANISM

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
	1 2 3 4 5 6				
	Attachment of hinge to canopy				
AS1242/2E	Bolt, csk. 1/4 in. BSF	1	-	C	FA1/29
AS1242/12E	Bolt, csk. 1/4 in. BSF	4	-	C	FA1/30
EB8.15.323	RECEIVER, latchbolt, No.1 port (Pre Mod 5163 Issue 3)	1	S97	C/MR	FA2/44
EB8.15.323x4	RECEIVER, latchbolt, No. 1 port (Mod 5163 Issue 3)	1			FA2/45
EB8.15.325	RECEIVER, latchbolt, No. 3 starboard (Pre Mod 5163 Issue 3)	1	S97	C/MR	FA2/46
EB8.15.325x7	RECEIVER, latchbolt, No 3 starboard (Mod 5163 Issue 3)	1			FA2/47
EB8.15.327	RECEIVER, latchbolt, No. 2 port (Pre Mod 5163 Issue 3)	1	S97	C/MR	FA2/48
EB8.15.327x6	RECEIVER, latchbolt, No. 2 port (Mod 5163 Issue 3)				FA2/49
EB8.15.329	RECEIVER, latchbolt, No 4 starboard (Pre Mod 5163 Issue 3)	1	S97	C/MR	FA2/50
EB8.15.329x5	RECEIVER, latchbolt, No 4 starboard (Mod 5163 Issue 3)	1			FA2/51
	Attachment of latchbolt receivers to bottom edge members				
A60/17E	Bolt, 1/4 in BSF, receivers Nos 2 & 4 (Mod 3105)	4	-	C	FA2/52
A60/18E	Bolt, 1/4 in BSF, receiver No 1	2	-	C	FA2/53
AS1242/6C	Bolt, csk, 2BA, receivers Nos 1, 2, 3 & 4	4	-	C	FA2/54
A24/EP	Nut, 1/4 in BSF	8	-	C	FA2/55
EB8.15.79	Shim, receiver No 1	1	Lam Alum	C/MR	FA2/56
EB8.15.81	Shim, receiver No 3	1	Lam Alum	C/MR	FA2/57
EB8.15.95	Shim, receiver No 2 and 4	2	Lam Alum	C/MR	FA2/58
SP14/E	Washer	6	-	C	FA2/59
EB8.15.349	SEAL, inflatable (Mod 2920)	1	Rubber	C	-
OR					
EB8.15.407	SEAL, inflatable (SA5561)	1	Rubber B452LG	C	FA3/20
EB8.15.353	STRIP, seal retaining, centre front hoop member (Mod 2920)	1	L72	C	FA3/21
EB8.15.355	STRIP, seal retaining, port, front hoop member (Mod 2920)	1	L72	C	FA3/22
EB8.15.351	STRIP, seal retaining, starboard front hoop member (Mod 2920)	1	L72	C	FA3/23
EB8.15.359	STRIP, seal retaining, port between receiver brackets (Mod 2920)	1	L72	C	FA3/24
EB8.15.357	STRIP, seal retaining, starboard between receiver brackets (Mod 2920)	1	L72	C	FA3/25
EB8.15.363	STRIP, seal retaining, centre, rear canopy, fitting (Mod 2920)	1	L72	C	FA3/26
EB8.16.361	STRIP, seal retaining, port, rear canopy fitting (Mod 2920)	1	L72	C	FA3/27
EB8.15.365	STRIP, seal retaining, starboard, rear canopy fitting (Mod 2920)	1	L72	C	FA3/28
	Attachment of seal and retaining strips to canopy				
AS3297/1C	Bolt, csk, 2BA	AR	-	C	FA3/29
AS3297/5C	Bolt, csk, 2BA	6	-	C	FA3/30
EB8.15.367	Bush, tapped 2BA, rear canopy strips (Mod 2920)	6	L65	C	FA3/31

R

R

FUSELAGE
CANOPY AND RELEASE MECHANISM

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
	1 2 3 4 5 6				
EB8.15.369	Bush, rear canopy, strips (Mod 2920)	8	L65	C	FA3/32
AGS2001/C1	Nut, stiff, 2BA	6	-	C	FA3/33
SP16/C	Washer, 2BA	6	-	C	FA3/34
EB8.10.1279	COVER, canopy locking mechanism, port	1	L72	C	FA2/60
EB8.10.2679	COVER, canopy locking mechanism, starboard	1	L72	C	FA2/61
	Attachment of cover to coaming structure				
AS1248/1/2C	Bolt, 2BA	8	-	C	FA2/62
EB8.10.7605	EYE-END, slotted	2	S1	C	FA2/63
EB8.11.983	FAIRING, removable, spring box (Supplied to Pt No EB8.00.453 for spares purposes)	1	L72	C	FA1/31
	Attachment of fairing to fuselage				
EEAS1/1C	Screw, csk, 2BA	47	S96	C	FA1/32
EEAS1/1-1/2C	Screw, csk, 2BA	18	S96	C	FA1/33
EEAS1/2-1/2C	Screw, csk, 2BA	1	S96	C	FA1/34
4100	Screw, Pk No 6 x 5/8 in long	4	-	C	FA1/35
EB8.10.1315	FORK-END, LH, 2BA	2	DTD683	C	FA2/64
	Attachment of fork-end to lever				
AGS899/2	Collar	1	-	C	FA2/65
SP4/Y/B6	Pin, 3/16 in dia	1	-	C	FA2/66
SP90/C6	Pin, split, 1/16 in. dia	1	-	C	FA2/67
	INDICATORS, Canopy Locking Pin Assembly (Pre Mod 5163 Issue 3) (EB8.10.3897)	-	-	-	-
	INDICATORS, Canopy Locking Pin Assembly (Mod 5163 Issue 3) (EB8.10.8267)	-	-	-	-
	Spares for:				
EB8.10.3899	ARM, operating, forward indicator	2	L65	C	FA2/68
EB8.10.5059	ARM, operating, aft indicating, port only	1	L65	C	FA2/69
EB8.10.3901	ARM, operating, aft indicator, starboard only	1	L65	C	FA2/70
	Attachment of operating arm to locking pin				
A25/19C	Bolt, 2BA	1	-	C	FA2/71
SP15/C	Washer, 2BA	1	-	C	FA2/72
AS1246/2B	BOLT, 4BA	32	-	C	-
EB8.10.8273	COVER, indicator, forward pin, port only (Mod 5163 Issue 3)	1	-	C	-
EB8.10.8270	COVER, indicator, forward pin, starboard only (Mod 5163 Issue 3)	1	-	C	-
EB8.10.8271	COVER, indicator, aft pin, port only (Mod 5163 Issue 3)	1	-	C	-
EB8.10.8268	COVER, indicator, aft pin, starboard only (Mod 5163 Issue 3)	1	-	C	-

R

R

FUSELAGE
CANOPY AND RELEASE MECHANISM

Part No.	Description 1 2 3 4 5 6	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
EB8.10.3913	GUIDE, indicator, forward pin, port only (Pre Mod 5136)	1	DTD339	C	FA2/73
EB8.10.3913x2	GUIDE, indicator, forward pin, port only (Pre Mod 5136 Pre Mod 5136 Issue 3)	1	DTD339	C	FA2/74
EB8.10.3903	GUIDE, indicator, forward pin, starboard only (Pre Mod 5136)	1	DTD339	C	FA2/75
EB8.10.3903x2	GUIDE, indicator, forward pin, starboard only (Mod 5136 Pre Mod 5163 Issue 3)	1	DTD339	C	FA2/76
EB8.10.3905	GUIDE, indicator, aft pin, port only (Pre Mod 5136)	1	DTD339	C	FA2/77
EB8.10.3905x2	GUIDE, indicator, aft pin, port only (Mod 5136 Pre Mod 5163 Issue 3)	1	DTD339	C	FA2/78
EB8.10.3917	GUIDE, indicator, aft pin, starboard only (Pre Mod 5136)	1	DTD339	C	FA2/79
EB8.10.3917x2	GUIDE, indicator, aft pin, starboard only (Mod 5136 Pre Mod 5163 Issue 3)	1	DTD339	C	FA2/80
	Attachment of indicator guide to canopy locking mechanism cover				
AGS2050/424BH	Rivet, "pop" domed, 1/8 in dia. (Pre Mod 5163 Issue 3)	AR	-	C	FA2/81
EB8.10.3911	INDICATOR, locking forward pin, stbd only (Pre Mod 5136)	1	L72	C	FA2/82
EB8.10.3911x2	INDICATOR, locking forward pin, stbd only (Mod 5136 Pre Mod 5163 Issue 3)	1	L72	C	FA2/83
EB8.10.8248	INDICATOR, locking forward pin, stbd only (Mod 5163 Issue 3)	1	L72	C	FA2/84
EB8.10.3909	INDICATOR, locking forward pin, port only (Pre Mod 5136)	1	L72	C	FA2/85
EB8.10.3909x2	INDICATOR, locking forward pin, port only (Mod 5136 Pre Mod 5163 Issue 3)	1	L72	C	FA2/86
EB8.10.8241	INDICATOR, locking forward pin, port only (Mod 5163 Issue 3)	1	L72	C	FA2/87
EB8.10.3907	INDICATOR, locking aft pin, port only (Pre Mod 5136)	1	L72	C	FA2/88
EB8.10.3907x2	INDICATOR, locking aft pin, port only (Mod 5136 Pre Mod 5163 Issue 3)	1	L72	C	FA2/89
EB8.10.8255	INDICATOR, locking aft pin, port only (Mod 5163 Issue 3)	1	L72	C	FA2/90
EB8.10.3915	INDICATOR, locking aft pin, stbd only (Pre Mod 5136)	1	L72	C	FA2/91
EB8.10.3915x2	INDICATOR, locking aft pin, stbd only (Mod 5136 Pre Mod 5163 Issue 3)	1	L72	C	FA2/92
EB8.10.8262	INDICATOR, locking aft pin, stbd only (Mod 5163 Issue 3)	1	L72	C	FA2/93
EB8.10.8250	PLATE, backing guide, indicator, fwd pin, stbd only (Mod 5163 Issue 3)	1	-	C	
EB8.10.8243	PLATE, backing guide, indicator, fwd pin, port only (Mod 5163 Issue 3)	1	-	C	

FUSELAGE
CANOPY AND RELEASE MECHANISM

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
	1 2 3 4 5 6				
EB8.10.8257	PLATE, backing, guide indicator, aft pin, port only (Mod 5163 Issue 3)	1	-	C	
EB8.10.8264	PLATE, backing, guide indicator, aft pin, stbd only (Mod 5163 Issue 3)	1	-	C	
EB8.10.8266	PLATE, nut (Mod 5163 Issue 3)	28	-	C	
EB8.10.8265	PLATE, nut (Mod 5163 Issue 3)	2	-	C	
	Attachment of nut plates to locking pin indicators				
AS2230/305	Rivet, 3/32in (Mod 5163 Issue 3)	2	-	C	
EB8.10.729	PIN, 3/8 in. dia. canopy hook	1	S95	C	FA2/94
	Attachment of pin to operating arm				
AS161/318	Rivet, csk. hd. 3/2 in dia	1	-	C	FA2/95
EB8.10.731	PIN, hinge	1	S95	C	FA2/96
EB8.10.7607	ROD, screwed, 2BA	2	S95	C	FA2/97
	Attachment of rod to fork-end and eye-end	2	S95	C	
A27/CT	Nutlock, RH 2BA	1	-	C	FA2/98
A27/CTL	Nutlock, LH, 2BA	1	-	C	FA2/99
EB8.10.7603	SLIDE, spigot	2	S95	C	FA2/100
	Attachment of slide to eye-end				
AGS899/2	Collar	2	S95	C	FA2/101
SP4/Y/B6	Pin, 3/16 in. dia	1	-	C	FA2/102
SP90/C6	Pin, split 1/16 in. dia.	1	-	C	FA2/103
EB8.10.7595	SPIGOT, locking	2	S95	C	FA2/104
EB8.10.7601	SPRING, compression	2	DTD215	C	FA2/105
	Attachment of spring to spigot				
EB8.10.7597	Screwed-end spigot	1	S1	C	FA2/106
EB8.10.7599	Spacer .45 in long x 1/2 in o/d x 16 swg	1	L63	LM	FA2/107
	SWITCH, Actuator Energising Canopy Locking Port and Starboard Assembly (EB8.10.3883 and EB8.10.3885)	-	-	-	
	Spares for:				
EB8.10.3919	BOLT, striker 2BA	-	S96	C	FA3/35
	Attachment of striker bolt to trigger				
A27/CT	Nut, lock, 2BA	1	-	C	FA3/36
EB8.10.7451	COVER, access port	1	L73	C	FA3/37
EB8.10.3889	COVER, access starboard	1	L73	C	FA3/38
	Attachment of access covers				
A59/2C	Bolt, 2BA	14	-	C	FA3/39
SP15/C	Washer, 2BA	14	-	C	FA3/40

FUSELAGE
CANOPY AND RELEASE MECHANISM

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
	1 2 3 4 5 6				
EB8.10.3893	PIN, pivot	1	S96	C	FA3/41
	Attachment of pivot pin to frame 7E				
AGS2001/C1	Nut, stiff 2BA	1	-	C	FA3/42
SP15/C	Washer, 2BA	1	-	C	FA3/43
Dowty DN1322Z Mk.2 OR Dowty DN1322Z Mk.3	SWITCH, micro (Mod 4826)	1	-	C	FA3/44
	Attachment of micro switch to frame 7E				
A25/10B	Bolt, 4BA	2	-	C	FA3/45
AGS2001/B1	Nut, stiff, 4BA	2	-	C	FA3/46
EB8.10.3895	Packing, 3/8 in thick	1	LFS21	LM	FA3/47
SP15/B	Washer, 4BA	2	-	C	FA3/48
EB8.10.3891	TRIGGER, port only	1	L65	C	FA3/49
EB8.10.3892	TRIGGER, starboard only	1	L65	C	FA3/50
	Attachment of trigger to pivot pin				
AGS899/2	Collar, 3/16in dia	1	-	C	FA3/51
SP90/C5	Pin, split, 1/16 in dia	1	-	C	FA3/52
	MECHANISM, Pilots Canopy Release Assembly (EB8.70.1)	-	-	-	
	Spares for:				
Ermeto L7255	ADAPTOR, flanged "Y" assy	1	-	C	FA4/1
	Attachment of adaptor to frame 8				
A25/2C	Bolt, 2BA	6	-	C	FA4/2
AGS2001/C1	Nut, stiff 2BA	6	-	C	FA4/3
EEAS20/1DR	Tab, locking	1	-	C	FA4/4
SP13/C	Washer, 2BA	6	-	C	FA4/5
EB8.70.177/A	BLOCK, half (Mod 5142) (Make from ref SF/9400955)	2	-	LM	
	Attachment of support block to mounting bracket				
A25/8C	Bolt, 2BA, (Mod 5142)	4	-	C	
AGS2001/C1	Nut, stiff, 2BA (Mod 5142)	4	-	C	
SP15/C	Washer (Mod 5142)	4	-	C	
Ermeto M32011	BODY, union assy	2	-	C	FA4/6
	Attachment of union body to sloping bulkhead or coaming				
A25/2C	Bolt, 2BA	6	-	C	FA4/7
A25/4C	Bolt, 2BA	6	-	C	FA4/8
EB8.70.19	Disc, sealing	1	-	C	FA4/9
AGS2001/C1	Nut, stiff 2BA	1	-	C	FA4/10

R

R

R

FUSELAGE
CANOPY AND RELEASE MECHANISM

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
EEAS20/1DR SP13/C EB8.70.183	Tab, locking Washer BRACKET, block mounting (Mod 5142) (Make from ref 30B/61128)	1 6 1	- -	C C LM	FA4/11 FA4/12	R
	Attachment of mounting block to Frame 6					
A25/1C AGS2001/C1 SP15/C SP80/508 Martin Baker MBCJ/100	Bolt, 2BA (Mod 5142) Nut, stiff, 2BA (Mod 5142) Washer, (Mod 5142) Rivet, 5/32 in dia (Mod 5142)	2 2 2 6	- - - -	C C C C		
	BREECH and Time Delay Unit (For spares see AP4515S Vol 3)	1	-	L	FA1/36	R
	Attachment of breech and time delay unit to seat rail					
AS1242/20E AGS2001/E1 EEAS20/2ER EB8.70.151 EB8.70.107	Bolt, csk, 1/4 in BSF Nut, stiff, 1/4 in BSF Washer, locking tab CABLE, bowden group (Mod 3064) CABLE, bowden group (Pre Mod 3064)	3 3 1 1 1	- - - - -	C C C C C	FA1/37 FA1/38 FA1/39 FA1/40	
	Attachment of cable to breech unit and lever on sloping bulkhead					
AGS899/2 SP4/Y/B5 SP90/C5 12K/1261 EB8.70.5	Collar, 3/16 in dia Pin, 3/16 in dia Pin, split, 1/16 in dia CARTRIDGE, No 2 Mk 1 CONTROL, Canopy Jettison Group	2 2 2 2 1	- - - - -	C C C C C	FA4/13 FA4/14 FA4/15 FA1/41	
	Spares for:					
EB8.70.61	HANDLE, Group	1	-		FA4/16	
	Spares for:					
EB7.45.45	BEARING	1	S92		FA4/17	
	Attachment of bearing to support					
AS2230/405 EB8.70.65 EB7.45.39 EB8.70.67	Rivet, csk. head, 1/8 in dia. FORK-END GUIDE, spring, top (Pre Mod 3064) GUIDE, spring, bottom (Pre Mod 3064)	4 1 1 1	- L65 DTD610 L72	C	FA4/18 FA4/19 FA4/20 FA4/21	R
EB7.45.41	HANDLE	1	-		FA4/22	
	Attachment of handle to shaft					
SP80/413 EB8.70.63 EB7.45.37 EB7.70.71	Rivet, 1/8 in. dia. SHAFT SPRING, compression (Pre Mod 3064) STOP (Pre Mod 3064)	2 1 1 1	- L65 DTD215 L65	C C	FA4/23 FA4/24 FA4/25 FA4/26	
	Attachment of stop to shaft					
SP80/413	Rivet, 1/8 in. dia.	1	-	C	FA4/27	

FUSELAGE
CANOPY AND RELEASE MECHANISM

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
	1 2 3 4 5 6				
	Attachment of handle group to side plates and lever assembly				
AGS899/2	Collar	1	-	C	FA4/28
SP4/Y/B4	Pin, 3/16 in. dia.	1	-	C	FA4/29
SP90/C5	Pin, split, 1/16 in. dia.	1	-	C	FA4/30
AS2230/404	Rivet, csk, 1/8 in. dia.	3	-	C	FA4/31
EB8.70.57	LEVER, assy	1	DTD124		FA4/32
	Attachment of lever assy. to side plates				
EB8.70.59	Axle	1	S92		FA4/33
A27/CP	Nut, 2BA	1	-	C	FA4/34
AGS2001/C1	Nut, stiff, 2BA	1	-	C	FA4/35
SP15/C	Washer, 2BA	2	-	C	FA4/36
	Attachment of control group to console structure				
A25/1C	Bolt, 2BA	1	-	C	FA4/37
A25/16C	Bolt, 2BA	4	-	C	FA4/38
AGS2001/C1	Nut, stiff, 2BA	4	-	C	FA4/39
AS2300/125	Tube, distance	2	S3		FA4/40
AS2300/135	Tube, distance	1	S3		FA4/41
AS2300/140	Tube, distance	1	S3		FA4/42
SP13/C	Washer	5	-	C	FA4/43
EB8.70.181	CLEAT, (Mod 5142) (Make from ref 30B/9611220)	1	-	LM	
EB8.80.321	COVER, canopy jettison handle, group	1	-	C	FA4/44
	Attachment of cover to console structure				
A33/C16	Screw, 2BA	7	-	C	FA4/45
EB8.70.47	FITTING, end	1	L65	C	FA4/46
	Attachment of end fitting to links				
AGS899/2	Collar	1	-	C	FA4/47
SP4Y/B5	Pin, 3/16 in. dia	1	-	C	FA4/48
SP90/C5	Pin, split, 1/16 in dia	1	-	C	FA4/49
EB8.70.81	HOSE, flexible, frame 8 to elevator break strut, group	1	-	C	FA1/42
EB8.70.113	HOSE, flexible, frame 6 to snatch unit, group (Pre Mod 5142)	1	-	C	FA1/43
EB8.70.89	LEVER, operating, by-pass valve ram and spring box	1	S96	C/MR	FA4/50
	Attachment of lever to mounting				
A25/22E	Bolt, 1/4 in BSF	1	-	C	FA4/51
A27/ES	Nut, slotted, 1/4 in BSF	1	-	C	FA4/52
EB8.70.111	Piece, distance	1	L65	C	FA4/53
SP90/C8	Pin, split, 1/16 in dia	1	-	C	FA4/54
SP15/E	Washer	1	-	C	FA4/55
EB8.70.39	LEVER, operating, to breech unit	1	L65	C/MR	FA4/56

FUSELAGE
CANOPY AND RELEASE MECHANISM

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
	Attachment of lever to pivot on sloping bulkhead					
A27/CP	Nut, 2BA	1	-	C	FA4/57	
SP15/C	Washer, 2BA	1	-	C	FA4/58	
Martin Baker						
MBEU/72669	PIN, safety (Mod 5297)	1	-	-		
EB8.70.33	PIPE, frame 6 to frame 8	1	T55	C	FA1/44	
EB8.70.35	PIPE, breech and time delay, unit to union aft fr. 10	1	T55	C	FA1/45	
EB8.70.173	PIPE, assy (Mod 5142)	1	-	C	FA1/46	
	Attachment of pipe assy					
Ermeto						
C74-HC	Coupling (Mod 5142)	1	-	C	FA1/47	
Ermeto	Nut (Mod 5142)	1	-	C		R
32-5						
Ermeto	Nut (Mod 5142)	1	-	C		R
24-S						
Ermeto	Ring, sealing (Mod 5142)	1	-	C	FA1/48	
R32-HC	Ring, sealing (SA5370)	1	-	C		
OR Ermeto	Ring, sealing (Mod 5142)	1	-	C		
R32-FV	Ring, sealing (SA5370)	1	-	C		
Ermeto	Ring, sealing (Mod 5142)	1	-	C		
R24-HC	Ring, sealing (SA5370)	1	-	C		
OR Ermeto	PLATE, gusset (Mod 5142) (Make from ref 30B/9611220)	1	-	LM		
R24-FV						
EB8.70.179						
	Attachment of gusset plate to structure					
A25/1C	Bolt, 2BA (Mod 5142)	4	-	C		
AGS2001/C1	Nut, stiff, 2BA (Mod 5142)	4	-	C		
SP15/C	Washer	4	-	C		
Martin Baker						
0/MBEU/14975	PLATE, warning and safety pin (Pre Mod 5297)	1	-		FA1/49	
	RAM, Canopy Jettison Mounting, Installation (EB8.70.117/118)	-	-	-	FA1/50	
	Spares for:					
33B/9428852	DOPE, clear tautening	A/R	-	C	-	
Martin Baker						
MBCJ/474	RAM, Canopy Jettison, Port, Group (For spares see AP4515S Vol.3)	1	-	L	FA4/59	R
Martin Baker						
MBCJ/475	RAM, Canopy Jettison, Starboard, Group (For spares see AP4515S Vol.3)	1	-	L	FA4/60	R
	Attachment of ram to coaming					
A25/8E	Bolt, 1/4 in. BSF	4	-	C	FA4/61	
A27/ES	Nut, slotted, 1/4 in. BSF	4	-	C	FA4/62	
SP90/C8	Pin, split, 1/16 in. dia.	4	-	C	FA4/63	
Ermeto						
R32-HC	Ring, sealing, 1/2 in.	1	-	C	FA4/64	
EEAS20/1DR	Tab, locking	1	-	C	FA4/65	
EB8.70.119	Washer, profile, port only	1	L65		FA4/66	

FUSELAGE
CANOPY AND RELEASE MECHANISM

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
	1 2 3 4 5 6				
EB8.70.120	Washer, profile, starboard only	1	L65	LM	FA4/67
EB8.70.121	Washer, taper, port only	1	L65	LM	FA4/68
EB8.70.122	Washer, taper, starboard only	1	L65	LM	FA4/69
SP15/E	Washer, 1/4 in.	4	-	C	FA4/70
32B/2202351	TAPE, waterproof	A/R	-	C	-
Ermeto R32-HC	RING, sealing, pipes at second cartridge unit, by-pass valve and breech and time delay unit	7	-	C	FA1/51
OR Ermeto R32-FV	RING, sealing, pipes at second cartridge unit, by-pass valve and breech and time delay unit	7	-	C	-
Martin Baker MBCJ/470	CARTRIDGE UNIT, Second (For Spares see AP4515S, Vol.3)	1	-	L	FA1/52
	Attachment of second cartridge unit to sloping bulkhead				
A25/16E	Bolt, 1/4 in. BSF	3	-	C	FA1/53
AGS2001/E1	Nut, stiff, 1/4 in. BSF	3	-	C	FA1/54
EEAS20/2ER	TAB, locking	2	-	C	FA1/55
EB8.70.51	Washer, profile	3	L72	C	FA1/56
SP15/E	Washer, 1/4 in.	3	-	C	FA1/57
Martin Baker MBCJ/471	VALVE, by-pass (For spares see AP4515S Vol.3)	1	-	L	FA1/58
	Attachment of by-pass valve to mounting structure				
A25/4E	Bolt, 1/4 in. BSF	4	-	C	FA1/59
AGS2001/E1	Nut, stiff, 1/4 in. BSF	4	-	C	FA1/60
EEAS20/2ER	Tab, locking	2	-	C	FA1/61
SP15/E	Washer, 1/4 in.	4	-	C	FA1/62
	MECHANISM, Canopy Operating, Assembly (EB8.10.2219) (See Section FB)				
	RELEASE, Emergency, External Handle Assembly (Mod 3092) (EB8.10.8091)	-	-	-	
	Spares for:				
EB8.10.8109	BOX, spring, group	1	-	C	FA1/63
EB8.10.7833	CABLE, group	1	-	C	FA1/64
EB8.10.8131	HANDLE, group (Pre Mod 5284)	1	-	C	FA4/71
EB8.10.8275	HANDLE, group (Mod 5284)	1	-	C	FA4/72
EB8.10.8105	LOCK, group (Pre Mod 5284)	1	-	L	FA4/73
EB8.10.8105	LOCK, group (Mod 5284)	1	-	L	FA4/74
EB8.10.8095	SLEEVE and PULLEY, assembly (Pre Mod 5284)	1	-	L	
EB8.10.8283	SLEEVE and PULLEY, assembly (Mod 5284)	1	-	L	







