

FUSELAGE
FORWARD

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
	FORWARD FUSELAGE, ASSEMBLY (EB8.00.505)	-	-	-	-	R
	Spares for:					
	AIR SUPPLY, Canopy, Frangible Hatch and Hinged Nose Seals, Installation (EB8.75.3093) (See Section MA)	-	-	-	-	R
	CANOPY, Pilots Release Mechanism, Assembly (EB8.70.1) (See Section FA)	-	-	-	-	R
	CONTROLS, Engine, Assembly (EB8.47.233) (See Section CB)	-	-	-	-	R
	CONTROLS, Flare Door and U/C Emergency Release Assembly (EB8.45.525) (See Section CJ)	-	-	-	-	R
	CONTROLS, Flying, Assembly (EB8.45.5) (See Section CE)	-	-	-	-	R
	DEMISTING, Canopy, Assembly (EB8.76.101) (See Section MB)	-	-	-	-	R
	DEMISTING, Windscreen Assembly (EB8.75.1269) (See Section MB)	-	-	-	-	R
	ELECTRICAL Installation (EB8.81.5127) (See Section DA)	-	-	-	-	R
	EQUIPMENT, Pressure Cabin (EB8.80.2281) (See Section EA)	-	-	-	-	R
	FUSELAGE, Front, Frames 1 to 12A Assembly (EB8.10.4001)	-	-	-	-	R
	Spares for:					
	BALLAST, Weights, Assembly (Mod 3215) (EB8.84.1)	-	-	-	FB1/1	R
	Spares for:					
EB8.81.19	BRIDGE-PIECE	2	DTD5020	C	FB3/1	
EB8.84.21	BRIDGE-PIECE	1	DTD5020	C	FB3/2	
EB8.84.17	NUT, 1 1/8 in. dia. WHIT	14	S1	C	FB3/3	R
EB8.84.11	PLATE, Clamp	26	L72	C	FB3/4	
EB8.84.7	SCREW, bridge-piece	7	S1	C	FB3/5	
EB8.84.9	SCREW, support bar	12	S1	C	FB3/6	
EB8.84.15	SCREW, bridge-piece	14	S1	C	FB3/7	
EB8.84.13	SPIGOT, beam locating	5	S92	C	FB3/8	
AS4589	WEIGHT, ballast (See AP4326J, Vol. 1 Sect. 2 Chap. 3)	77	Lead	C	FB3/9	R

FUSELAGE
FORWARD

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
EB8.83.1637	BRACKET, Mounting, 2 Position Camera, Frames 3-4, Port and Starboard, Group (Pre Mod 4991)	2	-	C	FB1/2 FB2/1	R
EB8.83.1637x3	BRACKET, Mounting, 2 Position Camera, Frames 3-4, Port and Starboard, Group (Mod 4991)	2	-	C	FB1/3 FB2/2	R
Philidas Ltd	Spares for:					
	NUT, wing, die-cast, 1/4 in. BSF	2	-		FB2/3	R
	Attachment of wing nut to rod					
SP90/A5	Pin, split, 1/32 in. dia.	1	-	C	FB2/4	
SP16/E	Washer, 1/4 in.	1	-	C	FB2/5	
EB8.83.1581	ROD, screwed, 1/4 in. BSF	2	S96	C	FB2/6	
EB8.83.1579	TRUNNION	2	S96	C	FB2/7	
	Attachment of bracket to fuselage structure					
A25/1C	Bolt, 2BA	8	-	C	FB2/8	
EA1.10.217	BRACKET, Mounting, Nosewheel Pivot Shaft, Port Group	1	-	C	FB1/4 FB2/9	R
EA1.10.218	BRACKET, Mounting, Nosewheel Pivot Shaft, Starboard Group	1	-	L	FB1/5 FB2/10	R
	Spares for:					
EA1.10.2685	CAP	1	-	C	FB2/11	
	Attachment of cap to bracket					
A25/15J	Bolt, 3/8 in. BSF	2	-	C	FB2/12	R
A25/28J	Bolt, 3/8 in. BSF	2	-	C	FB2/13	
A27/JS	Nut, slotted, 3/8 in. BSF	4	-	C	FB2/14	
SP90/C8	Pin, split, 1/16 in. dia.	4	-	C	FB2/15	
EA3.10.2793	Washer, special	2	DTD683	C	FB2/16	
SP15/J	Washer, 3/8 in.	2	-	C	FB2/17	
SP21	NIPPLE, lubricating	1	-	C	FB2/18	R
EA1.10.217/A	SPIGOT, locating	1	S96	C	FB2/19	
	Attachment of bracket to pressure bulkhead					
EA3.10.2383	Bolt, 5/16 in. BSF	2	S96	C	FB2/20	R
A25/4E	Bolt, 1/4 in. BSF	10	-	C	FB2/21	
A26/6E	Bolt, 1/4 in. BSF	2	-	C	FB2/22	
SP16/G	Washer, 5/16 in.	2	-	C	FB2/23	
EA1.10.231	BUSH, bearing, nosewheel pivot shaft	2	DTD197	C	FB2/24	
EA1.10.939	DOOR, Nose Undercarriage, Port Group (Pre Mod 5282) (Supplied to Pt. No. EA3.00.149, for spares purposes)	1	-	L	-	R

FUSELAGE
FORWARD

Part No.	Description						No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1	2	3	4	5	6					
EA1.10.939X24	DOOR, Nose Undercarriage, Port Group (Mod 5282 Pre Mod 5000 ALT SB/9/087) (Supplied to Pt. No. EA3.00.149 for spares purposes)						1	-	L	-	R
EB8.10.8315	DOOR, Nose Undercarriage, Port Group (Mod 5000 ALT SB/9/087) (Supplied to Pt. No. EB8.00.869 for spares purposes)						1	-	L	FB1/6 FB2/25	R
	Spares for:										R
EA1.10.955	PAD, rubber						1	-	C	FB2/26	R
EA1.10.949	SHIM						1	Lam. Alum	C	FB2/27	R
	Attachment of pad and shim to door										R
A33/C32	Screw, csk. 2BA						2	-	C	FB2/28	R
EEAS6/C	Washer, cup						2	-	C	FB2/29	R
EA3.10.2811	STRIP, sealing (Pre Mod 5282) (Make from Ref. 4756)						AR	Synthetic Rubber	L	-	R
EA3.10.6583	SEAL, 'P' (Mod 5282 Pre Mod 5000 ALT SB/9/087) (Make from Ref 6147755)						AR	EEAS 844	LM	-	R
EB8.10.8317	SEAL, 'P' (Mod 5000 ALT SB/9/087) (Make from Ref. 6147758)						AR	EEAS 843	LM	FB2/30	R
	Attachment of port door to fuselage structure										
SP80/404	Rivet, 1/8 in. dia.						AR	-	C	-	
SP80/407	Rivet, 1/8 in. dia.						AR	-	C	-	
SP80/507	Rivet, 5/32 in. dia						AR	-	C	-	
EA1.10.940	DOOR, Nose Undercarriage, Starboard, Group (Pre Mod 5282) (Supplied to Pt. No. EA3.00.150 for spares purposes)						1	-	L	-	R
EA1.10.940x24	DOOR, Nose Undercarriage, Starboard Group (Mod 5282 Pre Mod 5000 ALT SB/9/087) (Supplied to Pt. No. EA3.00.150 for spares purposes)						1	-	L	-	R
EB8.10.8316	DOOR, Nose Undercarriage Starboard Group (Mod 5000 ALT SB/9/087) (Supplied to Pt.No EB8.00.870 for spares purposes)						1	-	L	FB1/7 FB2/31	R
	Spares for:										
EA3.10.3129	BLOCK, catch						2	DTD683	C	FB2/32	
	Attachment of catch block to door										
EA1.10.983	Bolt, special 2BA						4	S1	C	FB2/33	

FUSELAGE
FORWARD

Canberra P R Mk 9

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
	1 2 3 4 5 6				
SP47/C EA3.10.3085	Washer, spring, 2BA BRACKET, spring seating Attachment of bracket to door	4 1	- DTD683	C C	FB2/34 FB2/35
A25/3C AGS2001/C1 SP16/C EA3.10.3193 EA3.10.3239	Bolt, 2BA Nut, stiff, 2BA Washer, 2BA HOOK, forward latch HOOK, aft, latch Attachment of latch hook to door	2 2 2 1 1	- - - - S11	C C C C C	FB2/36 FB2/37 FB2/38 FB2/39 FB2/40
EA3.10.3375 EA1.10.971 EA1.45.989 EEAS28/23CU EA1.10.955	Packing, aft latch Pin, pivot Shim, forward latch Washer, forward latch PAD, rubber Attachment of pad to door	5 1 1 2 1	L72 S11 - - -	C C C C C	FB2/41 FB2/42 FB2/43 FB2/44 FB2/45
A33/C32 EA1.10.949 EEAS6/C EA3.10.3211	Screw, csk. 2BA Shim Washer, cup ROD, Connecting, Door Hooks, Group Consisting of:	2 1 2 1	- Lam.Alum - -	C C C L	FB2/46 FB2/47 FB2/48 FB2/49
EA3.10.3083 EA3.10.3207 EA3.10.3213 A27/CP A27/CPL EA3.10.3209 EA3.20.2271	COLLAR, spring adjusting FORK-END, L.H. 2BA, aft FORK-END, R.H. 2BA, forward NUT, R.H. 2BA NUT, L.H. 2BA ROD, connecting SPRING, tension Attachment of connecting rod to forward and aft hooks	1 1 1 2 1 1 1	DTD683 S96 S96 - - S96 DTD239A	C C C C C C C	FB3/10 FB3/11 FB3/12 FB3/13 FB3/14 FB3/15 FB3/16
AGS899/1 SP4/Y/A7 SP90/C4 EA3.10.2811 EA3.10.6583 EB8.10.8317	Collar Pin, 5/32 in. dia. Pin, split, 1/16 in. dia. STRIP, sealing (Pre Mod 5282) (Make from Ref. 4756) SEAL, 'P' (Mod 5282 Pre Mod 5000 ALT SB/9/087) (Make from Ref 6147755) SEAL, 'P' (Mod 5000 ALT SB/9/087) (Make from Ref. 6147758) Attachment of starboard door to fuselage structure	2 2 2 AR AR AR	- - - Synthetic Rubber EEAS 844 EEAS 843	C C C LM LM LM	FB3/17 FB3/18 FB3/19 - - FB2/50
SP80/404 SP80/407 SP80/707	Rivet, 1/8 in. dia. Rivet, 1/8 in. dia. Rivet, 5/32 in. dia.	AR AR AR	- - -	C C C	- - -

FUSELAGE
FORWARD

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
	DOOR, Equipment Hatch, Assembly (EB8.10.7751)	-	-	-	FB1/8	
	Consisting of:					
Martin Baker Q/MBEU/6980	CLIP, retaining, Q.R. pin (Pre Mod 5297)	1	-	C	FB3/20	R
	Attachment of clip to door					
SP80/303	Rivet, 3/32 in. dia. (Pre Mod 5297)	2	-	C	-	R
EA9.10.439	DOOR, Equipment Hatch, Group (Pre Mod 5282)(With trim allowance)	1	-	C	-	R
EA9.10.439x2	DOOR, Equipment Hatch, Group (Mod 5282)(With trim allowance)	1	-	P	FB3/21	R
	Spares for:					
AS2866/P	LOCK, Group, Flush type	1	-	L	FB3/22	
	Spares for:					
AS5382	BOLT, pivot	2	S94	C	FB7/1	
AS2552	HANDLE, Assembly, Outer, Single Handle Lock	1		C	-	R
AS2519	HANDLE, inner	1		C	-	R
AS2532	PLATE, catch	1	S3	C	FB7/2	
AS2559	SEAL, handle	1	-	C	FB7/3	
AS2558	SEAL, press button	1	-	C	FB7/4	
AS5381	SEAL, push, button	1	Rubber	C	FB7/5	
AS2524	SPIDER, Assembly, L.H.	1	-	C	-	R
AS2534	SPRING, for catch	1	DTD215	C	FB7/6	
AS2556	STUD, spring	1	S21	C	FB7/7	
	Attachment of lock to door					
A33/B12	Screw, csk, 4BA	1	-	C	-	R
EA9.10.2367	PANEL, detachable 22 swg	1	L7	LM	FB3/23	
	Attachment of panel to door					
AS1248/1/2B	Bolt, 4BA	21	-	C	FB3/24	R
EA1.10.549	ROD, end, door lock	2	L1	C	FB3/25	
	Attachment of rod end to link					
SP4/Y/B2	Pin, 3/16 in. dia.	1	-	C	FB3/26	
SP90/C4	Pin, split, 1/16 in dia.	1	-	C	FB3/27	
EA9.10.2369	STRIP, sealing (Pre Mod 5282) (Make from Ref. 4432)	1	Synthetic Rubber	LM	-	R
EB8.10.8299	SEAL, 'P' (Mod 5282)(Make from Ref 6147758)	1	EEAS 843	LM	FB3/28	R
Martin Baker MBEU/1101	SEAR, assembly (Pre Mod 5297)	1	-	-	-	R

FUSELAGE
FORWARD

Canberra P R Mk 9

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
Martin Baker MBEU/72667	SEAR, assembly (Mod 5297) STOWAGE, assembly, safety pin (Mod 5297, satisfied by SEM/CAN/0100/STC)	1 1	- -	L LM	- -	R
EB8.10.7941	FAIRING, hinged nose ramp, frame 1 (C/W inserts) (Pre Mod 5000 ALT/SB/9/014) Attachment of fairing to bracket	1	Glasscloth	C	FB1/9	
AS1242/2C AGS2001/C1	Bolt, csk, 2BA Nut, stiff, 2BA HATCH, Navigator's Escape, Assembly (EB8.10.4015 x4)	2 2 -	- - -	C C -	- - FB1/10	R R
EB8.10.7453	Spares for: COVER, torque tube Attachment of cover to frame 1 and 1A	1	Glasscloth	C	FB4/1	
A25/2C SP13/C EB8.10.8221	Bolt, 2BA Washer, 2BA HATCH, Navigator's, Frangible, Group (Pre Mod 4397)	12 12 1	- - -	C C L	FB4/2 FB4/3 -	R
EB8.10.8221x2	HATCH, Navigator's, Frangible, (Mod 4397, Pre Mod 5310)	1	-	L	-	R
EB8.10.8221x3	HATCH, Navigator's Frangible (Mod 5310) Spares for:	1	-	L	-	R
2474-GF-55 EB8.49.389	DETONATOR, Mini Cord Installation (EB8.49.437) (Mod 4397) Spares for: CORD, mini STRIP, elastomer	- - AR 2	- - - -	- - - -	- - - -	R R
EB8.49.425	DETONATOR Mechanism Instln. (EB8.49.433) (Mod 4397) Spares for: BRACKET, mounting Attachment of bracket to doubler	- - 1	- - -	- - C	- - -	R
A102/2D 2101-0604 AS8600D	Bolt, 10-32 UNF Jo-Bolt, 3/16 in. dia. Nut, stiff	2 4 2	- - -	C C C	- - -	R R R

FUSELAGE
FORWARD

Part No.	Description						No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1	2	3	4	5	6					
SP125/D						Washer	2	-	C	-	R
EB8.49.351						BRACKET	1	-	LMMR	-	R
EB8.49.353						BRACKET	1	-	LMMR	-	R
EB8.49.429						GUARD, sear	1	-	C	-	R
						Spares for:					
AS8609/D						NUT	1	-	C	-	
						Attachment of guard to bracket					
A102/1D						Bolt, 10-32 UNF	1	-	C	-	
SP4/Z/B19						Pin, shackle	1	-	C	-	R
SP90/C8						Pin, split	1	-	C	-	
SP124/D						Washer	1	-	C	-	
EB8.49.407						DETONATOR Assy	2	-	C	-	
						Spares for:					
EB8.49.409						BASE	1	-			
EB8.49.413						BRACKET, clamp	1	-	C	-	
						Attachment of bracket to housing					
A102/10D						Bolt	1	-	C	-	R
AS8600D						Nut, stiff	1	-	C	-	R
SP124/D						Washer	1	-	C	-	R
EB8.49.415						HOUSING	1	-	C	-	R
F304325						HOUSING, dummy detonator	1	-	C	-	R
EB8.49.411						NUT	1	-	C	-	R
EB8.49.369						PIN, safety	1	-	C	-	R
EB8.49.417						PLUNGER	1	-	C	-	R
EB8.49.421						ROLLER	1	-	C	-	R
						Attachment of roller to plunger					
SP4Y/A1						Pin, shackle	1	-	C	-	R
SP90/C5						Pin, split, 1/16 in. dia.	1	-	C	-	R
EB8.49.423						SEAR	1	-	C	-	R
EB8.49.419						SPRING	1	-	C	-	R
						Attachment of detonator assy to mounting bracket					
EB8.49.431						Bolt, 1/4 in UNF	4	-	C	-	R
SP124/E						Washer	4	-	C	-	R
						TUBES MDC Installation (EB8.49.435)	-	-	-	-	R
						Spares for:					
EB8.49.347						CHANNEL	1	-	C	-	R

FUSELAGE
FORWARD

Canberra P R Mk 9

Part No.	Description						No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1	2	3	4	5	6					
EB8.49.379						BRACKET	1	-	C	-	R
						Attachment of bracket to channel					
A217/D16						Screw 10-32 UNF	1	-	C	-	R
SP124/D						Washer	1	-	C	-	R
EB8.49.377						BRACKET	1	-	C	-	R
						Attachment of bracket to channel					
A217/D16						Screw 10-32 UNF	1	-	C	-	R
SP124/D						Washer	1	-	C	-	R
EB8.49.383						BRACKET, mounting	1	-	C	-	R
						Attachment of mounting to channel					
A217/D16						Screw, 10-32 UNF	1	-	C	-	R
SP124/D						Washer	1	-	C	-	R
EB8.49.385						BRACKET	1	-	C	-	R
EB8.49.435/A						TUBE, inner strip	1	-	-	-	R
EB8.49.435/B						TUBE, outer strip	1	-	-	-	R
						Attachment of tube outer strip to channel					
AS5419/5						Clip	1	-	C	-	R
A217/D16						Screw, 10-32 UNF	1	-	C	-	R
SP124/D						Washer	1	-	C	-	R
EB8.10.6687						FITTING, tongue, aft, port and starboard	2	L65	C	FB4/4	
						Attachment of aft fitting to hatch					
SP80/510						Rivet, 5/32 in. dia.	2	-	C	FB4/5	
SP80/512						Rivet, 5/32 in. dia.	2	-	C	FB4/6	
EB8.10.8161						FITTING, tongue, forward, port (Mod 3575)	1	S3	C	FB4/7	
EB8.10.8162						FITTING, tongue, forward, starboard (Mod 3575)	1	S3	C	FB4/8	
						Attachment of forward fitting to hatch					
SP80/507						Rivet 5/32 in. dia.	2	-	C	FB4/9	
SP80/510						Rivet, 5/32 in. dia.	2	-	C	FB4/10	
EB8.10.8169						PLATE, striker	1	S1	C		
EB8.10.6311						PLATE, tongue, side, port and starboard	8	DTD546	C	FB4/11	
						Attachment of side tongue plate to hatch					
A30/5C						Bolt, 2BA	4	-	C	FB4/12	
A27/CP						Nut, 2BA	4	-	C	FB4/13	
SP15/C						Washer, 2BA	4	-	C	FB4/14	

FUSELAGE
FORWARD

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
	MECHANISM, Release, Navigator's Frangible Hatch Assembly (EB8.49.11)	-	-	-	FB1/11	
	Spares for:					
EB8.49.55	BAR, torque, external release	1	S96	C	FB4/15	
EB8.49.63	BEARING, stringer, torque bar	1	L72	C	FB4/16	
	Attachment of bearing to stringer 36					R
SP80/407	Rivet, 1/8 in. dia.	3	-	C	FB4/17	
EB8.49.103	BEARING, end, torque tube, port	1	Ferobestos LF3	C	FB4/18	
EB8.49.104	BEARING, end, torque tube, starboard	1	Ferobestos LF3	C	FB4/19	
	Attachment of end bearing to structure					
AS1242/2C	Bolt, csk, 2BA	2	-	C	FB4/20	
AS1242/3C	Bolt, csk. 2BA	2	-	C	FB4/21	
EB8.49.315	BOLT, lever operating (Mod 3720)	8	S96	C/MR	-	R
EB8.10.3603	BOX, Spring, Override, Univalve, Group	1	-	C	FB4/22	R
	Spares for:					
EB8.10.3609	SPRING	1	DTD124	C	FB4/23	
	Attachment of spring box to anchor bracket and pawl on univalve					R
SP4/Y/A3	Pin, 5/32 in. dia.	1	-	C	FB4/24	
SP4/Y/A4	Pin, 5/32 in. dia.	1	-	C	FB4/25	
SP90/C4	Pin, split, 1/16 in. dia.	2	-	C	FB4/26	
SP13/B	Washer, 4BA	2	-	C	FB4/27	
EB8.49.33	BRACKET, pivot, operating lever, port (Pre Mod 3720)	4	L65	C	FB4/28	R
EB8.49.197	BRACKET, pivot, operating lever, port (Mod 3720)	4	L65	C/MR	FB4/29	R
EB8.49.34	BRACKET, pivot, operating lever, starboard (Pre Mod 3720)	4	L65	C	FB4/30	R
EB8.49.198	BRACKET, pivot, operating lever, starboard (Mod 3720)	4	L65	C/MR	FB4/31	R
	Attachment of pivot bracket to longeron 5 and 37					
A25/4C	Bolt, 2BA	1	-	C	-	R
AS1242/5C	BOLT, csk. 2BA	1	-	C	-	R
A27/CP	Nut, 2BA	2	-	C	-	R
SP15/C	Washer, 2BA	2	-	C	-	R
EB8.49.195	BRACKET, (Mod 3575) Forward Retaining Port, Group	1	-	C	FB4/32	

FUSELAGE
FORWARD

Canberra P R Mk 9

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
EB8.49.196	BRACKET, (Mod 3375) Forward Retaining Starboard Group	1	-	C	FB4/33	
	Spares for:					
EB8.49.193	SPRING, (Mod 3575)	2	DTD215	C	FB4/34	
	Attachment of retaining bracket to frame 1A					
A25/3C	Bolt, 2BA	4	-	C	FB4/35	
A27/CP	Nut, 2BA	4	-	C	FB4/36	
SP15/C	Washer, 2BA	4	-	C	FB4/37	
EB8.49.117	BRACKET, guide, catch pin, port	1	-	C	FB4/38	
EB8.49.118	Bracket, guide, catch pin, starboard	1	-	C	FB4/39	
	Attachment of guide bracket to frame 1A					
SP80/506	Rivet, 5/32 in. dia.	3	-	C	-	R
EB8.49.175	BRACKET, locking, torque tube locking lever, port only	1	L65	C	FB4/40	
	Attachment of locking bracket to structure					R
A25/3C	Bolt, 2BA	1	-	C	FB4/41	
A25/10C	Bolt, 2BA	1	-	C	FB4/42	
A27/CP	Nut, 2BA	2	-	C	FB4/43	
SP15/C	Washer, 2BA	2	-	C	FB4/44	
EB8.49.177	BRACKET, stop, torque tube port only (Pre Mod 3720)	1	L65	C	FB4/45	
EB8.49.223	BRACKET, stop, torque tube locking lever, port only (Mod 3720)	1	L65	C/MR	FB4/46	R
	Attachment of stop bracket to structure					
AS1242/3C	Bolt, csk. 2BA	2	-	C	FB4/47	
A27/CP	Nut, 2BA	2	-	C	FB4/48	
SP15/C	Washer, 2BA	2	-	C	FB4/49	
EB8.49.245	CABLE, Assembly (Mod 3720)	1	-	C/MR	-	R
EB8.49.243	CAM, Assembly (Mod 3720)	1	-	C/MR	-	R
EB8.49.25	COLLAR, torque bar	1	T1	C	FB4/50	
	Attachment of collar to torque bar					R
SP90/C8	Pin, split, 1/16 in. dia	1	-	C	FB4/51	
EB8.49.67	FORK-END, tension rod, external release mechanism	1	S1	C	FB4/52	
	Attachment of fork-end to tension rod and lever on torque bar					R
A27/CP	Nut, 2BA	1	-	C	FB4/53	
SP4/Y/A4	Pin, 5/32 in. dia.	1	-	C	FB4/54	

FUSELAGE
FORWARD

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
SP90/C4	Pin, split, 1/16 in. dia.	1	-	C	FB4/55	
SP13/B	Washer, 4BA	1	-	C	FB4/56	
EB8.49.99	FITTING, end and lever, torque tube, port side	1	L65	C	FB4/57	
	Attachment of end fitting to torque tube					R
A25/10C	Bolt, 2BA	2	-	C	FB4/58	
A27/CS	Nut, slotted, 2BA	2	-	C	FB4/59	
SP15/C	Washer, 2BA	2	-	C	FB4/60	
30A/9437135	Wire, locking 22 SWG	AR	-	C	FB4/61	
EB8.49.17	HANDLE, External Release Group	1	-	L	FB4/62	
	Spares for:					
EB8.49.81	EYE-END	1	S96	C	FB4/63	
	Attachment of release handle to fuselage skin					
AS1242/1B	Bolt, csk. 4BA	11	-	C	FB4/64	
EB8.49.29	LEVER, operating, attachment pin at frame 1B starboard only (Pre Mod 3720)	1	S96	C	FB4/65	R
EB8.49.229	LEVER, operating, attachment pin at frame 1B starboard only (Mod 3720)	1	S98	C/MR	FB4/66	R
EB8.49.31	LEVER, operating, attachment pin, port (Pre Mod 3720)	4	S96	C	FB4/67	R
EB8.49.313	LEVER, operating, attachment pin, port (Mod 3720)	4	S98	C/MR	FB4/68	R
EB8.49.32	LEVER, operating, attachment pin, starboard (Pre Mod 3720)	3	S96	C	FB4/69	R
EB8.49.314	LEVER, operating, attachment pin, starboard (Mod 3720)	3	S98	C/MR	FB4/70	R
	Attachment of operating lever to pivot bracket					R
A27/ET	Nut, lock, 1/4 in. BSF	1	-	C	FB4/71	
EB8.49.27	Pin, pivot (Pre Mod 3720)	1	S1	C	FB4/72	
EB8.49.199	Pin, pivot (Mod 3720)	1	S98	C	FB4/73	
SP15/E	Washer, 1/4 in.	1	-	C	FB4/74	
EB8.49.57	LEVER, torque bar, external release handle	1	S96	C	FB4/75	R
EB8.49.59	LEVER, torque bar, external release handle	1	L64	C	FB4/76	R
	Attachment of lever to torque bar					R
A25/8C	Bolt, 2BA	1	-	C	FB4/77	
A27/CS	Nut, slotted 2BA	1	-	C	FB4/78	
EB8.49.23	Spacer	1	T1	C	FB4/79	
SP90/C6	Pin, split, 1/16 in. dia.	1	-	C	FB4/80	
SP15/C	Washer, 2BA	1	-	C	FB4/81	

FUSELAGE
FORWARD

Part No.	Description						No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1	2	3	4	5	6					
EB8.49.139						LEVER, operating, micro switch	1	L64	C	FB4/82	
						Attachment of lever to locating pin					R
SP90/C4						Pin, split, 1/16 in. dia.	1	-	C	FB4/83	
EB8.49.41						Spring	1	DTD215	C	FB4/84	
SP15/C						Washer, 2BA	1	-	C	FB4/85	
EB8.49.171						LEVER, Locking Torque Tube Group	1	-	C	FB4/86	R
						Spares for:					
EB8.49.181						SPRING	1	DTD215	C	FB4/87	
						Attachment of locking lever to torque tube					
A25/13C						Bolt, 2BA	1	-	C	FB4/88	
A27/CS						Nut, slotted 2BA	1	-	C	FB4/89	
SP90/C6						Pin, split, 1/16 in. dia	1	-	C	FB4/90	
SP15/C						Washer, 2BA	1	-	C	FB4/91	
EB8.49.95						PAWL, univalve	1	L65	C	FB4/92	
						Attachment of pawl to univalve					
A25/7C						Bolt, 2BA	1	-	C	FB4/93	
A27/CP						Nut, 2BA	1	-	C	FB4/94	
SP15/C						Washer, 2BA	1	-	C	FB4/95	
EB8.49.137						PAWL, microswitch	1	L64	C	FB4/96	
						Attachment of pawl to univalve pawl					R
SP4/Y/A11						Pin, 5/32 in. dia	1	-	C	FB4/97	
SP90/C4						Pin, split, 1/16 in. dia.	1	-	C	FB4/98	
SP13/B						Washer, 4BA	1	-	C	FB4/99	
EB8.49.19						PIN, attachment, frangible hatch (Pre Mod 3720)	8	S96	C	FB4/100	
EB8.49.227						PIN, attachment (Mod 3720)	1	S96	C/MR	-	R
EB8.49.279						PIN, attachment (Mod 3720)	7	S96	C/MR	-	R
						Attachment of pin to operating lever					
SP4/Y/A7						Pin, 5/32 in. dia.	1	-	C	FB4/101	
SP90/C4						Pin, split, 1/16 in. dia.	1	-	C	FB4/102	
SP13/B						Washer, 4BA	1	-	C	FB4/103	
EB8.49.143						PIN, locating microswitch operating lever	1	S95	C	FB4/104	
						Attachment of locating pin to structure					
A27/CP						Nut, 2BA	1	-	C	FB4/105	
SP15/C						Washer, 2BA	1	-	C	FB4/106	

FUSELAGE
FORWARD

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
EB8.49.187	PIN, Locking, Warning, Group	1	-	C	-	R
	Spares for:					
EB8.49.185	LABEL, warning	1	Darvic LF	C	FB4/107	
A409	PIN, "Pip", quick release	1	-	C	FB4/108	
EB8.49.113	RING, bearing, torque tube, starboard side	1	Ferobestos LF	C	FB4/109	
	Attachment of bearing ring to structure					
A25/4C	Bolt, 2BA	3	-	C	FB4/110	
A27/CS	Nut, slotted, 2BA	3	-	C	FB4/111	
SP90/C6	Pin, split, 1/16 in. dia.	3	-	C	FB4/112	
SP15/C	Washer, 2BA	3	-	C	FB4/113	
EB8.49.65	ROD, tension, external release mechanism (Pre Mod 3720)	1	S1	C	FB4/114	
EB8.49.221	ROD, tension, external release mechanism (Mod 3720)	1	S1	C/MR	-	R
	Attachment of tension rod to forkend at lever of torque bar to attachment pin lever at frame 1C, starboard only					R
SP4/Y/A4	Pin, 5/32 in. dia.	1	-	C	FB4/115	
SP90/C4	Pin, split, 1/16 in. dia.	1	-	C	FB4/116	
SP13/B	Washer, 4BA	1	-	C	FB4/117	
EB8.49.145	SCREW, adjustable, micro switch	1	S95	C	FB4/118	
	Attachment of adjustable screw to operating lever					R
A27/CT	Nut, lock 2BA	1	-	C	FB4/119	
EB8.49.307	SPRING, (Mod 3720)	1	DTD215	C/MR	-	R
Dowty						
DN1322Z Mk.2	SWITCH, micro (Mod 4826)	1	-	L	FB4/120	R
OR						
Dowty						
DN1322Z Mk.3	Attachment of microswitch to structure					R
A25/9B	Bolt, 4BA	2	-	C	FB4/121	
A27/BP	Nut, 4BA	2	-	C	FB4/122	
EB8.49.147	Packing 18swg	1	L72	C/LM	FB4/123	
SP13/B	Washer, 4BA	2	-	C	FB4/124	
EB8.49.35	TUBE, Operating, Torque Tube to Lever at Frames 1C, Port and Starboard, Group (Pre Mod 3720)	2	-	C	FB4/125	R
EB8.49.215	TUBE, Operating, Torque Tube to Lever at Frame 1C, Port and Starboard, Group (Mod 3720)	2	-	C/MR	-	R
EB8.49.37	TUBE, Operating, Levers between Frames 1C and 2A, Port and Starboard, Group (Pre Mod 3720)	2	-	C	FB4/126	R

FUSELAGE
FORWARD

Canberra P R Mk 9

Part No.	Description						No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1	2	3	4	5	6					
EB8.49.207						TUBE, Operating, Levers between Frames 1C and 2A Port and Starboard, Group (Mod 3720)	2	-	C/MR	-	R
EB8.49.39						TUBE, Operating, Levers between Frames 2A and 3A, and Frames 3A and 4B, Port and Starboard Group (Pre Mod 3720)	4	-	C	FB4/127	R
EB8.49.209						TUBE, Operating, Levers between Frames 2A and 3A, and Frames 3A and 4B Port and Starboard, Group (Mod 3720)	4	-	C/MR	-	R
						Spares for:					
EB8.49.47						FORK-END, screwed 2BA (Pre Mod 3720)	1	S1	C	FB4/128	
						Attachment of fork-end to operating tube					
A27/ET						Nut, lock, 1/4 in. BSF	1	-	C	FB4/129	
						Attachment of operating tube to operating lever					
SP4/Y/A3						Pin, 5/32 in. dia. frame 4B only	1	-	C	FB4/130	R
SP4/Y/A6						Pin, 5/32 in. dia.	2	-	C	FB4/131	
SP90/C4						Pin, split, 1/16 in. dia.	2	-	C	FB4/132	
SP13/B						Washer, 4BA	2	-	C	FB4/133	
EB8.49.13						TUBE, Torque, Group (Pre Mod 3720)	1	-	L	FB4/134	
EB8.49.309						TUBE, Torque, Group (Mod 3720)	1	-	L/MR	-	R
						Spares for:					
EB8.49.99						FITTING, end and lever	1	L65	C	FB4/135	
						Attachment of end fitting to torque tube					
A25/10C						Bolt, 2BA	2	-	C	FB4/136	
A27/CS						Nut, slotted, 2BA	2	-	C	FB4/137	
SP15/C						Washer, 2BA	2	-	C	FB4/138	
30A/9437135						Wire, locking 22swg.	AR	-	C	FB4/139	
EB8.49.113						RING, bearing	1	Ferrobestos	-	FB4/140	
						Attachment of ring bearing to structure					
A25/4C						Bolt, 2BA	3	-	C	-	R
A27/CS						Nut, slotted, 2BA	3	-	C	-	R
SP90/C6						Pin, split, 1/16 in. dia.	3	-	C	-	R
SP15/C						Washer, 2BA	3	-	C	-	R

FUSELAGE
FORWARD

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
Dunlop Co. AC10236	UNIVALVE, hatch release mechanism (For spares see AP.4515C, Vol.3)	1	-	L	FB4/141	
	Attachment of univalve to mounting					
A25/6C	Bolt, 2BA	3	-	C	-	R
EB8.49.79	Packing 12swg	1	L72	C/LM	FB4/142	
SP15/C	Washer, 2BA	3	-	C	FB4/138	
30A/9437135	Wire, locking 22swg	AR	-	C	-	R
EB8.10.7361	SEAL, inflatable, navigator's frangible hatch (Pre Mod 5308)	1	-	L	FB4/143	
EB8.10.8311	SEAL, inflatable navigators frangible hatch (Mod 5308)	1	-	L	FB4/144	
	Attachment of inflatable seal to fuselage structure					
Dunlop Co. S81	Adhesive (Pre Mod 5308)	AR	-	C	-	R
Dow Corning RTV732	Adhesive (Mod 5308)	AR	-	C	-	R
EB8.10.4017x7	KEEL, Unit, Frame 1 to Pressure Bulkhead Assembly (Supplied to Pt. No. EB8.00.633 for spares purposes) (Pre Mod 5000 ALT/SB/9/015)	1	-	P	-	R
EB8.10.4017x10	KEEL, Unit, Frame 1 to Pressure Bulkhead Assembly (Supplied to Pt. No. EB8.00.804 for spares purposes) (Mod 5000 ALT/SB/9/015)	1	-	P	-	R
	Spares for:					
EB8.10.8033	BOLT, ballast weight side plates, pressure bulkhead stiffener (Mod 3215)	4	S96	C	FB3/29	
EB8.10.7457	BRACKET, strut retaining, frames 2-3, starboard only	1	-	C	-	R
	Attachment of bracket to cabin floor					
SP80/406	Rivet, 3/8 in. dia.	4	-	C	-	R
	SKINNING, AND STRUCTURE, Assembly (EB8.10.4011)	-	-	-	-	R
	Spares for:					
	BULKHEAD, Pressure, Assembly (EB8.10.19)	-	-	-	FB1/12	

FUSELAGE
FORWARD

Canberra P R Mk 9

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate						
						1	2	3	4	5	6
EB8.10.3597	Spares for: BLOCK, anchor	1	L65	C	FB5/1						
	Attachment of anchor block to bulkhead										
A25/3C	Bolt, 2BA	2	-	C	-						R
A27/CT	Nut, lock, 2BA	2	-	C	-						R
AGS1186/3	Seal, bonded	2	-	C	-						R
EB8.10.3591	BRACKET	1	L65	C	FB5/2						
	Attachment of bracket to bulkhead										
A25/1C	Bolt, 2BA	4	-	C	-						R
A27/CT	Nut, lock, 2BA	4	-	C	-						R
AGS1186/3	Seal, bonded	4	-	C	-						R
EB8.10.3621	FAIRLEAD, by-pass valve mounting	1	LFS21	C	FB5/3						
	Attachment of fairlead to bulkhead										
SP80/509	Rivet, 5/32 in. dia.	4	-	C	-						R
EB8.10.3131	HOUSING, seal	1	L65	C	FB5/4						
	Attachment of housing to bulkhead										
AS2227/405	Rivet, 1/8 in. dia.	2	-	C	-						R
Dowty	Seal "U"	1	-	-	-						R
U.203	MOUNTING, member assembly	1	-	C	-						R
EB8.45.1771	NUT, anchor, 1/4 in. BSF	1	L65	C	FB5/5						
EB8.10.3127	Attachment of anchor nut to bulkhead										
SP80/405	Rivet, 1/8 in. dia.	2	-	C	-						R
Graviner Ltd. Type 12C473-1	DETECTOR, crashstrip	2	-	P	FB1/16						R
	Attachment of detector to keel										
A27/BP	Nut, 4BA	22	-	C	-						R
A33/B16	Screw, csk. 4BA	22	-	C	-						R
SP15/B	Washer	22	-	C	-						R
EB8.10.4019	FRAME 1, Structure Assembly	1	-	L	-						R
	Spares for:										
EB8.10.6475	BRACKET, strut support	1	L65	C	FB1/13 FB5/6						
	Attachment of bracket to frame 1										
A25/4C	Bolt, 2BA	2	-	C	FB5/7						
AS1242/4C	Bolt, csk. 2BA	2	-	C	FB5/8						
A27/CP	Nut, 2BA	4	-	C	FB5/9						
SP13/C	Washer, 2BA	4	-	C	FB5/10						

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
EA1.10.829x1	PLUG, Drain, Group (Pre Mod 5000 ALT/SB/9/067)	1	-	L	FB1/14	R
EA1.10.829x2	PLUG, Drain, Group (Mod 5000 ALT/SB/9/067) (Modify on issue)	1	-	LM	-	R
	Consisting of:					
EA1.10.827	HOUSING	1	L40	C	FB5/11	
SP90/E6	PIN, split, 3/32 in. dia. (Pre Mod 5000 ALT/SB/9/067)	1	-	C	FB5/12	
Geo.Angus Co. OR.12	RING, sealing	1	60' Shore P60	C	FB5/13	
EA1.10.825	SCREW, drain plug	1	L40	C	FB5/14	
	Attachment of drain plug to keel skin					
AS2230/405	Rivet, csk. 1/8 in. dia.	8	-	C	FB5/15	
	STRUCTURE, Pressure Cabin & Keel Unit (EB8.10.4009)	-	-	-	-	R
	Spares for:					
EB8.10.4901	GUIDE, bolt, lower spigot attachment	1	-	C	FB1/15	
	MECHANISM, Canopy Operating Assembly (EB8.10.2219)	-	-	-	FB1/17	
	Spares for:					
	ACTUATOR, Assembly (EB8.10.7585)	-	-	-	FB1/18	R
	Spares for:					
Bradford AE4026 Mk.2	ACTUATOR, linear	1	-	P	FB6/1	
	Attachment of actuator to mounting					
AGS899/6	Collar	1	-	C	-	R
SP4/Y/F18	Pin, 5/16 in. dia.	1	-	C	-	R
SP90/C8	Pin, split, 1/16 in. dia.	1	-	C	-	R
EB8.10.2671	BELLOWS, connecting rod, cabin sealing (Pre Mod 4816)	2	-	C	FB6/2	R
EB8.10.8233	BELLOWS, connecting rod, cabin sealing (Mod 4816)				FB6/3	R
	Attachment of bellows to connecting rod and housing on pressure bulkhead					
SP91/A	Clip, "Jubilee"	1	-	C	-	R
SP91/E	Clip, "Jubilee"	1	-	C	-	R

FUSELAGE
FORWARD

Canberra P R Mk 9

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
	1 2 3 4 5 6				
EB8.10.2673	Collar	2	LFB89	C	FB6/4
EB8.10.2629	BOX, Spring, Override, Canopy Locking, Group	1	-	C	FB5/16
	Spares for:				
EB8.10.2635	SPRING	1	DTD215	C	FB5/17
	Attachment of spring box to cross shaft lever and bulkhead mounting				
AGS899/2	Collar	2	-	C	FB5/18
SP4/Y/B6	Pin, 3/16 in. dia.	1	-	C	FB5/19
SP4/Y/B8	Pin, 3/16 in. dia.	1	-	C	FB5/20
SP90/C5	Pin, split, 1/16 in. dia.	2	-	C	FB5/21
EB8.10.3603	BOX, Spring, Override, Inflation Valve Group	1	-	C	FB5/22
	Spares for:				
EB8.10.3609	SPRING	1	DTD215	C	FB5/23
	Attachment of spring box to valve lever and bulkhead mounting				
AGS899/1	Collar	2	-	C	FB5/24
SP4/Y/A4	Pin, 5/32 in. dia.	1	-	C	FB5/25
SP4/Y/A6	Pin, 5/32 in. dia.	1	-	C	FB5/26
SP90/C6	Pin, split, 1/16 in. dia.	2	-	C	FB5/27
EB8.10.2569	BRACKET, support, cross shaft, port	1	-	C	FB6/5
EB8.10.2979	BRACKET, support, cross shaft, starboard	1	-	C	FB6/6
	Attachment of bracket to structure				
A25/2C	Bolt, 2BA	4	-	C	FB6/7
A25/3C	Bolt, 2BA	2	-	C	FB6/8
A27/CP	Nut, 2BA	6	-	C	FB6/9
SP15/C	Washer, 2BA	6	-	C	FB6/10
EB8.10.2893	BRACKET, cover support, pressure bulkhead, starboard	1	DTD124	C	FB6/11
	Attachment of bracket to pressure bulkhead				
A25/3C	Bolt, 2BA	2	-	C	FB6/12
A27/CP	Nut, 2BA	2	-	C	FB6/13
SP15/C	Washer, 2BA	2	-	C	FB6/14
EB8.10.2895	BRACKET, cover support, pressure bulkhead port	1	DTD124	C	FB6/15
	Attachment of bracket to pressure bulkhead				
A25/2B	Bolt, 4BA	1	-	C	FB6/16
A25/3C	Bolt, 2BA	2	-	C	FB6/17
A27/BP	Nut, 4BA	1	-	C	FB6/18
A27/CP	Nut, 2BA	2	-	C	FB6/19

R

FUSELAGE
FORWARD

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
SP15/B	Washer, 4BA	1	-	C	FB6/20	
SP15/C	Washer, 2BA	2	-	C	FB6/21	
EB8.10.2905	HOUSING, bearing, cross shaft, port	1	L65	C	FB6/22	
EB8.10.2197	HOUSING, bearing, cross shaft, starboard	1	L65	C	FB6/23	
	Attachment of bearing housing to structure					
TTS12.5	Bearing, torque tube	1	-	C	FB6/24	R
A25/2C	Bolt, 2BA	4	-	C	FB6/25	
A25/3C	Bolt, 2BA	2	-	C	-	R
A27/CP	Nut, 2BA	6	-	C	FB6/26	
SP15/C	Washer, 2BA	6	-	C	FB6/27	
EB8.10.6945	HOUSING, control rod, port	1	L16 & L54	C	FB6/28	
EB8.10.6947	HOUSING, control rod, starboard	1	L16 & L54	C	FB6/29	
	Attachment of housing to pressure bulkhead					
A25/2B	Bolt, 4BA	2	-	C	-	R
A25/2C	Bolt, 2BA	2	-	C	-	R
A25/3C	Bolt, 2BA	2	-	C	-	R
A27/BP	Nut, 4BA	2	-	C	-	R
A27/CP	Nut, 2BA	4	-	C	-	R
SP15/B	Washer, 4BA	2	-	C	-	R
SP15/C	Washer, 2BA	4	-	C	-	R
EB8.10.3785	KEY, locking pin operating	4	S97	C	FB8/1	
	Attachment of key to push rod					
EB8.10.707	Nut, lock, 1/4 in. BSP	1	S95	C	FB8/2	
EB8.10.2683	LINK, actuator, and rack, starboard side	1	L65	C	FB5/28	
EB8.10.7257	LINK, actuator, and rack, port side	1	L65	C	FB5/29	
	Attachment of links to actuator and mounting bracket on pressure bulkhead					
AGS899/4	Collar	1	-	C	FB5/30	R
A27/CS	Nut, slotted, 2BA	2	-	C	FB5/31	
SP90/C6	Pin, split, 1/16 in. dia.	1	-	C	FB5/32	
SP90/C8	Pin, split, 1/16 in. dia.	2	-	C	FB5/33	
EB8.10.3615	Spigot, actuator and links	1	S94	-	FB5/34	R
EB8.10.3567	Stud, links to bracket	1	S94	C	FB5/35	
SP15/C	Washer	2	-	C	FB5/36	
EB8.10.7259	LINK, connecting, microswitch	1	L72	C	FB5/37	
	Attachment of link to port actuator link and microswitch lever					
AGS899/1	Collar	2	-	C	FB5/38	
SP4/Y/A2	Pin, 5/32 in. dia.	1	-	C	FB5/39	
SP4/Y/A6	Pin, 5/32 in. dia.	1	-	C	FB5/40	
SP90/C8	Pin, split, 1/16 in. dia.	2	-	C	FB5/41	
SP16/B	Washer, 4BA	1	-	C	FB5/42	

FUSELAGE
FORWARD

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
	1 2 3 4 5 6				
EB8.10.1987	PIN, canopy locking, forward port and starboard and aft starboard only	3	S97	C	FB6/30
EB8.10.5057	PIN, canopy locking, aft port only	1	S97	C	FB6/31
EB8.10.713	ROD, connecting, forward locking, port, group	1	-	C	FB6/32
EB8.10.1183	ROD, connecting, aft locking, port and starboard group	2	-	C	FB6/33
EB8.10.1185	ROD, connecting, forward locking, starboard group	1	-	C	FB6/34
	Attachment of connecting rod to push rod and cross shaft lever				
AGS571/507	Bolt, shear 5/16 in BSF	2	-	C	FB6/35
AGS572/CP	Nut, slotted, thin, 5/16 in BSF	2	-	C	FB6/36
SP90/C8	Pin, split, 1/16 in dia	2	-	C	FB6/37
EB8.10.1989	ROD, push, locking mechanism, forward, port and starboard	2	S97	C	FB6/38
EB8.10.5063	ROD, push, locking mechanism, aft, port only	1	S97	C	FB6/39
	Attachment of push rod to locking mechanism				
EB8.10.5061	Fork-end	1	S97	C	FB6/40
EB8.10.5065	Grub-screw, 4BA	1	S94	C	FB6/41
EB8.10.747	Link, connecting	1	S97	C	FB6/42
A27/JT	Nut, lock, 3/8 in. BSF	1	-	C	FB6/43
EB8.10.1991	ROD, push, locking mechanism, aft starboard only	1	S97	C	FB6/44
	Attachment of push rod to locking mechanism				
EB8.10.747	Link, connecting	1	S97	C	FB6/45
A27/JT	Nut, lock, 3/8 in. BSF	1	-	C	FB6/46
EB8.10.1197	SHAFT, cross group (Mod 4826 Pre Mod 5163 Issue 3)	1	-	P	FB6/47
EB8.10.1197x5	SHAFT, cross group (Mod 5163 Issue 3)	1	-	P	FB6/48
	Spares for:				
EB8.10.3511	BOLT, stop, 1/4 in BSF	1	S94	C	FB6/49
	Attachment of stop bolt to shaft bearing fitting				
A27/ES	Nut, slotted, 1/4 in BSF	1	-	C	FB6/50
SP90/C8	Pin, split, 1/16 in dia	1	-	C	FB6/51
EB8.10.3543	Shim, 1/16 in thick	1	Lam Alum	LM	FB6/52
SP15/E	Washer, 1/4 in.	1	-	C	-
EB8.10.3513	Fitting, shaft bearing	1	DTD683	C	-

FUSELAGE
FORWARD

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
	1 2 3 4 5 6				
EB8.10.7253	LEVER, operating, microswitch	1	S3 7 T26	C	FB5/43
	Attachment of lever to microswitch mounting bracket				
AGS899/2	Collar	1	-	C	FB5/44
SP4/Y/B20	Pin, 3/16 in dia	1	-	C	FB5/45
SP90/C8	Pin, split, 1/16 in dia	1	-	C	FB5/46
EB8.10.7129	RACK, Assembly (Pre Mod 5163 Issue 3)	1	-	L	-
EB8.10.7129x4	RACK, Assembly (Mod 5163 Issue 3)	1	-	L	-
	Spares for:				
EB8.10.7551	PAWL, (Pre Mod 5163 Issue 3)	1	-	-	-
EB8.10.8235	PAWL, (Mod 5163 Issue 3)	1	-	-	-
EB8.15.55	SPRING	1	DTD215	C	FB5/47
EB8.10.7255	SCREW, adjusting, microswitch	1	S1	C	FB5/48
	Attachment of adjusting screw to operating lever				
A27/CT	Nut, lock, 2BA	1	-	C	FB5/49
Dowty					
DN1322Z Mk.2	SWITCH, micro (Mod 4826)	1	-	L	FB5/50
OR Dowty					
DN1322Z Mk.3	SWITCH, micro	1	-	L	-
	Attachment of microswitch to mounting bracket				
A25/13B	Bolt, 4BA	2	-	C	FB5/51
AGS2001/B1	Nut, stiff, 4BA	2	-	C	FB5/52
SP15/B	Washer, 4BA	2	-	C	FB5/53
	VALVE, Inflation, Canopy Seal, Assembly (EB8.10.3589)	-	-	-	-
	Spares for:				
EB8.10.3595	BEARING, group	2	-	C	FB5/54
	Attachment of bearing to mounting bracket				
A25/2C	Bolt, 2BA	2	-	C	FB5/55
A27/C	Nut, slotted, 2BA	2	-	C	FB5/56
SP90/C8	Pin, split, 1/16 in. dia	2	-	C	FB5/57
SP15/C	Washer, 2BA	2	-	C	FB5/58
EB8.10.3593	LEVER, cam operating	1	L65	C	FB5/59
EB8.10.3601	LEVER, operating	1	L65	C	FB5/60
SP31/H6	Pin, taper, 1/8 in dia	1	-	C	FB5/61
EB8.10.3611	LEVER, valve operating	1	L65	C	FB5/62
	Attachment of lever to valve				
A25/5C	Bolt, 2BA	1	-	C	FB5/63
A27/CS	Nut, slotted, 2BA	1	-	C	FB5/64
SP90/C8	Pin, split, 1/16 in. dia.	1	-	C	FB5/65

FUSELAGE
FORWARD

Canberra P R Mk 9

Part No.	Description						No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
	1	2	3	4	5	6				
SP15/C EB8.10.3587					Washer, 2BA LINK, group		1 1	- DTD610	C C	FB5/66 FB5/67
					Attachment of link to levers					
AGS899/1					Collar		2	-	C	FB5/68
SP4/Y/A4					Pin, 5/32 in dia		2	-	C	FB5/69
SP90/C6					Pin, split, 1/16 in dia		2	-	C	FB5/70
EB8.10.3599					SHAFT, operating (For spares see AP4515C, Vol 3)		1	DTD124	C	FB5/71
Dunlop Co AC10236					UNIVALVE, seal inflation (for spares see AP4515C, Vol 3)		1	-	L	FB6/53
					Attachment of univalve to mounting bracket					
A25/1C					Bolt, 2BA		3	-	C	FB6/54
SP15/C					Washer, 2BA		3	-	C	FB6/55
30A/9437135					Wire, locking 22 swg		AR	DTD189	C	FB6/56
					MECHANISM, Shoot Bolt, Nose Lock Assembly (EB8.10.4055)		-	-	-	FB1/19
					Spares for:					
EB8.10.7025					ARM, rocker, lock to univalve lever		1	-	C	FB7/8
					Attachment of rocker arm to mounting bracket					
A25/10C					Bolt, 2BA		1	-	C	FB7/9
AGS2001/C1					Nut, stiff, 2BA		1	-	C	FB7/10
EB8.10.6293					Piece, distance		1	S1	C	FB7/11
SP15/C					Washer, 2BA		1	-	C	FB7/12
Rose Bros RF-3					BEARING, end, RH tension rod		1	-	C	FB7/13
Rose Bros RF-3L					BEARING, end, LH tension rod		1	-	C	FB7/14
					Attachment of end bearing to lever on frame 1					
A25/5C					Bolt, 2BA		1	-	C	FB7/15
AGS2002/C1					Nut, stiff, 2BA		1	-	C	FB7/16
SP15/C					Washer		1	-	C	FB7/17
EB8.10.6217					BOLT, shoot, upper and lower spigot (Mod 3135)		2	S94	C	FB7/18
EB8.10.6239					BOLT, shoot, lower spigot (Pre Mod 3135)		1	S94	C	FB7/19
					Attachment of shoot bolt to lever on frame 1					
AGS899/1					Collar (Pre Mod 3135)		1	-	C	FB7/20
SP4/Y/A4					Pin, 5/32 in. dia. (Pre Mod 3135)		1	-	C	FB7/21
SP4/Y/B3					Pin, 3/16 in. dia. (Mod 3135)		1	-	C	FB7/22
SP90/C5					Pin, split, 1/16 in. dia.		1	-	C	FB7/23

FUSELAGE
FORWARD

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
SP15/B	Washer, 4BA (Pre Mod 3135)	1	-	C	FB7/24	
SP15/C	Washer, 2BA (Mod 3135)	1	-	C	FB7/25	
EB8.10.6221	LEVER, idle, upper shoot bolt	1	L64	C	FB7/26	
EB8.10.6225	LEVER, idle, lower shoot bolt	1	L64	C	FB7/27	
	Attachment of idle lever to mounting bracket on frame 1					R
AS1248/7C	Bolt, 2BA	1	-	C	FB7/28	
AGS2001/C1	Nut, stiff, 2BA	1	-	C	FB7/29	
EB8.10.6911	Piece, distance	1	S1	C	FB7/30	
SP15/C	Washer, 2BA	1	-	C	FB7/31	
EB8.10.6977	LEVER, operating univalve	1	L65	C	FB7/32	
	Attachment of lever to univalve					
A25/6C	Bolt, 2BA	1	-	C	FB7/33	
AGS2001/C1	Nut, stiff, 2BA	1	-	C	FB7/34	
SP15/C	Washer, 2BA	1	-	C	FB7/35	
EB8.10.6237	LINK, lock (Pre Mod 3135)	1	L6	C	FB7/36	
	Attachment of link to lever spools					
AGS899/1	Collar	1	-	C	FB7/37	
SP4/Y/A6	Pin, 5/32 in. dia.	1	-	C	FB7/38	
SP90/C5	Pin, split, 1/16 in. dia.	1	-	C	FB7/39	
SP15/B	Washer, 4BA	1	-	C	FB7/40	
EB8.10.7923	LINK, lower, shoot bolt	1	-		FB7/41	
	LOCK, Hinged Nose, Assembly (Pre Mod 3135) (EB8.10.4057)	1	-	-	-	R
	Consisting of:					
EB8.10.6867	BOLT, attachment, handle	1	S94	C	FB7/42	
EB8.10.6729	EXTENSION, inner spindle	1	S94	C	FB7/43	
EB8.10.6865	EXTENSION, outer spindle	1	S94	C	FB7/44	
AS2893	LOCK, door, flush type (Modified)	1	-	L	FB7/45	R
EB8.10.6987	PLATE, locking	1	S3	C	FB7/46	
	Attachment of lock to fuselage skin aft of frame 1A					
AS1242/1B	Bolt, csk, 4BA	11	-	C	FB7/47	
EB8.10.7873	LOCK, Hinged Nose, Flush Fitting, Group (Mod 3135)	1	-	L	-	R
	Spares for:					
EB8.10.6729	EXTENSION, inner spindle	1	S94	C	FB7/48	
EB8.10.6865	EXTENSION, outer spindle	1	S94	C	FB7/49	
EB8.10.7879	EYE-END	1	S94	C	FB7/50	
	Attachment of eye-end to spider					
AS5382	Bolt, pivot	1	S94	C	FB7/51	
AGS162/C	Washer, spring	1	-	C	FB7/52	
EB8.10.7885	HANDLE, inner	1	-	C	-	R
AS.2549	HANDLE, assembly outer	1	-	C	-	R

FUSELAGE
FORWARD

Canberra P R Mk 9

Part No.	Description						No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1	2	3	4	5	6					
AS2532						PLATE, catch, push button	1	S3	C	FB7/53	R
EB8.10.6987						PLATE, locking	1	S3	C	FB7/54	
EB8.10.7889						ROD, push	1	S94	C	FB7/55	
AS2558						SEAL, press button	1	-	C	FB7/56	
AS5381						SEAL, press button	1	Rubber	C	FB7/57	
AS2559						SEAL, handle	1	-	C	FB7/58	
EB8.10.7883						SPIDER, R.H.	1	-	C	FB7/59	
AS2534						SPRING, catch	1	DTD215	C	FB7/60	
AS2556						STUD, spring	1	S21	C	FB7/61	
						Attachment of lock to fuselage skin aft of frame 1A					R
AS1242/1B						Bolt, csk. 4BA	11	-	C	-	R
SP35/C						ROD, tension, 2BA (Pre Mod 3135)	1	-	C	FB7/62	
EB8.10.7893						ROD, tension, (Mod 3135)	1	S94	C	FB7/63	
						Attachment of tension rod to end bearing					
A27/CT						Nut, lock, RH, 2BA	1	-	C	FB7/64	R
A27/CTL						Nut, lock, LH, 2BA	1	-	C	FB7/65	
EB8.10.6219						ROD, control, upper shoot bolt, group	1	-	C	FB7/66	
EB8.10.6223						ROD, control, lever shoot bolt, group	1	-	C	FB7/67	
						Attachment of control rod to levers on frame 1					
SP4/Y/B3						Pin, 3/16 in. dia.	2	-	C	FB7/68	R
SP90/C5						Pin, split, 1/16 in. dia.	2	-	C	FB7/69	
SP15/C						Washer, 2BA	2	-	C	FB7/70	
EB8.10.6917						SPOOL, mounting c/w levers, operating upper spigot	1	-	C	FB7/71	
						Attachment of spool to mounting bracket					
A25/15C						Bolt, 2BA	1	-	C	FB7/72	R
AGS2001/C1						Nut, stiff, 2BA	1	-	C	FB7/73	
EB8.10.6913						Piece, distance	1	S1	C	FB7/74	
SP15/C						Washer, 2BA	1	-	C	FB7/75	
EB8.10.6919						SPOOL, mounting c/w levers, operating lower spigot	1	-	C	FB7/76	
						Attachment of spool to mounting bracket					
A25/20C						Bolt, 2BA	1	-	C	FB7/77	R
AGS2001/C1						Nut, stiff, 2BA	1	-	C	FB7/78	
EB8.10.6915						Piece, distance	1	S1	C	FB7/79	
SP15/C						Washer, 2BA	1	-	C	FB7/80	

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
Dunlop Co. AC10236	UNIVALVE, Seal Inflation (For spares see AP4515C, Vol13)	1	-	L	FB7/81	
	Attachment of univalve to mounting bracket					
A25/1C	Bolt, 2BA	3	-	C	FB7/82	
SP47/C	Washer, spring, 2BA	3	-	C	FB7/83	
	SEAL, Inflation, Hinged Nose, Assembly (EB8.10.6435)	-	-	-	FB1/20	R
	Spares for:					
EB8.10.6439	CLIP, connection 20 swg	1	L72	LM	FB1/21	
	Attachment of clip to frame 1					
A25/1B	Bolt, 4BA	2	-	C	FB1/22	
A27/BP	Nut, 4BA	2	-	C	FB1/23	
SP15/B	Washer, 4BA	2	-	C	FB1/24	
EB8.10.6437	SEAL, inflatable, hinged nose	1	-	L	FB1/25	
	Attachment of inflatable seal to frame 1					
Dunlop Co. S81	Adhesive	AR	-	C	-	R
	SKINNING and Structure, Frame 1 to Pressure Bulkhead Assembly (EB8.10.4005)	-	-	-	-	R
	Spares for:					
EB8.10.7155	FITTING, pip pin, camera window, port and starboard	4	L64	C	FB10/1	
	Attachment of fitting to structure					
AS2230/307	Rivet, csk. 3/32 in. dia.	4	-	C	FB10/2	
EB8.10.2623	NUT, csk. 2BA	10	S96	C	FB1/26	
	SUPPORT, Back, Navigator's Crash Seat, Assembly (EB8.16.629)	-	-	-	FB1/27	R
	Spares for:					
Newey 7/4/6	EYELET, stud and stud	6	-	-	FB8/3	R
Silentbloc VF/0401	FASTENER, "Vibrex"	20	-	C	FB8/4	
EB8.16.791	PANEL, access	2	L72	C	FB8/5	

FUSELAGE
FORWARD

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
	STRUCTURE, Frame 1 to Pressure Bulkhead, Assembly (EB8.10.4007)	-	-	-	-	R
	Spares for:					
EB8.10.6609	BRACKET, retaining, navigator's hatch, frame 4A, port	1	L64	C	FB8/6	
EB8.10.6610	BRACKET, retaining, navigator's hatch, frame 4A, starboard	1	L64	C	FB8/7	
	Attachment of bracket to frame 4A					R
SP 80/507	Rivet, 5/32 in. dia.	9	-	C	-	R
EB8.10.2209	BRACKET, shoot bolt, pilot's canopy, frame 7B-7C, port group	1	-	C	FB8/8	R
EB8.10.2207	BRACKET, shoot bolt, pilot's canopy, frames 7D-7E starboard group	1	-	C	FB8/9	R
	Attachment of bracket to coaming					R
A25/5C	Bolt, 2BA	3	-	C	FB8/10	
A25/6C	Bolt, 2BA	2	-	C	FB8/11	
AS1242/5C	Bolt, csk. 2BA	2	-	C	FB8/12	
AS1246/6C	Bolt, csk. 2BA	4	-	C	FB8/13	R
EB8.10.6073	Shim, laminated, port, 1/16 in. thick	1	RLA	LM	FB8/14	
EB8.10.6075	Shim, laminated, starboard 1/16 in. thick	1	RLA	LM	FB8/15	
EB8.10.2206	BRACKET, shoot bolt, pilot's canopy, frame 9A-9B, starboard, group	1	-	C	FB8/16	R
	Attachment of bracket to coaming					R
A25/3C	Bolt, 2BA	3	-	C	FB8/17	
A25/5C	Bolt, 2BA	4	-	C	FB8/18	
AS1242/5C	Bolt, csk. 2BA	4	-	C	FB8/19	
EB8.10.6071	Shim, laminated, 1/16 in. thick	1	RLA	LM	FB8/20	
SP15/C	Washer, 2BA	7	-	C	FB8/21	
EB8.10.2205	BRACKET, shoot bolts, pilot's canopy, frames 9A-9B, port group	1	-	C	FB8/22	
	Attachment of bracket to coaming					R
A25/3C	Bolt, 2BA	2	-	C	FB8/23	
A25/4C	Bolt, 2BA	1	-	C	FB8/24	
A25/5C	Bolt, 2BA	4	-	C	FB8/25	
AS1242/3C	Bolt, csk. 2BA	2	-	C	FB8/26	
AS1242/5C	Bolt, csk. 2BA	2	-	C	FB8/27	
EB8.10.6071	Shim, laminated, 1/16 in. thick	1	RLA	LM	FB8/28	
SP15/C	Washer, 2BA	7	-	C	FB8/29	

FUSELAGE
FORWARD

Part No.	Description						No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1	2	3	4	5	6					
EB8.10.6459						BUSH, retaining, navigator's hatch, frame 4A, port and starboard	2	S1	C	FB8/30	
						Attachment of bush to retaining bracket					
A25/8C						Bolt, 2BA	1	-	C	FB8/31	
A27/CP						Nut, 2BA	1	-	C	FB8/32	
SP15/C						Washer, 2BA	1	-	C	FB8/33	
						COAMING, navigator's hatch (Mod 5000 ALT/SB/9/036) (EB8.10.4089)	1	-	-	-	R
						RETAINERS, Navigator's Hatch, Seal, Installation (Mod 5000 ALT/SB/9/036) (EB8.10.8295)	1	-	C	-	R
						Spares for:					
EB8.10.8295/A						ANGLE, lipped sealing (Mod 5000 ALT/SB/9/036)	1	-	C	-	R
EB8.10.8295/B						Angle, lipped sealing (Mod 5000 ALT/SB/9/036)	1	-	C	-	R
EB8.10.8295/C						Angle, lipped sealing (Mod 5000 ALT/SB/9/036)	1	-	C	-	R
EB8.10.8295/D						Angle, lipped sealing (Mod 5000 ALT/SB/9/036)	1	-	C	-	R
EB8.10.8295/E						Angle, lipped sealing (Mod 5000 ALT/SB/9/036)	1	-	C	-	R
EB8.10.8295/F						Angle, lipped sealing (MOD 5000 ALT/SB/9/036)	1	-	C	-	R
EB8.10.8295/G						Angle, lipped sealing (Mod 5000 ALT/SB/9/036)	1	-	C	-	R
EB8.10.8295/H						Angle, lipped sealing (MOD 5000 ALT/SB/9/036)	1	-	C	-	R
						STRUCTURE, Pilot's Ladder, Forward and Aft Attachment, Frame 7 and 9, Port Assembly (EB8.10.3793)	-	-	-	FB1/28	R
						Spares for:					
EB8.10.3685						CAP, spring retaining	2	L65	C	FB9/1	
EB8.10.3683						HOUSING, spring	1	-	C	FB9/2	
						Attachment of housing to structure					R
AS156/406						Rivet, 1/8 in. dia.	6	-	C	-	R
EB8.10.3689						PAD, bearing, forward	1	DTD166B	C	FB9/3	
EB8.10.3787						PAD, bearing, aft	1	DTD166B	C	FB9/4	
						Attachment of bearing pad to housing and structure					
SP78/405						Rivet, 1/8 in. dia.	8	-	C	-	R

FUSELAGE
FORWARD

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
EB8.10.3687	PLUG-END, 1 in. BSP	2	L65	C	FB9/5	
	Attachment of plug-end to housing					R
AGS568/H	Washer, jointing	1	-	C	FB9/6	R
EB8.10.3691	SPRING	2	DTD215	C	FB9/7	
EB8.10.6611	WINDOW, camera, port and starboard frame 4, group	2	Glass PH334	L	FB1/29	
OR						
EB8.10.6611x2	WINDOW, camera port and starboard frame 4, group (SA 4904)	2	Glass PH334 Float glass Method	L	FB10/3	R
	Attachment of camera window to fuselage structure					
AS1242/4C	Bolt, csk. 2BA	12	-	C	FB10/4	R
AGS2001/C1	Nut, stiff, 2BA	12	-	C	FB10/5	
EB8.10.7993	Ring, retaining, inner	1	L72	C	FB10/6	
EB8.10.6581	Ring, sealing	1	Natural Rubber	C	FB10/7	
EB8.10.7697	Ring, retaining, port	1	DTD797A	C	FB10/8	
EB8.10.7698	Ring, retaining, starboard	1	DTD797A	C	FB10/9	
SP15/C	Washer, 2BA	12	-	C	FB10/10	
EB8.00.559	WINDOW, navigator's, port, group	1	-	L	FB1/30	
EB8.00.560	WINDOW, navigator's, starboard group	1	-	L	FB1/31	R
	Attachment of navigator's window to structure					
AS1242/13C	Bolt, csk. 2BA	19	-	C	FB9/8	
EA3.10.983	Bush, 3/8 in. o/d	19	Natural Rubber	C	FB9/10	
AGS2001/C1	Nut, stiff, 2BA	19	-	C	FB9/11	
EB8.10.4953	Seal, outer	1	Natural Rubber	C	FB9/12	
EB8.10.4955	Seal, inner	1	Natural Rubber	C	FB9/27	
EB8.10.4957	Strip, retaining, port window	1	L73	C	FB9/14	
EB8.10.4958	Strip, retaining, starboard window	1	L73	C	FB9/15	

FUSELAGE
FORWARD

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
	SKINNING and Structure, Pressure Bulkhead to Frame 12A, Assembly (EB8.10.13)	-	-	-	-	R
	Spares for:					
EB8.10.3429	DOOR, V.H.F. Port and Starboard, Group (Supplied to Pt.No. EB8.00.523 for spares purposes)	2	-	L	FB1/32 FB10/11	R
	Spares for:					
AS2850	LOCK, Group L.H. Flush Type	1	-	L	FB10/12	
	Spares for:					
AS5382	BOLT, pivot	2	S94	C	FB7/84	
AS2552	HANDLE, assembly, outer single handle lock	1	-	C	-	R
AS2519	HANDLE, inner	1	-	C	-	R
AS2532	PLATE, catch	1	S3	C	FB7/85	
AS2559	SEAL, handle	1	-	C	FB7/86	
AS2558	SEAL, press button	1	-	C	FB7/87	
AS5381	SEAL, push button	1	Rubber	C	FB7/88	
AS2524	SPIDER, assembly, L.H.	1				
AS2534	SPRING, for catch	1	DTD215	C	FB7/89	
AS2556	STUD, spring	1	S21	C	FB7/90	
	Attachment of lock to door					
A33/B12	Screw, csk. 4BA	11	-	C	FB10/13	
EA1.10.1815	STAY, door, group	1	-	C	FB10/14	
	Attachment of stay to door					
AGS2001/C1	Nut, stiff, 2BA	1	-	C	FB10/15	
EEAS27/27DU	Washer	1	-	C	FB10/16	
EA3.10.2805	STOWAGE, Door, Stay, Group	1	-	C	-	R
	Consisting of:					
EA3.10.2809	PLATE, stiffening	1	DTD546	C	FB10/17	
EA3.10.2807	STRAP, c/w fastener	1	Leather	C	FB10/18	
	Attachment of stay stowage to door					R
AGS2001/B1	Nut, stiff 4BA	1	-	C	FB10/19	
A33/B16	Screw, csk. 4BA	1	-	C	FB10/20	
	Attachment of V.H.F door hinge to fuselage structure					
AS2230/406	Rivet, csk. 1/8 in. dia.	15	-	C	FB10/21	

FUSELAGE
FORWARD

Canberra P R Mk 9

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
	FRAME, 12A, Joint, Assembly (EB8.10.53)	-	-	-	FB1/33	R
	Spares for:					
Fairey FS515	BEARING, roller, flying control tube guide group	3	-	L	FB10/22	
	Attachment of bearing to frame 12A					R
AS2227/405	Rivet, 1/8 in. dia.	5	-	C	FB10/23	
EB8.10.3939	BLOCK, mounting, nose u/c sequence valve	2	L65	C	FB10/24	R
EB8.73.2267	BRACKET, mounting, nosewheel group selector	1	DTD610	C	FB10/25	R
AS2230/507	Rivet, csk, 5/32 in. dia.	6	-	C	FB10/26	
EA3.10.3161	BRACKET, Lock Lever, Nosewheel Door, Port, Group (Pre Mod 5000 ALT/SB/9/059)	1	-	L	FB3/30	
EK5.10.803	BRACKET, Lock Lever, Nosewheel Door Port Group (Mod 5000 ALT/SB/9/059)	1	-	L	FB3/31	
	Spares for:					
EA3.10.3149	BRACKET, (Pre Mod 5000 ALT/SB/9/059)	1	-	C	FB3/32	
EK5.10.807	BRACKET, (Mod 5000 ALT/SB/9/059)	1	-	C	FB3/33	R
EA3.10.3159	LEVER, group	1	-	C	-	R
	Attachment of lever to bracket					R
EA3.10.3219	Bolt, 5/16 in. BSF	1	S96	C	FB3/34	
A27/GS	Nut, slotted, 5/16 in. BSF	1	-	C	FB3/35	
SP90/C8	Pin, split, 1/16 in. dia.	1	-	C	FB3/36	
EA1.10.1407	Washer, packing	1	L40	-	FB3/37	R
SP15/G	Washer, 5/16 in.	1	-	C	FB/38	
	Attachment of bracket to Frame 12					R
A25/2C	Bolt, 2BA (Mod 5000 ALT/SB/9/059)	4	-	C	-	R
EB8.10.7543x2	BRACKET, Lock Lever, Nosewheel Door, Starboard, Group (Pre Mod 5000 ALT SB/9/059)	1	-	L	FB3/39	R
EB8.10.7543x3	BRACKET, Lock, Lever Nosewheel Door Starboard, Group Mod 5000 ALT SB/9/059)	1	-	L	FB3/40	R
	Spares for:					
EA3.10.3150	BRACKET (Pre Mod 5000 ALT/SB/9/059)	1	-	C	-	R

FUSELAGE
FORWARD

Part No.	Description						No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1	2	3	4	5	6					
EK5.10.808						BRACKET. (Mod 5000 ALT/SB/9/059)	1	-	C	-	R
						Attachment of bracket to bracket					
A25/2C						Bolt, 2BA (Mod 5000 ALT/SB/9/059)	4	-	C	-	R
AS1242/5E						Bolt, 1/4 in. BSF (Mod 5000 ALT/SB/9/059)	4	-	C	-	R
A27/EP						Nut, 1/4 in. BSF (Mod 5000 ALT/SB/9/059)	4	-	C	-	R
EB8.10.7529						FORK-END, roller, 1/4 in. BSF	1	S95	C	FB3/41	
						Attachment of fork-end to bracket					
A27/ES						Nut, slotted, 1/4 in. BSF	1	-	C	FB3/42	
SP90/C8						Pin, split 1/16 in. dia.	1	-	C	FB3/43	
SP15/E						Washer, 1/4 in.	1	-	C	FB3/44	R
EA3.10.3337						LEVER	1	-	C		
						Attachment of lever to bracket					
EA3.10.3219						Bolt, 5/16 in. BSF	1	-	C	-	R
A27/GS						Nut, slotted, 5/16 in. BSF	1	-	C	-	R
SP90/C8						Pin, split,	1	-	C	-	R
SP15/G						Washer, 5/16 in.	1	-	C	-	R
EA1.10.1407						Washer, packing	1	-	C	-	R
SP21						NIPPLE, grease	1	-	C	-	R
EA3.10.3347						ROLLER assembly	1	-	C	-	R
						Attachment of roller to fork end					
EA3.10.3099						Nut, special	1	-	C	-	R
EA3.10.3351						Pin	1	-	C	-	R
SP90/C8						Pin, split	1	-	C	-	R
EA3.10.3339						Shim	2	-	C	-	R
						Attachment of lock lever bracket to frame 12A					
A25/1C						Bolt, 2BA (Pre Mod 5000 ALT/SB/9/059)	2	-	C	FB3/45	
EA1.10.1207						Bolt, 1/4 in. BSF (Pre Mod 5000 ALT/SB/9/059)	2	-	C	FB3/46	
AS1242/5E						Bolt, 1/4 in. BSF (Mod 5000 ALT/SB/9/059)	4	-	C	FB3/47	
AGS2001/E1						Nut, stiff, 1/4 in. BSF (Pre Mod 5000 ALT/SB/9/059)	2	-	C	FB3/48	
A27/EP						Nut, plain, 1/4 in. BSF (MOD 5000 ALT/SB/9/059)	4	-	C	FB3/49	
SP15/E						Washer, 1/4 in. (Pre Mod 5000 ALT/SB/9/059)	2	-	C	FB3/50	

FUSELAGE
FORWARD

Canberra P R Mk 9

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
	Fuselage Assembly Front to Centre (Mod 5000 ALT/SB/9/075) (EB8.00.23)	-		-	-	R
	Spares for:					
EA1.10.1209	Bolt, 5/16in. BSF (Mod 5000 ALT/SB/9/075)	47	-	C	-	R
EA3.10.6541	Bolt, 5/16 in. BSF (Mod 5000 ALT/SB/9/075)	4	-	C	-	R
EA3.10.6539	Lug, attachment (Mod 5000 ALT/SB/9/075)	4	-	C	-	R
EB8.10.8301	Lug, attachment (Mod 5000 ALT/SB/9/075)	1	-	C	-	R
EA3.10.3353	GUARD ASSEMBLY	1	-	C	-	R
EB8.10.3545	GUARD, nose u/c sequence valve, port group	1	-	C	FB10/27	
EB8.10.3546	GUARD, nose u/c sequence valve, starboard, group	1	-	C	FB10/28	
	Attachment of guard to frame 12A					
A32/C16	Screw, 2BA.	4	-	C	FB10/29	
EA3.10.3217	GUIDE, roller (Supplied to Drg. EA3.00.874 for Spares)	1	DTD683	C	-	R
	PANEL, Skin, No 17, Port Assembly (EB8.10.895)	-	-	-	FB1/34	R
	Spares for:					
EA9.10.4549	PLUG, forward, jacking point	1	L56 or DTD683	C	FB10/30	
	PANEL, Skin, No 18 Port Assembly (EB8.10.897)	-	-	-	FB1/35	R
	Spares for:					
EB8.74.111	COWL, inlet, (inverter type 201)	1	L59	C	FB10/31	
	Attachment of inlet cowl to skin panel					
EEAS1/2C	Screw, csk, 2BA.	14	S96	C	-	R
EB8.80.4253	PLATE, vent port (Mod 4404)	1	-	C	-	R
	Attachment of plate to panel					
EB8.10.7870	Bolt, 2BA.	8	-	C	-	R
AGS2001/C1	Nut, stiff, 2BA	8	-	C	-	R
SP16/C	Washer	8	-	C	-	R

Canberra P R Mk 9						FUSELAGE FORWARD		Page FB.33	
Part No.	Description					No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
	1	2	3	4	5 6				
EA9.10.4549	PANEL, Skin, No.22, Starboard Assembly (EB8.10.905)					-	-	-	FB1/36
	Spares for:								
EB8.74.103	PLUG, forward jacking point					1	L65 or DTD683	C	FB10/32
	PANEL, Skin, No.24, Starboard, Assembly (EB8.10.909)					-	-	-	FB1/37
EEAS1/2C EB8.80.4254	Spares for:								
	COWL, inlet (inverter type 103)					1	L59	C	FB10/33
EB8.10.7870 AGS2001/C1 SP16/C	Attachment of inlet cowl to skin panel								
	Screw, csk, 2BA					16	S96	C	-
EA9.15.379	PLATE, vent starboard, (Mod 4404)					1	-	C	-
	Attachment of plate to panel								
AS1242/1C AS1242/2C AS1242/3C AS1242/14C AGS2001/C1 AGS1186/3 SP13/C EA8.15.21	Bolt, 2BA.					8	-	C	-
	Nut, stiff, 2BA					8	-	C	-
A25/6C EEAS2/7C AS1242/6C AGS2001/C1 AGS2021/C3 EA9.15.185 EA9.15.219	Washer					8	-	C	-
	WINDSCREEN and Quarter Panels Assembly (EB8.15.167)					-	-	-	FB1/38
AS1242/1C AS1242/2C AS1242/3C AS1242/14C AGS2001/C1 AGS1186/3 SP13/C EA8.15.21	Spares for:								
	FAIRING, nose, port					1	-	C	FB11/1
A25/6C EEAS2/7C AS1242/6C AGS2001/C1 AGS2021/C3 EA9.15.185 EA9.15.219	Attachment of fairing to windscreen and fuselage skin								
	Bolt, csk. 2BA.					19	-	C	FB11/2
A25/6C EEAS2/7C AS1242/6C AGS2001/C1 AGS2021/C3 EA9.15.185 EA9.15.219	Bolt, csk. 2BA.					1	-	C	FB11/3
	Bolt, csk. 2BA.					1	-	C	FB11/4
A25/6C EEAS2/7C AS1242/6C AGS2001/C1 AGS2021/C3 EA9.15.185 EA9.15.219	Bolt, csk. 2BA.					7	-	C	FB11/5
	Nut, stiff, 2BA.					8	-	C	FB11/6
A25/6C EEAS2/7C AS1242/6C AGS2001/C1 AGS2021/C3 EA9.15.185 EA9.15.219	Washer, sealing, 2BA.					21	-	C	FB11/7
	Washer, 2BA.					21	-	C	FB11/8
A25/6C EEAS2/7C AS1242/6C AGS2001/C1 AGS2021/C3 EA9.15.185 EA9.15.219	PANEL, windscreen, inner					1	DTD869	P	FB12/1
	Attachment of inner panel to windscreen casting								
A25/6C EEAS2/7C AS1242/6C AGS2001/C1 AGS2021/C3 EA9.15.185 EA9.15.219	Bolt, 2BA					40	-	C	FB12/2
	Bolt, csk, 2BA					10	-	C	FB12/3
A25/6C EEAS2/7C AS1242/6C AGS2001/C1 AGS2021/C3 EA9.15.185 EA9.15.219	Bolt, csk, 2BA					2	-	C	FB12/4
	Nut, stiff, 2BA					42	-	C	FB12/5
A25/6C EEAS2/7C AS1242/6C AGS2001/C1 AGS2021/C3 EA9.15.185 EA9.15.219	Nut, stiff, translucent cap, 2BA					10	-	C	FB12/6
	Plate, retaining					1	DTD546	C	FB12/7
A25/6C EEAS2/7C AS1242/6C AGS2001/C1 AGS2021/C3 EA9.15.185 EA9.15.219	Seal, rubber					2	Synthetic Rubber	C	FB12/8

FUSELAGE
FORWARD

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
EA9.15.499	Seal, rubber (Make from EA9.15.219)	2	-	LM	FB12/8A	R
EA9.15.179	Strip, retaining, starboard	1	DTD546	MR	FB12/9	
EA9.15.180	Strip, retaining, port	1	DTD546	MR	FB12/10	
EA9.15.181	Strip, retaining, top	1	DTD546	MR	FB12/11	
EA9.15.183	Strip, retaining, bottom	1	DTD546	MR	FB12/12	
EA9.15.233	Strip, packing, port	1	DTD546	MR	FB12/13	
EA9.15.234	Strip, packing, starboard	1	DTD546	MR	FB12/14	
AGS1186/3	Washer, sealing, 2BA	42	-	C	FB12/15	
EA9.15.389	Washer, 2BA	32	-	LM	FB12/16	
EB8.15.115	PANEL, quarter, port	1	Perspex	L	FB11/9	
	Attachment of quarter panel to windscreen casting					
AS1242/16C	Bolt, csk. 2BA	19	-	C	FB11/10	
AS1242/17C	Bolt, csk. 2BA	30	-	C	FB11/11	
EA9.15.231	Bush, panel fixing bolt	49	Natural Rubber	C	FB11/12	
AGS2001/C1	Nut, stiff, 2BA	49	-	C	FB11/13	
EA9.15.119	Plate, retaining, outer	1	L73	MR	FB11/14	
EA9.15.279	Plate, retaining, inner	1	L73	MR	FB11/15	
EA9.15.213	Seal, inner	1	Synthetic Rubber	C	FB11/16	
EA9.15.307	Seal, outer	1	Synthetic Rubber	C	FB11/17	
EA9.15.131	Strip, casting reinforcing, outer	1	DTD171B	MR	FB11/18	
EA9.15.133	Strip, casting reinforcing, inner	1	DTD171B	MR	FB11/19	
EB8.15.117	PANEL, quarter, starboard	1	Perspex	L	FB11/20	
	Attachment of quarter panel to windscreen casting					
AS1242/16C	Bolt, csk. 2BA	7	-	C	FB11/21	
AS1242/17C	Bolt, csk. 2BA	23	-	C	FB11/22	
AS1242/18C	Bolt, csk. 2BA	3	-	C	FB11/23	
EA9.15.231	Bush, panel fixing bolt	33	Natural Rubber	C	FB11/24	
AGS2001/C1	Nut, stiff, 2BA	33	-	C	FB11/25	
EA9.15.121	Plate, retaining, outer	1	L73	C	FB11/26	
EA9.15.295	Plate, retaining, inner	1	L73	C	FB11/27	
EA9.15.215	Seal, inner	1	Synthetic Rubber	C	FB11/28	
EA9.15.309	Seal, outer	1	Synthetic Rubber	C	FB11/29	
EA9.15.135	Strip, casting reinforcing, outer	1	DTD171B	C	FB11/30	
EA9.15.271	Strip, casting reinforcing, inner	1	DTD171B	C	FB11/31	
EA9.15.253	PANEL, Forward, Windscreen, Group (Supplied to Part No. EA9.00.327 for spares purposes)	1	-	P	FB11/32	
	Spares for:					
EA9.15.19	PANEL, windscreen, outer	1	Glass	-	FB11/33	
	Attachment of panel to frame					R
AS1242/2C	Bolt, csk. 2BA	43	-	C	FB11/34	
AS4562/3C	Bolt, csk. 2BA	13	-	C	FB11/35	

FUSELAGE
FORWARD

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
AGS2002/C1	Nut, stiff, 2BA	43	-	C	FB11/36	
AGS2002/C3	Nut, stiff, 2BA	13	-	C	FB11/37	
EA9.15.217	Seal, outer	1	Synthetic Rubber	C	FB11/38	
EA9.15.173	Strip, retaining, port	1	DTD683	C	FB11/39	
EA9.15.175	Strip, retaining, aft	1	DTD683	C	FB11/40	
EA9.15.177	Strip, retaining, forward	1	DTD683	C	FB11/41	
EA9.15.251	Strip, retaining, starboard	1	DTD683	C	FB11/42	
EA9.15.255	Strip, corner and jointing reinforcing, port upper	1	DTD546		FB12/17	
EA9.15.256	Strip, corner and jointing reinforcing, starboard upper	1	DTD546		FB12/18	
EA9.15.257	Strip, corner and jointing reinforcing, port lower	1	DTD546		FB12/19	
EA9.15.258	Strip, corner and jointing reinforcing, starboard lower	1	DTD546		FB12/20	
	Attachment of forward panel to windscreen casting					
AS1248/1C	Bolt, 2BA	3	-	C	FB11/43	
AS1248/17C	Bolt, 2BA	12	-	C	FB11/44	
AGS2001/C1	Nut, stiff, 2BA	12	-	C	FB11/45	
EA9.15.477	Seal, weather	1	Natural Rubber	C	FB11/46	
AGS1186/3	Washer, sealing, 2BA	12	-	C	FB11/47	
SP13/C	Washer, 2BA	12	-	C	FB11/48	
EA9.15.377	SHROUD, windscreen de-icing air outlet	1	L72	C	FB11/49	
	Attachment of shroud to port nose fairing					
AS1242/1B	Screw, csk. 4BA	5	-	C	FB11/50	
	HYDRAULIC, System (EB8.73.305) (See Section MF)	-	-	-	-	R
EB8.00.513x2	NOSE, Hinged, Group (Supplied to Pt. No. EB8.00.627 for spares purposes) (Pre Mod 5309)	1	-	P	FB1/39	
EB8.00.513x4	NOSE, Hinged, Group (Supplied to Pt. No. EB8.00.803 for spares purposes) (Mod 5309)	1	-	P	FB1/39	
	Spares for:					
	ELECTRICAL, Installation (EB8.81.4961) (See Section DA)	-	-	-	-	R
	EQUIPMENT, Assembly (EB8.80.2315) (See Section EA)	-	-	-	-	R
	PITOT AND STATIC, Installation (EB8.80.2523) (See Section ML)	-	-	-	-	R

FUSELAGE
FORWARD

Canberra P R Mk 9

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
	PRESSURISING, System (EB8.75.2739) (See Section MM)	-	-	-		R
	SKINNING AND STRUCTURE, Frames A to D Assembly (EB8.10.4041)	-	-	-		R
	Spares for:					
EB8.10.6115	BRACKET, strut, support, frame D	1	L65	C	FB1/40	
	Attachment of strut support to frame D					
A25/4C	Bolt, 2BA	2	-	C	-	R
AS1242/3C	Bolt, csk, 2BA	1	-	C	-	R
AS1242/4C	Bolt, csk, 2BA	1	-	C	-	R
A27/CP	Nut, 2BA	4	-	C	-	R
SP13/C	Washer, 2BA	4	-	C	-	R
EB8.10.7005	CAP, nose	1	L72	C	FB1/41	
	Attachment of nose cap to frame A					
AS1248/1C	Bolt, 2BA	4	-	C	-	R
EB8.10.7069	FOOTREST, navigator's, starboard group	1	-	C	FB1/42	R
EB8.10.7070	FOOTREST, navigator's, port group	1	-	C	FB1/43	
	Attachment of navigator's footrest to support					
Aviation Dev. A411	Pin, "Pip", quick release	1	-	C	-	R
	HANDLE, Outside Closing Hinged Nose, Assembly (EB8.10.7761)	-	-	-	FB1/44	R
	Spares for:					
EB8.10.7765	CATCH	1	L65	C	FB12/21	
	Attachment of catch to structure					R
EB8.10.7781	Bolt	1	S96	C	FB12/22	
AGS2001/C1	Nut, stiff, 2BA	1	S96	C	FB12/23	
SP13/C	Washer, 2BA	1	-	C	FB12/24	
EB8.10.7763	HANDLE	1	L65	C	FB12/25	
	Attachment of handle to structure					R
EB8.10.7783	Bolt	1	S96	C	FB12/26	
AGS2001/E1	Nut, stiff, 1/4 in. BSF	1	-	C	FB12/27	
SP13/E	Washer	1	-	C	FB12/28	

FUSELAGE
FORWARD

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
EB8.10.7773	PIN, guide spring	1	S96	C	FB12/29	
	Attachment of guide pin to structure					
AGS2001/C1	Nut, stiff, 2BA	1	-	C	FB12/30	
SP13/C	Washer, 2BA	1	-	C	FB12/31	
EB8.10.7775	SPRING	1	DTD215	C	FB12/32	
Ltd						
Z157/A/54	HEAD, photographic sight	1	-		FB1/45	
	Attachment of sight head to bottom skin between frames C & D					
AS1248/4C	Bolt, 2BA	24	-	C	FB1/46	
AGS2021/C1	Nut, stiff, translucent cap, 2BA	24	-	C	FB1/47	
EB8.10.6907	Seal, rubber	1	Natural Rubber	C	FB1/48	
SP15/C	Washer	24	-	C	FB1/49	
	HINGE, Upper and Lower, Assembly (EB8.10.3995)	-	-	-	-	R
	Spares for:					
EB8.10.7085	BEARING, spherical, upper and lower hinge arm	2	L65	C	FB1/50	
EB8.10.7081	BUSH, flanged, upper hinge arm	2	S1	C	FB1/51	
EB8.10.7083	SPACER, bearing, lower hinge arm	1	S1	C	FB1/52	R
EB8.10.6991	HOUSING, pitot head	1	Fibre Glass	C	FB1/53	
	Attachment of pitot head housing to frame A					
AS1248/4C	Bolt, 2BA	10	-	C	FB1/54	
A27/CP	Nut, 2BA	10	-	C	FB1/55	
EB8.10.7007	Seal, rubber	1	Natural Rubber	C	FB1/56	
SP16/C	Washer, 2BA	10	-	C	FB1/57	
	ROLLER, Ramp, Nose Closing, Frame D (Pre Mod 5000 ALT/SB/9/014) (EB8.10.7917)	-	-	-	-	R
	Spares for:					
EB8.10.7911	ROLLER (Pre Mod 5000 ALT/SB/9/014)	1	-	-	FB1/58	R
	Attachment of roller to frame 1					
EB8.10.7913	Bolt, special (Pre Mod 5000 ALT/SB/9/014)	1	-	C	FB1/59	
AGS2001/E1	Nut, stiff, 1/4 in. BSF (Pre Mod 5000 ALT/SB/9/014)	1	-	C	FB1/60	R
SP45/E	Washer, 1/4 in. BSF (Pre Mod 5000 ALT/SB/9/014)	1	-	C	FB1/61	
EB8.10.6109	SPIGOT, upper	1	S95	C	FB1/62	

FUSELAGE
FORWARD

Canberra P R Mk 9

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
EB8.10.6111	SPIGOT, lower	1	S95	C	FB1/63	
	Attachment of spigot to frame D					
A25/5E	Bolt, 1/4 in. BSF	4	-	C	FB1/64	
A25/6E	Bolt, 1/4 in. BSF	2	-	C	FB1/65	
A27/EP	Nut, 1/4 in. BSF	6	-	C	FB1/66	
SP15/E	Washer	6	-	C	FB1/67	
EB8.10.6611	WINDOW, camera, frame A, group	1	Glass PH334	L	FB1/68	
OR						
EB8.10.6611x2	WINDOW, camera, frame A, Group (SA4904)	1	Glass PH334 Float Glass Method	L	FB1/69	R
	Attachment of window to frame A					
AS1242/10C	Bolt, csk. 2BA	12	-	C	FB12/33	
EB8.10.6997	Plate, ring c/w anchor nuts	1	-	C	FB12/34	
EB8.10.6993	Ring, fibre	1	LFS21	C	FB12/35	
EB8.10.7959	Ring, fibre packing	1	LFS21	C	FB12/36	
EB8.10.7001	Seal, inner	1	Natural Rubber	C	FB12/37	
EB8.10.7003	Seal, outer	1	Natural Rubber	C	FB12/38	
	Attachment of hinged nose group to frame 1, forward fuselage (See Section HA)					
	NOSEWHEEL, Assembly (EB8.40.101) (See Section QB)	-	-	-	-	R
	OXYGEN, System (EB8.71.465) (See Section MK)	-	-	-	-	R
	PITOT & STATIC, Installation (EB8.80.2401) (See Section ML)	-	-	-	-	R
	PRESSURISING, Cabin, System (EB8.75.2615) (See Section MM)	-	-	-	-	R
	RADAR & RADIO, Installation (See Section KA)	-	-	-	-	R
	STRUT, Folding, Hinged Hose, Assembly (EB8.10.6113)	-	-	-	FB1/70	R
	Consisting of:					
Aviation Dev. A411	PIN, "pip", quick release	1	-	C	FB12/39	
EB8.10.6983	STRUT, aft, group	1	-	C	FB12/40	
EB8.10.6985	STRUT, forward, group	1	-	C	FB12/41	
	Attachment of aft strut to forward strut					
EB8.10.6933	Bolt, 3/8 in. BSF	1	S96	C	FB12/42	

FUSELAGE
FORWARD

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
A27/JS SP90/C8 SP15/J	Nut, slotted, 3/8 in. BSF Pin, split, 1/16 in. dia. Washer 3/8 in.	1 1 1	- - -	C C C	FB12/43 FB12/44 FB12/45	
	Attachment of folding strut to bracket on frame 1					
EB8.10.6935 A27/ES SP90/C8 SP15/E	Bolt, 3/8 in. BSF Nut, slotted, 1/4 in. BSF Pin, split, 1/16 in. dia. Washer, 1/4 in.	1 1 1 1	S96 - - -	C C C C	FB12/46 FB12/47 FB12/48 FB12/49	
	VENTILATED SUITS, Pilot's and Navigator's System (EB8.75.1715) (See Section MR)	-	-	-	-	R
	HATCH, Navigators, Detonating System (EB8.49.441) (Mod 4397)	-	-	-	-	R
	Consisting of:					
	MECHANISM MDC Initiating (EB8.49.345)	-	-	-	-	R
	Spares for:					
EB8.49.393	DETONATOR, Mechanism, Trip Assembly	1	-	-	-	R
	Spares for:					
EB8.49.359	ADJUSTER	1	-	C	-	R
	Attachment of adjuster to lever					
AS8600/E EB8.49.367	Nut, locking BRACKET, serrated	1 1	- -	C C	- -	
	Attachment of bracket to seat rail	1	-			
A102/4D AS8600D SP122/D EB8.49.355	Bolt, 10-32 UNF Nut, stiff, 10-32 UNF Washer LEVER	4 4 4 1	- - - -	C C C C	- - - -	R
	Attachment of lever to spigot plate					R
SP113/G8-1/2 SP90/E8 SP124/G EB8.49.365	Pin, close tolerance Pin, split Washer PLATE, spigot	1 1 1 1	- - - -	C C C C	- - - -	
	Attachment of plate to bracket					
A102/4D A103/DS SP90/C8 SP124/D SP125/D EB8.49.399	Bolt, 10-32 UNF Nut, slotted Pin, split Washer Washer ROD, Assembly, Push	2 2 2 2 2 1	- - - - - -	C C C C C C	- - - - - -	

FUSELAGE
FORWARD

Canberra P R Mk 9

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
	1 2 3 4 5 6				
	Spares for:				
EB8.49.387	ROD, adjustable	1	-	C	
	Spares for:				
SP120/ZC	FORK, joint	1	-	C	
	Attachment of fork to rod				
A103/CT	Nut, lock, 2BA	1	-	C	
	Attachment of push rod to levers				
SP113/B3	Pin, shear	1	-	C	
SP113/B4-1/2	Pin, shear	1	-	C	
SP90/C4	Pin, split	2	-	C	
SP122/C	Washer	2	-	C	
EB8.49.391	STRIKER, Assembly Sear	1	-	C	
	Spares for:				
EB8.49.375	BRACKET, pivot	1	-	C	
	Attachment of bracket to seat rail				
A102/2D	Bolt	3	-	C	
AS8600D	Nut, stiff	3	-	C	
SP122/D	Washer	3	-	C	
EB8.49.371	LEVER, sear striker	1	-	C	
	Attachment of lever to bracket				
SP113/G9-1/2	Pin, shear	1	-	C	
SP90/E8	Pin, split	1	-	C	
SP124/G	Washer	1	-	C	
EB8.49.373	SPRING	1	-	C	
	RIGGING OF MECHANISM (EB8.49.439)	-	-	-	
	Spares for:				
EB8.49.443	BLOCK, Setting Assembly	1	-	C	
	Spares for:				
EB8.49.443/B	Block locating	2	-	C	
EB8.49.443/C	PAD, compression (Make from 32C/9429601)	1	-	C	
EB8.49.443/D	PLATE, contact	1	-	C	
	Attachment of blocks and pad to plate				
2A59/8C	Bolt, 2BA	2	-	C	
A27/CP	Nut, 2BA	2	-	C	
SP13/C	Washer	2	-	C	
	PIN, Stowage Assembly (EB8.80.4299) (Mod 4397)				

R






R

R

FUSELAGE
FORWARD

Part No.	Description						No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
	1	2	3	4	5	6				
	Spares for:									
EB8.80.4297	PIN, stowage						1	-	C	
EB8.80.4301	LABEL						1	-	C	
	Attachment of stowage block and label									
AS1246/6B	Bolt						2	-	C	
EB8.49.451	LABEL						1	-	C	





(G) (H) SEE PLATE FB 3

