

MAIN PLANE
PORT

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
EB8.00.11	WING, Port, Group (c/w Wing Tip less Aileron, Flaps and Under -carriage) (Supplied to Pt No EB8.00.521 for spares purposes) (Pre Mod 5132)	1	-	P	GC1/1	
EB8.00.11x7	WING, Port, Group (c/w Wing Tip less Aileron, Flaps and Under- carriage) (Supplied to Pt No EB8.00.521 for spares) (Mod 5132 Pre Mod 5000 ALT/SB/9/001,028,029,030, 042,051,055,056,057,058, 060,061,066,071,079,088 and Mod 5310)	1	-	P	GC1/2	R
EB8.00.11x27	WING, Port, Group (c/w Wing Tip less Aileron, Flaps and Under- carriage) (Supplied to Pt No EB8.00.805 for spares purposes) (Mod 5000 ALT/SB/9/001,028,029,030, 042,051,055,056,057,058, 060,061,066,071,079,088 and Mod 5310)	1	-	P	-	R
	Spares for:					
EB6.20.1165	ADAPTOR, drain (Mod 2587)	1	L44	C	GC1/3	
EB8.11.657	AILERON, Port, Group (See Section GA)	-	-	-	GA1	R
	BRACKET, aft hinge (See Section FC)	-	-	-	GC2/1	
	BREATHER, Wheelcase, Port (EB8.00.29)	-	-	-	-	R
	Spares for:					
EB7.50.129	CLAMP, pipe support in engine nacelle	4	-	C	GC6/1	
	Attachment of pipe support clamp to nacelle					
A25/14C	Bolt, 2BA	2	-	C	GC6/2	
AGS2001/C1	Nut, stiff, 2BA	2	-	C	GC6/3	
SP13/C	Washer, 2BA	2	-	C	GC6/4	
EB8.20.1985	CLAMP, pipe support on engine fireproof bulkhead	4	-	C	GC6/5	
	Attachment of pipe support clamp to engine fireproof bulkhead					
A25/1C	Bolt, 2BA	3	-	C	GC6/6	
A27/CP	Nut, 2BA	3	-	C	GC6/7	
SP13/C	Washer, 2BA	3	-	C	GC6/8	
SP47/C	Washer, spring., 2BA	3	-	C	GC6/9	
EB7.50.115	FAIRLEAD, for pipe entry through firewall	1	L64	C	GC6/10	
	Attachment of fairlead to firewall					
A25/2C	Bolt, 2BA	4	-	C	GC6/11	
A27/CP	Nut, 2BA	4	-	C	GC6/12	
SP47/C	Washer, spring, 2BA	4	-	C	GC6/13	
EB7.50.117	FAIRLEAD, for pipe through aft end of engine rib 1	1	L64	C	GC6/14	
	Attachment of fairlead to engine rib 1					
A25/1C	Bolt, 2BA	4	-	C	GC6/15	

MAIN PLANE
PORT

Part No.	Description						No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1	2	3	4	5	6					
EB8.20.1983	FAIRLEAD, for pipe through outboard engine rib						1	LFS26	C	GC6/16	
	Attachment of fairlead to outboard engine rib										
A25/3C	Bolt, 2BA						4	-	C	GC6/17	
SP13/C	Washer, 2BA						4	-	C	GC6/18	
EB7.50.103	OUTLET, breather pipe						1	-	C	GC6/19	
EB8.20.1965	PIPE, 1-1/2 in. o/d, stub pipe to intermediate connection on engine fireproof bulkhead						1	-	C	GC6/20	
EB8.20.1967	PIPE, 1 1/2 in. o/d, intermediate connection to connection at outboard side of engine fireproof bulkhead						1	-	C	GC6/21	
EB8.20.1969	PIPE, 1 1/2 in. o/d between bottom outboard connection and pipe through rib 1A						1	-	C	GC6/22	
EB8.20.1971	PIPE, 1 1/2 in. o/d through rib 1A to connections forward of recuperator mounting brackets						1	-	C	GC6/23	
EB8.20.5379	PIPE, 1 1/2 in. o/d, from forward connection to connection forward of recuperator mounting bracket						1	-	C	GC6/24	
EB8.20.1993	PIPE, 1 1/2 in. o/d, from connection forward of recuperator mounting to connection between recuperator mounting bracket						1	-	C	GC6/25	
EB8.20.1973	PIPE, 1 1/2 in. o/d, from connection between recuperator mounting brackets to connection at aft end of rib						1	-	C	GC6/26	
EB8.20.1975	PIPE, 1 1/2 in. o/d, from connection at aft end to rib 1 to connection forward of main spar						1	-	C	GC6/27	
EB8.20.1977	PIPE, 1 1/2 in. o/d, through main spar						1	-	C	GC6/28	
EB8.20.1979	PIPE, 1 1/2 in. o/d, from connection aft of main spar to intermediate connection						1	-	C	GC6/29	
EB8.20.1981	PIPE, 1 1/2 in. o/d, from intermediate connection to outlet breather pipe						1	-	C	GC6/30	
EB8.20.1963	PIPE, stub, inboard side of engine fireproof bulkhead						1	-	C	GC6/31	
EEAS66/5	RING, clamping						26	-	C	GC6/32	
Dunlop	SLEEVE, pipe, connecting						12	-	C	GC6/33	
DAS393/24/3	CABIN PRESSURISATION AND COLD AIR system Port Wing (EB8.75.345) (See Section MQ)						-	-	-	-	R
	CONTROLS, AILERON, Port Wing (EB8.45.11) (See Section CH)						-	-	-	-	R
EB6.20.351	CUP, fuel drain suction (Mod 2588)						1	-	C	GC1/4	
EB8.20.35	DOOR, Main Undercarriage c/w Hinges and Locking Mechanism, Port Group (Pre Mod 5282)						1	-	P	-	R

MAIN PLANE
PORT

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
	1 2 3 4 5 6				
EB8.20.35x9	DOOR, Main Undercarriage c/w Hinges and Locking Mechanism, Port Group (Mod 5282)	1	-	P	GC2/2
	Spares for:				
EA9.20.2773	BELLCRANK, plunger operating (Mod 3470)	1	DTD610	C	GC2/3
	Attachment of bellcrank to pedestal				
EA1.20.2935	Pin, bell crank lever fulcrum	1	DTD126	C	GC2/4
SP90/C8	Pin, split, 1/16 in. dia.	1	-	C	GC2/5
SP13/E	Washer, 1/14 in.	1	-	C	GC2/6
EA1.20.1179	COLLAR, plunger retaining	1	L1	C	GC2/7
AGS899/6	COLLAR	1	-	C	GC2/8
EA1.20.1141	HINGE, aft, undercarriage door	1	DTD683	C	GC2/9
	Attachment of aft hinge to door				
A25/4C	Bolt, 2BA	5	-	C	GC2/10
SP15/C	Washer, 2BA	5	-	C	GC2/11
EB8.20.5351	HINGE, forward, undercarriage door (Pre AS4886)	1	DTD5054	C	GC2/12
EB8.20.5351x4	HINGE, forward, undercarriage door (Post AS4886)	1	DTD5054	C	GC2/13
A25/5C	Bolt, 2BA	8	-	C	GC2/14
SP15/C	Washer, 2BA	8	-	C	GC2/15
EA1.20.1175	HOUSING, locking pin, aft	1	DTD683	C	GC2/16
EA1.20.1183	HOUSING, locking pin, forward	1	DTD683	C	GC2/17
	Attachment of locking pin housing to undercarriage door				
A25/4C	Bolt, 2BA	4	-	C	GC2/18
EA1.20.2363	LEVER, door lock operating	1	DTD683	C	GC2/19
EA3.20.1777	LEVER, door lock operating (Pre Mod 4704)	1	DTD683	C	GC2/20
EA3.20.3901	LEVER, door lock operating (Mod 4704)	1	S1	C	GC2/21
EA3.20.3045	LINK, door check LH	1	DTD683	C	GC2/22
EA3.20.3046	LINK, door check RH	1	DTD683	C	GC2/23
EA3.20.3049	LINK, Door Check Group	1	-	L	GC2/24
	Consisting of:				
EA3.20.3077	BLOCK, packing	1	DTD683	C	GC2/25
EA3.20.3079	BOLT, eccentric	1	S97	C	GC2/26
A25/19C	BOLT, 3/4 in BSF	1	-	C	GC2/27
A25/7E	BOLT, 3/4 in BSF	1	-	C	GC2/28
EA3.20.3071	FINGER, tappet mounting	1	L40	C	GC2/29
EA3.20.3043	LINK, check	1	DTD683	C	GC2/30
EA3.20.3047	LINK, check	1	DTD683	C	GC2/31
A27/JT	LOCKNUT, 3/8 in BSF	1	-	C	GC2/32
A27/EP	NUT, 1/4 in BSF	1	-	C	GC2/33
AGS2001/C1	NUT, stiff 2BA	2	-	C	GC2/34
EA3.20.3073	PIECE, distance	1	DTD683	C	GC2/35
EA3.20.3075	TAPPET	1	S1	C	GC2/36
EA3.20.3081	LINK, slave	1	DTD124	C	GC2/37
EB8.20.5353x2	LINK, side (Mod 4882)	2	BS514	C	GC2/38
	Attachment of Links and levers at forward hinge				
EA3.20.817	Bolt, undercarriage locking (Pre AS4673)	1	S98	C	GC2/39

MAIN PLANE
PORT

Canberra P R Mk 9

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
	1 2 3 4 5 6				
A59/10G	Bolt, 5/16 in BSF (AS4673 satisfied by STI/CAN/497A)	1	-	C	GC2/40
OR					
A59/12G	Bolt, 5/16 in BSF (AS4673 satisfied by STI/CAN/497A)	1	-	C	GC2/41
EA3.20.3061	Bolt, check link	1	S95	C	GC2/42
EA3.20.3063	Bolt, check link	1	S97	C	GC2/43
EA3.20.3093	Bolt, slave and side link attachment	1	S97	C	GC2/44
AGS899/6	Collar	2	-	C	
A27/GS	Nut, slotted, 5/6 in. BSF	2	-	C	GC2/45
AGS2001/C1	Nut, stiff, 2BA	1	-	C	GC2/46
EA3.20.3087	Piece, distance	1	L56	C	GC2/47
SP4/Y/F12	Pin, 5/16 in. dia.	1	-	C	GC2/48
SP4/Y/F22	Pin, 5/16 in. dia	1	-	C	GC2/49
SP90/C8	Pin, split 1/16 in. dia	3	-	C	GC2/50
SP90/E8	Pin, split 3/32 in dia	2	-	C	GC2/51
EA1.20.2367	Screw, locating, door lock operating lever (Pre Mod 5035)	1	S96	C	GC2/52
EA3.20.1563	Screw, locating, door lock operating lever (Mod 5035)	1	-	C	GC2/53
EA1.20.2369	Washer, locking, door lock operating	1	Alum	C	GC2/54
EEAS28/15FR	Washer, spacing, between slave and side links	1	L72	C	GC2/55
SP13/E	Washer, 1/4 in	2	-	C	
SP13/G	Washer, 5/16 in	1	-	C	
SP13/G	Washer, 5/16 in (AS4673)	AR	-	C	
SP13/J	Washer, 3/8 in	1	-	C	
SP15/J	Washer, 3/8 in	2	-	C	
SP16/J	Washer, 3/8 in	2	-	C	
SP47/G	Washer, spring 5/16 in	1	-	C	
SP47/G	Washer, spring 5/16 in (AS 4673)	1	-	C	
EA1.20.2933	PEDESTAL, Bellcrank Lever, Group	1	-	L	GC2/56
	Spares for:				
EA1.30.2931	BUSH, bearing	1	Oilite	C	GC2/57
	Attachment of bellcrank pedestal to undercarriage door				
A25/2C	Bolt, 2BA	2	-	C	GC2/58
EA9.20.2777	PIN, locking, undercarriage door (Mod 3470)	2	S95	C	GC2/59
EA1.20.1159	ROD, tie, forward plunger	1	L1	C	GC2/60
	Attachment of tie rod to lock pin and bellcrank				
AGS899/2	Collar	2	-	C	GC2/61
SP4/Y/B6	Pin, 3/16 in. dia	1	-	C	GC2/62
SP4/Y/B14	Pin, 3/16 in. dia	1	-	C	GC2/63
SP90/C5	Pin, split, 1/16 in. dia	2	-	C	GC2/64
EA1.20.10849	ROD, Tie, Bellcrank to Operating Mechanism, Group	1	-	L	GC2/65
	Spares for:				
EA1.50.75	BEARING, spherical	2	L40	C	GC2/66
EA1.20.10843	HOUSING, bearing, rod end	2	S1	C	GC2/67
	Attachment of tie rod to bellcrank and lock operating lever				
AGS899/2	Collar	2	-	C	GC2/68
SP4/Y/B6	Pin, 3/16 in. dia.	1	-	C	GC2/69
SP4/Y/B11	Pin, 3/16 in. dia.	1	-	C	GC2/70
SP90/C5	Pin, split, 1/16 in. dia.	2	-	C	GC2/71

MAIN PLANE
PORT

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
EB8.20.4489	ROD, tie, bellcrank to aft plunger group	1	-	C	GC2/72	
	Attachment of tie rod to bellcrank and aft lock pin					
AGS899/2	Collar	2	-	C	GC2/73	
SP4/Y/B6	Pin, 3/16 in. dia.	1	-	C	GC2/74	
SP4/Y/B14	Pin, 3/16 in. dia.	1	-	C	GC2/75	
SP90/C5	Pin, split, 1/16 in. dia.	2	-	C	GC2/76	
EA3.20.1627	SEAL, rubber (Pre Mod 5282) (Make from Ref. 4432)	1	EEAS 121	LM	-	R
EA3.20.5317	SEAL, 'P' (Mod 5282) (Make from Ref. 6147758)	1	EEAS 843	LM	GC2/77	R
EB8.20.4515	SEAL, rubber (Pre Mod 5282) (Make from Ref. 4432)	1	EEAS 121	LM	-	R
EB8.20.6055	SEAL, 'P' (Mod 5282) (Make from Ref. 6147758)	1	EEAS 843	LM	GC2/78	R
EB8.20.4517	SEAL, rubber (Pre Mod 5282) (Make from Ref. 4432)	1	EEAS 121	LM	-	R
EB8.20.6057	SEAL, 'P' (Mod 5282) (Make from Ref. 6147758)	1	EEAS 843	LM	GC2/79	R
EA1.20.1327	SKID, main U/C hinged operating flap	1	LFS.26	C	-	R
	Attachment of port undercarriage door group to structure					
EA1.20.1353	Bolt, door attachment, aft hinge	1	S96	C	GC2/80	
EA3.20.3085	Bolt, door attachment forward hinge	1	S97	C	GC2/81	
EEAS63/E	Nut, slotted 1/4 in. BSF	1	S96	C	GC2/82	
A27/CS	Nut, slotted, 2BA	1	-	C	GC2/83	
EA3.20.3089	Piece, distance, forward hinge	1	DTD.683	C	GC2/84	
EA3.20.3091	Piece, distance, forward hinge	1	DTD.683	C	GC2/85	
SP90/C8	Pin, split, 1/16 in. dia	2	-	C	GC2/86	
SP13/C	Washer, 2BA	1	-	C	GC2/87	
SP13/E	Washer, 1/4 in.	1	-	C	GC2/88	
	ELECTRICAL EQUIPMENT, Port Wing (EB8.81.1009) (See section DE)	-	-	-	-	R
	ENGINE, CONTROLS, Port Wing (EB8.47.11) (See section CD)	-	-	-	-	R
	ENGINE, COWLING, Port Wing (EB8.50.1) (See section JA)	-	-	-	-	R
	ENGINE STARTING ISO-PROPYL NITRATE SYSTEM, Port Wing (EB8.53.161) (See section MC)	-	-	-	-	R
	FIRE PROTECTION, INNER WING, Port (EB8.60.3) (See section MD)	-	-	-	-	R
	FIRE PROTECTION, NACELLE, Port (EB8.60.1) (See section MD)	-	-	-	-	R
	FIRE PROTECTION, OUTER WING, Port (EB8.60.89) (See section MD)	-	-	-	-	R

MAIN PLANE
PORT

Part No.	Description						No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1	2	3	4	5	6					
EA1.20.1329	FLAP, INBOARD, Port (See section GB)						-	-	-	GA1	R
	FLAP, OUTBOARD, Port (See section GB)						-	-	-	GA1	R
	FUEL, SYSTEM, Port Wing (EB8.57.409) (See section ME)						-	-	-	-	R
	FUEL SYSTEM, INNER WING, Port (EB8.57.459) (See section ME)						-	-	-	-	R
	GEARBOX AND GENERATOR INSTALLATION Port Wing (EB8.61.51) (See section JD)						-	-	-	-	R
	HYDRAULIC EQUIPMENT, Port Wing, (EB8.73.311) (See section MJ)						-	-	-	-	R
	MECHANISM, INBOARD FLAP, Port (EB8.20.27) (See section CH)						-	-	-	-	R
	MECHANISM, OUTBOARD, FLAP, Port (EB8.20.39) (See section CH)						-	-	-	-	R
	OXYGEN SYSTEM, Port Wing (EB8.71.209) (See section MK)						-	-	-	-	R
	RADIO AND RADAR IN WING, Port (See section KA)						-	-	-	-	R
	STRUCTURE, Wing, Port Assembly (Pre Mod 5000 ALT/SB/9/061) (EB8.20.1x5)						-	-	-	-	R
	STRUCTURE, Wing, Port Assembly (Mod 5000 ALT/SB/9/061 Pre Mod 5000 ALT/SB/9/029) (EB8.20.1x22)						-	-	-	-	R
	STRUCTURE, Wing, Port Assembly (Mod 5000 ALT/SB/9/029 Pre Mod 5000 ALT/SB/9/030) (EB8.20.1x24)						-	-	-	-	R
	STRUCTURE, Wing, Port Assembly (Mod 5000 ALT/SB/9/030 Pre Mod 5000 ALT/SB/9/028, 057, 058, 060, 066 and 071) (EB8.20.1x25)						-	-	-	-	R
	STRUCTURE, Wing, Port Assembly (Mod 5000 ALT/SB/9/028, 057, 058, 060, 066 and 071) (EB8.20.1x26)						-	-	-	-	R
	Spares for:										
	ANGLE, attachment rear cowl to firewall						1	-	C	GC1/5	

Canberra P R Mk 9						MAIN PLANE PORT						Page GC.7	
Part No.	Description						No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate			
	1	2	3	4	5	6							
	Attachment of angle to firewall												
A25/2C	Bolt, 2BA						2	-	C	GC1/6			
AS1242/2C	Bolt, 2BA						2	-	C	GC1/7			
EA1.20.1223	BALLJOINT, Undercarriage Side Stay Attachment Group (Pre Mod 5000 ALT/SB/9/058)						1	-	L	GC6/34			
EK5.20.675	BALLJOINT, Undercarriage Side Stay Attachment Group (Mod 5000 ALT/SB/9/058)						1	-	L	-			
EA3.00.5715	BALLJOINT, U/C Side Stay Attachment, Port (Spares for EK5.20.675)									-			
	Consisting of:												
EA1.20.1229	BALL, Bearing, Spherical Seated Group						1	-	C	GC6/35			
	Spares for:												
EA1.20.1231	BUSH, bearing						2	DTD.412	MR	GC6/36			
EA1.20.1233	BOLT, retaining ring attachment						8	S11	C	GC6/37			
EA1.20.335	BRACKET, attachment (Pre Mod 5000 ALT/SB/9/058)						1	DTD.683	C/MR	GC6/38			
EK5.20.639	BRACKET, attachment (Mod 5000 ALT/SB/9/058)						1	-	C/MR	GC6/39			
EA3.00.241	BUSH, bearing (26FZ/588, EA1.20.1215 and 26FZ/590, EA1.20.1217 wired together)						1	-	C	GC6/40			
EA1.20.1225	DOWEL, ball bearing locating						1	S11	C	GC6/41			
SP21	NIPPLE, lubricating						1	-	C	GC6/42			
EA1.20.1219	RING, bottom retaining						1	DTD.124	C	GC6/43			
EA1.20.1221	RING, top retaining						1	DTD.124	C	GC6/44			
	Attachment of balljoint undercarriage side attachment stay to spar												
EB7.20.79	Bolt, shear, side stay attachment						9	S97	C	GC6/45			
EB7.20.81	Bolt, shear, side stay attachment						6	S97	C	GC6/46			
EB7.20.85	Bolt, shear, side stay attachment						4	S97	C	GC6/47			
A25/10P	Bolt, 9/16 in. BSF						2	-	C	-			
A27/JT	Locknut, 3/8 in. BSF						15	-	C	-			
A27/JF	Nut, 3/8 in. BSF						4	-	C	-			
A27/PP	Nut, 9/16 in. BSF						2	-	C	-			
SP125/J	Washer, 3/8 in.						15	-	C	-			
SP124/P	Washer, 9/16 in.						2	-	C	-			
EA1.20.947	BOLT, undercarriage attachment bracket						1	S65	C	GC1/8			
EA1.20.949	BOLT, undercarriage, attachment bracket, bottom						2	S97	C	GC1/9			
EA1.20.973	BOLT, undercarriage bracket and aft rib 6 attachment to main spar						2	S65	C	GC1/10			
EA1.20.1017	BOLT, undercarriage, attachment bracket						4	S97	C	GC1/11			
EA1.20.2297	BOLT, undercarriage bracket and aft rib 6 attachment to main spar						2	S65	C	GC1/12			
EA3.20.189	BOLT, undercarriage attachment bracket, top						2	S97	C	GC1/13			
EA3.20.1517	BOLT, undercarriage bracket						6	S97	C	GC1/14			
EA1.20.531	BRACKET, undercarriage jack attachment						1	S65	C	GC1/15			

MAIN PLANE
PORT

Canberra P R Mk 9

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
	1 2 3 4 5 6				
	Attachment of jack attachment bracket to spar				
A25/6G	Bolt, 5/16 in. BSF	6	-	C	
A25/8G	Bolt, 5/16 in. BSF	3	-	C	
A25/9G	Bolt, 5/16 in. BSF	4	-	C	
AGS2001/G1	Nut, stiff, 5/16 in. BSF	6	-	C	
AGS2002/G1	Nut, stiff, 5/16 in. BSF	7	-	C	
EA1.20.2987	Pin, stub attachment	1	S96	C	GC1/16
SP90/G12	Pin, split, 1/8 in. dia.	1	-	C	
SP15/G	Washer, 5/16 in.	4	-	C	
SP16/G	Washer, 5/16 in.	9	-	C	
EA1.20.2983	BRACKET, undercarriage attachment stub	1	DTD683	C	GC1/17
	Attachment of stub bracket to spar				
A25/8E	Bolt, 1/4 in. BSF	4	-	C	
A25/10J	Bolt, 3/8 in. BSF	2	-	C	
A27/EP	Nut, 1/4 in. BSF	4	-	C	
A27/JF	Nut, 3/8 in. BSF	2	-	C	
SP15/E	Washer, 1/4 in.	4	-	C	
SP15/J	Washer, 1/8 in.	2	-	C	
EA1.20.139	BRACKET, main spar shear web attachment	1	DTD683	C	
EA9.20.601	CASTING, pylon support	1	-	L	
EB8.20.6265	CLEAT (Mod 5000 ALT/SB/9/056)	1	-	-	
EB8.20.6263	CLEAT (Mod 5000 ALT/SB/9/056)	1	-	-	
EB8.20.6269	CLEAT (Mod 5000 ALT/SB/9/056)	1	-	-	
EB8.20.6267	CLEAT, (Mod 5000 ALT/SB/9/056)	1	-	-	
EB8.20.1325	COVER, lamp	1	DTD838	C	GC1/18
	Attachment of lamp cover to wing structure				
EEAS1/2-1/2C	Screw, 2BA	2	S96	C	GC1/19
33H/2204516	Strip, sealing 'Prestik'	AR	-	C	
EB8.50.23	COWL, Removable, Jet Pipe, Group (Supplied to EB8.00.477 for spares purposes)	1	-	L	GC1/20
	Spares for:				
EB8.50.1243	TAILCONE	1	-	L	
EB8.20.7x7	EDGE, Trailing, Outer Wing Port (Supplied to Pt No EB8.00.637 for spares purposes) (Pre Mod 5000 ALT/SB/9/001, 029, 055, 060 066 and 077)	1	-	MR	
EB8.20.7x14	EDGE, Trailing, Outer Wing Port Assembly (Supplied to Pt No EB8.00.811 for spares purposes) (Mod 5000 ALT/SB/9/001, 029, 055, 060 066 and 077)	1	-	MR	
	Spares for:				
EA1.20.3359	ANGLE (Pre Mod 5000 ALT/SB/9/055)	1	-	-	
EK5.20.691	ANGLE (Mod 5000 ALT/SB/9/055)	1	-	-	
EA1.20.3365	ANGLE (Pre Mod 5000 ALT/SB/9/055)	1	-	-	
EK5.20.689	ANGLE (Mod 5000 ALT/SB/9/055)	1	-	-	
EB8.20.5485	ANGLE, landing	1	L73	C	
EB8.20.5487	ANGLE, landing	1	L73	C	
EB8.20.5489	ANGLE, landing	1	L73	C	

MAIN PLANE
PORT

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
EB8.45.631	ARM, Aileron, Lever Group (Pre Mod 5000 ALT SB/9/077)	1	-	L	-	R
EB8.45.1943	ARM, Aileron, Lever Group (Mod 5000 ALT SB/9/077)	1	-	L	GC3/1	R
	Spares for:					
EB8.45.641	BOSS (Pre Mod 5000 ALT SB/9/077)	1	-	C	-	R
EB8.45.1945	BOSS (Mod 5000 ALT SB/9/077)	1	-	C	-	R
EB8.45.651	BUSH, distance	1	DTD683	MR	GC3/2	R
	Attachment of lever arm to mounting box between ribs 4 and 4b					R
EB8.45.639	Bolt, 3/8 in. BSF	1	S96	C	GC3/3	
A27/JS	Nut, slotted, 3/8 in. BSF	1	-	C	GC3/4	
SP90/C8	Pin, split, 1/16 in. dia.	1	-	C	GC3/5	
	BELLCRANK and Mounting Assy (EB8.20.4411)	-	-	-	-	R
	Consisting of:					
EB8.20.4419	BELLCRANK, Group	2	-	L	GC3/6	
	Spares for:					
EB8.20.4425	BELLCRANK, c/w ballraces	1	-	MR	GC3/7	
EB8.20.4417	MOUNTING	1	L65	MR	GC3/8	R
	Attachment of bellcrank to mounting					
EB8.20.4421	Bolt, 1/4 in. BSF	1	S96	C	GC3/9	
EEAS63/E	Nut, slotted, 1/4 in. BSF	1	-	C	GC3/10	
SP90/C8	Pin, split, 1/16 in. dia.	1	-	C	GC3/11	
EA6.20.245	BOOM, rib No.2 Port	1	-	L	-	
EA3.20.2079	BRACKET, aileron hinge, inboard (Pre Mod 5000 ALT/SB/9/066)	1	DTD300	C	GC3/12	
EA3.20.4229	BRACKET, aileron hinge, inboard (Mod 5000 ALT/SB/9/066)	1	L92	C	GC3/13	
EA3.20.2075	BRACKET, aileron hinge outboard (Pre Mod ALT/SB/9/066)	1	DTD300	C	-	R
EA3.20.4227	BRACKET, aileron hinge outboard (Mod 5000 ALT/SB/9/066)	1	L92	C	-	R
EA1.20.753	BRACKET, Lever Group Port I/B (Pre Mod 5105)	1	-	L	GC3/14	
	Spares for:					
EA1.20.763	BRACKET, Lever (Pre Mod 5105)	1	-	-	-	R
EA1.20.771	Bush (Pre Mod 5105)	1	S15	C	GC3/15	
EA1.20.11077	BRACKET, Lever Group, Port I/B (Mod 5105)	1			GC3/16	
	Spares for:					
EA3.20.5175	BRACKET, Lever (Mod 5105)	1				
EA3.20.5187	BUSH (Supplied as matched pair) (Mod 5105)	1			GC3/17	
EA1.20.757	BRACKET, Lever Group Port O/B (Pre Mod 5105)	1		L	GC3/18	
	Spares for:					
EA1.20.767	BRACKET, Lever (Pre Mod 5105)	1				

MAIN PLANE
PORT

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
EA1.20.771	BUSH (Pre Mod 5105)	1	S15	C	GC3/19	
EA1.20.11081	BRACKET, Lever Group Port O/B (Mod 5105)	1			GC3/20	
	Spares for:					
EA3.20.5179	BRACKET, lever (Mod 5105)	1				
EA3.20.5187	BUSH (Supplied as matched pair) (Mod 5105)	2			GC3/21	
EA1.20.735	LEVER, Bellcrank, Flap Operation, Group	1	-	L	GC3/22	R
	Spares for:					
EA1.25.65	BOLT, 3/8 in BSF	1	S96	C	GC3/23	
EA1.20.739	BUSH	1	DTD265	C	GC3/24	
EA1.20.741	BUSH	1	DTD265	C	GC3/25	
EA1.20.745	BUSH	1	DTD265	C	GC3/26	
SP21	NIPPLE, lubricating	1	-	C	-	R
A27/JS	NUT, slotted 3/8 in BSF	1	-	C	-	R
SP90/C8	PIN, split, 1/16 in dia	1	-	C	-	R
EA1.20.743	WASHER	2	L1	C	GC3/27	
EEAS5	WASHER, red fibre	1	BSS216	C	GC3/28	
EEAS28/27EU	WASHER	1	DTD124	C	GC3/29	
	Attachment of bellcrank lever spindle					
A27/SS	Nut, slotted, 3/4 in BSF	1	-	C	GC3/30	
SP90/H16	Pin, split 5/32 in dia	1	-	C	GC3/31	
SP15/S	Washer, 3/4 in dia	1	-	C	GC3/32	
EB8.20.6029	BRACKET	2	-	C	-	R
EA1.20.687	BOLT, aileron stop, rib 4, aft	2	S96	C	GC3/33	
EB8.20.4435	BOLT, aileron hinge fitting	1	S98	C	-	R
EB8.24.309	BUSH, jack pick up bracket (Mod 2928)	4	S98	C	-	R
EA1.20.2207	COVER, drag channel end air brake structure (Pre Mod 5000 ALT/SB/9/029)	9	-	C	GC3/34	
EB8.20.6235	COVER, drag channel end, air brake structure (Mod 5000 ALT/SB/9/029)	9	-	C	GC3/35	
EA1.20.2209	COVER, drag channel end, air brake structure (Pre Mod 5000 ALT/SB/9/029)	12	-	C	GC3/36	
EB8.20.6237	COVER, drag channel end, air brake structure (Mod 5000 ALT/SB/9/029)	12	-	C	GC3/37	
	DOOR, Access Bottom Skin Group (Mod 5000 ALT/SB/9/030) (EA3.20.3945)	-	-	-	-	R
	Spares for:					
EA3.20.3947	DOOR, access (Mod 5000 ALT/SB/9/030)	1	L73x12 SWG	LM	-	R
	Attachment of access door to skin					
EEAS1/2C	Screw, csk, 2BA (Mod 5000 ALT/SB/9/030)	28	-	C	-	R

MAIN PLANE
PORT

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
AGS2007/C1	Nut, anchor 2BA (Mod 5000 ALT/SB/9/030)	28	-	C	-	R
EEAS8/B	Plate, packing (Mod 5000 ALT/SB/9/030)	28	-	C	-	R
EA1.20.5321	EYEBOLT	82	S96	C	GC1/21	
EB8.20.3861	FAIRING, aileron jack	1	-	C	GC3/38	
	Attachment of fairing to outer wing trailing edge					
EEAS1/1C	Screw, 2BA	8	S96	C	-	R
EEAS1/3C	Screw, 2BA	5	S96	C	-	R
EEAS128	FITTING, end	1	DTD683	C	-	R
EEAS170 Mk.2	FITTING, adjuster	1	-	C	-	R
EB8.20.4433	FITTING, aileron centre hinge	1	S95	MR	GC3/39	
EB8.20.5649	LEVER, Aileron Control, Group on Rib 2 and 2B, Outer Wing (Mod 3133)	1	-	MR	GC3/40	
	Spares for:					
EB8.20.5647	ARM, Lever, c/w Boss, Group (Mod. 3133)	1	-		GC3/41	
	Attachment of lever arm group to mounting brackets					
EA1.20.609	Bolt, pivot, aileron control	1	L40	C	GC3/42	
A29/JS	Nut, slotted, 3/8 in BSF	1	-	C	GC3/43	
SP90/C8	Pin, split, 1/16 in dia	1	-	C	GC3/44	
SP15/J	Washer, 3/8 in	1	-	C	GC3/45	
EA1.20.689	MOUNTING, aileron stop bolt	1	L40	C	GC3/46	
EA1.20.691	MOUNTING, aileron stop bolt	1	L40	C	GC3/47	
	Attachment of aileron stop bolt mounting to rib 4 outer wing					
A25/2C	Bolt, 2BA	3	-	C	GC3/48	
A27/CP	Nut, 2BA	3	-	C	GC3/49	
EA1.20.1433	NUT, aileron centre hinge bolt	1	S96	C	GC3/50	
EA1.20.2351	PANEL, access, air brake	1	-	C	GC3/51	
	Attachment of air brake access panel to bottom skin					
EEAS1/2C	Screw, csk, 2BA	30	S96	C	-	R
EEAS1/2-1/2C	Screw, 2BA	1	S96	C	-	R
EA6.20.223	PANEL, access, air brake	1	-	C	GC3/52	
	Attachment of air brake access panel bottom skin					
EEAS1/2C	Screw, csk, 2BA	40	S96	C	-	R
EB8.20.2081	PANEL, access, aileron controls	1	-	C	GC3/53	
	Attachment of aileron controls access panel to top skin between ribs 4 and 6A					
EEAS1/1-1/2C	Screw, 2BA	16	S96	C	-	R

MAIN PLANE
PORT

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
EB8.20.2497	PANEL, access, aileron controls	1	-	C	GC3/54	
	Attachment of aileron controls access panel to top skin between ribs 6 and 8					
EEAS1/1-1/2C	Screw, 2BA	14	S96	C	-	R
EB8.20.4457	PANEL, Access, Aileron Jacks	1	-	C	GC3/55	
	Spares for:					
EB8.04.1699	BOLT, 1/4 in BSF	1	S95	C	GC3/56	
	Attachment of aileron jacks access panel to top skin					
EEAS1/3C	Screw, 2BA	98	S96	C	-	R
EB8.20.173	PANEL, assembly	1	-	C	-	
EA9.20.409	PANEL, Skin, Top, aft of Main Spar (Pre Mod 5000 ALT/SB/9/029)	1	-	C	-	
EB8.20.6171	PANEL, Skin, Top, Air Brakes aft of Front Spar (Mod 5000 ALT/SB/9/029)	1	-	C	-	
EA9.20.413	PANEL, Skin, Top, aft of Main Spar (Pre Mod 5000 ALT/SB/9/029)	1	-	C	-	
EB8.20.6415	PANEL, Skin, Top, Air Brakes aft of Front Spar (Mod 5000 ALT/SB/9/029)	1	-	C	-	
EA9.20.411	PANEL, Skin, Bottom, Outer Wing aft of Main Spar (Pre Mod 5000 ALT/SB/9/029)	1	-	C	-	
EB8.20.6081	PANEL, Skin, Bottom, Outer Wing aft of Main Spar (Mod 5000 ALT/SB/9/029)	1	-	C	-	
	Spares for:					
AS1242/2C	BOLT, 2BA, reinforcing plates	8	-	C	-	R
AGS2001/C1	NUT, stiff 2BA	8	-	C	-	R
EEAS640/9B	STRIP, nut, 2BA	4	-	C	-	R
EEAS640/17B	STRIP, nut, 2BA	1	-	C	-	R
SP15/C	WASHER, 2BA	8	-	C	-	R
EAL.20.2213	BEARING, Roller, Assembly	12	-	C	-	R
EAL.20.2081	BEARING, Roller, Assembly	9	-	C	-	R
	Spares for:					
EAL.20.2087	ROLLER, Oilite	42	-	C	-	R
EAL.20.2085	BUSH, Spacing	21	-	C	-	R
A25/15C	BOLT, 2BA	21	-	C	-	R
A27/CS	NUT, slotted, 2BA	21	-	C	-	R
SP15/C	WASHER	21	-	C	-	R
SP90/C6	PIN, split, 1/16 in. dia	21	-	C	-	R
	Attachment of roller bearing assemblies to skin panels					
EEAS1/2C	Screw, csk, 2BA	63	-	C	-	R
AGS2001/C1	Nut, stiff, 2BA	63	-	C	-	R
EA3.20.2073	PIN, aileron hinge, outboard	1	S65	C	GC3/57	
	Attachment of hinge pin to aileron hinge bracket rib 8					
A25/10C	Bolt, 2BA	1	-	C	GC3/58	
AGS2001/C1	Nut, stiff, 2BA	1	-	C	GC3/59	

Canberra P R Mk 9						MAIN PLANE PORT						Page GC.13	
Part No.	Description						No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate			
	1	2	3	4	5	6							
EA3.20.2077	PIN, aileron hinge inboard						1	S65	C	GC3/60			
	Attachment of hinge pin to aileron hinge bracket at rib 4												
A25/13C	Bolt, 2BA						1	-	C	GC3/61			
AGS2001/C1	Nut, stiff, 2BA						1	-	C	GC3/62			
EA3.20.2365	Washer						1	L40	C	GC3/63			
EB8.20.3471	RIB 8, Assembly						1	-	C	-			
	RIB 8, Assembly Alterations (Mod 5000 ALT/SB/9/060) (EB8.20.6309)						-	-	-	-			
	Spares for:												
EB8.20.6313	PIECE, insertion (ALT/SB/9/060)						1	-	C	-			
EB8.20.6315	PIECE, insertion (ALT/SB/9/060)						1	-	C	-			
EB8.20.6317	STRAP, butt (ALT/SB/9/060)						2	-	C	-			
EB8.20.6318	STRAP, butt (ALT/SB/9/060)						2	-	C	-			
	Attachment of butt straps to rib												
AS1242/3B	Bolt, 4BA (ALT/SB/9/060)						4	-	C	-			
A25/3C	Bolt, 2BA (ALT/SB/9/060)						2	-	C	-			
AS1248/4C	Bolt, 2BA (ALT/SB/9/060)						4	-	C	-			
EEAS1/2C	Screw, csk, 2BA (ALT/SB/9/060)						14	-	C	-			
A27/BT	Nut, 4BA (ALT/SB/9/060)						4	-	C	-			
A27/CP	Nut, 2BA (ALT/SB/9/060)						4	-	C	-			
A27/CT	Nut, 2BA (ALT/SB/9/060)						14	-	C	-			
SP13/C	Washer, 2BA (ALT/SB/9/060)						4	-	C	-			
SP15/C	Washer, 2BA (ALT/SB/9/060)						14	-	C	-			
EA3.20.2531	SHROUD, Outboard, Flap, Group						1	-	L	GC1/22			
	Spares for:												
EA3.20.2543	PANEL, access						2	L72/16 SWG	LM	GC1/23			
	Attachment of access panel to flap shroud												
EEAS1/1C	Screw, 2BA						20	S96	C	-			
EA1.20.411	RIB, No.4, outer wing						1	-	C	GC3/64			
EA3.20.1977	STOP, flap						11	-	C	GC1/24			
	Attachment of outboard flap shroud to rear spar												
A27/EP	Nut, 1/4 in. BSF						12	-	C	GC1/25			
EEAS1/3E	Screw, 1/4 in. BSF						12	-	C	GC1/26			
S4100	Screw, P.K. No.8, csk, 1/2 in. long						22	-	C	GC1/27			
SP16/E	Washer, 1/4 in.						12	-	C	GC1/28			
EB8.20.5917	SHROUD, Aileron, Bottom Outboard (Supplied with trim allowance and pilot holes) (Mod 3789)						1	-	L	GC1/29			
	Spares for:												
EB8.20.5599	STRIP, sealing (Mod 3163)						1	L72	L	GC1/30			
EB8.20.5921	SHROUD, Aileron, Bottom Inboard (Supplied with trim allowance and pilot holes) (Mod.3789)						1	-	L	GC1/31			
EB8.20.5601	STRIP, sealing (Mod 3163)						1	L72	C	GC1/32			

MAIN PLANE
PORT

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
EB8.20.5923	SHROUD, Aileron, Top Inboard (Supplied with trim allowance and pilot holes) (Mod 3789)	1	-	L	GC1/33	
	Spares for:					
EB8.20.5603	STRIP, sealing (Mod 3163)	1	L72	C	GC1/34	
EB8.20.5919	SHROUD, Aileron, Top Outboard (Supplied with trim allowance and pilot holes) (Mod 3789)	1	-	L	GC1/35	
	Spares for:					
EB8.20.5605	STRIP, sealing (Mod 3163)	1	L72	C	GC1/36	
	Attachment of sealing strip to shroud					
AGS2001/C1	Nut, stiff, 2BA	AR	-	C	GC1/37	
AGS2002/C1	Nut, stiff, 2BA	AR	-	C	GC1/38	
EEAS1/2C	Screw, csk, 2BA	AR	S96	C	GC1/39	
SP15/C	Washer, 2BA	AR	-	C	GC1/40	R
	Attachment of shrouds to rear spar					
AS1242/2C	Bolt, 2BA	AR	-	C	GC1/41	
AGS2002/C1	Nut, stiff, 2BA	AR	-	C	GC1/42	
SP15/C	Washer, 2BA	AR	-	C	GC1/43	
	SWITCH, Drum, Assembly (EB8.20.4283)	-	-	-	-	R
	Spares for:					
EB8.20.4285	BUSH, driving	1	S95	C	GC3/65	
EB8.20.4289	BUSH, rubber	1	-	C	GC3/66	
EB8.20.4287	CAP, screw	1	S95	C	GC3/67	
EB8.20.5427	PLATE, stop	1	S1	C	GC3/68	
Sangamo Weston S132/1/11	TRANSMITTER	1	-	P	GC3/69	
	Attachment of switch assembly to structure					
A25/8C	Bolt, 2BA	2	-	C	GC3/70	
AGS2002/C1	Nut, stiff, 2BA	2	-	C	GC3/71	
SP15/C	Washer, 2BA	2	-	C	GC3/72	
EA3.20.2239	WASHER, shroud attachment at rib 8	6	Lam.Alum.	C	GC1/44	
EA3.20.375	WASHER, aileron centre hinge bolt	2	DTD683	C	GC3/73	
EB8.20.9x4	EDGE, Trailing, Inner Wing, Port Assembly, (Supplied to Pt No EB8.00.639 for spares purposes) (Pre Mod 5000 ALT/SB/9/028, 055 and 071)	1	-	MR	-	R
EB8.20.9x10	EDGE, Trailing, Inner Wing, Port Assembly, (Supplied to Pt No EB8.00.819 for spares purposes) (Mod 5000 ALT/SB/9/028, 055 and 071)	1	-	MR	-	R
	Spares for:					
EA1.20.7079	ANGLE (Pre Mod 5000 ALT/SB/9/055)	1	-	-	-	R
EK5.20.683	ANGLE (Mod 5000 ALT/SB/9/055)	1	-	-	-	R

MAIN PLANE
PORT

Part No.	Description	No. off	Material Specification	Class	Plate		
				of Eqpt M.R. or L.M.			
	1 2 3 4 5 6						
EA1.20.7075	ANGLE (Pre Mod 5000 ALT/SB/9/055)	1	-	-	-	R R R	
EK5.20.685	ANGLE (Mod 5000 ALT/SB/9/055)	1	-	-	-		
EB8.20.5941	ANGLE, reinforcing	1	L72	C	-		
EA1.20.641	ARM, Lever, c/w Boss, Group	1	-	L	GC4/1		
Spares for:							
EA1.20.639	ARM, lever	1	-	C	GC4/2		
Attachment of lever arm to boss							
A25/5C	Bolt, 2BA	3	-	C	GC4/3		
A27/CP	Nut, 2BA	3	-	C	GC4/4		
SP16/C	Washer, 2BA	3	-	C	GC4/5		
Attachment of lever arm group to mounting brackets on trailing edge rib 4							
EA1.20.609	Bolt, pivot, aileron control	1	L40	C	GC4/6		
A29/JS	Nut, slotted, 3/8 in. BSF	1	-	C	GC4/7		
SP90/C8	Pin, split, 1/16 in. dia.	1	-	C	GC4/8		
SP15/J	Washer, 3/8 in.	1	-	C	GC4/9		
EA1.20.751	BRACKET, Lever, Group, Port O/B (Pre Mod 5105)	1	-	L	GC4/10		
Spares for:							
EA1.20.761	BRACKET, lever (Pre Mod 5105)	1			-	R	
EA1.20.771	BUSH, (Pre Mod 5105)	1	S15	C	GC4/11		
EA1.20.11075	BRACKET, Lever, group, Port O/B (Mod 5105)	1			GC4/12		
Spares for:							
EA3.20.5173	BRACKET, lever (Mod 5105)	1			-	R	
EA3.20.5187	BUSH (Supplied as matched pair) (Mod 5105)	2			GC4/13		
EA1.20.735	LEVER, Bellcrank Flap Operation Group	1	-	L	GC4/14		
Spares for:							
EA1.25.65	BOLT, 3/8 in BSF	1	S96	C	GC4/15	R	
EA1.20.739	BUSH	1	DTD265	C	GC4/16		
EA1.20.741	BUSH	1	DTD265	C	GC4/17		
EA1.20.745	BUSH	1	DTD265	C	GC4/18		
SP21	NIPPLE, lubricating	1	-	C	GC4/19		
A27/JS	NUT, slotted 3/8 in BSF	1	-	C	GC4/20		
SP90/C8	PIN, split, 1/16 in dia	1	-	C	GC4/21		
EA1.20.743	WASHER	2	L1	C	GC4/22		
EEAS5	WASHER, red fibre	1	BSS216	C	GC4/23		
EEAS28/37EU	WASHER	1	DTD124	C	GC4/24		
Attachment of bellcrank lever to lever bracket spindle							
A27/SS	Nut, slotted, 3/4 in BSF	1	-	C	GC4/25		
SP90/H16	Pin, split, 5/32 in dia	1	-	C	GC4/26		
SP15/S	Washer, 3/4 in	1	-	C	GC4/27		
EB8.20.5391	BRACKET, rear wall	1	-	C	-	R R	
EB8.20.2961	BRACKET, assembly flap shroud port (Pre Mod 5000 ALT/SB/9/079)	1	-	C	-		
BRACKET, Flap Shroud, Alteration to Attachment, Port (Mod 5000 ALT/SB/9/079) (EB8.20.6335)							R

MAIN PLANE
PORT

Canberra P R Mk 9

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
EB8.20.6335/A	Spares for: BRACKET, Flap Shroud Attachment (Mod 5000 ALT/SB/9/079)	1	S533	C	-	R
	Attachment of bracket to structure					
EA934	Adhesive, 'Hysol'	AR	-	C	-	R
EEAS1/2C	Screw, csk, 2BA	2	-	C	-	R
AGS2001/C1	Nut, stiff, 2BA	2	-	C	-	R
AS2227/405	Rivet, 1/8 in dia, csk hd	15	-	C	-	R
AGS3291/510	Rivet, 5/32 in dia, csk hd	10	-	C	-	R
SP124/D	Washer	2	-	C	-	R
EA1.20.3159	BRACKET, Lever, Group Port I/B (Pre Mod 5105)	-	-	-	GC4/28	
	Spares for:					
EA1.20.761	BRACKET, lever (Pre Mod 5105)	1	-	-	-	R
EA1.20.771	BUSH (Pre Mod 5105)	1	S15	C	GC4/29	
EA1.20.11085	BRACKET, Lever Group, Port I/B (Mod 5105)	1	-	-	GC4/30	R
	Spares for:					
EA1.20.5173	BRACKET, lever (Mod 5105)	1	-	-	-	R
EA3.20.5187	BUSH (Supplied as a matched pair) (Mod 5105)	2	-	-	GC4/31	R
EA1.20.3135	LEVER, Bellcrank Assembly	1	-	L	-	R
	Spares for:					
EA1.25.65	BOLT, 3/8 in BSF	1	S96	C	GC4/32	
EA1.20.739	BUSH	1	DTD265	C	GC4/33	
EA1.20.741	BUSH	1	DTD265	C	GC4/34	
EA1.20.745	BUSH	1	DTD265	C	GC4/35	
SP21	NIPPLE, lubricating	1	-	C	GC4/36	R
A27/JS	NUT, slotted, 3/8 in BSF	1	-	C	GC4/37	
SP90/C8	PIN, split, 1/16 in dia	1	-	C	GC4/38	
EA1.20.743	WASHER	2	L1	C	GC4/39	
EEAS5	WASHER, red fibre	1	BSS216	C	GC4/40	
EEAS28/37EU	WASHER	1	DTD124	C	GC4/41	
EA1.20.749	SPINDLE, lever	1	-	C	-	R
	DOOR, Access, Bottom Skin, Group (Mod 5000 ALT/SB/9/030) (EA3.20.3931)	-	-	-	-	R
	Spares for:					
EA3.20.3933	DOOR, access	1	-	C	-	R
	Attachment of access door to bottom skin					
EEAS1/2C	Screw, csk, 2BA (ALT/SB/9/030)	30	-	C	-	R
AGS2007/C1	Nut, anchor 2BA (ALT/SB/9/030)	30	-	C	-	R
EEAS8/B	Plate packing (ALT/SB/9/030)	30	-	C	-	R
EA1.20.1045	PANEL, access, electrical equipment, bottom skin between ribs 6 and 7	1	-	C	GC4/42	
EEAS1/2E	Screw, 1/4 in BSF	AR	S96	C	-	R
EEAS1/5E	Screw, 1/4 in BSF	20	S96	C	-	R
EA3.20.353	PANEL, access, rear wing attachment pin, bottom skin	1	DTD546	C	GC4/43	

MAIN PLANE
PORT

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
	Attachment of access panel to bottom skin between ribs 1 and 2					
EEAS1/2C EA3.20.377	Screw, csk, 2BA PANEL, access, front wing attachment pin, top skin (Pre Mod 5000 ALT/SB/9/071)	24 1	S96 DTD546	C C	GC4/44 GC4/45	R
EA3.20.4969	PANEL, access, front wing attachment pin, top skin (Mod 5000 ALT/SB/9/071)	1	L73 12 SWG	LM	GC4/46	
	Attachment of access panel to top skin between ribs 1 and 2					
EEAS1/2-1/2E EA3.20.2229	Screw, 1/4 in. BSF PANEL, access, radar equipment top skin	AR 1	S96 -	C C	- GC4/47	R
	Attachment of access panel to top skin between ribs 4 and 5					
EEAS1/1-1/2C EA3.20.2231	Screw, 2BA PANEL, access, radar equipment, top skin	16 1	S96 -	C C	- GC4/48	R
	Attachment of access panel to top skin between ribs 5 and 6					
EEAS1/1-1/2C EA3.20.2233	Screw, 2BA PANEL, access radar equipment top skin	14 2	S96 -	C C	- GC4/49	R
	Attachment of access panel to top skin					
EEAS1/1-1/2C EA3.20.2513	Screw, 2BA PANEL, access, inboard, flap controls	12 1	S96 L72	C C	- GC4/50	R
	Attachment of inboard access panel to flap shroud					
EEAS1/1C EA3.20.2515	Screw, 2BA PANEL, access, inboard, flap	14 1	S96 -	C C	- GC4/51	R
	Attachment of outboard access panel to flap shroud					
EEAS1/1C	Screw, 2BA	14	S96	C	-	R
	RIB 1, Alterations to Attachment Rear Wall Assembly, Port (Mod 5000 ALT/SB/9/079) (EB8.20.6337)	-	-	-	-	R
	Spares for:					
EB8.20.6337/A	ANGLE, attachment (Mod 5000 ALT/SB/9/079)	1	S533	C	-	R
EB8.20.6338/A	ANGLE, attachment (Mod 5000 ALT/SB/9/079)	1	S533	C	-	R

MAIN PLANE
PORT

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
	1 2 3 4 5 6				
A25/8C AGS2001/C1 SP124/D	Attachment of angles to rear well Bolt, 2BA Nut, stiff, 2BA Washer	8 8 8	- - -	C C C	
EA934 SP81/606 EB8.20.6337/B EB8.20.3051	Attachment of angles to flap shroud bracket Adhesive, 'Hysol' Rivet, 3/16 in dia Plate, fillet (Mod 5000 ALT/SB/9/079) SHROUD ASSY, Flap	AR 4 2 1	L72	C C C L	R
EB8.20.2799 EB8.20.6059	Spares for: SEAL, 'P' rubber (Pre Mod 5282) (Make from Ref. 20626) SEAL, 'P' rubber (Mod 5282) (Make from Ref. 6147759)	2 2	EEAS 120 EEAS 842	C C	R R
AGS2001/B1 AS1242/2B SP15/B EB8.20.2795 EB8.20.2797	Attachment of seals to shroud Nut, stiff 4BA Bolt, csk. hd. 4BA Washer Strip, retaining upper Strip, retaining lower SPAR, Main, Root End Top Surface Alterations (Mod 5000 ALT/SB/9/071) (EA3.20.4965) Spares for:	19 19 19 1 1 - -	- -	C C C C C -	R R R R R R
EEAS1/3C EEAS1/3-1/2C EEAS1/4-1/2C EA3.20.5147 EA3.20.5161 AGS2002/C1 AGS2007/C1 A27/CT EEAS8/1C EEAS640/3A EA3.20.5151 EEAS28/65R	BOLT, 2BA (Mod 5000 ALT SB/9/071) BOLT, 2BA (Mod 5000 ALT SB/9/071) BOLT, 2BA (Mod 5000 ALT SB/9/071) BOLT, special (Mod 5000 ALT SB/9/071) BOLT, special (Mod 5000 ALT SB/9/071) NUT, 2BA (Mod 5000 ALT SB/9/071) NUT, anchor, 2BA (Mod 5000 ALT SB/9/071) NUT, 2BA (Mod 5000 ALT SB/9/071) PACKER (Mod 5000 ALT SB/9/071) STRIP, anchor nut (Mod 5000 ALT SB/9/071) WASHER, special (Mod 5000 ALT SB/9/071) WASHER (Mod 5000 ALT SB/9/071) SPAR, Main, Root End Bottom Surface Alterations (Mod 5000 ALT/SB/9/071) (EB8.20.6285)	8 2 11 13 2 11 15 4 5 1 9 2 -	- - - - - - - - - - - - -	C C C C C C C C C C C C -	R R R R R R R R R R R R R

MAIN PLANE
PORT

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
	Spares for:					
EA3.20.5147	BOLT, special (Mod 5000 ALT SB/9/071)	47	-	C		R
EEAS1/5-1/2C	BOLT, 1/4 in. BSF (Mod 5000 ALT SB/9/071)	7	-	C		R
EA3.20.4681	BOLT, special (Mod 5000 ALT SB/9/071)	4	-	C		R
EB8.20.6287	DOUBLER (Mod 5000 ALT SB/9/071)	1	-	C		R
AGS2001/C1	NUT, 2BA (Mod 5000 ALT SB/9/071)	4	-	C		R
AGS2007/C1	NUT, anchor, 2BA (Mod 5000 ALT SB/9/071)	18	-	C		R
AGS2018/C1	NUT, anchor, 2BA (Mod 5000 ALT SB/9/071)	5	-	C		R
EEAS8/C	PACKING (Mod 5000 ALT SB/9/071)	3	-	C		R
EA3.20.5151	WASHER, special (Mod 5000 ALT SB/9/071)	6	-	C		R
EA3.20.5157	WASHER, special (Mod 5000 ALT SB/9/071)	2	-	C		R
EB8.20.11x3	EDGE, Leading, Inner Wing Port Assembly (Supplied to Pt. No. EB8.00.641 for spares purposes) (Pre Mod 5000 ALT/SB/9/051, 056 and 071)	1	-	MR	-	R
EB8.20.11x6	EDGE, Leading, Inner Wing Port Assembly (Supplied to Pt. No. EB8.00.807 for spares purposes) (Mod 5000 ALT/SB/9/051, 056 and 071)	1	-	MR	-	R
	Spares for:					
EA1.20.1349	BLOCK, stop undercarriage	1	L40	C	GC4/52	
	Attachment of stop block to cradle					
A25/29E	Bolt, 1/4 in. BSF	3	-	C	GC4/53	
A27/ES	Nut, slotted, 1/4 in. BSF	3	-	C	GC4/54	
SP90/C8	Pin, split 1/16 in. dia	3	-	C	GC4/55	
SP90/G6	Pin, split, 1/8 in. dia	2	-	C	GC4/56	
EA1.20.1355	Shim	1	DTD610	C	GC4/57	
SP16/E	Washer, 1/4 in.	3	-	C	GC4/58	
EB8.20.413	BOLT, 1/2 in. dia. attachment inboard engine rib	1	S98	C/MR	GC4/59	
EB8.20.415	BOLT, 9/10 in. dia. attachment inboard engine rib	1	S98	C/MR	GC4/60	
EB8.20.419	BOLT, 9/10 in. dia. attachment inboard engine rib	1	S98	C/MR	GC4/61	
EB8.20.1733	BOOM, top rear inboard	1	DTD.5044	C/MR	-	R
EB8.20.1735	BOOM, bottom rear inboard	1	DTD.5044	L/MR	-	R
EB8.20.1747	BOOM, fwd., inboard	1	DTD.5044	L/MR	-	R
EA3.20.3419	BRACKET	1	-	MR	-	R
EB8.20.5319	BRACKET U/C side forging (Use EA1.20.1665. Ref: - 26FZ/9198)	1	-	L	-	R
EB8.20.4079	BRACKET, steady group	2	-	C	GC4/62	
	Attachment of steady bracket to inter rib 2					
A25/2C	Bolt, 2BA	3	-	C	-	R
EB8.20.4085	Plate, serrated	1	L72	C	-	R
EB8.20.1847	COVER, inspection	1	L72	C	-	R

MAIN PLANE
PORT

Canberra P R Mk 9

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
EEAS1/1C	Attachment of inspection cover to bottom skin panel					
	Screw, 2BA	12	S96	C	-	R
	DIAPHRAGM, Frame 17 Installation (Mod 5000 ALT/SB/9/051) (EB8.20.2629x6)	-	-	-	-	R
	Spares for:					
EB8.20.2941x2	BOOM, top (Mod 5000 ALT SB/9/051)	1	-	-	-	R
EB8.20.2943x2	BOOM, bottom (Mod 5000 ALT SB/9/051)	1	-	-	-	R
EB8.20.6255	BUTTSTRAP (Mod 5000 ALT SB/9/051)	1	-	-	-	R
EB8.20.6253	DIAPHRAGM, assy (Mod 5000 ALT SB/9/051)	1	-	-	-	R
EB8.81.161	PACKER (Mod 5000 ALT SB/9/051)	4	-	-	-	R
EB8.20.6281	PLATE, bevel (Mod 5000 ALT SB/9/051)	1	-	-	-	R
EB8.20.6283	WASHER, plate (Mod 5000 ALT SB/9/051)	1	-	-	-	R
EB8.20.6257	WEB, insert (Mod 5000 ALT SB/9/051)	1	-	-	-	R
EB8.20.6259	WEB (Mod 5000 ALT SB/9/051)	1	-	-	-	R
EB8.57.359	DUCT, outlet, bottom skin	1	-	C	GC4/63	
	EARTH POINT, E80, ground service installation	-	-	-	-	R
	Spares for:					
EA9.81.10865	BOLT	1	S96	C		
EA9.81.10867	LABEL	1	L72	C		
A103/GT	NUT, 5/16 in. UNF	2	-	C		
AGS3413/G	NUT, wing, 5/16 in. UNF	1	-	C		
SP90/C6	PIN, split, 1/16 in. dia.	1	-	C		
EEAS28/31ERH	WASHER	1	-	C		R
SP126/G	WASHER	1	-	C		
SP55/G	WASHER	1	-	C		
EB8.20.4351	FAIRING, outlet, bottom skin	1	L72	C	GC4/64	
EB8.57.361	FUNNEL, group	1	-	C	GC4/65	
EA3.20.2573	HOOK, Undercarriage Up-Lock, Group	1	-	L	GC4/66	
	Spares for:					
EA1.20.1243	BUSH	2	DTD412	C	GC4/67	
	Attachment of up-lock hook to brackets on support beam					
EA1.20.1251	Bolt, 3/8 in. BSF	1	S65	C	GC4/68	
SP21	Nipple, lubricating	1	-	C	GC4/69	
A27/JS	Nut, slotted, 3/8 in. BSF	1	-	C	GC4/70	
SP90/C8	Pin, split, 1/16 in. dia.	1	-	C	GC4/71	
SP13/J	Washer, 3/8 in.	1	-	C	GC4/72	
EB8.20.2021	PANEL, access, generator mounting	1	-	C	GC4/73	
	Attachment of access panel to bottom skin panel					
EEAS1/1C	Screw, 2BA	20	S96	C	GC4/74	

MAIN PLANE
PORT

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
EB8.20.5497	PANEL, access, servicing hot air mixture valve (Mod 3077)	1	L73	C	GC4/75	
	Attachment of access panel to bottom skin					
EEAS1/1C	Screw, 2BA	10	S96	C	GC4/76	
EB8.20.151	PANEL, removable between root rib and rib 2 (Supplied to Pt No EB8.00.459 for spares purposes)	1	-	C	GC4/77	
	Attachment of removable panel to structure					
EEAS1/2-1/2C	Screw, 2BA	31	S96	C		
EB8.20.3349	PANEL, Removable, Between Rib 2 and Inboard Engine Rib (Supplied to Pt No EB8.00.461 for spares purposes)	1	-	L	GC4/78	
	Spares for:					
EB8.20.3101	PANEL, Access	1	-	C	GC4/79	
	Spares for:					
Fairey FS430/B	FASTENER, flick	6	-	C		
	Attachment of removable panel to structure					
EEAS1/3C	Screw, 2BA	35	S96	C	-	R
EB8.20.3379	PANEL, Removable, Between Root Rib and Rib 2 (Pre Mod 3943, Pt. A) (Supplied to Pt. No. EB8.00.463 for spares purposes)	1	-	L	GC4/80	R
EB8.20.5959	PANEL, Removable. Between Root Rib and Rib 2 (Mod 3943 Pt A)	1	-	L	GC4/81	
	Spares for:					R
EB8.20.3661	PANEL, Access, Group	1	-	C	GC4/82	
	Spares for:					
Dzus F4/30	FASTENER	4	-	C	GC4/83	
Dzus GF4/150	GROMMET	4	-	C	GC4/84	
	Attachment of removable panel to structure					
EEAS1/2C	Screw, csk, 2BA	55	S96	C	GC4/85	R

MAIN PLANE
PORT

Canberra P R Mk 9

Part No.	Description						No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
	1	2	3	4	5	6				
EB8.20.3391	PANEL, Removable, Between Rib 2 and Inboard Engine Rib 9 (Supplied to Pt No EB8.00.465 for spares purposes)						1	-	L	GC4/86
	Spares for:									
EB8.20.969	PLATE, cover						1	L73	C	GC4.87
	Attachment of cover plate to removable panel									
Dzus F4/30	Fastener						10	-	C	GC4/88
EB8.20.3809	PLATE, cover						1	-	C	
	Attachment of cover plate to removable panel									
Dzus F4/30	Fastener						4	-	C	
	Attachment of removable panel to structure									
EEAS1/3-1/2C	Screw, 2BA						70	S96	C	GC4/89
EEAS1/5E	Screw, 1/4 in. BSF						1	S96	C	
EB8.20.2011	PIECE, bridge, gearbox mounting						1	-	C	
	Attachment of bridge piece to inter rib 2						1	-	C	
Aviation. Dev. A506	Pin, "pip", quick release						2	-	C	GC4/90
EB8.20.5495	PLATE, reinforcing (Mod 3077) (Supplied with pilot holes in web. Flanges undrilled)						1	-	C	GC4/91
EA3.20.3905	SPRING, U/C uplock hook (Mod 4824)						1	-	C	GC4/92
EB8.57.367	SPRING, outlet funnel						1	DTD215	C	
EB8.20.5089	STRAP, fixed portion, hydraulic reservoir mounting, group						1	-	C	GC4/93
EB8.20.5095	STRAP, removable portions, hydraulic reservoir mounting group						1	-	C	GC4/94
	Attachment of removable strap									
SP4/Y/H17	Pin, 3/8 in. dia.						1	-	C	GC4/95
SP90/E8	Pin, split, 1/16 in. dia.						1	-	C	GC4/96
AS2427	Trunnion						1	-	C	GC4/97
AS2428	Trunnion						1	-	C	GC4/98
SP35/C	Turn buckle						1	-	C	GC4/99
SP15/J	Washer, 3/8 in.						1	-	C	GC4/100
EB8.20.5491	STRINGER, bottom skin (Mod 3077) (Supplied with pilot holes only)						1	-	L	GC4/101

R

MAIN PLANE
PORT

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
EB8.20.2613	STRUCTURE, Inboard Engine Rib (Mod.4376)	1	-	L		
	Spares for:					
EB8.20.6027	CLEAT	1	S96	C	-	R
EB8.20.6025	FORGING, main u/c bracket	1	DTD5094	L	-	R
AS2806/4/014	TUBE, distance	2	-	C	-	R
EB8.20.5499	WEDGE, packing (Mod 3077)	1	L72	C	GC4/102	
EB8.20.5501	WEDGE, packing (Mod 3077)	1	L72	C	GC4/103	
EB8.20.5503	WEDGE, packing (Mod 3077)	1	L73	C	GC4/104	
EB8.20.5505	WEDGE, packing (Mod 3077)	1	L72	C	GC4/105	
	EDGE, Leading, Inboard, Outer Wing Port Assembly (EB8.20.13)	-	-	-	-	R
	Spares for:					
EB8.20.3413	BOOM, top rib 1A	1	DTD5054	B/MR	-	R
EB8.20.3415	BOOM, bottom rib 1A	1	DTD5054	B/MR	-	R
EA1.20.5321	EYE-BOLT	37	S96	C	GC1/45	
EB8.11.1215	PANEL, Access, Camera Hoist, Group	1	-	L	GC5/1	
	Spares for:					
EB8.11.1223	RING, rubber	1	Hycar	C	GC5/2	
Terry						
169-1/2	RING, split key	2	-	C	GC5/3	R
EB8.11.1217	SCREW, clamping	1	S92	C	GC5/4	
EB7.20.69	PANEL, access, fuel recuperator	1	-	C	GC5/5	
	Attachment of access panel to top skin					
EEAS1/2C	Screw, csk, 2BA	23	S96	C	-	R
EEAS1/4C	Screw, 4BA	18	S96	C	-	R
EB7.20.71	PANEL, access, fuel recuperator	1	-	C	GC5/6	
	Attachment of access panel to bottom skin					
EEAS1/2E	Screw, 1/4 in. BSF	51	S95	C	-	R
EEAS1/3E	Screw, 1/4 in. BSF	13	S96	C	-	R
EEAS1/4E	Screw, 1/4 in. BSF	15	S96	C	-	R
EB7.20.103	PANEL, access, fuel recuperator	1	-	C	GC5/7	
	Attachment of access panel to top skin					
Dzus						
F4/30	Fastener	4	-	C	-	R
Dzus						
GF4/150	Grommet	4	-	C	-	R
	EDGE, Leading, Outboard, Outer Wing, Port Assembly (EB8.20.5217)	-	-	-	-	R
	Spares for:					
EA3.20.1725	COVER, I.L.S. aerial (Pre Mod 2561)	1	-	C	GC5/8	
EA9.20.1379	COVER, I.L.S. aerial (Mod 2561)	1	-	L	GC5/9	
EA1.20.5321	EYEBOLT	34	S96	C	GC1/46	
EA3.20.1671	PANEL, access, I.L.S. aerial	1	-	C	GC5/10	

MAIN PLANE
PORT

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
EB8.20.17	EXTENSION, Wing, Port, Group	1	-	MR	GC5/11	
	Spares for:					
EB8.20.1075	BOLT, steady, wing tip tank attachment	1	S96	C	GC5/12	
EB8.20.1447	BRACKET, taxiing lamp, group	1	-	C	GC5/13	
EB8.20.5909	CLAMP, drop tank fuel pipe release	1	LFS21	C	GC5/14	
	Attachment of clamp to top plate and fuel pipe					
A25/5C	Bolt, 2BA, clamp to top plate	2	-	C	GC5/15	
A25/27C	Bolt, 2BA, clamp to fuel pipe	3	-	C	GC5/16	
A27/CP	Nut, 2BA	3	-	C	GC5/17	
SP55/C	Washer	3	-	C	GC5/18	
EB8.20.1077	PANEL, access, aileron, outboard hinge	1	L72	C	GC5/19	
	Attachment of access panel to top skin					
EEAS1/1C	Screw, 2BA	6	S96	C	-	R
EB8.20.2531	PANEL, access, wing tip tank fuel pipes	1	-	C	GC5/20	
	Attachment of access panel to top skin					
EEAS2/1C	Screw, 2BA	12	S96	C	-	R
EB8.20.2533	PANEL, access, wing tip tank fuel pipes	2	-	C	GC5/21	
	Attachment of access panel to top skin					
EEAS1/1C	Screw, 2BA	12	S96	C	-	R
EB8.20.2833	PANEL, Access, Wing Tip Tank Explosive Attachment Bolts	2	-	C	GC5/22	
EB8.20.2835	PANEL, Access, Wing Tip Tank Explosive Attachment Bolts	1	-	C	GC5/23	
	Spares for:					
Dzus F4/30	FASTENER	1	-	C	-	R
Dzus GF4/150	GROMMET	1	-	C	-	R
EB8.20.2535	PANEL, access, navigation and taxiing lamp electrical connections	1	-	C	GC5/24	
	Attachment of access panel to bottom skin					
EEAS1/1C	Screw, 2BA	12	-	C	-	R
EB8.20.2539	PANEL, Access, Wing Tip Tank Fuel and Air pipes	1	-	L	GC5/25	
	Spares for:					
Oddie 217/2	STUD	1	-	C	-	R
Oddie 214	WASHER	1	-	C	-	R

MAIN PLANE
PORT

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
EA1.20.2473	PLATE, blanking, explosive bolt holes	3	-	C	GC5/26	
	Attachment of blanking plate to lower surface					
EA1.20.2471	Plate, locking	1	-	C	GC5/27	
A33/C24	Screw, 2BA	1	-	C	GC5/28	
	MOUNTING, Engine (EB8.51.1) (See section JC)	-	-	-	-	R
EB8.20.1413	MOUNTING, Jet Pipe, at Rear Engine Ring Group	1	-	MR	GC1/47	
EB8.20.1414	MOUNTING, Jet Pipe, at Rear Engine Ring, Group	1	-	MR	GC1/48	
	Spares for:					
EB8.20.1411	ROLLER, eccentric	1	S94	C	GC1/49	
	Attachment of eccentric roller to jet pipe mounting					
EA1.20.1137	Locknut	1	S11	C	GC1/50	
EA1.20.1139	Washer, locking	1	S11	C	GC1/51	
EB8.20.3959	NACELLE, Engine, Lower Structure Assembly	1	-	L	-	R
	Spares for:					
EB8.20.5543	LEVER, aileron control assembly	1	-	L	-	R
EA1.20.1099	PANEL, access, aileron control rod joint, bottom skin	2	DTD546	C	GC5/29	
EEAS1/1C	Screw, 2BA	16	S96	C	-	R
EB8.20.3965	PANEL, access, aileron control tubes and levers	2	L73	C	GC5/30	
	Attachment of access panel to bottom skin					
EEAS1/1C	Screw, 2BA	16	S96	C	-	R
EB8.20.4269	NACELLE, Engine, Upper Structure Assembly	1	-	C	-	R
	Spares for:					
EB8.20.4381	PANEL, access, jet pipe attachments	4	L72	C	GC5/31	
	Attachment of access panel to top skin					
EEAS1/1C	Screw, 2BA	10	S96	C	-	R
AGS2008/E1	NUT, anchor, 1/4 in. BSF	7	-	C	-	R
	(Pre Mod 5000 ALT/SB/9/029)					
EB8.20.5715	NUTPLATE (Mod.3323)	1	-	C	-	R
AGS2002/E1	NUT, stiff 1/4 in. BSF	8	-	C	-	R
	(Pre Mod 5000 ALT/SB/9/029)					
EA3.20.1809	NUT, undercarriage attachment bracket bolts	2	S80	C	GC1/52	
EA3.20.1811	NUT, undercarriage attachment bracket bolts	2	S80	C	GC1/53	
EA1.20.2289	PANEL, access, aileron control intermediate joint, bottom skin	1	-	C	GC5/32	

MAIN PLANE
PORT

Canberra P R Mk 9

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
EEAS1/2C EA1.20.1693	Attachment of access panel to bottom skin Screw, csk, 2BA PANEL, access, forward fixing bolts of connecting ring to false spar and rib	22 2	S96 -	C C	GC1/54	R
4101 EA3.20.311	Attachment of access panel to structure Screw, self-tapping, No.8 x 1/4 in. long, round head PANEL, access, aileron control joint, bottom skin	24 1	- -	C C	- GC5/33	R
EEAS1/1-1/2C EA3.20.685	Attachment of access panel to bottom skin Screw, 2BA PANEL, access, aileron controls, bottom skin	26 1	S96 -	C C	- GC5/34	R
EEAS1/2E EA3.20.687	Attachment of access panel to bottom skin Screw, 1/2 in. BSF PANEL, access, aileron controls bottom skin (Pre Mod 5000 ALT/SB/9/071)	28 1	S96 -	C C	- GC5/35	R
EB8.20.6299	PANEL, access, aileron controls bottom skin, (Mod 5000 ALT/SB/9/071)	1	-	C	GC5/36	
EEAS1/2-1/2E EA3.20.1819	Attachment of access panel to bottom skin Screw, 1/4 in. BSF PANEL, access, electrical equipment, bottom skin	28 1	S96 -	C C	- GC5/37	R
EEAS1/1-1/2C	Attachment of access panel to bottom skin Screw, 2BA PANELS, Access for Mainplane Integrity checks (Pre Mod 5000 ALT/SB/9/001) (EB8.20.6037)	32 -	S96 -	C -	- -	R R
	PANELS, Access for Mainplane Integrity checks (Mod 5000 ALT/SB/9/001) (EB8.20.6169)	-	-	-	-	R
	Spares for:					
EB8.20.6037/A	PANEL, access (Pre Mod 5000 ALT SB/9/001) (Make from 30B/9611252)	1	L73x18 SWG	LM	-	R
EB8.20.6063/A	PANEL, access (Mod 5000 ALT SB/9/001)	1	L73x16 SWG	LM	-	R
EB8.20.6037/B	PANEL, access (Pre Mod 5000 ALT SB/9/001) (Make from 30B/9611252)	1	L73x18 SWG	LM	-	R
EB8.20.6065/19	PANEL, access (Mod 5000 ALT SB/9/001)	1	L73x16 SWG	LM	-	R

Part No.	Description						No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1	2	3	4	5	6					
EB8.20.6037/C						PANEL, access (Pre Mod 5000 ALT SB/9/001)(Make from 30B/9611252)	1	L73x18 SWG	LM	-	R
EB8.20.6067/A						PANEL, access (Mod 5000 ALT SB/9/001)	1	L73x16 SWG	LM		R
EB8.20.6037/D						PANEL, access (Pre Mod 5000 ALT SB/9/001)(Make from 30B/9611252)	1	L73x18 SWG	LM		R
EB8.20.6069/A						PANEL, access (Mod 5000 ALT SB/9/001)	1	L73x16 SWG	LM		R
EB8.20.6037/E						PANEL, access (Pre Mod 5000 ALT SB/9/001)(Make from 30B/9611252)	1	L73x18 SWG	LM		R
EB8.20.6071/A						PANEL, access (Mod 5000 ALT SB/9/001)	1	L73x16 SWG	LM		R
EB8.20.6037/F						PANEL, access (Pre Mod 5000 ALT SB/9/001)(Make from 30B/9611252)	1	L73x18 SWG	LM		R
EB8.20.6073						PANEL, access (Mod 5000 ALT SB/9/001)	1	L73x16 SWG	LM		R
EB8.20.6037/G						PANEL, access (Pre Mod 5000 ALT SB/9/001)(Make from 30B/9611252)	1	L73x18 SWG	LM		R
EB8.20.6075/A						PANEL, access (Mod 5000 ALT SB/9/001)	1	L73x16 SWG	LM		R
EB8.20.6037/H						PANEL, access (Pre Mod 5000 ALT SB/9/001)(Make from 30B/9611252)	1	L73x18 SWG	LM		R
EB8.20.6077/A						PANEL, access (Mod 5000 ALT SB/9/001)	1	L73x16 SWG	LM		R
EB8.20.6037/J						PANEL, access (Pre Mod 5000 ALT SB/9/001)(Make from 30B/9611252)	1	L73x18 SWG	LM		R
EB8.20.6079/A						PANEL, access (Mod 5000 ALT SB/9/001)	1	L73x16 SWG	LM		R
						Attachment of access panels to wing					
AGS2051/419BS						Rivet, 1/8 in. dia. (Pre Mod 5000 ALT/SB/9/001)	AR	-	C		R
AGS2051/524BS						Rivet, 5/32 in. dia. (Pre Mod 5000 ALT/SB/9/001)	AR	-	C		R
AGS2051/624BS						Rivet, 3/16 in. dia. (Pre Mod 5000 ALT/SB/9/001)	AR	-	C		R
EEAS1/1-1/2C						Bolt, Csk hd, 2BA (Mod 5000 ALT/SB/9/001)	301	-	C		R
A25/4C						Bolt, hex hd 2BA (Mod 5000 ALT/SB/9/001)	8	-	C		
AGS2007/C1						Nut, anchor 2BA (Mod 5000 ALT/SB/9/001)	171	-	C		R
AGS2018/C1						Nut, anchor 2BA (Mod 5000 ALT/SB/9/001)	130	-	C		R
AGS2002/C1						Nut, stiff 2BA (Mod 5000 ALT/SB/9/001)	8	-	C		R
EEAS8						Packer (Mod 5000 ALT/SB/9/001)	76	-	C		
EEAS29						Packer (Mod 5000 ALT/SB/9/001)	130	-	C		
SP15/C						Washer (Mod 5000 ALT SB/9/001)	8	-	C		
EA3.20.355						PANEL, closing, bottom skin, between ribs 1 and 7, inner wing	1	-	C	GC5/38	R
						PANEL, closing, Inner Wing Trailing Edge Group (Mod 5000 ALT/SB/9/028) (EB8.20.6271)	-	-	-		R

MAIN PLANE
PORT

Canberra P R Mk 9

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
	1 2 3 4 5 6				
	Spares for:				
	RIB 7, Inner Wing Trailing Edge Alterations (Mod 5000 ALT SB/9/028) (EB8.20.6279)	-	-	-	R
	Spares for:				
A25/4C	BOLT, 2BA (Mod 5000 ALT SB/9/028)	4	-	C	R
EB8.20.6319	CLEAT (Mod 5000 ALT SB/9/028)	1	-	C	R
A27/CT	NUT, 2BA (Mod 5000 ALT SB/9/028)	4	-	C	R
AGS2018/E1	NUT, anchor, 1/4 in. BSF (Mod 5000 ALT SB/9/028)	10	-	C	R
EA3.20.4655	PIECE, insertion (Mod 5000 ALT SB/9/028)	1	-	C	R
EA3.20.4317	STRAP, joint (Mod 5000 ALT SB/9/028)	1	-	C	R
	Attachment of joint strap to rib				
AS1242/6C	Bolt, 2BA (Mod 5000 ALT SB/9/028)	12	-	C	R
AS1242/7C	Bolt, 2BA (Mod 5000 ALT SB/9/028)	1	-	C	R
A59/5C	Bolt, 2BA (Mod 5000 ALT SB/9/028)	2	-	C	R
A59/6C	Bolt, 2BA (Mod 5000 ALT SB/9/028)	23	-	C	R
A59/7C	Bolt, 2BA (Mod 5000 ALT SB/9/028)	1	-	C	R
A27CP	Nut, plain, 2BA (Mod 5000 ALT SB/9/028)	39	-	C	R
SP122/D	Washer, thin, 2BA (Mod 5000 ALT SB/9/028)	35	-	C	R
SP125/D	Washer, thick, 2BA (Mod 5000 ALT SB/9/028)	4	-	C	R
SP16/C	WASHER, 2BA (Mod 5000 ALT SB/9/028)	4	-	C	R
	RIB 6, Inner Wing Trailing Edge Alterations (Mod 5000 ALT SB/9/028) (EB8.20.6301)	-	-	-	R
	Spares for:				
A25/2G	BOLT, 5/16 in. BSF (Mod 5000 ALT SB/9/028)	1	-	C	R
EB8.20.6307	CLEAT (Mod 5000 ALT SB/9/028)	1	-	C	R
A27/GP	NUT, plain 5/16 in. BSF (Mod 5000 ALT SB/9/028)	1	-	C	R
SP125G	WASHER, thick, 5/16 in. BSF (Mod 5000 ALT SB/9/028)	1	-	C	R
EB6.20.637	PLATE, cover, pylon aperture	1	L72	C	GC5/39
	Attachment of cover plate to bottom skin				
AS1242/6C	Bolt, 2BA	3	-	C	
EB8.20.6051	PLATE, protection, main spar web	1	L73	LM	
	REINFORCING, Main Spar Web Inboard Installation (Mod 5000 ALT/SB/9/061) (EK5.20.721)	-	-	-	R

MAIN PLANE
PORT

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
	Spares for:					
EK5.20.723	ANGLE, reinforcing (Mod 5000 ALT SB/9/061)	1	-	C		R
EK5.20.725	ANGLE, reinforcing (Mod 5000 ALT SB/9/061)	1	-	C		R
	Attachment of angles to structure					
A59/6J	Bolt, 3/8 in. BSF (Mod 5000 ALT SB/9/061)	7	-	C		R
A60/8J	Bolt, 3/8 in. BSF (Mod 5000 ALT SB/9/061)	15	-	C		R
A58/JT	Nut, 3/8 in. BSF (Mod 5000 ALT SB/9/061)	15	-	C		R
SP16/J	Washer (Mod 5000 ALT SB/9/061)	14	-	C		R
AGS2007/J1	NUT, anchor, 3/8 in. BSF (Mod 5000 ALT SB/9/061)	7	-	C		R
EK5.20.733	PLATE, anchor, inlet (Mod 5000 ALT SB/9/061)	1	-	C		R
EK5.20.731	STRIP, packing (Mod 5000 ALT SB/9/061)	1	-	C		R
EK5.20.727	STRIP, profile (Mod 5000 ALT SB/9/061)	1	-	C		R
EK5.20.729	STRIP, profile (Mod 5000 ALT SB/9/061)	1	-	C		R
EA3.20.2505	SCREW, PK (Mod 5000 ALT/SB/9/028)	AR	-	C		
	SHIELD, Heat, Engine Bay Assembly, Port (EB8.53.325)	-	-	-		R
	Spares for:					
EB8.53.325/V	ANGLE (Pre Mod 5000 ALT/SB/9/042)	2	-	C		
EB8.53.325/AG	ANGLE (Mod 5000 ALT/SB/9/042)	2	L72x20 SWG	C		
A25/1C	BOLT, 2BA (Mod 5000 ALT/SB/9/042)	18	-	C		
AGS2019/C1	NUT, anchor 2BA (Mod 5000 ALT/SB/9/042)	AR	-	C		R
AGS2008/C1	NUT, anchor 2BA (Mod 5000 ALT/SB/9/042)	AR	-	C		R
SP13/C	WASHER (Mod 5000 ALT/SB/9/042)	18	-	C		
EB8.53.325/Z	SHIELD, heat	1	-	C	GC1/55	
EB8.53.345	SHIELD, heat	1	-	C		
EA1.20.2981	STRUT, undercarriage tie, between jack attachment bracket and side stay (Pre Mod 5000 ALT/SB/9/057)	1	DTD683	C	GC6/48	
EK5.20.641	STRUT, undercarriage tie, between jack attachment bracket and side stay (Mod 5000 ALT/SB/9/057)	1	S96	C	GC6/49	
EA3.00.5717	STRUT, undercarriage tie, (Supplied as spares for EK5.20.641)	1	-	C	GC6/49	
	Attachment of undercarriage tie strut to spar					
A60/16L	Bolt, 7/16 in. BSF	2	-	C		
A60/8P	Bolt, 9/16 in. BSF	1	-	C		
A58/L8	Nut, 7/16 in. BSF	2	-	C		
A58/PS	Nut, 9/16 in. BSF	1	-	C		
SP90/C10	Pin, split, 1/16 in. dia	3	-	C		
SP125/L	Washer, thick 7/16 in.	2	-	C		
SP125/P	Washer, thick 9/16 in.	1	-	C		
EA1.20.2989	STUD, undercarriage jack attachment	1	S11	C	GC1/56	

MAIN PLANE
PORT

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
	1 2 3 4 5 6				
	Attachment of stud to jack attachment bracket on spar				
EA3.20.897	Pin, stud attachment	1	S92	C	GC1/57
EB8.00.551	TANK, Integral, Port Assembly (See Section PA)	1	-	P	GC1/58
EA1.20.2295	WASHER, for undercarriage bracket top bolt	2	S11	C	GC1/59
EA1.20.2327	WASHER, for undercarriage bracket bottom bolt	2	S11	C	GC1/60
EA1.20.2991	WASHER, undercarriage jack attachment	1	DTD126	C	GC1/61
EB8.20.15	WINGTIP, complete	1	-	P	GC5/40
	Attachment of wingtip to outer wing structure				
EEAS1/2C	Screw, csk, 2BA	50	S96	C	
	UNDERCARRIAGE, Main, Port (EB8.40.1) (See Section QA)	-	-	-	
	VENT, SYSTEM, Front Spar Cooling Assembly (EB8.20.4305)	-	-	-	
	Spares for:				
EB8.20.5701	BRACKET, lower vent pipe (Mod.3160/B)	1	-	C	GC6/50
	Attachment of bracket to structure				
A25/1C	Bolt, 2BA	2	-	C	
EB8.20.5705	CAP, sealing, top nozzle pipe, (Mod 3160/B)	1	L65	C	GC6/51
	Attachment of sealing cap to pipe				
A25/21C	Bolt, 2BA	1	-	C	GC6/52
AGS2001/C1	Nut, stiff, 2BA	1	-	C	GC6/53
SP15/C	Washer, 2BA	1	-	C	GC6/54
EB6.20.557	GASKET, sealing, top and bottom vent pipes	4	Silastic	C	GC6/55
EB6.20.547	PIPE, top nozzle (Mod 3160/B)	1	-	C	GC6/56
EB8.20.5709	PIPE, middle vent (Mod 3160/B)	1	T55	C	GC6/57
EB8.20.5897	PIPE, lower vent (Mod 3160/B)	1	-	C	GC6/58
EB8.20.5707	RING, sealing, top nozzle pipe (Mod 3160/B)	1	Rubber	C	GC6/59
EB8.20.4301x5	SHROUD assembly, Heat (Mod 5000 ALT/SB/9/042)	1			
	Spares for:				
EB8.20.4301/A	ANGLE, (Mod 5000 ALT/SB/9/042)	12	-	C	
EB8.20.4301/B	ANGLE, (Mod 5000 ALT/SB/9/042)	1	-	C	
EB8.20.4302/B	ANGLE, (Mod 5000 ALT/SB/9/042)	1	-	C	
EB8.20.4301/C	ANGLE, (Mod 5000 ALT/SB/9/042)	1	-	C	
EB8.20.4301/D	ANGLE, (Mod 5000 ALT/SB/9/042)	1	-	C	
A25/1C	BOLT (Mod 5000 ALT/SB/9/042)	AR	-	C	
AGS2019/C1	NUT, anchor 2BA (Mod 5000 ALT/SB/9/042)	AR	-	C	
AGS2008/C1	NUT, anchor 2BA (Mod 5000 ALT/SB/9/042)	AR	-	C	
BEAS8/1A	PACKING (Mod 5000 ALT/SB/9/042)	13	-	C	
EB8.20.5689	SHROUD, heat (Pre Mod 5000 ALT/SB/9/042)	1	L59	C	GC6/61
EB8.20.5689x2	SHROUD, heat (Mod 5000 ALT/SB/9/042)	1	L59	C	GC6/62
EA3.75.143	SLEEVE, pipe connecting 1 in i/d	2	Silastic	C	GC6/60

MAIN PLANE
STARBOARD

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
EB8.00.12	WING, Starboard, Group (c/w Wing Tip, less Aileron, Flaps and Undercarriage) (Supplied to Pt No EB8.00.522 for spares purposes) (Pre Mod 5132)	1	-	P	GC1/62	
EB8.00.12x7	WING, Starboard, Group (c/w Wing Tip less Aileron, Flaps and Undercarriage) (Supplied to Pt No EB8.00.522 for spares purposes) (Mod 5132 Pre Mod 5000 ALT SB/9/001,028,030, 042,051,055,056,057,058,060 061,066,071,079,088 and Mod 5310)	1	-	P	GC1/63	R
EB8.00.12x27	WING, Starboard, Group (c/w Wing Tip, less Aileron, Flaps and Undercarriage) (Supplied to Pt No EB8.00.806 for spares purposes) (Mod 5000 ALT SB/9/001,028,030,042,051, 055,056,057,058,060,061,066 071,079,088 and Mod 5310)	1	-	P	-	R
	Spares for:					
EB6.20.1165	ADAPTOR, drain (Mod 2587)	1	L44	C	GC1/64	
	AILERON, Starboard, Group (See Section GA)	-	-	-	GA1	R
EB8.11.657	BRACKET, aft hinge (See Section FC)	-	-	-	GC2/89	
	BREATHER, Wheelcase Starboard (EB8.00.31)	-	-	-	-	R
	Spares for:					
EB7.50.129	CLAMP, pipe support in engine nacelle	6	-	C	GC6/63	
	Attachment of pipe support clamp to nacelle					
A25/14C	Bolt, 2BA	2	-	C	GC6/64	
AGS2001/C1	Nut, stiff, 2BA	2	-	C	GC6/65	
SP13/C	Washer, 2BA	2	-	C	GC6/66	
EB7.50.116	FAIRLEAD, for pipe entry through aft end of engine rib 1	1	L64	C	GC6/67	
	Attachment of fairlead to engine rib 1					
A25/1C	Bolt, 2BA	4	-	C		
EB8.20.1983	FAIRLEAD, for pipe through outboard engine rib	1	LFS26	C	GC6/68	

MAIN PLANE
STARBOARD

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
	Attachment of fairlead to outboard engine rib					
A25/3C	Bolt, 2BA	4	-	C	GC6/69	
SP13/C	Washer, 2BA	4	-	C	GC6/70	
EB7.50.104	OUTLET, breather pipe	1	-	C	GC6/71	
EB8.20.1987	PIPE, stub, in engine nacelle	1	-	C	GC7/1	
EB8.20.1989	PIPE, 1-1/2 in. o/d, stub pipe to connection inboard of rib 1	1	-	C	GC7/2	
EB8.20.1991	PIPE, 1-1/2 in through rib 1A to connection forward of recuperator mounting brackets	1	-	C	GC7/3	
EB8.20.1993	PIPE, 1-1/2 in. o/d, from connection forward to connection between recuperator mounting brackets (See pipe chart)	1	-	C	GC7/4	
EB8.20.1974	PIPE, 1-1/2 in. o/d, from connection between recuperator mounting brackets to connection at aft end of rib 1 (See pipe chart)	1	-	C	GC7/5	
EB8.20.1976	PIPE, 1-1/2 in. o/d, from connection at aft end of rib 1 to connection forward of main spar	1	-	C	GC7/6	
EB8.20.5399	PIPE, 1-1/2 in. o/d through main spar	1	-	C	GC7/7	
EB8.20.1980	PIPE, 1-1/2 in. o/d, from connection aft main spar to intermediate connection (See pipe chart)	1	-	C	GC7/8	
EB8.20.1982	PIPE, 1-1/2 in. o/d, from intermediate connection to outlet breather pipe (See pipe chart)	1	-	C	GC7/9	
EEAS66/5	RING, clamping	18	-	C	GC6/72	
Dunlop	SLEEVE, pipe connecting	9	-	C	GC6/73	
DAS393/24/3	CABIN PRESSURISATION AND COLD AIR SYSTEM, Starboard Wing (See Section MQ) (EB8.75.347)	-	-	-	-	R
	CONTROLS, AILERON, Starboard Wing (See Section CH) (EB8.45.12)	-	-	-	-	R
EB6.20.351	CUP, fuel drain suction (Mod 2587)	1	-	C	GC1/65	
EB8.20.36	DOOR, Main Undercarriage, c/w Hinges and Locking Mechanism, Starboard Group (Pre Mod 5282)	1	-	P	-	R
EB8.20.36x9	DOOR, Main Undercarriage c/w Hinges and locking mechanism Starboard Group. (Mod 5282)	1	-	P	GC2/90	R
	Spares for:					
	BELLCRANK, plunger operating (Mod 3470)	1	DTD610	C	-	R
	Attachment of bellcrank to pedestal					
EA1.20.2935	Pin, bellcrank lever fulcrum	1	DTD126	C	GC2/91	
SP90/C8	Pin, split, 1/16 in. dia.	1	-	C	GC2/92	
SP13/E	Washer	1	-	C	GC2/93	

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
	1 2 3 4 5 6				
EA1.20.1179	COLLAR, plunger retaining	1	L1	C	GC2/94
AGS899/6	COLLAR	1	-	C	GC2/95
EA1.20.1141	HINGE, aft, undercarriage door	1	DTD683	C	GC2/96
	Attachment of aft hinge to door				
A25/4C	Bolt, 2BA	5	-	C	GC2/97
SP15/C	Washer	5	-	C	GC2/98
EB8.20.5352	HINGE, forward, undercarriage door (Pre AS4886)	1	DTD5054	C	GC2/99
EB8.20.5352x4	HINGE, forward, undercarriage door (Post AS4886)	1	DTD5054	C	GC2/100
	Attachment of forward hinge to door				
A25/5C	Bolt, 2BA	8	-	C	GC2/101
SP15/C	Washer	8	-	C	GC2/102
EA1.20.1176	HOUSING, locking pin, aft	1	DTD683	C	GC2/103
EA1.20.1184	HOUSING, locking pin, forward	1	DTD683	C	GC2/104
	Attachment of locking pin housing to undercarriage door				
A25/4C	Bolt, 2BA	4	-	C	GC2/105
EA1.20.2364	LEVER, door lock operating	1	DTD683	C	GC2/106
EA3.20.1777	LEVER, door lock operating (Pre Mod 4704)	1	DTD683	C	GC2/107
EA3.20.3901	LEVER, door lock operating (Mod 4704)	1	S1	C	GC2/108
EA3.20.3045	LINK, door check, L.H.	1	DTD683	C	GC2/109
EA3.20.3046	LINK, door check, R.H.	1	DTD683	C	GC2/110
EA3.20.3050	LINK, Door Check Group	1	-	L	GC2/111
	Consisting of:				
EA3.20.3077	BLOCK, packing	1	DTD683	C	GC2/112
EA3.20.3079	BOLT, eccentric	1	S97	C	GC2/113
A25/19C	BOLT, 2BA	1	-	C	GC2/114
A25/7E	BOLT, 1/4 in. BSF	1	-	C	GC2/115
EA3.20.3071	FINGER, tappet mounting	1	L40	C	GC2/116
EA3.20.3044	LINK, check	1	DTD687	C	GC2/117
EA3.20.3048	LINK, check	1	DTD687	C	GC2/118
A27/JT	LOCKNUT, 3/8 in. BSF	1	-	C	GC2/119
A27/EP	NUT, 1/4 in. BSF	1	-	C	GC2/120
AGS2001/C1	NUT, stiff, 2BA	1	-	C	GC2/121
EA3.20.3073	PIECE, distance	1	DTD683	C	GC2/122
EA3.20.3075	TAPPET	1	S1	C	GC2/123
EA3.20.3081	LINK, slave	1	DTD124	C	GC2/124
EB8.20.5353x2	LINK, slide (Mod.4882)	2	BS514	C	GC2/125
	Attachment of Links and levers at forward hinge				
EA3.20.817	Bolt, undercarriage locking (Pre AS 4673)	1	S97	C	GC2/126
EA3.20.3061	Bolt, Check Link	1	S95	C	GC2/127
EA3.20.3063	Bolt, Check Link	1	S95	C	GC2/128
EA3.20.3093	Bolt, slave and side link attachment	1	-	C	GC2/129
A59/10G	Bolt, 5/16 in BSF (AS 4673 Satisfied BY ST1/CAN/497A)	1	-	C	GC2/130
or					
A59/12G	Bolt, 5/16 in BSF (AS 4673 Satisfied by ST1/CAN/497A)	1	-	C	GC2/131
AGS899/6	Collar	2	-	C	
A27/GS	Nut, slotted, 5/16 in. BSF	2	-	C	GC2/132

R

MAIN PLANE
STARBOARD

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
	1 2 3 4 5 6				
AGS2001/C1	Nut, stiff, 2BA	2	-	C	GC2/133
EA3.20.3087	Piece, distance	1	L56	C	GC2/134
SP4/Y/F12	Pin, 5/16 in. dia	1	-	C	GC2/135
SP4/Y/F22	Pin, 5/16 in. dia	1	-	C	GC2/136
SP90/C8	Pin, Split, 1/16 in. dia	3	-	C	GC2/137
SP90/E8	Pin, split, 3/32 in. dia.	2	-	C	GC2/138
EA1.20.2367	Screw, locating, door lock operating lever (Pre Mod 5035)	1	S96	C	GC2/139
EA3.20.1563	Screw, locating, door lock operating lever (Mod 5035)	1	-	C	GC2/140
EA1.20.2369	Washer, locking, door lock operating lever	1	Alum	C	GC2/141
EEAS28/15FR	Washer, spacing, between slave and side links	1	L72	C	GC2/142
SP13/E	Washer, 1/4 in.	2	-	C	GC2/143
SP13/G	Washer, 5/16 in	1	-	C	-
SP13/G	Washer, 5/16 in (AS 4673)	AR	-	C	-
SP13/J	Washer, 3/8 in.	1	-	C	-
SP15/J	Washer, 3/8 in	2	-	C	-
SP16/J	Washer, 3/8 in	2	-	C	-
SP47/G	Washer, spring, 5/16 in	1	-	C	-
SP47/G	Washer, spring 5/16	1	-	C	-
EA1.20.2933	PEDESTAL, Bellcrank Lever, Group	1	-	L	GC2/144
Spares for:					
EA1.20.2931	BUSH, bearing	1	Oilite	C	GC2/145
Attachment of bellcrank pedestal to undercarriage door					
A25/2C	Bolt, 2BA	2	-	C	GC2/146
EA9.20.2777	PIN, locking undercarriage door (Mod 3470)	2	S95	C	GC2/147
EA1.20.1159	ROD, tie, forward plunger	1	L1	C	GC2/148
Attachment of tie rod to lock pin and bell crank					
AGS899/2	Collar	2	-	C	GC2/149
SP4/Y/B6	Pin, 3/16 in. dia.	1	-	C	GC2/150
SP4/Y/B14	Pin, 3/16 in. dia	1	-	C	GC2/151
SP90/C5	Pin, split, 1/16 in. dia	2	-	C	GC2/152
EA1.20.10849	ROD, Tie Bellcrank to Operating Mechanism, Group	1	-	L	GC2/153
Spares for:					
EA1.50.75	BEARING, spherical	2	L40	C	GC2/154
EA1.20.10843	HOUSING, bearing, rod end	2	S1	C	GC2/155
Attachment of tie rod to bellcrank and lock operating lever					
AGS899/2	Collar	2	-	C	GC2/156
SP4/Y/B6	Pin, 3/16 in. dia	1	-	C	GC2/157
SP4/Y/B11	Pin, 3/16 in. dia	1	-	C	GC2/158
SP90/C5	Pin, split, 1/16 in. dia	2	-	C	GC2/159
EB8.20.4489	ROD, tie bellcrank to aft plunger,	1	-	C	GC2/160

MAIN PLANE
STARBOARD

Part No.	Description 1 2 3 4 5 6	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	Attachment of tie rod to bellcrank and aft lock pin					
AGS899/2	Collar	2	-	C	GC2/161	
SP4/Y/B6	Pin, 3/16 in. dia	1	-	C	GC2/162	
SP4/Y/B14	Pin, 3/16 in. dia	1	-	C	GC2/163	
SP90/C5	Pin, split, 1/16 in. dia.	2	-	C	GC2/164	R
EA3.20.1627	SEAL, rubber (Pre Mod 5282)(Make from Ref. 4432)	1	EEAS 121	LM	-	R
EA3.20.5317	SEAL, 'P' (Mod 5282)(Make from Ref. 6147758)	1	EEAS 843	LM	GC/165	R
EA8.20.4515	SEAL, rubber (Pre Mod 5282)(Make from Ref. 4432)	1	EEAS 121	LM	-	R
EB8.20.6055	SEAL, 'P' (Mod 5282)(Make from Ref. 6147758)	1	EEAS 843	LM	GC2/166	R
EB8.20.4517	SEAL, rubber (Pre Mod 5282)(Make from Ref. 4432)	1	EEAS 121	LM	-	R
EB8.20.6057	SEAL, 'P' (Mod 5282)(Make from Ref. 6147758)	1	EEAS 843	LM	GC2/167	R
EA1.20.1327	SKID, Main u/c hinged operating flap	1	LFS26	C	-	R
	Attachment of starboard under-carriage door, group, to structure					
EA1.20.1353	Bolt, door attachment, aft hinge	1	S11	C	GC2/168	
EA3.20.3085	Bolt, door attachment, forward hinge	1	S97	C	GC2/169	
EEAS63/E	Nut, slotted, 1/4 in. BSF	1	S96	C	GC2/170	
A27/CS	Nut, slotted, 2BA	1	-	C	GC2/171	
EA3.20.3089	Piece, distance, forward hinge	1	DTD683	C	GC2/172	
EA3.20.3091	Piece, distance, forward hinge	1	DTD683	C	GC2/173	
SP90/C8	Pin, split, 1/16 in. dia	2	-	C	GC2/174	
SP13/C	Washer, 2BA	1	-	C	GC2/175	
SP13/E	Washer, 1/4 in.	1	-	C	GC2/176	
6B/1993	DETECTOR UNIT, Type A	1	-	P	-	R
	Attachment of detector unit to bracket rib 8					
A25/1C	Bolt, 2BA	3	-	C	-	R
AGS2001/C1	Nut, 2BA	3	-	C	-	R
SP15/C	Washer	3	-	C	-	R
	ELECTRICAL EQUIPMENT, Starboard Wing (EB8.81.1010) (See Section DE)	-	-	-	-	R
	ENGINE CONTROLS, Starboard Wing (EB8.47.13) (See Section CD)	-	-	-	-	R
	ENGINE COWLING, Starboard Wing (EB8.50.3) (See Section JA)	-	-	-	-	R
	ENGINE STARTING, ISO-PROPYL NITRATE SYSTEM, Starboard Wing (EB8.53.215) (SEE SECTION MC)	-	-	-	-	R
	FIRE PROTECTION, INNER WING, Starboard (See Section MD) (EB8.60.4)	-	-	-	-	R
	FIRE PROTECTION, NACELLE, Starboard (EB8.60.2) (See Section MD)	-	-	-	-	R

MAIN PLANE
STARBOARD

Part No.	Description						No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1	2	3	4	5	6					
	FIRE PROTECTION, OUTER WING, Starboard (EB8.60.90) (See Section MD)						-	-	-		R
	FLAP, INBOARD, Starboard (See Section GB)						-	-	-	GA1	R
	FLAP, OUTBOARD, Starboard (See Section GB)						-	-	-	GA1	R
	FUEL SYSTEM, Starboard Wing (EB8.57.410) (See Section ME)						-	-	-		R
	FUEL SYSTEM, Inner Wing, Starboard (EB8.57.460) (See Section ME)						-	-	-		R
	GEARBOX AND GENERATOR INSTALLATION Starboard Wing (EB8.61.52) (See Section JD)						-	-	-		R
	HYDRAULIC EQUIPMENT, Starboard Wing (EB8.73.313) (See Section MJ)						-	-	-		R
	MECHANISM, INBOARD FLAP, Starboard (EB8.20.28) (See Section CH)						-	-	-		R
	MECHANISM, OUTBOARD FLAP, Starboard (EB8.20.40) (See Section CH)						-	-	-		R
	OXYGEN SYSTEM, Starboard Wing (EB8.71.210) (See Section MK)						-	-	-		R
	RADIO AND RADAR IN WING, Starboard (See Section KA)						-	-	-		R
	STRUCTURE, Wing, Starboard Assembly (Pre Mod 5000/ALT/SB/9/061) (EB8.20.2x5)						-	-	-		R
	STRUCTURE, Wing Starboard Assembly (Mod 5000 ALT/SB/9/061 Pre Mod 5000 ALT/SB/9/029) (EB8.20.2x22)						-	-	-		R
	STRUCTURE, Wing, Starboard Assembly (Mod 5000 ALT/SB/9/029 Pre Mod 5000 ALT/SB/9/030) (EB8.20.2x24)						-	-	-		R
	STRUCTURE, Wing, Starboard Assembly (Mod 5000 ALT/SB/9/030 Pre Mod 5000 ALT/SB/9/028, 057, 058, 060, 066 and 071) (EB8.20.2x25)						-	-	-		R
	STRUCTURE, Wing, Starboard Assembly (Mod 5000 ALT/SB/9/028, 057, 058, 060, 066 and 071) (EB8.20.2x26)						-	-	-		R

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
	1 2 3 4 5 6				
	Spares for:				
EA1.20.1330	ANGLE, attachment, rear cowl to fire wall	1	-	C	GC1/66
	Attachment of angle to firewall				
A25/2C	Bolt, 2BA	2	-	C	GC1/67
AS1242/2C	Bolt, 2BA	2	-	C	GC1/68
EA1.20.1224	BALLJOINT, Undercarriage Side Stay Attachment Group (Pre Mod 5000 ALT/SB/9/058)	1	-	L	GC6/74
EK5.20.676	BALLJOINT, Undercarriage Side Stay Attachment Group (Mod 5000 ALT/SB/9/058)	1	-	L	
EA3.00.5716	BALLJOINT, v/c Side Stay Group (Spares for EK5.20.676)	1	-	L	
	Consisting of:				
EA1.20.1229	BALL, Bearing, Spherical Seated, Group	1	-	C	GC6/75
	Spares for:				
EA1.20.1231	BUSH, bearing	2	DTD412	MR	CG6/76
EA1.20.1233	BOLT, retaining ring attachment	8	S11	C	GC6/77
EA1.20.336	BRACKET, attachment (Pre Mod 5000 ALT/SB/9/058)	1	DTD683	C/MR	GC6/78
EK5.20.640	BRACKET, attachment (Mod 5000 ALT/SB/9/058)	1	-	C/MR	GC6/79
EA3.00.243	BUSH, bearing (26FZ/589, EA1.20.1216 and 26FZ/591 EA1.20.1218 wired together)	1	-	C	-
EA1.20.1225	DOWEL, ball bearing locating	2	S11	C	GC6/80
SP21	NIPPLE, lubricating	1	-	C	GC6/81
EA1.20.1219	RING, bottom retaining	1	DTD124	C	GC6/82
EA1.20.1222	RING, top retaining	1	DTD124	C	GC6/83
	Attachment of ball joint undercarriage side attachment stay to spar				
EB7.20.79	Bolt, shear, side stay attachment	9	S97	C	GC6/84
EB7.20.81	Bolt, shear, side stay attachment	6	S97	C	GC6/85
EB7.20.85	Bolt, shear, side stay attachment	4	S97	C	GC6/86
A25/10P	Bolt, 9/16 in. BSF	2	-	C	-
A27/JT	Locknut, 3/8 in.	15	-	C	-
A27/JF	Nut, 3/8 in. BSF	4	-	C	-
A27/PP	Nut, 9/16 in. BSF	2	-	C	-
SP125/J	Washer, 3/8 in.	9	-	C	-
SP124/P	Washer, 9/16 in.	2	-	C	-
EA1.20.947	BOLT, undercarriage attachment bracket	1	S65	C	GC1/69
EA1.20.949	BOLT, undercarriage attachment bracket bottom	2	S97	C	GC1/70
EA1.20.973	BOLT, undercarriage bracket and aft rib 6 attachment to main spar	2	S65	C	GC1/71
EA1.20.1017	BOLT, undercarriage attachment bracket	4	S97	C	GC1/72
EA1.20.2297	BOLT, undercarriage and aft rib 6 attachment to main spar	2	S65	C	GC1/73
EA3.20.189	BOLT, undercarriage attachment bracket top	2	S97	C	GC1/74
EA3.20.1517	BOLT, undercarriage bracket	6	S97	C	GC1/75

R

R
R
R
R
R

MAIN PLANE
STARBOARD

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
EA1.20.532	BRACKET, undercarriage jack attachment	1	S65	C	GC1/76	
	Attachment of jack attachment bracket to spar					
A25/6G	Bolt, 5/16 in. BSF	6	-	C	-	R
A25/8G	Bolt, 5/16 in. BSF	3	-	C	-	
A25/9G	Bolt, 5/16 in. BSF	4	-	C	-	R
AGS2001/G1	Nut, stiff, 5/16 in. BSF	6	-	C	-	R
AGS2002/G1	Nut, stiff, 5/16 in. BSF	7	-	C	-	R
EA1.20.2987	Pin, stub, attachment	1	S11	C	GC1/77	
SP90/G12	Pin, split, 1/8 in. dia.	1	-	C	-	R
SP15/G	Washer, 5/16 in.	4	-	C	-	R
SP16/G	Washer, 5/16 in.	9	-	C	-	R
EA1.20.2984	BRACKET, undercarriage attachment stub	1	DTD683	C	GC1/78	
	Attachments of stub brackets to spar					
A25/8E	Bolt, 1/4 in BSF	4	-	C	-	R
A25/10J	Bolt, 3/8 in BSF	2	-	C	-	R
A27/EP	NUT, 1/4 in BSF	4	-	C	-	R
A27/JP	Nut, 3/8 in BSF	2	-	C	-	R
SP15/E	Washer, 1/4 in.	4	-	C	-	R
SP15/J	Washer, 3/8 in.	2	-	C	-	R
EA1.20.140	BRACKET, main spar shear web attachment	1	DTD683	C	-	R
EA9.20.602	CASTING, pylon support	1	-	L	-	R
EB8.20.6264	CLEAT, (Mod 5000 ALT/SB/9/056)	1	-	-	-	R
EB8.20.6266	CLEAT, (Mod 5000 ALT/SB/9/056)	1	-	-	-	R
EB8.20.6268	CLEAT, (Mod 5000 ALT/SB/9/056)	1	-	-	-	R
EB8.20.6270	CLEAT, (Mod 5000 ALT/SB/9/056)	1	-	-	-	R
EB8.20.1325	COVER, lamp	1	DTD838	C	GC1/79	
	Attachment of lamp cover to wing structure					
EEAS1/2-1/2C	Screw, 2BA	2	S96	C	GC1/80	
EEAS1/3C	Screw, 2BA	20	S96	C	-	R
EB8.50.24	COWL, Removable, Jet Pipe, Group (Supplied to EB8.00.478 for spares purposes)	1	-	P	GC1/81	
	Spares for:					
EB8.50.1408	Skin top	1	L72	C	-	R
EB8.50.1244	TAILCONE	1	-	L	-	R
EB8.20.8x7	EDGE, Trailing, Outer Wing Starboard, Assembly (Supplied to Pt No EB8.00.638 for spares purposes) (Pre Mod 5000 ALT/SB/9/001, 029, 055, 060 and 066)	1	-	MR	-	
EB8.20.8x14	EDGE, Trailing, Outer Wing Starboard, Assembly (Supplied to Pt No EB8.00.812 for spares purposes) (Mod 5000 ALT/SB/9/001, 029, 055, 060 and 066)	1	-	MR	-	R
	Spares for:					
EA1.20.3383	ANGLE (Pre Mod 5000 ALT/SB/9/055)	1	-	C	-	R
EK5.20.695	ANGLE (Mod 5000 ALT/SB/9/055)	1	-	C	-	R

MAIN PLANE
STARBOARD

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
EA1.20.3387	ANGLE (Pre Mod 5000 ALT/SB/9/055)	1	-	C	-	R
EK5.20.693	ANGLE (Mod 5000 ALT/SB/9/055)	1	-	C	-	R
EB8.20.5486	ANGLE, landing	1	L73	C	-	R
EB8.20.5488	ANGLE, landing	1	L73	C	-	R
EB8.20.5490	ANGLE, landing	1	L73	C	-	R
EB8.45.632	ARM, Aileron, Lever Group	1	-	L	-	R
	(Pre Mod 5000 ALT SB/9/077)					
EB8.45.1944	ARM, Aileron, Lever Group	1	-	L	GC3/74	R
	(Mod 5000 ALT SB/9/077)					
	Spares for:					
EB8.45.641	BOSS (Pre Mod 5000 ALT SB/9/077)	1	-	C	-	R
EB8.45.1945	BOSS (Mod 5000 ALT SB/9/077)	1	-	C	-	R
EB8.45.651	BUSH, distance	1	DTD683	C/MR	GC3/75	R
	Attachment of lever arm to mounting box between ribs 4 and 4b					R
EB8.45.639	Bolt, 3/8 in. BSF	1	S96	C	GC3/76	
A27/JS	Nut, slotted, 3/8 in. BSF	1	-	C	GC3/77	
SP90/C8	Pin, split 1/16 in. dia.	1	-	C	GC3/78	
	BELLCRANK and Mounting Assy (EB8.20.4412)	-	-	-	-	R
	Consisting of:					
EB8.20.4419	BELLCRANK Group	2	-	L	GC3/79	
	Spares for:					
EB8.20.4425	BELLCRANK c/w ballraces	1	-	C/MR	GC3/80	
EB8.20.4418	MOUNTING	1	L65	C/MR	GC3/81	
	Attachment of bellcrank to mounting					
EB8.20.4421	Bolt, 1/4 in. BSF	1	S96	C	GC3/82	
EEAS63/E	Nut, slotted 1/4 in. BSF	1	-	C	GC3/83	
SP90/C8	Pin, split, 1/16 in. dia	1	-	C	GC3/84	
EA6.20.246	BOOM, rib no 2 starboard	1	-	L	-	
EA3.20.2079	BRACKET, aileron hinge inboard (Pre Mod 5000 ALT/SB/9/066)	1	DTD300	C	GC3/85	R
EA3.20.4229	BRACKET, aileron hinge inboard (Mod 5000 ALT/SB/9/066)	1	L92	C	GC3/86	
EA3.20.2075	BRACKET, aileron hinge Outboard (Pre Mod 5000 ALT/SB/9/066)	1	DTD300	C	-	R
EA3.20.4227	BRACKET, aileron, hinge outboard (Mod 5000 ALT/SB/9/066)	1	L92	C	-	R
EA1.20.755	BRACKET, Lever Group, Stbd I/B (Pre Mod 5105)	1	-	L	GC3/87	
	Spares for:					
EA1.20.765	BRACKET, lever (Pre Mod 5105)	1	-	-	-	R
EA1.20.771	BUSH, (Pre Mod 5105)	1	S15	C	GC3/88	
EA1.20.11079	BRACKET, Lever Group, Stbd I/B (Mod 5105)	1	-	-	GC3/89	
	Spares for:					
EA3.20.5177	BRACKET, lever (Mod 5105)	1	-	-	-	R
EA3.20.5187	BUSH (Supplied as matched pair (Mod 5105)	2	-	-	GC3/90	R

MAIN PLANE
STARBOARD

Canberra P R Mk 9

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
EA1.20.759	BRACKET, Lever, Group, Stbd O/B (Pre Mod 5105)	1	-	L	GC3/91	
	Spares for:					
EA1.20.769	BRACKET, lever (Pre Mod 5105)	1	-	-	-	R
EA1.20.771	BUSH (Pre Mod 5105)	1	S15	C	GC3/92	
EA1.20.11083	BRACKET, Lever Group, Stbd O/B (Mod 5105)	1	-	-	GC3/93	R
	Spares for:					
EA3.20.5181	BRACKET, lever (Mod 5105)	1	-	-	-	R
EA3.20.5187	BUSH, (Supplied as matched pair) (Mod 5105)	2	-	-	GC3/94	R
EA1.20.735	LEVER, Bellcrank, Flap Operation Group	1	-	L	GC3/95	R
	Spares for:					
EA1.25.65	BOLT, 3/8 in BSF	1	S11	C	GC3/96	
EA1.20.739	BUSH	1	DTD265	C	GC3/97	
EA1.20.741	BUSH	1	DTD265	C	GC3/98	
EA1.20.745	BUSH	1	DTD265	C	GC3/99	R
SP21	NIPPLE, lubricating	1	-	C	-	R
A27/JS	NUT, slotted, 3/8 in BSF	1	-	C	-	R
SP90/C8	PIN, split, 1/16 in dia	1	-	C	-	R
EA1.20.743	WASHER	2	L1	C	GC3/100	
EEAS5	WASHER, red fibre	1	BSS216	C	GC3/101	
EEAS28/37EU	WASHER	1	DTD124	C	GC3/102	
	Attachment of bellcrank lever bracket spindle					
A27/SS	Nut, slotted, 3/4 in dia	1	-	C	GC3/103	
SP90/H16	Pin, split 5/32 in dia	1	-	C	GC3/104	
SP15/S	Washer, 3/4 in	1	-	C	GC3/105	
EB8.20.6033	BRACKET	2	-	C	-	R
EB8.20.4435	BOLT, aileron hinge fitting	1	S98	C	GC1/82	
EA1.20.687	BOLT, aileron stop, rib 4 aft	2	S96	C	GC3/106	
EB8.24.309	BUSH, jack pick up bracket (Mod 2928)	4	S98	C	-	R
EA1.20.2207	COVER, drag channel end, air brake structure (Pre Mod 5000 ALT/SB/9/029)	9	-	C	GC3/107	
EB8.20.6235	COVER, drag channel end, air brake structure (Mod 5000 ALT/SB/9/029)	9	-	C	GC3/108	
EA1.20.2209	COVER, drag channel end, air brake structure (Pre Mod 5000 ALT/SB/9/029)	12	-	C	GC3/109	
EB8.20.6237	COVER, drag channel end, air brake structure (Mod 5000 ALT/SB/9/029)	12	-	C	GC3/110	
	DOOR, Access, Bottom Skin Group (Mod 5000 ALT/SB/9/030) (EA3.20.3946)	-	-	-	-	R
	Spares for:					
EA3.20.3947	DOOR, access (ALT/SB/9/029)	1	-	C	-	R

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
	Attachment of door to bottom skin					
EEAS1/2C	Screw, csk, 2BA	28	-	C	-	R
AGS2007/C1	(ALT/SB/9/029)					
	Nut, anchor, 2BA (Mod 5000 ALT	28	-	C	-	R
EEAS8/B	SB/9/029)					
	Plate, packing (Mod 5000 ALT	28	-	C	-	R
EA1.20.5321	SB/9/029)					
EB8.20.3862	EYEBOLT	82	S96	C	GC1/83	
	FAIRING, aileron jack	1	-	C	GC3/111	
	Attachment of fairing to outer wing trailing edge					
EEAS1/1C	Screw, 2BA	8	S11	C	-	R
EEAS1/3C	Screw, 2BA	5	S11	C	-	R
EEAS128	FITTING, end	1	DTD683	C	-	R
EEAS170 Mk.2	FITTING, adjuster	1	-	C	-	R
EB8.20.4433	FITTING, aileron centre hinge	1	S95	MR	GC3/112	
EB8.20.5650	LEVER, Aileron Control Group on Rib 2 and 2B Outer Wing (Mod 3133)	1	-	MR	GC3/113	
	Spares for:					
EB8.20.5647	ARM, lever c/w Boss Group (Mod 3133)	1	-	-	GC3/114	R
	Attachment of lever arm group mounting brackets					
EA1.20.609	Bolt, pivot, aileron control lever	1	L40	C	GC3/115	
A29/JS	Nut, slotted, 3/8 in. BSF	1	-	C	GC3/116	
SP90/C8	Pin, split, 1/16 in. dia	1	-	C	GC3/117	
SP15/J	Washer, 3/8 in.	1	-	C	GC3/118	
EA1.20.689	MOUNTING, aileron stop bolt	1	L40	C	GC3/119	
EA1.20.691	MOUNTING, aileron stop bolt	1	L40	C	GC3/120	
	Attachment of aileron stop bolt mounting to rib 4, outer wing					
A25/2C	Bolt, 2BA	3	-	C	GC3/121	
A27/CP	Nut, 2BA	3	-	C	GC3/122	
EA1.20.1433	NUT, aileron centre hinge bolt	1	S96	C	GC3/123	
EA1.20.2352	PANEL, access, air brake	1	-	C	GC3/124	
	Attachment of air brake access panel to bottom skin					
EEAS1/2C	Screw, csk, 2BA	30	S11	C	-	R
EEAS1/2-1/2C	Screw, 2BA	11	S11	C	-	R
EA6.20.224	PANEL, access, air brake	1	-	C	GC3/125	
	Attachment of air brake access panel to bottom skin					
EEAS1/2C	Screw, 2BA	40	S11	C	-	R
EB8.20.2081	PANEL, access aileron controls	1	-	C	GC3/126	
	Attachment of aileron controls access panel to top skin between 4 and 6A					
EEAS1/1-1/2C	Screw, 2BA	16	S11	C	-	R

MAIN PLANE
STARBOARD

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
EB8.20.2498	PANEL, access aileron controls	1	-	C	GC3/127	
	Attachment of aileron controls access panel to top skin between ribs 6 and 8					
EEAS1/1-1/2C	Screw, 2BA	14	S11	C	-	R
EB8.20.4458	PANEL, Access Aileron Jacks	1	-	C	GC3/128	
	Spares for:					
EB8.04.1699	BOLT, 1/4 in. BSF	1	S95	C	GC3/129	
	Attachment of aileron jacks access panel to top skin					
EEAS1/3C	Screw, 2BA	98	S96	C	-	R
EB8.20.174	PANEL, assembly	1	-	C	-	R
EA9.20.410	PANEL, Skin Top aft of Main Spar (Pre Mod 5000 ALT/SB/9/029)	1	-	C	-	R
EB8.20.6172	PANEL, Skin, Top Air Brakes aft of Front Spar (Mod 5000 ALT/SB/9/029)	1	-	C	-	R
EA9.20.414	PANEL, Skin, Top, aft of Main Spare (Pre Mod 5000 ALT/SB/9/029)	1	-	C	-	R
EB8.20.6146	PANEL, Skin, Top, Air Brakes, aft of Front Spar (Mod 5000 ALT/SB/9/029)	1	-	C	-	R
EA9.20.412	PANEL, Skin, Bottom, Outer Wing, aft of Main Spar (Pre Mod 5000 ALT/SB/9/029)	1	-	C	-	R
EB8.20.6082	PANEL, Skin, Bottom, Outer Wing, aft of Main Spar (Mod 5000 ALT/SB/9/029)	1	-	C	-	R
	Spares for:					
AS1242/2C	BOLT, 2BA, reinforcing plates	8	-	C	-	R
AGS2001/C1	NUT, stiff 2BA	8	-	C	-	R
EEAS640/9B	STRIP, nut, 2BA	4	-	C	-	R
EEAS640/17B	STRIP, nut, 2BA	1	-	C	-	R
SP15/C	WASHER, 2BA	8	-	C	-	R
EA1.20.2213	BEARING, Roller, Assembly	12	-	C	-	R
EA1.20.2081	BEARING, Roller, Assembly	9	-	C	-	R
	Spares for:					
EA1.20.2087	ROLLER, Oilite	42	-	C	-	R
EA1.20.2085	BUSH, Spacing	21	-	C	-	R
A25/15C	BOLT, 2BA	21	-	C	-	R
A27/CS	NUT, slotted, 2BA	21	-	C	-	R
SP15/C	WASHER	21	-	C	-	R
SP90/C6	PIN, split, 1/16 in. dia	21	-	C	-	R
	Attachment of roller bearing assemblies to skin panels					
EEAS1/2C	Screw, csk, 2BA	63	-	C	-	R
AGS2001/C1	Nut, stiff, 2BA	63	-	C	-	R
EA3.20.2073	PIN, aileron hinge, outboard	1	S65	C	GC3/130	
	Attachment of hinge pin to aileron hinge bracket at rib 8					
A25/10C	Bolt, 2BA	1	-	C	GC3/131	
AGS2001/C1	Nut, stiff, 2BA	1	-	C	GC3/132	

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
EA3.20.2077	PIN, aileron hinge, inboard	1	S65	C	GC3/133	
	Attachment of hinge pin to aileron hinge bracket at rib 4					
A25/13C	Bolt, 2BA	1	-	C	GC3/134	
AGS2001/C1	Nut, stiff, 2BA	1	-	C	GC3/135	
EA3.20.2365	Washer	1	L40	C	GC3/136	
EB8.20.3472	RIB, 8, Assembly	1	-	C		
	RIB, 8, Alterations (Mod 5000 ALT/SB/9/060) (EB8.20.6310)	-	-	-	-	R
	Spares for:					
EB8.20.6314	PIECE, insertion (Mod 5000 ALT SB/9/060)	1	-	C		R
EB8.20.6316	PIECE, inserting (Mod 5000 ALT SB/9/060)	1	-	C		R
EB8.20.6317	STRAP, butt (Mod 5000 ALT SB/9/060)	2	-	C		R
EB8.20.6318	STRAP, butt (Mod 5000 ALT SB/9/060)	2	-	C		R
	Attachment of butt straps to rib					
AS1242/3B	Bolt, 4BA (Mod 5000 ALT SB/9/060)	4	-	C		R
A25/3C	Bolt, 2BA (Mod 5000 ALT SB/9/060)	2	-	C		R
AS1248/4C	Bolt, 2BA (Mod 5000 ALT SB/9/060)	4	-	C		R
EEAS1/2C	Screw, csk, 2BA (Mod 5000 ALT SB/9/060)	14	-	C		R
A27/BT	Nut, 4BA (Mod 5000 ALT SB/9/060)	4	-	C		R
A27/CP	Nut, 2BA (Mod 5000 ALT SB/9/060)	4	-	C		R
A27/CT	Nut, 2BA (Mod 5000 ALT SB/9/060)	14	-	C		R
SP13/C	Washer, 2BA (Mod 5000 ALT SB/9/060)	4	-	C		R
SP15/C	Washer, 2BA (Mod 5000 ALT SB/9/060)	14	-	C		R
EA3.20.2533	SHROUD, Outboard Flap, Group	1	-	L	GC1/84	
	Spares for:					
EA3.20.2544	PANEL, access	2	L72/16 SWG	LM	GC1/85	
	Attachment of access panel to flap shroud					
EEAS1/1C	Screw, 2BA	20	S96	C	-	R
EA1.20.412	RIB, No. 4. outer wing	1	-	C	GC3/137	
EA3.20.1977	STOP, flap	11	-	C	GC1/86	
	Attachment of outboard flap shroud to rear spar					
A27/EP	Nut, 1/4 in. BSF	12	-	C	GC1/87	
EEAS1/3E	Screw, 1/4 in. BSF	12	-	C	GC1/88	
S4100	Screw, P.K. No.8, csk, 1/2 in. long	22	-	C	GC1/89	
SP16/E	Washer, 1/4 in.	12	-	C	GC1/90	

MAIN PLANE
STARBOARD

Canberra P R Mk 9

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
EB8.20.5918	SHROUD, Aileron, Bottom, Outboard (Supplied with trim allowance and pilot holes) (Mod 3789)	1	-	L	GC1/91	R
	Spares for:					
EB8.20.5600	STRIP, sealing (Mod 3163)	1	L72	C	GC1/92	
EB8.20.5922	SHROUD, Aileron, Bottom, Inboard (Supplied with trim allowance and pilot holes) (Mod 3789)	1	-	L	GC1/93	
	Spares for:					
EB8.20.5602	STRIP, sealing (Mod 3163)	1	L72	C	GC1/94	
EB8.20.5924	SHROUD, Aileron, Top, Inboard (Supplied with trim allowance and pilot holes) (Mod 3789)	1	-	L	GC1/95	R
	Spares for:					
EB8.20.5604	STRIP, sealing, (Mod 3163)	1	L72	C	GC1/96	
EB8.20.5920	SHROUD, Aileron, Top, Outboard (Supplied with trim allowance and pilot holes) (Mod 3789)	1	-	L	GC1/97	R
	Spares for:					
EB8.20.5606	STRIP, sealing (Mod 3163)	1	L72	C	GC1/98	
	Attachment of sealing strips to shroud					
AGS2001/C1	Nut, stiff, 2BA	AR	-	C	GC1/99	
AGS2002/C1	Nut, stiff, 2BA	AR	-	C	GC1/100	
EEAS1/2C	Screw, csk, 2BA	AR	S96	C	GC1/101	R
SP15/C	Washer, 2BA	AR	-	C	GC1/102	
	Attachment of shrouds to rear spar					
AS1242/2C	Bolt, 2BA	AR	-	C	GC1/103	
AGS2002/C1	Nut, stiff, 2BA	AR	-	C	GC1/104	
SP15/C	Washer, 2BA	AR	-	C	GC1/105	
	SWITCH, Drum, Assembly (EB8.20.4281)	-	-	-		R
	Spares for:					
EB8.20.4275	BUSH, driving	1	S95	C	GC7/10	
EB8.20.4277	BUSH, rubber	1	-	C	GC7/11	
EB8.20.4279	CAP, screw	1	S95	C	GC7/12	
EB8.20.5425	PLATE, stop	1	S1	C	GC7/13	
Dowty C1220Y.Mk 117	SWITCH, drum	1	-	P	GC7/14	
	Attachment of switch assembly to structure					
A25/8C	Bolt, 2BA	4	-	C	GC7/15	
AGS2002/C1	Nut, stiff 2BA	4	-	C	GC7/16	
EB8.20.5415	Washer, 2BA, serrated	4	S1	C	GC7/17	
SP15/C	Washer, 2BA	8	-	C	GC7/18	
EA3.20.2239	WASHER, shroud attachment at rib 8	6	Lam Alum	C	GC1/106	
EA3.20.375	WASHER, aileron centre hinge bolt	2	DTD683	C	GC3/138	

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate	
	1 2 3 4 5 6					
EB8.20.10x4	EDGE, Trailing, Inner Wing, Starboard Assembly (Supplied to Pt No EB8.00.640 for spares purposes) (Pre Mod 5000 ALT/SB/9/028, 055 and 071)	1	-	MR	-	R
EB8.20.10x10	EDGE, Trailing, Inner Wing, Starboard Assembly (Supplied to Pt No EB8.00.820 for spares purposes) (Mod 5000 ALT/SB/9/028, 055 and 071)	1	-	MR	-	R
	Spares for:					
EA1.20.8005	ANGLE (Pre Mod 5000 ALT/SB/9/055)	1	-	C	-	R
EK5.20.681	ANGLE (Mod 5000 ALT/SB/9/055)	1	-	C	-	R
EA1.20.1080	ANGLE (Pre Mod 5000 ALT/SB/9/055)	1	-	C	-	R
EK5.20.687	ANGLE (Mod 5000 ALT/SB/9/055)	1	-	C	-	R
EB8.20.5941	ANGLE, reinforcing	1	L72	C	-	R
EA1.20.641	ARM, Lever, c/w Boss, Group	1	-	L	GC4/106	
	Spares for:					
EA1.20.639	ARM, lever	1	-	C	GC4/107	
	Attachment of lever arm to boss					
A25/5C	Bolt, 2BA	3	-	C	GC4/108	
A27/CP	Nut, 2BA	3	-	C	GC4/109	
SP16/C	Washer, 2BA	3	-	C	GC4/110	
	Attachment of lever arm group to mounting brackets on trailing edge rib 4					
EA1.20.609	Bolt, pivot, aileron control lever	1	L40	C	GC4/111	
A29/JS	Nut, slotted, 3/8 in BSF	1	-	C	GC4/112	
SP90/C8	Pin, split, 1/16 in dia	1	-	C	GC4/113	
SP15/J	Washer, 3/8 in	1	-	C	GC4/114	
EA1.20.751	BRACKET, Lever Group, Stbd, I/B and O/B (Pre Mod 5105)	2	-	L	GC4/115	
	Spares for:					
EA1.20.761	BRACKET, lever					
EA1.20.771	BUSH	1	S15	C	GC4/116	
EA1.20.11075	BRACKET, Lever Group, Stbd, I/B and O/B (Mod 5105)	2	-	L	GC4/117	
	Spares for:					
EA3.20.5173	BRACKET, lever	2				
EA3.20.5187	BUSH, (Supplied as matched pair (Mod 5105)	4			GC4/118	
EA1.20.735	LEVER, Bellcrank, Flap Operation, Group	1	-	L	GC4/119	
	Spares for:					
EA1.25.65	BOLT, 3/8 in. BSF	1	S11	C	GC4/120	
EA1.20.739	BUSH	1	DTD265	C	GC4/121	
EA1.20.741	BUSH	1	DTD265	C	GC4/122	
EA1.20.745	BUSH	1	DTD265	C	GC4/123	
SP21	NIPPLE, lubricating	1	-	C	GC4/124	
A27/JS	NUT, slotted, 3/8 in BSF	1	-	C	GC4/125	
SP90/C8	PIN, split, 1/16 in dia	1	-	C	GC4/126	
EA1.20.743	WASHER	2	L1	C	GC4/127	
EEAS5	WASHER	1	BSS216	C	GC4/128	R