

POWER INSTALLATION
ENGINE MOUNTING

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
	1 2 3 4 5 6				
	ENGINE MOUNTING ASSEMBLY (PORT) (EB8.51.1)	-	-	-	
	Spares for:				
EB8.51.105	BOLT, link, 1/2 in. BSF	2	S95	C	J9/1
EB8.51.109	EYEBOLT, cowling hook attachment	1	S95	C	J9/2
	Attachment of eyebolt to bracket				
AGS2001/G2	Nut, 5/16 in. BSF	1	-	C	J9/3
SP15/G	Washer, 5/16 in.	1	-	C	J9/4
EB8.51.95	LINK, Forward Mounting Group	2	-	C/MR	J9/5
	Spares for:				
EB8.51.99	BEARING, spherical	1	BSS369	C/MR	J9/6
	Attachment of link to bracket				
EB8.51.167	Bolt, 7/16 in. BSF	1	S95	C	J9/7
A27/LS	Nut, 7/16 in. BSF	1	-	C	J9/8
SP90/E10	Pin, split, 3/32 in. dia.	1	-	C	J9/9
SP15/L	Washer, 7/16 in.	1	-	C	J9/10
EB8.51.5	MOUNTING, Engine, Rear Inboard, Assembly	-	-	-	J8/11
	Spares for:				
EB8.51.61	BEARING, spherical	1	S94	C/MR	J9/12
	Attachment of bearing to bracket				
EB8.51.63	Pin	1	S94	C	J9/13
EB8.51.85	Pin	1	S94	C	J9/14
EB8.51.59	BRACKET, mounting, top	1	L65	C/MR	J9/15
	Attachment of bracket to structure				
A25/6E	Bolt, 1/4 in. BSF	3	-	C	J9/16
A25/7E	Bolt, 1/4 in. BSF	3	-	C	J9/17
A27/EP	Nut, 1/4 in. BSF	6	-	C	J9/18
SP13/E	Washer, 1/4 in.	12	-	C	J9/19
EB8.51.60	BRACKET, mounting, bottom	1	L65	C/MR	J9/20
	Attachment of bracket to structure				
A25/7E	Bolt, 1/4 in. BSF	3	-	C	J9/21
A25/8E	Bolt, 1/4 in. BSF	3	-	C	J9/22
A27/EP	Nut, 1/4 in. BSF	6	-	C	J9/23
SP13/E	Washer, 1/4 in.	6	-	C	J9/24
EB8.51.71	FERRULE, strut	8	S94	C/MR	J9/25
EB8.51.67	STRUT	1	-	C	-
	Spares for:				
EB8.51.69	TUBE (Make from 30A/9610357)	1	T45	LM	-

R

POWER INSTALLATION
ENGINE MOUNTING

Part No.	Description 1 2 3 4 5 6	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
EB8.51.3	MOUNTING, Engine, Rear Outboard Assembly	1	-	C	J8/26
	Spares for:				
EB8.51.61	BEARING, spherical	1	S94	C/MR	J9/27
EB8.51.53	BRACKET, upper	1	L65	C/MR	J9/28
	Attachment of bracket to structure				
A25/6E	Bolt, 1/4 in. BSF	4	-	C	J9/29
A25/8E	Bolt, 1/4 in. BSF	2	-	C	J9/30
A27/EP	Nut, 1/4 in. BSF	6	-	C	J9/31
SP13/E	Washer, 1/4 in.	6	-	C	J9/32
EB8.51.55	BRACKET, lower	1	L65	C/MR	J9/33
	Attachment of bracket to structure				
A25/6E	Bolt, 1/4 in. BSF	4	-	C	J9/34
A25/8E	Bolt, 1/4 in. BSF	2	-	C	J9/35
A27/EP	Nut, 1/4 in. BSF	6	-	C	J9/36
SP13/E	Washer, 1/4 in.	6	-	C	J9/37
EB8.51.201	BRACKET, Engine Mounting and Cap	1	-	C/MR	J9/38
	Attachment of bracket to struts				
A25/8J	Bolt, 3/8 in. BSF	2	-	C	J9/39
A24/JS	Nut, 3/8 in. BSF	2	-	C	J9/40
SP90/C8	Pin, split, 1/16 in. dia.	2	-	C	J9/41
SP13/J	Washer, 3/8 in.	2	-	C	J9/42
EB8.51.71	FERRULE, strut	8	S94	C/MR	J9/43
EB8.51.67	STRUT	1	-	C	-
	Spares for:				
EB8.51.69	TUBE (Make from 30A/9610357)	1	T45	LM	-
EB8.51.153	MOUNTING, fwd, inboard	1	-	C	-
EB8.51.161	MOUNTING, fwd, outboard	1	-	C	-
EB8.51.165	PIN, location, engine mounting bracket	1	S95	C	J9/44
	Attachment of pin to bracket				
A24/NP	Nut, 1/2 in. BSF	1	-	C	J9/45
SP15/N	Washer, 1/2 in.	1	-	C	J9/46
	ENGINE MOUNTING ASSEMBLY (STARBOARD) (EB8.51.2)	-	-	-	-
	Spares for:				
EB8.51.105	BOLT, link	2	S95	C	J9/47
EB8.51.110	EYEBOLT, cowling hook attachment	1	S95	C	J9/48
	Attachment of eyebolt to bracket				
AGS2001/G1	Nut, 5/16 in. BSF	1	-	C	J9/49
SP15/G	Washer, 5/16 in.	1	-	C	J9/50
EB8.51.95	LINK, Forward Mounting Group	2	-	C/MR	J9/51

R

R

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
	1 2 3 4 5 6				
	Spares for:				
EB8.51.99	BEARING, spherical	1	BSS369	C/MR	J9/52
	Attachment of link to bracket				
EB8.51.167	Bolt, 7/16 in. BSF	1	S95	C	J9/53
A27/LS	Nut, 7/16 in. BSF	1	-	C	J9/54
SP90/E10	Pin, split, 3/32 in. dia.	1	-	C	J9/55
SP15/L	Washer, 7/16 in.	1	-	C	J9/56
EB8.51.6	MOUNTING, Engine, Rear Inboard Assembly				J8/57
	Spares for:				
EB8.51.61	BEARING, spherical	1	S94	C/MR	J9/58
	Attachment of bearing to bracket				
EB8.51.63	Pin	1	S94	C	J9/59
EB8.51.85	Pin	1	S94	C	J9/60
EB8.51.59	BRACKET, mounting, top	1	L65	C/MR	J9/61
	Attachment of bracket to structure				
A25/6E	Bolt, 1/4 in. BSF	3	-	C	J9/62
A25/7E	Bolt, 1/4 in. BSF	3	-	C	J9/63
A27/EP	Nut, 1/4 in. BSF	6	-	C	J9/64
SP13/E	Washer, 1/4 in.	12	-	C	J9/65
EB8.51.60	BRACKET, mounting, bottom	1	L65	C/MR	J9/66
	Attachment of bracket to structure				
A25/7E	Bolt, 1/4 in. BSF	3	-	C	J9/67
A25/8E	Bolt, 1/4 in. BSF	3	-	C	J9/68
A27/EP	Nut, 1/4 in. BSF	6	-	C	J9/69
SP13/E	Washer, 1/4 in.	6	-	C	J9/70
EB8.51.71	FERRULE, strut	8	S94	C/MR	J9/71
EB8.51.67	STRUT	1	-	C	-
	Spares for:				
EB8.51.69	TUBE (Make from 30A/9610357)	1	T45	LM	-
EB8.51.4	MOUNTING, Engine, Rear Outboard Assembly	1	-	C	J8/72
	Spares for:				
EB8.51.61	BEARING, spherical	1	S94	MR	J9/73
EB8.51.54	BRACKET, upper	1	L65	MR	J9/74
	Attachment of bracket to structure				
A25/6E	Bolt, 1/4 in. BSF	4	-	C	J9/75
A25/8E	Bolt, 1/4 in. BSF	2	-	C	J9/76
A27/EP	Nut, 1/4 in. BSF	6	-	C	J9/77
SP13/E	Washer, 1/4 in.	6	-	C	J9/78
EB8.51.56	BRACKET, lower	1	L65	C/MR	J9/79
	Attachment of bracket to structure				
A25/6E	Bolt, 1/4 in. BSF	4	-	C	J9/80

POWER INSTALLATION
ENGINE MOUNTING

Part No.	Description	No. off	Material Specification	Class of Eqpt M.R. or L.M.	Plate
	1 2 3 4 5 6				
A25/8E	Bolt, 1/4 in. BSF	2	-	C	J9/81
A27/EP	Nut, 1/4 in. BSF	6	-	C	J9/82
SP13/E	Washer, 1/4 in.	6	-	C	J9/83
EB8.51.202	BRACKET, Engine Mounting and Cap	1	-	C/MR	J9/84
	Attachment of bracket to struts				
A25/8J	Bolt, 3/8 in. BSF	2	-	C	J9/85
A24/JS	Nut, 3/8 in. BSF	2	-	C	J9/86
SP90/C8	Pin, split, 1/16 in. dia.	2	-	C	J9/87
SP13/J	Washer, 3/8 in.	2	-	C	J9/88
EB8.51.71	FERRULE, strut	8	S94	C/MR	J9/89
EB8.51.67	STRUT	1	-	C	-
	Spares for:				
EB8.51.69	TUBE, (Make from 30A/9610357)	1	T45	LM	-
EB8.51.154	MOUNTING, fwd, inboard	1	-	C	-
EB8.51.162	MOUNTING, fwd, inboard	1	-	C	-
EB8.51.165	PIN, location, engine mounting bracket	1	S95	C	J9/90
	Attachment of pin to bracket				
A24/NP	Nut, 1/2 in. BSF	1	-	C	J9/91
SP15/N	Washer, 1/2 in.	1	-	C	J9/92