

SERVICES
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Expt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
	-	FUEL SYSTEM (EB8.57.1)						-	-	-	
	-	INSTALLATION OF SYSTEM IN CENTRE FUSELAGE (EB8.57.13)						-	-	-	
	EA3.57.435	CAP, Filler, No. 1, No. 2, No. 3 and No. 4 Fuel Tank (See Section PA)						-	-	-	
	EA3.57.437	CAP, Filler, No. 5, Fuel Tank (See Section PA)						-	-	-	
28E/9128961	AGS605/1	CLIP, hose						27	-	C	
28E/9129562	AGS605/3	CLIP, hose						18	-	C	
5K/4329352	AGS1661/E	CLIP, bonding						21	-	C	
5K/4329354	AGS1661/G	CLIP, bonding						1	-	C	
5K/4329356	AGS1661/K	CLIP, bonding						9	-	C	
26949	EA2.57.709	CLIP, pipe						2	DTD610	C	
1349	EA3.75.89	CLIP, pipe						2	DTD610	C	
3135	EA2.57.175	CONNECTION, 'T' reducing, tank No.1						1	DTD133B	C	
3136	EA2.57.177	CONNECTION, 'T', tanks, 2,3 and 4						3	DTD133B	C	
6A/4333137	Smiths TAB/2/19	GAUGE, fuel tank unit, tank Nos 2,3, and 4						3	-	A	
6A/4333117	Smiths TAB/1/18	GAUGE, fuel tank unit, tank No.1						1	-	A	
6A/4337790	Smiths 31.TA	GAUGE, fuel tank unit, tank No.5						2	-	A	
6A/4337791	Smiths 32.TA	GAUGE, fuel tank unit, tank No.5						1	-	A	
6A/4337792	Smiths 33.TA	GAUGE, fuel tank unit, tank No.5						1	-	A	
6A/1028705	Smiths 37.753.710.01	GASKET, between floor and tank unit						8	-	C	
28M/1278190	AGS2001/C1	Attachments - Gauges to Tanks						2	-	C	
28W/1010733	SP18/C	Nut, stiff, 2BA						2	-	C	
6951	EA2.57.715	Washer,						2	-	C	
6952	EA2.57.717	HOSE, rubber, 1in. 1/d x 3 in. long						12	-	C	
4762	EA3.57.185	HOSE, rubber, 1in. 1/d x 2 in. long						1	-	C	
6953	EA2.57.621	HOSE, rubber, 2in. 1/d x 3 in. long						9	-	C	
6954	EA2.11.3001	JOINT, pipe						2	-	C	
6955	EA2.11.3005	PANEL, detachable						2	-	C	
	EA2.57.549	PANEL, detachable						2	-	C	
		PIPE, Flanged Purging, Fuel Tanks 1 and 2						-	-	-	
		Spares for:-									
12033	EA2.57.753	ELBOW, flanged						1	T9	C	
28F/9486111	AGS1142/H	NIPPLE						2	-	C	
12034	EA2.57.755	PIPE, purging						1	L56	C	
5102	EA3.57.117	VALVE, non-return						1	-	B	

RESTRICTED

SERVICES
FUEL SYSTEM

Canberra P.R. Mk. 9

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqp. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
6101122	EA2.57.751	PIPE, Flanged Purging, Fuel Tanks 3 and 4						-	-	-	
		Spares for:-									
12033	EA2.57.753	ELBOW, flanged						1	T9	C	
28F/9486111	AGS1142/H	NIPPLE						2	-	C	
12035	EA2.57.757	PIPE, purging						1	L56	C	
5102	EA3.57.117	VALVE, non-return						1	-	B	
3157	EA2.57.131	PIPE, purging						1	T45	C	
3147	EA2.57.83	PIPE, purging, junction						2	T45	C	
3148	EA2.57.85	PIPE, purging, junction						1	T45	C	
6958	EA2.57.703	PIPE, purging, junction						1	L56	C	
3153	EA2.57.113	PIPE, venting, twin junction						1	L45	C	
6959	EA2.57.699	PIPE, venting						1	L56	C	
12036	EA2.57.763	PIPE, venting						1	DTD310	C	
12037	EA2.57.767	PIPE, venting						1	DTD310	C	
12038	EA2.57.771	PIPE, venting						1	DTD310	C	
26800	EB8.57.507	PIPE, vent, 1 in. o/d (See pipe chart)						1	T26	C	
		PIPING, to Belly Tank (EB8.57.93)						-	-	-	
		Spares for:-									
	English Electric Type 222	ACTUATOR, and Fuel Cock						1	-		
		Spares for:-									
50W/4511895	-	ACTUATOR, type 200, Mk. 1						1	-	A	
	Saunders F80/B20	COCK, fuel						1	-	A	
27F/4524529											
3108	EA2.57.199	BRACKET						4	DTD610	C	
3110	EA2.57.493	BRACKET						2	DTD610	C	
3111	EA2.57.557	BRACKET						1	-	C	
3109	EA2.57.553	BRACKET						7	-	C	
		Attachment for brackets									
28D/9133012	A25/3C	Bolt, 2BA						4	-	C	
28D/9436920	A25/1C	Bolt, 2BA						8	-	C	
28M/1278190	AGS2001/C1	Nut, stiff 2BA						12	-	C	
28W/9419402	SP13/C	Washer, 2BA						12	-	C	
3112	EA2.57.551	CABLE, earthing						1	-	C	
11382	EA2.57.201	CLAMP						11	DTD610	C	
11376	EA2.57.495	CLAMP						2	DTD610	C	
5K/4329354	AGS1661/G	CLIP						4	-	C	
28E/9129092	AGS605/2	CLIP						8	-	C	
3114	EA2.57.467	GASKET, fuel sump						4	Petrolite	C	
6051429	EB8.57.1503	GASKET, manifold, 1/8 in. thick (SA4881)						4	Nao-K-tex	C	
	EEAS77/81	HOSE, connection (Make from 32C/377)						4	DTD625 Type 1	LM	
	EEAS164/20/30	HOSE, connection (Make from 32C/377)						4	DTD625 Type 1	LM	

SERVICES
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
	EEAS164/24/30							2	DTD625 Type 1	LM	
	EEAS164/28/30							1	DTD625 Type 1	LM	
26806	EB8.57.95							1	-	B/MR	
28F/9513420	AGS1142/J							12	-	C	
31433	EB8.57.1381							1	L56	C	
3120	EA2.57.523							1	L56	C	
3121	EA2.57.525							1	L56	C	
31434	EB8.57.1377							1	L54	C	
26805	EB8.57.97							1	-	C	
26804	EB8.57.98							1	-		
26803	EB8.57.99							1	-	C	
26802	EB8.57.511							1	-	C	
33557	EB8.57.1457							1	L56	C	
13987	EB8.57.309							1	L56	C	
13988	EB8.57.311							1	L56	C	
13989	EB8.57.313							1	L56	C	
13990	EB8.57.315							1	DTD253	C	
31435	EB8.57.1409							4	DTD610	C	
3131	EA2.57.261							4	DTD124	C	

RESTRICTED

SERVICES
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqp. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
13993	KB8.57.85						PIPE, fuel, 1½ in. o/d, from non-return valve to pump, port	1	L56	C	
13994	KB8.57.87						PIPE, fuel, 1½ in. o/d, from non-return valve to pump, starboard	1	L56	C	
	-						PUMP, Fuel No.5, Port Assembly (KB8.57.77) Spares for:-	-	-	-	
1183	EA1.57.191						ADAPTOR, fuel pump cock	1	L40	C	
3175	EA1.57.571						ADAPTOR, fuel pump mounting	1	-	C	
3176	EA1.57.39						BRACKET, fuel pump Attachments of bracket	1	DTD610	C	
28M/9403520	A27/CP						Nut, 2BA	16	-	C	
28W/9416643	SP47/C						Washer, spring, 2BA	16	-	C	
	E.E. Co. Ltd. Type 201 Mk.8						COCK, fuel actuator Consisting of:-	1	-	C	
5W/4511895	200 Mk.1						ACTUATOR	1	-	C	
5W/4489229	Saunders						ADAPTOR	1	-	C	
27PS/4524532	EA2/2.40						COCK, fuel	1	-	C	
	-						PIPE, Drain Assembly (EA2.57.599) Spares for:-	-	-	-	
5842	ERAS134/2C						BOLT, sealing	6	S69	C	
5843	EA2.57.617						CLIP, pipe	1	-	C	
5844	EA2.57.603						PIPE, drain	1	L54	C	
1444	ERAS66/3						RING, clamping	2	DTD610	C	
5845	EA2.57.607						VALVE, drain Attachments for valve	1	-	C	
28M/1278190	AGS2001/C1						Nut, 2BA	6	-	C	
1468	ERAS1/2C						Screw, 2BA	6	-	C	
28W/9419402	SP13/C						Washer	6	-	C	
5846	EA2.57.619 S.P.E.						WASHER, sealing	1	Neo-K-Tex	C	
50W/6206979	1003 Mk.4						PUMP, fuel	1	-	A	
8182	EA1.57.1079						STEADY, fuel cock	1	-	C	
1189	EA1.57.29						WASHER, adaptor	1	Neo-K-Tex	C	
1190	EA1.57.31						WASHER, adaptor	1	Neo-K-Tex	C	
	-						PUMP, Fuel No.5, Starboard Assembly (KB8.57.79) Spares for:-	-	-	-	
1183	EA1.57.191						ADAPTOR, fuel pump cock	1	L40	C	
3175	EA1.57.571						ADAPTOR, fuel pump mounting	1	-	C	
3178	EA1.57.41						BRACKET, fuel pump Attachments for bracket	1	DTD610	C	
28M/9403520	A27/CP						Nut, 2BA	16	-	C	
28W/9416643	SP47/C						Washer, spring, 2BA	16	-	C	

RESTRICTED

SERVICES
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.F. or L.M.	Plate No.
		1	2	3	4	5	6				
	E.E. Co. Ltd Type 201 Mk. 8										
5W/4511895	200 Mk. 1							1	-		
5W/4489229	-							1	-	A	
	Saunders							1	-	C	
27FS/4524532	EA2/E.10							1	-	C	
	-							-	-	-	
5842	EEAS134/2C							6	S69	C	
5843	EA2.57.617							1	-	C	
5847	EA2.57.605							1	L54	C	
1444	EEAS66/3							2	DTD610	C	
5845	EA2.57.607							1	-	C	
28M/1278190	AGS2001/C1							6	-	C	
1468	EEAS1/2C							6	-	C	
28W/9419402	SP13/C							6	-	C	
5846	EA2.57.619							1	Neo-K-Tex	C	
	S.P.E.							1	-	A	
5UE/6206979	1003 Mk. 4							1	-	C	
	EB8.57.1497							1	-	C	
1189	EA1.57.29							1	Neo-K-Tex	C	
1443	EEAS66/7							8	DTD610	C	
	S.P.E.							2	-	A	
27F/4526771	2706							2	-	A	
	S.P.E.							2	-	A	
27F/4526777	2707							-	-	A	
7220	EA1.57.1131							-	-	A	
								1	-	C	
1722	EA1.57.1171							3	-	A	
1648	EA1.57.1073							1	DTD683	C	
1649	EA1.57.1143							1	DTD215	C	
1650	EA1.57.1039							1	DTD610	C	
1658	EA1.57.1027							1	DTD610	C	
1659	EA1.57.1029							1	DTD610	C	
	-							-	-	-	
3107	EA1.57.267							1	-	C	
28D/1214980	A28/6C							3	-	C	
28M/4095802	AGS2001/C3							3	-	C	
	AS2809/4/06							3	L62	C	
28W/9419402	SP13/C							3	-	C	

RESTRICTED

SERVICES

FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqp. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
1145	EA1.57.317						CLIP, pipe	1	DTD610	C	
8190	EA3.57.481						FAIRLEAD	2	LPS21	C	
28D/9419452	A25/3B						Attachments for fairlead	4	-	C	
28M/1278189	AGS2001/B1						Bolt, 4BA	4	-	C	
28W/9419465	SF13/B						Nut, stiff, 4BA	4	-	C	
5998	EA3.57.451						Washer	4	-	C	
1147	EA1.57.271						PIPE, continuation, 1½ in. o/d	1	L54	C	
							PIPE, fuel, 1½ in. o/d, from hose connection at frame 27 to connection at No. 5 fuel tank	1	T26	C	
1148	EA3.57.31						PIPE, fuel, 1½ in. o/d branch at No. 5 fuel tank	1	T26	C	
1726	EA1.57.1127						PIPE, 1½ in. o/d, from port and starboard non-return valves to flexible coupling	2	L56	C	
5999	EA3.57.441						PIPE, fuel, 1½ in. o/d, continuation from hose connection at centre of frame 27 to hose connection branch pipe, port	1	L54	C	
6000	EA3.57.443						PIPE, 1½ in. o/d from hose coupling at centre of frame 27 to non-return valve, starboard	1	L54	C	
6501	EA3.57.445						PIPE, 1½ in. o/d, continuation at centre of frame 27	1	L54	C	
6502	EA3.57.455						RING, sealing, 1 in. thick	2	Neo-K-Tex	C	
1446	EEAS66/5						RING, clamping, 1½ in. dia.	14	DTD610	C	
1729	EEAS20/1DU						TAB, locking	5	DTD124	C	
27F/5178	S.P.E. 2706						VALVE, non-return, P24A, Mk. 3 (Mod 3098)	2	-	A	
28D/1200119	A25/4C						Attachments for valve	2	-	C	
28M/1278190	AGS2001/C1						Bolt, 2BA	2	-	C	
1729	EEAS20/1DU						Nut, stiff, 2BA	2	-	C	
							Washer, tab	2	-	C	
27E/2909	FV1250-S Mk.6 S.P.E.						VALVE, float (Pre 3906)	1	-	A	
27F/6459	FV1250-S Mk.8						VALVE, float (Mod 3906)	1	-	A	
12231	EA3.57.491						VALVE, filter	1	-	C	
	-						PIPING, Recuperator, Fuel and Air, Centre Fuselage (EB8.57.325)	-	-	-	
							Spares for:-				
28F/4051812	AGS1213/E						BOLT, banjo	1	-	C	
28F/12852	AGS1213/A						BOLT, banjo	1	-	C	
28E/9128961	AGS605/1						CLIP	2	-	C	
4763	EA3.57.187						HOSE, rubber, 1 in. o/d x 2½ ins. long	1	-	C	
	EB8.57.1323						PIPE, air, ½ in. o/d, connection at frame 22 to connection between frames 22 and 23 port (See pipe chart)	1	-		

RESTRICTED

RESTRICTED

Page ME.6b

SERVICES
FUEL SYSTEM

Canberra P.R. Mk.9

Ref. No	Port No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
	EB8.57.1325						PIPE, air, $\frac{5}{8}$ in. o/d, between frames 22 and 23 to connection at frame 27 port (See pipe Chart)	1	-		
	EB8.57.1321						PIPE, air, $\frac{5}{8}$ in. o/d, connection at frame 27 to coupling at frame 27 (See pipe chart)	1	-		
	EB8.57.1327						PIPE, air, $\frac{5}{8}$ in. o/d, connection at frame 22 to connection between frame 22 and 23, starboard (See pipe chart)	1	-		
	EB8.57.1315						PIPE, air, $\frac{5}{8}$ in. o/d, connection between frames 22 and 23 to connection at frame 27 starboard (See pipe chart)	1	-		
	EB8.57.1319						PIPE, air, $\frac{5}{8}$ in. o/d, connection at frame 27 to coupling at frame 27, starboard (See pipe chart)	1	-		
	EB8.57.1317						PIPE, air, $\frac{5}{8}$ in. o/d, coupling at frame 27 to vent pipe banjo connection at frame 27, port (See pipe chart)	1	-		
	EB8.57.1329						PIPE, air, $\frac{5}{8}$ in. o/d, coupling at frame 27 to vent pipe banjo connection, starboard (See pipe chart)	1	-		

RESTRICTED

SERVICES
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqp't. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
31438	EB8.57.1389						PIPE, fuel $\frac{3}{16}$ in. o/d fuselage connection to connection frame 22-23, port	1	DTD323	C	
31439	EB8.57.1391						PIPE, fuel $\frac{3}{16}$ in. o/d connection frames 22-23 to connection frame 27 port	1	DTD323	C	
31440	EB8.57.1393						PIPE, fuel $\frac{3}{16}$ in. o/d connection frame 27 to connection at tank floor, port	1	DTD323	C	
31444	EB8.57.1401						PIPE, fuel $\frac{3}{16}$ in. o/d, connection at tank floor to bleed connection, port	1	DTD323	C	
31441	EB8.57.1395						PIPE, fuel, $\frac{3}{16}$ in. o/d, fuselage connection to connection frames 22-23, starboard	1	DTD323	C	
31442	EB8.57.1397						PIPE, fuel, in. o/d connection frames 22-23 to connection frame 27 starboard	1	DTD323	C	
31443	EB8.57.1399						PIPE, fuel, $\frac{3}{16}$ in. o/d, connection frame 27 to connection at tank floor, starboard	1	DTD323	C	
31445	EB8.57.1403						PIPE, fuel, $\frac{3}{16}$ in. o/d connection at tank floor to bleed connection, starboard	1	DTD323	C	
6878	EEAS66/2						RING, clamping	2	-	C	
28F/4051569	AGS1103/E						UNION, body cone	6	-	C	
28F/9129085	AGS1102/A						UNION, body cone	6	-	C	
28F/11914	AGS1131/A						UNION, banjo body	1	-	C	
28F/4051770	AGS1134/E						UNION, banjo	1	-	C	
28F/1036556	AGS1111/A						UNION, flanged bulkhead	2	-	C	
28F/9157486	AGS1112/F						UNION, flanged bulkhead	2	-	C	
12888	EEAS21/8CR						WASHER 'D'	25	L72	C	
12889	EEAS21/8CRH						WASHER, 'D'	46	L72	C	
18852	EEAS21/2DR						WASHER, 'D'	2	L72	C	
28F/1202394	AGS1138/A						WASHER	2	-	C	
28F/1200994	AGS1138/B						WASHER	3	-	C	
	-						PIPING, Venting, Frame 27A to Frame 30 (EB7.57.335) Spares for:-	-	-	-	
25547	EB7.57.317						BANK, securing	2	-	C	
25546	EB7.57.315						BRACKET	2	-	C	
28D/9133012	A25/3C						Attachment for bracket	2	-	C	
28M/1278190	AGS2001/G1						Bolt, 2BA	2	-	C	
28W/9419402	SP13/C						Nut, stiff, 2BA	2	-	C	
25548	EB7.57.319						Washer	2	-	C	
							Washer	2	-	C	

RESTRICTED

SERVICES
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
11393	EB7.57.179			CLIP				1	DTD610	C	
28E/20347	SP91/E			CLIP				4	-	C	
28E/19824	SP91/J			CLIP				2	-	C	
28E/2027591	SP91/L			CLIP				2	-	C	
28E/19826	SP91/N			CLIP				10	-	C	
5K/123	AGS1661/M			CLIP, bonding				7	-	C	
25549	EB7.57.337			ELBOW, vent				1	-	C	
12890	EB7.57.203			FERRULE				1	DTD423	C	
4763	EA3.57.187			HOSE, rubber, 1 in. o/d x 2 $\frac{3}{4}$ ins. long				2	-	C	
4762	EA3.57.185			HOSE, rubber, 2 in. o/d x 3 ins. long				1	-	C	
11390	EB7.57.173			PIPE, vent				1	-	C	
6878	EBAS66/2			RING, clamping				4	DTD610	C	
3132	EBAS66/10			RING, clamping				2	DTD610	C	
1442	EBAS66/12			RING, clamping				2	DTD610	C	
2614	EBAS66/16			RING, clamping				2	DTD610	C	
11385	EA3.57.29			TUBE, blanking				1	T9	C	
1219	EAL.57.151			WASHER, jointing				1	Neo-K-Tex	C	
-	-			PIPING, Ventral Tank, Venting and Purging (EB8.57.15) Spares for:-				-	-	-	
26DK/2946	King Aircraft C4205/1/A			CLAMP, pipe				1	-	C	
5K/116	AGS1661/E			CLIP, bonding				6	-	C	
28E/ 20347	SP91/E			CLIP, hose				12	-	C	
3161	EA2.57.481			CLIP, pipe				1	DTD610	C	
3162	EA2.57.483			CLIP, pipe				4	DTD610	C	
3164	EA2.57.473			PIPE, 1 in. o/d, venting from port connection to connection at frame 19				1	DTD610	C	
3165	EA2.57.475			PIPE, 1 in. o/d, venting from port connection at frame 19 to connection at frame 17				1	L54	C	
3166	EA2.57.477			PIPE, 1 in. o/d from port connection to connection at frame 19				1	DTD610	C	
	EB8.57.1357			PIPE, 1 in. o/d, venting, starboard from connection at frame 19 to connection at frame 17				1	L54	C	

SERVICES
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
14003	King Aircraft C4205/1 $\frac{1}{2}$ x 1 $\frac{1}{2}$ /A						CLAMP, pipe	3	-	C	
14004	King Aircraft C4205/1 $\frac{3}{4}$ x 2/A						CLAMP, pipe	2	-	C	
28E/19824	SP91/J						CLIP, pipe	6	-	C	
1707	EA2.75.37						CLIP, pipe	1	DTD610	C	
14005	EB8.57.273						CONNECTION, fuel heater outlet	1	T26	C	
14006	EB8.57.245						FLANGE, coupling	1	S1	C	
6A/4338246	-						FLOWMETER TRANSMITTER	1	-	A	
27UA/823	Marston D257/111A						HEATER, fuel air	1	-	A	
	EEAS164/214/30						HOSE, connection (Make from 32C/446)	3	DTD625 Type 1	LM	
28F/9513420	AGS1142/J						NIPPLE, adaptor	7	-	C	
28170	EB8.57.1345						PIPE, fuel 1 $\frac{1}{2}$ in. o/d, from connection at root rib to hose connection aft of root rib	1	-	C	
26798	EB8.57.327						PIPE, air, hot, 1 $\frac{1}{2}$ in. o/d, from connection at inboard engine rib to connection aft rib 3	1	-	C	
14007	EB8.57.335						PIPE, assembly, air hot, from butterfly valve to fuel air heater	1	-	C	
14008	EB8.57.471						PIPE, fuel Connection at Inboard Enging Rib to Flowmeter, Assembly Spares for:-	1	-	C	
28F/9423227	AGS1135/B						BOLT, banjo	1	-	C	
28W/1202106	AGS568/B						WASHER	2	-	C	
14009	EB8.57.473						PIPE, fuel, 1 $\frac{1}{2}$ in. o/d, from flowmeter to connector at rib 3	1	DTD253	C	
14010	EB8.57.475						PIPE, assembly, fuel, from fuel air heater to actuator	1	DTD253	C	
26799	EB8.57.477						PIPE, assembly, fuel from hose connection aft of root rib to actuator	1	-	C	
14011	EB8.57.1301						PIPE, assembly, air hot from connection aft of rib 3 to butterfly valve	1	-	C	
1443	EEAS66/7						RING, clamping	6	DTD610	C	
14012	EB8.57.303						ROD, tension	1	-	C	
28F/4051853	AS5404						SEAL	1	-	C	

RESTRICTED

Canberra P.R. Mk.9

Page ME.11

SERVICE
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.B. or L.M.	Plate No.
		1	2	3	4	5	6				
28F/4051839	AS5403	SEAL						2	-	C	
28F/17675	AS5402	SEAL						3	-	C	
14013	EB8.57.431	STRAP, air exhaust						1	-	C	
14014	EB8.57.435	STRAP, air exhaust						1	-	C	
14015	EB8.57.517	UNION, bulkhead						1	-	C	
27F/5335	Teddington EMP/4/57	VALVE, butterfly, 1½ in.						1	-	A	
-	-	INSTALLATION OF FUEL SYSTEM IN PORT OUTER WING (EB8.57.409)						-	-	-	
-	-	PIPING, Air to Engine Bay (EB8.57.419) Spares for:-						-	-	-	
28F/12147	AGS1130/C	BODY, banjo, double						1	-	C	
28F/9423229	AGS1135/C	BOLT, banjo						1	-	C	
28E/1983164	SP91/E	CLIP						1	-	C	
30882	EB8.57.1365 Automotive Products	FAIRLEAD						1	L64	C	
27F/695	MPA30068/4	FILTER, Furolator (For spares see AP4515F, Vol.3)						1	-	A	
28F/8011896	AGS1142/C	NEPPLE, adaptor						1	-	C	
13995	EB8.57.215	NEPPLE, restrictor						1	S80	C	
13760	EB8.60.67	NUT, thin						1	S110	C	
30799	EB8.57.1363	PIPE, ½ in. o/d, from restrictor union to connection forward of main spar						1	T55	C	
13997	EB8.57.147	PIPE, ½ in. o/d from restrictor at rib 1						1	T55	C	
13998	EB8.57.177	PIPE, ½ in. o/d from connection at rib 1 to filter						1	T55	C	
13999	EB8.57.241	PIPE, ½ in. o/d from filter to connection at rib 1A						1	T55	C	
14001	EB8.57.199	UNION, body, ½ in. BSP						1	S80	C	
14000	EB8.57.213	UNION, restrictor						1	S80	C	
28F/1202393	AGS1138/C	WASHER						2	-	C	
28F/9140974	AG1149/4	WASHER, plate						1	-	C	
-	-	PIPING, Delivery Integral Tank (EB8.57.415) Spares for:-						-	-	-	
-	English Electric Type 219	ACTUATOR, and Fuel Cock Mk.1 Consisting of:-						2	-	-	
5W/328	-	ACTUATOR, type 200, Mk.1						1	-	A	
5W/343	-	ADAPTOR						1	-	C	

RESTRICTED

SERVICES
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Equip. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
27FS/2237	Saunders E42.A10						COCK, fuel	1	-	A	
28D/9436920	A25/10						Attachments for actuator	2	-	C	
28W/9412475	SP15/C						Bolt, 2BA	2	-	C	
30883	EB8.57.1369						Washer	2	-	C	
1255	EAL.57.259						BRACKET, fuel cock support	1	DTD610	C	
	EEAS164/20/30						CLIP, pipe	2	DTD610	C	
	EEAS164/24/30						HOSE, connection (Make from 320/377)	1	DTD625 Type 1	LM	
28F/9-13420	ACS1142/J						HOSE, connection (Make from 320/446)	1	DTD625	LM	
14021	EB8.57.375						NIPPLE	10	-	C	
30944	EB8.57.1417						PIPE, from actuator fuel cock to connector at rib 2A	1	DTD253	C	
							PIPE, 1 1/2 in. o/d branch, from connector at rib 2A to non-return valve	1	DTD253	C	
14022	EB8.57.457						PIPE, 1 1/2 in. o/d valve branch, from actuator fuel cock to pump outlet	1	DTD253	C	
14023	EB8.57.379						PIPE, assembly outlet from actuator fuel cock to connector at rib 2A	1	DTD253	C	
5906	EB6.57.31						PIPE, drain 1/2 in. o/d	1	L54	C	
30942	EB8.57.1415						PIPE, 1 1/2 in. o/d, from non-return valve to connector at rib 2A	1	DTD253	C	
31496	EB8.57.381						PIPE, 1 1/2 in. o/d, connection rib 2A to connection engine nacelle	1	T55	C	
26795	EB8.57.399						PIPE, 1 1/2 in. o/d, branch pipe to connection outer wing	1	L56	C	
26794	EB8.57.401						PIPE, 1 1/2 in. o/d, branch pipe to connection engine nacelle	1	T55	C	
1446	EEAS66/5						RING, clamping	2	DTD610	C	
1443	EEAS66/7						RING, clamping	2	DTD610	C	
27F/5178	S.P.E. 2706						VALVE, non-return, P24A, Mk.3 (Mod. 3098)	1	-	A	
	-						PIPING, Delivery, Recuperator (EB8.57.427)	-	-	-	
	English Electric Type AE.4547						Spares for:-	-	-	-	
5W/3893	-						ACTUATOR, and Fuel Cock Consisting of:-	1	-	-	
5W/343	ABD201349						ACTUATOR, type AE.4546, Mk.1	1	-	A	
							ADAPTOR	1	-	C	

SERVICES
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqp. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
27FS/2237	Saunders E42.A10						COCK, fuel	1	-	A	
28D/12837	A28/10						Attachments for actuator	7	-	C	
28W/9419475	SP15/C						Bolt, 2BA	3	-	C	
	EEAS164/24/30						Washer	1	-	C	
14024	EB8.57.397						HOSE, connection (Make from 32C/446)	1	DTD625	LM	
26793	EB8.57.371						PIPE, assembly, from recuperator to fuel cock	1	DTD253	C	
14025	EB8.57.373						PIPE, assy.	1	-	C	
							PIPE, assembly, from actuator fuel cock to connector	1	DTD253	C	
1443	EEAS66/7						PIPE, clamping	2	DTD610	C	
	-						PIPING, Drain Recuperator (EB8.57.425)	-	-	-	
							Spares for:-				
14026	EB8.57.465						ADAPTOR, drain	1	-	C	
28F/1013599	AGS1142/A						NIPPLE, adaptor	1	-	C	
14027	EB8.57.461						PIPE, $\frac{1}{8}$ in. o/d, from recuperator to reducing union	1	L56	C	
14028	EB8.57.463						PIPE, $\frac{1}{4}$ in. o/d, from reducing union to connection at rib 1	1	L56	C	
28F/1013401	AGS1107/A						UNION, reducing	1	-	C	
	-						PIPING, Air and Fuel, Engine Nacelles (EB8.57.411)	-	-	-	
							Spares for:-				
1255	EA1.57.259						CLIP, pipe	3	DTD610	C	
6383	EA3.57.417						CLIP, pipe	1	DTD610	C	
7136	EEAS143/21						CLIP, pipe	3	-	C	
28E/19824	SP91/J						CLIP, pipe	2	-	C	
28F/8011896	AGS1142/C						NIPPLE, adaptor	2	-	C	
28F/8011886	AGS1142/D						NIPPLE, adaptor	3	-	C	
28F/9513420	AGS1142/J						NIPPLE, adaptor	2	-	C	
28F/9439897	AGS1142/E						NIPPLE, adaptor	4	-	C	
30092	EB8.57.1335						PIPE, $\frac{3}{8}$ in. o/d, air, from connection at rib 1 to connection at rib 7	1	T26	C	
14033	EB8.57.451						PIPE, $\frac{1}{2}$ in. o/d, air, from connection at forward of rib 7 to connection aft rib	1	T55	C	
14034	EB8.57.455						PIPE, $\frac{1}{2}$ in. o/d, air, from connection forward rib 7 to connection to connection aft rib 1	1	T55	C	
30787	EB8.57.1361						PIPE, $\frac{3}{4}$ in. o/d air, from connection aft rib 1 to non-return valve	1	T56	C	

RESTRICTED

SERVICES
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
14035	EB8.57.453						PIPE, $\frac{1}{2}$ in. o/d, air, from connection at rib 1 to connection aft of rib 1	1	T55	C	
14031	EB8.57.141						PIPE, $\frac{3}{16}$ in. o/d fuel, connection at rib 1 to connection at rib 7	1	T26	C	
14032	EB8.57.449						PIPE, $1\frac{1}{2}$ in. o/d, fuel, connection forward rib 7 to connection forward rib 1	1	T55	C	
31031	EB8.57.1429						PIPE, $1\frac{1}{2}$ in. o/d fuel, connection at rib 7 to connection at rib 1	1	T55	C	
1446	EBAS66/5						RING, clamping	2	DTD610	C	
981	EBAS20/2DR						TAB, locking	2	DTD610	C	
27E/2743	Vickers A5287/C						VALVE, non-return	1	-	A	
	-						PIPING, Fuel and Air Aft of Spar (EB8.57.417) Spares for:-	-	-	-	
5K/118	AGS1661/G						CLIP, bonding	2	-	C	
5K/112	AGS1661/A						CLIP, bonding	2	-	C	
1145	EA1.57.317						CLIP, pipe	2	DTD610	C	
28E/19824	SP91/J						CLIP, pipe	2	-	C	
28E/20012	SP91/C						CLIP, pipe	4	-	C	
	EBAS164/24/30						HOSE, connection (Make from 32C/446)	2	DTD625	LM	
28F/9439897	AGS1142/E						NIPPLE, adaptor	2	-	C	
1675	EA6.57.105						PIPE, $\frac{1}{2}$ in. o/d, air, connection at rib 1 to connection at rib 1 to connection at rib 6	1	L56	C	
1673	EA6.57.107						PIPE, $\frac{1}{2}$ in. o/d air, from connection at rib 1 to connection between rib 5 and 7	1	L56	C	
28176	EB8.57.1333						PIPE, $\frac{3}{8}$ in. o/d, air, from connection between ribs 4 and 5 to connection at rib 7	1	-	C	
28178	EB8.57.1331						PIPE, $\frac{3}{8}$ in. o/d, air, from connection between rib 4 and 5 to connection at rib 7	1	-	C	
32907	EB8.57.1479						PIPE, $1\frac{1}{2}$ in. o/d, fuel, from connector to connection at rib 7 (Mod.3324)	1	-	C	
26791	EB8.57.387						PIPE, $1\frac{1}{2}$ in. o/d, fuel, from connector between ribs 5 and 6 to connector at rib 3	1	-	C	

SERVICES
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqp. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
26790	EB8.57.389						PIPE, $1\frac{1}{2}$ in. o/d, fuel, from connector at rib 3 to connection at rib 1	1	-	C	
1261	EA6.57.103						PIPE, $\frac{1}{2}$ in. o/d fuel, from connection at rib 6 to connection at rib 1	1	L56	C	
26787	EB8.57.143						PIPE, $\frac{3}{8}$ in. o/d, fuel from connection between ribs 4 and 5 to connection at rib 7	1	-	C	
26786	EB8.57.145						PIPE, $\frac{3}{8}$ in. o/d, fuel, from connection between ribs 4 and 5 to connection at rib 1	1	-	C	
1446	EEAS66/5						RING, clamping	2	DTD610	C	
1443	EEAS66/7						RING, clamping	4	DTD610	C	
28F/9129085	AGS1102/A						UNION, cone body	1	-	C	
28F/4051569	AGS1103/E						UNION, nipple	1	-	C	
	-						PIPING, Recuperator and Installation (EB8.57.421) Spares for:-	-	-	-	
28F/9140977	AGS1213/C						BOLT, banjo	1	-	C	
28F/4051807	AGS1122, Mk.2						CONE, 3 way $\frac{1}{2}$ in. x $\frac{1}{2}$ in. x $\frac{5}{8}$ in. BSP	1	-	C	
28F/8011885	AGS1142/B						NIPPLE, adaptor	2	-	C	
28F/8011896	AGS1142/C						NIPPLE, adaptor	5	-	C	
28F/8011886	AGS1142/D						NIPPLE, adaptor	1	-	C	
28F/9439897	AGS1142/E						NIPPLE, adaptor	3	-	C	
14036	EB8.57.499						PIPE, $\frac{3}{8}$ in. o/d, from recuperator to reducing valve	1	L56	C	

RESTRICTED

RESTRICTED

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				

RESTRICTED

SERVICES
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
14037	EB8.57.501						PIPE, $\frac{1}{8}$ in. o/d, reducing valve to non-return valve	1	DTD323	C	
14038	EB8.57.503						PIPE, $\frac{1}{8}$ in. o/d, from non-return valve to reducing union	1	DTD323	C	
14039	EB8.57.505						PIPE, $\frac{1}{8}$ in. o/d, from reducing valve to reducing union	1	L56	C	
30090	EB8.57.1341						PIPE, $\frac{1}{8}$ in. o/d, from reducing union to reducing union	1	L56	C	
14041	EB8.57.183						PIPE, $\frac{1}{8}$ in. o/d, from recuperator to reducing union	1	L56	C	
	EB8.57.1339						PIPE, $\frac{1}{8}$ in. o/d, from reducing union to union at spar (See pipe chart)	1	-		
12399	EB7.57.105						PIPE, $\frac{1}{8}$ in. o/d, from recuperator to first union on rib 2A	1	L56	C	
26825	EB8.57.137						PIPE, $\frac{1}{16}$ in. o/d, from first union on rib 2A to union at spar (See pipe chart)	1	-	C	
26824	EB8.57.139						PIPE, $\frac{1}{16}$ in. o/d, from union at spar to union at rib 1 (See pipe chart)	1	-	C	
	EB8.57.1367						PIPE, $\frac{1}{8}$ in. o/d, from union at spar to union at rib 1 (See pipe chart)	1			
27F/4526758	S.P.E. Ltd. PRC.40.B. Mk.2						RECUPERATOR,	1	-	A	
28F/9707349	AGS1114/C						SLEEVE, bulkhead	1	-	C	
12408	EB7.57.77						STRAP, Recuperator, Mounting Spares for:-	1	-	C	
28U/4678949	AS2381						ROD, tension, $\frac{1}{4}$ in. BSF	1	-	C	
12409	EB7.57.57						TRUNNION, L.H.	1	S95	C	
12410	EB7.57.63						TRUNNION, R.H.	1	S95	C	
28F/9140973	AGS1129/C						UNION, banjo, single	1	-	C	
28F/1013401	AGS1107/A						UNION, reducing	1	-	C	
28F/1013400	AGS1107/K						UNION, reducing	1	-	C	
28F/9129085	AGS1102/A						UNION, cone	1	-	C	
28F/4051569	AGS1103/E						UNION, nipple	1	-	C	
27VB/4497299	Hymatic P860/29						VALVE, reducing (For spares see AP4515E, Vol.3) Attachments of valve	1	-	A	
28D/9436920	A25/1C						Bolt, 2BA	2	-	C	
28W/1009699	SP55/C						Washer, double spring	2	-	C	
27FS/4692879	Saunders 703AA08 OR Vickers A5494.Mk.C						VALVE, non-return, $\frac{1}{8}$ in.	1	-	A	
28F/4051652	AGS115/5						WASHER, plate	1	-	C	

RESTRICTED

SERVICES
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqp. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
	-	PIPING, Fuel Transfer and Air in Outer Wing Drop Tank (EAL.57.255)						-	-		
5K/118	AGS1661/G	CLIP, bonding						2	-	C	
5K/112	AGS1661/A	CLIP, bonding						4	-	C	
1145	E/A1/57/317	CLIP, pipe						5	DTD610	C	
28E/9129092	AGS605/2	CLIP, pipe						2	-	C	
28E/9429463	AGS605/0	CLIP, pipe						4	-	C	
28F/9513420	AGS1142/J	NIPPLE, adaptor						1	-	C	
1284	EA6.57.93	PIPE, 1 1/4 in. o/d. x 20 swg						1	L56	C	
1285	EA6.57.95	PIPE, 1 1/4 in. o/d. x 20 swg						1	L56	C	
1286	EA6.57.97	PIPE, 1/2 in. o/d. x 20 swg						1	L56	C	
1287	EA6.57.99	PIPE, 1/2 in. o/d x 20 swg						1	L56	C	
12927	EA9.57.43	PIPE, 1 1/4 in. o/d x 20 swg. (See pipe chart)						1	-	C	
1446	EEAS66/5 S.P.E.	RING, clamping						2	DTD610	C	
27F/5178	2706	VALVE, non-return P24A Mk 3 (Mod 3098)						1	-	A	
		Attachment for valve									
28D/1200119	A25/4C	Bolt, 2BA						2	-	C	
28M/1278190	AGS2001/C1	Nut, stiff, 2BA						2	-	C	
1729	EEAS20/1DU	Tab, locking						2	DTD124	C	
	-	PIPING, Fuel Transfer on Rib 1 (EB8.57.1351)						-	-	-	
		Spares for:-									
5K/118	AGS1661/G	CLIP, bonding						4	-	C	
28E/9129092	AGS605/2	CLIP, pipe						4	-	C	
1255	EAL.57.259	CLIP, pipe						5	DTD610	C	
		Attachments for clip									
28D/9436920	A25/1C	Bolt, 2BA						2	-	C	
28M/1278190	AGS2001/C1	Nut, stiff, 2BA						2	-	C	
28W/9419475	SP15/C	Washer						2	-	C	
30847	EB8.57.1353	PIPE, 1 1/4 in. o/d x 20 swg.						1	DTD310	C	
2723	EAL.57.1259	PIPE, 1 1/4 in. o/d x 20 swg.						1	DTD310	C	
1446	EEAS66/5	RING, clamping						4	DTD610	C	
	-	INSTALLATION AIR AND FUEL PIPING IN WING EXTENSION PORT (EB8.57.7)						-	-	-	
1399	EAL.57.343	CLIP, pipe						1	DTD610	C	
1400	EAL.57.345	CLIP, pipe						1	DTD610	C	
28E/9429463	AGS605/0	CLIP						6	-	C	
28E/9129092	AGS605/2	CLIP						6	-	C	
5K/112	AGS1661/A	CLIP, bonding						5	-	C	
5K/118	AGS1661/G	CLIP, bonding						5	-	C	

SERVICES
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
33015	EB8.57.1485	ELBOW, Fuel Pipe (Mod.3318)						1	-	C	
		Spares for:-									
33016	EB8.57.1487	SLEEVE, fuel pipe						1	L56	C	
33017	EB8.57.1483	ELBOW, Air pipe (Mod.3318)						1	-	C	
		Spares for:-									
33018	EB8.57.1489	SLEEVE, air pipe						1	L56	C	
36310	EB8.57.31	PIPE, fuel, 1 1/2 in. o/d x 20G (See pipe chart)						1	-	C	
14019	EB8.57.33	PIPE, fuel, 1 1/2 in. o/d x 20G						1	L56	C	
36311	EB8.75.35	PIPE, air, 1/2 in. o/d x 20G (See pipe chart)						1	-	C	
14020	EB8.57.37	PIPE, air, 1/2 in. o/d x 20G						1	L56	C	
2170	BA1.57.1245	RING, clamping .75 in i/d						1	DTD610	C	
1446	EBAS66/5	RING, clamping 1 1/8 in. i/d						6	DTD610	C	

RESTRICTED

RESTRICTED

Canberra P.R. Mk.9

SERVICES
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqp. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				

RESTRICTED

SERVICES
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Expt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
-	-	INSTALLATION OF FUEL SYSTEM IN STARBOARD INNER WING (EB8.57.460)						-	-	-	
	English Electric Type AE.4547	ACTUATOR and Fuel Cock Consisting of:-						1	-		
5W/3893	-	ACTUATOR, type AE4546, Mk.1						1	-	A	
5W/343	AED201349	ADAPTOR						1	-	C	
27TS/2237	Saunders EL2.A10	COCK fuel						1	-	A	
28D/9138768	A25/1/2C	Attachments of actuator						1	-	C	
28W/9416643	SP47/C	Bolt, 2BA						1	-	C	
	King Aircraft CL205/2 1/4 x 2 1/2/A	Washer						1	-	C	
14002	King Aircraft CL205/1 1/4 x 1 1/2/A	CLAMP, pipe						1	-	C	
14003	King Aircraft CL205/1 1/4 x 1 1/2/A	CLAMP, pipe						3	-	C	
14004	King Aircraft CL205/1 1/4 x 2/A	CLAMP, pipe						2	-	C	
28E/19824	SP91/J	CLIP, pipe						6	-	C	
1707	EA2.75.37	CLIP, pipe						1	DTD610	C	
14005	EB8.57.273	CONNECTION, fuel heater outlet						1	T26	C	
14006	EB8.57.245	FLANGE, coupling						1	S1	C	
6A/4338246	-	FLOWMETER, TRANSMITTER						1	-	A	
27UA/823	Marston D257/111A	HEATER, fuel air						1	-	A	
	EEAS164/24/30	HOSE, connection (Make from 32C/446)						3	DTD625	LM	
28F/9513420	AGS1142/J	NIPPLE, adaptor						7	-	C	
26822	EB8.57.331	PIPE, air, hot 1 1/2 in. o/d from connection at inboard engine rib to connection aft of rib 3						1	-	C	
26821	EB8.57.333	PIPE, assembly, air, hot, from connection aft of rib 3 to connection forward rib 3						1	-	C	
14045	EB8.57.336	PIPE, assembly, air, hot, from butterfly valve to fuel air heater						1	-	C	
14046	EB8.57.476	PIPE, assembly, fuel, from fuel air heater to actuator						1	DTD253	C	
26820	EB8.57.478	PIPE, assembly, fuel, from hose connection aft of root rib to actuator						1	-	C	

RESTRICTED

RESTRICTED

Page ME.16

Canberra F.R. Mk.9

SERVICES
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
14047	EB8.57.479	PIPE, fuel,	Connection at Inboard					1	-	C	
			Engine Rib to Flowmeter								
			Assembly								
			Spares for:-								
28F/9423227	AGS1135/B	BOLT, banjo						1	-	C	
28W/1202196	AGS568/B	WASHER						2	-	C	
14048	EB8.57.481	PIPE, fuel, 1½ in. o/d,	from flowmeter,					1	DTD253	C	
			to connector at rib 3								
31447	EB8.57.1375	PIPE, fuel, 1½ in. o/d,	from connection					1	DTD253	C	
			at root rib to hose								
			connection aft of root rib								
1443	EBAS66/7	RING, clamping						6	DTD610	C	
14012	EB8.57.303	ROD, tension						1	-	C	
28F/4051853	AS5404	SEAL						1	-	C	
28F/4051839	AS5403	SEAL						2	-	C	
28F/17675	AS5402	SEAL						3	-	C	
14013	EB8.57.431	STRAP, air exhaust						1	-	C	
14014	EB8.57.435	STRAP, air exhaust						1	-	C	
14015	EB8.57.517	UNION, bulkhead						1	-	C	
27V/5335	Teddington FMP/A57	VALVE, butterfly 1½ in.						1	-	A	
-	-	INSTALLATION OF FUEL SYSTEM IN STARBOARD						-	-	-	
		OUTER WING (EB8.57.410)									
	-	PIPING, Air to Engine Bay (EB8.57.420)									
		Spares for:-									
28F/12147	AGS1130/C	BODY, banjo double						1	-	C	
28F/9423229	AGS1135/C	BOLT, banjo						1	-	C	
28E/20347	SP91/E	CLIP						1	-	C	
30882	EB8.57.1365	FAIRLEAD						1	L64	C	
27M/695	Automotive Products MPA30068/4	FILTER, "Purolator" (For spares see						1	-	A	
		AP4515F Vol.3)									
28F/8011396	AGS1142/C	NIPPLE, adaptor						2	-	C	
13995	EB8.57.215	NIPPLE, restrictor						1	S80	C	
13760	EB8.60.67	NUT, thin						1	S110	C	
30790	EB8.57.1364	PIPE, ¾ in. o/d from restrictor						1	T55	C	
		union connection forward									
		of main spar									
14043	EB8.57.148	PIPE, ¾ in. o/d from restrictor						1	T55	C	
		union to connection at									
		rib 1									
14044	EB8.57.178	PIPE, ¾ in. o/d from connection at						1	T55	C	
		rib 1 to filter									
13999	EB8.57.241	PIPE, ¾ in. o/d from filter to						1	T55	C	
		connection at rib 1A									

RESTRICTED

SERVICES
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
14001	EB8.57.199						UNION, body $\frac{3}{8}$ in. BSP	1	S80	C	
14300	FB8.57.213						UNION, restrictor	1	S80	C	
28F/1202393	AGS1138/C						WASHER	2	-	C	
28F/9140974	AGS1149/4						WASHER, plate	1	-	C	
	-						PIPING, Delivery Integral Tank (EB8.57.416) Spares for:-	-	-	-	
	English Electric Type 219						ACTUATOR, and Fuel Cock Mk.1 Consisting of:-	2	-		
5W/328	-						ACTUATOR, type 200, Mk.1	1	-	A	
5W/343	-						ADAPTOR	1	-	C	
27FS/2237	Saunders E42.A10						COCK, fuel	1	-	A	
							Attachments for actuator				
28D/9436920	A25/10						Bolt, 2BA	2	-	C	
28W/9419475	SP15/C						Washer	2	-	C	
30884	EB8.57.1371						BRACKET, fuel cock support	1	DTD610	C	
1255	EA1.57.259						CLIP, pipe	2	DTD610	C	
	EEAS164/20/30						HOSE, connector (Make from 32C/377)	1	DTD625	LM	
	EEAS164/24/30						HOSE, connection (Make from 32C/446)	1	DTD625	LM	
28F/9513420	AGS1142/J						NIPPLE	10	-	C	
14021	EB8.57.375						PIPE, from actuator fuel cock	1	DTD253	C	
30945	EB8.57.1418						PIPE, $\frac{1}{2}$ in. o/d, branch from connectors at rib 2A to Non-return valve	1	DTD253	C	
14052	EB8.57.458						PIPE, $1\frac{1}{2}$ in. o/d branch from actuator fuel cocks to pump outlet	1	DTD253	C	
26795	EB8.57.399						PIPE, $1\frac{1}{2}$ in. o/d branch pipe to connection outer wing	1	L56	C	
26816	EB8.57.402						PIPE, $1\frac{1}{2}$ in. o/d branch pipe to connection engine nacelle	1	T55	C	
14053	EB8.57.380						PIPE, assembly from actuator fuel cocks to connector at rib 2A	1	DTD253	C	
30791	EB8.57.1373						PIPE, drain $\frac{1}{2}$ in o/d	1	L54	C	
30943	EB8.57.1416						PIPE, $1\frac{1}{2}$ in o/d, from non-return valve to connector at rib 2A	1	DTD253	C	
26815	EB8.57.382						PIPE, $1\frac{1}{2}$ in o/d, connection rib 2A to connection engine nacelle	1	T55	C	
1446	EEAS66/5						RING, clamping	2	DTD610	C	
1443	EEAS66/7 S.P.E.						RING, clamping	2	DTD610	C	
27F/5178	2706						VALVE, non-return type P24A, Mk.3 (Mod 3098)	1	-	A	

RESTRICTED

SERVICES
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
	-	PIPING, Delivery, Recuperator (EB8.57.428) Spares for:-						-	-	-	
	English Electric Type AE.4547	ACTUATOR, and Fuel Cock Consisting of:-						1	-		
5W/3893	-	ACTUATOR, type AE.4546 Mk.1						1	-	A	
5W/343	AED.201349	ADAPTOR						1	-	C	
27FS/2237	Saunders E42.A10	COCK, fuel Attachments for actuator						1	-	A	
28D/12837	A28/10	Bolt, 2BA						7	-	C	
28W/9419475	SP15/C	Washer						3	-	C	
	EEAS164/24/30	HOSE, connecting (Make from 32C/446)						1	DTD625 Type 1	LM	
31446	EB8.57.1379	PIPE, assembly from recuperator to actuator fuel cock						1	DTD253	C	
26793	EB8.57.371	PIPE, assy.						1	-	C	
14055	EB8.57.374	PIPE, assembly from actuator fuel cock to connector						1	DTD253	C	
1443	EEAS66/7	RING, clamping						2	DTD610	C	
	-	PIPING, Drain Recuperator (EB8.57.426) Spares for:-						-	-	-	
14026	EB8.57.465	ADAPTOR, drain						1	-	C	
28F/1013599	AGS1142/A	NIPPLE, adaptor						1	-	C	
14056	EB8.57.462	PIPE, $\frac{3}{16}$ in. o/d from recuperator to reducing union						1	L56	C	
14057	EB8.57.464	PIPE, $\frac{1}{4}$ in. o/d, from reducing union to connection at rib 1						1	L56	C	
28F/1013401	AGS1107/A	UNION, reducing						1	-	C	
	-	PIPING, Air and Fuel, Engine Nacelles (EB8.57.412) Spares for:-						-	-	-	
1255	EAL.57.259	CLIP, pipe						3	DTD610	C	
6383	EA3.57.417	CLIP, pipe						1	DTD610	C	
7136	EEAS143/21	CLIP, pipe						3	-	C	
28E/19824	SP92/J	CLIP, pipe						2	-	C	
28F/8011896	AGS1142/C	NIPPLE, adaptor						2	-	C	
28F/8011886	AGS1142/D	NIPPLE, adaptor						3	-	C	
28F/9513420	AGS1142/J	NIPPLE, adaptor						2	-	C	
28F/9439897	AGS1142/E	NIPPLE, adaptor						4	-	C	
30093	EB8.57.1336	PIPE, $\frac{1}{8}$ in. o/d, air, from connection at rib 7 to connection at rib 7						1	T26	C	

SERVICES
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqp. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
14062	EB8.57.452	PIPE	$\frac{1}{2}$	in.	o/d, air, from connection forward of rib 7 to connection aft of rib 1			1	T55	C	
14063	EB8.57.456	PIPE	$\frac{1}{2}$	in.	o/d, air, from connection on forward rib 7 to connection aft rib 1			1	T55	C	
32474	EB8.57.1469	PIPE	$\frac{3}{8}$	in.	o/d, air, from connection aft rib 1 to non-return valve (Mod.3123)			1	T26	C	
14064	EB8.57.454	PIPE	$\frac{1}{2}$	in.	o/d, air, from connection at rib 1 to connection aft of rib 1			1	T55	C	
14060	EB8.57.142	PIPE	$\frac{3}{16}$	in.	o/d, fuel, from connection at rib 1 to connection at rib 7			1	T26	C	
14061	EB8.57.450	PIPE	$1\frac{1}{2}$	in.	o/d, fuel, from connection forward rib 7 connection forward rib 1			1	T55	C	
30132	EB8.57.1430	PIPE	$1\frac{1}{2}$	in.	o/d, fuel, from connection at rib 7 to connection at rib 1			1	T55	C	
1446	EEAS66/5	RING			clamping			2	DTD610	C	
981	EEAS20/2DR	TAB			locking			2	DTD610	C	
27FS/2743	Vickers A5287/C	VALVE			non-return			1	-	A	
	-	PIPING			Fuel and Air Aft of Spar (EB8.57.418)			-	-	-	
					Spares for:-						
5K/118	AGS1661/G	CLIP			bonding			2	-	C	
5K/112	AGS1661/A	CLIP			bonding			2	-	C	
1145	EA1.57.317	CLIP			pipe			2	DTD610	C	
28E/19824	SP91/J	CLIP			pipe			2	-	C	
28E/20012	SP91/C	CLIP			pipe			4	-	C	
	EEAS164/24/30	HOSE			connection (Make from 32C/446)			2	DTD625 Type 1	LM	
28F/9439897	AGS1142/E	NEEPLE			adaptor			2	-	C	
1676	EA6.57.106	PIPE	$\frac{1}{2}$	in.	o/d air, from connection at rib 1 to connection at rib 6			1	L56	C	
1674	EA6.57.108	PIPE	$\frac{1}{2}$	in.	o/d air, from connection at rib 1 to connection between ribs 6 and 7			1	L56	C	
28175	EB8.57.1334	PIPE	$\frac{1}{8}$	in.	o/d, air, from connection between ribs 4 and 5 to connection at rib 7			1	-	C	
28177	EB8.57.1332	PIPE	$\frac{1}{8}$	in.	o/d, air, from connection between ribs 4 and 5 to connection at rib 7			1	-	C	

RESTRICTED

SERVICES
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
26828	EB8.57.386						PIPE, $1\frac{1}{2}$ in. o/d, fuel, from connector to connection at rib 7	1	-	C	
26829	EB8.57.388						PIPE, $1\frac{1}{2}$ in. o/d, fuel, from connector between ribs 5 and 6 to connector at rib 3	1	-	C	
26830	EB8.57.390						PIPE, $1\frac{1}{2}$ in. o/d, fuel, from connector at rib 3 to connection at rib 1	1	-	C	
1263	EA6.57.104						PIPE, $1\frac{1}{2}$ in. o/d, fuel, from connection at rib 6 to connection at rib 1	1	L56	C	
26833	EB8.57.144						PIPE, $\frac{3}{16}$ in. o/d, fuel, from connection between ribs 4 and 5 to connection at rib 7	1	-	C	
26836	EB8.57.146						PIPE, $\frac{3}{16}$ in. o/d, fuel, from connection between ribs 4 and 5 to connection at rib 1	1	-	C	
1446	ERAS66/5						RING, clamp	2	DTD610	C	
1443	ERAS66/7						RING, clamping	2	DTD610	C	
28F/9129085	AGS1102/A						UNION, cone body	1	-	C	
28F/4051569	AGS1103/B						UNION, nipple	1	-	C	
	-						PIPING, Recuperator and Installation (EB8.57.422) Spares for:-	-	-	-	
28F/9140977	AGS1213/C						BOLT, banjo	1	-	C	
28F/4051807	AGS1122 Mk.2						CONE, 3 way, $\frac{1}{2}$ in. x $\frac{1}{2}$ in. x $\frac{5}{16}$ in. BSP	1	-	C	

SERVICES
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
28F/8011885	AGS1142/B							2	-	C	
28F/8011896	AGS1142/C							5	-	C	
28F/8011886	AGS1142/D							1	-	C	
28F/9439897	AGS1142/E							3	-	C	
14065	EB8.57.500							1	L56	C	
14066	EB8.57.502							1	DTD223	C	
14067	EB8.57.504							1	DTD323	C	
14070	EB8.57.506							1	L56	C	
30091	EB8.57.1342							1	L56	C	
14069	EB8.57.184							1	L56		
	EB8.57.1340							1	-	C	
12413	EB7.57.106							1	L56	C	
26847	EB8.57.138							1	-	C	
26846	EB8.57.140							1	-	C	
	EB8.57.1368							1	-		
27F/4526758	S.P.B. PRC.40B Mk.2							1	-	A	
28F/9707349	AGS1114/C							1	-	C	
12408	EB7.57.77							1	-	C	
28U/4678946	AS2381							1	-	C	
12409	EB7.57.57							1	S95	C	
12410	EB7.57.63							1	S95	C	
28F/9140973	AGS1129/C							1	-	C	
28F/1013401	AGS1107/A							1	-	C	
28F/1013400	AGS1107/K							1	-	C	
28F/9129085	AGS1102/A							1	-	C	
28F/4051574	AGS1103/E							1	-	C	

RESTRICTED

SERVICES
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
27VB/4497299	Hymatic PS60/29							1	-	A	
28D/9436920	A25/1C							2	-	C	
28W/1009699	SP55/C							2	-	C	
27FS/4692879	Saunders 703AA.08							1	-	A	
	OR										
	Vickers A5494 Mk.C										
28F/4051652	AGS1115/5							1	-	C	
	-							-	-	-	
5K/4329354	AGS1661/G							2	-	C	
5K/4329348	AGS1661/A							4	-	C	
	1145							5	DTD610	C	
28E/9129092	AGS605/2							2	-	C	
28E/9429463	AGS605/0							4	-	C	
28F/9513420	AGS1142/J							1	-	C	
	1284							1	L56	C	
	1285							1	L56	C	
	1286							1	L56	C	
	1702							1	L56	C	
	12927							1	-	C	
	1446							2	DTD610	C	
27F/4526771	EEAS66/5 S.P.E. Ltd. 2706							1	-	A	
28D/1200119	A25/4C							2	-	C	
28M/1278190	AGS2001/C1							2	-	C	
	1729							2	DTD124	C	
	-							-	-	-	
5K/4329354	AGS1661/G							4	-	C	
28E/9129092	AGS605/2							4	-	-	
	1255							5	DTD610	C	
28D/9436920	A25/1C							2	-	C	
28M/1278190	AGS2001/C1							2	-	C	
28W/9419475	SP15/C							2	-	C	
	30848							1	DTD310	C	
	2722							1	DTD310	C	
	1446							4	DTD610	C	
	-							-	-	-	
								-	-	-	

SERVICES
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
	-	INSTALLATION, AIR AND FUEL PIPING IN WING EXTENSION, STARBOARD (EB8.57.8)						-	-	-	
1399	EA1.57.343	CLIP, pipe						1	DTD610	C	
1400	EA1.57.345	CLIP, pipe						1	DTD610	C	
28E/9429463	AGS605/0	CLIP						6	-	C	
28E/9129092	AGS605/2	CLIP						6	-	C	
5K/4329348	AGS1661/A	CLIP, bonding						5	-	C	
5K/4329354	AGS1661/G	CLIP, bonding						5	-	C	
33015	EB8.57.1485	ELBOW, Fuel Pipe (Mod.3318) Spares for:-						1	-	C	
33016	EB8.57.1487	SLEEVE, fuel pipe						1	L56	C	
33017	EB8.57.1483	ELBOW, Air Pipe (Mod.3318) Spares for:-						1	-	C	
33018	EB8.57.1489	SLEEVE, air pipe						1	L56	C	
26819	EB8.57.32	PIPE, fuel, 1½ in. o/d x 20G (See Pipe chart)						1		C	
14050	EB8.57.34	PIPE, fuel 1½ in. o/d x 20G						1	L56	C	
26818	EB8.57.36	PIPE, air, 1½ in. o/d x 20G (See Pipe chart)						1		C	
14051	EB8.57.38	PIPE, air, ½ in. o/d x 20G						1	L56	C	
2170	EA1.57.1245	RING, clamping .75 in. 1/d						1	DTD610	C	
1446	EB8.57.36	RING, clamping, 1½ in. 1/d						6	DTD610	C	

RESTRICTED

