

AP101B-0415-3A

Page SD.1

SERVICES  
DE-MISTING SYSTEM

| Part Number  | Description                                        | No. Off | Matl. Spec. | Plate No. |
|--------------|----------------------------------------------------|---------|-------------|-----------|
|              | 1 2 3 4 5 6                                        |         |             |           |
| EG4.76.101   | DE-MISTING SYSTEM ASSEMBLY (MOD 4799)              | —       | —           | SD1/1     |
| EA3.76.15    | Spares for :—<br>BLOCK, mounting                   | 2       | —           | SD3/32    |
| 4R x 1/4"    | Attaching parts for EA3.76.15 :—<br>Screw          | 4       | —           | SD3/33    |
| X1625        | BLOWER, type 1                                     | 1       | —           | SD1/2     |
| EA1.10.1653  | BRACKET, support, air drier, port                  | 1       | —           | SD1/50    |
| EA1.10.1655  | BRACKET, support, air drier, port                  | 1       | —           | SD1/51    |
| A25/2C       | Attaching parts for EA1.10.1653 and EA1.10.1655 :— | 2       | —           | SD1/52    |
| AGS2001C1/66 | Bolt, 2BA                                          | 2       | —           | SD1/53    |
| SP16C        | Nut, 2BA                                           | 2       | —           | SD1/54    |
| EB6.76.175   | Washer                                             | —       | —           | SD2/1     |
| SP144/028    | CANOPY, INNER DE-MISTING, ASSEMBLY                 | —       | —           | SD2/1     |
| EEAS143/25   | Spares for :—<br>CLIP, jubilee                     | 2       | —           | SD2/2     |
| 10R x 5/16"  | CLIP, pipe 3/8" o/d                                | 1       | —           | SD2/2A    |
| EA3.76.241   | Attaching parts for EEAS143/25 :—<br>Screw         | 1       | —           | SD2/2B    |
| A25/3C       | FLANGE, assembly                                   | 1       | —           | SD2/3     |
| AGS2001C1/66 | Attaching parts for EA3.76.241 :—                  | 6       | —           | SD2/4     |
| EB7.75.613   | Bolt, 2BA                                          | 6       | —           | SD2/5     |
| SP15C        | Nut, 2BA                                           | 1       | Asbestos    | SD2/6     |
| EA3.76.243   | Seal                                               | 6       | —           | SD2/7     |
| EB6.76.173   | Washer, 2BA                                        | 1       | —           | SD2/7A    |
| 4M x 1/4"    | PACKING                                            | 1       | —           | SD2/8     |
| 10R x 5/16"  | PIPE, de-misting, assembly                         | 1       | —           | SD2/9     |
| EA3.76.223   | Attaching parts for EB6.76.173 :—                  | 1       | —           | SD2/10    |
| AS4525/8     | Screw                                              | 3       | —           | SD2/11    |
| A25/1B       | Screw                                              | 1       | —           | SD2/12    |
| AGS2001B1    | VALVE, butterfly type                              | 1       | —           | SD2/13    |
| SP16B        | CLIP, pipe, single                                 | 1       | —           | SD2/14    |
| EEAS143/22   | Attaching parts for AS4525/8 :—                    | 1       | —           | SD2/15    |
| A25/1C       | Bolt, 4BA                                          | 1       | —           | SD2/16    |
| AGS2001C1/66 | Nut, 4BA                                           | 1       | —           | SD2/17    |
| SP15C        | Washer                                             | 1       | —           | SD2/18    |
| SP91A        | CLIP, pipe, single                                 | 1       | —           | SD2/19    |
| SP91N        | Attaching parts for EEAS143/22 :—                  | 1       | —           | SD2/20    |
| AS2294/2     | Bolt, 2BA                                          | 1       | —           | SD2/21    |
| 2R x 3/16"   | Nut, 2BA                                           | 1       | —           | SD2/22    |
| AS4525/8     | Washer, 2BA                                        | 1       | —           | SD2/22A   |
|              | CLIP, hose                                         | 8       | —           | SD1/28    |
|              | CLIP, jubilee                                      | 2       | —           |           |
|              | CLIP, spring                                       | 2       | —           |           |
|              | Attaching parts for AS2294/2 :—                    | 1       | —           |           |
|              | Screw                                              | 11      | —           |           |
|              | CLIP, pipe                                         |         | —           |           |

SERVICES  
DE-MISTING SYSTEM

| Part Number                                                                                          | 1 2 3 4 5 6 | Description                                                                                                                                            | No. Off                         | Matl. Spec.                                             | Plate No.                                                      |
|------------------------------------------------------------------------------------------------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| A25/2C<br>AGS2001C1/66<br>EEAS239/1A                                                                 |             | Attaching parts for AS4525/8 :-<br>• Bolt, 2BA<br>• Nut, 2BA<br>• Washer, 'D'                                                                          | 1<br>1<br>1                     | —<br>—<br>—                                             | SD1/29<br>SD1/30<br>SD1/31                                     |
| R AGS.3924/1<br>R AGS.3924/2                                                                         |             | • CLIP (Mod 5238)<br>• CLIP (Mod 5238)                                                                                                                 | 2<br>15                         | —<br>—                                                  |                                                                |
| EG4.76.39<br>EA3.76.47                                                                               |             | • ELBOW (Mod 3833)<br>• FILTER, AIR, ASSEMBLY<br>Consisting of :-                                                                                      | 1<br>1                          | —<br>—                                                  | SD3/1<br>SD3/2                                                 |
| EA3.76.69<br>EA3.76.51<br>EA3.76.49<br>PUROLATER                                                     |             | • BOLT<br>• CAP, end<br>• CASE, outer                                                                                                                  | 3<br>1<br>1                     | S95<br>—<br>—                                           | SD3/3<br>SD3/4<br>SD3/5                                        |
| MFA36A<br>AGS113B<br>EA3.76.67<br>EA3.76.75<br>EA3.76.71<br>EA3.76.73<br>AGS163B<br>PLESSEY<br>Z1757 |             | • ELEMENT, filter<br>• NUT, wing, 4BA<br>• PLUG, sealing<br>• SPRING<br>• WASHER, sealing element, rubber<br>• WASHER, sealing cap, rudder<br>• WASHER | 1<br>3<br>1<br>1<br>2<br>1<br>3 | —<br>—<br>DTD683<br>DTD215<br>Shore 30<br>Shore 30<br>— | SD3/6<br>SD3/7<br>SD3/8<br>SD3/9<br>SD3/10<br>SD3/11<br>SD3/12 |
| R EA3.76.21                                                                                          |             | • GROMMET<br>• HOSE, connecting, 3/8" o/d x 1/4" i/d x 4 1/2" long<br>(Pre-Mod 5238)<br>(Make from 32C/4382964)                                        | 1<br>1                          | —<br>Natural Rubber                                     | SD2/23<br>SD2/24                                               |
| R EA3.76.25                                                                                          |             | • HOSE, connecting, 9/16" o/d x 7/16" i/d x 19" long<br>(Make from 32C/4696768) (Pre-Mod 5238)                                                         | 1                               | Natural Rubber                                          | SD2/25                                                         |
| R EA3.76.27                                                                                          |             | • HOSE, connecting, 9/16" o/d x 7/16" i/d x 4" long<br>(Make from 32C/4696768) (Pre-Mod 5238)                                                          | 1                               | Natural Rubber                                          | SD2/26                                                         |
| R EA3.76.31                                                                                          |             | • HOSE, connecting, 9/16" o/d x 7/16" i/d x 2" long<br>(Make from 32C/4696768) (Pre-Mod 5238)                                                          | 1                               | Natural Rubber                                          | SD2/27                                                         |
| R EA3.76.33                                                                                          |             | • HOSE, connecting, 9/16" o/d x 7/16" i/d x 1 1/2" long<br>(Make from 32C/4696768) (Pre-Mod 5238)                                                      | 3                               | Natural Rubber                                          | SD2/28                                                         |
| R EA3.76.175                                                                                         |             | • HOSE, connecting, 9/16" o/d x 7/16" i/d x 20" long<br>(Make from 32C/4696768) (Pre-Mod 5238)                                                         | 1                               | Natural Rubber                                          | SD2/29                                                         |
| R EA3.76.209                                                                                         |             | • HOSE, connecting, 9/16" o/d x 7/16" i/d x 3" long<br>(Make from 32C/4696768) (Pre-Mod 5238)                                                          | 1                               | Natural Rubber                                          | SD2/30                                                         |
| R EB6.76.39                                                                                          |             | • HOSE, connecting 9/16" o/d x 7/16" i/d x 48" long<br>(Make from 32C/4696768) (Pre-Mod 5238)                                                          | 1                               | Natural Rubber                                          | SD2/31                                                         |
| 32C4382964                                                                                           |             | • HOSE                                                                                                                                                 | QR                              | Natural Rubber                                          | SD2/35                                                         |
| 32C4696768                                                                                           |             | • HOSE                                                                                                                                                 | QR                              | Natural Rubber                                          | SD2/35A                                                        |
| EG4.76.103                                                                                           |             | • INSTALLATION, BLOWER MOTOR (MOD 4799)<br>Spares for :-                                                                                               | 1                               | —                                                       | SD1/3                                                          |
| EB6.76.157<br>SCC79242/2                                                                             |             | • ANGLE, stiffening<br>• BRACKET, mounting, 18 SWG (SRIM.3533)<br>(Mod 4799)                                                                           | 1<br>1                          | —<br>—                                                  | SD1/4<br>SD1/5                                                 |
| A25/6C<br>AGS2001C1/66<br>EA3.76.91<br>SP15C                                                         |             | Attaching parts for SCC79242/2 :-<br>• Bolt, 2BA<br>• Nut, 2BA<br>• Washer, rubber<br>• Washer                                                         | 4<br>4<br>12<br>4               | —<br>—<br>—<br>—                                        | SD1/6<br>SD1/7<br>SD1/8<br>SD1/9                               |
| EA3.76.81                                                                                            |             | • CLIP, blower, mounting<br>Attaching parts for EA3.76.81 :-                                                                                           | 1                               | —                                                       | SD1/10                                                         |
| A25/19C<br>AGS2001C1/66<br>SP15C                                                                     |             | • Bolt, 2BA<br>• Nut, 2BA<br>• Washer, 2BA                                                                                                             | 4<br>4<br>4                     | —<br>—<br>—                                             | SD1/11<br>SD1/12<br>SD1/13                                     |

SERVICES  
DE-MISTING SYSTEM

| Part Number  | Description |   |                                                                                                    |   |   |   | No.<br>Off | Mati. Spec. | Plate No. |
|--------------|-------------|---|----------------------------------------------------------------------------------------------------|---|---|---|------------|-------------|-----------|
|              | 1           | 2 | 3                                                                                                  | 4 | 5 | 6 |            |             |           |
| EA3.76.95    | .           | . | CONNECTOR, inlet blower                                                                            |   |   |   | 1          | —           | SD1/14    |
| A25/33C      | .           | . | Attaching parts for EA3.76.95 :—                                                                   |   |   |   | 2          | —           | SD1/15    |
| AGS2001C1/66 | .           | . | Bolt, 2BA                                                                                          |   |   |   | 2          | —           | SD1/16    |
| SP15C        | .           | . | Nut, 2BA                                                                                           |   |   |   | 2          | —           | SD1/17    |
| EA3.76.161   | .           | . | Washer, 2BA                                                                                        |   |   |   | 1          | —           | SD1/18    |
| EA3.76.131   | .           | . | Washer, joint                                                                                      |   |   |   | 1          | —           | SD1/19    |
| EA3.76.131   | .           | . | CONNECTOR, outlet blower                                                                           |   |   |   | 1          | —           | SD1/19    |
| A32A8        | .           | . | Attaching parts for EA3.76.131 :—                                                                  |   |   |   | 4          | —           | SD1/20    |
| SP15A        | .           | . | Screw, 6BA                                                                                         |   |   |   | 4          | —           | SD1/21    |
| AS336085E    | .           | . | Washer, 6BA, spring                                                                                |   |   |   | 1          | —           | SD1/22    |
| AGS2001B1    | .           | . | LEAD, bonding                                                                                      |   |   |   | 1          | —           | SD1/23    |
| A32B10       | .           | . | Attaching parts for AS336085E :—                                                                   |   |   |   | 1          | —           | SD1/24    |
| EEAS28/2CP   | .           | . | Nut, 4BA                                                                                           |   |   |   | 1          | —           | SD1/25    |
| EA3.76.41    | .           | . | Screw, 4BA                                                                                         |   |   |   | 1          | —           | SD1/25    |
| EA3.76.85    | .           | . | Washer                                                                                             |   |   |   | 1          | —           | SD3/13    |
| EA1.10.1663  | .           | . | MOUNTING, FILTER, AIR, ASSEMBLY                                                                    |   |   |   | 1          | —           | SD3/14    |
| SP55C        | .           | . | Spares for :—                                                                                      |   |   |   | 1          | —           | SD3/15    |
| EA3.76.86    | .           | . | BRACKET, MOUNTING, L.H. C/W STRAP                                                                  |   |   |   | 1          | —           | SD3/15A   |
| EA1.10.1663  | .           | . | Spares for :—                                                                                      |   |   |   | 1          | L40         | SD3/16    |
| SP55C        | .           | . | NUT, knurled finger                                                                                |   |   |   | 1          | —           | SD3/17    |
| EA3.76.86    | .           | . | WASHER, spring                                                                                     |   |   |   | 1          | —           | SD3/17A   |
| EA1.10.1663  | .           | . | BRACKET, MOUNTING, R.H. C/W STRAP                                                                  |   |   |   | 1          | —           | SD3/18    |
| SP55C        | .           | . | Spares for :—                                                                                      |   |   |   | 1          | —           | SD3/19    |
| A25/1C       | .           | . | NUT, knurled finger                                                                                |   |   |   | 2          | —           | SD3/32    |
| AGS2001C1/66 | .           | . | WASHER, spring                                                                                     |   |   |   | 2          | —           | SD2/60    |
| EA3.76.5     | .           | . | Attaching parts for EA3.76.85 and EA3.76.86 :—                                                     |   |   |   | 1          | —           | SD2/32    |
| EA3.76.19    | .           | . | Bolt, 2BA                                                                                          |   |   |   | 1          | —           | SD2/33    |
| EA3.76.165   | .           | . | Nut, 2BA                                                                                           |   |   |   | 1          | L56         | SD2/34    |
| EA3.76.167   | .           | . | TEE, connecting piece, for navigator's window hose                                                 |   |   |   | 1          | L56         | SD2/36    |
| EA3.76.169   | .           | . | TEE, connecting piece, at nose air drier tube (Pre-Mod 3833)                                       |   |   |   | 1          | L56         | SD1/26    |
| SCC79576/3   | .           | . | TUBE, alloy, continuation between frames 1 and 4, port side                                        |   |   |   | 1          | L56         | SD1/27    |
| SCC79576/2   | .           | . | TUBE, alloy, from air filter to hose connection aft of frame 1                                     |   |   |   | 1          | L56         | SD1/33    |
| SCC79576/1   | .           | . | TUBE, alloy, from air filter to canopy hose connection                                             |   |   |   | 1          | L56         | SD1/34    |
| EA3.76.201   | .           | . | TUBE, alloy, continuation, between frames 3 and 4, ½" o/d x 20 SWG (SRIM.3533) (Mod 4799)          |   |   |   | 1          | L56         | SD1/35    |
| EA3.76.187   | .           | . | TUBE, alloy, from portside connection at frame 4 to blower, ½" o/d x 20 SWG (SRIM.3533) (Mod 4799) |   |   |   | 1          | L56         | SD1/36    |
| EA3.76.207   | .           | . | TUBE, alloy, from blower to air drier, port side, ½" o/d x 20 SWG (SRIM.3533) (Mod 4799)           |   |   |   | 1          | L56         | SD1/36    |
| EA3.76.199   | .           | . | TUBE, AIR DRIER, PORT, ASSEMBLY                                                                    |   |   |   | 1          | —           | SD1/36    |
|              | .           | . | Consisting of :—                                                                                   |   |   |   | 3          | —           | SD1/34    |
|              | .           | . | BOLT, clamping cover                                                                               |   |   |   | 1          | —           | SD1/35    |
|              | .           | . | CAP, end, assembly                                                                                 |   |   |   | 1          | —           | SD1/36    |
|              | .           | . | CONTAINER, body assembly                                                                           |   |   |   | 1          | —           | SD1/36    |

SERVICES  
DE-MISTING SYSTEM

| Part Number | Description                                             | No.<br>Off | Matl. Spec. | Plate No. |
|-------------|---------------------------------------------------------|------------|-------------|-----------|
|             | 1 2 3 4 5 6                                             |            |             |           |
| EA3.76.79   | . . . FILTER, ASSEMBLY                                  | 1          | —           | SD1/37    |
|             | Spares for :—                                           |            |             |           |
| EA3.76.77   | . . . . FILTER, pad (34 SWG - 40 mesh)                  | 1          | —           | SD1/38    |
| EA1.76.19   | . . . . MOUNTING, filter                                | 1          | —           | SD1/39    |
|             | Attaching parts for EA1.76.19 :—                        |            |             |           |
| A27AP       | . . . . Nut, 6BA                                        | 6          | —           | SD1/40    |
| A32A8       | . . . . Screw, round head, 6BA                          | 6          | —           | SD1/41    |
| EA3.76.21   | . . . . PLATE, retaining                                | 1          | L72         | SD1/42    |
| AGS113B     | . . . . NUT, wing                                       | 3          | —           | SD1/43    |
| EA1.76.25   | . . . . WASHER, rubber, sealing container and cap       | 2          | Shore 40-45 | SD1/44    |
| SP55B       | . . . . WASHER, spring                                  | 3          | —           | SD1/45    |
|             | Attaching parts for EA3.76.201 :—                       |            |             |           |
| EA1.10.1657 | . . . . Clip, top half                                  | 2          | DTD124      | SD1/46    |
| EA1.10.1659 | . . . . Clip, bottom half                               | 2          | DTD124      | SD1/47    |
| EA1.10.1663 | . . . . Nut, knurled, finger                            | 4          | L40         | SD1/48    |
| SP47C       | . . . . Washer, spring                                  | 4          | —           | SD1/49    |
| EA3.76.101  | . . . TUBE, AIR DRIER, STARBOARD, ASSEMBLY              | 1          | —           | SD2/37    |
|             | Spares for :—                                           |            |             |           |
| EA3.76.159  | . . . . ADAPTOR                                         | 1          | —           | SD2/38    |
| EA3.76.103  | . . . . CONTAINER, body                                 | 1          | —           | SD2/39    |
| VOKES       |                                                         |            |             |           |
| A126B1      | . . . . FILTER                                          | 2          | —           | SD2/40    |
| or          |                                                         |            |             |           |
| EK5.76.65   | . . . . FILTER                                          | 2          | —           | SD2/41    |
| EA3.76.105  | . . . . HOSE, connecting, 3 1/8" o/d x 3" i/d x 2" long | 1          | Rubber      | SD2/41    |
|             | Attaching parts for EA3.76.105 :—                       |            |             |           |
| SP91N       | . . . . Clip, hose                                      | 2          | —           | SD2/42    |
| EA3.76.107  | . . . . VALVE, ASSEMBLY                                 | 1          | —           | SD2/43    |
|             | Spares for :—                                           |            |             |           |
| EA3.76.139  | . . . . BODY, valve, inlet                              | 1          | —           | SD2/44    |
| EA3.76.137  | . . . . BODY, valve, outlet                             | 1          | —           | SD2/45    |
| EA3.76.135  | . . . . CAP, end                                        | 1          | —           | SD2/46    |
|             | Attaching parts for EA3.76.135 :—                       |            |             |           |
| A27CS       | . . . . Nut, 2BA                                        | 6          | —           | SD2/47    |
| SP13C       | . . . . Washer                                          | 6          | —           | SD2/48    |
| AGS2030/39  | . . . . CIRCLIP, filter, retaining                      | 1          | —           | SD2/49    |
| EA3.76.153  | . . . . FILTER                                          | 1          | —           | SD2/50    |
| EA3.76.143  | . . . . NUT, lock, valve adjusting screw                | 2          | —           | SD2/51    |
| EA3.76.155  | . . . . SCREW, valve adjusting                          | 2          | —           | SD2/52    |
| EA3.76.147  | . . . . SEAL, rubber                                    | 1          | —           | SD2/53    |
| EA3.76.119  | . . . . SEATING, valve                                  | 1          | —           | SD2/54    |
| EA3.76.149  | . . . . SPRING, valve                                   | 2          | —           | SD2/55    |
| EA3.76.151  | . . . . VALVE                                           | 2          | —           | SD2/56    |
| AGS1138B    | . . . . WASHER                                          | 1          | —           | SD2/56A   |
| EB6.76.43   | . . . TUBE, AIR DRIER MOUNTING, STARBOARD               | —          | —           | SD2/57    |
|             | ASSEMBLY                                                |            |             |           |
|             | Spares for :—                                           |            |             |           |
| EB6.76.47   | . . . . BRACKET, mounting, aft                          | 1          | L59         | SD2/58    |
| EB6.76.45   | . . . . BRACKET, mounting, forward                      | 1          | L59         | SD2/59    |

SERVICES  
DE-MISTING SYSTEM

| Part Number  | Description                                           | No. Off | Matl. Spec.         | Plate No. |
|--------------|-------------------------------------------------------|---------|---------------------|-----------|
|              | 1 2 3 4 5 6                                           |         |                     |           |
| EA1.76.3     | . TUBE, AIR DRIER, NOSE, ASSEMBLY<br>Consisting of :- | 1       | —                   | SD3/20    |
| EA1.76.7     | . . CAP, container                                    | 1       | —                   | SD3/21    |
| EA1.76.9     | . . CAP, container, hose coupling end                 | 1       | —                   | SD3/22    |
| EA1.76.5     | . . CONTAINER, body                                   | 1       | —                   | SD3/23    |
| EA1.76.17    | . . FILTER, ASSEMBLY                                  | 2       | —                   | SD3/24    |
|              | Spares for :-                                         |         |                     |           |
| EA1.76.23    | . . . FILTER, pad                                     | 1       | Felt                | SD3/25    |
| EA1.76.19    | . . . MOUNTING, filter                                | 1       | —                   | SD3/25A   |
|              | Attaching parts for EA1.76.19 :-                      |         |                     |           |
| A27AP        | . . . Nut, 6BA                                        | 6       | —                   | SD3/25B   |
| A32A8        | . . . Screw, round head, 6BA                          | 6       | —                   | SD3/25C   |
| EA1.76.21    | . . . PLATE, filter, felt retaining                   | 1       | L72                 | SD3/26    |
| EA1.76.25    | . . WASHER, rubber, sealing, cap, container           | 2       | Shore 40-45         | SD3/27    |
|              | Attaching parts for EA1.76.3 :-                       |         |                     |           |
| A25/1C       | . Bolt, 2BA                                           | 4       | —                   | SD3/28    |
| EA3.76.13    | . Clip                                                | 2       | L72                 | SD3/29    |
| AGS2001C1/66 | . Nut, 2BA                                            | 4       | —                   | SD3/30    |
| EA3.76.17    | . Washer, pad                                         | 4       | L72                 | SD3/31    |
| R EA3.76.299 | . TUBE, 0.25" i/d x 0.37" o/d x 4.5"<br>(Mod 5238)    | 1       | DTD 818 L3<br>Black |           |
| EA3.76.303   | . TUBE, 0.5" i/d x 0.62" o/d x 19.0"<br>(Mod 5238)    | 1       | DTD 818 L3<br>Black |           |
| R EA3.76.305 | . TUBE, 0.5" i/d x 0.62" o/d x 4.0"<br>(Mod 5238)     | 1       | DTD 818 L3<br>Black |           |
| R EA3.76.309 | . TUBE, 0.5" i/d x 0.62" o/d x 2.0"<br>(Mod 5238)     | 1       | DTD 818 L3<br>Black |           |
| R EA3.76.311 | . TUBE, 0.5" i/d x 0.62" o/d x 1.5"<br>(Mod 5238)     | 1       | DTD 818 L3<br>Black |           |
| R EA3.76.313 | . TUBE, 0.5" i/d x 0.62" o/d x 20.0"<br>(Mod 5238)    | 1       | DTD 818 L3<br>Black |           |
| R EA3.76.315 | . TUBE, 0.5" i/d x 0.62" o/d x 3.0"<br>(Mod 5238)     | 1       | DTD 818 L3<br>Black |           |
| R EG4.76.135 | . TUBE, 0.5" i/d x 0.62" o/d x 48.0"<br>(Mod 5238)    | 1       | DTD 818 L3<br>Black |           |




FIG.1 DE-MISTING SYSTEM




FIG. 2 DE-MISTING SYSTEM




FIG. 3. DE-MISTING SYSTEM