

CANBERRA E Mk. 15

Page DA.1/2

CONTROLS, FLYING AILERON CONTROLS IN WING, PORT

Ref. No.	Part No.	Description	No. off	Matl Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	E.A1.45.13	CONTROLS, AILERON, IN WING, PORT, ASSEMBLY	—	—	—	
		Spares for:—				
3572	E.A3.45.397	TUBE, CONTROL, BETWEEN FUSELAGE AND OPERATING LEVER AT RIB 4, CENTRE WING, ASSEMBLY (PRE-MOD 4930)	1	—	B	D.7
6051405	E.A3.45.687	TUBE, CONTROL, BETWEEN FUSELAGE AND OPERATING LEVER AT RIB 4, CENTRE WING, ASSEMBLY (MOD. 4930)	1	—	B	
		Spares for:—				
1683	EEAS.47/2	FITTING, adjuster	1	—	C	D.1
28M/13879	A29/NP	NUT, lock, 1/2" BSF	1	—	C	
3573	E.A3.45.401	TUBE, control, between operating lever on rib 4 and centre lever, centre wing, assembly (Pre-Mod. 4930)	1	—	B	D.7
6051406	E.A3.45.689	TUBE, control, between operating lever on rib 4 and centre lever, centre wing, assembly (Mod. 4930)	1	—	B	
3574	E.A3.45.405	TUBE, control, from centre lever to lever between ribs 2 and 2B, outer wing, assembly (Pre-Mod. 4930)	1	—	B	D.7
6051407	E.A3.45.691	TUBE, control, from centre lever to lever between ribs 2 and 2B, outer wing, assembly (Mod. 4930)	1	—	B	
3576	E.A3.45.409	TUBE, control, from lever between ribs 2 and 2B to rib 4, outer wing, assembly (Pre-Mod. 4930)	1	—	B	D.7
6051408	E.A3.45.693	TUBE, control, from lever between rib 2 and 2B to rib 4, outer wing, assembly (Mod. 4930)	1	—	B	
3571	E.A3.45.321	TUBE, CONTROL, FROM HINGE MOUNTING ON RIB 4, OUTER WING, TO AILERON OPERATING LEVER, ASSEMBLY (PRE-MOD. 4930)	1	—	B	D.7
6051404	E.A3.45.655	TUBE, CONTROL, FROM HINGE MOUNTING ON RIB 4, OUTER WING, TO AILERON OPERATING LEVER, ASSEMBLY (MOD. 4930)	1	—	B	
		Spares for:—				
494	E.A1.45.201	FORK-END, adjustable	1	—	C	D.7
28M/9452621	A27/NT	NUT, lock, 1/2" BSF	1	—	C	
		Attaching parts for control tubes:—				
67	EEAS.13/1	Bolt, special	2	S.96	C	D.7
68	EEAS.14	Bush, bearing	2	S.96	C	D.7
3569	EEAS.63/E	Nut, special	2	S.96	C	D.7
3570	EEAS.127	Piece, distance	2	S.96	C	D.7
28P/9527619	SP.90/C7	Pin, split	2	—	C	

CANBERRA E Mk. 15

Page DB.1/2

CONTROLS, FLYING **AILERON CONTROLS IN WING, STARBOARD**

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.A1.45.14	CONTROLS, AILERON, IN WING, STARBOARD ...						—	—	—	
		Spares for:—									
3572	E.A3.45.397	TUBE, CONTROL, BETWEEN FUSELAGE AND OPERATING LEVER AT RIB 4, CENTRE WING, ASSEMBLY (PRE-MOD 4930)						1	—	B	D.7
6051405	E.A3.45.687	TUBE, CONTROL, BETWEEN FUSELAGE AND OPERATING LEVER AT RIB 4, CENTRE WING, ASSEMBLY (MOD. 4930)						1	—	B	
		Spares for:—									
1683	EEAS.47/2	FITTING, adjuster						1	—	C	D.1
28M/13879	A29/NP	NUT, lock, 1/2" BSF						1	—	C	
3573	E.A3.45.401	TUBE, control, between operating lever on rib 4 and centre lever, centre wing, assembly (Pre-Mod. 4930)						1	—	B	D.7
6051406	E.A3.45.689	TUBE, control, between operating lever on rib 4 and centre lever, centre wing, assembly (Mod. 4930)						1	—	B	
3574	E.A3.45.405	TUBE, control, from centre lever to lever between ribs 2 and 2B, outer wing, assembly (Pre-Mod. 4930)						1	—	B	D.7
6051407	E.A3.45.691	TUBE, control, from centre lever to lever between ribs 2 and 2B, outer wing, assembly (Mod. 4930)						1	—	B	
3575	E.A3.45.410	TUBE, control, from lever between ribs 2 and 2B to rib 4, outer wing, assembly (Pre-Mod. 4930)						1	—	B	D.7
6051409	E.A3.45.694	TUBE, control, from lever between ribs 2 and 2B to rib 4, outer wing, assembly (Mod. 4930)						1	—	B	
3571	E.A3.45.321	TUBE, CONTROL, FROM HINGE MOUNTING ON RIB 4, OUTER WING, TO AILERON OPERATING LEVER, ASSEMBLY (PRE-MOD. 4930)						1	—	B	D.7
6051404	E.A3.45.655	TUBE, CONTROL, FROM HINGE MOUNTING ON RIB 4, OUTER WING, TO AILERON OPERATING LEVER, ASSEMBLY (MOD. 4930)						1	—	B	
		Spares for:—									
494	E.A1.45.201	FORK-END, adjustable						1	—	C	D.7
28M/9452621	A27/NT	NUT, lock, 1/2" BSF						1	—	C	
		Attaching parts for control tubes:—									
67	EEAS.13/1	Bolt, special						2	S.96	C	D.7
68	EEAS.14	Bush, bearing						2	S.96	C	D.7
3569	EEAS.63/E	Nut, special						2	S.96	C	D.7
3570	EEAS.127	Piece, distance						2	S.96	C	D.7
28P/9527619	SP.90/C7	Pin, split						2	—	C	

CANBERRA E Mk. 15

Page DC.1

CONTROLS, FLYING FLAP OPERATING MECHANISM, PORT

Ref. No.	Part No.	Description	No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1 2 3 4 5 6				
	E.A1.20.701	FLAP OPERATING MECHANISM, PORT, ASSEMBLY	—	—	—	
		Spares for:—				
495	E.A1.20.711	BRACKET , flap operating jack unit support ...	2	L.65	C	D.8
		Attaching parts for E.A1.20.711:—				
28D/1011259	A25/10G	Bolt, 7/8" BSF ...	2	—	C	
28W/9419476	SP.15/G	Washer ...	2	—	C	
496	E.A1.20.885	BRACKET , mounting, flap operating jack unit (Pre-Mod. 4781)	4	DTD.683	C	D.8
1439325	E.A3.20.3991	BRACKET , mounting, flap operating jack unit (Mod. 4781)	4	S.97	C	
		Attaching parts for E.A1.20.885 or E.A3.20.3991:—				
28D/1011258	A25/8G	Bolt, 7/8" BSF ...	1	—	C	
6490	E.A1.20.3129	BRACKET , mounting, Desynn transmitter ...	1	L.72	C	D.8
		Attaching parts for E.A1.20.3129:—				
28D/1010658	A25/1B	Bolt, 4 BA ...	6	—	C	
5K/1940780	AS.1900/B	CLIP , cable ...	1	—	C	
2036	E.A3.20.1011	LINK, CONNECTING, FLAP TO OPERATING MECHANISM, ASSEMBLY	4	—	B	D.8
		Spares for:—				
500	E.A1.20.797	PLATE , locking ...	1	L.72	C	D.8
		Attaching parts for E.A1.20.797:—				
28D/1010142	A25/9B	Bolt, 4 BA ...	2	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA ...	2	—	C	
28W/9419474	SP.15/B	Washer ...	2	—	C	
501	E.A1.20.795	SCREW , adjusting ...	1	S.96	C	D.8
502	E.A1.20.791	WASHER ...	2	L.65 or L.72	C	D.8
504	E.A1.20.683	PLATE , cover, at rib 3A, for assembly of flap jack unit (Pre-Mod.738)	1	DTD.320	C	D.8
5849	E.A3.20.2289	PLATE , cover, at rib 3A, for assembly of flap jack unit (Mod.738)	1	L.72	C	D.8
3499	E.A1.20.10777	PLATE , cover, at rib 3A, for assembly of flap jack unit	1	L.72	C	
3500	E.A1.20.10778	PLATE , cover, at rib 3A, for assembly of flap jack unit	1	L.72	C	
		Attaching parts for E.A1.20.683, E.A3.20.2289, E.A1.20.10777 and E.A1.20.10778:—				
28D/1212939	A61/1C	Bolt, 2 BA ...	6	—	C	
28M/10281	AGS.2001/C/3	Nut, 2 BA ...	6	—	C	
28W/9419475	SP.15/C	Washer ...	6	—	C	
3497	E.A1.20.10779	PLATE , cover, at ribs 3, 4 and 5, for assembly of flap jack unit	2	L.72	C	
3498	E.A1.20.10780	PLATE , cover, at ribs 3, 4 and 5, for assembly of flap jack unit	1	L.72	C	
		Attaching parts for E.A1.20.10779 and E.A1.20.10780:—				
28D/1212939	A61/1C	Bolt, 2 BA ...	7	—	C	
28M/10281	AGS.2001/C/3	Nut, 2 BA ...	7	—	C	
28W/9419475	SP.15/C	Washer ...	7	—	C	

CONTROLS, FLYING FLAP OPERATING MECHANISM, PORT

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
6491	E.A1.20.3133	ROD CONNECTING, FLAP INDICATOR MECHANISM, ASSEMBLY						1	—	B	D.8
		Consisting of:—									
7095	E.A1.20.881	FORK-END						1	L.1	C	D.8
	E.A1.20.883	FORK-END, L.H. thread						1	L.1	—	D.8
28M/1006473	A27/CT	NUT, 2 BA						1	—	C	
28M/13253	A27/CTL	NUT, 2 BA, L.H. thread						1	—	C	
7094	E.A1.20.3157	ROD, screwed						1	DTD.683	C	D.8
		Attaching parts for E.A1.20.3133:—									
28N/1045680	AGS.899/2	Collar						2	—	C	
28P/1207864	SP.4Y/B4	Pin, shackle						2	—	C	
28P/9527619	SP.90/C7	Pin, split						2	—	C	
9888	E.A1.20.813	ROD, PUSH, OUTBOARD FLAP CONTROL, BETWEEN FLAP HINGE AND OPERATING JACK, ASSEMBLY						1	—	C	D.8
		Spares for:—									
507	E.A1.20.839	BUSH						1	DTD.197	C	D.8
6920	E.A1.20.827	EYE-END						1	L.65	C	D.8
508	E.A1.20.825	FORK-END						1	L.65	C	D.8
		Attaching parts for E.A1.20.827 and E.A1.20.825:—									
1096	EEAS.37/15A	Nipple						6	—	C	D.8
	EEAS.38/2A	Spoke (Make from Ref. No. 28R/6124)						3	S.96	LM	D.8
28N/9156370	SP.21	NIPPLE, lubricating						1	—	C	
549	EEAS.5	WASHER, fibre, for lubricating nipple						1	BSS.216	C	D.8
9889	E.A1.20.815	ROD, PUSH, INBOARD AND OUTBOARD FLAP CONTROL, BETWEEN HINGE AND OPERATING JACK, ASSEMBLY						2	—	C	D.8
		Spares for this group are identical with those for group Part No. E.A1.20.813									
9891	E.A1.20.819	ROD, PUSH, INBOARD FLAP CONTROL, BETWEEN HINGE AND OPERATING JACK CONNECTING ARM, ASSEMBLY						1	—	C	D.8
		Spares for this group are identical with those for group Part No. E.A1.20.813									
		Attaching parts for E.A1.20.813, E.A1.20.815 and E.A1.20.819:—									
503	E.A1.20.803	Pin, shackle						1	S.96	C	D.8
509	E.A1.20.805	Pin, shackle						1	S.96	C	D.8
28P/19176	SP.90/G6	Pin, split						2	—	C	
510	E.A1.20.807	Plate, locking						1	L.72	C	D.8
28S/9995325	A33/B8	Screw, 4 BA						2	—	C	
6A/2134	†	TRANSMITTER, Desynn						1	—	A	
		Attaching parts for Ref. No. 6A/2134:—									
28D/1212940	A61/2C	Bolt, 2 BA						4	—	C	
28M/10281	AGS.2001/C/3	Nut, 2 BA						4	—	C	
28VV/9419475	SP.15/C	Washer						4	—	C	

CANBERRA E Mk. 15

Page DD.1

CONTROLS, FLYING FLAP OPERATING MECHANISM, STARBOARD

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.A1.20.700	FLAP OPERATING MECHANISM, STARBOARD ASSEMBLY						—	—	—	
		Spares for:—									
495	E.A1.20.711	BRACKET , flap operating jack unit support ...						2	L.65	C	D.8
28D/1011259	A25/10G	Attaching parts for E.A1.20.711:—									
28W/9419476	SP.15/G	Bolt, 7/8" BSF ...						2	—	C	
		Washer ...						2	—	C	
496	E.A1.20.885	BRACKET , mounting, flap operating jack unit (Pre-Mod. 4781)						2	DTD.683	C	D.8
1439325	E.A3.20.3991	BRACKET , mounting, flap operating jack unit (Mod. 4781)						2	S.97	C	
511	E.A1.20.887	BRACKET , mounting, flap operating jack unit, centre wing (Pre-Mod. 4781)						2	DTD.683	C	
1439326	E.A3.20.4009	BRACKET , mounting, flap operating jack unit, centre wing (Mod. 4781)						2	S.97	C	
		Attaching parts for E.A1.20.885, E.A1.20.887, E.A3.20.3991 or E.A3.20.4009:—									
28D/1011258	A25/8G	Bolt, 7/8" BSF ...						1	—	C	
2036	E.A3.20.1011	LINK, CONNECTING, FLAP TO OPERATING MECHANISM, ASSEMBLY						4	—	B	D.8
		Spares for:—									
500	E.A1.20.797	PLATE , locking ...						1	L.72	C	D.8
		Attaching parts for E.A1.20.797:—									
28D/1010142	A25/9B	Bolt, 4 BA ...						2	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA ...						2	—	C	
28W/9419474	SP.15/B	Washer ...						2	—	C	
501	E.A1.20.795	SCREW , adjusting ...						1	S.96	C	D.8
502	E.A1.20.791	WASHER ...						2	L.65 or L.72	C	D.8
504	E.A1.20.683	PLATE , cover, at rib 3A, for assembly of flap jack unit (Pre-Mod. 738)						1	L.72	C	D.8
5849	E.A3.20.2289	PLATE , cover, at rib 3A, for assembly of flap jack unit (Mod. 738)						1	L.72	C	D.8
3499	E.A1.20.10777	PLATE , cover, at rib 3A, for assembly of flap jack unit						1	L.72	C	
3500	E.A1.20.10778	PLATE , cover, at rib 3A, for assembly of flap jack unit						1	L.72	C	
		Attaching parts for E.A1.20.683, E.A3.20.2289, E.A1.20.10777 and E.A1.20.10778:—									
28D/1212939	A61/1C	Bolt, 2 BA ...						6	—	C	
28M/10281	AGS.2001/C/3	Nut, 2 BA ...						6	—	C	
28W/9419475	SP.15/C	Washer ...						6	—	C	
3497	E.A1.20.10779	PLATE , cover, at ribs 3, 4 and 5, for assembly of flap jack unit						2	L.72	C	
3498	E.A1.20.10780	PLATE , cover, at ribs 3, 4 and 5, for assembly of flap jack unit						1	L.72	C	
		Attaching parts for E.A1.20.10779 and E.A1.20.10780:—									
28D/1212939	A61/1C	Bolt, 2 BA ...						7	—	C	
28M/10281	AGS.2001/C/3	Nut, 2 BA ...						7	—	C	
28W/9419475	SP.13/C	Washer ...						7	—	C	

CONTROLS, FLYING **FLAP OPERATING MECHANISM, STARBOARD**

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
9890	E.A1.20.817	ROD, PUSH, OUTBOARD FLAP CONTROL, BETWEEN FLAP HINGE AND OPERATING JACK, ASSEMBLY						1	—	B	D.8
		Spares for:—									
507	E.A1.20.839	BUSH						1	DTD.197	C	D.8
6920	E.A1.20.827	EYE-END						1	L.65	C	D.8
508	E.A1.20.825	FORK-END						1	L.65	C	D.8
		Attaching parts for E.A1.20.827 and E.A1.20.825:—									
1096	EEAS.37/15A	Nipple						6	S.96	C	D.8
	EEAS.38/2A	Spoke (Make from Ref. No. 28R/6124)						3	S.96	LM	D.8
28N/9156370	SP.21	NIPPLE, lubricating						1	—	C	
549	EEAS.5	WASHER, fibre, for lubricating nipple						1	—	C	D.8
9892	E.A1.20.869	ROD, PUSH, INBOARD FLAP CONTROL, BETWEEN HINGE AND OPERATING JACK, CONNECTING ARM, ASSEMBLY						1	—	B	D.8
		Spares for this group are identical with those for group Part No. E.A1.20.817									
9893	E.A1.20.889	ROD, PUSH, INBOARD FLAP, CENTRE WING, ASSEMBLY						1	—	B	D.8
		Spares for this group are identical with those for group Part No. E.A1.20.817									
9894	E.A1.20.891	ROD, PUSH, FLAP, OUTER WING, ASSEMBLY						1	—	B	D.8
		Spares for this group are identical with those for group Part No. E.A1.20.817									
		Attaching parts for E.A1.20.817, E.A1.20.869, E.A1.20.889 and E.A1.20.891									
503	E.A1.20.803	Pin, shackle						1	S.96	C	D.8
509	E.A1.20.805	Pin, shackle						1	S.96	C	D.8
28P/19176	SP.90/G6	Pin, split						2	—	C	
510	E.A1.20.807	Plate, locking						1	L.72	C	D.8
28S/9995325	A33/B8	Screw, 4 BA						2	—	C	

CANBERRA E Mk 15

Page DE.1

CONTROLS, FLYING FLYING CONTROLS IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.A3.45.379	CONTROLS, FLYING, IN CENTRE FUSELAGE, ASSEMBLY						—	—	—	
7769	E.A1.45.215	LEVERS, AILERON AND MOUNTING AT FRAME 22, ASSEMBLY (PRE-MOD.4956) (For Aircraft Not Embodying Mod. 5100) Spares for:—						1	—	B	D.5
	E.A1.45.217	LEVER, ASSEMBLY Spares for:—						1	—	—	
2A/9500420	HOFFMANN T.21	BEARING, ballrace						2	—	C	
	E.A1.45.223	LEVER, top						1	—	—	
	E.A1.45.225	LEVER, bottom						1	—	—	
	E.A1.45.1031	SPINDLE						1	—	—	
21119	E.A1.45.243	SPOOL, retaining Attaching parts for E.A1.45.243:—						1	—	C	
	EEAS.37/14A	Nipple						4	—	C	
1095	EEAS.38/2A	Spoke (Make from Ref. No. 28R/6124) ...						2	5.96	LM	
6119256	E.A3.45.5105	LEVERS, aileron and mounting at frame 22, assembly (Mod. 4956) (For Aircraft Embodying Mod. 5100) Attaching parts for E.A3.45.5105:—						1	—	B	
28D/9436920	A25/1C	Bolt, 2 BA						14	—	C	
28D/9133011	A25/2C	Bolt, 2 BA						10	—	C	
28D/9435710	A25/11C	Bolt, 2 BA						2	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA						14	—	C	
	E.A3.45.5209	Washer, profile, 12 SWG						2	L.72	—	
28VV/9419402	SP.13/C	Washer						28	—	C	
7768	E.A1.45.245	LEVER, AILERON IDLE, AT FRAME 22, ASSEMBLY (PRE-MOD. 4956) (For Aircraft Not Embodying Mod. 5100) Spares for:—						1	—	B	D.5
2A/9500419	HOFFMANN T.17	BEARING, ballrace						2	—	C	
1937	E.A1.45.251	HOUSING, ballrace						2	—	C	
	E.A1.45.224	LEVER, assembly						1	—	—	
20842	E.A1.45.253	SPINDLE						1	—	C	
6119257	E.A3.45.5181	LEVER, aileron idle, at frame 22, assembly (Mod. 4956) (For Aircraft Embodying Mod. 5100)						1	—	B	
7760	E.A1.45.485	SUPPORT, CONTROL TUBE, BETWEEN FRAMES 12 AND 13, ASSEMBLY Spares for:—						1	—	A/MR	D.5
	FAIREY AVIATION										
2035	FS.515	BEARING, roller						3	—	B	D.5
	E.A1.45.545	EXTRUSION						1	—	—	
	E.A1.45.547	EXTRUSION						1	—	—	
10279	E.A1.45.463	SUPPORT Attaching parts for E.A1.45.463:—						1	—	C	D.5
28D/9133012	A25/3C	Bolt, 2 BA						6	—	C	
28M/9403520	A27/CP	Nut, 2 BA						6	—	C	

CONTROLS, FLYING FLYING CONTROLS IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
7762	E.A1.45.487	SUPPORT, CONTROL TUBE, AT FRAME 15, ASSEMBLY						1	—	A/MR	D.5
		Spares for:—									
	FAIREY AVIATION										
2035	FS.515	BEARING, roller						3	—	B	D.5
10280	E.A1.45.465	SUPPORT						1	—	C	D.5
		Attaching parts for E.A1.45.487:—									
28D/1200119	A25/4C	Bolt, 2 BA						6	—	C	
28M/9403520	A27/CP	Nut, 2 BA						6	—	C	
7763	E.A1.45.489	SUPPORT, CONTROL TUBE, AT FRAME 20, ASSEMBLY						1	—	A/MR	D.5
		Spares for:—									
	FAIREY AVIATION										
2035	FS.515	BEARING, roller						3	—	B	D.5
10281	E.A1.45.467	SUPPORT						1	—	C	D.5
		Attaching parts for E.A1.45.489:—									
28D/9133012	A25/3C	Bolt, 2 BA						6	—	C	
28M/9403520	A27/CP	Nut, 2 BA						6	—	C	
	EEAS.15/64/110NR	Strip, packing						3	—	—	
7765	E.A1.45.491	SUPPORT, CONTROL TUBE, AT FRAME 23, ASSEMBLY						1	—	A/MR	D.5
		Spares for:—									
	FAIREY AVIATION										
2035	FS.515	BEARING, roller						2	—	B	D.5
10282	E.A1.45.469	SUPPORT						1	—	C	D.5
		Attaching parts for E.A1.45.491:—									
28D/1200119	A25/4C	Bolt, 2 BA						4	—	C	D.5
28M/9403520	A27/CP	Nut, 2 BA						4	—	C	
7766	E.A1.45.699	SUPPORT CONTROL TUBE, AT FRAME 27, ASSEMBLY						1	—	A/MR	D.5
		Spares for:—									
	FAIREY AVIATION										
2035	FS.515	BEARING, roller						2	—	B	D.5
7767	E.A1.45.497	SUPPORT, CONTROL TUBE, AT FRAME 30A, ASSEMBLY						1	—	A/MR	D.5
		Spares for:—									
	FAIREY AVIATION										
2035	FS.515	BEARING, roller						2	—	B	D.5
3586	E.A3.45.359	TUBE, control, elevator and rudder, assembly (Pre-Mod. 4930)						6	—	B	D.5
6051415	E.A3.45.673	TUBE, control, elevator and rudder, assembly (Mod. 4930)						6	—	B	
3585	E.A3.45.371	TUBE, control, between frames 12 and 15, assembly (Pre-Mod. 4930)						3	—	B	D.5
6051414	E.A3.45.679	TUBE, control, between frames 12 and 15, assembly (Mod. 4930)						3	—	B	
3583	E.A3.45.355	TUBE, control, aileron, between frames 15 and 20, assembly (Pre-Mod. 4930)						1	—	B	D.5
6051418	E.A3.45.671	TUBE, control, aileron, between frames 15 and 20, assembly (Mod. 4930)						1	—	B	

CANBERRA E Mk 15

Page DE.3/4

CONTROLS, FLYING FLYING CONTROLS IN CENTRE FUSELAGE

Ref. No.	Part No.							No. off	Matl Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
3587	E.A3.45.367	TUBE, CONTROL, BETWEEN FRAME 20 AND						1	—	B	D.5
		AILERON LEVER, ASSEMBLY (PRE-									
		MOD. 4930)									
6051694	E.A3.45.677	TUBE, CONTROL, BETWEEN FRAME 20 AND						1	—	B	
		AILERON LEVER, ASSEMBLY (MOD.									
		4930)									
		Spares for:—									
1683	EEAS.47/2	FORK-END, adjustable						1	DTD.683	C	D.6
28M/4095946	A29/NP	NUT, locking, 1/2" BSF						1	—	C	
3582	E.A3.45.363	TUBE, control, aileron, at frame 21, assembly (Pre-						1	—	B	D.5
		Mod. 4930)									
6051417	E.A3.45.675	TUBE, control, aileron, at frame 21, assembly (Mod.						1	—	B	
		4930)									
3584	E.A3.45.375	TUBE, control, between frames 23 and 27, assembly						2	—	B	D.5
		(Pre-Mod. 4930)									
6051416	E.A3.45.681	TUBE, control, between frames 23 and 27, assembly						2	—	B	
		(Mod. 4930)									
		Attaching parts for control tubes:—									
67	EEAS.13/1	Bolt, special						2	S.96	C	D.1
68	EEAS.14	Bush, bearing						2	S.96	C	D.1
3569	EEAS.63/E	Nut, special						2	S.96	C	D.1
3570	EEAS.127	Piece, distance						2	S.96	C	D.1
28P/9527619	SP.90/C7	Pin, split						2	—	C	

Restricted

[illegible]

CANBERRA E Mk. 15

Page DF.1

CONTROLS, FLYING FLYING CONTROLS IN COCKPIT

Ref. No.	Part No.							No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.G.4.45.103	FLYING CONTROLS IN COCKPIT, ASSEMBLY						—	—	—	
		(MOD. 4799)									
		Spares for:—									
12G/9635203	L3/5578/GF/116	CHARGE, H.E., emergency						1	—	C	
	E.G.4.45.107	CONTROLS ON PILOT'S FLOOR AND FLOOR						—	—	—	
		FIXING, ASSEMBLY (MOD. 4799)									
		Spares for:—									
	E.A.3.45.247	AILERON BIAS, ASSEMBLY						1	—	—	
		Spares for:—									
5W/4699	E.E. CO. LTD. BRADFORD	ACTUATOR, linear, Type 259, Mk. 2						1	—	A	
		Attaching parts for Ref. 5W/4699:—									
2023	E.A.6.45.345	Bolt, shouldered, at angle end						1	S.92	C	
28D/1011238	A25/3E	Bolt, 1/4" BSF, at lever end						1	—	C	
28M/1011467	A27/ES	Nut, 1/4" BSF						2	—	C	
28P/9527619	SP.90/C7	Pin, split						2	—	C	
6212	E.A.6.45.337	ANGLE						1	L.72	C	
6213	E.A.6.45.338	ANGLE						1	L.72	C	
		Attaching parts for E.A.6.45.337 and									
		E.A.6.45.338:—									
28D/9133011	A25/2C	Bolt, 2 BA						2	—	C	
28D/9436920	A25/1C	Bolt, 2 BA						4	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA						6	—	C	
28W/9419402	SP.13/C	Washer						4	—	C	
2918	E.A.6.45.335	TUBE, torque, and levers, assembly						1	—	B	
		Attaching parts for E.A.6.45.335:—									
2879	E.A.6.45.343	Bolt, shouldered						1	—	C	
2881	E.A.6.45.341	Bush, oilite						2	—	C	
28M/1011467	A27/ES	Nut, 1/4" BSF						1	—	C	
28P/9527619	SP.90/C7	Pin, split						1	—	C	
28W/9416197	SP.42/G	Washer, tab						1	—	C	
	E.G.4.45.105	COLUMN, CONTROL, PILOT'S, ASSEMBLY ...						1	—	A	
		(MOD. 4799) (PRE-MOD. 4956)									
		(For Aircraft Not Embodying Mod. 5100)									
		(Make from Part No. E.G.4.45.5, Ref. 34327)									
		(Supplied to drg. E.A.3.00.5158 for spares purposes)									
	E.G.4.45.109	COLUMN, CONTROL, PILOT'S, ASSEMBLY ...						1	—	—	
		(MOD. 4956)									
		(For Aircraft Embodying Mod. 5100)									
		Spares for:—									
2A/9500419	HOFFMANN T.17	BEARING, ballrace, aileron control						1	—	C	D.2
2A/9500422	HOFFMANN T.25	BEARING, ballrace, pilot's hand grip						1	—	C	D.2
3459	E.A.6.45.291	BLOCK, brake cable, adjusting						1	DTD.5044	C	D.2
		Attaching parts for E.A.6.45.291:—									
28D/1214031	AS.1242/8C	Bolt, 2 BA						1	—	C	
28M/5808573	A27/C5	Nut, 2 BA						1	—	C	
28P/9527619	SP.90/C7	Pin, split						1	—	C	
28S/9435718	A33/C24	Screw, 2 BA						2	—	C	
28W/9419475	SP.15/C	Washer						1	—	C	
5X/1004088	CZ.24285	BLOCK, terminal						1	—	C	
		Attaching parts for CZ.24285:—									
28M/1278189	AGS.2001/B/1	Nut, 4 BA						2	—	C	
5X/9450403	Z.28426	Pillar, fixing						2	—	C	
28W/9419465	SP.13/B	Washer						2	—	C	

CONTROLS, FLYING FLYING CONTROLS IN COCKPIT

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
28S/1011785	E.B6.81.877	BRACKET, clip						1	—	—	
	A39/B10	Attaching parts for E.B6.81.877:— Screw, 4 BA						2	—	C	
22263	E.B6.81.2253	BRACKET, switch						1	—	C	
71	E.A1.45.107	BUSH, main bearing attached to bottom casting						1	L.65	C	D.2
28599	E.B7.81.1165	CABLE, assembly, N.69B						1	—	B	
20664	E.A3.45.473	CABLE, brake						1	—	C	D.2
		Attaching parts for E.A3.45.473:— Collar						1	—	C	
28N/1045680	AGS.899/2	Pin, shackle						1	—	C	
28P/1013002	SP.4Y/B9	Pin, split						1	—	C	
28P/9486478	SP.90/C5							1	—	C	
28E/1201807	AS.3180/5B	CLIP						1	—	C	
73	E.B7.45.71	COLUMN, control, sub-assembly						1	—	—	
	E.A1.45.125	CONTROL, ELEVATOR, SUB-ASSEMBLY (PRE-MOD. 4496)						1	—	A	D.2
		Spares for:— BEARING, ballrace						1	—	C	D.2
2A/9500426	HOFFMANN T.33	DIAPHRAGM, ballrace housing, mounting						1	—	C	D.2
16283	E.A1.45.177	HOUSING, ballrace						1	L.45	C	D.2
6227	E.A1.45.175	LEVER, OPERATING, ELEVATOR, GROUP						1	—	B	D.2
74	E.A1.45.133	Consisting of:— BEARING, ballrace						1	—	C	D.2
2A/9500463	SKEFKO CBA.2	HOUSING, ballrace						1	L.65	C	D.2
75	EEAS.3/D	LEVER						1	L.65	—	D.2
92	EEAS.4/20C	WASHER, packing						2	L.72	C	D.2
1095	EEAS.37/14A	NIPPLE, 2 BA						12	S.96	C	D.2
6225	E.A1.45.173	SLEEVE, lever mounting						1	L.65	—	D.2
	E.A1.45.105	SOCKET, mounting, elevator control to control column						1	L.65	C	D.2
		SPOKE, 2 BA (Make from 28R/6124)						6	S.96	LM	D.2
		TUBE, torque, connecting socket and lever, 2" o/d. x 14 SWG						1	L.62	—	D.2
		Attaching parts for E.A1.45.125:— Bolt						1	—	C	D.2
1021	E.A1.45.1153	Nut, 3" BSF						1	—	C	
28M/1011476	A27/JS	Pin, split						1	—	C	
28P/9527619	SP.90/C7							1	—	C	
1439243	E.A3.45.539	CONTROL, ELEVATOR, ASSEMBLY (S.O.O.) (MOD. 4496)						1	—	A	
		Consisting of:— BEARING, ballrace						1	—	C	
2A/9500426	HOFFMANN T.33	DIAPHRAGM, ballrace housing, mounting						1	—	C	
16283	E.A1.45.177	HOUSING, ballrace						1	L.65	C	
6227	E.A1.45.175	LEVER, assembly						1	—	B	
1439312	E.A3.45.523	Consisting of:— BEARING, ballrace						1	—	C	
2A/9500463	SKEFKO CBA.2	HOUSING, ballrace						1	L.65	C	
75	EEAS.3/D	LEVER						1	—	—	
1439238	E.A3.45.519	RING, clamp						1	L.72	C	
	E.A3.45.515	Attaching parts for E.A3.45.515:— Bolt, 2 BA						8	—	C	
28D/9709461	AS.1242/3C	Nut, 2 BA						8	—	C	
28M/5808573	A27/C5	Pin, split						8	—	C	
28P/9486478	SP.90/C5	Washer						8	—	C	
28W/9419475	SP.15/C							8	—	C	

CANBERRA E Mk. 15

Page DF.2A/B

CONTROLS, FLYING **FLYING CONTROLS IN COCKPIT**

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
1439239	E.A3.45.517							1	—	C	
28D/1013178	AS.1242/5E							8	—	C	
28N/1011467	A27/ES							8	—	C	
28P/9486478	SP.90/C5							8	—	C	
28W/9419487	SP.16/E							8	—	C	
	E.A1.45.173							1	L.65	—	
28D/1213439	A59/22G							3	—	C	
28M/14537	A27/GS							3	—	C	
28P/9486478	SP.90/C5							3	—	C	
28W/14187	AS.1903/G16							3	—	C	
28W/9419488	SP.16/G							3	—	C	
6225	E.A1.45.105							1	L.65	C	
28D/1213439	A59/22G							3	—	C	
28N/5808571	A27/G5							3	—	C	
28P/9486478	SP.90/C5							3	—	C	
28W/14181	AS.1903/G16							3	—	C	
28W/9419488	SP.16/G							3	—	C	
	E.A1.45.171							1	T.4	—	
1021	E.A1.45.1153							1	—	C	
28M/1011476	A27/JS							1	—	C	
28P/9527619	SP.90/C7							1	—	C	
5X/3275	CZ.26808							1	—	C	
5X/1373	Z.11384							2	—	C	
77	E.A1.45.1025							1	S.96	C	D.2
1572	EEAS.37/1A							4	S.96	C	D.2
	EEAS.38/1A							2	S.96	LM	D.2
	E.A6.45.267							1	—	—	D.2
5K/2887	SP.40/A4							3	—	C	
21214	E.A6.45.265							1	S.96	C	D.2
6190	E.A1.45.1059							1	—	C	
22262	E.B6.45.37							1	—	C	
32543	E.B6.45.61							1	Mg. Alloy	A	D.2
28N/1045680	AGS.899/2							2	—	C	
28P/7119888	SP.4Y/B14							1	—	C	
28P/841	SP.4Y/B15							1	—	C	
28P/9486478	SP.90/C5							2	—	C	
28W/9419475	SP.15/C							1	—	C	

CANBERRA E Mk. 15

Page DF.3

CONTROLS, FLYING FLYING CONTROLS IN COCKPIT

Ref. No.	Part No.							No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
1132	E.A6.45.215							1	—	B/MR	D.2
1134	E.A6.45.217							1	DTD.126	C	D.2
1133	E.A6.45.219							1	DTD.683	C	D.2
28N/1045680	AGS.899/2							2	—	C	
28P/1013002	SP.4Y/B9							2	—	C	
28P/9486478	SP.90/C5							2	—	C	
2890	E.A3.45.257							1	DTD.683	C	D.2
20667	E.A6.45.249							1	—	B/MR	D.2
1136	E.A6.45.285							1	S.92	C	D.2
1457	E.A6.45.255							1	DTD.683	C	D.2
	E.A6.45.253							1	L.65	—	D.2
	E.A6.45.251							1	S.96	—	D.2
80	E.A1.45.679							1	S.201	C	D.2
1455	E.A6.45.269							1	DTD.683	C	D.2
1456	E.A6.45.271							1	DTD.683	C	D.2
1454	E.A6.45.263							1	DTD.683	C	D.2
	E.A1.45.153							2	L.72	—	D.2
28S/9419435	A31/B12							1	—	C	
28W/9416642	SP.47/B							1	—	C	
2020	E.A6.45.273							1	DTD.683	C	D.2
28S/1200053	A33/C16							4	—	C	
	EEAS.27/8/4B							4	—	C	D.2
	or										
343	E.A1.31.277										
22261	E.B6.45.33							1	—	C	D.2
28S/9419435	A31/B12							4	—	C	
	EEAS.27/8/4B							4	—	C	D.2
	or										
343	E.A1.31.277										
2018	E.A3.45.259							1	L.72	C	D.2
2019	E.A3.45.261							1	L.72	C	D.2
28D/1212792	AS.1248/8C							3	—	C	
28M/9433473	AGS.2002/C/1							3	—	C	
1025	EEAS.1/1C							4	—	C	D.2
33389	E.B6.81.3115							1	L.72	C	
28S/9419435	A31/B12							3	—	C	
28W/9419401	SP.10/B							3	—	C	
28W/9416642	SP.47/B							3	—	C	
1441	E.A6.45.287							1	L.65	C	D.2
2021	E.A3.45.265							1	DTD.683	C	D.2
28S/1214830	4100 No. 2 x 16							2	—	C	
5X/1005131	Z.49428							3	—	C	
89	E.A1.45.123							1	L.65	C	D.2

CONTROLS, FLYING

FLYING CONTROLS IN COCKPIT

Ref. No.	Part No.	Description	No. off	Matl Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
5X/4500101	508/1/03969	SOCKET, size B	1	—	C	
5X/4500105	508/1/03973	SOCKET, size B	1	—	C	
88	E.A1.45.1029	SPHERE, control column, locking	1	DTD.265	C	
2022	E.A3.45.263	SPRING, locking plate, compression	1	S.201	C	D.2
18197	E.B6.81.859	STOP, air brake switch overshoot, assembly	1	—	C	D.2
5F/9434857	HELLERMANN HV.3341	STRAP	QR	—	C	
5F/9138822	HELLERMANN NY.3342	STUD	1	—	C	
21211	E.A1.45.87	SUPPORT, CONTROL COLUMN, CASTING, ASSEMBLY (PRE-MODS. 5028 & 4956)	1	—	A/MR	
6119143	E.A3.45.695	SUPPORT, CONTROL COLUMN, CASTING, ASSEMBLY (MOD. 5028) (PRE-MOD. 4956)	1	—	A/MR	
		Consisting of:—				
2A/9500419	HOFFMANN T.17	BEARING, ballrace, main control column	2	—	C	D.2
2A/9500422	HOFFMANN T.25	BEARING, ballrace, between sleeve and support casting	2	—	C	D.2
20666	E.A1.45.93	CASTING, control column support (Pre-Mod. 5028)	1	DTD.289	A/MR	D.2
	E.A3.45.711	CASTING, control column support (Mod. 5028)	1	—	—	
91	E.A1.45.1027	FORK-END	1	S.96	C	D.2
1975	E.A1.45.961	LEVER, AILERON, OPERATING, ASSEMBLY	1	—	B	D.2
		Consisting of:—				
2A/9500463	SKEFKO CBA.2	BEARING, ballrace	1	—	C	D.2
28G/4070244	AGS.798/E	EYE-BOLT	1	—	C	
		Attaching parts for AGS.798/E:—				
2914	E.A1.45.483	Collar	1	L.64	C	D.2
28M/1011475	A27/EP	Nut, 1/4" BSF	1	—	C	
75	EEAS.3/D	HOUSING, ballrace	1	L.65	C	D.2
6188	E.A1.45.959	LEVER, operating	1	DTD.683	C	D.2
92	EEAS.4/20C	WASHER, packing	4	L.72	C	D.2
		Attaching parts for E.A1.45.961:—				
90	E.A1.45.1033	Bolt, special	3	S.96	C	D.2
28D/1007976	AS.1242/4C	Bolt, 2 BA	1	—	C	
28M/9403520	A27/CP	Nut, 2 BA	4	—	C	
28W/9419475	SP.15/C	Washer	1	—	C	
1572	EEAS 37/1A	NIPPLE	4	S.96	C	D.2
28M/1006473	A27/CT	NUT, 2 BA	2	—	C	
21483	E.A1.45.103	SLEEVE, sprocket mounting	1	L.65	C/MR	D.2
	EEAS 38/1A	SPOKE (Make from Ref. 28R/6123)	2	S.96	LM	D.2
	E.A1.45.619	SPROCKET	1	L.65	—	D.2
41436	E.A1.45.165	STUD, mounting	2	DTD.126A	C	D.2
6189	E.A1.45.993	TUBE, distance, between sprocket and casting	1	L.62	C	D.2
	E.A3.45.5095	SUPPORT, CONTROL COLUMN, CASTING, ASSEMBLY (MOD. 4956) (PRE-MOD. 5028)	1	—	—	
	E.A3.45.5097	SUPPORT, CONTROL COLUMN, CASTING, ASSEMBLY (MODS. 4956 & 5028)	1	—	—	
		Spares for these assemblies are identical to assemblies Pt. No. E.A1.45.87 and E.A3.45.695 except for the following deletions and additions				
		Delete:—				
1572	EEAS.37/1A	NIPPLE, 6 BA	4	S.96	C	
21483	E.A1.45.103	SLEEVE, sprocket mounting	1	L.65	C/MR	
	EEAS 38/1A	SPOKE	2	S.96	LM	

CANBERRA E Mk. 15

Page DF.5

CONTROLS, FLYING FLYING CONTROLS IN COCKPIT

Ref. No.	Part No.	Description						No off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
		Add:—									
	E.A3.45.5099	SLEEVE						1	L.65	—	
		Attaching parts for E.A3.45.5099:—									
	E.A3.45.5103	Bolt, 2 BA						2	S.97	—	
28M/5808573	A27/CS	Nut, 2 BA						2	—	C	
28P/9486478	SP.90/CS	Pin, split						2	—	C	
	E.A3.45.5101	Washer, saddle						4	L.65	—	
28W/9419402	SP.13/C	Washer						2	—	C	
	5CW/4612	† SWITCH, 3-way						1	—	B	
		Attaching parts for Ref. 5CW/4612:—									
28S/1200080	A32/B8	Screw, 4BA						2	—	C	
29C/1206041	AGS.2035/B	Washer, shakeproof						2	—	C	
	5CW/6433	† SWITCH, SP, No. 3						1	—	C	
		Attaching parts for Ref. 5CW/6433:—									
28S/1200080	A32/B8	Screw, 4 BA						2	—	C	
28W/9419401	SP.10/B	Washer						2	—	C	
28W/9416642	SP.47/B	Washer						2	—	C	
1976	E.A1.45.971	TUBE, INNER, AILERON OPERATING, ASSEMBLY						1	—	B	
38087	E.A9.00.159	TUBE, INNER, AILERON OPERATING, ASSEMBLY						1	—	B	
		(Supplied with bevel gear E.A6.45.267)									
		Consisting of:—									
2A/9500423	HOFFMANN T.29	BEARING, ballrace						1	—	C	D.2
1573	EEAS.37/13A	NIPPLE						4	S.96	C	D.2
	E.A1.45.101	QUADRANT						1	—	—	D.2
	EEAS.38/1A	SPOKE (Make from Ref. No. 28R/6123) ...						2	S.96	LM	D.2
	E.A1.45.1023	TUBE, operating						1	T.45	—	D.2
6167	E.A3.45.413	WASHER, special						1	Alum.	C	D.2
6210	E.A6.45.261	WASHER, special						1	DTD.683	C	D.2
	DUNLOP										
	AC.14294	WHEEL, control, assembly (for spares see A.P.4515C, Vol. 3, Part 1, Sect. 2, Chap. 37)						1	—	—	D.2
1015	E.A3.45.109	COVER, sealing, pilot's control column ...						1	—	C	
	E.A3.45.7	PEDALS, PILOT'S RUDDER CONTROL BAR, ASSEMBLY (PRE-MOD. 4956)						1	—	—	
		(For Aircraft Not Embodying Mod. 5100)									
		Consisting of:—									
97	E.A3.45.57	BEARING, c/w ballrace and housing ...						1	—	C	D.3
	E.A3.45.457	CABLE BRAKE, ASSEMBLY AND RUN ...						1	—	—	
		Consisting of:—									
22270	E.A3.45.461	BLOCK, pulley support						1	DTD.683	C	D.3
		Attaching parts for E.A3.45.461:—									
22271	E.A3.45.465	Block, tapped						1	S.92	C	D.3
22272	E.A3.45.467	Block, tapped						1	S.92	C	D.3
28D/9436920	A25/1C	Bolt, 2 BA						4	—	C	
16304	E.A3.45.171	BRACKET, lower pulley and cable guard ...						1	—	C	D.3
		Attaching parts for E.A3.45.171:—									
28D/9436920	A25/1C	Bolt, 2 BA						2	—	C	
28M/9403520	A27/CP	Nut, 2 BA						2	—	C	

CANBERRA E Mk. 15

Page DF.7

CONTROLS, FLYING **FLYING CONTROLS IN COCKPIT**

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
12863	AS.2198	PEDAL, ASSEMBLY (PRE-MOD. 5100) ...						1	—	C	D.3
	AS.46745	PEDAL, ASSEMBLY (ALT. R60/49 — MOD. 5100)						1	—	—	
		Spares for:—									
	AS.2219	PLATE , foot ...						1	—	—	
12584	AS.4568	STIRRUP (Pre-Mod. 5100) ...						1	—	C	D.3
6119288	AS.46744	STIRRUP (Alt. R60/49 — Mod. 5100) ...						1	—	C	
		Attaching parts for plate and stirrup:—									
28D/1215160	AS.4565/2C	Bolt, 2 BA ...						4	—	C	
28M/4095911	A29/CP	Nut, 2 BA ...						4	—	C	
12864	AS.2199	PEDAL, ASSEMBLY (PRE-MOD. 5100) ...						1	—	C	D.3
	AS.46746	PEDAL, ASSEMBLY (ALT. R60/49 — MOD. 5100)						1	—	—	
		Spares for:—									
	AS.2219	PLATE , foot ...						1	—	—	
12584	AS.4568	STIRRUP (Pre-Mod. 5100) ...						1	—	C	D.3
6119288	AS.46744	STIRRUP (Alt. R60/49 — Mod. 5100) ...						1	—	C	
		Attaching parts for plate and stirrup:—									
28D/1215160	AS.4565/2C	Bolt, 2 BA ...						4	—	C	
28M/4095911	A29/CP	Nut, 2 BA ...						4	—	C	
		Attaching parts for pedal assembly:—									
12065	AS.2209	Bolt, pivot ...						1	—	C	D.3
28M/4095917	A24/JS	Nut, $\frac{3}{8}$ " BSF ...						1	—	C	
22423	AS.2210	Piece, distance ...						2	—	C	D.3
28P/9527619	SP.90/C7	Pin, split ...						1	—	C	
25511	AS.2191	PEDESTAL ...						1	—	C	D.3
22422	AS.2189	PLATE , support ...						1	—	C	D.3
		Attaching parts for AS.2189:—									
28D/9436920	A25/1C	Bolt, 2 BA ...						4	—	C	
22424	AS.2242	Washer, tab ...						1	—	C	D.3
22421	AS.2179	PLATE , wheel adjustment ...						1	—	C	
5803	AS.2412	SLEEVE , screwed ...						1	—	B	D.3
	AS.2411	WORM , adjusting (supplied in pairs) ...						1	—	—	D.3
		Attaching parts for AS.2412 and AS.2411:—									
12849	AS.3399	Bolt, taper ...						2	—	C	D.3
28M/4095894	A24/ES	Nut, $\frac{1}{2}$ " BSF ...						2	—	C	
28P/9527619	SP.90/C7	Pin, split ...						2	—	C	
12973	AS.3398	Washer ...						2	—	C	D.3
22198	AS.2188	SPINDLE , centre ...						1	—	C	D.3
12072	AS.2177	WHEEL , adjusting ...						1	—	C	D.3
	E.A3.45.249	UNIT, BRAKE CONTROL, ASSEMBLY ...						1	—	—	
		Spares for:—									
	E.A3.45.251	BRACKET , support ...						1	L.72	—	D.3
		Attaching parts for E.A3.45.251:—									
28D/9436920	A25/1C	Bolt, 4 BA ...						6	—	C	
2025	E.A3.45.189	CAM , plate guide ...						1	DTD.5044	C	D.3
		Attaching parts for E.A3.45.189:—									
28D/1200119	A25/4C	Bolt, 2 BA ...						2	—	C	
28D/1007976	AS.1242/4C	Bolt, 2 BA ...						1	—	C	
28W/9416643	SP.47/C	Washer, spring ...						2	—	C	
2026	E.A3.45.191	LEVER , brake valve operating ...						1	S.96	C	D.3
		Attaching parts for E.A3.45.191:—									
28D/7002428	A25/6C	Bolt, 2 BA ...						1	—	C	
28M/5808573	A27/CS	Nut, 2 BA ...						1	—	C	
28P/9527619	SP.90/C7	Pin, split ...						1	—	C	

CONTROLS, FLYING **FLYING CONTROLS IN COCKPIT**

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
5166	E.A3.45.193	LINK, TIE, BETWEEN VALVE OPERATING LEVER AND RUDDER CONTROL LEVER, ASSEMBLY						1	—	C	D.3
		Consisting of:—									
6051298	E.A3.45.187	FORK-END						1	—	C	
28K/4070324	SP.3Y/413L	FORK-END						1	—	C	
28M/1006473	A27/CT	NUT, 2 BA						1	—	C	
28M/4095891	A27/CTL	NUT, 2 BA, L.H. thread						1	—	C	
	E.A3.45.193A	ROD						1	—	—	
		Attaching parts for E.A3.45.193:—									
28N/1045680	AGS.899/2	Collar						2	—	C	
2027	E.A3.45.195	Pin, special						1	S.96	C	D.3
28P/1207870	SP.4Y/B11	Pin, shackle						1	—	C	
28P/9527619	SP.90/C7	Pin, split						2	—	C	
28W/9419475	SP.15/C	Washer						1	—	C	
	E.A3.45.5227	PEDALS, PILOT'S RUDDER CONTROL BAR, ASSEMBLY (MOD. 4956)						1	—	—	
		(For Aircraft Embodying Mod. 5100)									
		Spares for this assembly are identical to assembly Pt. No. E.A3.45.7 on page DF.5 except for the following deletions and additions									
		Delete:—									
97	E.A3.45.57	BEARING, assembly, lower						1	—	C	
101	E.A3.45.63	LEVER and sprocket, assembly						1	—	C	
		Add:—									
6119255	E.A3.45.5085	BEARING, assembly, lower						1	—	C	
		Attaching parts for E.A3.45.5085:—									
28D/9709461	AS.1242/3C	Bolt, 2 BA						8	—	C	
28M/5808573	A27/CS	Nut, 2 BA						8	—	C	
28P/9486478	SP.90/C5	Pin, split						8	—	C	
	E.A3.45.5089	Ring, clamp						1	L.65	—	
28W/9419402	SP.13/C	Washer						8	—	C	
6119302	E.A3.45.5073	LEVER and sprocket, assembly						1	—	C	
		(Superseded by E.A3.45.5075)									
6119254	E.A3.45.5075	LEVER and boss, assembly						1	—	C	
		(Preferred spare to E.A3.45.5073)									
		Attaching parts for E.A3.45.5073 or E.A3.45.5075:—									
6119304	EEAS.95/16G	Bolt, 7/8" BSF						2	—	C	
28M/5808571	A27/GS	Nut, 7/8" BSF						2	—	C	
28P/1040788	SP.90/C8	Pin, split						2	—	C	
28W/7133583	AS.1903/G12	Washer, saddle, top bolt						2	—	C	
6119303	E.A3.45.5091	Washer, saddle, bottom bolt						2	—	C	
28W/9419403	SP.13/G	Washer						2	—	C	
96	E.A1.45.477	SPRING, tension, between aileron control and tension lever						1	DTD.215	C	
	E.A3.45.477	COVER, PRESSURE BOX, ASSEMBLY						1	—	—	
		Spares for:—									
21349	E.A3.45.479	COVER, access						1	—	B	D.1
21348	E.A3.45.475	PANEL						1	—	B	D.1

CANBERRA E Mk. 15

Page DF.8A/B

CONTROLS, FLYING FLYING CONTROLS IN COCKPIT

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.A3.45.21	MOUNTING, AILERON, ELEVATOR AND RUDDER LEVERS AT PRESSURE BULKHEAD, ASSEMBLY						1	—	—	D.1
		Spares for:—									
8195	E.A3.45.121	BAR , stop, top						1	DTD.300	C	D.4
8196	E.A3.45.123	BAR , stop, bottom						1	DTD.300	C	D.4
		Attaching parts for E.A3.45.121 and E.A3.45.123:—									
28D/9140644	A25/9C	Bolt, 2 BA						4	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA						4	—	C	
28W/9419404	SP.16/C	Washer						4	—	C	
1535	E.A3.45.27	BOLT , stop, control levers (Make from A.25/16j)						5	—	C	D.4
1534	E.A1.45.1207	BOLT , stop, elevator, at pressure bulkhead ...						1	S.96	C	D.4
8197	E.A3.45.125	BRACKET , stop, bar						6	—	C	
8198	E.A3.45.255	BRACKET , stop, bar						2	—	C	
		Attaching parts for E.A3.45.125 and E.A3.45.255:—									
28D/9133011	A25/2C	Bolt, 2 BA						2	—	C	
	or										
28D/1214091	AS.1242/2C	Bolt, 2 BA						2	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA						2	—	C	
28W/9419404	SP.16/C	Washer						2	—	C	
3878	E.A3.45.23	CASING , lever, control						1	—	B	D.4
109	E.A1.45.343	LEVER, CONTROL, ASSEMBLY (PRE-MOD. 4489)						1	—	B	D.4
1439156	E.A3.45.537	LEVER, CONTROL, ASSEMBLY (S.O.O.) (MOD. 4489)						1	—	B	D.4
		Spares for:—									
33007	E.A1.45.361	END-PIECE , control lever, mounting						2	L.65	C	D.4
		Attaching parts for E.A1.45.361:—									
28D/9133011	A25/2C	Bolt, 2 BA (Pre-Mod. 4489)						5	—	C	
28D/9133011	A25/2C	Bolt, 2 BA (Mod. 4489)						2	—	C	
28D/1007319	AS.1242/4C	Bolt, 2 BA, c's'k head (Mod. 4489)						3	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA						5	—	C	
1439241	E.A3.45.535	Packing (Mod. 4489)						1	L.72	C	
28W/9457834	SP.124/D	Washer (Mod. 4489)						2	—	C	
28W/5806694	SP.125/D	Washer (Mod. 4489)						3	—	C	
28W/9419475	SP.15/C	Washer (Pre-Mod. 4489)						5	—	C	
24754	E.A1.45.349	HOUSING						1	DTD.289	C	D.4

Restricted

Ref. No.	Part No.							Description	No. off	Matl Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6				M.R. L.M.	

CANBERRA E Mk. 15

Page DF.9

CONTROLS, FLYING FLYING CONTROLS IN COCKPIT

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
112	E.A1.45.345	LEVER , c/w ballrace						6	—	C	D.4
2739	EEAS.13/2	Attaching parts for E.A1.45.345 (Per pair):—									
28D/1215686	A59/7E	Bolt, (Pre-Mod. 4489)						4	S.96	C	D.4
111	E.A1.45.367	Bolt, 1/2" BSF (Mod. 4489)						4	—	C	D.4
28M/9480017	AGS.2001/E1/66	Dowel						1	S.1	C	D.4
28W/9419487	SP.16/E	Nut, 1/2" BSF						4	—	C	
28W/9471273	SP.124/E	Washer (Pre-Mod. 4489)						4	—	C	
		Washer (Mod. 4489)						4	—	C	
1948	E.A1.45.351	RING , sealing, outboard						1	L.45	C	D.4
1949	E.A1.45.353	RING , sealing, centre						1	L.45	C	D.4
1950	E.A1.45.355	RING , sealing, inboard						1	L.45	C	D.4
28D/1200119	A25/4C	Attaching parts for E.A1.45.343 or E.A3.45.537:—									
28D/9133012	A25/3C	Bolt, 2 BA						2	—	C	
28M/1278190	AGS.2001/C/1	Bolt, 2 BA						6	—	C	
		Nut, 2 BA						8	—	C	
28M/1007404	A27/JT	NUT , 1/2" BSF, locking stop bolt						6	—	C	
113	E.A3.45.25	SEAL , rubber, between control lever casing and pressure bulkhead						1	—	C	D.4
15013	E.B6.45.11	MOUNTING, ELEVATOR CONTROL LEVER, ASSEMBLY (PRE-MOD. 4496)						1	—	B/MR	D.1
		Spares for:—									
2A/9500419	HOFFMANN T.17	BEARING , ballrace						2	—	C	D.1
42472	E.A3.45.103	BOBBIN , lever-mounting						1	DTD.683	C	D.1
		Attaching parts for E.A3.45.103:—									
1095	EEAS.37/14A	Nipple, 4 BA						4	S.96	C	D.1
	EEAS.38/2A	Spoke, 4 BA (Make from Ref. 28R/7135393) ...						2	S.96	LM	D.1
20692	E.A1.45.267	HOUSING , ballrace, inboard, control shaft ...						1	L.65	C	D.1
1541	E.A1.45.269	HOUSING , ballrace, outboard, control shaft ...						1	L.65	C	D.1
33897	E.A2.45.583	LEVER, ELEVATOR OPERATING, ASSEMBLY ...						1	—	B	D.1
		Consisting of:—									
2A/9500463	SKEFKO CBA.2	BEARING , ballrace						1	—	C	
75	EEAS.3/D	HOUSING , ballrace bearing						1	L.65	C	
	E.A2.45.581	LEVER						1	L.65	—	D.1
92	EEAS.4/20C	WASHER , packing						2	L.72	C	
		Attaching parts for E.A2.45.583:—									
12203	E.A2.45.659	Bolt						3	S.94	C	D.1
12202	E.A2.45.661	Nut						3	S.94	C	D.1
12204	E.A2.45.663	Washer						3	L.72	C	D.1
13233	E.A2.45.587	LEVER, UPPER ARM ELEVATOR OPERATING, ASSEMBLY						1	—	B	D.1
		Consisting of:—									
2A/9500463	SKEFKO CBA.2	BEARING , ballrace						1	—	C	D.1
75	EEAS.3/D	HOUSING , ballrace bearing						1	L.65	C	D.1
	E.A2.45.585	LEVER						1	—	—	D.1
92	EEAS.4/20C	WASHER , packing						2	L.72	C	D.1
		Attaching parts for E.A2.45.587:—									
12203	E.A2.45.659	Bolt						3	S.94	C	D.1
12202	E.A2.45.661	Nut						3	S.94	C	D.1
12204	E.A2.45.663	Washer						3	L.72	C	D.1
22036	E.A1.45.271	SHAFT , control mounting						1	L.65	C	D.1

CONTROLS, FLYING **FLYING CONTROLS IN COCKPIT**

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
1439280	E.B6.45.187	MOUNTING, ELEVATOR CONTROL LEVER, ASSEMBLY (MOD. 4496-S.O.O.) Spares for this assembly are identical with those for assembly Pt. No. E.B6.45.11 on page DF.9, except for the following deletion and addition Delete:—						1	—	B/MR	
33897	E.A2.45.583	LEVER, ELEVATOR OPERATING, ASSEMBLY ...						1	—	B	
13233	E.A2.45.587	LEVER, UPPER ARM ELEVATOR OPERATING, ASSEMBLY Add:—						1	—	B	
	E.A3.45.509	ANGLE , reinforcing, 16 G						1	L.73	LM	
	E.A3.45.101	DIAPHRAGM						1	L.72	LM	
	E.A3.45.287	DIAPHRAGM						1	L.72	LM	
	E.A3.45.547	DIAPHRAGM						1	L.72	LM	
	E.A3.90.201	GUIDE , tube						1	T.4	LM	
	E.B6.45.181	LEVER, ELEVATOR OPERATING, ASSEMBLY ... (Ref. 33897 modified) Consisting of:—						1	—	—	
2A/9500463	SKEFKO CBA.2	BEARING , ballrace						1	—	C	
75	EEAS.3/D	HOUSING , ballrace bearing						1	L.65	C	
	E.B6.45.183	LEVER (E.A2.45.581 modified)						1	L.65	—	
92	EEAS.4/20C	WASHER , packing						2	L.72	C	
		Attaching parts for E.B6.45.181:—									
28D/1212825	AS.1242/4E	Bolt , 1/2" BSF						3	—	C	
28M/1011467	A27/ES	Nut , slotted						3	—	C	
28P/9436478	SP.90/C5	Pin , split						3	—	C	
28W/9419487	SP.16/E	Washer						3	—	C	
	E.B6.45.177	LEVER, UPPER ARM ELEVATOR OPERATING, ASSEMBLY (Ref. 13233 modified) Consisting of:—						1	—	—	
2A/9500463	SKEFKO CBA.2	BEARING , ballrace						1	—	C	
75	EEAS.3/D	HOUSING , ballrace bearing						1	L.65	C	
	E.B6.45.179	LEVER (E.A2.45.585 modified)						1	—	—	
92	EEAS.4/20C	WASHER , packing						2	L.72	C	
		Attaching parts for E.B6.45.177:—									
28D/1013178	AS.1242/5E	Bolt , 1/2" BSF						3	—	C	
28M/1011467	A27/ES	Nut , slotted						3	—	C	
28P/9486478	SP.90/C5	Pin , split						3	—	C	
28W/9419487	SP.16/E	Washer						3	—	C	
1097	EEAS.37/16A	NIPPLE , 2 BA						1	S.96	C	
	E.B6.45.185	PLATE , clamp, 10G						1	L.72	LM	
	E.A3.45.511	PLATE , stiffening, 14G						1	L.73	LM	
1439246	E.A3.45.513	RING , clamp						1	—	C	
	EEAS.38/3A	SPOKE , 2 BA (Made from 28R/4663555)						1	S.96	C	

CANBERRA E Mk. 15

Page DF.11

CONTROLS, FLYING FLYING CONTROLS IN COCKPIT

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip.	Plate No.
										M.R. L.M.	
3577	E.A3.45.309	TUBE, CONTROL, INTERMEDIATE, FROM CONTROL COLUMN TO ELEVATOR LEVER AT REAR OF PRESSURE BULKHEAD, ASSEMBLY (PRE-MOD. 4930)						1	—	B	
6051410	E.A3.45.651	TUBE, CONTROL, INTERMEDIATE, FROM CONTROL COLUMN TO ELEVATOR LEVER AT REAR OF PRESSURE BULKHEAD, ASSEMBLY (MOD. 4930)						1	—	B	D.1
1683	EEAS.47/2	Spares for:— FORK-END, adjusting						1	DTD.683	C	D.1
3578	E.A3.45.339	TUBE, CONTROL, FROM CONTROL COLUMN TO AILERON CONTROL LEVER AT REAR OF PRESSURE BULKHEAD, ASSEMBLY (PRE-MOD. 4930)						1	—	B	
6051691	E.A3.45.661	TUBE, CONTROL, FROM CONTROL COLUMN TO AILERON CONTROL LEVER AT REAR OF PRESSURE BULKHEAD, ASSEMBLY (MOD. 4930)						1	—	B	D.1
	E.A3.45.329	TUBE, forward portion, assembly (Pre-Mod. 4930)						1	—	—	
	E.A3.45.657	TUBE, forward portion, assembly (Mod. 4930) ...						1	—	—	
	E.A3.45.335	TUBE, AFT PORTION, ASSEMBLY (PRE-MOD. 4930)						1	—	—	
	E.A3.45.659	TUBE, AFT PORTION, ASSEMBLY (MOD. 4930)						1	—	—	
1683	EEAS.47/2	Spares for:— FORK-END, adjusting						1	DTD.683	C	D.1
		Attaching parts for E.A3.45.329 and E.A3.45.335 or E.A3.45.657 and E.A3.45.659 (per pair):—									
28D/1012995	A25/22C	Bolt, 2 BA						2	—	C	
26614	AS.484/JA	Bush, taper shear						4	—	C/MR	
28M/5808573	A27/CS	Nut, 2 BA						2	—	C	
28P/9527619	SP.90/C7	Pin, split						2	—	C	
3581	E.A3.45.347	TUBE, CONTROL, FROM CONTROL COLUMN LEVER TO ELEVATOR LEVER AT FRAME 4, ASSEMBLY (PRE-MOD. 4930)						1	—	B	
6051693	E.A3.45.667	TUBE, CONTROL, FROM CONTROL COLUMN LEVER TO ELEVATOR LEVER AT FRAME 4, ASSEMBLY (MOD. 4930)						1	—	B	D.1
1683	EEAS.47/2	Spares for:— FORK-END, adjusting						1	DTD.683	C	D.1
3579	E.A3.45.345	TUBE, CONTROL, FROM PILOT'S RUDDER BAR TO RUDDER LEVER AT REAR OF PRESSURE BULKHEAD, ASSEMBLY (PRE-MOD. 4930)						1	—	B	
6051690	E.A3.45.665	TUBE, CONTROL, FROM PILOT'S RUDDER BAR TO RUDDER LEVER AT REAR OF PRESSURE BULKHEAD, ASSEMBLY (MOD. 4930)						1	—	B	D.1
		Consisting of:—									

CONTROLS, FLYING FLYING CONTROLS IN COCKPIT

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.A3.45.329	TUBE, forward portion, assembly (Pre-Mod. 4930)						1	—	—	
	E.A3.45.657	TUBE, forward portion, assembly (Mod. 4930) ...						1	—	—	
	E.A3.45.341	TUBE, AFT PORTION, ASSEMBLY (PRE-MOD. 4930)						1	—	—	
	E.A3.45.663	TUBE, AFT PORTION, ASSEMBLY (MOD. 4930)						1	—	—	
1683	EEAS.47/2	Spares for:— FORK-END, adjusting Attaching parts for E.A3.45.329 and E.A3.45.341 or E.A3.45.657 and E.A3.45.663 (per pair):—						1	DTD.683	C	D.1
28D/1012995	A25/22C	Bolt, 2 BA						2	—	C	
26614	AS.484/JA	Bush, taper, shear						4	—	C/MR	
28M/5808573	A27/CS	Nut, 2 BA						2	—	C	
28P/9527619	SP.90/C7	Pin, split						2	—	C	
3580	E.A3.45.351	TUBE, CONTROL, AILERON, ELEVATOR AND RUDDER, AT REAR OF PRESSURE BULKHEAD, ASSEMBLY (PRE-MOD. 4930)						3	—	B	
6051692	E.A3.45.669	TUBE, CONTROL, AILERON, ELEVATOR AND RUDDER, AT REAR OF PRESSURE BULKHEAD, ASSEMBLY (MOD. 4930)						3	—	B	D.1
1683	EEAS.47/2	Spares for:— FORK-END, adjusting Attaching parts for control tubes:—						1	DTD.683	C	D.1
67	EEAS.13/1	Bolt, special						2	S.96	C	D.1
68	EEAS.14	Bush, bearing						2	S.96	C	D.1
3569	EEAS.63/E	Nut, special						2	S.96	C	D.1
3570	EEAS.127	Piece, distance						2	S.96	C	D.1
28P/9527619	SP.90/C7	Pin, split						2	—	C	
	E.A3.45.545	UNIT, SNATCH, ELEVATOR CONTROL, INSTALLATION (MOD. 4435)						1	—	—	
		Spares for:—									
8199	E.A1.45.609	BRACKET						1	—	C	D.1
5256	E.A3.45.437	BUSH						1	—	C	D.1
	or										
28P/9710567	O/MBEU/1806/EE	BUSH						1	—	—	D.1
	SP.90/C5	PIN, split, 1/8" dia.						1	—	C	
	E.A1.45.747	PLATE, packing						2	—	C	
3605	E.A1.45.613	STUD						1	L.65	C	D.1
	or										
	A/MBEU/1805/EE	STUD						1	—	—	D.1
		Attaching parts for E.A1.45.613 or A/MBEU/1805/EE:—									
28M/7002430	AGS.2002/E/1	Nut, thin, 1/4" BSF						2	—	C	
28W/9419405	SP.15/E	Washer						2	—	C	
5254	E.A1.45.611	SUPPORT						1	—	C	D.1
		Attaching parts for E.A1.45.611:—									
28D/1200119	A25/4C	Bolt, 2 BA						4	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA						4	—	C	
27L/1482205	MARTIN BAKER MBCJ/2106	UNIT, snatch						1	—	A	D.1

CANBERRA E Mk. 15

Page DG.1

CONTROLS, FLYING **FLYING CONTROLS IN REAR FUSELAGE**

Ref. No.	Part No.	Description	No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1 2 3 4 5 6				
	E.A3.45.385	CONTROLS, FLYING, IN REAR FUSELAGE, ASSEMBLY	—	—	—	
	E.A1.45.601	Spares for:— LEVERS, CONTROL, AND MOUNTING OF BRACKETS AT FRAME 42, ASSEMBLY	1	—	—	
991	E.A1.45.1193	Spares for:— LEVER, CONTROL, ELEVATOR, ASSEMBLY	1	—	A	D.6
2A/9500410	HOFFMANN CS.1	Spares for:— BEARING, ballrace, centre	2	—	C	D.6
2A/9500463	SKEFKO CBA.2	BEARING, ballrace	2	—	C	D.6
	E.A1.45.573	BOBBIN, mounting for lever	1	L.65	C	D.6
21671	E.A1.45.577	BUSH, distance, between centre ballraces	1	L.65	C	D.6
75	EEAS.3/D	HOUSING, ballrace	2	L.65	C	D.6
	E.A1.45.1191	LEVER	1	—	—	D-6
		Attaching parts for E.A1.45.1191:—				
28D/1200119	A25/4C	Bolt, 2 BA	4	—	C	
28M/9403520	A27/CP	Nut, 2 BA	4	—	C	
28V/9419404	SP.16/C	Washer	4	—	C	
92	EEAS.4/20C	WASHER, packing	4	L.72	C	D.6
		Attaching parts for E.A1.45.1193:—				
2740	EEAS.13/6	Bolt, special	1	S.96	C	D.6
28M/7683	AGS.572/A	Nut, 1" BSF	1	—	C	
28P/9527619	SP.90/C7	Pin, split	1	—	C	
28V/9419405	SP.15/E	Washer	1	—	C	
319	E.A1.45.561	LEVER, CONTROL, RUDDER, ASSEMBLY	1	—	B	D.6
		Spares for:—				
2A/9500410	HOFFMANN CS.1	BEARING, ballrace	2	—	C	D.6
34140	E.A1.45.575	BOBBIN, mounting, and ballrace housing	1	L.65	C	D.6
21671	E.A1.45.577	BUSH, distance, between ballraces	1	L.65	C	D.6
34010	E.A1.45.569	LOG, end, complete with ballraces	2	—	C	D.6
		Attaching parts for E.A1.45.561:—				
2741	EEAS.13/7	Bolt, special	1	S.96	C	D.6
28M/7683	AGS.572/A	Nut, 1" BSF	1	—	C	
28P/9527619	SP.90/C7	Pin, split	1	—	C	
28V/9419405	SP.15/E	Washer	1	—	C	
10994	E.A1.45.499	SUPPORT, CONTROL TUBES, AT FRAME 35, ASSEMBLY	1	—	B	D.6
		Spares for:—				
2035	FAIREY AVIATION FS.515	BEARING, roller	2	—	B	D.5
	E.A1.45.501	SUPPORT, CONTROL TUBES, AT FRAME 37, GROUP	1	—	—	D-6
		Spares for:—				
2035	FAIREY AVIATION FS.515	BEARING, roller	2	—	B	D.5
2141	E.A3.45.267	TUBE, CONTROL, ELEVATOR AND RUDDER, LETTERED "DO NOT HANDLE", BETWEEN FRAMES 318 AND 35, ASSEMBLY (PRE-MOD. 4930)	2	—	C	D.6
		Spares for:—				
5058	E.A3.45.297	TRANSFER, waterslide	1	—	C	
3584	E.A3.45.375	TUBE, control	1	—	C	


Page DG.2

CANBERRA E Mk. 15

CONTROLS, FLYING **FLYING CONTROLS IN REAR FUSELAGE**


Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
6051425	E.A3.45.649	TUBE, CONTROL, ELEVATOR AND RUDDER, LETTERED "DO NOT HANDLE", BETWEEN FRAMES 31B AND 35, ASSEMBLY (MOD. 4930)						2	—	B	
		Spares for:—									
6051416	E.A3.45.681	TUBE, control, assembly						1	—	B	
3584	E.A3.45.375	TUBE, control, elevator and rudder, between frames 34 and 38, assembly (Pre-Mod. 4930)						2	—	B	D.6
6051416	E.A3.45.681	TUBE, control, elevator and rudder, between frames 34 and 38, assembly (Mod. 4930)						2	—	B	
3588	E.A3.45.317	TUBE, CONTROL, ELEVATOR, FROM CONTROL ARM TO ELEVATOR, ASSEMBLY (PRE-MOD. 4930)						1	—	B	D.6
6051423	E.A3.45.653	TUBE, CONTROL, ELEVATOR, FROM CONTROL ARM TO ELEVATOR, ASSEMBLY (MOD. 4930)						1	—	B	
		Spares for:—									
1683	EEAS.47/2	FITTING, adjuster						1	DTD.683	C	D.6
28M/13879	A29/NP	NUT, locking, 1/2" BSF						1	—	C	
4620	E.A3.45.387	TUBE, CONTROL, ELEVATOR, BETWEEN FRAMES 37 AND 42, ASSEMBLY (PRE-MOD. 4930)						1	—	C	D.6
	E.A3.45.683	TUBE, CONTROL, ELEVATOR, BETWEEN FRAMES 37 AND 42, ASSEMBLY (MOD. 4930)						1	—	—	
		Spares for:—									
1683	EEAS.47/2	FITTING, adjuster						1	DTD.683	C	D.6
28M/13879	A29/NP	NUT, locking, 1/2" BSF						1	—	C	
21073	E.A3.45.115	TUBE, CONTROL, RUDDER, FROM CONTROL ARM TO FRAME 38, ASSEMBLY (PRE-MOD. 4930)						1	—	B	D.6
	E.A3.45.647	TUBE, CONTROL, RUDDER, FROM CONTROL ARM TO FRAME 38, ASSEMBLY (MOD. 4930)						1	—	—	
		Spares for:—									
1683	EEAS.47/2	FITTING, adjuster						1	DTD.683	C	D.6
28M/13879	A29/NP	NUT, locking, 1/2" BSF						1	—	C	
3589	E.A3.45.393	TUBE, CONTROL, FROM RUDDER TO CONTROL ARM, ASSEMBLY (PRE-MOD. 4930)						1	—	B	D.6
6051424	E.A3.45.685	TUBE, CONTROL, FROM RUDDER TO CONTROL ARM, ASSEMBLY (MOD. 4930)						1	—	B	
		Spares for:—									
1683	EEAS.47/2	FITTING, adjuster						1	DTD.683	C	D.6
28M/13879	A29/NP	NUT, locking, 1/2" BSF						1	—	C	
		Attaching parts for control tubes:—									
67	EEAS.13/1	Bolt, special						2	S.96	C	D.6
68	EEAS.14	Bush, bearing						2	S.96	C	D.6
3569	EEAS.63/E	Nut, special						2	S.96	C	D.6
3570	EEAS.127	Piece, distance						2	S.96	C	D.6
28P/9527619	SP.90/C7	Pin, split						2	—	C	

Restricted




CONTROLS FLYING, FRONT FUSELAGE

RESTRICTED



PILOTS CONTROL COLUMN


Plate D3



PILOTS RUDDER PEDALS

RESTRICTED


Plate D4



LEVERS, CONTROL, FLYING AT PRESSURE BULKHEAD

RESTRICTED


Plate D 5




CONTROLS FLYING, CENTRE FUSELAGE

RESTRICTED

Plate D6



FLYING CONTROLS IN REAR FUSELAGE



FLAP OPERATING MECHANISM