

CANBERRA E MK. 15

Page SB.1

SERVICES

AIR VENTILATED SUIT SYSTEM

Ref. No.	Part No.	Description	No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1 2 3 4 5 6				
	E.G4.75.425	AIR VENTILATED SUIT SYSTEM (MOD. 4799	—	—	—	
	E.G4.75.405	SUIT, VENTILATED, FRONT FUSELAGE, INSTALLATION (MOD. 4799)	—	—	—	
	E.B6.75.877	BULKHEAD, PRESSURE PIPE CONNECTION ASSEMBLY	—	—	—	
28F/9486111	AGS.1142/H	NIPPLE, adaptor	2	—	C	
26DK/4762	EEAS.20/3DU	TAB, locking	2	—	C	S.1
28F/9996122	AGS.1112/H	UNION, body, flanged bulkhead	1	—	C	
28D/1200119	A25/4C	Attaching parts for AGS.1112/H:—	6	—	C	
28M/1278190	AGS.2001/C/1	Bolt, 2 BA	6	—	C	
28W/9419402	SP.13/C	Nut, 2 BA	6	—	C	
28F/14657	AGS.1115/10	Washer	1	—	C	
37856	E.A4.75.253	Washer, plate	1	—	C	S.1
	E.B6.75.1041	Washer, sealing	1	—	C	
	E.B6.75.1033	BULKHEAD, PRESSURE, 4-WAY PIECE ASSEMBLY	—	—	—	
33354	E.B6.75.1033	ADAPTOR, pilot's supply line	1	L.85	C	S.1
28F/8011823	AGS.904/H	Attaching parts for E.B6.75.1033:—	1	—	C	
33355	E.B6.75.1043	Sleeve, outer	2	—	C	S.1
28D/1011021	A25/16C	CLIP, bridge, for 4-way union	2	—	C	
28W/9419402	SP.13/C	Attaching parts for E.B6.75.1043:—	2	—	C	
33353	E.B6.75.1039	Bolt, 2 BA	2	—	C	
28D/9136920	A25/1C	Washer	2	—	C	
28W/9419402	SP.13/C	PLATE, mounting, assembly	1	L.72	C	S.1
28F/18997	AGS.1126/3	Attaching parts for E.B6.75.1039:—	4	—	C	
12030	EEAS.21/2ER	Bolt, 2 BA	4	—	C	
E.B6.75.879	E.B6.75.879	Washer	1	—	C	
33340	E.B6.75.881	UNION, piece, 4-way	1	—	C	
28D/9133012	A25/3C	WASHER, "D"	1	L.72	C	
28M/1278190	AGS.2001/C/1	INSTALLATION AT FRAME 12	—	—	—	
28W/9419402	SP.13/C	Spares for:—	1	—	C	
33341	E.B6.75.883	BODY, union	1	—	C	
28F/9486111	AGS.1142/H	Attaching parts for E.B6.75.881:—	6	—	C	
26DK/4762	EEAS.20/3DU	Bolt, 2 BA	6	—	C	
28F/1036552	AGS.2120/H	Nut, 2 BA	6	—	C	
28F/9439897	AGS.1142/E	Washer	6	—	C	
28F/9486111	AGS.1142/H	Washer	1	S.510	C	
	E.B6.75.917	NIPPLE, adaptor	2	—	C	
		TAB, locking	2	—	C	
		NIPPLE	4	—	C	
		NIPPLE, adaptor	4	—	C	
		NIPPLE, adaptor	2	—	C	
		PIPE, INSTALLATION, FOR BOMB AIMER'S VENTILATED SUIT	—	—	—	
		Spares for:—	1	—	C	S.1
33351	E.B6.75.975	PIPE, assembly, flexible, for bomb aimer's suit connection	1	—	C	

CANBERRA B. Mk. 15

Page SB.3

SERVICES

AIR VENTILATED SUIT SYSTEM

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	E.B6.75.867	VALVE, PILOT'S CONTROL, INSTALLATION	—	—	—	
		Spares for:—				
33339	E.B6.75.1099	PIPE , taper, assembly, for connecting pipe "flexflyte" to control valve ($\frac{1}{2}$ " x $\frac{1}{2}$ " o/d)	1	L.54	C	S.1
28F/8278	AGS.1142/E	NIPPLE , adaptor	1	—	C	
	E.C4.75.19	VALVE, COMPLETE, ASSEMBLY	1	—	—	
		Spares for:—				
27VA/6330	DUNLOP					
	ACO.23654	SOCKET , quick release	1	—	C	S.1
27KD/989	NORMALAIR					
	513390	VALVE , control, manual	1	—	A	S.1
32749	R. TRIST & CO.					
	RT.SQ. S.13	WASHER , sealing for quick release socket	1	—	C	S.1
		Attaching parts for E.C4.75.19:—				
28D/9133011	A25/2C	Bolt, 2 BA	2	—	C	
28W/9419402	SP.13/C	Washer	2	—	C	
	E.B6.75.933	SUIT, VENTILATED, CENTRE FUSELAGE, INSTALLATION	—	—	—	
		Spares for:—				
	E.A3.75.643	BRACKET , for pipe clips on frame 28	2	—	—	
	E.B6.75.903	CONNECTION, GROUND SUPPLY, VALVE, REDUCING AND PRESSURE RELIEF VALVE, GROUP	—	—	—	
		Spares for:—				
33379	E.B6.75.955	BLOCK , three-way adaptor for pressure relief valve	1	L.64	C	S.1
		Attaching parts for E.B6.75.955:—				
28D/1011023	A25/20C	Bolt, 2 BA	2	—	C	
28W/9419402	SP.13/C	Washer	2	—	C	
	NORMALAIR					
27KD/969	512070	CONNECTION , charging break-away	1	—	B	S.1
33378	E.B6.75.1429	FAIRLEAD, ASSEMBLY FOR PRESSURE REDUCING VALVE	1	—	C	
		Consisting of:—				
	E.B6.75.951	FAIRLEAD , half (top)	1	BS.2572	—	S.1
	E.B6.75.953	FAIRLEAD , half (bottom)	1	BS.2572	—	S.1
		Attaching parts for E.B6.75.1429:—				
28D/12985	A25/25C	Bolt, 2 BA	2	—	C	
28M/10288	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	
28W/9419402	SP.13/C	Washer	2	—	C	
28F/10773	AGS.1170/F	NIPPLE	2	—	C	
28F/8235	AGS.1142/F	NIPPLE , adaptor	2	—	C	
28F/8280	AGS.1142/H	NIPPLE , adaptor	9	—	C	
33369	E.B6.75.939	PIPE , assembly, from aft connection frame 12, to non-return valve	1	L.54	C	S.1
33370	E.B6.75.941	PIPE , assembly, from non-return valve adjacent to frame 12 and stringer 31, to break-away charging valve tee-union	1	L.54	C	S.1

SERVICES

AIR VENTILATED SUIT SYSTEM

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Place No.
					M.R. L.M.	
		1 2 3 4 5 6				
33371	E.B6.75.943	PIPE, taper assembly, from break-away charging valve tee union ($\frac{1}{8}$ " x $\frac{3}{4}$ " o/d)	1	L.54	C	S.1
33372	E.B6.75.945	PIPE, assembly, from break-away charging valve tee union, to non-return valve at longeron datum, frame 13	1	L.54	C	S.1
33373	E.B6.75.947	PIPE, assembly, from non-return valve at longeron datum frame 13, to pressure relief valve mounting block	1	L.54	C	S.1
33374	E.B6.75.949	PIPE, assembly, from pressure relief valve mounting block, to pressure reducing valve	1	L.54	C	S.1
33375	E.B6.75.959	PIPE, assembly, from pressure reducing valve to connection at frame 13, centre of fuselage	1	L.54	C	S.1
33376	E.B6.75.961	PIPE, assembly, from centre of fuselage frame 13 to connection on port side	1	L.54	C	S.1
33377	E.B6.75.963	PIPE, assembly, from connection forward of frame 13 to connection aft of frame 13	1	L.54	C	S.1
33841	E.B6.75.1361	PLATE, mounting assembly, for pressure relief valve mounting block	1	L.72	C	S.1
28F/18338	AGS.1121/2	UNION, tee	1	—	C	S.1
27VB/5732	PAS.148-074	VALVE, reducing (to E.E.Spec. EA4.S1)	1	—	B	S.1
27VB/5761	RAY.158/002	VALVE, pressure relief (to E.E.Spec. EA4.S1)	1	—	A	S.1
27FR/30867	9811125/H	VALVE, non-return	2	—	B	S.1
	E.B6.75.931	CUT IN, SUIT VENTILATED, AT FRAME 12 GROUP	—	—	—	
		Spares for:—				
33834	E.B6.75.1347	CLIP, pipe, special	4	L.72	C	
		Attaching parts for E.B6.75.1347:—				
28D/9133011	A25/2C	Bolt, 2 BA	2	—	C	
28M/10288	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	
28W/9419475	SP.15/C	Washer	2	—	C	
6879	EEAS.143/28H	CLIP, pipe, bonding	3	—	C	
		Attaching parts for EEAS.143/28H:—				
28D/9133011	A25/2C	Bolt, 2 BA	1	—	C	
28M/10288	AGS.2001/C/1	Nut, stiff, 2 BA	1	—	C	
12030	EEAS.21/2ER	Washer "D"	1	L.72	C	
28W/9419475	SP.15/C	Washer	1	—	C	
28F/19144	AGS.2120/J	NIPPLE	1	—	C	
28F/8280	AGS.1142/H	NIPPLE, adaptor	1	—	C	
28F/8216	AGS.1142/J	NIPPLE, adaptor	3	—	C	
15183	E.B6.75.219	PIPE, assembly, from port wing connection to connection on frame 21	1	L.56	C	S.1
33367	E.B6.75.1009	PIPE, assembly, continuation across frame 21 to tee joint	1	T.26	C	S.1

CANBERRA E Mk. 15

Page SB.5

SERVICES

AIR VENTILATED SUIT SYSTEM

Ref. No.	Part No.	1	2	3	4	5	6	Description	No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
33368	E.B6.75.1011							PIPE, assembly, from tee joint to starboard wing connection	1	L.56	C	S.1
	E.B6.75.597							SHIM, for port and starboard wing connection unions	2	Laminated Aluminium	—	
980	EEAS.20/1DR							TAB, locking	2	L.72	C	
28F/4051879	AGS.1121/3							UNION, tee	1	—	C	
	EEAS.237/7A							WASHER, "D", for bonding clips	3	—	—	
28F/4051592	AGS.1170/F							NIPPLE	2	—	C	
28F/1036552	AGS.2120/H							NIPPLE	8	—	C	
33356	E.B6.75.1003							PIPE, assembly, from connection aft of frame 13 to connection between frames 17 and 18, port side of fuselage	1	L.54	C	S.1
33357	E.B6.75.1005							PIPE, assembly, from connection between frames 17 and 18 to forward connection of water separator	1	L.54	C	S.1
33358	E.B6.75.1007							PIPE, taper assembly, aft connection of water separator (1" x 1/2" o/d.)	1	—	C	S.1
33359	E.B6.75.1013							PIPE, assembly, from connection forward of frame 20 to connection between frames 22 and 23, port side of fuselage	1	L.54	C	S.1
33360	E.B6.75.1015							PIPE, assembly, from connection between frames 22 and 23 to connection between frames 24 and 25, port side of fuselage	1	L.54	C	S.1
33361	E.B6.75.1017							PIPE, assembly, from connection between frames 24 and 25 to connection between frames 27 and 28, port side of fuselage	1	L.54	C	S.1
33362	E.B6.75.1019							PIPE, assembly, from connection between frames 27 and 28 to connection, centre of fuselage between frames 28 and 29	1	L.54	C	S.1
33363	E.B6.75.1021							PIPE, assembly, continuation from centre fuselage connection to connection, starboard side of fuselage, frames 28 and 29	1	L.54	C	S.1
33364	E.B6.75.1023							PIPE, assembly, from connection between frames 28 and 29 to connection between frames 24 and 25, starboard side of fuselage	1	L.54	C	S.1
33365	E.B6.75.1025							PIPE, assembly, from connection between frames 24 and 25 to connection between frames 21 and 22, starboard side of fuselage	1	L.54	C	S.1
33366	E.B6.75.1027							PIPE, assembly, from connection between frames 21 and 22 to tee joint forward of frame 21, starboard side of fuselage	1	L.54	C	S.1
	E.B6.75.977							SEPARATOR, WATER, INSTALLATION	—	—	—	S.1
								Spares for:—				
33382	E.B6.75.979							BRACKET, assembly, for water separator	1	L.72	C	S.1

SERVICES

AIR VENTILATED SUIT SYSTEM

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
33383	E.B6.75.995	CLIP, attachment for water separator ...						1	—	C	S.1
28D/9133011	A25/2C	Attaching parts for E.B6.75.995:—						2	—	C	
28W/9419402	SP.13/C	Bolt, 2 BA ...						2	—	C	
		Washer ...						2	—	C	
28F/1014970	AGS.1104/A	CONE, adaptor, for water vent pipe connection to separator						1	—	C	
33381	E.B6.75.993	CONNECTOR, water vent pipe to fuselage ...						1	L.85	C	S.1
28F/8011897	AGS.1142/F	NIPPLE, adaptor ...						2	—	C	
	E.B6.75.999	PAD, felt, for clip attachment to water separator						1	DTD.S90	—	
	E.B6.75.991	PAD, stress, for clip attachment bolts ...						2	L.72	—	
33380	E.B6.75.989	PIPE, assembly, water vent ...						1	L.54	C	S.1
	GODFREY										
27UA/1952	119013	SEPARATOR, water WE.5, Mk. 4 ...						1	—	A	S.1
981	EEAS.20/2DR	TAB, locking, for water vent pipe ...						1	L.72	C	
28W/1011696	AGS.164/E	WASHER, jointing, for water vent pipe adaptor						1	Fibre	C	
12030	EEAS.21/2ER	WASHER, "D" ...						6	L.72	C	

CANBERRA B. MK. 15

Page 5C.1

SERVICES

CABIN PRESSURE SYSTEM IN CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	E.B6.75.5	CABIN, PRESSURE SYSTEM IN CENTRE FUSELAGE, ASSEMBLY	—	—	—	
		Spares for:—				
11476	E.B6.75.639	BRACKET, for starboard cabin pressure wing to fuselage pipe between frames 16 and 17	1	L.59	C	S.6
		Attaching parts for E.B6.75.639:—				
28D/9133013	A25/5C	Bolt, 2 BA	2	—	C	
28M/10288	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	
28W/9419475	SP.15/C	Washer	2	—	C	
1335	E.A1.75.105	CLIP, pipe, between frames 12 to 17	4	L.72	C	S.6
1707	E.A2.75.37	CLIP, pipe, for port and starboard elbows and transverse pipe at frame 16	4	L.72	C	S.6
	E.B6.75.181	CLIP, pipe, for transverse pipe at frame 16	4	L.72	—	S.6
		Attaching parts for E.A1.75.105, E.A2.75.37 and E.B6.75.181:—				
28D/9436920	A25/1C	Bolt, 2 BA (As required)	2	—	C	
28D/9133011	A25/2C	Bolt, 2 BA (As required)	2	—	C	
28D/9133012	A25/3C	Bolt, 2 BA (As required)	2	—	C	
28D/1200119	A25/4C	Bolt, 2 BA (As required)	2	—	C	
28M/10288	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	
28W/9419475	SP.15/C	Washer	2	—	C	
5889	E.B6.75.183	CLIP, special, for lagging on transverse pipe on frame 16	6	—	C	S.6
28F/8011809	AGS.1104/B	CONE, adaptor	1	—	C	
1440	E.A3.75.147	CONNECTION, rubber, 2"5 i/d. x 3/2" x 2"5	6	SILASTIC 150	C	S.6
	or DUNLOP					
33006	DAS.582/40/24	CONNECTOR, tubing	QR	—	C	
	E.A9.75.567	FAIRLEAD, for port cabin pressure wing to fuselage pipe, between frames 16 and 17	1	LFS.21	—	S.6
		Attaching parts for E.A9.75.567:—				
28D/1200119	A25/4C	Bolt, 2 BA	6	—	C	
28M/10288	AGS.2001/C/1	Nut, stiff, 2 BA	6	—	C	
28W/9419475	SP.15/C	Washer	6	—	C	
	E.B6.75.643	NIPPLE, special (Make from AGS.1142/1)	1	—	C	S.6
28F/12071	AGS.1170/K	NIPPLE	1	—	C	S.6
		Attachments for nipple, AGS.1170/K:—				
28E/9129562	AGS.605/3	Clip	2	—	C	
15179	E.B6.75.179A	Lagging	2	—	C	
28F/9517920	AGS.1142/K	NIPPLE, adaptor	1	—	C	
5890	E.B6.75.157	PIECE, four-way, bombsight and cabin pressure air supply at frame 16	1	DTD.683	C	S.6
1328	E.A3.75.55	PIPE, from rubber joint at frame 13 to rubber joint at frame 12, 2 1/2" o/d. x 20 SWG	1	L.54	C	S.6
		Attachments for Pipe, E.A3.75.55:—				
28E/9130219	AGS.605/4	Clip	2	—	C	
15163	E.B6.75.129A	Lagging	1	—	C	
15164	E.B6.75.131A	Lagging	1	—	C	

SERVICES

CABIN PRESSURE SYSTEM IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
1329	E.A3.75.57	PIPE, from rubber joint at frame 13 to rubber joint at frame 14 and frame 14 to frame 15, 2½" o/d. x 20 SWG						2	L.54	C	S.6
28E/9130219	AGS.605/4	Attachments for Pipe, E.A3.75.57:—									
15165	E.B6.75.133A	Clip	...	...	...	...	...	4	—	C	
39007	E.B6.75.135	Lagging	...	...	...	...	...	2	—	C	
15166	E.B6.75.137A	Lagging	...	...	...	...	...	2	—	C	
15167	E.B6.75.139A	Lagging	...	...	...	...	...	1	—	C	
15168	E.B6.75.141A	Lagging	...	...	...	...	...	1	—	C	
15169	E.B6.75.143A	Lagging	...	...	...	...	...	1	—	C	
1330	E.A3.75.59	Pipe, from rubber joint at frame 15 to rubber joint at frame 16, 2½" o/d. x 20 SWG						1	L.54	C	S.6
28E/9130219	AGS.605/4	Attachments for Pipe, E.A3.75.59:—									
40127	E.B6.75.707A	Clip	...	...	...	...	...	2	—	C	
40466	E.B6.75.709A	Lagging	...	...	...	...	...	1	—	C	
		Lagging	...	...	...	...	...	1	—	C	
1331	E.A3.75.61	PIPE, from rubber joint at frame 16 to rubber joint at elbow, 2½" o/d. x 20 SWG						1	L.54	C	S.6
32B/1270	†	Attachments for Pipe, E.A3.75.61:—									
		Lagging, fibre glass blanket	...	...	...	...	...	QR	—	LM	
5891	E.B6.75.151	PIPE, assembly, from coupling forward of frame 16 to rear camera bay tee piece						1	L.56	C	S.6
32B/1270	†	Attachments for Pipe, E.B6.75.151:—									
		Lagging, fibre glass blanket	...	...	...	...	...	QR	—	LM	
5892	E.B6.75.153	PIPE, assembly, transverse from special 4-way union to joint forward of frame 16						1	L.54	C	S.6
28E/9129562	AGS.605/3	Attachments for Pipe, E.B6.75.153:—									
15174	E.B6.75.167A	Clip	...	...	...	...	...	6	—	C	
15175	E.B6.75.169A	Clip	...	...	...	...	...	2	—	C	
15177	E.B6.75.175A	Lagging	...	...	...	...	...	2	—	C	
15178	E.B6.75.177A	Lagging	...	...	...	...	...	2	—	C	
15196	E.B6.75.613A	Lagging	...	...	...	...	...	1	—	C	
32B/1270	†	Lagging	...	...	...	...	...	1	—	C	
		Lagging, fibre glass blanket	...	...	...	...	...	QR	—	LM	
5893	E.B6.75.503	PIPE, assembly, from port wing connection to special 4-way piece						1	L.56	C	S.6
32B/1270	†	Attachments for Pipe, E.B6.75.503:—									
		Lagging, fibre glass blanket	...	...	...	...	...	QR	—	LM	
5894	E.B6.75.505	PIPE, assembly, from starboard wing connection to rear camera bay tee piece						1	L.56	C	S.6
28E/9129562	AGS.605/3	Attachments for Pipe, E.B6.75.505:—									
28E/9129092	AGS.605/2	Clip	...	...	...	...	...	3	—	C	
15172	E.B6.75.163A	Clip	...	...	...	...	...	1	—	C	
15173	E.B6.75.165A	Lagging	...	...	...	...	...	1	—	C	
15188	E.B6.75.541A	Lagging	...	...	...	...	...	1	—	C	
15189	E.B6.75.543A	Lagging	...	...	...	...	...	1	—	C	

CANBERRA B. Mk. 15

Page SC.3

SERVICES

CABIN PRESSURE SYSTEM IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip.	Plate No.
										M.R. L.M.	
5895	E.B6.75.507	1	2	3	4	5	6	1	L59	C	S.6
32B/1234	†	PIPE, elbow joint between port wing and fuselage ...						1	—	LM	S.6
13220	E.B6.75.823	Attachments for Pipe E.B6.75.507:—						QR	—	C	S.6
28F/14773	AGS.1121/4	Lagging, fibre glass blanket ...						1	DTD.683	C	S.6
		UNION, reducing, special, aft of frame 16 for rear camera bay air supply						1	—	C	
		UNION, tee, special ...						1	—	C	

CANBERRA E Mk. 15

Page SC.5/6

SERVICES

CABIN PRESSURE SYSTEM IN CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1 2 3 4 5 6				
	E.G4.75.17	PIPES, COLD AIR UNIT, ACROSS BOMB BAY, AT FRAME 21, INSTALLATION	—	—	—	
33834	E.B6.75.1347	Spares for:— CLIP, pipe, special	4	L.72	C	S.1
28D/9133011	A25/2C	Attaching parts for E.B6.75.1347:— Bolt, 2 BA	2	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA	2	—	C	
28W/9419475	SP.15/C	Washer	2	—	C	
5K/1037444	AS.3360/C4C	LEAD, bonding	3	—	C	
28F/11906	AGS.1170/J	NIPPLE	1	—	C	
28F/9486111	AGS.1142/H	NIPPLE, adapter	1	—	C	
28F/9513420	AGS.1142/J	NIPPLE, adapter	3	—	C	
15183	E.B6.75.219	PIPE, assembly, from port wing union to coupling on frame 21	1	L.56	C	S.1
33367	E.B6.75.1009	PIPE, assembly, continuation across frame 21 to tee piece	1	T.26	C	S.1
33368	E.B6.75.1011	PIPE, assembly, from tee piece to starboard wing union	1	L.56	C	S.1
980	EEAS.20/1DR	TAB, locking	4	L.72	C	
28F/9517916	AGS.1112/J	UNION, bulkhead, flanged	2	—	C	
28D/9133012	A25/3C	Attaching parts for AGS.1112/J:— Bolt, 2 BA	6	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA	6	—	C	
	E.B6.75.597	Shim (if required)	1	Laminated Aluminium	—	
28F/4051810	AGS.1115/12	Washer, plate	1	—	C	
28F/4051879	AGS.1121/3	UNION, tee	1	—	C	
26DK/7871	EEAS.237/7A	WASHER, D, for bonding clips	3	—	C	

CANBERRA E Mk. 15

Page SD.1

SERVICES

CABIN PRESSURE SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1 2 3 4 5 6				
	E.G4.75.403	CABIN PRESSURE SYSTEM IN FRONT FUSELAGE ASSEMBLY (Mod. 4799)	—	—	—	
		Spares for:—				
1333	E.A3.75.83	ADAPTOR , non-return valve mounting ...	1	DTD.289	C	S.4/5
		Attaching parts for E.A3.75.83:—				
28D/9436920	A25/1C	Bolt, 2 BA ...	1	—	C	
28D/9133013	A25/5C	Bolt, 2 BA ...	5	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA ...	5	—	C	
1345	E.A3.75.95	Washer, sealing ...	2	LANGITE	C	S.5
1347	E.A3.75.139	Washer, retaining, forward of pressure bulkhead ...	1	L.72	C	S.5
28W/9416643	SP.47/C	Washer ...	1	—	C	
	GODFREY					
27UA/516	22688	ADAPTOR , water extractor drain ...	1	—	C	S.5
	E.A3.75.177	BRACKET , pipe support clip ...	4	L.72		S.4
6734	EEAS.136	BRACKET , pipe support clip ...	2	—	C	
	or					
5340-99-416	EEAS.136/A					
-3724						
16561	E.B6.75.369	BRACKET , assembly, support, forward, water ex-tractor	1	—	C	S.5
16590	E.B6.75.591	BRACKET , assembly, support, aft, water extractor	1	—	C	S.5
		Attaching parts for E.B6.75.369 and E.B6.75.591:—				
28D/9435710	A25/11C	Bolt, 2 BA ...	4	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA ...	4	—	C	
	AS.2811/5/093	Piece, distance ...	4	L.62	LM	
28W/9419475	SP.15/C	Washer ...	4	—	C	
	E.G4.75.421	CABIN PRESSURE, STATIC LINE, ASSEMBLY (See Page SY1)	—	—	—	
1335	E.A1.75.105	CLIP , pipe, special, at frame 2 and 6 ...	2	L.72	C	S.4
1707	E.A2.75.37	CLIP , pipe, special ...	3	L.72	C	S.4
		Attaching parts for E.A1.75.105 and E.A2.75.37:—				
28D/9436920	A25/1C	Bolt, 2 BA ...	2	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA ...	2	—	C	
28W/9419475	SP.15/C	Washer ...	2	—	C	
18683	E.B7.75.505	CLIP , lagging ...	4	—	C	
6616	E.B7.75.507	CLIP , lagging, between frame A and 1 ...	3	GLASS CLOTH	C	S.4
		Attaching parts for E.B7.75.505 and E.B7.75.507:—				
28D/1212965	A61/2B	Bolt, 2 BA ...	1	—	C	
28M/1956039	AGS.2001/B/3	Nut, 2 BA ...	1	—	C	
28W/9419474	SP.15/B	Washer ...	1	—	C	
	E.B6.75.623	CLIP , pipe ...	1	—	—	
		Attaching parts for E.B6.75.623:—				
28D/9137408	AS.1246/1B	Bolt, 4 BA ...	2	—	C	
28M/9418217	AGS.2001/B/2	Nut, 4 BA ...	2	—	C	
28F/1014970	AGS.1104/A	CONE , adaptor ...	2	—	C	
		Attaching parts for AGS.1104/A:—				
28W/9147639	AGS.567/A	Washer, jointing ...	1	FIBRE	C	
1708	E.A3.75.145	CONNECTION , rubber, 1½" i/d. ...	5	SILASTIC	C	S.4
1440	E.A3.75.147	CONNECTION , rubber, 2½" i/d. ...	5	SILASTIC	C	S.4
	or					
	DUNLOP					
33006	DAS.582/40/24	CONNECTOR , tubing ...	QR	—	C	

SERVICES CABIN PRESSURE SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No	Description						No. off	Matl Spec.	Cl. of Equip. M.P. L.M.	Plate No.
		1	2	3	4	5	6				
6976	E.B7.75.125	CONNECTOR, flanged, for main pipe at frame 3, L.H.						1	GLASS CLOTH	C	S.4
6977	E.B7.75.126	CONNECTOR, flanged, for main pipe at frame 4, R.H.						1	GLASS CLOTH	C	S.4
6978	E.B7.75.127	CONNECTOR, flanged, for main pipe at frame 5 ... Attaching parts for E.B7.75.125, E.B7.75.126 or E.B7.75.127:—						1	—	C	S.4/5
28D/1008149	A25/2B	Bolt, 4 BA ...						6	—	C	
28E/9708192	SP.91/P	Clip ...						6	—	C	
16635	E.B7.75.415A	Lagging ...						2	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA ...						6	—	C	
18659	E.B7.75.129	Ring, half bolt, at frame 3 and 4 ...						2	L.59	C	S.4
18860	E.B7.75.131	Ring, half bolt, at frame 5 ...						2	L.59	C	S.4/5
28W/9419474	SP.15/B	Washer ...						6	—	C	
6504	E.B6.75.379	COUPLING, water extractor, drain pipe outlet aft of frame 10						1	DTD.423	C	S.5
6980	E.B7.75.23	DIFFUSER, assembly, navigator ...						1	—	C	S.4
	E.B7.75.63	DIFFUSER, PILOT'S, ASSEMBLY ... Spares for:—						—	—	—	
19913	E.B7.75.29	BRACKET, diffuser mounting ...						1	L.59	C	
	E.B7.75.31	CLIP, diffuser retaining ...						1	L.59	—	S.4
6980	E.B7.75.23	DIFFUSER, assembly ...						1	—	C	S.4
	GODFREY										
27UA/555	22697/B	EXTRACTOR, water, type WE30, Mk. 2 ... Attaching parts for 22697/B:—						1	—	B	S.4
16568	E.B6.75.397	Lagging ...						1	—	C	
16569	E.B6.75.399	Lagging ...						1	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA ...						2	—	C	
	AS.2811/5/093	Piede, distance ...						2	L.62	LM	S.5
16563	E.B6.75.381	Rod, tension ...						2	S.92	C	S.5
16562	E.B6.75.377	Strap, securing ...						2	L.72	C/MR	S.5
6617	E.B6.75.383	Trunnion ...						2	S.92	C	S.5
28W/9419475	SP.15/C	Washer ...						2	—	C	
	E.G4.75.23	FISHTAIL, navigator's diffuser ... Attaching parts for E.G4.75.23:—						1	—	—	S.4
28D/9133012	A25/3C	Bolt, 2 BA ...						2	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA ...						2	—	C	
28W/9419402	SP.13/C	Washer ...						2	—	C	
	E.B7.75.59	FISHTAIL, PILOT'S, ASSEMBLY ... Spares for:—						—	—	—	S.4
5722	E.B7.75.21	FISHTAIL, pilot's diffuser ... Attaching parts for E.B7.75.21:—						1	—	C	
28D/1010658	A25/1B	Bolt, 4 BA ...						4	—	C	
16635	E.B7.75.415A	LAGGING, special, for pipe joints ...						5	GLASS CLOTH	C	S.4
	THERMO-TANKS										
5042	DAR.2	LOUVRE, punkah, navigator's ... Attaching parts for DAR.2:—						1	—	B	S.4
28D/1214866	AS.1246/4B	Bolt, 4 BA ...						3	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA ...						3	—	C	
28W/9419465	SP.13/B	Washer ...						3	—	C	

CANBERRA E Mk. 15

Page SD.3

SERVICES

CABIN PRESSURE SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.B7.75.61	LOUVRE, PILOT'S (PEDAL GUARD), ASSEMBLY ...						—	—	—	S.4
		Spares for:—									
16606	E.B7.75.41	BRACKET, punkah, louver, mounting ...						1	L.72	C	S.5
28D/9140202	AS.1246/1C	Attaching parts for E.B7.75.41:—									
28M/1278190	AGS.2001/C/1	Bolt, 2 BA ...						3	—	C	
		Nut, 2 BA ...						3	—	C	
5042	THERMO-TANKS DAR.2	LOUVRE, punkah ...						1	—	B	S.4/5
		Attaching parts for DAR.2:—									
28D/1213215	AS.2922/4B	Bolt, 4 BA ...						3	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA ...						3	—	C	
28W/9143227	SP.14/B	Washer ...						3	—	C	
	E.G4.75.315	LOUVRE, PILOT'S (STARBOARD SIDE), ASSEMBLY (MOD. 3564)						—	—	—	S.4
34504	E.G4.75.311	BOX, louver, assembly ...						1	—	C	S.5
		Attaching parts for E.G4.75.311:—									
28D/7002428	A25/6C	Bolt, 2 BA ...						2	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA ...						2	—	C	
	AS.2811/5/046	Piece, distance ...						2	L.62	LM	
16604	E.B7.75.35	BRACKET, punkah, louver, mounting ...						1	L.72	C	S.5
16605	E.B7.75.37	BRACKET, punkah, louver, mounting ...						1	L.72	C	S.5
		Attaching parts for E.B7.75.35 and E.B7.75.37:—									
28D/1010658	A25/1B	Bolt, 4 BA ...						1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA ...						1	—	C	
28W/9419465	SP.13/B	Washer ...						1	—	C	
16608	E.B7.75.523	BRACKET, demand, oxygen hose clip, attachment						1	L.72	C	S.5
20635	E.B7.75.55	LOUVRE, punkah, Type DAR.2 (May be made from Ref. 5042)						1	—	B	S.4
		Attaching parts for E.B7.75.55:—									
28D/1213214	AS.2922/3B	Bolt, 4 BA ...						3	—	C	
28W/9143227	SP.14/B	Washer ...						3	—	C	
28F/8011885	AGS.1142/B	NIPPLE, adaptor ...						2	—	C	
1730	E.A3.75.167	NOZZLE, hot air, bomb aimer's window ...						1	—	C	S.4
1738	E.A3.75.279	PIPE, bend, between nose frames A and B ...						1	L.54	C	S.4
1739	E.A3.75.281	PIPE, bend, at nose, frame B ...						1	L.54	C	S.4
5900	E.B6.75.367	PIPE, assembly, water extractor drain ...						1	L.56	C	S.5
20866	E.B6.75.687	PIPE, bend, between Normalair non-return valve and hose coupling at frame 9						1	GLASS CLOTH	C	S.4
		Attachments for E.B6.75.687:—									
28E/19826	SP.91/N	Clip ...						2	—	C	
28E/9708192	SP.91/P	Clip ...						1	—	C	
16564	E.B6.75.385	Lagging ...						1	—	C	
16565	E.B6.75.387	Lagging ...						1	—	C	
20867	E.B6.75.689	PIPE, bend, from water extractor forward coupling to hose coupling at frame 9						1	GLASS CLOTH	C	S.4
		Attachments for Pipe, E.B6.75.689:—									
28E/9708192	SP.91/P	Clip ...						2	—	C	
16566	E.B6.75.389	Lagging ...						1	—	C	
16567	E.B6.75.391	Lagging ...						1	—	C	

Page SD.4

CANBERRA E Mk. 15

SERVICES

CABIN PRESSURE SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No							No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
20868	E.B6.75.691	PIPE, bend, from hose coupling between frames 11 and 12A to coupling aft of frame 12A						1	GLASS CLOTH	C	S.4
32B/1234	†	Attachments for Pipe, E.B6.75.691:—						QR	—	LM	
32B/1000	†	Lagging, fibre glass blanket						QR	—	C	
20869	E.B6.75.693	PIPE, from water extractor aft coupling, to coupling between frames 11 and 12A						1	GLASS CLOTH	C	S.4
28E/19826	SP.91/N	Attachments for Pipe, E.B6.75.693:—						2	—	C	
12058	E.B6.75.393	Clip						1	—	C	
12059	E.B6.75.395	Lagging						1	—	C	
12243	E.B6.75.695	PIPE, main, continuation, between frames 3 and 4						1	GLASS CLOTH	C	S.4
28D/1212965	A61/2B	Attachments for Pipe, E.B6.75.695:—						2	—	C	
18683	E.B7.75.505	Bolt, 4 BA						2	—	C	
16615	E.B7.75.203A	Clip						2	—	C	
28M/1956039	AGS.2001/B/3	Lagging						2	—	C	
28W/9419474	SP.15/B	Nut, 4 BA						4	—	C	
5723	E.B7.75.69	PIPE, branch, assembly, for pilot's louvre, navigator's diffuser and canopy demisting						1	L.54	C	S.4
28E/2027591	SP.91/L	Attachments for Pipe E.B7.75.69:—						6	—	C	
18665	E.B7.75.209A	Clip						1	—	C	
18666	E.B7.75.211A	Lagging						1	—	C	
18667	E.B7.75.213A	Lagging						1	—	C	
18668	E.B7.75.215A	Lagging						1	—	C	
18687	E.B7.75.597A	Lagging						2	—	C	
5724	E.B7.75.71	PIPE, branch, for pilot's louvre (Pedal guard) ...						1	L.54	C	S.4
5728	E.B7.75.79	PIPE, flanged, canopy demisting at frame 2 ...						1	L.54	C	S.4
28E/19824	SP.91/J	Attachments for Pipe E.B7.75.79:—						3	—	C	
18670	E.B7.75.219A	Clip						1	—	C	
37441	E.B7.75.805A	Lagging						1	—	C	
5730	E.B7.75.89	PIPE, branch, main, between frames 1 and 2 for diffuser and canopy demisting						1	L.54	C	S.4
28E/2027591	SP.91/L	Attachments for Pipe E.B7.75.89:—						2	—	C	
28E/19826	SP.91/N	Clip						3	—	C	
16616	E.B7.75.205A	Clip						2	—	C	
16638	E.B7.75.511A	Lagging						1	—	C	
18684	E.B7.75.513A	Lagging						1	—	C	
5737	E.B7.75.223	PIPE, flexible, for pilot's fishtail (Pre-Mod. 3707) ...						1	BELLS ASBESTOS	C	
34691	E.B7.75.5269	PIPE, flexible, for pilot's fishtail (Mod. 3707) ...						1	—	C	S.4
	E.B6.75.1445	PIPE, flexible, from main branch at frame 2 (Pre-Mod. 3707) (Made from Ref. 13016)						1	—	—	
34692	E.B7.75.5271	PIPE, flexible, from main branch pipe at frame 2 (Mod. 3707) (Made from Ref. 34324)						1	—	C	S.4

CANBERRA E Mk. 15

Page SD.5

SERVICES

CABIN PRESSURE SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
5742	E.B7.75.233	PIPE, flexible, from branch pipe to pilot's louvre (Pre-Mod. 3707)						1	BELLS ASBESTOS	C	
34696	E.B7.75.5279	PIPE, flexible, from branch pipe to pilot's louvre (Mod. 3707)						1	—	C	S.4
34503	E.G4.75.309	PIPE, flexible, from branch pipe to pilot's louvre						1	BELLS ASBESTOS	C	S.4
34502	E.G4.75.313	PIPE, from flexible pipe to pilot's louvre ...						1	L.54	C	S.4
5744	E.B7.75.239	PIPE, flexible, from branch pipe to navigator's diffuser (Pre-Mod. 3707)						1	BELLS ASBESTOS	C	
34698	E.B7.75.5283	PIPE, flexible, from branch pipe to navigator's diffuser (Mod. 3707)						1	—	C	S.4
12249	E.B7.75.781	PIPE, main continuation between frames 5 and 6 ...						1	GLASS CLOTH	C	S.4
		Attachments for Pipe E.B7.75.781:—									
28E/19826	SP.91/N	Clip	...	...	...	...	...	3	—	C	
16611	E.B7.75.195A	Lagging	...	...	...	...	...	1	—	C	
16612	E.B7.75.197A	Lagging	...	...	...	...	...	1	—	C	
16613	E.B7.75.199A	Lagging	...	...	...	...	...	2	—	C	
12247	E.B7.75.783	PIPE, flanged, main, at forward face of pressure bulkhead						1	GLASS CLOTH	C	S.4/5
		Attachments for Pipe E.B7.75.783:—									
28E/19826	SP.91/N	Clip	...	...	...	...	...	2	—	C	
28E/4062142	SP.91/R	Clip	...	...	...	...	...	1	—	C	
16609	E.B7.75.155A	Lagging	...	...	...	...	...	1	—	C	
16610	E.B7.75.159A	Lagging	...	...	...	...	...	1	—	C	
18664	E.B7.75.157A	Lagging	...	...	...	...	...	1	—	C	
18686	E.B7.75.525A	Lagging	...	...	...	...	...	1	—	C	
19915	E.B7.75.509A	Lagging	...	...	...	...	...	1	—	C	
16642	E.B7.75.697A	Lagging	...	...	...	...	...	1	—	C	
12248	E.B7.75.791	PIPE, branch, pilot's fishtail ...						1	GLASS CLOTH	C	S.4
		Attachments for Pipe E.B7.75.791:—									
28D/1212965	A61/2B	Bolt, 4 BA	...	...	...	...	...	3	—	C	
6616	E.B7.75.507	Clip	...	...	...	...	...	3	—	C	
32B/1234	†	Lagging, fibre glass blanket	...	...	...	...	...	QR	—	LM	
28M/1956039	AGS.2001/B/3	Nut, 4 BA	...	...	...	...	...	3	—	C	
28W/9419474	SP.15/B	Washer	...	...	...	...	...	6	—	C	
12245	E.B7.75.793	PIPE, main continuation, between frames 4 and 5 ...						1	GLASS CLOTH	C	S.4
		Attachments for Pipe E.B7.75.793:—									
28D/1212965	A61/2B	Bolt, 4 BA	...	...	...	...	...	2	—	C	
18683	E.B7.75.505	Clip	...	...	...	...	...	2	—	C	
16614	E.B7.75.201A	Lagging	...	...	...	...	...	2	—	C	
28M/1956039	AGS.2001/B/3	Nut, 4 BA	...	...	...	...	...	2	—	C	
28W/9419474	SP.15/B	Washer	...	...	...	...	...	4	—	C	
33604	E.B6.75.1053	PIPE, branch, pilot's diffuser and navigator's louvre						1	L.54	C	
33602	E.B6.75.1059	PIPE, branch, pilot's diffuser, navigator's louvre and fishtail						1	L.54	C	S.4
	SCC.79989	PIPE, from branch pipe to navigator's fishtail (SRIM.3533) (Mod. 4799) 1/4" o/d x 22 SWG						1	L.56	LM	S.4

SERVICES

CABIN PRESSURE SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No	Description	No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1 2 3 4 5 6				
	E.B6.75.1049	PIPE, assembly, from pressure control valve ...	1	L.54	LM	S.4
	E.B6.75.1047	PIPE, assembly, intermediate, between pressure control valve and master unit	1	L.54	LM	S.4
	E.B6.75.1045	PIPE, assembly, connecting master unit to pressure control valve line	1	L.54	LM	S.4
39993	E.B6.75.1063	PIPE, bend from branch pipe to coupling aft of frame 3	1	L.54	C	S.4
	E.B6.75.1103	PIPE, flexible, to pilot's diffuser (Make from Ref. 13016)	1	BELLS ASBESTOS	LM	S.4
	E.B6.75.1105	PIPE, flexible, to navigator's louvre (Make from Ref. 13016)	1	BELLS ASBESTOS	LM	S.4
5901	E.B7.75.613	SEAL, canopy demister pipe flange at frame 2 ...	2	ASBESTOS	C	S.10
		Attaching parts for E.B7.75.613:—				
28D/9133012	A25/3C	Bolt, 2 BA ...	6	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA ...	6	—	C	
28W/9419475	SP.15/C	Washer ...	6	—	C	
33600	E.B6.75.1107	SLEEVE, pipe connecting ...	3	SILASTIC ASBESTOS	C	S.4
33601	E.B6.75.1109	SLEEVE, pipe connecting ...	1	SILASTIC ASBESTOS	C	S.4
	EEAS.20/2BR	TAB, wire locking ...	1	—	—	
	NORMALAIR					
27KD/3	500326	UNIT, master ...	1	—	A	S.4
		Attaching parts for 500326:—				
28D/1011030	A25/2E	Bolt, 1" BSF ...	2	—	C	
28M/9480017	AGS.2001/E/1	Nut, 1" BSF ...	2	—	C	
28W/9419405	SP.15/E	Washer ...	2	—	C	
	NORMALAIR					
27KD/7	500457	VALVE, non-return ...	1	—	A	S.4/5
		Attaching parts for 500457:—				
28D/9133012	A25/3C	Bolt, 2 BA ...	2	—	C	
28D/9133013	A25/5C	Bolt, 2 BA ...	10	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA ...	10	—	C	
18661	E.B7.75.133	Ring, half bolt ...	2	L.59	C	S.4
1346	E.A1.75.131	Washer, jointing ...	2	LANGITE	C	S.5
28W/9419475	SP.15/C	Washer ...	12	—	C	
28W/9416643	SP.47/C	Washer ...	2	—	C	
	NORMALAIR					
27KD/4	493020	VALVE, pressure control (Pre-Mod. 3955) ...	1	—	A	S.4
	NORMALAIR					
27KD/2836	527060	VALVE, combined (Mod. 3955) ...	1	—	A	
		Attaching parts for 493020 or 527060:—				
28D/1011030	A25/2E	Bolt, 1" BSF ...	7	—	C	
28M/1007403	A27/ET	Nut, 1" BSF ...	1	—	C	
21927	E.A3.75.573	Stud ...	1	S.92	C	S.4
28W/9419405	SP.15/E	Washer ...	11	—	C	
28W/9416644	SP.47/E	Washer ...	11	—	C	
	EEAS.237/3A	WASHER, "D" for clips on pressure bulkhead ...	5	—	—	
	EEAS.237/4A	WASHER, "D", for pipe clips ...	6	—	—	

CANBERRA E Mk. 15

Page SE.1

SERVICES

CABIN PRESSURE AND COLD AIR SYSTEM IN PORT WING

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.B6.75.825	CABIN PRESSURE AND COLD AIR SYSTEM IN PORT WING, ASSEMBLY						—	—	—	
		Spares for:—									
6618	E.B6.75.501	ADAPTER, oil vapour breather pipe						1	L.85	C	S.7
27UA/517	GODFREY 50002	CLAMP, half						16	—	C	S.7
	or										
6119198	E.B6.75.1557	CLAMP, assembly (Replacement spare)						8	—	C	
		Attaching parts for 50002 or E.B6.75.1557:—									
28D/1212313	A25/15E	Bolt, 1" BSF						2	—	C	
28M/10299	AGS.2001/E/2	Nut, stiff, 1" BSF						2	—	C	
28W/9418921	SP.13/E	Washer						2	—	C	
	GODFREY G.45B	CLAMP, pipe, jointing (segmental) at Marston cooler						4	—	C	S.7
17744	EEAS.143/17	CLIP, pipe, single, 1" o/d.						1	L.72	C	
37419	E.B6.75.833	COLLECTOR, WASTE OIL, ASSEMBLY (MOD. 2316)						1	—	B	S.7
		Consisting of:—									
32552	E.B6.75.849	BRACKET, mounting						1	—	C	S.7
		Attaching parts for E.B6.75.849:—									
28D/9133011	A25/2C	Bolt, 2 BA						2	—	C	
28M/4933473	AGS.2002/C/1	Nut, 2 BA						2	—	C	
28W/9419475	SP.15/C	Washer						2	—	C	
32549	E.B6.75.843	COLLECTOR, top, assembly						1	—	C	S.7
32551	E.B6.75.847	CONTAINER, waste oil						1	DTD.339	C	S.7
32550	E.B6.75.845	WIRE, retaining, assembly						1	—	C	S.7
		Attaching parts for E.B6.75.833:—									
28F/1010558	AGS.1148/B	Nut, 1" BSP						2	—	C	
28F/9130664	AGS.1149/2	Washer, plate						1	—	C	
28F/1013402	AGS.1111/B	CONE, union body, flanged bulkhead (Mod. 2316)						1	—	C	
6619	E.B6.75.461	CONNECTION, duct, tapered, from cold air unit junction pipe						1	L.59	C	S.7
		Attachments for connection E.B6.75.461:—									
16582	E.B6.75.523	Lagging						2	—	C	
1708	E.A3.75.145	CONNECTION, rubber						2	GLASS FABRIC	C	S.7
	E.B6.75.315	DUCTS AND AIR COOLER, ASSEMBLY						—	—	—	
		Spares for:—									
6620	E.B6.75.323	DUCT, air inlet, assembly (Pre-Mod. 4793)						1	—	C	S.7
6101007	E.B6.75.1553	DUCT, air inlet, assembly (Mod. 4793)						1	—	C	
		Attaching parts for E.B6.75.323 or E.B6.75.1553:—									
1025	EEAS.1/1C	Screw, 2 BA						17	S.96	C	
12896	E.B6.75.735	DUCT, air outlet, assembly						1	—	B	S.7
		Attaching parts for E.B6.75.735:—									
1025	EEAS.1/1C	Screw, 2 BA						2	S.96	C	
	E.B6.75.317	INSTALLATION OF MARSTON COOLER (SECONDARY)						—	—	—	
		Spares for:—									
12390	E.B6.75.343	BRACKET, bottom support, assembly						2	—	C	S.7
		Attaching parts for E.B6.75.343:—									
28D/1011021	A25/16C	Bolt, 2 BA						2	—	C	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA						2	—	C	
	AS.2809/4/139	Piece, distance						2	L.62	LM	
28W/9419475	SP.15/C	Washer						2	—	C	

SERVICES

CABIN PRESSURE AND COLD AIR SYSTEM IN PORT WING

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
12391	E.B6.75.345	BRACKET, top, attachment, assembly ...						1	—	C	S.7
		Attaching parts for E.B6.75.345:—									
28D/1011021	A25/16C	Bolt, 2 BA ...						3	—	C	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA ...						3	—	C	
	AS.2809/4/139	Piece, distance ...						3	L.62	LM	
28W/9419475	SP.15/C	Washer ...						2	—	C	
27UA/491	MARSTON D.106/6A	COOLER, air (E.B6.75.321) ...						1	—	A	S.7
		Attaching parts for D.106/6A:—									
28D/1011240	A25/5E	Bolt, 1" BSF ...						1	—	C	
28W/9419405	SP.15/E	Washer ...						1	—	C	
6622	E.B6.75.351	Washer, felt, on support brackets ...						2	DTD.590	C	S.7
22273	E.B6.75.335	STRAP, JOINT, FOR ATTACHMENT OF AIR DUCTS TO MARSTON COOLER						2	—	C/MR	
		Consisting of:—									
12393	E.B6.75.339	STRAP, clamping ...						1	—	C/MR	S.7
12392	E.B6.75.337	STRAP, joint ...						1	—	C/MR	S.7
		Attaching parts for E.B6.75.339 and E.B6.75.337:—									
28D/1011019	A25/8C	Bolt, 2 BA ...						2	—	C	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA ...						2	—	C	
28F/8011885	AGS.1142/B	NIPPLE, adaptor ...						3	—	C	
28F/9517920	AGS.1142/K	NIPPLE, adaptor ...						2	—	C	
28F/4051694	AGS.1170/K	NIPPLE, ...						3	—	C	
13208	E.A9.75.133	PIPE, assembly, breather, oil vapour outlet (Pre- Mod. 2316)						1	L.56	C	
37477	E.B6.75.835	PIPE, assembly, from coupling to waste oil collector adjacent to rib 1 (Mod. 2316)						1	L.56	C	S.7
37478	E.B6.75.837	PIPE, assembly, from cold air unit to coupling adjacent to rib 1 (Mod. 2316)						1	L.56	C	S.7
13209	E.A9.75.447	PIPE, assembly, continuation, from non-return valve and mixing valve tee piece through rib 2						1	L.56	C	S.7
13210	E.A9.75.455	PIPE, assembly, intermediate, from cold air unit pipe to mixing valve pipe						1	T.26	C	S.7
		Attachments for E.A9.75.455:—									
28E/2027591	SP.91/L	Clip ...						2	—	C	
27279	E.A9.75.457A	Lagging ...						1	—	C	
27280	E.A9.75.459A	Lagging ...						1	—	C	
6758	E.B6.75.457	PIPE, assembly, continuation, from non-return valve and mixing valve tee piece through rib 1						1	L.56	C	S.7
		Attachments for Pipe E.B6.75.457:—									
28E/2027591	SP.91/L	Clip ...						2	—	C	
16594	E.B6.75.625	Lagging ...						1	—	C	
16595	E.B6.75.627	Lagging ...						1	—	C	
27291	E.A9.75.705A	Lagging ...						1	—	C	
27292	E.A9.75.707A	Lagging ...						1	—	C	

CANBERRA E Mk. 15

Page SE.3

SERVICES

CABIN PRESSURE AND COLD AIR SYSTEM IN PORT WING

Ref. No.	Part No.	Description	No. off	Matl Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
6759	E.B6.75.459	PIPE, assembly, junction from cold air unit ...	1	L.54	C	S.7
28E/2027591	SP.91/L	Attachments for Pipe E.B6.75.459:—				
16580	E.B6.75.519	Clip: ...	2	—	C	
16581	E.B6.75.521	Lagging ...	1	—	C	
		Lagging ...	1	—	C	
6762	E.B6.75.467	PIPE, assembly, from cold air unit compressor connection to rib 1	1	L.54	C	S.7
6763	E.B6.75.469	PIPE, assembly, from cold air unit turbine connection to rib 1	1	L.54	C	S.7
6764	E.B6.75.471	PIPE, assembly, from Marston cooler to connection at rib 1	1	L.54	C	S.7
6765	E.B6.75.475	PIPE, assembly, from non-return valve and mixing valve tee piece to connection between ribs 2 and 3	1	L.54	C	S.7
28E/2027591	SP.91/L	Attachments for Pipe E.B6.75.475:—				
27277	E.A9.75.451A	Clip: ...	2	—	C	
27278	E.A9.75.453A	Lagging ...	1	—	C	
		Lagging ...	1	—	C	
12967	E.A9.75.783	PIPE, assembly, from cold air unit compressor connection, to pipe joint at rib 2	1	L.54	C	S.7
28E/2027591	SP.91/L	Attachments for Pipe E.A9.75.783:—				
27285	E.A9.75.471A	Clip: ...	2	—	C	
27286	E.A9.75.473A	Lagging ...	1	—	C	
		Lagging ...	1	—	C	
	E.B6.75.19	PIPE, RUN IN PORT WHEEL WELL BAY, ASSEMBLY	—	—	—	
		Spares for:—				
6753	E.B6.75.207	ADAPTER, bulkhead, mixing valve pipe connection	1	DTD.683	C	S.7
28D/9133011	A25/2C	Attaching parts for E.B6.75.207:—				
28M/1278190	AGS.2001/C/1	Bolt, 2 BA ...	6	—	C	
28F/14892	AGS.1115/13	Nut, stiff, 2 BA ...	6	—	C	
		Washer, plate ...	1	—	C	
28F/9513420	AGS.1142/J	NIPPLE, adaptor ...	2	—	C	
28F/4051887	AGS.2120/J	NIPPLE ...	2	—	C	
6754	E.B6.75.201	PIPE, assembly, from fuselage bulkhead adaptor to pipe joint in wheel well	1	L.56	C	S.7
6755	E.B6.75.203	PIPE, assembly, between ribs A and E ...	1	L.56	C	S.7
6756	E.B6.75.205	PIPE, assembly, from mixing valve bulkhead adaptor to pipe joint on rib E	1	L.56	C	S.7
980	EEAS.20/1DR	TAB, locking ...	2	L.72	C	S.7
1593	EEAS.66/1	RING, clamping ...	1	L.72	C	
28F/17675	BELLS ASBESTOS					
20453	AS.5402	RING, sealing, type A, between pipe flanges ...	10	—	C	
26DK/5039	EEAS.20/1CR	TAB, locking ...	1	—	C	
	EEAS.20/2CR	TAB, locking ...	2	—	C	

SERVICES

CABIN PRESSURE AND COLD AIR SYSTEM IN PORT WING

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.B6.75.187	UNIT, COLD AIR, INSTALLATION						—	—	—	
	E.B6.75.199	UNIT, COLD AIR, ASSEMBLY						1	—	—	
	GODFREY 23421/HX	DIPSTICK and filter, oil level						1	—	B	S.7
27UA/976	↑	UNIT, cold air, A.C.R.E.9, Mk. 10E (Pre-Mod. 2501)						1	—	A	S.7
27UA/382	↑	UNIT, cold air, A.C.R.E.9, Mk. 10EX (Mod. 2501)						1	—	A	
		Attaching parts for E.B6.75.199:—									
28D/9436920	A25/1C	Bolt, 2 BA						16	—	C	
28W/9464922	AGS.586/C	Washer, 2 BA						32	—	C	
	E.A9.75.469	VALVE, CONSTANT FLOW, INSTALLATION						—	—	—	
		Spares for:—									
28F/9517920	AGS.1142/K	NIPPLE, adaptor						1	—	C	
	E.B6.75.481	VALVE, CONSTANT FLOW, ASSEMBLY						1	—	—	
		Spares for:—									
6751	E.B6.75.579	ADAPTER, special						1	DTD.683	C	S.7
		Attaching parts for E.B6.75.579:—									
28F/1200996	AGS.1138/H	Washer, jointing						1	—	C	
6752	E.B6.75.491	PIPE, assembly, flanged						1	—	C	S.7
		Attaching parts for E.B6.75.491:—									
28D/9133011	A25/2C	Bolt, 2 BA						12	—	C	
28W/9419402	SP.13/C	Washer						12	—	C	
	NORMALAIR 497776	Washer, sealing						1	—	C	S.7
27KD/8											
	NORMALAIR 502090	VALVE, constant flow						1	—	A	S.7
		Attachments for Valve E.B6.75.481:—									
28E/9708192	SP.91/P	Clip						2	—	C	
28E/2027591	SP.91/L	Clip						2	—	C	
16575	E.B6.75.509	Lagging						1	—	C	
16576	E.B6.75.511	Lagging						1	—	C	
16579	E.B6.75.517	Lagging						1	—	C	
16596	E.B6.75.629	Lagging						1	—	C	
	E.B6.75.727	VALVE, RELIEF AND PIPES, COLD AIR UNIT, IN PORT WING, INSTALLATION						—	—	—	
		Spares for:—									
25568	E.B6.75.733	BRACKET, assembly, pipe support on cooler						1	—	C	S.7
		Attaching parts for E.B6.75.733:—									
28D/7002428	A25/6C	Bolt, 2 BA						4	—	C	
28D/1011029	A25/1E	Bolt, 1" BSF						2	—	C	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA						4	—	C	
28W/9418921	SP.13/E	Washer						2	—	C	
	GODFREY 50002	CLAMP, half						6	—	C	S.7
	or										
6119198	E.B6.75.1557	CLAMP, assembly (Replacement spare)						3	—	C	
		Attaching parts for 50002 or E.B6.75.1557:—									
28D/1212313	A25/15E	Bolt, 1" BSF						2	—	C	
28M/9480017	AGS.2001/E1/66	Nut, stiff, 1" BSF						2	—	C	
28W/9418921	SP.13/E	Washer						2	—	C	

CANBERRA E Mk. 15

Page SE.5

SERVICES

CABIN PRESSURE AND COLD AIR SYSTEM IN PORT WING

Ref. No.	Part No.	Description	No. off	Matl Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
12898	E.B6.75.731	COVER, valve, assembly	1	—	C	S.7
28D/1011029	A25/1E	Attaching parts for E.B6.75.731:— Bolt, 1" BSF	2	—	C	
12899	E.B6.75.737	PIPE, assembly, bend, relief valve pipe joint ...	1	L.59	C	S.7
12900	E.B6.75.739	PIPE, assembly, from relief valve pipe joint to inlet tee piece	1	L.54	C	S.7
12901	E.B6.75.741	PIPE, assembly, inlet tee piece from pipe joint at rib 1 to Marston cooler	1	L.54	C	S.7
28F/17675	BELLS ASBESTOS AS.5402	RING, sealing, between pipe flanges	3	—	C	
12902	E.B6.75.729	VALVE, relief	1	—	B	S.7
	E.B6.75.827	VALVES AND PIPING, INSTALLATION	—	—	—	
	E.B6.75.257	Spares for:— BRACKET, support for non-return valve	1	—	—	S.7
27UA/517	GODFREY 50002	CLAMP, half	10	—	C	S.7
6119198	or E.B6.75.1557	CLAMP, assembly (Replacement spare)	5	—	C	
28D/1212313	A25/15E	Attaching parts for 50002 or E.B6.75.1557:— Bolt, 1" BSF	2	—	C	
28M/9480017	AGS.2001/E1/66	Nut, stiff, 1" BSF	2	—	C	
28W/9418921	SP.13/E	Washer	2	—	C	
27UA/518	GODFREY 50270	CLAMP, segmental	3	—	C	S.7
6990	E.B6.75.261	CONNECTER, flanged, non-return valve end fitting	1	DTD.683	C	
28D/9436920	A25/1C	Attaching parts for E.B6.75.261:— Bolt, 2 BA	3	—	C	
28D/9133012	A25/3C	Bolt, 2 BA	3	—	C	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	3	—	C	
28W/9419402	SP.13/C	Washer	6	—	C	
25922	E.B6.75.255	ELBOW, from engine connection to non-return valve	1	—	C	S.7
28D/9436920	A25/1C	Attachments for Elbow E.B6.75.255:— Bolt, 2 BA	3	—	C	
28D/9133011	A25/2C	Bolt, 2 BA	6	—	C	
28D/9133012	A25/3C	Bolt, 2 BA	3	—	C	
28E/2027591	SP.91/L	Clip	2	—	C	
12714	E.B6.75.447A	Lagging	1	—	C	
12369	E.B6.75.449A	Lagging	1	—	C	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	9	—	C	
28W/9419402	SP.13/C	Washer	12	—	C	
28W/9416643	SP.47/C	Washer	3	—	C	
16448	E.B7.50.25	FITTING, end, for pipe connection to hot air valve	1	DTD.683	C	
12078	E.B6.75.669	GASKET, non-return valve joint	2	AERO PERMANITE	C	
12079	E.B6.75.675	GASKET, hot air valve joint	3	AERO PERMANITE	C	

SERVICES

CABIN PRESSURE AND COLD AIR SYSTEM IN PORT WING

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.P. L.M.	Plate No.
		1	2	3	4	5	6				
13025	E.B6.75.231	PIPE, assembly, from non-return valve on inboard engine rib to tee piece at rib 3						1	T.26	C/MR	S.7
28E/2027591	SP.91/L	Attachments for Pipe E.B6.75.231:—						2	—	C	
26367	E.B6.75.275A	Clip						1	—	C	
26366	E.B6.75.277A	Lagging						1	—	C	
16556	E.B6.75.233	PIPE, assembly, from mixing valve to constant flow valve						1	T.26	C/MR	S.7
28E/2027591	SP.91/L	Attachments for Pipe E.B6.75.233:—						2	—	C	
26628	E.B6.75.279A	Clip						1	—	C	
26629	E.B6.75.281A	Lagging						1	—	C	
16557	E.B6.75.237	PIPE, assembly, from mixing valve to tee piece at rib 3						1	T.26	C/MR	S.7
28E/2027591	SP.91/L	Attachments for Pipe E.B6.75.237:—						3	—	C	
26632	E.B6.75.287A	Clip						1	—	C	
26633	E.B6.75.289	Lagging						1	—	C	
16558	E.B6.75.239	PIPE, assembly, from mixing valve to wheel well bay connection						1	T.26	C/MR	S.7
28E/2027591	SP.91/L	Attachments for Pipe E.B6.75.239:—						4	—	C	
26634	E.B6.75.295A	Clip						1	—	C	
26635	E.B6.75.297A	Lagging						1	—	C	
16597	E.B6.75.631	Lagging						1	—	C	
16598	E.B6.75.633	Lagging						1	—	C	
13207	E.A9.75.461	PIPE, assembly, from mixing valve to connection at rib 3						1	T.26	C	S.7
28E/2027591	SP.91/L	Attachments for Pipe E.A9.75.461:—						2	—	C	
27281	E.A9.75.463A	Clip						1	—	C	
27282	E.A9.75.465A	Lagging						1	—	C	
28F/17675	BELLS ASBESTOS AS.5402	RING, sealing, type "A", between pipe flanges ...						8	—	C	
16560	E.B6.75.259	TEE piece, mixing valve and hot air valve at rib 3						1	—	MR	S.7
	E.B7.50.31	VALVE, HOT AIR, ASSEMBLY						1	—	—	S.7
		Consisting of:—									
5W/400	E.E. CO. LTD. BRADFORD TYPE 234	ACTUATOR						1	—	A	S.7
27V/4282	TEDDINGTON FKH/A/16	VALVE						1	—	A	S.7
		Attachments for Valve E.B7.50.31:—						1	—	C	
12125	E.B6.75.443A	Lagging						1	—	C	
12076	E.B6.75.445A	Lagging						1	—	C	
28M/9480017	AGS.2001/E1/66	Nut, stiff, 1" BSF						8	—	C	
28W/9418921	SP.13/E	Washer						8	—	C	

CANBERRA B. Mk. 15

Page SE.7

SERVICES

CABIN PRESSURE AND COLD AIR SYSTEM IN PORT WING

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
27KD/6	NORMALAIR										
	501670							1	—	A	S.7
	E.B6.75.243							—	—	—	
	E.B6.75.245							1	L.72	—	
16602	E.B6.75.246							1	L.72	—	
	E.B6.75.247							1	L.72	—	
	E.B6.75.649							1	—	C	S.7
28N/1045680	AGS.899/2							2	—	C	
	E.B6.75.653							1	—	—	S.7
	E.B6.75.655							1	—	—	S.7
28M/1006473	A27/CT							1	—	C	
28M/13253	A27/CTL							1	—	C	
28P/1207864	SP.4Y/B4							2	—	C	
28P/9527619	SP.90/C7							2	—	C	
	E.B6.75.651							1	—	—	S.7
6A/2133	†							1	—	A	S.7
28D/9436920	A25/1C							2	—	C	
28M/1278190	AGS.2001/C/1							4	—	C	
1025	EEAS.1/1C							2	S.96	C	S.7
	E.B7.75.103							1	—	—	
	E. E. CO. LTD.										
	BRADFORD										
5W/409	TYPE 233							1	—	A	S.7
	TEDDINGTON										
27V/4281	FKH/A/15							1	—	A	
28D/1200119	A25/4C							6	—	C	
28M/1278190	AGS.2001/C/1							6	—	C	
28W/9419475	SP.13/C							6	—	C	
26636	E.B6.75.299A							1	—	C	S.7
13144	E.B6.75.301A							1	—	C	
16599	E.B6.75.635							1	—	C	
16600	E.B6.75.637							1	—	C	

CANBERRA E Mk. 15

Page SF.1

SERVICES

CABIN PRESSURE AND COLD AIR SYSTEM IN STARBOARD WING

Ref. No.	Part No.	Description	No. off	Matl Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	E.B6.75.781	CABIN PRESSURE AND COLD AIR SYSTEM IN STARBOARD WING, ASSEMBLY	—	—	—	
		Spares for:—				
16559	E.B6.75.258	BRACKET, support, non-return valve ...	1	L.72	C	S.8
27UA/517	GODFREY 50002	CLAMP, half ...	2	—	C	S.8
	or					
6119198	E.B6.75.1557	CLAMP, assembly (Replacement spare) ...	1	—	C	
		Attaching parts for 50002 or E.B6.75.1557:—				
28D/1212313	A25/15E	Bolt, 1/2" BSF ...	2	—	C	
28M/9480017	AGS.2001/E1/66	Nut, stiff, 1/2" BSF ...	2	—	C	
28W/9418921	SP.13/E	Washer ...	2	—	C	
	GODFREY G.45/B	CLAMP, pipe, jointing (segmental) at Marston cooler	2	—	C	S.8
1707	E.A2.75.37	CLIP, pipe, at rib 3 ...	1	L.72	C	S.8
25720	E.B6.75.791	CLIP, pipe, at rib 2 ...	1	L.72	C	S.8
		Attaching parts for E.A2.75.37 or E.B6.75.791:—				
28D/9436920	A25/1C	Bolt, 2 BA ...	2	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA ...	2	—	C	
28W/9419402	SP.13/C	Washer ...	2	—	C	
6990	E.B6.75.261	CONNECTOR, flanged, non-return valve end fitting	1	DTD.5044	C	S.8
		Attaching parts for E.B6.75.261:—				
28D/9436920	A25/1C	Bolt, 2 BA ...	3	—	C	
28D/1200119	A25/4C	Bolt, 2 BA ...	3	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA ...	3	—	C	
28W/9419402	SP.13/C	Washer ...	3	—	C	
28W/9416643	SP.47/C	Washer ...	3	—	C	
	E.B6.75.316	DUCTS AND AIR COOLER, ASSEMBLY	—	—	—	
		Spares for:—				
6767	E.B6.75.324	DUCT, air inlet, assembly (Pre-Mod. 4793) ...	1	—	C	S.8
6101008	E.B6.75.1554	DUCT, air inlet, assembly (Mod. 4793) ...	1	—	C	
		Attaching parts for E.B6.75.324 or E.B6.75.1554:—				
1025	EEAS.1/1C	Screw, 2 BA ...	17	S.96	C	
6623	E.B6.75.329	DUCT, air outlet, assembly ...	1	—	C	S.8
		Attaching parts for E.B6.75.329:—				
1025	EEAS.1/1C	Screw, 2 BA ...	2	S.96	C	S.8
	E.B6.75.318	INSTALLATION OF MARSTON COOLER (PRIMARY)	—	—	—	
		Spares for:—				
12395	E.B6.75.344	BRACKET, bottom support, assembly ...	2	—	C	S.8
		Attaching parts for E.B6.75.344:—				
28D/1011021	A25/16C	Bolt, 2 BA ...	2	—	C	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA ...	2	—	C	
	AS.2809/4/139	Piece, distance ...	2	L.62	LM	
28W/9419475	SP.15/C	Washer ...	2	—	C	
12396	E.B6.75.346	BRACKET, top, attachment, assembly ...	1	—	C	S.8
		Attaching parts for E.B6.75.346:—				
28D/1011021	A25/16C	Bolt, 2 BA ...	3	—	C	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA ...	3	—	C	
	AS.2809/4/139	Piece, distance ...	3	L.62	LM	
28W/9419475	SP.15/C	Washer ...	3	—	C	

SERVICES

CABIN PRESSURE AND COLD AIR SYSTEM IN STARBOARD WING

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
27UA/492	MARSTON D.106/8A	COOLER , air (E.B6.75.319)						1	—	A	S.8
28D/1011240	A25/5E	Attaching parts for D.106/8A:—						1	—	C	
28W/9419405	SP.15/E	Bolt, 1/2" BSF						1	—	C	
6622	E.B6.75.351	Washer						1	—	C	
22273	E.B6.75.335	Washer , felt, on support brackets						2	DTD.590	C	S.8
12393	E.B6.75.339	STRAP, JOINT, FOR ATTACHMENT OF AIR DUCTS TO MARSTON COOLER						2	—	C/MR	
12392	E.B6.75.337	Consisting of:—						1	—	C/MR	S.8
28D/1011019	A25/8C	STRAP , clamping						1	—	C/MR	S.8
28M/1278190	AGS.2001/C/1	STRAP , joint						1	—	C/MR	S.8
25922	E.B6.75.255	Attaching parts for E.B6.75.339 and E.B6.75.337:—						2	—	C	
28D/9436920	A25/1C	Bolt, 2 BA						2	—	C	
28D/9133011	A25/2C	Bolt, 2 BA						7	—	C	
28D/1200119	A25/4C	Bolt, 2 BA						3	—	C	
28E/2027591	SP.91/L	Clip						2	—	C	
12714	E.B6.75.447A	Lagging						1	—	C	
12369	E.B6.75.449A	Lagging						1	—	C	
28M/1278190	AGS.2001/C/1	Nuc. stiff, 2 BA						9	—	C	
28W/9419402	SP.13/C	Washer						12	—	C	
28W/9416643	SP.47/C	Washer						3	—	C	
15205	E.A2.75.345	ELBOW , from engine connection to non-return valve						1	—	C	S.8
28D/9133012	A25/3C	Attachments for Elbow E.B6.75.255:—						2	BS.2572	C	S.8
28M/1278190	AGS.2001/C/1	Bolt, 2 BA						2	—	C	
28W/9419402	SP.13/C	Nuc. stiff, 2 BA						2	—	C	
16448	E.B7.50.25	Washer						2	—	C	
12078	E.B6.75.669	FAIRLEAD , pipe support at rib 1						1	DTD.683	C	S.8
12079	E.B6.75.675	Attaching parts for E.A2. 75.345:—						2	AERO	C	S.8
28F/9517920	AGS.1142/K	Bolt, 2 BA						2	PERMANITE	C	S.8
6770	E.B6.75.403	Nuc. stiff, 2 BA						4	—	C	
28E/2027591	SP.91/L	GASKET , non-return valve joint						1	T.26	C	S.8
28E/19826	SP.91/N	GASKET , hot air valve joint						2	—	C	
26340	E.B6.75.427A	NIPPLE , adaptor						1	—	C	
26341	E.B6.75.429A	PIPE , assembly, from Marston air cooler to engine and fuselage pipe tee piece						1	—	C	
6771	E.B6.75.405	Attachments for Pipe E.B6.75.403:—						2	—	C	
25710	E.B6.75.785	Clip						1	—	C	
28E/2027591	SP.91/L	Clip						1	—	C	
28E/19826	SP.91/N	Clip						1	—	C	
25715	E.B6.75.803A	Lagging						1	—	C	
25713	E.B6.75.805A	Lagging						1	—	C	
25712	E.B6.75.807A	Lagging						1	—	C	
25714	E.B6.75.809A	Lagging						1	—	C	

SERVICES

CABIN PRESSURE AND COLD AIR SYSTEM IN STARBOARD WING

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.F. L.M.	Plate No.
		1	2	3	4	5	6				
27240	E.B6.75.817	PIPE, assembly, from connection between ribs 1 and 2, to tee piece						1	T.26	C	S.8
27241	E.B6.75.819	PIPE, assembly, from hot air valve to connection between ribs 2 and 3						1	T.26	C	S.8
28E/2027591	SP.91/L	Attachments for Pipe E.B6.75.819:—						3	—	C	
28E/19826	SP.91/N	Clip						1	—	C	
25718	E.B6.75.793A	Clip						1	—	C	
25717	E.B6.75.795A	Lagging						1	—	C	
25716	E.B6.75.801A	Lagging						2	—	C	
	E.B6.75.20	PIPE, RUN IN STARBOARD WHEEL WELL BAY, ASSEMBLY						—	—	—	
		Spares for:—									
6768	E.B6.75.401	ADAPTER, bulkhead, Marston air cooler (Pre-Mod. 3156)						1	DTD.5044	C	S.8
	E.B6.75.1203	ADAPTER, bulkhead, Marston air cooler (Mod. 3156) (Make from Ref. 6768)						1	—	—	
28D/9133011	A25/1C	Attaching parts for E.B6.75.401 or E.B6.75.1203:—						6	—	C	
28M/1278190	AGS.2001/C/1	Bolt, 2 BA						6	—	C	
16601	E.B6.75.647	Nut, 2 BA						1	—	C	S.8
	E.B6.75.1205	Shim (Pre-Mod. 3156)						1	Laminated Aluminium	C	
28F/14892	AGS.1115/13	Shim (Mod. 3156) (Make from Ref. 16601)						1	Laminated Aluminium	C	
15181	E.B6.75.213	Washer, plate						1	—	C	
28D/9133011	A25/2C	CLIP, pipe, in wheel well						2	L.72	C	S.8
28M/1278190	AGS.2001/C/1	Attaching parts for E.B6.75.213:—						2	—	C	
28W/9419475	SP.15/C	Bolt, 2 BA						2	—	C	
28F/4051887	AGS.2120/J	Nut, stiff, 2 BA						2	—	C	
28F/9517920	AGS.1142/J	Washer						1	—	C	
6769	E.B6.75.209	NIPPLE						1	—	C	
		NIPPLE, adaptor						2	—	C	
16591	E.B6.75.615	PIPE, assembly, from Marston cooler, bulkhead elbow connection to pipe joint in wheel well bay						1	L.56	C	S.8
980	EEAS.20/1DR	PIPE, assembly, from pipe joint in wheel well bay to fuselage bulkhead connection						1	L.56	C	S.8
28F/12399	AGS.1167/J	TAB, locking						2	L.56	C	
28F/17675	BELLS ASBESTOS	UNION, elbow, assembly						1	—	C	
28F/4051715	AS.5402	RING, sealing, type "A", between pipe flanges						3	—	C	
	AGS.1119/K	UNION, tee, at Marston cooler						1	—	C	S.8
28E/19826	SP.91/N	Attachments for Union AGS.1119/K:—						2	—	C	
26395	E.B6.75.435A	Clip						1	—	C	
26396	E.B6.75.437A	Lagging						1	—	C	
	E.B7.50.31	VALVE, HOT AIR, ASSEMBLY						1	—	—	S.8
	E.E. CO. LTD.	Consisting of:—									
SW/400	BRADFORD TYPE 234	ACTUATOR						1	—	A	S.8

SERVICES

CABIN PRESSURE AND COLD AIR SYSTEM IN STARBOARD WING

Ref. No.	Part No	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
27V/4282	TEDDINGTON FKH/A/16	VALVE	...	...	...	...	...	1	—	A	S.8
		Attachments for Valve E.B7.50.31:—									
12125	E.B6.75.443A	Lagging	...	...	...	...	...	1	—	C	
12076	E.B6.75.445A	Lagging	...	...	...	...	...	1	—	C	
28M/9480017	AGS.2001/E1/66	Nut, stiff, 1/2" BSF	...	...	...	...	...	8	—	C	
28W/9418921	SP.13/E	Washer	...	...	...	...	...	8	—	C	
27KD/6	NORMALAIR 501670	VALVE, non-return	...	...	...	...	...	1	—	A	S.8
		Attachments for Valve 501670:—									
28E/2027591	SP.91/L	Clip	...	...	...	...	...	2	—	C	
12074	E.B6.75.439A	Lagging	...	...	...	...	...	1	—	C	
12075	E.B6.75.441A	Lagging	...	...	...	...	...	1	—	C	

SERVICES **COLD AIR SUPPLY TO PILOT**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	E.A3.74.21	COLD AIR SUPPLY TO PILOT, ASSEMBLY ...	—	—	—	
		Spares for:—				
7240	E.A3.74.45	BRACKET , non-return valve mounting ...	1	L.72	C	S.9
2164	EEAS.112/5	CLIP , pipe, $\frac{3}{8}$ " o/d ...	5	L.16	C	S.9
2163	EEAS.112/15	CLIP , pipe, 1" o/d ...	6	L.16	C	S.9
		Attaching parts for EEAS.112/5 and EEAS.112/15:—				
28D/12953	A28/1B	Bolt, 4 BA ...	1	—	C	
28M/13479	A29/BP	Nut, 4 BA ...	1	—	C	
28W/3097	AGS.162/B	Washer ...	1	—	C	
8995	E.A3.74.47	CLIP , for non-return valve mounting ...	2	L.54	C/MR	S.9
		Attaching parts for E.A3.74.47:—				
28D/16067	A61/15C	Bolt, 2 BA ...	2	—	C	
28W/9419475	SP.15/C	Washer ...	2	—	C	
8990	E.A3.74.53	COUPLING , drain pipe outlet ...	1	DTD.423	C/MR	S.9
	E.A3.74.63	HOSE , connection 1" i/d x 3" long, between air pipe sections (make from Ref. 32C/376)	5	DTD.625	LM	S.9
	E.A3.74.67	HOSE , connection, $\frac{3}{8}$ " i/d x 1 $\frac{1}{4}$ " long, from water trap to drain pipe (make from Ref. 32C/488)	1	DTD.625	LM	S.9
	THERMOTANK					
5042	K1259/43	LOUVRE , "punkah" air, type D.A.R.2 ...	1	—	B	S.9
12990	E.A2.74.33	PIPE , cold air, from non-return valve to hose connection on frame 1	1	T.9	C	
5633	E.A3.74.111	PIPE , cold air, continuation from hose connection on frame 1 to hose connection between frames 1 and 2	1	T.9	C	S.9
5634	E.A3.74.113	PIPE , cold air, from hose connection between frames 1 and 2 to louvre	1	T.9	C	S.9
5635	E.A3.74.115	PIPE , assembly, drain ...	1	T.9	C	S.9
8991	E.A3.74.51	RING , louvre mounting ...	1	DTD.36	C/MR	S.9
3681	E.A3.74.49	SCOOP , cold air ...	1	L.59	C	S.9
981	EEAS.20/2DR	TAB , locking, for water drain pipe ...	1	L.72	C	S.9
20814	E.A3.74.43	TRAP , water ...	1	—	B	S.9
		Attaching parts for E.A3.74.49 and E.A3.74.43:—				
28M/10279	AGS.2001/A3	Nut, stiff, 6 BA ...	10	—	C	
28S/1200060	A33/A16	Screw, 6 BA ...	10	—	C	
28W/9419473	SP.15/A	Washer ...	10	—	C	
5638	E.A3.74.23	VALVE, NON-RETURN, ASSEMBLY ...	1	—	A	S.9
		Consisting of:—				
	E.A3.74.39	ADAPTOR ...	2	DTD.683	—	S.9
	E.A3.74.41	BODY , non-return valve ...	1	DTD.683	—	S.9
5639	E.A3.74.25	PLUNGER, VALVE SEAL, ASSEMBLY ...	1	—	C	S.9
		Spares for:—				
5640	E.A3.74.29	SEAL ...	1	Halfprene 21	C	S.9
	E.A3.74.27	WASHER , seal retaining ...	1	DTD.683	—	S.9
5060	E.A3.74.35	SHIM , laminated ...	1	Laminated aluminium	C	S.9
5059	E.A3.74.37	SPRING , compression ...	1	DTD.215	C	S.9
5043	E.A3.74.33	WASHER , sealing ...	1	DTD.378A	C	S.9

CANBERRA E Mk. 15

Page SH.1/2

SERVICES

DEMISTER SYSTEM IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
28F/9486111 15190	E.G.475.427	CAMERA, WINDOW DEMISTING PIPE RUN IN FUSELAGE, ASSEMBLY (MOD. 4799)						—	—	—	S.6
	AGS.1142/H E.B.675.583	Spares for:— NIPPLE, adaptor PIPE, assembly, from cabin pressure system tee at frame 16 (Blanked off) (SRIM.3533) (Mod. 4799)						1 1	— L.56	C C	
28E/19824 15151 15152	SP.91/J	Attachments for Pipe E.B.675.583:—									
	E.B.675.41A	Clip						4	—	C	
	E.B.675.43A	Lagging: Lagging:						1 1	— —	C C	
Pages SH.3 and SH.4 Not Issued											

CANBERRA E Mk. 15

Page SH.5

SERVICES

DEMISTER SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl Spec.	Cl. of Equip.	Plate No.	
					M.R. L.M.		
		1 2 3 4 5 6					
SUD/3310	E.G.4.76.101	DEMISTER SYSTEM, ASSEMBLY (MOD. 4799) ...	—	—	—		
	†	Spares for:—					
		BLOWER ...	1	—	A	S.10	
	E.G.4.76.103	BLOWER, MOUNTING, ASSEMBLY (MOD. 4799) ...	1	—	—	S.11	
		Spares for:—				S.10	
	SCC.79242/2	BRACKET, mounting, 18 SWG (SRIM.3533) (Mod. 4799)	1	L.72	—	S.11	
		Attaching parts for SCC.79242/2					
	28D/7002428	A25/6C	Bolt, 2 BA ...	4	—	C	
	28M/1278190	AGS.2001/C/1	Nut, 2 BA ...	4	—	C	
	5070	E.A3.76.91	Washer, rubber ...	12	—	C	S.11
28W/9419475	SP.15/C	Washer ...	4	—	C		
9044	E.A3.76.81	CLIP, blower mounting ...	1	—	C	S.11	
		Attaching parts for E.A3.76.81:—					
28D/7002428	A25/6C	Bolt, 2 BA ...	4	—	C		
28M/1278190	AGS.2001/C/1	Nut, 2 BA ...	4	—	C		
28W/9419475	SP.15/C	Washer ...	4	—	C		
8974	E.A3.76.95	CONNECTION, blower inlet ...	1	—	C	S.11	
		Attaching parts for E.A3.76.95:—					
28D/1212403	A25/33C	Bolt, 2 BA ...	2	—	C		
28M/1278190	AGS.2001/C/1	Nut, 2 BA ...	2	—	C		
5049	E.A3.76.161	Washer, joint ...	1	—	C	S.11	
28W/9419475	SP.15/C	Washer ...	2	—	C		
8975	E.A3.76.131	CONNECTION, blower outlet ...	1	—	C	S.11	
		Attaching parts for E.A3.76.131:—					
28S/1009108	A32/A4	Screw, 6 BA ...	4	—	C		
28W/9419473	SP.15/A	Washer ...	4	—	C		
	SCC.79242/3	PLATE, reinforcing, 14 SWG (SRIM.3533) (Mod. 4799)	1	L.72	LM	S.11	
	E.B.6.76.175	CANOPY, INNER DEMISTING, ASSEMBLY	—	—	—		
		Spares for:—					
5183	EEAS.143/25	CLIP, pipe, 1/2" o/d. ...	1	L.72	C	S.10	
4612	E.A3.76.241	FLANGE, assembly ...	1	—	C	S.10	
		Attaching parts for E.A3.76.241:—					
28D/9133012	A25/3C	Bolt, 2 BA ...	6	—	C		
28M/1278190	AGS.2001/C/1	Nut, 2 BA ...	6	—	C		
5901	E.B.7.75.613	Seal ...	1	ASBESTOS	C		
28W/9419475	SP.15/C	Washer ...	6	—	C		
33624	E.B.6.76.173	PIPE, demisting, assembly ...	1	—	C	S.10	
4614	E.A3.76.223	VALVE, butterfly type ...	1	—	B	S.10	
17525	EEAS.143/10	CLIP, pipe, single ...	1	—	C	S.10	
		Attaching parts for EEAS.143/10:—					
28D/1010658	A25/1B	Bolt, 4 BA ...	1	—	C		
28M/1278189	AGS.2001/B/1	Nut, 4 BA ...	1	—	C		
28W/9419486	SP.16/B	Washer ...	1	—	C		
	EEAS.143/22	CLIP, pipe, single ...	1	—	—		
		Attaching parts for EEAS.143/22:—					
28D/9436920	A25/1C	Bolt, 2 BA ...	1	—	C		
28M/1278190	AGS.2001/C/1	Nut, 2 BA ...	1	—	C		
28W/9419475	SP.15/C	Washer ...	1	—	C		

SERVICES DEMISTER SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
34627	E.G.4.76.39	ELBOW	(Post-Mod. 3833)	...	...	...	...	1	—	C	S.10
1815	E.A3.76.47	FILTER, AIR, ASSEMBLY	...	...	...	...	...	1	—	B	S.10
		Consisting of:—									
1816	E.A3.76.69	BOLT	...	...	...	...	...	3	S.95	C	S.11
1817	E.A3.76.51	CAP, end	...	...	...	...	...	1	—	C	S.11
	E.A3.76.49	CASE, outer	...	...	...	...	...	1	—	—	S.11
1892	†	ELEMENT, filter (Purolator MFA.36A)	...	...	...	...	...	1	—	C	S.11
28M/1013165	AGS.113/B	NUT, wing, 4 BA	...	...	...	...	...	3	—	C	
8978	E.A3.76.67	PLUG, sealing	...	...	...	...	...	1	DTD.683	C	S.11
1818	E.A3.76.75	SPRING	...	...	...	...	...	1	S.201	C	S.11
1819	E.A3.76.71	WASHER, sealing element, rubber	...	...	...	...	...	2	Shore 30	C	S.11
1820	E.A3.76.73	WASHER, sealing cap, rubber	...	...	...	...	...	1	Shore 30	C	S.11
28W/1031013	AGS.163/B	WASHER	...	...	...	...	...	3	—	C	
	E.A3.76.41	FILTER, AIR MOUNTING, ASSEMBLY	...	...	...	...	...	1	—	—	S.10 S.11
		Spares for:—									
9042	E.A3.76.85	BRACKET, MOUNTING, L.H., C/W STRAP	...	...	...	...	...	1	—	C	S.11
		Spares for:—									
1004	E.A1.10.1663	NUT, knurled, finger	...	...	...	...	...	1	L.40	C	S.11
9043	E.A3.76.86	BRACKET, MOUNTING, R.H., C/W STRAP	...	...	...	...	...	1	—	C	S.11
		Spares for:—									
1004	E.A1.10.1663	NUT, knurled, finger	...	...	...	...	...	1	L.40	C	S.11
		Attaching parts for E.A3.76.85 and E.A3.76.86:—									
28D/9436920	A25/1C	Bolt, 2 BA	...	...	...	...	...	2	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA	...	...	...	...	...	2	—	C	
	E.A3.76.21	HOSE, connecting, $\frac{3}{8}$ " o/d. x $\frac{1}{4}$ " i/d. x 4 $\frac{1}{2}$ " long	...	...	...	...	...	1	Natural Rubber	LM	S.10
		(Pre-Mod. 3833) (Make from Ref. 32C/4382964)									
	E.A3.76.23	HOSE, connecting, $\frac{3}{8}$ " o/d. x $\frac{1}{4}$ " i/d. x 60" long	...	...	...	...	...	1	Natural Rubber	LM	S.10
		(Make from Ref. 32C/4382964)									
	E.A3.76.25	HOSE, connecting, $\frac{3}{8}$ " o/d. x $\frac{1}{4}$ " i/d. x 19" long	...	...	...	...	...	1	Natural Rubber	LM	S.10
		(Make from Ref. 32C/534)									
	E.A3.76.27	HOSE, connecting, $\frac{3}{8}$ " o/d. x $\frac{1}{4}$ " i/d. x 4" long	...	...	...	...	...	1	Natural Rubber	LM	S.10
		(Make from Ref. 32C/534)									
	E.A3.76.31	HOSE, connecting, $\frac{3}{8}$ " o/d. x $\frac{1}{4}$ " i/d. x 2" long	...	...	...	...	...	1	Natural Rubber	LM	S.10
		(Make from Ref. 32C/534)									
	E.A3.76.33	HOSE, connecting, $\frac{3}{8}$ " o/d. x $\frac{1}{4}$ " i/d. x 1 $\frac{1}{2}$ " long	...	...	...	...	...	5	Natural Rubber	LM	S.10
		(Make from Ref. 32C/534)									
	E.A3.76.175	HOSE, connecting, $\frac{3}{8}$ " o/d. x $\frac{1}{4}$ " i/d.	...	...	...	...	...	1	Natural Rubber	LM	S.10
		(Make from Ref. 32C/534)									
	E.A3.76.209	HOSE, connecting, $\frac{3}{8}$ " o/d. x $\frac{1}{4}$ " i/d. x 3" long	...	...	...	...	...	1	Natural Rubber	LM	S.10
		(Make from Ref. 32C/534)									
	E.B6.76.39	HOSE, connecting, $\frac{3}{8}$ " o/d. x $\frac{1}{4}$ " i/d. x 48" long	...	...	...	...	...	1	Natural Rubber	LM	S.10
		(Make from Ref. 32C/534)									
1372	E.A3.76.5	TEE, connecting piece, for navigator's window hose	...	...	...	...	...	1	—	C	S.10
1373	E.A3.76.19	TEE, connecting piece, at nose air drier tube	...	...	...	...	...	1	—	C	S.10
		(Pre-Mod. 3833)									
8980	E.A3.76.165	TUBE, alloy, continuation between frames 1 and 4, port side, $\frac{1}{2}$ " o/d. x 22 SWG	...	...	...	...	...	1	L.56	C	S.10
8981	E.A3.76.167	TUBE, alloy, from air filter to hose connection aft of frame 1, $\frac{1}{2}$ " o/d. x 22 SWG	...	...	...	...	...	1	L.56	C	S.10
7142	E.A3.76.169	TUBE, alloy, from air filter to canopy hose connection, $\frac{1}{2}$ " o/d. x 22 SWG	...	...	...	...	...	1	L.56	C	S.10

CANBERRA E Mk. 15

Page SH.7/8

SERVICES

DEMISTER SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1 2 3 4 5 6				
	SCC.79576/3	TUBE, alloy, continuation, between frames 3 and 4, $\frac{1}{2}$ " o/d. x 20 SWG (SRIM.3533) (Mod. 4799)	1	L.56	—	S.10
	SCC.79576/2	TUBE, alloy, from port side connection at frame 4 to blower, $\frac{1}{2}$ " o/d. x 20 SWG (SRIM.3533) (Mod. 4799)	1	L.56	—	S.10
	SCC.79576/1	TUBE, alloy, from blower to air drier, port side, $\frac{1}{2}$ " o/d. x 20 SWG (SRIM.3533) (Mod. 4799)	1	L.56	—	S.10
2146	E.A3.76.201	TUBE, AIR DRIER, CANOPY, PORT, ASSEMBLY Consisting of:—	1	—	B	S.10,S.11
2840	E.A3.76.187	BOLT, special	3	S.95	C	S.11
2109	E.A3.76.207	CAP, container	1	L.54	C	S.11
	E.A3.76.199	CONTAINER, body	1	—	—	S.11
1821	E.A3.76.79	FILTER, ASSEMBLY	1	—	C	S.11
		Spares for:—				
	E.A3.76.77	FILTER, pad, complete	1	—	—	S.11
	E.A1.76.21	PLATE, retaining	1	L.72	—	S.11
28M/1013165	AGS.113/B	NUT, wing, 4 BA	3	—	C	
1378	E.A1.76.25	WASHER, rubber sealing, container end cap and filter plate	2	Shore 40-45	C	S.11
28W/1031013	AGS.163/B	WASHER, spring	3	—	C	
		Attaching parts for E.A3.76.201:—				
1000	E.A1.10.1657	CLIP, top half	2	S.514	C	S.11
1001	E.A1.10.1659	CLIP, bottom half	2	S.514	C	S.11
1004	E.A1.10.1663	NUT, knurled, finger	4	L.65	C	S.11
2841	E.A3.76.101	TUBE, AIR DRIER, CANOPY, STARBOARD, ASSEMBLY Spares for:—	1	—	B	S.10,S.11
	E.A3.76.159	ADAPTOR	1	—	—	S.11
	E.A3.76.103	CONTAINER, body	1	—	—	S.11
	VOKES					
27B/2900	A.12681	FILTER	2	—	B	S.11
2842	E.A3.76.105	HOSE, connecting, $3\frac{1}{2}$ " o/d. x 3" i/d. x 2" long ...	1	Rubber	C	S.11
21254	E.A3.76.107	VALVE, ASSEMBLY	1	—	B	S.11
		Spares for:—				
2843	E.A3.76.147	SEAL	1	Rubber	C	S.11
2844	E.A3.76.149	SPRING	2	Spring Steel	C	S.11
	E.B6.76.43	TUBE, AIR DRIER, CANOPY, STARBOARD, MOUNTING, ASSEMBLY Spares for:—	—	—	—	S.10,S.11
	E.B6.76.47	BRACKET, mounting, aft	1	L.59	—	S.11
	E.B6.76.45	BRACKET, mounting, forward	1	L.59	—	S.11
1374	E.A1.76.3	TUBE, AIR DRIER, NOSE, ASSEMBLY Consisting of:—	1	—	B	S.10,S.11
1375	E.A1.76.7	CAP, container	1	—	C	S.11
1376	E.A1.76.9	CAP, container, hose coupling end	1	—	C	S.11
	E.A1.76.5	CONTAINER, body	1	—	—	S.11
1377	E.A1.76.17	FILTER, ASSEMBLY	2	—	C	S.11
		Spares for:—				
	E.A1.76.23	FILTER, pad, $\frac{1}{8}$ " thick	1	Felt	—	S.11
	E.A1.76.21	PLATE, filter, felt retaining	1	L.72	—	S.11
1378	E.A1.76.25	WASHER, rubber, sealing, cap container	2	Shore 40-45	C	S.11
		Attaching parts for E.A1.76.3:—				
29D/9436920	A25/1C	Bolt, 2 BA	4	—	C	
1369	E.A3.76.13	Clip	2	L.72	C	S.10,S.11
28M/1278190	AGS.2001/C/1	Nut, 2 BA	4	—	C	
1379	E.A3.76.17	Washer, pad	4	L.72	C	S.11
26DK/111172	EEAS.239/1A	WASHER, "D", for pipe clips	11	—	C	

Restricted

Ref. No.	Part No.							Description	No. off	Matl Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6				M.R. L.M.	

Restricted

SERVICES

EQUIPMENT IN INNER WING, LEADING EDGE, PORT

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	E.B6.00.363	EQUIPMENT IN INNER WING, LEADING EDGE, PORT	—	—	—	
	E.B6.20.959	Spares for:— AIR INTAKE, FOR ZONE 2 COOLING IN INNER WING LEADING EDGE, PORT (See page PC.2)	—	—	—	
	E.B6.61.1	BOX, GEAR, ASSEMBLY	—	—	—	S.2
399	E.A1.50.595	Spares for:— ADAPTOR, for hydraulic pump drain pipe ...	1	DTD.126	C	S.2
37L/189	PTG.3/25	BOX, gear and adaptor Attaching parts for PTG3/25:—	1	—	A	S.2
	E.B6.61.1A	Nut, special (make from 28M/13295)	4	—	LM	
28W/9416646	SP.47/J	Washer	4	—	C	
3413	EEAS.91/4	CLIP, pipe, double, for drain pipes Attaching parts for EEAS.91/4:—	2	L.72	C	
28D/1010658	A25/1B	Bolt, 4 BA	1	—	C	
28M/10287	AGS.2001/B1	Nut, stiff, 4 BA	1	—	C	
28W/9419474	SP.15/B	Washer	1	—	C	
13177	E.A9.61.63	CONNECTION, induction pipe outlet elbow, to generator	1	—	C	S.2
13198	E.A9.61.27	DUCT, air, leading edge entry Attaching parts for E.A9.61.27:—	1	—	—	S.2
1025	EEAS.1/1C	Screw, special, 2 BA	15	S.96	C	
12376	E.A9.61.32	DUCT, air generator exhaust Attaching parts for E.A9.61.32:—	1	—	C	S.2
1025	EEAS.1/1C	Screw, special, 2 BA	8	S.96	C	
5UA/6446	E.E. CO. LTD. BRADFORD	GENERATOR, type 519	1	—	A	S.2
28F/1013599	AGS.1142/A	NIPPLE, adaptor	1	—	C	
28F/9486111	AGS.1142/H	NIPPLE, adaptor	1	—	C	
28F/11905	AGS.1170/H	NIPPLE	2	—	C	
13178	E.A9.61.35	PIPE, assembly, engine induction air outlet, continuation through rib 3	1	T.26	C	S.2
13196	E.A9.61.37	PIPE, assembly, engine induction air outlet from connection at engine rib	1	T.26	C	S.2
409	E.A1.61.41	PIPE, assembly, hydraulic pump drain	1	L.56	C	S.2
13200	E.A9.61.65	PIPE, assembly, gear box drain	1	—	C	S.2
	ROTOL LTD.					
37L/357	GD.9/49	SHAFT, drive	1	—	B	S.2
12373	E.A9.61.41	SLEEVE, connecting, air inlet	1	Silastic Asbestos	C	S.2
12374	E.A9.61.43	SLEEVE, connecting, air exhaust	1	Silastic Asbestos	C	S.2
28F/9996122	AGS.1112/H E.B6.75.825	UNION, body flanged bulkhead CABIN PRESSURE AND COLD AIR SYSTEM IN PORT WING (See page SE.1)	1	—	C	
	E.B6.47.293	CONTROLS, ENGINE, IN PORT WING (See page CC.1)	—	—	—	
	E.B6.57.71	FUEL DELIVERY SYSTEM IN PORT INNER WING (See page SO.7)	—	—	—	
	E.B6.73.395	HYDRAULICS IN PORT WING INNER LEADING EDGE (See page SV. 1)	—	—	—	

CANBERRA E Mk. 15

Page SJ.1

SERVICES

EQUIPMENT IN INNER WING LEADING EDGE STARBOARD

Ref. No.	Part No.	1	2	3	4	5	6	Description	No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.G4.00.513							EQUIPMENT IN INNER WING LEADING EDGE STARBOARD (MOD. 4799)	—	—	—	
	E.B6.20.960							Spares for:— AIR INTAKE FOR ZONE 2 COOLING IN INNER WING LEADING EDGE, STARBOARD (See page PC.6)	—	—	—	
	E.B6.61.2							BOX, GEAR, ASSEMBLY Spares for:—	—	—	—	
399	E.A1.50.595							ADAPTOR, for hydraulic pump drain pipe ...	1	DTD.126	C	S.3
37L/190	ROTOL LTD. P.T.G.3/26							BOX, gear and adaptor Attaching parts for P.T.G.3/26:—	1	—	A	S.3
28W/9416646	E.B6.61.1A SP.47/J							Nut, special (Make from 28M/1011473) ... Washer	4 4	— —	LM C	
3413	EEAS.91/4							CLIP, pipe, double, for drain pipes Attaching parts for EEAS.91/4:—	2	L.72	C	
28D/1010658	A25/1B							Bolt, 4 BA	1	—	C	
28M/1278189	AGS.2001/B/1							Nut, 4 BA	1	—	C	
28W/9419474	SP.15/B							Washer	1	—	C	
13197	E.A9.61.64							CONNECTION, induction pipe outlet elbow to generator	1	—	C	S.3
13199	E.A9.61.28							DUCT, air, leading edge entry Attachments for E.A9.61.28:—	1	—	B	S.3
1025	EEAS.1/1C							Screw, 2 BA	11	S.96	C	
1026	EEAS.1/1½C							Screw, 2 BA	3	S.96	C	
1468	EEAS.1/2C							Screw, 2 BA	1	S.96	C	
12376	E.A9.61.32							DUCT, air, generator exhaust Attaching parts for E.A9.61.32:—	1	—	C	S.3
1025	EEAS.1/1C							Screw, 2 BA	8	S.96	C	
SUA/	E. E. CO. LTD. BRADFORD							GENERATOR, type S19	1	—	A	S.3
28F/1013599	AGS.1142/A							NIPPLE, adaptor	1	—	C	
28F/9486111	AGS.1142/H							NIPPLE, adaptor	1	—	C	
28F/1036552	AGS.2120/H							NIPPLE	2	—	C	
13187	E.A9.61.36							PIPE, assembly, engine induction air outlet continuation through rib 3	1	T.26	C	S.3
13188	E.A9.61.38							PIPE, assembly, engine induction air outlet from connection at engine rib	1	T.26	C	S.3
410	E.A1.61.42							PIPE, assembly, hydraulic pump drain ...	1	L.56	C	S.3
13200	E.A9.61.65							PIPE, assembly, gear box drain	1	—	C	S.3
37L/356	ROTOL LTD. GD.9/50							SHAFT, drive	1	—	B	S.3
12373	E.A9.61.41							SLEEVE, connecting air inlet	1	SILASTIC ASBESTOS	C	S.3
12374	E.A9.61.43							SLEEVE, connecting air exhaust	1	SILASTIC ASBESTOS	C	S.3
28F/9996122	AGS.1112/H E.B6.75.781							UNION, body, flanged bulkhead CABIN PRESSURE AND COLD AIR SYSTEM IN STARBOARD WING (See page SF.1)	1 —	— —	C —	

SERVICES

EQUIPMENT IN INNER WING LEADING EDGE STARBOARD

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.G4.83.317	CAMERA, G.90, INSTALLATION (MOD. 4799) ...						—	—	—	
		Spares for:—									
43412	E.G4.83.63	APERTURE, CAMERA, ASSEMBLY ...						1	—	B	
		Spares for:—									
	E.G4.83.65	PLATE, MOUNTING, ASSEMBLY ...						1	—	—	
		Spares for:—									
	E.G4.83.65A	MOUNTING ...						1	—	—	
	E.G4.83.65B	PLATE ...						1	S.521	—	
	E.G4.83.73	RING, retaining window ...						1	S.61	—	
	E.G4.83.71	SEAL, window joint ...						1	—	—	
	E.G4.83.67	SEAL, window, rear ...						—	—	—	
1438620	E.G4.83.69	WINDOW, camera ...						1	PLATE GLASS	C	
		Attaching parts for E.G4.83.63:—									
28D/1214568	AS.2920/3C	Bolt, 2 BA ...						6	—	C	
14A/4936	†	MOUNTING, G.90 camera ...						1	—	A	
		Attaching parts for Ref. 14A/4936:—									
28D/1011029	A25/1E	Bolt, 1" BSF ...						4	—	C	
28W/9419405	SP.15/E	Washer ...						4	—	C	
43415	E.G4.83.85	PLATE, blanking, for use when camera not fitted						1	L.72	B	
		Attaching parts for E.G4.83.85:—									
28D/1214568	AS.2920/3C	Bolt, 2 BA ...						6	—	C	
43416	E.G4.83.75	PLATE, mounting ...						1	DTD.3030	C	
		Attaching parts for E.G4.83.75: —									
28D/1011238	A25/3E	Bolt, 1" BSF ...						2	—	C	
28D/1008145	A25/6E	Bolt, 1" BSF ...						2	—	C	
43418	E.G4.83.79	Shim, laminated (As required) ...						2	—	C	
28W/9419405	SP.15/E	Washer ...						2	—	C	
43417	E.G4.83.83	SEAL, camera aperture, 1/8" thick ...						1	—	C	
43419	E.G4.83.81	SHIM, laminated, between camera and camera mounting (As required)						1	LA.3	C	
43418	E.G4.83.79	SHIM, plate ...						2	—	C	
	E.B6.47.295	CONTROLS, ENGINE, IN STARBOARD WING (See page CD.1)						—	—	—	
	E.B6.57.151	FUEL DELIVERY SYSTEM IN STARBOARD INNER WING (See page SP.7)						—	—	—	
	E.B6.73.397	HYDRAULICS IN STARBOARD WING LEADING EDGE (See page SW.1)						—	—	—	

CANBERRA E Mk. 15

Page SK.1

SERVICES

FIRE PROTECTION SYSTEM IN FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.G.4.60.1	FIRE PROTECTION SYSTEM IN FUSELAGE, ASSEMBLY						—	—	—	
		Spares for:—									
5034	E.A1.60.15	BUSH (Pre-Mod. 2614)						86	—	C	
12K/1306	†	CARTRIDGE , electric No. 1. Mk. 2						1	—	C	
28F/9446123	AGS.1116/C	CONE , elbow						1	—	C	
28F/9489323	AGS.1120/10	CONE , tee						1	—	C	
28F/9471001	AGS.1102/C	CONE , union						2	—	C	
28F/9439765	AGS.1102/D	CONE , union						3	—	C	
28F/1036557	AGS.1111/C	CONE , union, flanged						2	—	C	
		Attaching parts for AGS.1111/C:—									
28D/9436920	A25/1C	Bolt 2 BA						3	—	C	
28M/1278190	AGS.2001/C/1	Nut 2 BA						3	—	C	
	GRAVINER CO. LTD.										
27N/100 or 27N/152	†	EXTINGUISHER , fire						1	—	A	
		Attaching parts for Ref. 27N/100 or 27N/152:—									
28D/9015170	A25/16B	Bolt, 4 BA						4	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA						4	—	C	
28S/1011481	A31/C48	Screw, 2 BA						2	—	C	
11400	E.A2.60.25	Strap, front						4	—	C	
11401	E.A2.60.27	Strap, rear						4	—	C	
11394	E.A2.60.11	Trunnion						2	DTD.126A	C	
11395	E.A2.60.13	Trunnion						2	DTD.126A	C	
296	E.A1.60.49	FAIRLEAD , assembly, wing support at fuselage ...						2	BS.2572	C	
		Attaching parts for E.A1.60.49:—									
28D/9419452	A25/3B	Bolt, 4 BA						4	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA						4	—	C	
28W/9419474	SP.15/B	Washer						4	—	C	
	GRAVINER CO. LTD.										
27N/63	1087/E/H10	HEAD , flame detector switch (Pre-Mod. 2614) ...						1	—	B	
	GRAVINER CO. LTD.										
27N/62	1087/E/H15	HEAD , flame detector switch (Pre-Mod. 2614) ...						2	—	B	
	GRAVINER CO. LTD.										
27N/71	1087/E/H20	HEAD , flame detector switch (Pre-Mod. 2614) ...						1	—	B	
28F/8011897	AGS.1142/F	NIPPLE , adaptor						2	—	C	
297	E.A1.60.137	PIPE , assembly, on bulkhead frame 12 in centre of fuselage						1	L.56	C	
298	E.A1.60.139	PIPE , assembly, from coupling at frame 12 to coupling at frame 13						1	L.56	C	
12234	E.A1.60.165	PIPE , assembly, from elbow to tee piece at frame 27						1	L.56	C	
21572	E.A1.60.167	PIPE , assembly, from tee piece to blanking union at frame 27						1	L.56	C	
	E.B6.60.3	PIPE , assembly, from coupling at frame 13 to coupling at frame 17 (Ref. 299 modified)						1	L.56	LM	
	E.B6.60.5	PIPE , assembly, from starboard wing connection to coupling between frames 17 and 18 (Ref. 304 modified)						1	L.56	LM	
	E.B6.60.7	PIPE , assembly, from elbow at frame 27 to coupling at frame 18 (Ref. 300 modified)						1	L.56	LM	

SERVICES

FIRE PROTECTION SYSTEM IN FUSELAGE

Ref. No.	Part No.							No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.B6.60.9	PIPE, assembly, from port wing coupling to four-way piece at frame 18 (Ref. 303 modified)						1	L.56	LM	
33497	E.B6.60.11	PIPE, assembly, from four-way piece to coupling at frame 17						1	L.56	C	
33499	E.B6.60.13	PIPE, assembly, from four-way piece to coupling between frames 17 and 18						1	L.56	C	
33501	E.B6.60.15	PIPE, assembly, from four-way piece to coupling at frame 18						1	L.56	C	
20787	E.B7.60.15	PIPE, assembly, from tee piece to reducing union at frame 27						1	L.56	C	
20788	E.B7.60.17	PIPE, assembly, from fire extinguisher to reducing union at frame 27						1	L.56	C	
28F/4051700	AGS.1125/10	UNION, piece, four-way						1	—	C	
28F/4051736	AGS.1108/C	UNION, reducing						1	—	C	
	GRAVINER CO. LTD.										
27N/61	D.132	UNIT, fire detector, continuous (Pre-Mod. 2614) ...						4	—	C	
27N/1930846	D.2660	UNIT, fire detector, continuous (supersedes 27N/61) (Pre-Mod. 2614)						4	—	C	
		Attaching parts for 27N/61 or 27N/1930846:—									
28D/9140202	AS.1246/1C	Bolt, 2 BA						4	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA						4	—	C	
28W/9419475	SP.15/C	Washer						4	—	C	
7782	EEAS.21/1ER	WASHER						4	—	C	

CANBERRA B, MK. 15

Page SL 1

SERVICES

FIRE PROTECTION SYSTEM IN PORT WING

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.A1.60.3	FIRE PROTECTION SYSTEM IN WING, PORT, ASSEMBLY						—	—	—	
		Spares for:—									
3624	E.A1.60.41	BRACKET, support, fire extinguisher (dual head) ...						1	—	C	
		Attaching parts for E.A1.60.41:—									
28D/1010658	A25/1B	Bolt, 4 BA ...						4	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA ...						4	—	C	
3411	EEAS.28/2EU	Washer ...						4	—	C	
12K/1316	†	CARTRIDGE, electric, No. 1, Mk. 3, 2pin ...						1	—	C	
12K/1317	†	CARTRIDGE, electric, No. 1, Mk. 3, 3 pin ...						1	—	C	
512	E.A1.60.39	ELBOW, connection, at fire extinguisher bottle (dual head)						1	—	C	
	GRAVINER CO. LTD.										
27N/102 or 27N/155	†	EXTINGUISHER, fire, dual head ...						1	—	A	
		Attaching parts for 27N/102 or 27N/155:—									
3410	E.A1.60.121	Bolt, strap ...						1	S.92	C	
28D/1010658	A25/1B	Bolt, 4 BA ...						6	—	C	
28M/10287	AGS.0201/B/1	Nut, 4 BA ...						6	—	C	
1703	E.A1.60.33	Strap, assembly ...						1	—	C	
1704	E.A1.60.21	Trunnion, screwed, 2 BA ...						1	DTD.126A	C	
1705	E.A1.60.23	Trunnion, pin ...						1	DTD.126A	C	
3411	EEAS.28/2EU	Washer ...						6	—	C	
	E.B7.60.19	FIRE PROTECTION SYSTEM, ZONE 2, ENGINE BAY, ASSEMBLY						—	—	—	
		Spares for:—									
21507	E.A1.60.117	BLOCK, location, fire bottle head ...						1	—	C	
		Attaching parts for E.A1.60.117:—									
28D/1214866	AS.1246/4B	Bolt, 4 BA ...						4	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA ...						4	—	C	
28W/9419474	SP.15/B	Washer ...						4	—	C	
13002	E.B7.60.35	BRACKET, FIRE EXTINGUISHER BOTTLE MOUNTING, ASSEMBLY						2	—	C	
		Spares for:—									
13003	E.B7.60.45	STRAP, mounting ...						2	L.72	C	
		Attaching parts for E.B7.60.45:—									
28D/1212276	A25/15B	Bolt, 4 BA ...						2	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA ...						2	—	C	
285/1011481	A31/C48	Screw, 2 BA ...						1	—	C	
1704	E.A1.60.21	Trunnion, screwed, 2 BA ...						1	DTD.126A	C	
1705	E.A1.60.23	Trunnion, plain ...						1	DTD.126A	C	
		Attaching parts for E.B7.60.35:—									
28D/1010658	A25/1B	Bolt, 4 BA ...						14	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA ...						14	—	C	
28W/9419474	SP.15/B	Washer ...						14	—	C	
	E.B7.60.37	BRACKET block location, support ...						1	—	—	
	E.B7.60.38	BRACKET block location, support ...						1	—	—	
		Attaching parts for E.B7.60.37 and E.B7.60.38:—									
28D/1010658	A25/1B	Bolt, 4 BA ...						3	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA ...						3	—	C	
28W/9419474	SP.15/B	Washer ...						3	—	C	

SERVICES

FIRE PROTECTION SYSTEM IN PORT WING

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
12K/1316 17529	† EEAS.143/23	CARTRIDGE, No. 1, Mk. 3						1	—	C	
		CLIP, pipe, 1/2" o/d.						2	L.72	C	
		Attaching parts for EEAS.143/23:—									
28D/9436920	A25/1C	Bolt, 2 BA						1	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA						1	—	C	
18852	EEAS.21/2DR	Washer						2	L.72	C	
13004	E.B7.60.29	CLIP, pipe, special						1	—	C	
13005	E.B7.60.31	CLIP, pipe, special						3	—	C	
		Attaching parts for E.B7.60.29 and E.B7.60.31:—									
28D/9435710	A25/11C	Bolt, 2 BA						2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA						2	—	C	
28W/9419402	SP.13/C	Washer						2	—	C	
27N/100 or 27N/152	GRAVINER TYPE 12A †	EXTINGUISHER, fire						1	—	A	
28F/9439897	AGS.1142/E	NIPPLE, adaptor						3	—	C	
28F/8011897	AGS.1142/E	NIPPLE, adaptor						4	—	C	
13006	E.B7.60.21	PIPE, assembly, from fire extinguisher bottle to bulkhead connection						1	DTD.323	C	
13007	E.B7.60.23	PIPE, assembly, top spray, from bulkhead con- nection to reducing union						1	L.55	C	
13008	E.B7.60.25	PIPE, assembly, side spray, from reducing union to pipe coupling						1	L.55	C	
13009	E.B7.60.27	PIPE, assembly, bottom spray, from pipe coupling						1	L.55	C	
	E.A1.60.55	UNION, bulkhead, inboard engine rib (Make from Ref. 28F/9157486)						1	—	LM	
		Attaching parts for E.A1.60.55:—									
28D/9133011	A25/2C	Bolt, 2 BA						3	—	C	
28M/10288	AGS.2001/C/1	Nut, 1 BA						3	—	C	
28W/9419402	SP.13/C	Washer						3	—	C	
13010	E.B7.60.39	UNION, special, reducing						1	S.110	C	
13011	E.B7.60.41	UNION, pipe, coupling						1	S.110	C	
28F/8011897	AGS.1142/F	NIPPLE, adapter						2	—	C	
513	E.A1.60.3A	PIPE, assembly, from wing fuselage joint to fire extinguisher bottle						1	L.56	C	
27422	E.B7.60.11	PIPE, assembly, from fire extinguisher bottle to inboard engine rib connection						1	L.56	C	
	E.A1.60.55	UNION, bulkhead, inboard engine rib (Make from Ref. 28F/9157486)						1	—	LM	
		Attaching parts for E.A1.60.55:—									
28D/9133011	A25/2C	Bolt, 2 BA						3	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA						3	—	C	
28W/9419475	SP.15/C	Washer						3	—	C	

CANBERRA B, MK. 15

Page SM.1

SERVICES

FIRE PROTECTION SYSTEM IN STARBOARD WING

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.A1.60.4	FIRE PROTECTION SYSTEM IN WING, STARBOARD ASSEMBLY						—	—	—	
		Spares for:—									
3624	E.A1.60.41	BRACKET , support, fire extinguisher (dual head)						1	—	C	
		Attaching parts for E.A1.60.41:—									
28D/1010658	A25/1B	Bolt, 4 BA						4	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA						4	—	C	
3411	EEAS.28/2EU	Washer						4	—	C	
12K/1316	†	CARTRIDGE , No. 1, Mk. 3, 2 pin						1	—	C	
12K/1317	†	CARTRIDGE , No. 1, Mk. 3, 3 pin						1	—	C	
512	E.A1.60.39	ELBOW , connection, at fire extinguisher bottle (dual head)						1	—	C	
	GRAYNER CO. LTD.										
27N/102 or 27N/155	†	EXTINGUISHER , fire, dual head						1	—	A	
		Attaching parts for 27N/102 or 27N/155:—									
3410	E.A1.60.121	Bolt, strap						1	S.92	C	
28D/1010658	A25/1B	Bolt, 4 BA						6	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA						6	—	C	
1703	E.A1.60.33	Strap, assembly						1	—	C	
1704	E.A1.60.21	Trunnion, screwed, 2 BA						1	DTD.126A	C	
1705	E.A1.60.23	Trunnion, plain						1	DTD.126A	C	
3411	EEAS.28/2EU	Washer						6	—	C	
	E.B7.60.20	FIRE PROTECTION SYSTEM, ZONE 2, ENGINE BAY, ASSEMBLY						—	—	—	
		Spares for:—									
21507	E.A1.60.117	BLOCK , location, fire bottle head						1	—	C	
		Attaching parts for E.A1.60.117:—									
28D/1214866	AS.1246/4B	Bolt, 4 BA						4	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA						4	—	C	
28W/9419474	SP.15/B	Washer						4	—	C	
13002	E.B7.60.35	BRACKET, FIRE EXTINGUISHER BOTTLE MOUNTING, ASSEMBLY						2	—	B	
		Spares for:—									
13003	E.B7.60.45	STRAP , mounting						2	L.72,	C	
		Attaching parts for E.B7.60.45:—									
28D/1212276	A25/15B	Bolt, 4 BA						2	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA						2	—	C	
28S/1011481	A31/C48	Screw, 2 BA						1	—	C	
1704	E.A1.60.21	Trunnion, screwed, 2 BA						1	DTD.126A	C	
1705	E.A1.60.23	Trunnion, plain						1	DTD.126A	C	
		Attaching parts for E.B7.60.35:—									
28D/1010658	A25/1B	Bolt, 4 BA						14	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA						14	—	C	
28W/9419474	SP.15/B	Washer						14	—	C	
	E.B7.60.37	BRACKET , block location, support						1	—	—	
	E.B7.60.38	BRACKET , block location, support						1	—	—	
		Attaching parts for E.B7.60.37 and E.B7.60.38:—									
28D/1010658	A25/1B	Bolt, 4 BA						3	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA						3	—	C	
28W/9419474	SP.15/B	Washer						3	—	C	

SERVICES

FIRE PROTECTION SYSTEM IN STARBOARD WING

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
12K/1316 17529	† EEAS.143/23	CARTRIDGE, No. 1, Mk. 3	...	...	...	...	...	1	—	C	
		CLIP, pipe, 1/2" o/d	...	...	...	...	...	2	L.72	C	
		Attaching parts for EEAS.143/23:—									
28D/9436920	A25/1C	Bolt, 2 BA	...	...	...	...	...	1	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	...	...	...	...	...	1	—	C	
18852	EEAS.21/2DR	Washer	...	...	...	...	...	2	L.72	C	
13004	E.B7.60.29	CLIP, pipe, special	...	...	...	...	...	1	—	B	
13005	E.B7.60.31	CLIP, pipe, special	...	...	...	...	...	3	—	B	
		Attaching parts for E.B7.60.29 and E.B7.60.31:—									
28D/9435710	A25/11C	Bolt, 2 BA	...	...	...	...	...	2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	...	...	...	...	...	2	—	C	
28W/9419402	SP.13/C	Washer	...	...	...	...	...	2	—	C	
27N/100 or 27N/152	GRAVINER TYPE 12A	EXTINGUISHER, fire	...	...	...	...	...	1	—	A	
28F/9439897	AGS.1142/E	NIPPLE, adapter	...	...	...	...	...	3	—	C	
28F/8011897	AGS.1142/F	NIPPLE, adapter	...	...	...	...	...	4	—	C	
13012	E.B7.60.22	PIPE, assembly, from fire extinguisher bottle to bulkhead connection	...	...	...	...	...	1	DTD.323	C	
13013	E.B7.60.24	PIPE, assembly, top spray, from bulkhead connection to reducing union	...	...	...	...	...	1	L.55	C	
13014	E.B7.60.26	PIPE, assembly, side spray, from reducing union to pipe coupling	...	...	...	...	...	1	L.55	C	
13015	E.B7.60.28	PIPE, assembly, bottom spray, from pipe coupling	...	...	...	...	...	1	L.55	C	
	E.A1.60.55	UNION, bulkhead, inboard engine rib (make from Ref. 28F/9157486)	...	...	...	...	...	1	—	LM	
		Attaching parts for E.A1.60.55:—									
28D/9133011	A25/2C	Bolt, 2 BA	...	...	...	...	...	3	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	...	...	...	...	...	3	—	C	
28W/9419402	SP.13/C	Washer	...	...	...	...	...	3	—	C	
13010	E.B7.60.39	UNION, special, reducing	...	...	...	...	...	1	S.110	B	
13011	E.B7.60.41	UNION, pipe coupling	...	...	...	...	...	1	S.110	B	
28F/8011897	AGS.1142/F	NIPPLE, adapter	...	...	...	...	...	2	—	C	
21403	E.A1.60.163	PIPE, assembly, from fire extinguisher bottle to wing fuselage connection	...	...	...	...	...	1	L.56	C	
		Spares for:—									
27423	E.B7.60.12	PIPE, assembly, from fire extinguisher bottle to inboard engine rib connection	...	...	...	...	...	1	L.56	C	
	E.A1.60.55	UNION, bulkhead, inboard engine rib (make from Ref. 28F/9157486)	...	...	...	...	...	1	—	LM	
		Attaching parts for E.A1.60.55:—									
28D/9133011	A25/2C	Bolt, 2 BA	...	...	...	...	...	3	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	...	...	...	...	...	3	—	C	
28W/9419475	SP.15/C	Washer	...	...	...	...	...	3	—	C	

CANBERRA E Mk. 15

Page SN.1

SERVICES

FUEL SYSTEM IN CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1 2 3 4 5 6				
	E.A3.57.67	FUEL SYSTEM IN CENTRE FUSELAGE, ASSEMBLY	—	—	—	
	E.A3.57.225	Spares for:—	3	—	—	
	E.A3.57.435	CABLE, bonding	2	—	—	S.12
		CAP, FILLER, NO. 1 AND NO. 2 FUEL TANK, ASSEMBLY				
		Spares for:—				
1140	E.A1.57.133	ADAPTER, filler cap drain	1	L.40 or L.64	C	S.12
1141	AS.2590	CAP, FILLER, GROUP	1	—	B	S.12
		Consisting of:—				
	AS.2591	BASE	1	—	—	
12876	AS.2592	CAP	1	—	C	S.12
28J/9432438	AS.5364	RING, sealing	1	—	C	
		Attaching parts for AS.2590:—				
28D/9133011	A25/2C	Bolt, 2 BA	10	—	C	
28M/1278190	AGS.2001/C/I	Nut, 2 BA	10	—	C	
1142	E.A1.57.131	Ring, sealing	1	Neo-K-Tex	C	S.12
3141	E.A2.56.71	Screw, 2 BA	15	S.11	C	
28W/9419404	SP.16/C	Washer	10	—	C	
	EEAS.77/13	HOSE, rubber, 1/2" i/d. x 1/2" o/d. x 3 1/2" long (Make from Ref. 32C/1275030)	1	BSF.67 Type 1	LM	
2172	E.A1.57.125	RING, filler cap, attachment	1	L.59	C	S.12
		Attaching parts for E.A1.57.125:—				
28M/1278190	AGS.2001/C/I	Nut, 2 BA	16	—	C	
3142	E.A1.57.129	Ring, sealing	1	Neo-K-Tex	C	
28W/9419404	SP.16/C	Washer	16	—	C	
	CSP71-08	RING, split	1	—	—	
5X/9450380	HC.312	TAG, ring tongue	1	—	C	
28W/9130226	AGS.164/F	WASHER, jointing, adaptor drain	1	—	C	
	E.A3.57.437	CAP, FILLER, NO. 3 FUEL TANK, ASSEMBLY	1	—	—	S.12
		Spares for:—				
1140	E.A1.57.133	ADAPTER, filler cap drain	1	L.40 or L.64	C	S.12
1141	AS.2590	CAP, FILLER, GROUP	1	—	B	S.12
		Consisting of:—				
	AS.2591	BASE	1	—	—	
12876	AS.2592	CAP	1	—	C	S.12
28J/9432438	AS.5364	RING, sealing	1	—	C	
		Attaching parts for AS.2590:—				
28D/9133011	A25/2C	Bolt, 2 BA	10	—	C	
28M/1278190	AGS.2001/C/I	Nut, 2 BA	10	—	C	
1142	E.A1.57.131	Ring, sealing	1	Neo-K-Tex	C	S.12
3141	E.A2.56.71	Screw, 2 BA	15	S.11	C	
28W/9419404	SP.16/C	Washer	10	—	C	
	EEAS.77/13	HOSE, rubber, 1/2" i/d. x 1/2" o/d. x 3 1/2" long (Make from Ref. 32C/1275030)	1	BSF.67 Type 1	LM	S.12
3180	E.A1.57.127	RING, filler cap, attachment	1	L.59	C	S.12
		Attaching parts for E.A1.57.127:—				
28M/1278190	AGS.2001/C/I	Nut, 2 BA	16	—	C	
3142	E.A1.57.129	Ring, sealing	1	Neo-K-Tex	C	S.12
28W/9419404	SP.16/C	Washer	16	—	C	
	CSP71-08	RING, split	1	—	—	
5X/9450380	HC.312	TAG, ring tongue	1	—	C	
28W/9130226	AGS.164/F	WASHER, jointing, adaptor drain	1	—	C	
5K/4329352	AGS.1661/E	CLIP, bonding	3	—	C	
5K/9536774	AGS.1661/H	CLIP, bonding	3	—	C	
5K/4329356	AGS.1661/K	CLIP, bonding	2	—	C	

SERVICES

FUEL SYSTEM IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
28E/20104	SP.91/F	CLIP, hose	...	...	...	...	...	4	—	C	
28E/19824	SP.91/J	CLIP, hose	...	...	...	...	...	6	—	C	
28E/2027591	SP.91/L	CLIP, hose	...	...	...	...	...	2	—	C	
	E.A3.57.401	CLIP, VENT PIPE, ASSEMBLY	...	...	...	...	...	1	—	—	
		Spares for:—									
	E.A3.57.407	CLIP, half	...	...	...	...	...	1	—	—	
	E.A3.57.409	CLIP, half	...	...	...	...	...	1	—	—	
		Attaching parts for E.A3.57.407 and E.A3.57.409:—									
28D/9133012	A25/3C	Bolt, 2 BA	...	...	...	...	...	2	—	C	
	E.A3.57.115	CLIP, venting pipe	...	...	...	...	...	2	—	—	S.12
		Attaching parts for E.A3.57.115:—									
28D/1200119	A25/4C	Bolt, 2 BA	...	...	...	...	...	1	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA	...	...	...	...	...	1	—	C	
	E.A3.57.421	Washer, packing	...	...	...	...	...	2	L.72	—	
4761	E.A3.57.249	CLIP, purging pipe	...	...	...	...	...	1	L.72	C	S.12
		Attaching parts for E.A3.57.249:—									
28D/9133011	A25/2C	Bolt, 2 BA	...	...	...	...	...	1	—	C	
4758	E.A3.57.253	DUCT, venting, No. 1 tank	...	...	...	...	...	1	—	C	S.12
4759	E.A3.57.255	DUCT, venting, No. 2 tank	...	...	...	...	...	1	—	C	S.12
	or										
	E.A3.57.427	DUCT, venting, No. 2 tank	...	...	...	...	...	1	—	—	S.12
1232	E.A1.57.63	ELBOW, nitrogen purging, No. 1 fuel tank	...	...	...	...	...	1	L.52	C	S.12
4760	E.A3.57.103	ELBOW, venting, No. 1 fuel tank	...	...	...	...	...	1	L.52	C	S.12
		Attaching parts for E.A1.57.63 and E.A3.57.103:—									
28M/1278190	AGS.2001/C/1	Nut, 2 BA	...	...	...	...	...	8	—	C	
1240	E.A1.57.59	Washer, joint	...	...	...	...	...	1	Neo-K-Tex	C	S.12
	E.A3.57.521	FELTING PROTECTION, NO. 3 FUEL TANK, ASSEMBLY	...	...	...	...	...	—	—	—	
		Spares for:—									
	E.A1.57.373	PAD, 1/2" thick x 4" x 5" dia.	...	...	...	...	...	24	—	—	
	E.A1.57.829	PAD, 1/2" thick x 4" x 4" dia. (Make from Ref. 32B/1250453)	...	...	...	...	...	1	—	—	
	E.B6.57.3	FUEL DELIVERY SYSTEM, ASSEMBLY	...	...	...	...	...	1	—	—	
		Spares for:—									
1645	SELF PRIMING ENG. CO. LTD. SPE.1235	BOX, FUEL, 3-WAY JUNCTION, ASSEMBLY	...	...	...	...	...	2	—	A	
		Spares for:—									
31048	SPE.1238	ADAPTER, testing (Pre-Mod. 3295)	...	...	...	...	...	1	—	C	
38148	E.B6.57.143	ADAPTER, testing (Mod. 3295)	...	...	...	...	...	1	—	C	
31047	SPE.1229	GASKET, jointing	...	...	...	...	...	1	—	C	
13174	SPE.1230	WASHER, drain valve	...	...	...	...	...	1	—	C	
		Attaching parts for SPE.1235:—									
28M/10281	AGS.2001/C/3	Nut, 2 BA	...	...	...	...	...	8	—	C	
28W/9419475	SP.15/C	Washer	...	...	...	...	...	8	—	C	
8183	E.A1.57.1317	CLIP, half, top, fuel pipes (Make from Ref. 30B/9611218)	...	...	...	...	...	12	L.72	C	
		Attaching parts for E.A1.57.1317:—									
28D/1008149	A25/2B	Bolt, 4 BA	...	...	...	...	...	2	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA	...	...	...	...	...	2	—	C	
28W/9419474	SP.15/B	Washer	...	...	...	...	...	2	—	C	
3168	E.A1.57.201	CLIP, hose, lower fuel pipe at floor girder 16, port side	...	...	...	...	...	1	L.59	C	

CANBERRA B, MK. 15

Page SN.3

SERVICES

FUEL SYSTEM IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
8192	E.A1.57.202	CLIP, hose, lower fuel pipe at floor girder 16, starboard side						1	L.59	C	
1168	E.A1.57.203	CLIP, hose, fuel pipe at floor girder 19 ...						6	L.59	C	
1169	E.A1.57.205	CLIP, hose, fuel pipe at frame 21, port side ...						1	L.59	C	
1170	E.A1.57.206	CLIP, hose, fuel pipe at frame 21, starboard side						1	L.59	C	
1171	E.A1.57.207	CLIP, hose, fuel pipe at frame 22, port side ...						1	L.59	C	
1172	E.A1.57.208	CLIP, hose, fuel pipe at frame 22, starboard side						1	L.59	C	
		Attaching parts for E.A1.57.201, E.A1.57.202, E.A1.57.203, E.A1.57.205, E.A1.57.206, E.A1.57.207 and E.A1.57.208:—									
28D/1010658	A25/1B	Bolt, 4 BA ...						2	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA ...						2	—	C	
28W/9419474	SP.15/B	Washer ...						2	—	—	
		HOSE, rubber, 1½" i/d. x 1½" o/d. x 3" long (Make from Ref. 32C/377)						8	DTD.625	LM	S.12
28F/8216	AGS.1142/J	NIPPLE, adaptor ...						10	—	C	
1173	E.A1.57.105	PIPE, assembly, from hose joint aft of frame 16, to fuel junction box, port						1	L.54	C	S.12
1174	E.A1.57.107	PIPE, assembly, from hose joint aft of frame 19, to fuel junction box, port and starboard						2	L.56	C	S.12
1175	E.A1.57.109	PIPE, from hose joint aft of frame 19, to hose joint forward of frame 22, port						1	L.56	C	S.12
1176	E.A1.57.110	PIPE, from hose joint aft of frame 19, to hose joint forward of frame 22, starboard						1	DTD.1073	C	S.12
1179	E.A1.57.715	PIPE, assembly, from fuel tank No. 3 pump, to hose joint forward of frame 22, port						1	L.56	C	S.12
1180	E.A1.57.717	PIPE, assembly, from fuel tank No. 3 pump, to hose joint forward of frame 22, starboard						1	L.56	C	S.12
2962	E.A1.57.1267	PIPE, assembly, from fuel tank No. 2 pump, to junction box, starboard						1	L.56	C	S.12
2963	E.A1.57.1269	PIPE, assembly, from fuel tank No. 2 pump, to junction box, port						1	L.56	C	S.12
5102	E.A3.57.117	PIPE, assembly, from fuel tank No. 1 pump, to hose joint aft of frame 16, port						1	L.56	C	S.12
20755	E.B6.57.63	PIPE, assembly, from fuel tank No. 1 pump, to hose joint aft of frame 16, starboard						1	L.54	C	S.12
15082	E.B6.57.65	PIPE, assembly, from hose joint aft of frame 16, to fuel junction box, starboard						1	L.54	C	S.12
28R/9456431	AGS.565/B	PLUG, 1" BSP, fuel junction box ...						2	—	C	
28F/8011884	AGS.1140/C	PLUG, nipple fuel junction box ...						2	—	C	
		PUMP, FUEL NO. 1, PORT, ASSEMBLY ...						—	—	—	
		Spares for:—									
		ACTUATOR AND FUEL COCK, ASSEMBLY ...						1	—	—	
		Consisting of:—									
5W/328	AED.200152	ACTUATOR, Type 200, Mk. 1 ...						1	—	A	
5W/337	†	ADAPTOR, C/W label ...						1	—	B	
		SAUNDERS									
27F/2206	E42.F10	COCK, fuel ...						1	—	A	
28M/10288	AGS.2001/C/1	NUT, 2 BA ...						2	—	C	
30A/3055	†	WIRE, locking, 22 SWG ...						QR	—	C	
		Attaching parts for Type 201, Mk. 8:—									
28D/9436920	A25/1C	Bolt, 2 BA ...						2	—	C	
28W/1007983	AGS.162/C	Washer ...						2	—	C	
28W/9419475	SP.15/C	Washer ...						2	—	C	

SERVICES

FUEL SYSTEM IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
12635	E.B6.57.125							1	L.40	C	
8173	E.A1.57.617							1	—	C	
28M/9403520	A27/CP							16	—	C	
28W/1007983	AGS.162/C							16	—	C	
1187	E.A1.57.1315							1	L.72	C	
1184	E.A1.57.561							2	—	C	
28W/1007983	AGS.162/C							2	—	C	
28W/9419475	SP.15/C							2	—	C	
8168	E.A1.57.621							1	L.72	C	
28D/9436920	A25/1C							14	—	C	
28D/9133011	A25/2C							1	—	C	
28M/10288	AGS.2001/C/1							5	—	C	
28W/9419475	SP.15/C							15	—	C	
8174	E.A1.57.601							1	DTD.687	C	
1185	E.A1.57.605							4	DTD.126	C	
28M/9403520	A27/CP							16	—	C	
28M/10290	AGS.2001/E/1							4	—	C	
28W/1007983	AGS.162/C							16	—	C	
28W/9419405	SP.15/E							4	—	C	
5542	EEAS.143/6							1	L.72	C	
28D/1008149	A25/2B							1	—	C	
28M/10287	AGS.2001/B/1							1	—	C	
28W/9419465	SP.13/B							1	—	C	
28F/9439531	AGS.952/B							1	—	C	
	EEAS.77/11							1	DTD.625	LM	
28F/8011885	AGS.1142/B							1	—	C	
8169	E.A1.57.627							1	L.56	C	
	PULSOMETER										
5UE/6787	P.U.L.1003 Mk. 4							1	—	A	
28M/10328	AGS.2002/C/1							14	—	C	
12251	EEAS.28/4BU							2	—	C	
28W/9419475	SP.15/C							12	—	C	
28F/8011819	AGS.904/B							1	—	C	
28F/9423237	AGS.1132/B							1	—	C	
28F/9423227	AGS.1135/B							1	—	C	
28W/9130226	AGS.164/F							2	—	C	

SERVICES

FUEL SYSTEM IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip.	Plate No.
										M.R. L.M.	
		1	2	3	4	5	6				
1190	E.A1.57.31	WASHER, under fuel pump mounting adaptor						1	Neo-K-Tex	C	
1189	E.A1.57.29	WASHER, between, fuel pump, and mounting adaptor						1	Neo-K-Tex	C	
27537	E.A3.57.527	WASHER, between, fuel pump and fuel cock adaptor						1	L.17	C	
27538	E.A3.57.529	WASHER, between, fuel cock and adaptor ...						1	L.17	C	
	E.A3.57.209	PUMP, FUEL, NO. 1, STARBOARD, ASSEMBLY						—	—	—	
		Spares for:—									
	E.E. CO. LTD. TYPE 201 MK.8	ACTUATOR, AND FUEL COCK, ASSEMBLY ...						1	—	—	
		Consisting of:—									
5W/328	AED.200152	ACTUATOR, type 200, Mk. 1 ...						1	—	A	
5W/337	†	ADAPTOR, c/w label ...						1	—	B	
	SAUNDERS										
27F/2206	E.42.F10	COCK, fuel ...						1	—	A	
28M/10288	AGS.2001/C/1	NUT, 2 BA ...						2	—	C	
30A/3055	†	WIRE, locking, 22 SWG ...						QR	—	C	
		Attaching parts for TYPE 201, Mk. 8:—									
28D/9436920	A25/1C	Bolt, 2 BA ...						2	—	C	
28W/3098	AGS.162/C	Washer ...						2	—	C	
28W/9419475	SP.15/C	Washer ...						2	—	C	
12635	E.B6.57.125	ADAPTOR, fuel pump cock ...						1	L.40	C	
8173	E.A1.57.617	ADAPTOR, fuel pump mounting						1	—	C	
		Attaching parts for E.A1.57.617:—									
28M/9403520	A27/CP	Nut, 2 BA ...						16	—	C	
28W/3098	AGS.162/C	Washer ...						16	—	C	
1186	E.A1.57.607	BRACKET, actuator support ...						1	L.72	C	
		Attaching parts for E.A1.57.607:—									
28D/12513	A25/2C	Bolt, 2 BA ...						1	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA ...						1	—	C	
28W/9419475	SP.15/C	Washer ...						1	—	C	
8175	E.A1.57.603	BRACKET, channel, fuel pump mounting ...						1	L.72	C	
		Attaching parts for E.A1.57.603:—									
28D/9436920	A25/1C	Bolt, 2 BA ...						5	—	C	
28D/12513	A25/2C	Bolt, 2 BA ...						10	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA ...						10	—	C	
28W/9419475	SP.15/C	Washer ...						20	—	C	
8174	E.A1.57.601	BRACKET, plate, fuel pump mounting ...						1	DTD.687	C	
		Attaching parts for E.A1.57.601:—									
1185	E.A1.57.605	Bolt, 1" BSF ...						4	DTD.126	C	
28M/9403520	A27/CP	Nut, 2 BA ...						16	—	C	
28M/10290	AGS.2001/E/1	Nut, 1" BSF ...						4	—	C	
28W/3098	AGS.162/C	Washer ...						16	—	C	
28W/9419405	SP.15/E	Washer ...						4	—	C	
5542	EEAS.143/6	CLIP, pipe, single ...						1	L.72	C	
		Attaching parts for EEAS.143/6:—									
28D/12528	A25/1B	Bolt, 4 BA ...						1	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA ...						1	—	C	
28W/9419465	SP.13/B	Washer ...						1	—	C	

SERVICES

FUEL SYSTEM IN CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
28F/6353	AGS.952/B	COLLAR	1	—	C	
	EEAS.77/11	HOSE , rubber, $\frac{1}{4}$ " i/d x $\frac{1}{2}$ " o/d x $1\frac{1}{2}$ " long, (make from 32C/407)	1	DTD.625	LM	
28F/9501	AGS.1142/B	NIPPLE , adaptor	1	—	C	
8176	E.A1.57.625	PIPE , drain, $\frac{1}{4}$ " o/d x 22 SWG	1	L.56	C	
	PULSOMETER					
SUE/6787	PUL.1003 MK.4	PUMP , fuel	1	—	A	
		Attaching parts for PUL.1003 Mk.4:—				
28D/10323	AGS.2002/C/1	Nut, 2 BA	14	—	C	
12251	EEAS.28/4BU	Washer	2	—	C	
28W/9419475	SP.15/C	Washer	12	—	C	
28F/5722	AGS.904/B	SLEEVE , outer	1	—	C	
28F/9423237	AGS.1132/B	UNION , banjo body	1	—	C	
		Attaching parts for AGS.1132/B:—				
28F/9423227	AGS.1135/B	Bolt, banjo	1	—	C	
28W/6701	AGS.164/F	Washer	2	—	C	
1190	E.A1.57.31	WASHER , under fuel pump mounting adaptor	1	Neo-K-Tex	C	
1189	E.A1.57.29	WASHER , between, fuel pump, and mounting adaptor	1	Neo-K-Tex	C	
27537	E.A3.57.527	WASHER , between fuel pump and fuel cock adaptor	1	L.17	C	
27538	E.A3.57.529	WASHER , between, fuel cock and adaptor ...	1	L.17	C	
	E.A3.57.211	PUMP, FUEL, NO. 2, PORT, ASSEMBLY ...	—	—	—	
		Spares for:—				
	E.E. CO.LTD.					
	TYPE 201 MK.8	ACTUATOR, AND FUEL COCK, ASSEMBLY...	1	—	—	
		Consisting of:—				
5W/328	AED.200152	ACTUATOR , type 200 Mk. 1	1	—	A	
5W/337	†	ADAPTOR , c/w label	1	—	B	
	SAUNDERS					
27F/2206	E.42.F10	COCK , fuel	1	—	A	
28M/10288	AGS.2001/C/1	NUT , 2 BA	2	—	C	
30A/3055	†	WIRE , locking, 22 SWG	QR	—	C	
		Attaching parts for TYPE 201 Mk. 8:—				
28D/9436920	A25/1C	Bolt, 2 BA	2	—	C	
28W/3098	AGS.162/C	Washer	2	—	C	
28W/9419475	SP.15/C	Washer	2	—	C	
12635	E.B6.57.125	ADAPTOR , fuel pump cock	1	L.40	C	
3175	E.A1.57.571	ADAPTOR , fuel pump mounting	1	—	C	
		Attaching parts for E.A1.57.571:—				
28M/9403520	A27/CP	Nut, 2 BA	16	—	C	
28W/3098	AGS.162/C	Washer	16	—	C	
1194	E.A1.57.709	BRACKET , actuator support	1	—	C	
		Attaching parts for E.A1.57.709:—				
28D/8306	AS.1242/1C	Bolt, 2 BA	3	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	3	—	C	
28W/9419475	SP.15/C	Washer	3	—	C	

SERVICES

FUEL SYSTEM IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Place No.
		1	2	3	4	5	6				
8778	E.A1.57.576	BRACKET, channel, assembly, fuel pump mounting						1	—	C	
		Attaching parts for E.A1.57.576:—									
28D/9436920	A25/1C	Bolt, 2 BA						12	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA						12	—	C	
28W/9419475	SP.15/C	Washer						12	—	C	
8171	E.A1.57.589	BRACKET, plate, angle, fuel pump mounting						1	DTD.687	C	
		Attaching parts for E.A1.57.589:—									
1185	E.A1.57.605	Bolt, 1" BSF						4	DTD.126	C	
28D/8306	AS.1242/1C	Bolt, 2 BA						3	—	C	
28M/9403520	A27/CP	Nut, 2 BA						16	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA						3	—	C	
28M/10290	AGS.2001/E/1	Nut, 1" BSF						4	—	C	
28W/3098	AGS.162/C	Washer						16	—	C	
28W/9419475	SP.15/C	Washer						3	—	C	
28W/9419405	SP.15/E	Washer						4	—	C	
5542	EEAS.143/6	CLIP, pipe, single						1	L.72	C	
		Attaching parts for EEAS.143/6:—									
28D/8300	AS.1242/1B	Bolt, 4 BA						1	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA						1	—	C	
28W/9419465	SP.13/B	Washer						1	—	C	
28F/6353	AGS.952/B	COLLAR						1	—	C	
	EEAS.77/11	HOSE, rubber, 1/2" i/d x 1/2" o/d x 1 1/2" long (Make from 32C/407)						1	DTD.625	LM	
28F/9501	AGS.1142/B	NIPPLE, adaptor						1	—	C	
8774	E.A1.57.629	PIPE, drain, 1/2" o/d x 20 SWG						1	L.56	C	
	PULSOMETER										
5UE/6787	PUL. 1003 MK.4	PUMP, fuel						1	—	A	
		Attaching parts for PUL.1003 Mk. 4:—									
28D/10328	AGS.2002/C/1	Nut, 2 BA						14	—	C	
12251	EEAS.28/4BU	Washer						2	—	C	
28W/9419475	SP.15/C	Washer						12	—	C	
28F/5722	AGS.904/B	SLEEVE, outer						1	—	C	
28F/9423237	AGS.1132/B	UNION, banjo, body						1	—	C	
		Attaching parts for AGS.1132/B:—									
28F/9423227	AGS.1135/B	Bolt, banjo						1	—	C	
28W/6701	AGS.164/F	Washer						2	—	C	
1190	E.A1.57.31	WASHER, under fuel pump mounting adaptor						1	Neo-K-Tex	C	
1189	E.A1.57.29	WASHER, between. fuel pump and mounting adaptor						1	Neo-K-Tex	C	
27537	E.A3.57.527	WASHER, between fuel pump and fuel cock adaptor						1	L.17	C	
27538	E.A3.57.529	WASHER, between, fuel cock and adaptor ...						1	L.17	C	
	E.A3.57.213	PUMP, FUEL, NO. 2, STARBOARD, ASSEMBLY						—	—	—	
		Spares for:—									
	E.E. CO. LTD. TYPE 201 MK.8	ACTUATOR AND FUEL COCK, ASSEMBLY						1	—	—	
		Consisting of:—									
5W/328	AED.200152	ACTUATOR, type 200, Mk. 1						1	—	A	

SERVICES

FUEL SYSTEM IN CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
SW/337	†	ADAPTOR, c/w label	1	—	B	
27F/2206	SAUNDERS					
28M/10288	E.42.F10	COCK, fuel	1	—	A	
30A/3055	AGS.2001/C/1	NUT, 2 BA	2	—	C	
	†	WIRE, locking, 22 SWG	QR	—	C	
28D/9436920	A25/1C	Attaching parts for TYPE 201 Mk. 8:—				
28W/3098	AGS.162/C	Bolt, 2 BA	3	—	C	
28W/9419475	SP.15/C	Washer	3	—	C	
		Washer	3	—	C	
12635	E.B6.57.125	ADAPTOR, fuel pump cock	1	L.40	C	
3175	E.A1.57.571	ADAPTOR, fuel pump mounting	1	—	C	
28M/9403520	A27/CP	Attaching parts for E.A1.57.571:—				
28W/3098	AGS.162/C	Nut, 2 BA	16	—	C	
		Washer	16	—	C	
1193	E.A1.57.591	BRACKET, actuator support	1	—	C	
28D/9436920	A25/1C	Attaching parts for E.A1.57.591:—				
28M/10288	AGS.2001/C/1	Bolt, 2 BA	1	—	C	
28W/9419475	SP.15/C	Nut, 2 BA	1	—	C	
		Washer	1	—	C	
	E.A1.57.575	BRACKET, channel, assembly, fuel pump mounting	1	—	—	
28D/9436920	A25/1C	Attaching parts for E.A1.57.575:—				
28M/10288	AGS.2001/C/1	Bolt, 2 BA	12	—	C	
28W/9419475	SP.15/C	Nut, 2 BA	12	—	C	
		Washer	12	—	C	
8172	E.A1.57.647	BRACKET, plate, fuel pump mounting	1	—	C	
1185	E.A1.57.605	Attaching parts for E.A1.57.647:—				
28M/9403520	A27/CP	Bolt, 1/2" BSF	4	DTD.126	C	
28M/10290	AGS.2001/E/1	Nut, 2 BA	16	—	C	
28W/3098	AGS.162/C	Nut, 1/2" BSF	4	—	C	
28W/9419405	SP.15/E	Washer	16	—	C	
		Washer	4	—	C	
8180	E.A1.57.599	CHANNEL, joggled, fuel cock bracket, mounting	1	—	C	
28D/12531	A25/3C	Attaching parts for E.A1.57.599:—				
28M/10288	AGS.2001/C/1	Bolt, 2 BA	2	—	C	
28W/9419475	SP.15/C	Nut, 2 BA	2	—	C	
		Washer	2	—	C	
5542	EEAS.143/6	CLIP, pipe, single	1	L.72	C	
28D/8300	AS.1242/1B	Attaching parts for EEAS.143/6:—				
28M/10287	AGS.2001/B/1	Bolt, 4 BA	1	—	C	
28W/9419465	SP.13/B	Nut, 4 BA	1	—	C	
		Washer	1	—	C	
28F/6353	AGS.952/B	COLLAR	1	—	C	
	EEAS.77/11	HOSE, rubber, 1/2" i/d x 1/2" o/d x 1 1/2" long (make from 32C/407)	1	DTD.625	LM	
28F/9501	AGS.1142/B	NIPPLE, adaptor	1	—	C	
8178	E.A1.57.631	PIPE, drain, 1/2" o/d x 20 SWG	1	L.56	C	

SERVICES

FUEL SYSTEM IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
SUE/6787	PULSOMETER PUL. 1003 MK.4							1	—	A	
28D/10328	AGS.2002/C/1							14	—	C	
12251	EEAS.28/4BU							2	—	C	
28W/9419475	SP.15/C							12	—	C	
28F/5722	AGS.904/B							1	—	C	
28F/9423237	AGS.1132/B							1	—	C	
28F/9423227	AGS.1135/B							1	—	C	
28W/6701	AGS.164/F							2	—	C	
1190	E.A1.57.31							1	Neo-K-Tex	C	
1189	E.A1.57.29							1	Neo-K-Tex	C	
27537	E.A3.57.527							1	L17	C	
27538	E.A3.57.529							1	L17	C	
	E.A3.57.215							—	—	—	
	E.E. CO. LTD. TYPE 201 MK8							1	—	—	
5W/328	AED.200152							1	—	A	
5W/337	†							1	—	B	
27F/2206	SAUNDERS							1	—	A	
28M/10288	E.42.F10							2	—	C	
30A/3055	AGS.2001/C/1							QR	—	C	
	†								—	—	
28D/9436920	A25/1C							1	—	C	
28W/3098	AGS.162/C							1	—	C	
12635	E.B6.57.125							1	L.40	C	
3175	E.A1.57.571							1	—	C	
28M/9403520	A27/CP							16	—	C	
28W/3098	AGS.162/C							16	—	C	
3176	E.A1.57.39							1	L.72	C	
28D/9436920	A25/1C							12	—	C	
28M/10288	AGS.2001/C/1							12	—	C	
28W/9419475	SP.15/C							12	—	C	
5542	EEAS.143/6							1	L.72	C	
28D/12528	A25/1B							1	—	C	
28M/10287	AGS.2001/B/1							1	—	C	
28W/9419465	SP.13/B							1	—	C	

SERVICES

FUEL SYSTEM IN CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
28F/6353	AGS.952/B EEAS.77/11	COLLAR HOSE , rubber, $\frac{1}{4}$ " i/d x $\frac{1}{2}$ " o/d x $1\frac{1}{2}$ " long (Make from 32C/407)	1 1	— DTD.625	C LM	
28F/9501 8775	AGS.1142/B E.A3.57.53	NIPPLE , adaptor PIPE , drain, $\frac{1}{4}$ " o/d x 22 SWG	1 1	— L.56	C C	
5UE/6787	PULSOMETER PUL. 1003 MK.4	PUMP , fuel Attaching parts for PUL.1003 Mk. 4:—	1	—	A	
28D/10328 12251	AGS.2002/C/1 EEAS.28/4BU	Nut, 2 BA Washer	14 2	— —	C C	
28W/9419475	SP.15/C	Washer	12	—	C	
28F/5722 28F/9423237	AGS.904/B AGS.1132/B	SLEEVE , outer UNION , banjo, body Attaching parts for AGS.1132/B:—	1 1	— —	C C	
28F/9423227 28W/6701	AGS.1135/B AGS.164/F	Bolt, banjo Washer	1 2	— —	C C	
1190	E.A1.57.31	WASHER , under fuel pump mounting adaptor	1	Neo-K-Tex	C	
1189	E.A1.57.29	WASHER , between, fuel pump, and mounting adaptor	1	Neo-K-Tex	C	
27537	E.A3.57.527	WASHER , between, fuel pump and fuel cock adaptor	1	L.17	C	
27538	E.A3.57.529 E.A3.57.217	WASHER , between, fuel cock and adaptor ... PUMP, FUEL, NO. 3, STARBOARD, ASSEMBLY Spares for:—	1 —	L.17 —	C —	
	E.E. CO. LTD. TYPE 201 MK.9	ACTUATOR, AND FUEL COCK, ASSEMBLY ... Consisting of:—	1	—	—	
5W/328	AED.200152	ACTUATOR , type 200 Mk. 1	1	—	A	
5W/337	† SAUNDERS	ADAPTOR , c/w label	1	—	B	
27F/2206	E.42.F10	COCK , fuel	1	—	A	
28M/10288	AGS.2001/C/1	NUT , 2 BA	2	—	C	
30A/3055	†	WIRE , locking, 22 SWG	QR	—	C	
28D/9436920	A25/1C	Attaching parts for TYPE 201 Mk. 8:— Bolt, 2 BA	1	—	C	
28W/3098	AGS.162/C	Washer	1	—	C	
12635	E.B6.57.125	ADAPTOR , fuel pump cock	1	L.40	C	
3175	E.A1.57.571	ADAPTOR , fuel pump mounting Attaching parts for E.A1.57.571:—	1	—	C	
28M/9403520	A27/CP	Nut, 2 BA	16	—	C	
28W/3098	AGS.162/C	Washer	16	—	C	
3178	E.A1.57.41	BRACKET , fuel pump mounting Attaching parts for E.A1.57.41:—	1	L.72	C	
28D/9436920	A25/1C	Bolt, 2 BA	12	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA	12	—	C	
28W/9419475	SP.15/C	Washer	12	—	C	
5542	EEAS.143/6	CLIP , pipe, single Attaching parts for EEAS.143/6:—	1	L.72	C	
28D/12528	A25/1B	Bolt, 4 BA	1	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA	1	—	C	
28W/9419465	SP.13/B	Washer	1	—	C	

CANBERRA E Mk. 15

Page SN.11

SERVICES

FUEL SYSTEM IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
28F/9439531	AGS.952/B EEAS.77/11	COLLAR HOSE , rubber, $\frac{1}{4}$ " i/d x $\frac{1}{2}$ " o/d x $1\frac{1}{2}$ " long (Make from 32C/1275030)						1	—	C	
28F/8011885	AGS.1142/B	NIPPLE , adaptor						1	BSF.67 Type 1	LM	
3179	E.A1.57.647	PIPE , drain, $\frac{1}{4}$ " o/d x 20 SWG						1	L.56	C	
5UE/6787	PULSOMETER PUL. 1003 MK.4	PUMP , fuel Attaching parts for PUL.1003 Mk. 4:—						1	—	A	
28M/9433473	AGS.2002/C/1	Nut, 2 BA						14	—	C	
12251	EEAS.28/4BU	Washer						2	—	C	
28W/9419475	SP.15/C	Washer						12	—	C	
28F/9717654	AGS.2111	SLEEVE , outer						1	—	C	
28F/9423237	AGS.1132/B	UNION , banjo body Attaching parts for AGS.1132/B:—						1	—	C	
28F/9423227	AGS.1135/B	Bolt, banjo						1	—	C	
28W/9130226	AGS.164/F	Washer						2	—	C	
1190	E.A1.57.31	WASHER , under fuel pump mounting adaptor						1	Neo-K-Tex	C	
1189	E.A1.57.29	WASHER , between, fuel pump and mounting adaptor						1	Neo-K-Tex	C	
27537	E.A3.57.527	WASHER , between, fuel pump and fuel cock adaptor						1	L.17	C	
27538	E.A3.57.529	WASHER , between, fuel cock and adaptor ...						1	L.17	C	
1446	EEAS.66/5	RING , clamping, for hose clips						16	L.72	C	
28F/9140970	AGS.904/C	SLEEVE , outer						2	—	C	
980	EEAS.20/1DR	TAB , locking						8	L.72	C	
28W/9130226	AGS.164/F	WASHER						2	—	C	
	EEAS.77/72	HOSE , rubber, 1" i/d x $1\frac{1}{4}$ " o/d x $2\frac{1}{2}$ " long (Make from 32C/1275038)						1	BSF.67 Type 1	LM	
	EEAS.77/91	HOSE , rubber, $1\frac{1}{2}$ " i/d x $1\frac{1}{8}$ " o/d x 3" long (Make from 32C/1275044)						3	BSF.67 Type 1	LM	
4762	E.A3.57.185	HOSE , rubber, venting pipe joint						1	Silastic	C	
4763	E.A3.57.187	HOSE , rubber, purging pipe joint						1	Silastic	C	
4764	E.A3.11.141	PANEL , detachable, No. 1 fuel tank Attaching parts for E.A3.11.141:—						1	—	C	
1026	EEAS.1/1½C	Screw, 2 BA						56	S.96	C	
1028	EEAS.1/3C	Screw, 2 BA						2	S.96	C	
4765	E.A3.11.233	PANEL , detachable, No. 2 fuel tank Attaching parts for E.A3.11.233:—						1	—	C	
1026	EEAS.1/1½C	Screw, 2 BA						38	S.96	C	
4766	E.A3.57.83	PANEL , detachable, No. 3 fuel tank Attaching parts for E.A3.57.83:—						1	—	C	
1468	EEAS.1/2C	Screw, 2 BA						18	S.96	C	
	E.A3.57.501	PIPES, FUEL AND VENT, AUXILIARY FUEL TANK, ASSEMBLY Spares for:—						—	—	—	
	E.E. CO. LTD. BRADFORD TYPE 219 MK.1	ACTUATOR AND FUEL COCK, ASSEMBLY ... Consisting of:—						2	—	—	
5W/328	AED.200152	ACTUATOR , type 200 M.1						1	—	A	

SERVICES

FUEL SYSTEM IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
27F/2206	SAUNDERS E.42.F10							1	—	A	
28M/1278190	A.E.A.219012							1	—	—	
30A/9148334	AGS.2001/C/1							2	—	C	
	†							QR	—	C	
28M/1278190	AGS.2001/C/1							3	—	C	
28T/2904	AGS.884/B							3	—	C	
28W/9419402	SP.13/C							3	—	C	
20470	E.A3.57.259							1	—	C	
20471	E.A3.57.261							1	—	C	
28D/9436920	A25/1C							6	—	C	
28M/1278190	AGS.2001/C/1							6	—	C	
28W/9419402	SP.13/C							6	—	C	
3107	E.A1.57.267							1	—	C	
28D/1212939	A61/1C							3	—	C	
28D/9434862	A61/6C							3	—	C	
28M/10281	AGS.2001/C/3							6	—	C	
	AS.2809/4/06							3	L.62	LM	
28W/9419402	SP.13/C							6	—	C	
1145	E.A1.57.317							8	L.72	C	
28D/1212964	A61/1B							2	—	C	
28M/1956039	AGS.2001/B/3							2	—	C	
28W/9419465	SP.13/B							2	—	C	
1438625	E.A3.57.285							1	L.72	C	
28D/1010658	A25/1B							2	—	C	
28M/1278189	AGS.2001/B/1							2	—	C	
28W/9419465	SP.13/B							2	—	C	
8190	E.A3.57.481							2	BS.2572 Type 3	C	
28D/9419452	A25/3B							4	—	C	
28M/1278189	AGS.2001/B/1							4	—	C	
28W/9419465	SP.13/B							4	—	C	
12231	E.A3.57.491							1	—	C	
	EEAS.77/81							9	BSF.67 Type 1	LM	
								7	—	C	
28F/9513420	AGS.1142/J							1	L.54	C	S.12
1147	E.A1.57.271										

CANBERRA E Mk. 15

Page SN.13

SERVICES

FUEL SYSTEM IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
1726	E.A1.57.1127	PIPE, assembly, fuel, from port and starboard non-return valve to flexible couplings						2	—	C	S.12
5999	E.A3.57.441	PIPE, fuel, from branch pipe to hose coupling centre port, frame 27						1	L.54	C	S.12
6501	E.A3.57.445	PIPE, fuel, between hose couplings, centre of frame 27						1	L.54	C	S.12
5998	E.A3.57.451	PIPE, fuel, between hose couplings, branch pipe and No. 3 fuel tank pipe, port						1	L.54	C	S.12
21170	E.A3.57.493	PIPE, assembly, fuel, from branch pipe to fuel cock, port						1	L.54	C	S.12
12976	E.A3.57.495	PIPE, fuel, from branch pipe to fuel cock, starboard						1	L.54	C	S.12
12974	E.A3.57.497	PIPE, assembly, fuel, 4-way branch at frame 27, port						1	T.26	C	S.12
12975	E.A3.57.499	PIPE, assembly, branch, fuel between non-return valve and hose connection, centre of frame 27, starboard						1	L.54	C	S.12
28F/9152509	AGS.1140/J	PLUG, nipple, fuel cock						2	—	C	
1446	EEAS.66/5	RING, clamping, fuel hose clips						18	L.72	C	
28F/9563150	AGS.904/J	SLEEVE, outer, fuel cock						2	—	C	
1729	EEAS.20/1DU	TAB, locking						5	DTD.124	C	
	E.A1.81.429	TERMINAL, earth						1	—	—	
28F/4051610	AGS.1103/J	UNION, body, float valve						1	—	C	
	SELF PRIMING ENG. CO. LTD.										
27F/2909	FV.1250S Mk. 6	VALVE, float, 1½" BSP (Pre-Mod. 3763)						1	—	A	
27F/5854	FV.1250S Mk. 7	VALVE, float, 1½" BSP (Mod. 3763, Pre-Mod. 3906)						1	—	A	
27F/6959	FV.1250S Mk. 8	VALVE, float, 1½" BSP (Mod. 3906)						1	—	A	
		Attaching parts for FV.1250S:—									
28M/10281	AGS.2001/C/3	Nut, 2 BA						12	—	C	
6502	E.A3.57.455	Ring, sealing						2	Neo-K-Tex	C	
28W/9419402	SP.13/C	Washer						12	—	C	
	SELF PRIMING ENG. CO. LTD.										
27F/2152	SPE.1706	VALVE, non-return, type P24A, Mk. 2 (Pre-Mod. 2690)						2	—	A	S.12
27F/5178	SPE.1706	VALVE, non-return, type P24A, Mk. 3 (Mod. 2690)						2	—	A	
	E.B6.57.85	PIPES, RECUPERATOR, CENTRE FUSELAGE, ASSEMBLY (MOD. 1478)						—	—	—	
		Spares for:—									
28F/1034376	AGS.1131/A	CONE, banjo body						1	—	C	
		Attaching parts for AGS.1131/A:—									
28F/12852	AGS.1213/A	Bolt, banjo body						1	—	C	
28F/9428452	AGS.1186/A	Seal, bonded						2	—	C	
28F/9440883	AGS.1131/C	CONE, banjo body						1	—	C	
		Attaching parts for AGS.1131/C:—									
28F/9140977	AGS.1213/C	Bolt, banjo body						1	—	C	
28F/9429532	AGS.1186/C	Seal, bonded						2	—	C	

SERVICES

FUEL SYSTEM IN CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl Spec	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
28F/9129085	AGS.1102/A	CONE, union body	6	—	C	
28F/9471001	AGS.1102/C	CONE, union body	6	—	C	
28F/1036556	AGS.1111/A	CONE, union body, flanged	2	—	C	
		Attaching parts for AGS.1111/A:—				
28D/1008149	A25/2B	Bolt, 4 BA	3	—	C	
28M/9403519	A27/BP	Nut, 4 BA	3	—	C	
28F/9152415	AGS.1115/1	Washer, plate	1	—	C	
28W/9416642	SP.47/B	Washer	3	—	C	
28F/1036557	AGS.1111/C	CONE, union body, flanged	2	—	C	
		Attaching parts for AGS.1111/C:—				
28D/9133011	A25/2C	Bolt, 2 BA	3	—	C	
28M/9403520	A27/CP	Nut, 2 BA	3	—	C	
28F/9128929	AGS.1115/4	Washer, plate	1	—	C	
28W/9416643	SP.47/C	Washer	3	—	C	
38992	E.B6.57.87	PIPE, assembly, from wing fuselage connection to coupling between frames 22 and 23, fuel bleed line, port	1	DTD.5019	LM	S.12
38993	E.B6.57.89	PIPE, assembly, from coupling between frames 22 and 23, to coupling forward of frame 27, fuel bleed line, port	1	DTD.5019	LM	S.12
38994	E.B6.57.91	PIPE, assembly, from coupling forward of frame 27, to coupling at frame 27, fuel bleed line, port	1	DTD.5019	LM	S.12
36845	E.B6.57.93	PIPE, assembly, from wing fuselage connection to coupling between frames 22 and 23, fuel bleed line, starboard	1	DTD.5019	LM	S.12
36846	E.B6.57.95	PIPE, assembly, from coupling between frames 22 and 23, to coupling forward of frame 27, fuel bleed line, starboard	1	DTD.5019	LM	S.12
41231	E.B6.57.97	PIPE, assembly, from coupling forward of frame 27, to coupling at frame 27, fuel bleed line, starboard	1	DTD.5019	LM	S.12
	E.B6.57.99	PIPE, assembly, continuation, on frame 27 to banjo union at frame 27, fuel bleed line, port	1	DTD.5019	LM	S.12
40420	E.B6.57.101	PIPE, assembly, continuation, on frame 27 to banjo union at frame 27, fuel bleed line, starboard	1	DTD.5019	LM	S.12
27419	E.B6.57.103	PIPE, assembly, from wing fuselage connection to coupling between frames 22 and 23, air balance line, port	1	L.56	LM	S.12
28589	E.B6.57.105	PIPE, assembly, from coupling between frames 22 and 23, to coupling forward of frame 27, air balance line, port	1	L.56	LM	S.12

CANBERRA B. Mk. 15

Page 5N.15

SERVICES

FUEL SYSTEM IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
34791	E.B6.57.107	PIPE, assembly, from coupling forward of frame 27, to coupling at frame 27, air balance line, port						1	L.56	C	S.12
43264	E.B6.57.109	PIPE, assembly, from wing fuselage connection to coupling between frames 22 and 23, air balance line, starboard						1	L.56	LM	S.12
40656	E.B6.57.111	PIPE, assembly, from coupling between frames 22 and 23, to coupling forward of frame 27, air balance line, starboard						1	L.56	LM	S.12
39281	E.B6.57.113	PIPE, assembly, from coupling forward of frame 27, to coupling at frame 27, air balance line, starboard						1	L.56	LM	S.12
41977	E.B6.57.115	PIPE, assembly, from frame 27 to banjo union on vent pipe, air balance line, port						1	L.56	LM	S.12
	E.B6.57.117	PIPE, assembly, from frame 27 to banjo union on vent pipe, air balance line, starboard						1	L.56	LM	S.12
38736	E.B7.57.123	TAB, locking (wire) (Made from Ref. No. 980) ...						4	L.72	C	
981	EEAS.20/2DR	TAB, locking (wire) ...						4	—	C	
18852	EEAS.21/2DR	WASHER, "D" ...						2	L.72	C	
12888	EEAS.21/8CR	WASHER, "D" ...						15	L.72	C	
12889	EEAS.21/8CRH	WASHER, "D", bonding ...						17	L.72	C	
	E.A1.57.249	PIPES, AIR, AND BLOW-OFF VALVE, FORWARD OF FRAME 22, ASSEMBLY						—	—	—	
		Spare parts for:—									
17525	EEAS.143/10	CLIP, pipe, single ...						4	L.72	C	
		Attaching parts for EEAS.143/10:—									
28D/1007979	AS.1246/1B	Bolt, 4 BA ...						1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA ...						1	—	C	
7223	E.A1.57.1179	FAIRLEAD ...						4	LFS.21	C	
		Attaching parts for E.A1.57.1179:—									
28D/1011019	A25/8C	Bolt, 2 BA ...						1	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA ...						1	—	C	
28W/9419475	SP.15/C	Washer ...						1	—	C	
	EEAS.77/33	HOSE, rubber, $\frac{1}{2}$ " i/d. x $\frac{3}{4}$ " o/d. x 2" long (Make from 32C/408)						8	DTD.625	LM	
1605	E.A1.57.1147	PIPE, air, from connection at starboard side, to blow-off valve, side, forward, connection						1	L.56	C	S.12
1606	E.A1.57.1149	PIPE, air, from connection at starboard side, to blow-off valve, side, aft, connection						1	L.56	C	S.12
1603	E.A1.57.1151	PIPE, air, from connection at port side, to blow-off valve, side, aft, connection						1	L.56	C	S.12
1604	E.A1.57.1153	PIPE, air, from connection at port side, to blow-off valve, side, forward, connection						1	L.56	C	S.12

SERVICES

FUEL SYSTEM IN CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1 2 3 4 5 6				
	E.A1.57.1131	VALVE, BLOW-OFF, ASSEMBLY	1	—	—	S.12
		Spares for:—				
1722	E.A1.57.1171	BODY, valve	1	—	C	S.12
1648	E.A1.57.1073	VALVE, AIR RELIEF, ASSEMBLY	3	—	A	S.12
		Consisting of:—				
	E.A1.57.1071	BODY, relief valve	1	—	—	S.12
1649	E.A1.57.1143	BOLT, relief valve spring mounting	1	DTD.683	C	S.12
28M/10281	AGS.2001/C/3	NUT, 2 BA	2	—	C	
1650	E.A1.57.1039	SPRING, relief valve operating	1	DTD.215	C	S.12
1658	E.A1.57.1027	WASHER, spring retaining	1	L.72	C	S.12
1659	E.A1.57.1029	WASHER, rubber seal seating	1	L.72	C	S.12
1651	E.A1.57.1031	WASHER, rubber, seating	1	—	C	S.12
1660	E.A1.57.1033	WASHER, rubber seal seating	1	L.72	C	
28W/9419475	SP.15/C	WASHER, 2 BA	2	—	C	S.12
1723	E.A1.57.1173	WASHER, sealing, valve body	3	Petrolite	C	
		Attaching parts for E.A1.57.1131:—				
28D/9436920	A25/1C	Bolt, 2 BA	4	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA	4	—	C	
28W/9419402	SP.13/C	Washer	4	—	C	
6878	EEAS.66/2	RING, clamping, No. 3 tank purging pipe	2	L.72	C	
1444	EEAS.66/3	RING, clamping, No. 2 tank purging pipe	2	L.72	C	
1443	EEAS.66/7	RING, clamping, No. 2 tank vent pipe	2	L.72	C	
1447	EEAS.66/11	RING, clamping, No. 3 tank vent pipe	6	L.72	C	
4768	E.A3.57.231	RING, half joint, No. 3 tank venting connection	2	DTD.683	C	
4769	E.A3.57.233	RING, half joint, No. 3 tank venting connection	2	DTD.683	C	
		Attaching parts for E.A3.57.231 and E.A3.57.233:—				
28M/1278189	AGS.2001/B/1	Nut, 4 BA	2	—	C	
4767	E.A3.57.227	Ring, sealing	1	Synthetic Rubber	C	
988	E.A1.56.247	TANK, fuel, No. 1 (See page UB.1)	1	—	B	S.12
987	E.A3.56.243	TANK, fuel, No. 2 (See page UB.1)	1	—	B	S.12
12994	E.A3.56.445	TANK, fuel, No. 3 (See page UB.1)	1	—	A	S.12
1236	E.A1.57.65	TEE, nitrogen purging, No. 2 fuel tank	1	DTD.300	C	S.12
4770	E.A3.57.101	TEE, vent, No. 2 fuel tank	1	L.52	C	
		Attaching parts for E.A1.57.65 and E.A3.57.101:—				
28M/1278190	AGS.2001/C/1	Nut, 2 BA	8	—	C	
1240	E.A1.57.59	Washer	1	Neo-K-Tex	C	
1238	E.A1.57.73	TUBE, purging, between frames 20 and 22	1	L.56	C	S.12
4771	E.A3.57.415	TUBE, purging, from No. 1 fuel tank to connection at frame 20	1	—	C	S.12
27F/2145	SELF PRIMING ENG. CO. LTD. SPE.1705	VALVE, non-return, No. 1 and 2 fuel tank purging pipe connections (Type P.23A)	2	—	A	
		Attaching parts for SPE.1705:—				
1241	E.A1.57.93	Washer, joint	1	Fibre	C	

CANBERRA B. Mk. 15

Page SN.17

SERVICES

FUEL SYSTEM IN CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	E.B6.57.145	VENTING, FUEL, BETWEEN BULKHEAD FRAME 27A AND FRAME 30, ASSEMBLY	—	—	—	
		Spares for:—				
25546	E.B7.57.315	BRACKET , vent pipe, at frame 28 and 29 ...	2	L.59	C/MR	U.2
25547	E.B7.57.317	CLIP , vent pipe, at frame 28 and 29 ...	2	L.59	C/MR	U.2
		Attaching parts for E.B7.57.315 and E.B7.57.317:—				
28D/9133012	A25/3C	Bolt, 2 BA ...	2	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA ...	2	—	C	
25548	E.B7.57.319	Washer, corner ...	2	L.72	C/MR	
28W/9419402	SP.13/C	Washer ...	2	—	C	
1201	E.A1.57.159	ELBOW , moulded rubber connecting at bulk-head frame 27A	1	—	C	
	or					
1438597	E.A3.57.411	ELBOW , moulded rubber connecting at bulk-head frame 27A	1	—	C	
12890	E.B7.57.203	FERRULE , fuel bleed line, frame 27 ...	1	—	C	U.3
	EEAS.77/71	HOSE , rubber, 1" i/d. x 1 1/2" o/d. x 2 1/2" long (Make from Ref. 32C/376)	2	DTD.625	LM	U.3
	EEAS.77/121	HOSE , rubber, 2" i/d. x 2 1/2" o/d. x 2 1/2" long (Make from Ref. 32C/378)	2	DTD.625	LM	U.3
	EEAS.164/40/45	HOSE , rubber, 2 1/2" i/d. x 3" o/d. x 4 1/2" long (Make from Ref. 32C/380)	2	DTD.625	LM	U.2
20670	E.A3.57.23	PIPE , vent, at frame 27A ...	1	—	C	
20933	E.B6.57.119	PIPE , branch vent, at frame 27A ...	1	L.54	C	U.3
25536	E.B6.57.147	PIPE , assembly, vent, from frame 27A to hose coupling between frames 28 and 29	1	—	C	
25550	E.B7.57.339	PIPE , vent, from hose couplings forward of frame 29 to aft of frame 30	1	L.56	C	U.2
1444	EEAS.66/3	RING , clamping, 1 1/2" dia. ...	4	L.72	C	U.3
1447	EEAS.66/11	RING , clamping, 2 1/2" dia. ...	2	L.72	C	U.3
1442	EEAS.66/12	RING , clamping, 2 1/2" dia. ...	4	L.72	C	
	E.A3.57.69	VENT PIPES AND TROUGH FOR No. 3 FUEL TANK, ASSEMBLY	—	—	—	S.12
		Spares for:—				
	E.A3.57.141	BLOCK , packing, purging ...	4	LFS.21	—	
	E.A3.57.143	BLOCK , packing, venting ...	4	LFS.21	—	
	E.A3.57.197	BRACKET , lacing ...	1	—	—	
	E.A3.57.201	BRACKET , lacing ...	1	—	—	
		Attaching parts for E.A3.57.201:—				
28D/9436920	A25/1C	Bolt, 2 BA ...	1	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA ...	1	—	C	
4772	E.A3.57.139	CLIP , pipe purging ...	4	L.72	C	
	E.A3.57.189	CLIP , pipe venting ...	4	L.72	—	
		Attaching parts for E.A3.57.139 and E.A3.57.189:—				
28D/1007972	A25/1C	Bolt, 2 BA ...	1	—	C	
28D/9436920	A25/1C	Bolt, 2 BA ...	1	—	C	
13183	E.A3.57.107	DUCT , venting, No. 3 fuel tank, between main spar and frame 27 (Pre-Mod. 2531)	1	—	C	S.12
31530	E.A3.57.525	DUCT , venting, No. 3 fuel tank, between main spar and frame 27 (Mod. 2531)	1	—	C	S.12

SERVICES
FUEL SYSTEM IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
4435	E.A3.57.413	TUBE, purging, between main spar and frame 27						1	—	—	
	E.A3.11.129	WASHER, fuel contents gauge terminal box ...						3	L72	C	
	E.A3.57.161	WIRES, SUPPORT, No. 3 FUEL TANK, ASSEMBLY (See page UB.1)						—	—	—	

CANBERRA B, MK. 15

Page SN.19

SERVICES

FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.B7.57.293	VENTING, FUEL, BETWEEN FRAME 30 AND FRAME 40, ASSEMBLY						—	—	—	
		Spares for:—									
25546	E.B7.57.315	BRACKET, for vent pipes						9	L.59	C/MR	U.2
25547	E.B7.57.317	CLIP, for vent pipes						9	L.59	C/MR	U.2
		Attaching parts for E.B7.57.315 and E.B7.57.317:—									
28D/9133012	A25/3C	Bolt, 2 BA						2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA						2	—	C	
	E.B7.57.319	Washer, corner						2	L.72	—	
28W/9419475	SP.15/C	Washer						2	—	C	
	EEAS.164/40/45	HOSE, rubber, 2½" i/d x 3" o/d x 4½" long ... (make from 32C/380)						4	DTD.625	LM	U.2
	E.G4.57.7	MAST, OUTLET, INSTALLATION (MOD.4112) ...						—	—	—	
		Spares for:—									
34533	E.G4.57.5	OUTLET, mast						1	—	C	
		Attaching parts for E.G4.57.5:—									
25541	E.B7.57.303	Gasket						1	—	C	
1468	EEAS.1/2C	Screw,						6	—	C	
25542	E.B7.57.305	PIPE, vent, from hose couplings, between frames. 30 and 33						1	L.56	C	U.2
25543	E.B7.57.307	PIPE, vent, from hose couplings, between frames. 32 and 36						1	L.56 or L.54	C	U.2
25544	E.B7.57.309	PIPE, vent, from hose couplings, between frames. 35 and 38						1	L.56	C	U.2
25545	E.B7.57.311	PIPE, vent, from hose couplings, between frames. 37 and 41						1	L.56	C	U.2

CANBERRA E Mk. 15

Page SO.1

SERVICES

FUEL SYSTEM IN PORT WING

Ref. No.	Part No.	Description	No. off	Matl Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	E.B6.57.17	FUEL SYSTEM IN PORT WING, ASSEMBLY ...	—	—	—	
	E.B7.57.21	Spares for:—				
		PIPES, AIR, IN ENGINE NACELLE, ASSEMBLY ...	—	—	—	
		Spares for:—				
28F/4051696	AGS.1130/C	BODY, banjo, double ...	1	—	C	
28F/9140977	AGS.1213/C	Attaching parts for AGS.1130/C:—	1	—	C	
28F/9429532	AGS.1186/C	Bolt, banjo ...	2	—	C	
		Seal, bonded ...	2	—	C	
	LOCKHEED					
27M/695	MPA.30068/4	FILTER, PUROLATOR, ASSEMBLY ...	1	—	B	
		Spares for:—				
27M/9671	MPA.30110	ELEMENT, complete ...	1	—	C	
27M/9672	MPA.29540	GASKET ...	2	—	C	
28F/8011896	AGS.1142/C	NIPPLE, adaptor ...	5	—	C	
17726	E.A3.57.471	PIPE, assembly, from restrictor connection to non-return valve connection	1	T.26	C	
5915	E.B6.57.55	PIPE, assembly, from flexible hose joint to purolator connection	1	T.26	C	
12886	E.B7.57.211	PIPE, assembly, from purolator to fuel recuperator banjo connection	1	T.26	C	
12887	E.B7.57.213	PIPE, assembly, from recuperator banjo connection to restrictor connection	1	T.26	C	
1291	E.A1.57.351	RESTRICTOR, drop tank air system ...	1	DTD.5044	C	
1292	E.A1.57.859	WASHER, sealing ...	1	BSF.2572	C	
	E.A6.57.51	PIPES, FUEL AND AIR, IN ENGINE NACELLE, ASSEMBLY	—	—	—	
		Spares for:—				
1255	E.A1.57.259	CLIP, pipe ...	3	L.72	C	
		Attaching parts for E.A1.57.259:—				
28D/9436920	A25/1C	Bolt, 2 BA ...	2	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA ...	2	—	C	
28W/9419475	SP.15/C	Washer ...	2	—	C	
6383	E.A3.57.417	CLIP, pipe ...	1	L.72	C	
7136	EEAS.143/21	CLIP, pipe, 1/2" o/d. ...	3	L.16	C	
		Attaching parts for EEAS.143.21:—				
28D/9436920	A25/1C	Bolt, 2 BA (As required) ...	1	—	C	
28D/1011019	A25/8C	Bolt, 2 BA (As required) ...	1	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA ...	1	—	C	
	AS.2811/5/065	Piece, distance (As required) ...	1	L.62	LM	
	EEAS.77/81	HOSE, rubber, 1 1/2" i/d. x 1 1/8" o/d. x 3" long ...	1	BSF.67 Type 1	LM	
		(make from 32C/1275041)				
28F/8011896	AGS.1142/C	NIPPLE, adaptor ...	2	—	C	
28F/8011886	AGS.1142/D	NIPPLE, adaptor ...	3	—	C	
28F/9513420	AGS.1142/J	NIPPLE, adaptor ...	1	—	C	
1669	E.A3.57.35	PIPE, assembly, air, from non-return valve to reducing union	1	T.26	C	
1661	E.A3.57.37	PIPE, assembly, fuel, from coupling in inner wing to coupling in engine nacelle	1	T.26	C	
1665	E.A3.57.41	PIPE, assembly, air, from coupling in inner wing to coupling union in engine nacelle	1	T.26	C	

SERVICES

FUEL SYSTEM IN PORT WING

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
1667	E.A3.57.43	PIPE, assembly, air, from coupling union in engine nacelle to coupling in outer wing						1	T.26	C	
1671	E.A3.57.45	PIPE, assembly, air, from coupling in inner wing to reducing union in engine bay						1	T.26	C	
1446	EEAS.66/5	RING, clamping, for hose clips						2	L.72	C	
28F/9439158	AGS.949/D	UNION, body						1	—	C	
28F/4051724	AGS.949/J	UNION, body						1	—	C	
28F/9439160	AGS.950/C	UNION, body						1	—	C	
	VICKERS										
27F/2743	A.5287C	VALVE, non-return, air supply line						1	—	C	
	E.B7.57.9	PIPES, FUEL DELIVERY, INTEGRAL TANK, ASSEMBLY						—	—	—	
		Spares for:—									
16116	E.A1.20.5399	ADAPTOR, drain (Pre-Mod. 1784)						1	—	C	
	or										
41888	E.A9.20.47	ADAPTOR, drain						1	—	C	
	or										
	E.A9.20.2767	ADAPTOR, drain (Mod. 1784)						1	—	—	
5917	E.A6.75.81	ADAPTOR, nipple, non-return valve to rear fuel cock actuator						1	S.95	C	
24669	E.B6.57.43	BRACKET, support, actuated fuel cock, rear ...						1	L.72	C	
24670	E.B6.57.45	BRACKET, support, actuated fuel cock, front ...						1	L.72	C	
		Attaching parts for E.B6.57.43 and E.B6.57.45:—									
28D/9436920	A25/1C	Bolt, 2 BA						4	—	C	
28W/9419402	SP.13/C	Washer						4	—	C	
1255	E.A1.57.259	CLIP, pipe, adjacent to rib 2A						1	L.72	C	
24673	E.B6.57.51	CLIP, pipe, through rib 2A						1	L.72	C	
		Attaching parts for E.A1.57.259 and E.B6.57.51:—									
28D/9436920	A25/1C	Bolt, 2 BA						2	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA						2	—	C	
28W/9419402	SP.13/C	Washer						2	—	C	
	E.E. CO. LTD. BRADFORD TYPE 219 MK.1	COCK, FUEL, ACTUATED, ASSEMBLY						2	—	—	
		Consisting of:—									
5W/328	†	ACTUATOR, type 200						1	—	A	
5W/343	†	ADAPTOR, c/w label						1	—	B	
	SAUNDERS										
27F/2237	E.42.A.10	COCK						1	—	A	
28M/1278190	AGS.2001/C/1	NUT, 2 BA						2	—	C	
		Attaching parts for Type 219, Mk. 1:—									
28D/1007972	A25/1C	Bolt, 2 BA						3	—	C	
28W/9416643	SP.47/C	Washer						3	—	C	
28F/4051887	AGS.2120/J	NIPPLE						4	—	C	
28F/9513420	AGS.1142/J	NIPPLE, adaptor						9	—	C	
28F/8011885	AGS.1142/B	NIPPLE, adaptor						1	—	C	

CANBERRA B. Mk. 15

Page 50.3

SERVICES

FUEL SYSTEM IN PORT WING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5904	E.B6.57.25	PACKING , fireproof, for fuel pipe through rib 1	1	Bellis Millboard	C	
28D/9419452	A25/38	Attaching parts for E.B6.57.25:—				
28M/10287	AGS.2001/B/1	Bolt, 4 BA	8	—	C	
5912	E.B6.57.23	Nut, 4 BA	8	—	C	
5913	E.B6.57.27	Ring, half	2	S.84	C	
28W/9419465	SP.13/B	Ring, stiffening	1	DTD.124	C	
		Washer	8	—	C	
5905	E.B6.57.13	PIPE, branch assembly, from actuated fuel cock and non-return valve to tank connection at rib 2	1	T.26	C	
5906	E.B6.57.31	PIPE, assembly, drain integral tank fuel pump at rib 2	1	L.54	C	
12885	E.B6.57.35	PIPE, assembly, from rib 1 to actuated fuel cock connection	1	L.56	C	
12884	E.B6.57.37	PIPE, assembly, from rib 1 to coupling in engine bay	1	T.26	C	
12411	E.B6.57.39	PIPE, branch assembly, from fuel cock and non-return valve to recuperator connection	1	L.54	C	
27576	E.B6.57.149	PIPE, branch assembly, from non-return valve to main and wing tank pipe connections	1	T.26	C	
5910	E.A1.57.703	PIPE, assembly, from non-return valve branch pipe to coupling in engine nacelle	1	T.26	C	
5911	E.A1.57.705	PIPE, assembly, from non-return valve branch pipe to connection at rib 2B	1	L.56	C	
5914	E.A6.57.83	SLEEVE, screwed, 1½" BSP, non-return valve to rear fuel cock actuator	1	DTD.683	C	
27F/2152	SELF PRIMING ENG. CO. LTD. SPE.1706	VALVE, non-return, type P.24A Mk. 2 (Pre-Mod. 2690)	2	—	A	
	or					
27F/5178	SELF PRIMING ENG. CO. LTD. Type P.24AMK3	VALVE, non-return (Mod. 2690)	2	—	A	
28495	EEAS.21/8DRH E.A1.57.245	WASHER, "D", bonding	QR	L.72	C	
		PIPES, FUEL TRANSFER, RIB 1 IN INNER WING DROP TANK, ASSEMBLY	—	—	—	
		Spares for:—				
1255	E.A1.57.259 EEAS.77/81	CLIP, pipe	5	L.72	C	
		HOSE, rubber, 1½" i/d x 1½" o/d x 3" long (Make from 32C/377)	2	DTD.625	LM	
2725	E.A1.57.1257	PIPE, fuel, 1½" o/d x 20 SWG	1	L.56	C	
2723	E.A1.57.1259	PIPE, fuel, 1½" o/d x 20 SWG	1	L.56	C	
1446	EEAS.66/5 E.A1.57.247	RING, clamping, for hose clips	4	L.72	C	
		PIPES, FUEL TRANSFER AND AIR IN INNER WING DROP TANK, ASSEMBLY	—	—	—	
		Spares for:—				
17525	EEAS.143/10	CLIP, pipe, single, ½" o/d	4	L.72	C	
1145	E.A1.57.317 EEAS.77/33	CLIP, pipe	2	L.72	C	
		HOSE, rubber, ½" i/d x ¾" o/d x 2" long (Make from 32C/408)	2	DTD.625	LM	
	EEAS.77/81	HOSE, rubber, 1½" i/d x 1½" o/d x 3" long (Make from 32C/377)	1	DTD.625	LM	

SERVICES

FUEL SYSTEM IN PORT WING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Place No.
					M.R. L.M.	
		1 2 3 4 5 6				
1261	E.A6.57.103	PIPE, fuel, 1½" o/d x 20 SWG	1	L.56	C	
1675	E.A6.57.105	PIPE, air, ½" o/d. x 20 SWG	1	L.56	C	
1673	E.A6.57.107	PIPE, air, ½" o/d. x 20 SWG	1	L.56	C	
1446	EEAS.66/5	RING, clamping, for hose clips	2	L.72	C	
	E.A1.57.255	PIPES, FUEL TRANSFER AND AIR IN OUTER WING DROP TANK, ASSEMBLY	—	—	—	
		Spares for:—				
1145	E.A1.57.317	CLIP, pipe	5	L.72	C	
	EEAS.77/33	HOSE, rubber, ½" i/d x ½" o/d x 2" long (Make from 32C/408)	2	DTD.625	LM	
	EEAS.77/81	HOSE, rubber, 1½" i/d x 1½" o/d x 3" long (Make from 32C/377)	1	DTD.625	LM	
1284	E.A6.57.93	PIPE, fuel, 1½" o/d x 20 SWG	1	L.56	C	
1285	E.A6.57.95	PIPE, fuel, 1½" o/d x 20 SWG	1	L.56	C	
1286	E.A6.57.97	PIPE, air, ½" o/d x 20 SWG	1	L.56	C	
1287	E.A6.57.99	PIPE, air, ½" o/d x 20 SWG	1	L.56	C	
1446	EEAS.66/5	RING, clamping, for hose clips	2	L.72	C	
	SELF PRIMING ENG. CO. LTD. SPE.1706	VALVE, non-return, type P.24A Mk. 2 (Pre-Mod. 2690)	1	—	A	
27F/2152	†	VALVE, non-return, type P.24A Mk. 3 (Mod. 2690)	1	—	A	
27F/5178	E.B7.57.187	PIPES, RECUPERATOR, AFT OF SPAR, ASSEMBLY	—	—	—	
		Spares for:—				
28F/9703	AGS.1102/A	CONE, union body	1	—	C	
28F/9705	AGS.1102/C	CONE, union body	1	—	C	
28F/11852	AGS.1111/A	CONE, union body, flanged	2	—	C	
		Attaching parts for AGS.1111/A:—				
28D/1008149	A25/2B	Bolt, 4 BA	3	—	C	
28M/9403519	A27/BP	Nut, 4 BA	3	—	C	
28F/11903	AGS.1115/1	Washer, plate	1	—	C	
28W/9416642	SP.47/B	Washer	3	—	C	
28F/9714	AGS.1111/C	CONE, union body, flanged	2	—	C	
		Attaching parts for AGS.1111/C:—				
28D/9133011	A25/2C	Bolt, 2 BA	3	—	C	
28M/9403520	A27/CP	Nut, 2 BA	3	—	C	
28F/11949	AGS.1115/4	Washer, plate	1	—	C	
28W/9416643	SP.47/C	Washer	3	—	C	
	E.B7.57.249	PIPE, assembly, air balance, from connection aft of main spar to connection at outer wing, rib 1	1	L.56	LM	
28585	E.B7.57.251	PIPE, assembly, air balance across engine nacelle from connection at outer wing, rib 1, to connection at inner wing, rib 7	1	L.56	C	
	E.B7.57.253	PIPE, assembly, air balance, from connection at rib 7, to connection between ribs 4 and 5, inner wing	1	L.56	LM	

CANBERRA E Mk. 15

Page 50.5

SERVICES

FUEL SYSTEM IN PORT WING

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.B7.57.255	PIPE, assembly, air balance, from connection between ribs 4 and 5 to fuselage connection						1	L.56	LM	
	E.B7.57.257	PIPE, assembly, fuel bleed line, from connection between ribs 4 and 5 to fuselage connection						1	L.56	LM	
	E.B7.57.259	PIPE, assembly, fuel bleed line, from connection aft of main spar to connection at outer wing rib 1						1	L.56	LM	
	E.B7.57.261	PIPE, assembly, fuel bleed line, across engine nacelle, from connection at outer wing rib 1, to connection at inner wing rib 7						1	L.56	LM	
	E.B7.57.263	PIPE, assembly, fuel bleed line, from connection at rib 7, to connection between ribs 4 and 5, inner wing						1	L.56	LM	
12888	EEAS.21/8CR	WASHER, "D", pipe clips						17	L.72	C	
12889	EEAS.21/8CRH	WASHER, "D", bonding						QR	L.72	C	
	E.B7.57.97	RECUPERATOR, FUEL, OUTER WING, INSTALLATION						—	—	—	
		Spares for:—									
41888	E.A9.20.47	ADAPTOR, drain						1	—	MR	
	or										
	E.A9.20.2767	ADAPTOR, drain						1	—	—	
24667	E.B7.57.41	BRACKET, recuperator mounting						1	—	C	
		Attaching parts for E.B7.57.41:—									
28D/1010030	A25/7C	Bolt, 2 BA						4	—	C	
	AS.2809/4/05	Piece, distance, $\frac{1}{4}$ " o/d. x $\frac{1}{2}$ " long						4	L.62	LM	
28W/9419402	SP.13/C	Washer						4	—	C	
28F/9140973	AGS.1129/C	CONE, banjo, body						1	—	C	
		Attaching parts for AGS.1129/C:—									
28F/9140977	AGS.1213/C	Bolt, banjo						1	—	C	
28F/9429532	AGS.1186/C	Seal, bonded						2	—	C	
28F/9489323	AGS.1120/10	CONE, tee						1	—	C	
28F/9129085	AGS.1102/A	CONE, union, body						1	—	C	
28F/9471001	AGS.1102/C	CONE, union, body						1	—	C	
28F/1013401	AGS.1107/A	CONE, union, reducing						2	—	C	
28F/9710	AGS.1107/E	CONE, union, reducing						1	—	C	
28F/1013599	AGS.1142/A	NIPPLE, adaptor						1	—	C	
28F/8011885	AGS.1142/B	NIPPLE, adaptor						2	—	C	
28F/8011896	AGS.1142/C	NIPPLE, adaptor						5	—	C	
28F/8011886	AGS.1142/D	NIPPLE, adaptor						1	—	C	
12398	E.B7.57.103	PIPE, assembly, from reducing union to tee piece, in air line						1	L.56	C	
12399	E.B7.57.105	PIPE, assembly, from recuperator non-return bleed valve to reducing union connection						1	L.56	C	
12400	E.B7.57.107	PIPE, assembly, from reducing union connection, to coupling aft of main spar, fuel bleed line						1	L.56	C	
12401	E.B7.57.109	PIPE, assembly, drain, from recuperator to reducing union connection						1	L.56	C	

SERVICES

FUEL SYSTEM IN PORT WING

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
12402	E.B7.57.113	PIPE, assembly, air balance, from recuperator air inlet, to reducing tee						1	L.56	C	
12403	E.B7.57.115	PIPE, assembly, air balance from reducing tee, to connection at main spar						1	L.56	C	
12404	E.B7.57.117	PIPE, assembly, air supply, from banjo fitting on rib 1, to non-return valve in recuperator air supply line						1	L.56	C	
12405	E.B7.57.119	PIPE, assembly, air supply, from reducing valve to recuperator air inlet						1	L.56	C	
26644	E.B7.57.151	PIPE, assembly, drain, from reducing union to outlet adaptor						1	L.56	C	
12406	E.B7.57.167	PIPE, assembly, air balance, from reducing valve to reducing union						1	L.56	C	
12407	E.B7.57.277	PIPE, assembly, recuperator air supply from non-return valve to reducing valve						1	L.56	C	
	SELF PRIMING ENG. CO. LTD.										
27F/2868	PRC.40, Mk. 3	RECUPERATOR (E.B7.57.87) (Pre-Mod. 4714) ...						1	—	A	
27F/7866	PRC.40, Mk. 4	RECUPERATOR (E.B7.57.87) (Mod. 4714) ...						1	—	A	
28F/9707349	AGS.1114/C	SLEEVE, screwed, flanged ...						1	—	C	
		Attaching parts for AGS.1114/C:—									
28D/9133011	A25/2C	Bolt, 2 BA ...						3	—	C	
28M/9403520	A27/CP	Nut, 2 BA ...						3	—	C	
28F/4051652	AGS.1115/5	Washer, plate ...						1	—	C	
28W/9416643	SP.47/C	Washer ...						3	—	C	
12408	E.B7.57.77	STRAP, RECUPERATOR MOUNTING, ASSEMBLY						1	—	C	
		Spares for:—									
28U/14094	AS.2381	ROD, tension, 1/4" BSF ...						1	—	C	
12409	E.B7.57.57	TRUNNION, L.H. ...						1	S.95	C	
12410	E.B7.57.63	TRUNNION, R.H. ...						1	S.95	C	
38736	E.B7.57.123	TAB, locking, wire (Made from Ref. 980) ...						1	L.72	C	
	SAUNDERS VALVE CO. LTD										
27F/2853	703 A.A.04	VALVE, non-return, 1/2" ...						1	—	A	
	or VICKERS ARMSTRONG LTD.										
27F/	A.5494, Mk. C	VALVE, non-return, 1/2" ...						1	—	—	
	HYMATIC ENG. CO. LTD.										
27VB/5119	C.51690	VALVE, reducing, type P.S.29/16 (E.B7.57.183) ...						1	—	A	
		Attaching parts for C.51690:—									
28M/1278189	AGS.2001/B/1	Nut, 4 BA ...						4	—	C	
18852	EEAS.21/2DR	WASHER, "D", pipe clips ...						3	L.72	C	
	EEAS.21/8DR	WASHER, "D", pipe clips ...						10	L.72	—	
28495	EEAS.21/8DRH	WASHER, "D", bonding ...						QR	L.72	C	

CANBERRA B, MK. 15

Page 50.7

SERVICES

FUEL SYSTEM IN PORT INNER WING

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.B6.57.71	FUEL DELIVERY SYSTEM, INNER WING, PORT, ASSEMBLY						—	—	—	
		Spares for:—									
1255	E.A1.57.259	CLIP, pipe, at ribs 1, 2 and 3... ..						3	L.72	C	
		Attaching parts for E.A1.57.259:—									
28D/9133011	A25/2C	Bolt, 2 BA						2	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA						2	—	C	
28W/9419402	SP.13/C	Washer						2	—	C	
6879	EEAS.143/28H	CLIP, bonding						2	—	C	
		Attaching parts for EEAS.43/28H:—									
28D/9133011	A25/2C	Bolt, 2 BA						1	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA						1	—	C	
5259	EEAS.21/2ERH	Washer						2	L.72	C	
28W/9419402	SP.13/C	Washer						1	—	C	
1295	E.A1.57.173	ELBOW, connection, on engine rib						1	DTD.304A	C	
		Attaching parts for E.A1.57.173:—									
28D/9133012	A25/3C	Bolt, 2 BA						4	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA						4	—	C	
28W/9419402	SP.13/C	Washer						4	—	C	
	EEAS.77/82	HOSE, connecting, 1½" i/d. x 1½" o/d. x 5½" long ...						2	DTD.625	LM	
		(Make from 32C/377)									
28F/8216	AGS.1142/J	NIPPLE, adaptor						2	—	C	
6881	E.B6.57.67	PIPE, assembly, fuel, from fuselage connection to hose joint at rib 1						1	L.56	C	
6880	E.B6.57.77	PIPE, fuel continuation between hose joints, 1½" o/d. x 20 SWG						1	L.56	C	
5684	E.B7.57.131	PIPE, assembly, fuel, from hose joint between ribs 2 and 3 to engine rib elbow connection						1	L.56	C	
28R/9719126	AGS.566B	PLUG						1	—	C	
1446	EEAS.66/5	RING, clamping, for hose clips						8	L.72	C	
1304	E.A1.57.209	SUPPORT, fuel pipe, on diaphragm at rib 1 ...						2	Bells Millboard	C	
		Attaching parts for E.A1.57.209:—									
28D/9419452	A25/3B	Bolt, 4 BA						6	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA						6	—	C	
6384	E.A1.57.199	Plate, connecting						2	L.72	C	
28W/9419465	SP.13/B	Washer						2	—	C	
28W/9130226	AGS.164/F	WASHER, fibre						1	—	C	

CANBERRA E Mk. 15

Page 50.9/10

SERVICES

FUEL SYSTEM IN PORT WING TIP

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.A1.57.257	PIPES FUEL AND AIR, DELIVERY, ASSEMBLY ...						—	—	—	
		Spares for:—									
1145	E.A1.57.317	CLIP, pipe						1	L.72	C	
1399	E.A1.57.343	CLIP, pipe						1	L.72	C	
1400	E.A1.57.345	CLIP, pipe						1	L.72	C	
1401	E.A1.57.265	ELBOW, fuel pipe						1	DTD.625	C	
2112	E.A1.57.1243	ELBOW, air pipe						1	DTD.625	C	
	EEAS.77/33	HOSE, rubber, $\frac{1}{2}$ " i/d x $\frac{3}{4}$ " o/d x 2" long (make from 32C/1275034)						2	BSF.67 Type 1	LM	
	EEAS.77/81	HOSE, rubber, $1\frac{1}{4}$ " i/d x $1\frac{1}{2}$ " o/d x 3" long (make from 32C/1275041)						2	BSF.67 Type 1	LM	
1403	E.A1.57.257A	PIPE, fuel delivery, from drop tank to wing tip joint						1	L.56	C	
1404	E.A1.57.257B	PIPE, fuel delivery, from wing tip joint to main-plane						1	L.56	C	
1405	E.A1.57.257C	PIPE, air delivery, from drop tank to wing tip joint						1	L.56	C	
1406	E.A1.57.257D	PIPE, air delivery, from wing tip joint to main-plane						1	L.56	C	
1446	EEAS.66/5	RING, clamping, for pipe clips, $1\frac{1}{8}$ " i/d						6	L.72	C	
2170	E.A1.57.1245	RING, clamping, for pipe clips, $\frac{3}{4}$ " i/d						2	L.72	C	

Restricted

[illegible]

Restricted

CANBERRA E Mk. 15

Page 5P.1

SERVICES

FUEL SYSTEM IN STARBOARD WING

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.B6.57.18	FUEL SYSTEM IN STARBOARD WING, ASSEMBLY ...						—	—	—	
	E.B7.57.22	Spares for:— PIPES, AIR, IN ENGINE NACELLE, ASSEMBLY ...						—	—	—	
		Spares for:—									
28F/4051696	AGS.1130/C	BODY , banjo, double						1	—	C	
28F/9140977	AGS.1213/C	Attaching parts for AGS.1130/C:—									
28F/9429532	AGS.1186/C	Bolt , banjo						1	—	C	
		Seal , bonded						2	—	C	
27M/695	LOCKHEED MPA.30068/4	FILTER, PUROLATOR, ASSEMBLY						1	—	B	
		Spares for:—									
27M/9671	MPA.30110	ELEMENT , complete						1	—	C	
27M/9672	MPA.29540	GASKET						2	—	C	
28F/8011896	AGS.1142/C	NIPPLE , adaptor						5	—	C	
17727	E.A3.57.472	PIPE , assembly, from restrictor connection to non-return valve connection						1	T.26	C	
5925	E.B6.57.56	PIPE , assembly, from flexible hose joint to purolator connection						1	T.26	C	
12893	E.B7.57.212	PIPE , assembly, from purolator to fuel recuperator banjo connection						1	T.26	C	
12894	E.B7.57.214	PIPE , assembly, from recuperator banjo connection to restrictor connection						1	T.26	C	
1291	E.A1.57.351	RESTRICTOR , drop tank air system						1	DTD.683	C	
1292	E.A1.57.859	WASHER , sealing						1	BSF.2572	C	
	E.A6.57.52	PIPES, FUEL AND AIR, IN ENGINE NACELLE, ASSEMBLY						—	—	—	
		Spares for:—									
1255	E.A1.57.259	CLIP , pipe						3	L.72	C	
		Attaching parts for E.A1.57.259:—									
28D/9436920	A25/1C	Bolt , 2 BA						2	—	C	
28M/1278190	AGS.2001/C/1	Nut , 2 BA						2	—	C	
28W/9419475	SP.15/C	Washer						2	—	C	
6383	E.A3.57.417	CLIP , pipe						1	L.72	C	
7136	EEAS.143/21	CLIP , pipe, 1/2" o/d.						3	L.16	C	
		Attaching parts for EEAS.143/21:—									
28D/9436920	A25/1C	Bolt , 2 BA (As required)						1	—	C	
28D/1011019	A25/8C	Bolt , 2 BA (As required)						1	—	C	
28M/1278190	AGS.2001/C/1	Nut , 2 BA						1	—	C	
	AS.2811/5/065	Piece , distance (As required)						1	L.62	LM	
	EEAS.77/81	HOSE , rubber, 1 1/2" i/d. x 1 1/2" o/d. x 3" long ...						1	BSF.67 Type 1	LM	
		(make from 32C/1275041)									
28F/8011896	AGS.1142/C	NIPPLE , adaptor						2	—	C	
28F/8011886	AGS.1142/D	NIPPLE , adaptor						3	—	C	
28F/8513420	AGS.1142/J	NIPPLE , adaptor						1	—	C	
1670	E.A3.57.36	PIPE , assembly, air, from non-return valve to reducing union						1	T.26	C	
1662	E.A3.57.38	PIPE , assembly, fuel, from coupling in inner wing to coupling in engine nacelle						1	T.26	C	
1666	E.A3.57.42	PIPE , assembly, air, from coupling in inner wing to coupling union in engine nacelle						1	T.26	C	

Page SP.2

CANBERRA E Mk. 15

SERVICES **FUEL SYSTEM IN STARBOARD WING**

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
1668	E.A3.57.44	PIPE, assembly, air, from coupling union in engine nacelle to coupling in outer wing						1	T.26	C	
1672	E.A3.57.46	PIPE, assembly, air, from coupling in inner wing to reducing union in engine bay						1	T.26	C	
1446	EEAS.66/5	RING, clamping, for hose clips						2	L.72	C	
28F/9439158	AGS.949/D	UNION, body						1	—	C	
28F/4051724	AGS.949/J	UNION, body						1	—	C	
28F/9439160	AGS.950/C	UNION, body						1	—	C	
	VICKERS										
27F/2743	A.5287C	VALVE, non-return, air supply line						1	—	C	
	E.B7.57.10	PIPES, FUEL DELIVERY, INTEGRAL TANK, ASSEMBLY						—	—	—	
		Spares for:—									
16116	E.A1.20.5399 or	ADAPTOR, drain (Pre-Mod. 1784)						1	—	C	
41888	E.A9.20.47 or	ADAPTOR, drain						1	—	C	
	E.A9.20.2767	ADAPTOR, drain (Mod. 1784)						1	—	—	
5917	E.A6.57.81	ADAPTOR, nipple, non-return valve to rear fuel cock actuator						1	S.95	C	
24671	E.B6.57.47	BRACKET, support, actuated fuel cock, front ...						1	L.72	C	
24672	E.B6.57.49	BRACKET, support, actuated fuel cock, rear ...						1	L.72	C	
		Attaching parts for E.B6.57.47 and E.B6.57.49:—									
28D/9436920	A25/1C	Bolt, 2 BA						4	—	C	
28W/9419402	SP.13/C	Washer						4	—	C	
1255	E.A1.57.259	CLIP, pipe, adjacent to rib 2A						1	L.72	C	
24674	E.B6.57.52	CLIP, pipe, through rib 2A						1	L.72	C	
		Attaching parts for E.A1.57.259 and E.B6.57.52:—									
28D/9436920	A25/1C	Bolt, 2 BA						2	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA						2	—	C	
28W/9419402	SP.13/C	Washer						2	—	C	
	E.E. CO. LTD. BRADFORD TYPE 219 Mk.1	COCK, FUEL, ACTUATED, ASSEMBLY						2	—	—	
		Consisting of:—									
5W/328		ACTUATOR, type 200						1	—	A	
5W/343		ADAPTOR, c/w label						1	—	B	
	SAUNDERS										
27F/2237	E.42.A.10	COCK						1	—	A	
28M/1278190	AGS.2001/C/1	NUT, 2 BA						2	—	C	
		Attaching parts for Type 219, Mk. 1:—									
28D/1007972	A25/1C	Bolt, 2 BA						3	—	C	
28W/9416643	SP.47/C	Washer						3	—	C	
28F/4051887	AGS.2120/J	NIPPLE						4	—	C	
28F/9513420	AGS.1142/J	NIPPLE, adaptor						9	—	C	
28F/8011885	AGS.1142/B	NIPPLE, adaptor						1	—	C	

Restricted

SERVICES

FUEL SYSTEM IN STARBOARD WING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
5904	E.B6.57.25	PACKING , fireproof, for fuel pipe through rib 1	1	Bells Millboard	C	
28D/9419452	A25/3B	Attaching parts for E.B6.57.25:—				
28M/10287	AGS.2001/B/1	Bolt, 4 BA	8	—	C	
5912	E.B6.57.23	Nut, 4 BA	8	—	C	
5913	E.B6.57.27	Ring, half	2	S.84	C	
28W/9419465	SP.13/B	Ring, Stiffening	1	DTD.124	C	
		Washer	8	—	C	
5918	E.B6.57.14	PIPE , branch assembly, from actuated fuel cock connection and non-return valve to tank connection, at rib 2	1	T.26	C	
5924	E.B6.57.33	PIPE , assembly, drain, integral tank fuel pump at rib 2	1	L.54	C	
12892	E.B6.57.36	PIPE , assembly, from rib 1 to actuated fuel cock connection	1	L.56	C	
12891	E.B6.57.38	PIPE , assembly, from rib 1 to coupling in engine bay	1	T.26	C	
12422	E.B6.57.41	PIPE , branch assembly, from fuel cock and non-return valve to recuperator connection	1	L.54	C	
27577	E.B6.57.150	PIPE , branch assembly, from non-return valve to main and wing tank pipe connections	1	T.26	C	
5922	E.A1.57.704	PIPE , assembly, from non-return valve branch pipe to coupling in engine nacelle	1	T.26	C	
5911	E.A1.57.705	PIPE , assembly, from non-return valve branch pipe to connection at rib 2B	1	L.56	C	
5914	E.A6.57.83	SLEEVE , screwed, 1¼" BSP, non-return valve to rear fuel cock actuator	1	DTD.683	C	
27F/2152	SELF PRIMING ENG. CO. LTD. SPE.1706	VALVE , non-return, type P.24A Mk. 2 (Pre-Mod. 2690)	2	—	A	
27F/5178	SELF PRIMING ENG. CO. LTD. Type P24A Mk.3	VALVE , non-return (Mod. 2690)	2	—	A	
28495	EEAS.21/8DRH E.A1.57.246	WASHER , "D" bonding	QR	L.72	C	
		PIPES, FUEL TRANSFER, RIB 1, INNER WING DROP TANK	—	—	—	
		Spares for:—				
1255	E.A1.57.259 EEAS.77/81	CLIP , pipe	5	L.72	C	
		HOSE , rubber, 1¼" i/d. x 1½" o/d x 3" long (Make from 32C/377)	2	DTD.625	LM	
2724	E.A1.57.1258	PIPE , fuel, 1½" o/d x 20 SWG	1	L.56	C	
2722	E.A1.57.1260	PIPE , fuel, 1½" o/d x 20 SWG	1	L.56	C	
1446	EEAS.66/5 E.A1.57.248	RING , clamping, for hose clips	4	L.72	C	
		PIPES, FUEL TRANSFER AND AIR, IN INNER WING DROP TANK, ASSEMBLY	—	—	—	
		Spares for:—				
17525	EEAS.143/10	CLIP , pipe, single, ½" o/d	4	L.72	C	
1145	E.A1.57.317 EEAS.77/33	CLIP , pipe	2	L.72	C	
		HOSE , rubber, ½" i/d x ¾" o/d x 2" long (Make from 32C/408)	2	DTD.625	LM	
	EEAS.77/81	HOSE , rubber, 1¼" i/d x 1½" o/d x 3" long (Make from 32C/377)	1	DTD.625	LM	
1263	E.A6.57.104	PIPE , fuel, 1½" o/d x 20 SWG	1	L.56	C	

SERVICES

FUEL SYSTEM IN STARBOARD WING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
1676	E.A6.57.106	PIPE, air, $\frac{1}{2}$ " o/d x 20 SWG	1	L.56	C	
1674	E.A6.57.108	PIPE, air, $\frac{1}{2}$ " o/d x 20 SWG	1	L.56	C	
1446	EEAS.66/5	RING, clamping, for hose clips	2	L.72	C	
	E.A1.57.256	PIPES, FUEL TRANSFER AND AIR, IN OUTER WING DROP TANK, ASSEMBLY	—	—	—	
		Spares for:—				
1145	E.A1.57.317	CLIP, pipe	5	L.72	C	
	EEAS.77/33	HOSE, rubber, $\frac{1}{2}$ " i/d x $\frac{1}{2}$ " o/d x 2" long (Make from 32C/408)	2	DTD.625	LM	
	EEAS.77/81	HOSE, rubber, $1\frac{1}{4}$ " i/d x $1\frac{1}{2}$ " o/d x 3" long (Make from 32C/377)	1	DTD.625	LM	
1284	E.A6.57.93	PIPE, fuel, $1\frac{1}{4}$ " o/d x 20 SWG	1	L.56	C	
1285	E.A6.57.95	PIPE, fuel, $1\frac{1}{4}$ " o/d x 20 SWG	1	L.56	C	
1286	E.A6.57.97	PIPE, air, $\frac{1}{2}$ " o/d x 20 SWG	1	L.56	C	
1702	E.A6.57.100	PIPE, air, $\frac{1}{2}$ " o/d x 20 SWG	1	L.56	C	
1446	EEAS.66/5	RING, clamping, for hose clips	2	L.72	C	
	SELF PRIMING ENG. CO. LTD.					
27F/2152	SPE.1706	VALVE, non-return, type P.24A Mk. 2 (Pre-Mod. 2690)	1	—	A	
27F/5178	†	VALVE, non-return, type P.24A Mk. 3 (Mod. 2690)	1	—	A	
	E.B7.57.188	PIPES, RECUPERATOR, AFT OF SPAR, ASSEMBLY	—	—	—	
		Spares for:—				
28F/9703	AGS.1102/A	CONE, union body	1	—	C	
28F/9705	AGS.1102/C	CONE, union body	1	—	C	
28F/11852	AGS.1111/A	CONE, union body, flanged	2	—	C	
		Attaching parts for AGS.1111/A:—				
28D/1008149	A25/2B	Bolt, 4 BA	3	—	C	
28M/9403519	A27/BP	Nut, 4 BA	3	—	C	
28F/11903	AGS.1115/1	Washer, plate	1	—	C	
28V/9416642	SP.47/B	Washer	3	—	C	
28F/9714	AGS.1111/C	CONE, union body, flanged	2	—	C	
		Attaching parts for AGS.1111/C:—				
28D/9133011	A25/2C	Bolt, 2 BA	3	—	C	
28M/9403520	A27/CP	Nut, 2 BA	3	—	C	
28F/11949	AGS.1115/4	Washer, plate	1	—	C	
28V/9416643	SP.47/C	Washer	3	—	C	
	E.B7.57.250	PIPE, assembly, air balance from connection aft of main spar to connection at outer wing, rib 1	1	L.56	LM	
31534	E.B7.57.252	PIPE, assembly, air balance, across engine nacelle from connection at outer wing, rib 1, to connection at inner wing, rib 7	1	L.56	C	
	E.B7.57.254	PIPE, assembly, air balance from connection at rib 7, to connection between ribs 4 and 5, inner wing	1	L.56	—	

CANBERRA E Mk. 15

Page SP.5

SERVICES

FUEL SYSTEM IN STARBOARD WING

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
38738	E.B7.57.256	PIPE, assembly, air balance, from connection between ribs 4 and 5 to fuselage connection						1	L.56	LM	
	E.B7.57.258	PIPE, assembly, fuel bleed line, from connection between ribs 4 and 5 to fuselage connection						1	L.56	C	
	E.B7.57.260	PIPE, assembly, fuel bleed line, from connection aft of main spar to connection at outer wing rib 1						1	L.56	LM	
	E.B7.57.262	PIPE, assembly, fuel bleed line, across engine nacelle, from connection at outer wing rib 1, to connection at inner wing rib 7						1	L.56	LM	
	E.B7.57.264	PIPE, assembly, fuel bleed line, from connection at rib 7, to connection between ribs 4 and 5, inner wing						1	L.56	LM	
12888	EEAS.21/8CR	WASHER, "D", pipe clips						17	L.72	C	
12889	EEAS.21/8CRH	WASHER, "D", bonding						QR	L.72	C	
	E.B7.57.98	RECUPERATOR, FUEL, OUTER WING, INSTALLATION						—	—	—	
		Spares for:—									
41888	E.A9.20.47 or	ADAPTOR, drain						1	—	C	
	E.A9.20.2767	ADAPTOR, drain						1	—	—	
24668	E.B7.57.42	BRACKET, recuperator mounting						1	—	C	
		Attaching parts for E.B7.57.42:—									
28D/1010030	A25/7C	Bolt, 2 BA						4	—	C	
	AS.2809/4/05	Piece, distance, 1" o/d. x 1/2" long						4	L.72	LM	
28W/9419402	SP.13/C	Washer						4	—	C	
28F/9140973	AGS.1129/C	CONE, banjo, body						1	—	C	
		Attaching parts for AGS.1129/C:—									
28F/9140977	AGS.1213/C	Bolt, banjo						1	—	C	
28F/9429532	AGS.1186/C	Seal, bonded						2	—	C	
28F/9489323	AGS.1120/10	CONE, tee						1	—	C	
28F/9129085	AGS.1102/A	CONE, union, body						1	—	C	
28F/9471001	AGS.1102/C	CONE, union, body						1	—	C	
28F/1013401	AGS.1107/A	CONE, union, reducing						2	—	C	
28F/9710	AGS.1107/E	CONE, union, reducing						1	—	C	
28F/1013599	AGS.1142/A	NIPPLE, adaptor						1	—	C	
28F/8011895	AGS.1142/B	NIPPLE, adaptor						2	—	C	
28F/8011896	AGS.1142/C	NIPPLE, adaptor						5	—	C	
28F/8011886	AGS.1142/D	NIPPLE, adaptor						1	—	C	
12412	E.B7.57.104	PIPE, assembly, from reducing union to tee piece, in air line						1	—	C	
12413	E.B7.57.106	PIPE, assembly, from recuperator non-return bleed valve to reducing union connection						1	L.56	C	
12414	E.B7.57.108	PIPE, assembly, from reducing union connection, to coupling aft of main spar, fuel bleed line						1	L.56	C	
12415	E.B7.57.110	PIPE, assembly, drain, from recuperator to reducing union connection						1	L.56	C	

SERVICES

FUEL SYSTEM IN STARBOARD WING

Ref. No.	Part No.	Description					No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5				
12416	E.B7.57.114	PIPE, assembly, air balance, from recuperator air inlet, to reducing tee, connection					1	L.56	C	
12417	E.B7.57.116	PIPE, assembly, air balance from reducing tee, to connection at main spar					1	L.56	C	
12418	E.B7.57.118	PIPE, assembly, air supply, from banjo fitting on rib 1, to non-return valve in recuperator air supply line					1	L.56	C	
12419	E.B7.57.120	PIPE, assembly, air supply, from reducing valve to recuperator air inlet					1	L.56	C	
26645	E.B7.57.152	PIPE, assembly, drain, from reducing union to outlet adaptor					1	L.56	C	
12420	E.B7.57.168	PIPE, assembly, air balance, from reducing valve to reducing union					1	L.56	C	
12421	E.B7.57.278	PIPE, assembly, recuperator air supply from non-return valve to reducing valve					1	L.56	C	
	SELF PRIMING ENG. CO. LTD.									
27F/2868	PRC.40, Mk. 3	RECUPERATOR (E.B7.57.87) (Pre-Mod. 4714) ...					1	—	A	
27F/7866	PRC.40, Mk. 4	RECUPERATOR (E.B7.57.87) (Mod. 4714) ...					1	—	A	
28F/9707349	AGS.1114/C	SLEEVE, screwed, flanged ...					1	—	C	
		Attaching parts for AGS.1114/C:—								
28D/9133011	A25/2C	Bolt, 2 BA ...					3	—	C	
28M/9403520	A27/CP	Nut, 2 BA ...					3	—	C	
28F/4051652	AGS.1115/5	Washer, plate ...					1	—	C	
28W/9416643	SP.47/C	Washer ...					3	—	C	
12408	E.B7.57.77	STRAP, RECUPERATOR MOUNTING, ASSEMBLY					1	—	C	
		Spares for:—								
28U/14094	AS.2381	ROD, tension, 1/4" BSF ...					1	—	C	
12409	E.B7.57.57	TRUNNION, L.H. ...					1	S.95	C	
12410	E.B7.57.63	TRUNNION, R.H. ...					1	S.95	C	
38736	E.B7.57.123	TAB, locking, wire (Made from Ref. 980) ...					1	L.72	C	
	SAUNDERS VALVE CO. LTD.									
27F/2853	703 A.A.04	VALVE, non-return, 1/2" ...					1	—	A	
	or VICKERS ARMSTRONG LTD.									
	A.5494, Mk. C	VALVE, non-return, 1/2" ...					1	—	—	
	HYMATIC ENG. CO. LTD.									
27VB/5119	C.51690	VALVE, reducing, type P.S.29/16 (E.B7.57.183) ...					1	—	A	
		Attaching parts for C.51690:—								
28M/1278189	AGS.2001/B/1	Nut, 4 BA ...					4	—	C	
18852	EEAS.21/2DR	WASHER, "D", pipe clips ...					3	L.72	C	
38742	EEAS.21/8DR	WASHER, "D", pipe clips ...					10	L.72	C	
28495	EEAS.21/8DRH	WASHER, "D", bonding ...					QR	L.72	C	

SERVICES

FUEL SYSTEM IN STARBOARD INNER WING

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.B6.57.151	FUEL DELIVERY SYSTEM, INNER WING, STARBOARD, ASSEMBLY						—	—	—	
		Spares for:—									
1293	E.A1.57.183	CLIP, half, base, fuel pipe						2	L.59	C	
1294	E.A1.57.185	CLIP, half, top, retaining						2	L.72	C	
28D/9436920	A25/1C	Attaching parts for E.A1.57.183 and E.A1.57.185:—									
28M/10288	AGS.2001/C/1	Bolt, 2 BA						2	—	C	
28W/9419402	SP.13/C	Nut, 2 BA						2	—	C	
		Washer						2	—	C	
6879	EEAS.143/28H	CLIP, bonding						3	—	C	
		Attaching parts for EEAS.143/28H:—									
28D/9436920	A25/1C	Bolt, 2 BA						1	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA						1	—	C	
5259	EEAS.21/2ERH	Washer						2	L.72	C	
1296	E.A1.57.174	ELBOW , connection, on engine rib						1	DTD.304A	C	
		Attaching parts for E.A1.57.174:—									
28D/12531	A25/3C	Bolt, 2 BA						4	—	C	
28M/10288	AGS.2001/C/1	Nut, 2 BA						4	—	C	
980	EEAS.20/1DR	Tab, locking						4	L.72	C	
	EEAS.164/20/53	HOSE , connecting, 1½" i/d x 1½" o/d x 5½" long						2	DTD.625	LM	
		(make from 32C/377)									
28F/8216	AGS.1142/J	NIPPLE , adaptor						2	—	C	
1301	E.A1.57.556	PIPE , assembly, fuel, from fuselage connection to hose joint at rib 1						1	L.54	C	
13205	E.A9.57.19	PIPE , assembly, fuel, from hose joint between ribs 2 and 3 to engine rib elbow connection						1	L.56	C	
13206	E.A9.57.21	PIPE , fuel, continuation between hose joints, 1½" o/d x 20 SWG						1	L.56	C	
28R/6341	AGS.566/B	PLUG						1	—	C	
1446	EEAS.66/5	RING , clamping, for hose clips						8	L.72	C	
1304	E.A1.57.209	SUPPORT , fuel pipe, on diaphragm and rib 1						4	Bells Millboard	C	
		Attaching parts for E.A1.57.209:—									
28D/9419452	A25/3B	Bolt, 4 BA						6	—	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA						6	—	C	
6384	E.A1.57.199	Plate, connecting						2	L.72	C	
28W/9419465	SP.13/B	Washer						8	—	C	
28W/6701	AGS.164/F	WASHER , fibre						1	—	C	

CANBERRA E Mk. 15

Page SP.9/10

SERVICES

FUEL SYSTEM IN STARBOARD WING TIP

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.A1.57.258	PIPES, FUEL AND AIR, DELIVERY, ASSEMBLY ...						—	—	—	
		Spares for:—									
1145	E.A1.57.317	CLIP,	pipe	...	...	...	...	1	L.72	C	
1399	E.A1.57.343	CLIP,	pipe	...	...	...	...	1	L.72	C	
1400	E.A1.57.345	CLIP,	pipe	...	...	...	...	1	L.72	C	
1401	E.A1.57.265	ELBOW,	fuel pipe	...	...	...	...	1	DTD.625	C	
2112	E.A1.57.1243	ELBOW,	air pipe	...	...	...	...	1	DTD.625	C	
	EEAS.77/33	HOSE,	rubber, $\frac{1}{4}$ " i/d x $\frac{3}{4}$ " o/d x 2" long (make from 32C/1275034)	...	...	...	...	2	BSF.67 Type 1	LM	
	EEAS.77/81	HOSE,	rubber, $1\frac{1}{4}$ " i/d x $1\frac{1}{2}$ " o/d x 3" long (make from 32C/1275041)	...	...	...	...	2	BSF.67 Type 1	LM	
1407	E.A1.57.258A	PIPE,	fuel delivery, from drop tank to wing tip joint	...	...	...	...	1	L.56	C	
1404	E.A1.57.257B	PIPE,	fuel delivery, from wing tip joint to main-plane	...	...	...	...	1	L.56	C	
1405	E.A1.57.257C	PIPE,	air delivery, from drop tank to wing tip joint	...	...	...	...	1	L.56	C	
1406	E.A1.57.257D	PIPE,	air delivery, from wing tip joint to main-plane	...	...	...	...	1	L.56	C	
1446	EEAS.66/5	RING,	clamping, for pipe clips, $1\frac{1}{2}$ " i/d	...	...	...	...	6	L.72	C	
2170	E.A1.57.1245	RING,	clamping, for pipe clips, $\frac{3}{4}$ " i/d	...	...	...	...	2	L.72	C	

Pages SQ Not Issued

Restricted

Ref. No.	Part No.							Description	No. off	Matl Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6				M.R. L.M.	

Restricted

CANBERRA E Mk. 15

Page SR.1

SERVICES

HYDRAULIC EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E B6.73.5	HYDRAULIC EQUIPMENT IN CENTRE FUSELAGE, ASSEMBLY						—	—	—	
	—	Consisting of:— HYDRAULIC EQUIPMENT CIRCUIT, ASSEMBLY (E.A6.73.283)						—	—	—	
		Spares for:—									
27QM/4170093	MESSIER 8076/52 VOKES	DIVIDER, flow						2	—	A	S.18
27B/4557451	E30L/1"/7915 or	FILTER						1	—	A	S.17
27B/2620	E30/1"/22537	FILTER						1	—	A	
6A/2237916	†	GAUGE, pressure, Mk. 14LL						1	—	C	S.17
27QM/4143452	DOWTY 1.00522.001	JACK, bomb door, front, assembly (E.A3.73.643) (For spares see A.P.4515B, Vol. 3)						1	—	A	S.17
27QM/4143473	DOWTY 1.00523.001	JACK, bomb door, rear, assembly (E.A3.73.641) (For spares see A.P.4515B, Vol. 3)						1	—	A	S.18
27VA/4136	DUNLOP 6/W3/101/8/8/11.2	PIPE, flexible, bomb doors "open" (Pre-Mod. 2121)						1	—	B	
27VA/4137	DUNLOP 6/W3/101/8/8/12	PIPE, flexible, bomb doors "closed" (Pre-Mod. 2121)						2	—	B	
27VA/3650	DUNLOP 6/W3/101/8/9/12.5	PIPE, flexible, bomb doors "open" (Pre-Mod. 2121)						1	—	B	
27Y/6326208	ELECTRO HYDRAULICS 7391	RELAY, HYDRAULIC PRESSURE GAUGE ...						1	—	A	S.17
		Consisting of:—									
27Y/6326320	9913	ADAPTOR, outlet to gauge						1	—	C	
27Y/6326321	9938	ADAPTOR, hydraulic supply inlet						1	—	C	
	73082	BODY						1	DTD.130B	—	
27Y/6258899	30M/36 x 4	CIRCLIP, nut to body						1	—	C	
	73081	CYLINDER						1	S.1	—	
27Y/6326322	73039	NUT, cylinder to body						1	—	C	
	73083	PISTON						1	L.1	—	
27Y/6326323	40044	PLUG, bleed						1	—	C	
27Y/6326324	7379	RESTRICTOR						1	—	C	
27Y/6324118	739112	RING, piston						1	—	C	
27Y/6324119	739113	RING, piston						1	—	C	
27Y/6325739	739114	RING, sealing, cylinder to body						1	—	C	
27Y/6288900	2M/14 x 10	WASHER, at adaptors and restrictor						3	—	C	
30A/9437135	†	WIRE, locking						QR	—	C	
27Q/1104	DOWTY 408Y Mk.AN	SELECTOR, and non-return valve, for flap and air brake isolation (Pre-Mod. 3937)						1	—	A	S.17
27QM/4681530	DOWTY 408Y Mk.BN	SELECTOR, and non-return valve, for flap and air brake isolation (Mod. 3937)						1	—	A	
28Y/9701165	H. PRESSURE COMPONENTS GYP A58	VALVE, charging						1	—	C	S.17
27W/10	LOCKHEED UMC.706	VALVE, non-return, 1/2" BSP (Pre-Mod. 3368) ...						1	—	A	S.17
27W/4619632	LOCKHEED UMC.706/4	VALVE, non-return, 1/2" BSP (Mod. 3368) ...						1	—	A	

SERVICES

HYDRAULIC EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
27Q/1105	DOWTY 5240Y	VALVE, non-return, flap and air brake isolation						1	—	A	
27QM/4143123	DOWTY C.1034Y Mk.Q	VALVE, pressure relief, flaps "down" (For spares see AP.4515B, Vol. 3)						1	—	A	S.17
27QM/4143161	DOWTY D.657Y	VALVE, restrictor (For spares see AP.4515B, Vol. 3)						1	—	A	S.17
27Q/782	DOWTY C.1183Y Mk.B	VALVE, rotary control, nosewheel (For spares see AP.4515B, Vol. 3) (Pre-Mod. 3937)						1	—	A	S.17
27QM/4143282	DOWTY 01183Y Mk.BO2	VALVE, rotary control (Mod. 3937)						1	—	A	
27QM/4170015	BRITISH MESSIER 6330	VALVE, solenoid operated						1	—	A	S.17
27QM/4143197	DOWTY C.4603Y Mk.E	VALVE, thermal relief						7	—	A	S.17
	E.A3.73.399	MOUNTING OF ROTARY CONTROL VALVE AND ACTUATOR FOR WING FLAPS, ASSEMBLY						—	—	—	
		Spares for:—									
	EE. CO. LTD. BRADFORD TYPE 205 Mk.6	ACTUATOR AND HYDRAULIC VALVE FOR FLAPS, ASSEMBLY						1	—	—	
		Consisting of:—									
5W/4511895	AED.200152	ACTUATOR, type 200, Mk. 1						1	—	A	
5W/339	↑	BRACKET, mounting, c/w label						1	—	B	
27QM/4143265	DOWTY 408Y Mk.L	VALVE (Pre-Mod. 3937)						1	—	A	
27QM/4143260	408YBL	VALVE (Mod. 3937)						1	—	A	
		Attaching parts for Type 205, Mk. 6:—									
28D/1214311	A25/17C	Bolt, 2 BA						2	—	C	
28M/9403520	A27/CP	Nut, 2 BA						2	—	C	
	AS.2811/5/149	Tube, distance						2	L.72	LM	
28W/9419475	SP.15/C	Washer, plain						2	—	C	
28W/9416643	SP.47/C	Washer, spring						2	—	C	
5526	EEAS.91/3	CLIP, pipe, double, 3/8" o/d.						1	L.72	C	S.18
5348	EEAS.143/8H	CLIP, pipe, single, 3/8" o/d., bonding						20	L.72	C	S.18
	or										
5K/4345977	AS.4526/6	CLIP, 3/8" (Alt. R60/39—Mod. 5100)						17	—	C	
		Attaching parts for EEAS.91/3 and EEAS.143/8H:—									
28D/9419452	A25/3B	Bolt, 4 BA (As required)						1	—	C	
28D/1010658	A25/1B	Bolt, 4 BA (As required)						1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA (As required)						1	—	C	
28W/9419474	SP.15/B	Washer, 4 BA (As required)						1	—	C	
5259	EEAS.21/2ERH	Washer, "D" (As required)						1	L.72	C	S.18
28F/9476124	AGS.1118/C	CONE, tee						3	—	C	
784	E.A3.73.423	PIPE, assembly, from selector to reducing union cone aft of frame 18, flaps "up" line						1	DTD.5019	C	S.17
785	E.A3.73.425	PIPE, assembly, from selector to reducing union cone aft of frame 18, flaps "down" line						1	DTD.5019	C	S.17
1718	E.A3.73.427	PIPE, assembly, from tee cone to adaptor cone (starboard) in pipe run connecting port and starboard undercarriage door jack "closed" line						1	DTD.5019	C	S.17

CANBERRA E Mk. 15

Page SR.3

SERVICES

HYDRAULIC EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1 2 3 4 5 6				
1721	E.A3.73.429	PIPE, assembly, from flap selector tee cone (aft) to air brake tee in reservoir return line	1	DTD.5019	C	S.17
788	E.A3.73.431	PIPE, assembly, from flap selector tee (forward) to tee cone aft of frame 17 in reservoir return line	1	L.56	C	S.17
786	E.A3.73.433	PIPE, assembly, from flap selector to tee cone in reservoir return line	1	L.56	C	S.17
787	E.A3.73.437	PIPE, assembly, from flap selector to tee cone (aft)	1	DTD.5019	C	S.17
1720	E.A3.73.439	PIPE, assembly, from tee cone aft flap selector to air brake selector	1	DTD.5019	C	S.17
3495	E.A3.73.645	PIPE, assembly, from flap selector tee forward to 4-way union cone in reservoir return line	1	L.56	C	S.17
	EEAS.237/17CH E.B6.73.15	WASHER, "D" (Alt. R60/39—Mod. 5100) ... MOUNTING OF ROTARY CONTROL VALVES AND ACTUATORS FOR UNDER-CARRIAGE AND BOMB DOORS, ASSEMBLY Spares for:—	17	S.511	—	S.17
	EE. CO. LTD. BRADFORD TYPE 204 Mk.6	ACTUATOR, UNDERCARRIAGE ROTARY CONTROL VALVE, ASSEMBLY Consisting of:—	1	—	—	S.17
5W/4511895 5W/338	AED.200152 † DOWTY	ACTUATOR, type 200, Mk. 1 ...	1	—	A	
27Q/779	408Y Mk.Q	BRACKET, mounting, c/w label ...	1	—	B	
27QM/4143270	408YBQ	VALVE (Pre-Mod. 3937) ...	1	—	A	
		VALVE (Mod. 3937) ...	1	—	A	
		Attaching parts for type 204 Mk. 6:—				
28D/1214311	A25/17C	Bolt, 2 BA ...	2	—	C	
28M/9403520	A27/CP	Nut, 2 BA ...	2	—	C	
	AS.2811.5.149	Tube, distance ...	2	L.72	LM	
28W/9419475	SP.15/C	Washer, plain ...	2	—	C	
28W/9416643	SP.47/C	Washer, spring ...	2	—	C	
	EE. CO. LTD. BRADFORD TYPE 206 Mk.6	ACTUATOR, BOMB DOOR ROTARY CONTROL VALVE, ASSEMBLY Consisting of:—	1	—	—	S.17
5W/4511895 5W/340	AED.200152 † DOWTY	ACTUATOR, type 200, Mk. 1 ...	1	—	A	
27Q/780	408Y Mk R	BRACKET, mounting, c/w label ...	1	—	B	
27QM/4143276	408YBR	VALVE (Pre-Mod. 3937) ...	1	—	A	
		VALVE (Mod. 3937) ...	1	—	A	
		Attaching parts for type 206 Mk. 6:—				
28D/1214311	A25/17C	Bolt, 2 BA ...	2	—	C	
28M/9403520	A27/CP	Nut, 2 BA ...	2	—	C	
	AS.2811.5.149	Tube, distance ...	2	L.72	LM	
28W/9419475	SP.15/C	Washer, plain ...	2	—	C	
28W/9416643	SP.47/C	Washer, spring ...	2	—	C	
5260	EEAS.143/5H	CLIP, pipe, single, 1/4" o/d., bonding ...	8	L.72	C	S.18
5258	EEAS.143/6H	CLIP, pipe, single, 1/4" o/d., bonding ...	2	L.72	C	S.18
5348	EEAS.143/8H	CLIP, pipe, single, 3/8" o/d., bonding ...	7	—	C	S.18
5544	EEAS.143/21H	CLIP, pipe, single, 1/2" o/d., bonding ...	2	L.72	C	S.18
5521	EEAS.143/24H	CLIP, pipe, single, 3/4" o/d., bonding ...	2	L.72	C	S.18
	or	Alternative clips (Alt. R60/39—Mod. 5100)				
5K/6323922	AS.4526/3	CLIP, 1/8" ...	5	—	C	
5K/4345976	AS.4526/4	CLIP, 1/4" ...	1	—	C	
5K/4345977	AS.4526/6	CLIP, 3/8" ...	6	—	C	
5K/4345978	AS.4526/8	CLIP, 1/2" ...	1	—	C	
5K/4345980	AS.4526/12	CLIP, 3/4" ...	1	—	C	

SERVICES

HYDRAULIC EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
		Attaching parts for EEAS.143/5H, EEAS.143/6H, EEAS.143.8H, EEAS.143/21H and EEAS.143/24H									
28D/1010658	A25/1B	Bolt, 4 BA (As required)	...	...	...	...	...	1	—	C	
28D/13284	A28/3C	Bolt, 2 BA (As required)	...	...	...	...	...	1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA (As required)	...	...	...	...	...	1	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA (As required)	...	...	...	...	...	1	—	C	
28W/9419474	SP.15/B	Washer, plain (As required)	...	...	...	...	...	1	—	C	
28W/9419475	SP.15/C	Washer, plain (As required)	...	...	...	...	...	1	—	C	
5259	EEAS 21/2ERH	Washer, "D" (As required)	...	...	...	...	...	1	L.72	C	S.18
28F/9476124	AGS.1118/C	CONE, tee	...	...	...	...	...	2	—	C	
28F/4051566	AGS.1120/3	CONE, tee	...	...	...	...	...	2	—	C	
28F/9476127	AGS.1120/5	CONE, tee	...	...	...	...	...	1	—	C	
28F/8011883	AGS.1102/B	CONE, union body	...	...	...	...	...	1	—	C	
1699	E.A3.73.333	PIPE, assembly, from undercarriage selector to thermal relief valve tee cone, nosewheel "up" line	...	...	...	...	...	1	DTD.5019	C	S.17
	or										
	E.A3.73.1313	PIPE, assembly (Alt. R60/80—Mod. 5100)	...	...	...	...	...	1	DTD.5019	LM	
775	E.A3.73.337	PIPE, assembly, from undercarriage selector to thermal relief valve tee cone, nosewheel "down" line	...	...	...	...	...	1	DTD.5019	C	S.17
	or										
	E.A3.73.1315	PIPE, assembly (Alt. R60/80—Mod. 5100)	...	...	...	...	...	1	DTD.5019	LM	
776	E.A3.73.339	PIPE, assembly, from bomb door selector to forward bomb door jack thermal relief valve tee coupling, "closed" line	...	...	...	...	...	1	DTD.5019	C	S.17
778	E.A3.73.343	PIPE, assembly, from bomb door selector to forward bomb door jack thermal relief valve tee coupling, "open" line	...	...	...	...	...	1	DTD.5019	C	S.17
780	E.A3.73.347	PIPE, assembly, from undercarriage selector to tee cone, hand pump return line	...	...	...	...	...	1	L.56	C	S.17
781	E.A3.73.349	PIPE, assembly, between undercarriage bomb door selector tee cones in reservoir return line	...	...	...	...	...	1	L.56	C	S.17
782	E.A3.73.351	PIPE, assembly, from bomb door selector tee cone to tee cone at frame 15, reservoir return line	...	...	...	...	...	1	L.56	C	S.17
783	E.A3.73.353	PIPE, assembly, from bomb door selector to tee cone, reservoir return line	...	...	...	...	...	1	L.56	C	S.17
1701	E.A3.73.355	PIPE, assembly, from union body cone aft of frame 15 to union body cone aft of frame 19, port brake	...	...	...	...	...	1	DTD.5019	C	S.17
	or										
	E.A3.73.1317	PIPE, assembly (Alt. R60/80—Mod. 5100)	...	...	...	...	...	1	DTD.5019	LM	
5944	E.B6.73.65	PIPE, assembly, from bomb door selector to tee cone, pressure line	...	...	...	...	...	1	DTD.5019	C	S.17
5945	E.B6.73.67	PIPE, assembly, from undercarriage selector to tee cone, pressure line	...	...	...	...	...	1	DTD.5019	C	S.17
5946	E.B6.73.69	PIPE, assembly, from tee cone aft of frame 14 to undercarriage and bomb door selector tee, hand pump pressure line	...	...	...	...	...	1	DTD.5019	C	S.17
	or										
	E.A4.73.5069	PIPE, assembly (Alt. R60/80—Mod. 5100)	...	...	...	...	...	1	DTD.5019	LM	
5947	E.B6.73.73	PIPE, assembly, from bomb door selector to cone union body aft of frame 19, "closed" line	...	...	...	...	...	1	DTD.5019	C	S.17
16505	E.B6.73.121	PIPE, assembly, from undercarriage selector to tee cone aft of frame 17, "up" line	...	...	...	...	...	1	DTD.5019	C	S.17
16506	E.B6.73.123	PIPE, assembly, from undercarriage selector to tee cone aft of frame 19, "down" line	...	...	...	...	...	1	DTD.5019	C	S.17
16507	E.B6.73.125	PIPE, assembly, from bomb door selector to cone union body aft of frame 19, "open" line	...	...	...	...	...	1	DTD.5019	C	S.17

CANBERRA E Mk. 15

Page SR.5

SERVICES

HYDRAULIC EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
12124	E.B6.73.149	PIPE, assembly, from bomb door selector aft tee cone to undercarriage selector tee cone, pressure line						1	DTD.5019	C	S.17
26DK/24376	EEAS.237/17CH	WASHER, "D" (Alt. R60/39—Mod. 5100)						12	S.511	—	S.17
	EEAS.239/1CH	WASHER, "D" (Alt. R60/39—Mod. 5100)						1	S.511	—	
	EEAS.239/2CH	WASHER, "D" (Alt. R60/39—Mod. 5100)						1	S.511	C	
	E.B6.73.163	MOUNTING OF ROTARY CONTROL VALVE AND ACTUATOR FOR AIR BRAKES, ASSEMBLY Spares for:—						—	—	—	
	EE. CO. LTD. BRADFORD TYPE 217 Mk.1	ACTUATOR AND HYDRAULIC VALVE FOR AIR BRAKES, ASSEMBLY Consisting of:—						1	—	—	S.17
5W/4511895	AED.200152	ACTUATOR, type 200, Mk. 1						1	—	A	B
5W/342	—	BRACKET, mounting						1	—	—	
27QM/4143265	DOWTY 408Y Mk.L	VALVE (Pre-Mod. 3937)						1	—	A	A
27QM/4143260	408YBL	VALVE, (Mod. 3937)						1	—	—	
		Attaching parts for type 217, Mk. 1:—									
28D/1214311	A25/17C	Bolt, 2 BA						2	—	C	C
28M/9403520	A27/CP	Nut, 2 BA						2	—	—	
	AS.2811 S.149	Tube, distance						2	L.62	LM	C
28W/9419475	SP.15/C	Washer, plain						2	—	—	
28W/9416643	SP.47/C	Washer, spring						2	—	—	C
829	E.A1.73.181	CLIP, for thermal relief valve mounting at frame 19 Attaching parts for E.A1.73.181:—						2	—	C	C
28D/9435710	A25/11C	Bolt, 2 BA						2	—	—	
28M/9403520	A27/CP	Nut, 2 BA						2	—	—	C
28W/9416643	SP.47/C	Washer, spring						2	—	—	C
5260	EEAS.143/5H	CLIP, pipe, single, $\frac{3}{8}$ " o/d., bonding						10	L.72	C	S.18
5258	EEAS.143/6H	CLIP, pipe, single, $\frac{1}{2}$ " o/d., bonding						2	L.72	C	S.18
5348	EEAS.143/8H	CLIP, pipe, single, $\frac{3}{4}$ " o/d., bonding						17	L.72	C	S.18
	or	Alternative clips (Alt. R60/39—Mod. 5100)									
5K/6323922	AS.4526/3	CLIP, $\frac{3}{8}$ "						4	—	C	C
5K/4345976	AS.4526/4	CLIP, $\frac{1}{2}$ "						1	—	—	
5K/4345977	AS.4526/6	CLIP, $\frac{3}{4}$ "						8	—	—	C
		Attaching parts for EEAS.143/5H, EEAS.143/6H and EEAS.143/8H:—									
28D/1010658	A25/1B	Bolt, 4 BA (As required)						1	—	C	C
28M/1278189	AGS.2001/B/1	Nut, 4 BA (As required)						1	—	—	
28W/9419474	SP.15/B	Washer, plain (As required)						1	—	—	C
5259	EEAS.21/2ERH	Washer, "D" (As required)						1	L.72	C	S.18
28F/9476124	AGS.1118/C	CONE, tee						1	—	C	C
28F/9463542	AGS.1120/6	CONE, tee						1	—	—	
28F/9129085	AGS.1102/A	CONE, union body						1	—	C	C
28F/9471001	AGS.1102/C	CONE, union body						2	—	—	
845	E.A3.73.467	PIPE, assembly, from air brake selector to 4-way union piece forward of frame 19, return line						1	L.56	C	S.17
846	E.A3.73.469	PIPE, assembly, from thermal relief valve tee cone to 4-way union piece forward of frame 19, return line						1	DTD.5019	C	S.17
	or										
	E.A3.73.1337	PIPE, assembly (Alt. R60/80—Mod. 5100)						1	DTD.5019	LM	

SERVICES

HYDRAULIC EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
847	E.A3.73.471	PIPE, assembly, from outer thermal relief valve to tee cone aft of frame 19						1	DTD.5019	C	S.17
848	E.A3.73.473	PIPE, assembly, from tee cone aft of frame 19 to inner thermal relief valve, return line						1	DTD.5019	C	S.17
849	E.A3.73.475	PIPE, assembly, from tee cone aft of frame 20 to inboard thermal relief valve, reservoir return line						1	DTD.5019	C	S.17
12052	E.B6.73.117	PIPE, assembly, from union cone at centre line of aircraft to union cone forward of frame 20, starboard, undercarriage "down" line						1	DTD.5019	C	S.17
12053	E.B6.73.119	PIPE, assembly, from cone tee forward of frame 20 to union cone at centre line of aircraft, undercarriage "down" line						1	DTD.5019	C	S.17
15142	E.B6.73.135	PIPE, assembly, from air brake actuator to tee cone forward of main spar, pressure line						1	DTD.5019	C	S.17
15144	E.B6.73.137	PIPE, assembly, from outer thermal relief valve to tee cone forward of main spar, return line						1	DTD.5019	C	S.17
15146	E.B6.73.147	PIPE, assembly, from airbrake selector to tee cone forward of main spar, return line						1	DTD.5019	C	S.17
	EEAS.237/17CH	WASHER, "D" (Alt. R60/39—Mod. 5100) ...						12	S.511	—	
	E.A3.73.395	PIPES, HYDRAULIC, BETWEEN FRAMES 27 AND 28, ASSEMBLY						—	—	—	S.18
		Spares for:—									
5259	EEAS.143/6H	CLIP, pipe, single, 1/4" o/d., bonding ...						12	L.72	C	S.18
	or										
5K/4345976	AS.4526/4	CLIP, 1" (Alt. R60/39—Mod. 5100) ...						7	—	C	
		Attaching parts for EEAS.143/6H:—									
28D/1010658	A25/1B	Bolt, 4 BA ...						1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA ...						1	—	C	
28W/9419474	SP.15/B	Washer, plain ...						1	—	C	
5259	EEAS 21/2ERH	Washer, "D" ...						1	L.72	C	S.18
28F/8011811	AGS.1118/B	CONE, tee ...						2	—	C	
828	E.A1.73.205	FAIRLEAD, at pipe entry to port and starboard wing forward of frame 28, flaps "up" and "down"						2	BS.2572	C	S.18
		Attaching parts for E.A1.73.205:—									
28D/1212941	A61/3C	Bolt, 2 BA ...						4	—	C	
28M/4095911	A29/CP	Nut, 2 BA ...						4	—	C	
28W/9419474	SP.15/B	Washer, plain ...						4	—	C	
28W/9416643	SP.47/C	Washer, spring ...						4	—	C	
2003	E.A3.73.513	PIPE, assembly, from tee cone forward of frame 28 to union cone between wing ribs 1 and 2, flaps "down" line, starboard						1	DTD.5019	C	S.18
	or										
	E.A3.73.1345	PIPE, assembly, (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
2004	E.A3.73.515	PIPE, assembly, from tee cone forward of frame 28 to union cone between wing ribs 1 and 2, flaps "down" line, port						1	DTD.5019	C	S.18
	or										
	E.A3.73.1347	PIPE, assembly, (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
2005	E.A3.73.517	PIPE, assembly, from tee cone forward of frame 28 to union cone between wing ribs 1 and 2, flaps "up" line, starboard						1	DTD.5019	C	S.18
	or										
	E.A3.73.1349	PIPE, assembly, (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	

CANBERRA E Mk. 15

Page SR.7

SERVICES

HYDRAULIC EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1 2 3 4 5 6				
2006	E.A3.73.519	PIPE, assembly, from tee cone forward of frame 28 to union cone between wing ribs 1 and 2, flaps "up" line, port	1	DTD.5019	C	S.18
	or					
	E.A3.73.1351	PIPE, assembly (Alt. R60/80—Mod. 5100)	1	DTD.5019	LM	
	EEAS.237/17CH	WASHER, D (Alt. R60/39—Mod. 5100)	7	S.511	—	
	E.A3.73.404	PIPES, HYDRAULIC, BETWEEN FRAMES 17 AND 18, STARBOARD, ASSEMBLY	—	—	—	S.17
		Spares for:—				
5526	EEAS.91/3	CLIP, pipe, double, $\frac{1}{8}$ " o/d	2	L.72	C	S.18
5348	EEAS.143/8H	CLIP, pipe, single, $\frac{1}{8}$ " o/d, bonding	4	L.72	C	S.18
	or					
5K/4345977	AS.4526/6	CLIP, $\frac{3}{8}$ " (Alt. R60/39—Mod. 5100)	4	—	C	
		Attaching parts for EEAS.91/3 and EEAS.143/8H:—				
28D/1008149	A25/2B	Bolt, 4 BA (As required)	1	—	C	
28D/9419452	A25/3B	Bolt, 4 BA (As required)	1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA	1	—	C	
28W/9419474	SP.15/B	Washer, 4 BA (As required)	1	—	C	
5259	EEAS.21/2ERH	Washer, "D"	1	L.72	C	S.18
28F/9140971	AGS.1104/C	CONE, adaptor	1	—	C	
		Attaching parts for AGS.1104/C:—				
28F/9429532	AGS.1186/C	Seal, bonded	1	—	C	
28F/4051566	AGS.1120/3	CONE, tee	1	—	C	
19875	E.86.73.187	PIPE, assembly, between tee cones forward and aft of frame 17, flap "return" line	1	—	C	S.17
28F/9707349	AGS.1114/C	SLEEVE, screwed, flanged, bulkhead	1	—	C	
		Attaching parts for AGS.1114/C:—				
28D/9436920	A25/1C	Bolt, 2 BA	3	—	C	
28M/9403520	A27/CP	Nut, 2 BA	3	—	C	
28F/11736	AGS.1115/5	Washer, plate	1	—	C	
28W/9416643	SP.47/C	Washer, spring	3	—	C	
980	EEAS.20/1DR	TAB, locking	1	L.72	C	
	EEAS.237/17CH	WASHER, "D" (Alt. R60/39—Mod. 5100)	4	S.511	—	
	E.A3.73.405	PIPES, HYDRAULIC, BETWEEN FRAMES 18 AND 19, ASSEMBLY	—	—	—	S.17
		Spares for:—				
805	E.A1.73.175	CLIP, pressure relief valve	2	—	C	S.17
		Attaching parts for E.A1.73.175:—				
28D/9435710	A25/11C	Bolt, 2 BA (Aft end)	2	—	C	
28D/9419397	A25/12C	Bolt, 2 BA (Forward end)	2	—	C	
28M/9403520	A27/CP	Nut, 2 BA	2	—	C	
28W/9416643	SP.47/C	Washer, spring	2	—	C	
829	E.A1.73.181	CLIP, thermal relief valve	1	—	C	S.17
		Attaching parts for E.A1.73.181:—				
28D/9435710	A25/11C	Bolt, 2 BA	2	—	C	
28M/9403520	A27/CP	Nut, 2 BA	2	—	C	
28W/9416643	SP.47/C	Washer, spring	2	—	C	
4965	EEAS.143/5	CLIP, pipe, single, $\frac{3}{8}$ " o/d	4	L.72	C	
5258	EEAS.143/6H	CLIP, pipe, single, $\frac{1}{2}$ " o/d, bonding	2	L.72	C	S.18
5348	EEAS.143/8H	CLIP, pipe, single, $\frac{1}{2}$ " o/d, bonding	6	L.72	C	S.18
	or	Alternative clips (Alt. R60/39—Mod. 5100)				
5K/6323922	AS.4526/3	CLIP, $\frac{3}{8}$ "	2	—	C	
5K/4345976	AS.4526/4	CLIP, $\frac{1}{2}$ "	3	—	C	
5K/4345977	AS.4526/6	CLIP, $\frac{1}{2}$ "	2	—	C	

SERVICES

HYDRAULIC EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
28D/1010658	A25/18	Attaching parts for EEAS.143/5, EEAS.143/6, and EEAS.143/8H:—						1	—	C	
28M/1278189	AGS.2001/B/1	Bolt, 4 BA						1	—	C	
28W/9419474	SP.15/B	Nut, 4 BA						1	—	C	
5259	EEAS.21/2ERH	Washer, 4 BA						1	—	C	
		Washer, "D"						1	L.72	C	S.18
28F/9463543	AGS.1120/1	CONE, tee						1	—	C	
28F/8011811	AGS.1118/B	CONE, tee						1	—	C	
28F/9513028	AGS.1107/E	CONE, union reducing						2	—	C	
28F/8011885	AGS.1142/B	NIPPLE, adaptor						1	—	C	
820	E.A3.73.443	PIPE, assembly, from reducing cone aft of frame 18 to restrictor valve, flaps "down" line						1	DTD.5019	C	S.17
	or										
	E.A3.73.1319	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
821	E.A3.73.445	PIPE, assembly, from restrictor valve to tee cone at frame 19, flaps "down" line						1	DTD.5019	C	S.17
	or										
	E.A3.73.1321	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
1997	E.A3.73.447	PIPE, assembly, from tee cone at frame 19 to tee cone aft of frame 27, flaps "down" line						1	DTD.5019	C	S.17
	or										
	E.A3.73.1323	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
822	E.A3.73.449	PIPE, assembly, from flaps "down" line tee cone at frame 19 to pressure relief valve						1	DTD.5019	C	S.17
	or										
	E.A3.73.1325	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
823	E.A3.73.451	PIPE, assembly, from reducing cone aft of frame 18 to thermal relief valve tee, flaps "up" line						1	DTD.5019	C	S.17
	or										
	E.A3.73.1327	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
1998	E.A3.73.453	PIPE, assembly, from thermal relief valve tee to tee cone aft of frame 27, flaps "up" line						1	DTD.5019	C	S.17
	or										
	E.A3.73.1329	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
824	E.A3.73.455	PIPE, assembly, from thermal relief valve to flaps "up" line tee cone						1	DTD.5019	C	S.17
4518	E.A3.73.657	PIPE, assembly, from 4-way union cone forward of frame 19 (port) to reducing cone forward of frame 20, port airbrake return line						1	L.56	C	S.17
	or										
	E.A3.73.1331	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	L.56	LM	
4520	E.A3.73.659	PIPE, assembly, from pressure relief valve to 4-way union cone aft of frame 18, return line						1	L.56	C	S.17
	or										
	E.A3.73.1333	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	L.56	LM	
4521	E.A3.73.661	PIPE, assembly, from 4-way union cone aft of frame 18 to tee cone aft of frame 17, return line						1	L.56	C	S.17
	or										
	E.A3.73.1335	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	L.56	LM	
4517	E.A3.73.663	PIPE, assembly, from pressure relief valve to 4-way cone, return line						1	DTD.5019	C	S.17
4519	E.A3.73.665	PIPE, assembly, from 4-way cone aft of frame 18 to union cone forward of frame 20, return line						1	DTD.5019	C	S.17
28F/4051705	AGS.1125/1	UNION, piece, cone 4-way						1	—	C	
28F/9489760	AGS.1125/4	UNION, piece, cone 4-way						1	—	C	
	EEAS.237/17CH	WASHER, "D" (Alt. R60/39—Mod. 5100) ...						7	S.511	—	

CANBERRA E Mk. 15

Page SR.9

SERVICES

HYDRAULIC EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.A3.73.407	PIPES, HYDRAULIC, FRAME 19 TO FRAME 28, BOMB BAY, ASSEMBLY						—	—	—	S.18
		Spares for:—									
1880	EEAS.91/1	CLIP, pipe, double, $\frac{1}{4}$ " o/d ...						1	L.72	C	S.18
5526	EEAS.91/3	CLIP, pipe, double, $\frac{1}{4}$ " o/d ...						1	L.72	C	S.18
5258	EEAS.143/6H	CLIP, pipe, single, $\frac{1}{4}$ " o/d, bonding ...						20	L.72	C	S.18
5348	EEAS.143/8H	CLIP, pipe, single, $\frac{1}{4}$ " o/d, bonding ...						22	L.72	C	S.18
	or	Alternative clips (Alt.R60/39—Mod. 5100) ...									
5K/4345976	AS.4526/4	CLIP, $\frac{1}{4}$ " ...						6	—	C	
5K/4345977	AS.4526/6	CLIP, $\frac{3}{8}$ " ...						6	—	C	
28E/9130611	AS.5419/4	CLIP, $\frac{1}{4}$ " ...						8	—	C	
28E/9130685	AS.5419/6	CLIP, $\frac{3}{8}$ " ...						10	—	C	
		Attaching parts for EEAS.91/1, EEAS.91/3, EEAS.143/6H, and EEAS.143/8H:—									
28D/1010658	A25/1B	Bolt, 4 BA (As required) ...						1	—	C	
28D/1008149	A25/2B	Bolt, 4 BA (As required) ...						1	—	C	
28D/9419452	A25/3B	Bolt, 4 BA (As required) ...						1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA ...						1	—	C	
5259	EEAS.21/2ERH	Washer, "D" (As required) ...						1	L.72	C	S.18
28W/9419474	SP.15/B	Washer, plain (As required) ...						1	—	C	
28F/9471001	AGS.1102/C	CONE, union body ...						2	—	C	
13160	E.B6.73.333	PIPE, assembly, from union cone aft of frame 19 to union cone aft of frame 28, bomb doors "open" line						1	DTD.5019	C	S.17
13162	E.B6.73.335	PIPE, assembly, from union cone aft of frame 19 to union cone aft of frame 28, bomb doors "closed" line						1	DTD.5019	C	S.17
	EEAS.237/17CH	WASHER, "D" (Alt. R60/39—Mod. 5100) ...						30	S.511	—	
	E.A3.73.485	PIPES, HYDRAULIC, AIR BRAKE, BETWEEN FRAMES 21 AND 23, ASSEMBLY						—	—	—	S.18
		Spares for:—									
5258	EEAS.143/6H	CLIP, pipe, single, $\frac{1}{4}$ " o/d, bonding ...						17	L.72	C	S.18
5348	EEAS.143/8H	CLIP, pipe, single, $\frac{1}{4}$ " o/d, bonding ...						4	L.72	C	S.18
	or	Alternative clips (Alt. R60/39—Mod. 5100) ...									
5K/4345976	AS.4526/4	CLIP, $\frac{1}{4}$ " ...						11	—	C	
5K/4345977	AS.4526/6	CLIP, $\frac{3}{8}$ " ...						2	—	C	
		Attaching parts for EEAS.143/6H and EEAS.143/8H:—									
28D/1010658	A25/1B	Bolt, 4 BA (As required) ...						1	—	C	
28D/1008149	A25/2B	Bolt, 4 BA (As required) ...						1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA ...						1	—	C	
5259	EEAS.21/2ERH	Washer, "D" (As required) ...						1	L.72	C	
28W/9419474	SP.15/B	Washer, plain (As required) ...						1	—	C	
28F/8011809	AGS.1104/B	CONE, adaptor ...						4	—	C	
		Attaching parts for AGS.1104/B:—									
28F/9428453	AGS.1186/B	Seal, bonded ...						1	—	C	
28F/9140971	AGS.1104/C	CONE, adaptor ...						2	—	C	
		Attaching parts for AGS.1104/C:—									
28F/9429532	AGS.1186/C	Seal, bonded ...						1	—	C	
28F/1013402	AGS.1111/B	CONE, union, body, flanged, bulkhead ...						4	—	C	
		Attaching parts for AGS.1111/B:—									
28D/1010658	A25/1B	Bolt, 4 BA ...						6	—	C	
28M/9403519	A27/BP	Nut, 4 BA ...						6	—	C	
28F/9128928	AGS.1115/2	Washer, plate ...						1	—	C	
28W/9416642	SP.47/B	Washer, spring ...						6	—	C	

SERVICES

HYDRAULIC EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
853	E.A3.73.489	PIPE, assembly, from inboard flow divider to flanged union cone at port wing joint, forward of frame 22, air brake "out" line						1	DTD.5019	C	S.18
	or										
	E.A3.73.1353	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
854	E.A3.73.491	PIPE, assembly, from outboard flow divider to flanged union cone at port wing joint, aft of frame 22, air brake "in" line						1	DTD.5019	C	S.18
	or										
	E.A3.73.1355	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
2001	E.A3.73.493	PIPE, assembly, from inboard flow divider to flanged union cone at starboard wing joint, aft of frame 22, air brake "out" line						1	DTD.5019	C	S.18
	or										
	E.A3.73.1357	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
2002	E.A3.73.495	PIPE, assembly, from outboard flow divider to flanged union cone at starboard wing joint, aft of frame 22, air brake "in" line						1	DTD.5019	C	S.18
	or										
	E.A3.73.1359	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
981	EEAS.20/2DR	TAB, locking, 22 SWG ...						8	L.72	C	S.18
	EEAS.237/17CH	WASHER, "D" (Alt. R60/39—Mod. 5100) ...						13	S.511	—	
	E.B6.73.7	PIPES, HYDRAULIC, BETWEEN FRAMES 20 AND 21, ASSEMBLY						—	—	—	
		Spares for:—									
5260	EEAS.143/5H	CLIP, pipe, $\frac{1}{8}$ " o/d., bonding ...						19	L.72	C	S.18
5258	EEAS.143/6H	CLIP, pipe, $\frac{1}{8}$ " o/d., bonding ...						13	L.72	C	S.18
5348	EEAS.143/8H	CLIP, pipe, $\frac{1}{8}$ " o/d., bonding ...						16	L.72	C	S.18
	or	Alternative clips (Alt. R60/39—Mod. 5100) ...									
5K/6323922	AS.4526/3	CLIP, $\frac{1}{8}$ " ...						9	—	C	
5K/4345976	AS.4526/4	CLIP, $\frac{1}{8}$ " ...						8	—	C	
5K/4345977	AS.4526/6	CLIP, $\frac{1}{8}$ " ...						6	—	C	
		Attaching parts for EEAS.143/5H, EEAS.143/6H and EEAS.143/8H:—									
28D/1010658	A25/1B	Bolt, 4 BA (As required) ...						1	—	C	
28D/1008149	A25/2B	Bolt, 4 BA (As required) ...						1	—	C	
28D/1007979	AS.1246/1B	Bolt, 4 BA (As required) ...						1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA ...						1	—	C	
5259	EEAS.21/2ERH	Washer, "D" (As required) ...						1	L.72	C	S.18
28W/9419474	SP.15/B	Washer, plain (As required) ...						1	—	C	
28W/9416642	SP.47/B	Washer, spring (As required) ...						1	—	C	
28F/9140971	AGS.1104/C	CONE, adaptor ...						2	—	C	
		Attaching parts for AGS.1104/C:—									
28F/9429532	AGS.1186/C	Seal, bonded ...						1	—	C	
28F/9476124	AGS.1118/C	CONE, tee ...						3	—	C	
28F/8011883	AGS.1102/B	CONE, union body ...						1	—	C	
806	E.A1.73.177	COUPLING, tee, $\frac{1}{8}$ " x $\frac{1}{8}$ " x $\frac{1}{8}$ " ...						2	—	C	
6520	E.A6.73.65	FAIRLEAD ...						2	BS.2572	C	S.17
		Attaching parts for E.A6.73.65:—									
28D/1212941	A61/3C	Bolt, 2 BA ...						4	—	C	
28M/4095911	A29/CP	Nut, 2 BA ...						4	—	C	
28W/9419402	SP.13/C	Washer ...						4	—	C	
28W/9416643	SP.47/C	Washer, spring ...						4	—	C	

CANBERRA E Mk. 15

Page SR.11

SERVICES

HYDRAULIC EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description	No off	Matl Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
4515	E.A3.73.653	PIPE, assembly, from union cone forward of frame 20 to union cone at starboard wing joint, brake return line	1	DTD.5019	C	S.17
4516	E.A3.73.655	PIPE, assembly, from union cone forward of frame 20 to union cone at port wing joint, brake return line	1	DTD.5019	C	S.17
12051	E.B6.73.85	PIPE, assembly, from union cone forward of main spar to union cone at starboard wing joint, brake pressure line	1	DTD.5019	C	S.17
15137	or E.A4.73.5075	PIPE, assembly (Alt. R60/80—Mod. 5100) ...	1	DTD.5019	LM	S.17
	E.B6.73.115	PIPE, assembly, from union cone forward of frame 20 to starboard wing joint, undercarriage "down" line	1	DTD.5019	C	
15138	E.B6.73.127	PIPE, assembly, from tee cone forward of frame 20 to port wing joint, undercarriage "down" line	1	DTD.5019	C	S.17
15139	E.B6.73.129	PIPE, assembly, from tee cone forward of main spar to outboard flow divider aft of frame 22, return line	1	DTD.5019	C	S.18
15140	E.B6.73.131	PIPE, assembly, from union cone forward of main spar to union cone forward of frame 20, starboard brake pressure line	1	DTD.5019	C	S.17
15141	or E.A4.73.5073	PIPE, assembly (Alt. R60/80—Mod. 5100) ...	1	DTD.5019	LM	S.18
	E.B6.73.133	PIPE, assembly, from tee cone forward of main spar to inboard flow divider aft of frame 22, air brake pressure line	1	DTD.5019	C	
12006	E.B6.73.145	PIPE, assembly, from union cone forward of frame 20 to union cone at port wing joint, brake pressure line	1	DTD.5019	C	S.17
12008	or E.A4.73.5071	PIPE, assembly (Alt. R60/80—Mod. 5100) ...	1	DTD.5019	LM	S.17
	E.B6.73.153	PIPE, assembly, from solenoid operated valve to tee cone aft of frame 20	1	DTD.5019	C	
12009	E.B6.73.155	PIPE, assembly, from tee cone to non-return valve, aft of frame 20	1	DTD.5019	C	S.17
12010	E.B6.73.157	PIPE, assembly, from non-return valve to thermal relief valve tee, aft of frame 20	1	DTD.5019	C	S.17
12011	E.B6.73.159	PIPE, assembly, from thermal relief valve tee cone to solenoid operated valve tee cone, forward of main spar	1	DTD.5019	C	S.17
12012	E.B6.73.161	PIPE, assembly, from solenoid operated valve to tee cone forward of main spar, air brake pressure line	1	DTD.5019	C	S.17
28F/1011798 835	EEAS.237/17CH E.B6.73.9	WASHER, "D" (Alt. R60/39—Mod. 5100) ...	22	S.511	—	S.17
		PIPES, HYDRAULIC, BETWEEN FRAMES 12 AND 13, PORT SIDE, ASSEMBLY	—	—	—	
28D/1011006 28M/9403519 28W/9416642	AGS.1103/F E.A1.70.61	Spares for:— BODY, cone union ...	1	—	C	S.17
		CLAMP, pipe, forward face, frame 13 bulkhead ...	1	BS.2572	C	
		Attaching parts for E.A1.70.61:— Bolt, 4 BA ...	2	—	C	
		Nut, 4 BA ...	2	—	C	
		Washer, spring ...	2	—	C	
841	E.A1.73.257	CLAMP, pipe, at frame 13 bulkhead, starboard ...	1	BS.2572	C	S.17
28D/9140645 28M/1006473 28W/9416643	A25/10C	Attaching parts for E.A1.73.257:— Bolt, 2 BA ...	2	—	C	S.17
	A27/CT	Nut, 2 BA ...	2	—	C	
	SP.47/C	Washer, spring ...	2	—	C	

SERVICES

HYDRAULIC EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
1536	E.A1.73.325	CLAMP , pipe, at frame 13 bulkhead, port ...						1	BS.2572	C	S.17
28D/1010142	A25/9B	Attaching parts for E.A1.73.325:—									
28M/9403519	A27/BP	Bolt, 4 BA ...						2	—	C	
28W/9419474	SP.15/B	Nut, 4 BA ...						2	—	C	
28W/9416642	SP.47/B	Washer ...						2	—	C	
		Washer, spring ...						2	—	C	
1880	EEAS.91/1	CLIP , pipe, double, 1/2" o/d. ...						2	L.16	C	S.18
5258	EEAS.143/6H	CLIP , pipe, single, 3/8" o/d., bonding ...						7	L.72	C	S.18
5521	EEAS.143/24H	CLIP , pipe, single, 1/2" o/d., bonding ...						6	L.72	C	S.18
	or	Alternative clips (Alt. R60/39—Mod. 5100) ...									
5K/4345976	AS.4526/4	CLIP , 1/2" ...						6	—	C	
5K/4345980	AS.4526/12	CLIP , 1/2" ...						4	—	C	
		Attaching parts for EEAS.91/1, EEAS.143/6H and EEAS.143/24H:—									
28D/1010658	A25/1B	Bolt, 4 BA (As required) ...						1	—	C	
28D/9436920	A25/1C	Bolt, 2 BA (As required) ...						1	—	C	
28M/9403519	A27/BP	Nut, 4 BA (As required) ...						1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA (As required) ...						1	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA (As required) ...						1	—	C	
5259	EEAS.21/2ERH	Washer "D" (As required) ...						1	L.72	C	S.18
28W/9416642	SP.47/B	Washer, spring (As required) ...						1	—	C	
28F/8011809	AGS.1104/B	CONE , adaptor ...						1	—	C	
28F/9463543	AGS.1120/1	CONE , tee ...						2	—	C	
28F/9129085	AGS.1102/A	CONE , union body ...						1	—	C	
28F/8011883	AGS.1102/B	CONE , union body ...						4	—	C	
5K/7000230	AS.3360/B3B	LEAD , bonding ...						1	—	C	
5K/7000227	AS.3360/B5B	LEAD , bonding ...						2	—	C	
6150-99-7135	AGS.2097/B3B	LEAD , bonding (Alt. R60/39—Mod. 5100) ...						1	—	C	
-745	AGS.2097/B5B	LEAD , bonding (Alt. R60/39—Mod. 5100) ...						2	—	LM	
7770	E.A1.73.129	MOUNTING, "YOKES" FILTER, ON FRAME 13 BULKHEAD, ASSEMBLY						1	—	B	
		Spares for:—									
1498	E.A1.73.377	ADAPTOR , engine suction line pipe to filter						2	DTD.683	C	
3393	E.A1.73.393	CLIP , filter mounting ...						1	L.72	C	
28F/1013599	AGS.1142/A	NIPPLE , adaptor ...						1	—	C	
28F/8011897	AGS.1142/F	NIPPLE , adaptor ...						4	—	C	
837	E.A1.73.331	PIPE , assembly, from ground selector to union cone, nosewheel "up" line						1	DTD.5019	C	S.17
	or										
	E.A3.73.1291	PIPE , assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
838	E.A1.73.333	PIPE , assembly, from ground selector to union cone, nosewheel "down" line						1	DTD.5019	C	S.17
	or										
	E.A3.73.1293	PIPE , assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
840	E.A1.73.337	PIPE , assembly, from ground selector to tee cone, hand pump pressure line						1	DTD.5019	C	S.17
1692	E.A3.73.223	PIPE , assembly, from hydraulic air pressure gauge to tee cone						1	DTD.5019	C	S.17
1609	E.A3.73.233	PIPE , assembly, from air pressure gauge tee cone to brake accumulator on frame 12						1	DTD.5019	C	S.17
	or										
	E.A3.73.1205	PIPE , assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
1693	E.A3.73.417	PIPE , assembly, from air pressure gauge tee cone to air charging valve on frame 13 bulkhead						1	DTD.5019	C	S.17
	or										
	E.A3.73.1297	PIPE , assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	

CANBERRA E Mk. 15

Page SR.13

SERVICES

HYDRAULIC EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
1694	E.A3.73.419	PIPE, assembly, from union cone aft of frame 12B to union cone aft of frame 15, port brake line						1	DTD.5019	C	S.17
	or										
	E.A3.73.1299	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
1695	E.A3.73.421	PIPE, assembly, from union cone aft of frame 12B to union cone aft of frame 19, starboard brake line						1	DTD.5019	C	S.17
	or										
	E.A3.73.1301	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
2014	E.A3.73.625	PIPE, assembly, from oil filter to union at frame 12B, suction line						1	L.56	C	S.17
3094	E.A3.73.637	PIPE, assembly, from nosewheel selector tee to tee cone aft of frame 12B, hand pump pressure line						1	DTD.5019	C	S.17
	or										
	E.A3.73.1295	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
5949	E.A3.73.787	PIPE, assembly, from union cone aft of frame 12B to union cone forward of frame 15, pressure gauge line						1	DTD.5019	C	S.17
2013	E.A3.73.623	PIPE, assembly, from union body at frame 13 to oil filter, suction line (To be used with pipe assembly Part No. E.B6.73.71)						1	L.56	C	S.17
	or										
21854	E.A9.73.651	PIPE, assembly, from union body at frame 13 to oil filter, suction line (To be used with pipe assembly Part No. E.A9.73.649)						1	L.56	C	S.17
28F/9128943	AGS.1114/B	SLEEVE, screwed, flanged bulkhead ...						1	—	C	
		Attaching parts for AGS.1114/B:—									
28D/1010658	A25/1B	Bolt, 4 BA ...						6	—	C	
28M/9403519	A27/BP	Nut, 4 BA ...						6	—	C	
28F/9428453	AGS.1186/B	Seal, bonded ...						2	—	C	
28F/4051641	AGS.1115/3	Washer plate ...						1	—	C	
28W/9416642	SP.47/B	Washer spring ...						6	—	C	
981	EEAS.20/2DR	TAB, locking, 20 SWG ...						2	L.72	C	S.18
	EEAS.237/17CH	WASHER, "D" (Alt. R60/39—Mod. 5100) ...						4	S.511	—	
26DK/24376	EEAS.239/2CH	WASHER, "D" (Alt. R60/39—Mod. 5100) ...						6	S.511	C	
	E.B6.73.11	PIPES, HYDRAULIC, BETWEEN FRAMES 13 AND 14 AND FOR FRONT BOMB DOOR JACK, ASSEMBLY						—	—	—	S.17
		Spares for:—									
829	E.A1.73.181	CLIP, pipe, flexible (Pre-Mod. 2121) ...						2	—	C	
		Attaching parts for E.A1.73.181:—									
28D/9140645	A25/10C	Bolt, 2 BA (As required) ...						2	—	C	
28D/9419397	A25/12C	Bolt, 2 BA (As required) ...						2	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA ...						2	—	C	
28W/9419402	SP.13/C	Washer, 2 BA ...						2	—	C	
5348	EEAS.143/8H	CLIP, pipe, single, 1/2" o/d., bonding (Pre-Mod. 2121)						2	L.72	C	S.18
	or										
5K/4345977	AS.4526/6	CLIP, 1/2" (Alt. R60/39—Mod. 5100) ...						1	—	C	
		Attaching parts for EEAS.143/8H:—									
28D/1010658	A25/1B	Bolt, 4 BA ...						1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA ...						1	—	C	
28W/9419474	SP.15/B	Washer, 4 BA ...						1	—	C	
5259	EEAS.21/2ERH	Washer, "D" ...						1	L.72	C	S.18
28F/9471001	AGS.1102/C	CONE, union body ...						2	—	C	

SERVICES

HYDRAULIC EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
5349	E.A1.73.323	FAIRLEAD (Pre-Mod. 2121)						2	BS.2572	C	
		Attaching parts for E.A1.73.323:—									
28D/1010142	A25/9B	Bolt, 4 BA						2	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA						2	—	C	
28W/9419465	SP.13/B	Washer, 4 BA						2	—	C	
1697	E.A3.73.411	PIPE, assembly, from union cone on front face of frame 13 bulkhead to connection with bomb door jack pipe, "closed" line						1	DTD.5019	C	S.17
1698	E.A3.73.413	PIPE, assembly, from union cone front face of frame 13 bulkhead to connection with bomb door jack pipe, "open" line						1	DTD.5019	C	S.17
	E.B6.73.253	PIPES, SPIRAL, BOMB DOOR JACKS, ASSEMBLY (MOD. 2121)						—	—	—	S.17
		Spares for:—									
28E/9713018	AS.3181/6C or	CLIP, pipe, 1/8" o/d						4	—	C	
5K/4345977	AS.4526/6	CLIP, 1/8" (Alt. R60/39—Mod. 5100)						4	—	C	
		Attaching parts for AS.3181/6C or AS.4526/6:—									
28D/1009984	A25/7B	Bolt, 4 BA (As required)						1	—	C	
28D/9436920	A25/1C	Bolt, 2 BA (As required)						1	—	C	
28D/9133011	A25/2C	Bolt, 2 BA (As required)						1	—	C	
28M/9403520	A27/CP	Nut, 2 BA						1	—	C	
27578	E.B6.73.619	Piece, distance (As required)						1	—	LM	S.17
26494	EEAS.21/9BRH or	Washer, "D", bonding						1	L.72	C	
	EEAS.239/1CH	Washer, "D" (Alt. R60/39—Mod. 5100)						1	S.511	—	
28W/9416643	SP.47/C	Washer, spring						1	—	C	
26488	E.B6.73.613	FAIRLEAD						2	BS.2572	C	S.17
		Attaching parts for E.B6.73.613:—									
28D/9133014	A25/13C	Bolt, 2 BA (As required)						2	—	C	
28D/1011024	A25/21C	Bolt, 2 BA (As required)						2	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA (As required)						2	—	C	
26489	E.B6.73.615	Packing (As required)						1	—	LM	S.17
28W/9419475	SP.15/C	Washer, 2 BA						2	—	C	
5K/1037443	AS.3360/C6C or	LEAD, bonding						4	—	C	
	AGS.2097/C6C	LEAD, bonding (Alt. R60/39—Mod. 5100)						2	—	LM	
28F/8011896	AGS.1142/C	NIPPLE, adaptor						3	—	C	
26484	E.B6.73.605	PIPE, assembly, coiled, front bomb door jack pipe, doors "closed" line						1	DTD.5019	C	S.17
26485	E.B6.73.607	PIPE, assembly, coiled, front bomb door jack pipe, doors "open" line						1	DTD.5019	C	S.17
28F/9439766	AGS.1106/C	UNION, body						2	—	C	
	EEAS.237/17CH	WASHER, "D" (Alt. R60/39—Mod. 5100)						1	S.511	—	
	E.B6.73.13	PIPES, HYDRAULIC, BETWEEN FRAMES 14 AND 15, ASSEMBLY						—	—	—	S.17
		Spares for:—									
5260	EEAS.143/5H	CLIP, pipe, single, 1/8" o/d, bonding						4	L.72	C	S.18
5258	EEAS.143/6H	CLIP, pipe, single, 1/8" o/d, bonding						3	L.72	C	S.18
5348	EEAS.143/8H	CLIP, pipe, single, 1/8" o/d, bonding						6	L.72	C	S.18
5544	EEAS.143/21H	CLIP, pipe, single, 1/8" o/d, bonding						2	L.72	C	S.18
5521	EEAS.143/24H or	CLIP, pipe, single, 1/8" o/d, bonding						1	L.72	C	S.18
	AS.4526/3	Alternative clips (Alt. R60/39—Mod. 5100)									
5K/6323922	AS.4526/4	CLIP, 1/8"						4	—	C	
5K/4345976	AS.4526/4	CLIP, 1/8"						3	—	C	
5K/4345977	AS.4526/6	CLIP, 1/8"						4	—	C	
5K/4345978	AS.4526/8	CLIP, 1/8"						1	—	C	
5K/4345980	AS.4526/12	CLIP, 1/8"						1	—	C	

CANBERRA E Mk. 15

Page SR.15

SERVICES

HYDRAULIC EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
28D/1010658	A25/1B	Attaching parts for EEAS.143/5H, EEAS.143/6H, EEAS.143/8H, EEAS.143/21H and EEAS.143/24H:—						1	—	C	S.18
28D/1008149	A25/2B	Bolt, 4 BA (As required) ...						1	—	C	
28D/9133011	A28/2C	Bolt, 4 BA (As required) ...						1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA (As required) ...						1	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA (As required) ...						1	—	C	
5259	EEAS.21/2ERH	Washer, "D" ...						1	L.72	C	
28V/9419474	SP.15/B	Washer, 4 BA ...						1	—	C	S.17
829	E.A1.73.181	CLIP, thermal relief valve mounting ...						4	—	C	
28D/9140645	A25/10C	Attaching parts for E.A1.73.181:—						2	—	C	
28M/1006473	A27/CT	Bolt, 2 BA ...						2	—	C	
28V/9416643	SP.47/C	Nut, 2 BA ...						2	—	C	
28F/11018	AGS.1159/B	Washer, spring ...						2	—	C	
28F/1013959	AGS.1236/B	CONE, cap ...						2	—	C	S.17
28F/9440831	AGS.1118/A	CONE, cap (Alt. R60/80—Mod. 5100) ...						2	—	C	
28F/8011811	AGS.1118/B	CONE, tee ...						2	—	C	
28F/9463543	AGS.1120/1	CONE, tee ...						1	—	C	
28F/9129085	AGS.1102/A	CONE, tee ...						2	—	C	
806	E.A1.73.177	CONE, union body ...						1	—	C	
7764	E.A3.73.593	COUPLING, tee, at thermal relief valve pipe junction with bomb door jack line ...						2	—	C	S.18
28D/9140645	A25/10C	FAIRLEAD, between frames 14 and 15 ...						1	—	C	
5259	EEAS.21/2ERH	Attaching parts for E.A3.73.593:—						2	—	C	
1987	E.A1.73.339	Bolt, 2 BA ...						2	L.72	C	
1988	E.A1.73.343	Washer, "D" ...						2	—	C	
1989	E.A1.73.345	PIPE, assembly, from nosewheel rotary control valve to tee cone aft of frame 14, hand pump pressure line ...						1	DTD.5019	C	S.17
808	E.A1.73.347	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
809	E.A1.73.349	PIPE, assembly, from nosewheel rotary control valve to tee cone aft of frame 14, nose-wheel "up" line ...						1	DTD.5019	C	
1990	E.A1.73.351	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
1991	E.A1.73.353	PIPE, assembly, from nosewheel rotary control valve to tee cone aft of frame 14, nose-wheel "down" line ...						1	DTD.5019	C	
810	E.A1.73.355	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	S.17
808	E.A1.73.347	PIPE, assembly, from aft thermal relief valve to tee cone aft of frame 14 (port) ...						1	DTD.5019	C	
809	E.A1.73.349	PIPE, assembly, from forward thermal relief valve to tee cone aft of frame 14 (port) ...						1	DTD.5019	C	
1990	E.A1.73.351	PIPE, assembly, from tee cone aft of frame 14 to union body forward of frame 13, bomb door "open" line ...						1	DTD.5019	C	
1991	E.A1.73.353	PIPE, assembly, from tee cone aft of frame 14 to union body forward of frame 13, bomb door "closed" line ...						1	DTD.5019	C	
810	E.A1.73.355	PIPE, assembly, from forward thermal relief valve to tee cone aft of frame 14 (starboard) ...						1	DTD.5019	C	

SERVICES

HYDRAULIC EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
811	E.A1.73.357	PIPE, assembly, from aft thermal relief valve to tee cone aft of frame 14 (starboard)						1	DTD.5019	C	S.17
813	E.A1.73.361	PIPE, assembly, from 4-way union to tee cone forward of frame 15, reservoir return line						1	L.56	C	S.17
	or										
814	E.A3.73.1309	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	L.56	LM	
	E.A1.73.363	PIPE, assembly, from forward (port) thermal relief valve to tee cone, reservoir return line						1	DTD.5019	C	S.17
815	E.A1.73.365	PIPE, assembly, from aft (port) thermal relief valve to tee cone, reservoir return line						1	DTD.5019	C	S.17
816	E.A1.73.367	PIPE, assembly, from port thermal relief valves tee to 4-way union cone, reservoir return line						1	DTD.5019	C	S.17
817	E.A1.73.369	PIPE, assembly, from forward (starboard) thermal relief valve to tee cone, reservoir return line						1	DTD.5019	C	S.17
818	E.A1.73.371	PIPE, assembly, from aft (starboard) thermal relief valve to tee cone, reservoir return line						1	DTD.5019	C	S.17
819	E.A1.73.373	PIPE, assembly, from starboard thermal relief valves tee to 4-way union cone, reservoir return line						1	DTD.5019	C	S.17
1992	E.A1.73.375	PIPE, assembly, from tee cone at frame 15 to adaptor nipple at frame 12, reservoir return line						1	L.56	C	S.17
5950	E.A3.73.777	PIPE, assembly, from union cone forward of frame 15 to pressure gauge relay						1	DTD.5019	C	S.17
28F/9717654	AGS.2111	SLEEVE, outer, in 4-way union piece ...						2	—	C	
28F/4051705	AGS.1125/1	UNION, PIECE, cone, 4-way ...						1	—	C	
	EEAS.237/17CH	WASHER, "D" (Alt. R60/39—Mod. 5100) ...						8	S.511	—	
	EEAS.239/1CH	WASHER, "D" (Alt. R60/39—Mod. 5100) ...						1	S.511	—	
26DK/24376	EEAS.239/23CH	WASHER, "D" (Alt. R60/39—Mod. 5100) ...						1	S.511	C	
	E.B6.73.17	PIPES, HYDRAULIC, BETWEEN FRAMES 16 AND 17, PORT AND STARBOARD, ASSEMBLY						—	—	—	S.17
		Spares for:—									
5522	EEAS.91/3H	CLIP, pipe, double, $\frac{3}{8}$ " o/d., bonding ...						1	L.72	C	
5348	EEAS.143/8H	CLIP, pipe, single, $\frac{3}{8}$ " o/d., bonding ...						4	L.72	C	S.18
5543	EEAS.143/10H	CLIP, pipe, single, $\frac{1}{2}$ " o/d., bonding ...						1	L.72	C	S.18
5523	EEAS.143/23H	CLIP, pipe, single, $\frac{3}{8}$ " o/d., bonding ...						10	L.72	C	S.18
28E/1059359	AGS.2081/6	CLIP, pipe, $\frac{1}{2}$ " dia., rubber covered ...						6	—	C	
	or	Alternative clips (Alt. R60/39—Mod. 5100) ...									
5K/4345977	AS.4526/6	CLIP, $\frac{3}{8}$ " ...						8	—	C	
5K/4345978	AS.4526/8	CLIP, $\frac{1}{2}$ " ...						1	—	C	
5K/4345979	AS.4526/10	CLIP, $\frac{3}{4}$ " ...						5	—	C	
28E/9130685	AS.5419/6	CLIP, $\frac{1}{2}$ " ...						2	—	C	
28E/9130754	AS.5419/10	CLIP, $\frac{3}{4}$ " ...						2	—	C	
		Attaching parts for EEAS.91/3H, EEAS.143/8H, EEAS.143/10H, EEAS.143/23H and AGS.2081/6:—									
28D/1010658	A25/1B	Bolt, 4 BA (As required) ...						1	—	C	
28D/9419452	A25/3B	Bolt, 4 BA (As required) ...						1	—	C	
28D/9436920	A25/1C	Bolt, 2 BA (As required) ...						1	—	C	
28D/1200119	A25/4C	Bolt, 2 BA (As required) ...						1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA (As required) ...						1	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA (As required) ...						1	—	C	
28W/9419475	SP.15/C	Washer, 2 BA (As required) ...						1	—	C	
5259	EEAS.21/2ERH	Washer, "D" ...						1	L.72	C	S.18
28F/9476124	AGS.1118/C	CONE, tee ...						3	—	C	
28F/9489323	AGS.1120/10	CONE, tee ...						1	—	C	
30965	E.A3.73.915	COUPLING, pipe ...						3	S.91	C	S.17
803	E.A1.73.249	COUPLING, tee ...						1	DTD.5044	C	S.17

CANBERRA E Mk. 15

Page SR.17

SERVICES

HYDRAULIC EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
16510	E.B6.73.197	FAIRLEAD , at starboard wing joint						1	BS.2572	C	S.17
		Attaching parts for E.B6.73.197:—									
28D/1200119	A25/4C	Bolt, 2 BA						4	—	C	
28M/9403520	A27/CP	Nut, 2 BA						4	—	C	
28W/9416643	SP.47/C	Washer, spring						4	—	C	
16512	E.B6.73.203	FAIRLEAD , at port wing joint						1	—	C	S.17
		Attaching parts for E.B6.73.203:—									
28D/1200119	A25/4C	Bolt, 2 BA						4	—	C	
28M/9403520	A27/CP	Nut, 2 BA						4	—	C	
28W/9416643	SP.47/C	Washer, spring						4	—	C	
16511	E.B6.73.199	FAIRLEAD , half, for pipes to starboard wing ...						2	BS.2572	C	S.17
		Attaching parts for E.B6.73.199:—									
28D/9140644	A25/9C	Bolt, 2 BA						3	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA						3	—	C	
28W/9419402	SP.13/C	Washer, 2 BA						3	—	C	
5K/7000230	AS.3360/B3B	LEAD , bonding						2	—	C	
5K/7001266	AS.3360/C3C	LEAD , bonding						5	—	C	
	or										
6150-99-7135-745	AGS.2097/B3B	LEAD , bonding (Alt. R60/39—Mod. 5100) ...						1	—	C	
	AGS.2097/C3C	LEAD , bonding (Alt. R60/39—Mod. 5100) ...						3	—	LM	
28F/9439897	AGS.1142/E	NIPPLE , adaptor						8	—	C	
28F/8011897	AGS.1142/F	NIPPLE , adaptor						2	—	C	
7758	E.A3.73.717	PEG						1	—	C	
		Attaching parts for E.A3.73.717:—									
28M/1278190	AGS.2001/C/1	Nut, 2 BA						1	—	C	
792	E.A3.73.375	PIPE , assembly, between union bodies aft of frame 16, port engine driven pump suction line						1	L.56	C	S.17
794	E.A3.73.383	PIPE , assembly, from union body to tee coupling, aft of frame 16, port engine driven pump suction line						1	L.56	C	S.17
801	E.A3.73.499	PIPE , assembly, from tee coupling to union body, aft of frame 16, engine driven pump suction line						1	L.56	C	S.17
3661	E.A3.73.703	PIPE , assembly, from tee cone forward to tee cone aft, pressure line						1	DTD.5019	C	S.17
3663	E.A3.73.705	PIPE , assembly, from tee cone to ground/flight selector, pressure line						1	DTD.5019	C	S.17
5959	E.A3.73.779	PIPE , assembly, from ground/flight selector to tee cone forward of frame 16						1	DTD.5019	C	S.17
5960	E.A3.73.811	PIPE , assembly, from tee cone to pressure relay gauge						1	DTD.5019	C	S.17
30957	E.A3.73.911	PIPE , assembly, between couplings aft of frame 16, port engine driven pump delivery line						1	DTD.743	C	S.17
30955	E.A3.73.913	PIPE , assembly, between couplings aft of frame 16, port engine driven pump delivery line						1	DTD.743	C	S.17
30975	E.A4.73.265	PIPE , assembly, from coupling aft of frame 16 to union body at rib 1, port wing, engine driven pump delivery line						1	DTD.743	C	S.17
30977	E.A4.73.271	PIPE , assembly, from coupling aft of frame 16 to connection at rib 1, starboard wing, port engine driven pump delivery line						1	DTD.743	C	S.17

SERVICES

HYDRAULIC EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	1	2	3	4	5	6	Description	No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5951	E.B6.73.71							PIPE, assembly, from tee coupling aft of frame 16 to cone body aft of frame 13, engine driven pumps, suction line (To be used with pipe assembly Part No. E.A3.73.623)	1	L.56	C	S.17
21853	or E.A9.73.649							PIPE, assembly, from tee coupling aft of frame 16 to cone body aft of frame 13, engine driven pumps, suction line (To be used with pipe assembly Part No. E.A9.73.651)	1	L.56	C	S.17
5952	E.B6.73.75							PIPE, assembly, from rotary control valve to tee cone forward of frame 16, pressure line	1	DTD.5019	C	S.17
5955	E.B6.73.93							PIPE, assembly, from union body aft of frame 16 to connection at rib 1, starboard wing, port engine driven pump suction line	1	L.56	C	S.17
5957	E.B6.73.97							PIPE, assembly, from tee cone aft of frame 16 to non-return valve in starboard wing between fuselage and rib 1, engine driven pump pressure line	1	DTD.5019	C	S.17
5958	E.B6.73.99							PIPE, assembly, from tee cone aft of frame 16 to union cone in starboard wing between fuselage and rib 1, engine driven pump return line	1	DTD.5019	C	S.17
12050	E.B6.73.141							PIPE, assembly, from non-return valve forward of frame 16 to tee cone aft of frame 16, engine driven pump return line	1	L.56	C	S.17
16508	E.B6.73.143							PIPE, assembly, from tee cone forward of frame 16 to tee cone aft of frame 16, pressure line	1	DTD.5019	C	S.17
6999	E.B6.73.189							PIPE, assembly, from coupling aft of frame 16 to union body at rib 1, port wing engine driven pump suction line	1	DTD.5019	C	S.17
	AS.2809/4/05							TUBE, distance	2	L.62	LM	
28D/1011023	A25/20C							Attaching parts for AS 2809/4/05:—				
28M/1278190	AGS.2001/C/1							Bolt, 2 BA	2	—	C	
								Nut, 2 BA	2	—	C	
28F/4051569	AGS.1103/E							UNION, body	3	—	C	
	EEAS.237/17CH							WASHER, "D" (Alt. R60/39—Mod. 5100) ...	3	S.511	—	
	EEAS.239/1CH							WASHER, "D" (Alt. R60/39—Mod. 5100) ...	8	S.511	—	
26DK/24376	EEAS.239/2CH							WASHER, "D" (Alt. R60/39—Mod. 5100) ...	7	S.511	C	
	E.B6.73.19							PIPES, HYDRAULIC, BETWEEN FRAMES 17 AND 18, PORT, ASSEMBLY	—	—	—	S.17
								Spares for:—				
5348	EEAS.143/8H							CLIP, pipe, single, $\frac{3}{8}$ " o/d, bonding	2	L.72	C	S.18
5K/4345977	or AS.4526/6							CLIP, $\frac{3}{8}$ " (Alt. R60/39—Mod. 5100)	1	—	C	
								Attaching parts for EEAS.143/8H:—				
28D/1010658	A25/1B							Bolt, 4 BA	1	—	C	
28M/1278189	AGS.2001/B/1							Nut, 4 BA	1	—	C	
28W/9419474	SP.15/B							Washer, 4 BA	1	—	C	
5259	EEAS.21/2ERH							Washer, "D"	1	L.72	C	S.18
28F/9140971	AGS.1104/C							CONE, adaptor	1	—	C	
								Attaching parts for AGS.1104/C:—				
28F/1202393	AGS.1138/C							Washer, jointing	1	—	C	
804	E.A3.73.479							PIPE, assembly, from tee cone forward of frame 18 to cone adaptor at port wing joint, undercarriage door jacks, "closed" line	1	DTD.5019	C	S.17

CANBERRA E Mk. 15

Page SR.19

SERVICES

HYDRAULIC EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
28F/9707349	AGS.1114/C	SLEEVE, screwed flanged bulkhead						1	—	C	
28D/9436920	A25/1C	Attaching parts for AGS.1114/C:—									
28M/9403520	A27/CP	Bolt, 2 BA						3	—	C	
28F/4051652	AGS.1115/5	Nut, 2 BA						3	—	C	
28W/9416643	SP.47/C	Washer, plate						1	—	C	
		Washer, spring						3	—	C	
980	EEAS.20/1DR	TAB, locking, 20 SWG						1	L.72	C	
	EEAS.237/17CH	WASHER, "D" (Alt. R60/39—Mod. 5100) ...						1	S.511	—	
	E.B6.73.21	PIPES, HYDRAULIC, BETWEEN FRAMES 18 AND 19, ASSEMBLY						—	—	—	S.17
		Spares for:—									
5258	EEAS.143/6H	CLIP, pipe, single, 1/4" o/d, bonding						9	L.72	C	S.18
5348	EEAS.143/8H	CLIP, pipe, single, 3/8" o/d, bonding						5	L.72	C	S.18
	or	Alternative clips (Alt. R60/39—Mod. 5100) ...									
5K/4345976	AS.4526/4	CLIP, 1/2"						5	—	C	
5K/4345977	AS.4526/6	CLIP, 3/4"						4	—	C	
		Attaching parts for EEAS.143/6H and EEAS.143/8H:—									
28D/1010658	A25/1B	Bolt, 4 BA						1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA						1	—	C	
28W/9419474	SP.15/B	Washer, 4 BA (As required)						1	—	C	
5259	EEAS.21/2ERH	Washer, "D" (As required)						1	L.72	C	S.18
28F/8011883	AGS.1102/B	CONE, union body						2	—	C	
28F/1013401	AGS.1107/A	CONE, union, reducing						9	—	C	
	EEAS.237/17CH	WASHER, "D" (Alt. R60/39—Mod. 5100) ...						9	S.511	—	
	E.B6.73.165	PIPES, HYDRAULIC, AT REAR BOMB BAY DOOR OPERATING JACK, ASSEMBLY						—	—	—	S.18
		Spares for:—									
5348	EEAS.143/8H	CLIP, pipe, single, 3/8" o/d, bonding						9	L.72	C	S.18
	or	Alternative clips (Alt. R60/39—Mod. 5100) ...									
5K/4345977	AS.4526/6	CLIP, 1/2"						4	—	C	
28E/9130685	AS.5419/6	CLIP, 3/4"						3	—	C	
		Attaching parts for EEAS.143/8H:—									
28D/1008149	A25/2B	Bolt, 4 BA (As required)						1	—	C	
28D/9419452	A25/3B	Bolt, 4 BA (As required)						1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA						1	—	C	
28W/9419474	SP.15/B	Washer, 4 BA (As required)						1	—	C	
5259	EEAS.21/2ERH	Washer, "D" (As required)						1	L.72	C	S.18
28F/9471001	AGS.1102/C	CONE, union body						2	—	C	
28614	E.B6.73.621	PIPE, assembly, from union cone aft of frame 28 to rear bomb door operating jack pipe connection, doors "closed" line						1	—	C	S.18
28615	E.B6.73.623	PIPE, assembly, from union cone aft of frame 28 to rear bomb door operating jack pipe connection, doors "open" line						1	—	C	S.18
	E.B6.73.253	PIPES, SPIRAL, BOMB DOOR JACKS, ASSEMBLY (MOD. 2121)						—	—	—	S.17
		Spares for:—									
26486	E.B6.73.609	ADAPTOR, assembly						1	—	C	
		Attaching parts for E.B6.73.609:—									
28D/1011021	A25/16C	Bolt, 2 BA						2	—	C	
26487	E.B6.73.611	Piece, distance						2	—	C	
28W/9419475	SP.15/C	Washer, 2 BA						2	—	C	

SERVICES

HYDRAULIC EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
28E/9713018	AS.3181/6C	CLIP, pipe, $\frac{3}{8}$ " o/d.						4	—	C	
5K/4345977	AS.4526/6	CLIP, $\frac{3}{8}$ " (Alt. R60/39—Mod. 5100)						4	—	C	
28D/9436920	A25/1C	Attaching parts for AS.3181/6C:—									
28M/9403520	A27/CP	Bolt, 2 BA						1	—	C	
26494	EEAS.21/9BRH	Nut, 2 BA						1	—	C	
28W/9416643	SP.47/C	Washer, "D"						1	L.72	C	
		Washer, spring						1	—	C	
26488	E.B6.73.613	FAIRLEAD						1	BS.2572	C	
28D/1011021	A25/16C	Attaching parts for E.B6.73.613:—									
28M/1278190	AGS.2001/C/1	Bolt, 2 BA						2	—	C	
28W/9419475	SP.15/C	Nut, 2 BA						2	—	C	
		Washer, 2 BA						2	—	C	
5K/1037443	AS.3360/C6C	LEAD, bonding						4	—	C	
	or										
28F/8011896	AGS.2097/C6C	LEAD, bonding (Alt. R60/39—Mod. 5100)						2	—	LM	
26482	AGS.1142/C	NIPPLE, adaptor						3	—	C	
	E.B6.73.601	PIPE, assembly, coiled, rear bomb door jack						1	DTD.5019	C	S.18
		pipe, doors "open" line									
33022	E.B6.73.625	PIPE, assembly, coiled, rear bomb door jack						1	DTD.5019	C	S.18
		pipe, doors "closed" line (Mod. 3507)									
28F/9439766	EEAS.239/1CH	WASHER, "D" (Alt. R60/39—Mod. 5100)						4	S.511	—	
	AGS.1106/C	UNION, body						1	—	C	
	EEAS.237/17CH	WASHER, "D" (Alt. R60/39—Mod. 5100)						7	S.511	—	
	E.B6.73.171	PIPES, HYDRAULIC, BETWEEN FRAMES 15 AND						—	—	—	S.17
		16, STARBOARD, ASSEMBLY									
		Spares for:—									
2446	E.A3.73.221	BRACKET, relay valve mounting						1	T.45	C	
28D/9140647	A25/14C	Attaching parts for E.A3.73.221:—									
28M/1278190	AGS.2001/C/1	Bolt, 2 BA						2	—	C	
		Nut, 2 BA						2	—	C	
5348	EEAS.143/8H	CLIP, pipe, single, $\frac{3}{8}$ " o/d, bonding						1	L.72	C	S.18
5544	EEAS.143/21H	CLIP, pipe, single, $\frac{3}{8}$ " o/d, bonding						3	L.72	C	S.18
5521	EEAS.143/24H	CLIP, pipe, single, $\frac{3}{8}$ " o/d, bonding						2	L.72	C	S.18
	or	Alternative clips (Alt. R60/39—Mod. 5100)									
5K/4345977	AS.4526/6	CLIP, $\frac{3}{8}$ "						1	—	C	
5K/4345978	AS.4526/8	CLIP, $\frac{1}{2}$ "						1	—	C	
5K/4345980	AS.4526/12	CLIP, $\frac{3}{4}$ "						1	—	C	
28E/9130689	AS.5419/8	CLIP, $\frac{1}{2}$ "						1	—	C	
		Attaching parts for EEAS.143/8H, EEAS.143/21H,									
		and EEAS.143/24H:—									
28D/1010658	A25/1B	Bolt, 4 BA (As required)						1	—	C	
28D/9436920	A25/1C	Bolt, 2 BA (As required)						1	—	C	
28D/9133012	A25/3C	Bolt, 2 BA (As required)						1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA (As required)						1	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA (As required)						1	—	C	
28W/9419475	SP.15/C	Washer, 2 BA (As required)						1	—	C	
5259	EEAS.21/2ERH	Washer, "D" (As required)						1	L.72	C	S.18
15145	E.B6.73.139	PIPE, assembly, from tee cone forward of frame						1	L.56	C	S.17
		15 to non-return valve between frames									
		15 and 16, bomb doors "return" line									
26DK/24376	EEAS.237/17CH	WASHER, "D" (Alt. R60/39—Mod. 5100)						1	S.511	—	
	EEAS.239/1CH	WASHER, "D" (Alt. R60/39—Mod. 5100)						2	S.511	—	
	EEAS.239/2CH	WASHER, "D" (Alt. R60/39—Mod. 5100)						1	S.511	C	

CANBERRA E Mk. 15

Page SR.21/22

SERVICES

HYDRAULIC EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.A1.73.113	SELECTOR, NOSEWHEEL GROUND, ASSEMBLY						—	—	—	
		Spares for:—									
3414	E.A1.73.395	BRACKET , nosewheel selector mounting ...						1	L.72	C	
		Attaching parts for E.A1.73.395:—									
28D/9436920	A25/1C	Bolt, 2 BA ...						5	—	C	
28D/9133011	A25/2C	Bolt, 2 BA ...						1	—	C	
28M/9403520	A27/CP	Nut, 2 BA ...						6	—	C	
28W/9416643	SP.47/C	Washer, spring ...						6	—	C	
3506	E.A1.73.391	LEVER, GROUND SELECTOR, NOSEWHEEL ASSEMBLY						1	—	C	
		Spares for:—									
858	E.A1.73.233	SPRING , tension, 20 SWG ...						1	—	C	

Restricted

Ref. No.	Part No.							Description	No. off	Matl Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6				M.R. L.M.	

Restricted

CANBERRA E Mk. 15

Page SS.1

SERVICES

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description					No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5				
	E.G4.73.103	HYDRAULIC EQUIPMENT IN FRONT FUSELAGE, ASSEMBLY (MOD. 4799)					—	—	—	
	—	Consisting of:—								
		HYDRAULIC EQUIPMENT, CIRCUIT, ASSEMBLY (E.A6.73.283)					—	—	—	
		Spares for:—								
	LOCKHEED									
27M/461	AIR.40016	ACCUMULATOR, hydraulic					1	—	A	S.14
6A/2237916	†	GAUGE, pressure, Mk. 14LL					1	—	C	S.14
	DOWTY									
27QM/4143637	O.8214Y.CO1	JACK, nosewheel					1	—	A	S.15
27QM/4143591	O.8246Y.CO1	JACK, nosewheel door					1	—	A	S.15
	DUNLOP									
27VA/4619897	4/W3/101/8/8/11.2	PIPE, flexible, nosewheel door "closed" line (Pre-Mod. 5100 or 5190)					1	—	B	
27VA/6115869	4/W14/DAS 7005/11.2	PIPE, flexible, nosewheel door, "closed" line (Alt. R60/32—Mod. 5100 or Mod. 5190)					1	—	B	
27VA/4619912	4/W3/101/8/9/10	PIPE, flexible, nosewheel door, "open" line (Pre-Mod. 5100 or 5190)					1	—	B	
27VA/6115881	4/W14/DAS 7006/10	PIPE, flexible, nosewheel door, "open" line (Alt. R60/32—Mod. 5100 or Mod. 5190)					1	—	B	
27VA/4619925	4/W3/101/8/9/15	PIPE, flexible, nosewheel "up" line (Pre-Mod. 5100 or 5190)					1	—	B	
27VA/6115883	4/W14/DAS 7006/15	PIPE, flexible, nosewheel, "up" line (Alt. R60/32—Mod. 5100 or Mod. 5190)					1	—	B	
27VA/6320154	4/W3/101/8/9/28	PIPE, flexible, nosewheel, "down" line (For A/C not embodying Mod. 856) (Pre-Mod. 5100 or 5190)					1	—	B	
27VA/6115882	4/W14/DAS 7006/28	PIPE, flexible, nosewheel, "down" line (For A/C not embodying Mod. 856) (Alt. R60/32—Mod. 5100 or Mod. 5190)					1	—	B	
27VA/4625931	4/W3/101/8/9/24	PIPE, flexible, nosewheel, "down" line (For A/C embodying Mod. 856) (Pre-Mod. 5100 or 5190)					1	—	B	
27VA/6115887	4/W14/DAS 7006/24	PIPE, flexible, nosewheel, "down" line (For A/C embodying Mod. 856) (Alt. R60/32—Mod. 5100 or Mod. 5190)					1	—	B	
	TURNER									
27Z/4420704	77C/1275	PUMP, hand, duplex					1	—	A	S.14
	ELECTRO									
27Y/6326208	HYDS.7391	RELAY, HYDRAULIC PRESSURE GAUGE ...					1	—	A	S.14
		Consisting of:—								
27Y/6326320	9913	ADAPTER, outlet to gauge					1	—	C	
27Y/6326321	9938	ADAPTER, hydraulic supply unit					1	—	C	
	73082	BODY					1	DTD.130B	—	
27Y/6258899	30M/36 x 4	CIRCLIP, nut to body					1	—	C	
	73081	CYLINDER					1	S.1	—	
27Y/6326322	73039	NUT, cylinder to body					1	—	C	
	73083	PISTON					1	L.1	—	
27Y/6326323	40044	PLUG, bleed					1	—	C	
27Y/6326324	7379	RESTRICTOR					1	—	C	
27Y/6324118	739112	RING, piston					1	—	C	
27Y/6324119	739113	RING, piston					1	—	C	
27Y/6325739	739114	RING, sealing, cylinder to body					1	—	C	
27Y/6288900	2M/14 x 10	WASHER, at adaptors and restrictor					3	—	C	
30A/9437135	—	WIRE, locking					QR	—	C	
	DOWTY									
27Q/4146632	C.2254Y	UNIT, oil filter					1	—	A	S.14
	DUNLOP									
27G/2585	AC.12734	VALVE, brake control (For Dunlop spares breakdown see AP.4515C, Vol. 3, Pt. 1, Section 2, Chap. 37 (Pre-Mod. 3962)					1	—	A	
27G/4618165	AC.61762	VALVE, brake control (Mod. 3962)					1	—	A	S.14

SERVICES

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
27QM/4143197	DOWTY C.4603Y Mk.E	VALVE,	thermal relief	...	...	...	...	2	—	A	S.15
27QM/4143183	DOWTY D.401Y Mk.G	VALVE,	sequence, nosewheel	...	...	...	...	1	—	A	S.15
27QM/4143189	D.401Y Mk.H	VALVE,	sequence, nosewheel door	...	...	...	...	1	—	A	S.15
27Q/4143142	DOWTY D.2568Y	VALVE,	pressure relief, reservoir (For Dowty spares see AP.4515B, Vol. 3)	...	...	...	...	1	—	A	S.14
27W/4619630	LOCKHEED UMC.704	VALVE,	non-return, 1/4" BSP	...	...	...	...	2	—	A	S.14
27BM/25	MESSIER 8557	VAEVE,	non-return, pressurisation	...	...	...	...	1	—	A	S.14
28Y/9701165	H.PRESSURE COMPS. GYP.A58	VALVE,	charging	...	...	...	...	2	—	C	S.14
	E.B6.73.27	PIPES, HYDRAULIC, BETWEEN PRESSURE BULK- HEAD AND FRAME 12A, ASSEMBLY						—	—	—	
		Spares for:—									
39003	E B6.73.303	CLAMP,	pipe	...	...	...	...	3	—	C	S.14
39004	E.B6.73.309	CLAMP,	pipe	...	...	...	...	1	—	C	S.14
		Attaching parts for E.B6.73.303 and E.B6.73.309:—									
28D/9140645	A25/10C	Bolt,	2 BA	...	...	...	...	1	—	C	
28D/9435710	A25/11C	Bolt,	2 BA	...	...	...	...	1	—	C	
28M/1278190	AGS.2001/C/1	Nut,	2 BA	...	...	...	...	2	—	C	
1880	EEAS.91/1	CLIP,	pipe, special, double	...	...	...	...	3	L.16	C	
5260	EEAS.143/5H	CLIP,	pipe, single, 3/8" o/d., bonding	...	...	...	...	5	L.72	C	
5258	EEAS 143/6H	CLIP,	pipe, single, 1/2" o/d., bonding	...	...	...	...	4	L.72	C	
	or	Alternative clips (Alt. R60/39—Mod. 5100)									
5K/6323922	AS.4526/3	CLIP,	3/8"	...	...	...	...	5	—	C	
5K/4345976	AS.4526/4	CLIP,	1/2"	...	...	...	...	1	—	C	
28E/9130611	AS.5419/4	CLIP,	1/4"	...	...	...	...	2	—	C	
		Attaching parts for EEAS.91/1, EEAS.143/5H or EEAS.143/6H:—									
28D/1010658	A25/1B	Bolt,	4 BA	...	...	...	...	1	—	C	
28M/1278189	AGS.2001/B/1	Nut,	4 BA	...	...	...	...	1	—	C	
5259	EEAS.21/2ERH	Washer,	special	...	...	...	...	1	L.72	C	
5K/7000206	AS.3360/B4B	LEAD,	bonding	...	...	...	...	3	—	C	
	or										
	AGS.2097/B4B	LEAD,	bonding (Alt. R60/39—Mod. 5100)	...	...	...	...	2	—	LM	
731	E.A3.73.237	PIPE,	assembly, from pressure bulkhead to non- return valve at frame 12, hand pump pressure line	...	...	...	...	1	DTD.5019	C	S.14
	or										
	E.A3.73.1185	PIPE,	assembly (Alt. R60/80—Mod. 5100)	...	...	...	...	1	DTD.5019	LM	
734	E.A3.73.243	PIPE,	assembly, from running coupling at nose- wheel selector to running coupling at wheel well wall, nosewheel jack "up" line	...	...	...	...	1	DTD.5019	C	S.14
	or										
	E.A3.73.1187	PIPE,	assembly (Alt. R60/80—Mod. 5100)	...	...	...	...	1	DTD.5019	LM	
735	E.A3.73.245	PIPE,	assembly, from running coupling at nose- wheel selector to running coupling at wheel well wall, nosewheel jack "down" line	...	...	...	...	1	DTD.5019	C	S.14
	or										
	E.A3.73.1189	PIPE,	assembly (Alt. R60/80—Mod. 5100)	...	...	...	...	1	DTD.5019	LM	

CANBERRA E Mk. 15

Page 55.3

SERVICES

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
1607	E.A3.73.247	PIPE, assembly, port brake, from pressure bulkhead to frame 12A						1	DTD.5019	C	S.14
	or										
	E.A3.73.1191	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
1630	E.A3.73.249	PIPE, assembly, from coupling on frame 12 to pressure bulkhead, supply line						1	DTD.5019	C	S.14
	or										
	E.A3.73.1193	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
1631	E.A3.73.251	PIPE, assembly, starboard brake, from pressure bulkhead to frame 12A						1	DTD.5019	C	S.14
	or										
	E.A3.73.1195	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
1633	E.A3.73.255	PIPE, assembly, from reservoir tee under navigator's compartment floor to pressure bulkhead						1	L.56	C	S.14
12979	E.B6.73.295	PIPE, assembly, from filter in hand pump suction line to pressure bulkhead						1	DTD.5019	C	S.14
12980	E.B6.73.297	PIPE, assembly, from reservoir tee under N.B.C. compartment floor to filter, hand pump suction line						1	L.54	C	S.14
12983	E.B6.73.299	PIPE, assembly, from tee to reservoir connection at N.B.C. compartment floor						1	L.54	C	S.14
839	E.A1.73.335	PIPE, assembly, from non-return valve forward of frame 12A to accumulator and selector tee, hand pump pressure line						1	DTD.5019	C	S.14
	or										
	E.A3.73.1197	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
5928	E.A3.73.785	PIPE, assembly, hydraulic gauge, between pressure bulkhead and frame 12A						1	DTD.5019	C	S.14
12981	E.B6.73.315	TEE, special, under N.B.C. floor for reservoir connection						1	—	C	S.14
	EEAS.237/17CH	WASHER, "D" (Alt. R60/39—Mod. 5100) ...						4	S.511	—	
	EEAS.239/1CH	WASHER, "D" (Alt. R60/39—Mod. 5100) ...						4	S.511	—	
	E.B6.73.29	PIPES, HYDRAULIC, ON FRAME 12, ASSEMBLY ...						—	—	—	
		Spares for:—									
12982	E.B6.73.301	BODY, banjo, special ...						1	L.85	C	
1880	EEAS.91/1	CLIP, pipe, double ...						1	L.16	C	
5258	EEAS.143/6H	CLIP, pipe, single, 1" o/d, bonding ...						10	L.72	C	
	or	Alternative clips (Alt. R60/39—Mod. 5100) ...									
5K/4345976	AS.4526/4	CLIP, 1" ...						4	—	C	
28E/9130611	AS.5419/4	CLIP, 1" ...						2	—	C	
		Attaching parts for EEAS.91/1 and EEAS.143/6H:—									
28D/1010658	A25/1B	Bolt, 4 BA ...						1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA ...						1	—	C	
12030	EEAS.21/2/ER	Washer, special ...						1	L.72	C	
28F/8011809	AGS.1104/B	CONE, adaptor ...						1	—	C	
28F/8011811	AGS.1118/B	CONE, tee ...						1	—	C	
28F/8011883	AGS.1102/B	CONE, union, body ...						2	—	C	
28F/9513028	AGS.1107/E	CONE, union, reducing ...						1	—	C	
28F/8011896	AGS.1142/C	NIPPLE, adaptor ...						1	—	C	
28F/8011886	AGS.1142/D	NIPPLE, adaptor ...						1	—	C	
5K/7000230	AS.3360/B3B	LEAD, bonding ...						4	—	C	
	or										
6150-99-7135-745	AGS.2097/B3B	LEAD, bonding ...						1	—	C	

SERVICES

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
1634	E.A3.73.227	PIPE, assembly, from tee cone on frame 12 to non-return valve, hand pump pressure line						1	DTD.5019	C	S.14
	or										
1635	E.A3.73.1199	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
	E.A3.73.229	PIPE, assembly, from accumulator tee cone to running coupling on frame 12, supply line						1	DTD.5019	C	S.14
	or										
1608	E.A3.73.1201	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
	E.A3.73.231	PIPE, assembly, from non-return valve to accumulator tee cone						1	DTD.5019	C	S.14
	or										
1610	E.A3.73.1203	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
	E.A3.73.235	PIPE, assembly, from tee cone to accumulator cone						1	DTD.5019	C	S.14
	or										
28F/8011884	E.A3.73.1207	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
28F/9140970	AGS.1140/C	PLUG, nipple ...						1	—	C	
28F/9709685	AGS.904/C	SLEEVE, outer ...						1	—	C	
	AGS.1108/B	UNION, reducing ...						1	—	C	
	EEAS.237/17CH	WASHER, "D" (Alt. R60/39—Mod. 5100) ...						6	S.511	—	
	E.B6.73.355	PIPES, HYDRAULIC, FRAME 1 TO 3, ASSEMBLY (PRE-MOD. 3513)						—	—	—	
		Spares for:—									
2446	E.A3.73.221	BRACKET, relay valve mounting ...						1	T.45	C	S.14
		Attaching parts for E.A3.73.221:—									
28D/9140647	A25/14C	Bolt, 2 BA ...						2	—	C	
1611	E.A3.73.157	CLAMP, pipe, special ...						1	—	C	S.14
		Attaching parts for E.A3.73.157:—									
28D/1011019	A25/8C	Bolt, 2 BA ...						2	—	C	
1727	E.A3.73.577	CLAMP, pipe, special ...						1	—	C	S.14
		Attaching parts for E.A3.73.577:—									
28D/1011019	A25/8C	Bolt, 2 BA ...						2	—	C	
28M/9403520	A27/CP	Nut, 2 BA ...						2	—	C	
28W/1010155	AGS.162/B	Washer, spring ...						2	—	C	
1880	EEAS.91/1	CLIP, pipe, double ...						1	L.16	C	
5260	EEAS.143/5H	CLIP, pipe, single, $\frac{3}{8}$ " o/d, bonding ...						21	L.72	C	
5258	EEAS.143/6H	CLIP, pipe, single, $\frac{1}{2}$ " o/d, bonding ...						1	L.72	C	
5348	EEAS.143/8H	CLIP, pipe, single, $\frac{3}{4}$ " o/d, bonding ...						3	L.72	C	
	or	Alternative clips (Alt. R60/39—Mod. 5100) ...									
5K/6323922	AS.4526/3	CLIP, $\frac{3}{8}$ " ...						8	—	C	
5K/4345976	AS.4526/4	CLIP, $\frac{1}{2}$ " ...						1	—	C	
5K/4345977	AS.4526/6	CLIP, $\frac{3}{4}$ " ...						1	—	C	
28E/9130610	AS.5419/3	CLIP, $\frac{3}{8}$ " ...						9	—	C	
28E/9130685	AS.5419/6	CLIP, $\frac{1}{2}$ " ...						1	—	C	
		Attaching parts for EEAS.91/1, EEAS.143/5H, EEAS.143/6H and EEAS.143/8H:—									
28D/1010658	A25/1B	Bolt, 4 BA ...						1	—	C	
	or										
28D/1008149	A25/8B	Bolt, 4 BA ...						1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA ...						1	—	C	
5259	EEAS.21/2/ERH	Washer, special ...						1	L.72	C	
28F/9129085	AGS.1102/A	CONE, union, body ...						1	—	C	
28F/9440881	AGS.1118/A	CONE, tee ...						1	—	C	
28F/9488812	AGS.1120/8	CONE, tee ...						1	—	C	

CANBERRA E Mk. 15

Page 55.5

SERVICES

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
28F/1013401	AGS.1107/A	CONE, union, reducing	1	—	C	
28F/9513028	AGS.1107/E	CONE, union, reducing	1	—	C	
5K/7000230	AS.3360/B3B	LEAD, bonding	6	—	C	
5K/7000231	AS.3360/B3C	LEAD, bonding	1	—	C	
	or					
6150-99-7135-745	AGS.2097/B3B	LEAD, bonding (Alt. R60/39—Mod. 5100) ...	1	—	C	
	AGS.2097/B3C	LEAD, bonding (Alt. R60/39—Mod. 5100) ...	2	—	LM	
28F/1013599	AGS.1142/A	NIPPLE, adaptor	2	—	LM	
1613	E.A3.73.259	PIPE, assembly, from relay valve to differential unit tee cone, supply line	1	DTD.5019	C	S.14
1614	E.A3.73.261	PIPE, assembly, from union cone at frame 1 to differential unit, return line	1	DTD.5019	C	S.14
	or					
	E.A3.73.1157	PIPE, assembly (Alt. R60/80—Mod. 5100) ...	1	DTD.5019	LM	
1615	E.A3.73.263	PIPE, assembly, from differential unit to tee cone supply line	1	DTD.5019	C	S.14
	or					
	E.A3.73.1159	PIPE, assembly (Alt. R60/80—Mod. 5100) ...	1	DTD.5019	LM	
1616	E.A3.73.265	PIPE, assembly, from union cone at frame 1 to union cone at frame 3, return line	1	L.56	C	S.14
1617	E.A3.73.267	PIPE, assembly, from differential unit to union cone at frame 3, port brake line	1	DTD.5019	C	S.14
	or					
	E.A3.73.1161	PIPE, assembly (Alt. R60/80—Mod. 5100) ...	1	DTD.5019	LM	
1618	E.A3.73.269	PIPE, assembly, from differential unit tee cone to union cone at frame 3, supply line	1	DTD.5019	C	S.14
	or					
	E.A3.73.1163	PIPE, assembly (Alt. R60/80—Mod. 5100) ...	1	DTD.5019	LM	
1619	E.A3.73.271	PIPE, assembly, from differential unit to union cone at frame 3, starboard brake line	1	DTD.5019	C	S.14
	or					
	E.A3.73.1165	PIPE, assembly (Alt. R60/80—Mod. 5100) ...	1	DTD.5019	LM	
5838	E.A3.73.825	PIPE, assembly, from hydraulic pressure gauge tee cone to valve fitting on frame 1	1	DTD.5019	C	S.14
5837	E.A3.73.829	PIPE, assembly, from hydraulic pressure gauge tee cone to union cone at frame 1	1	DTD.5019	C	S.14
5858	E.A2.73.1137	PIPE, assembly, from union cone at frame 1 to union cone at frame 3-4, pressure gauge line	1	DTD.5019	C	S.14
27362	E.B6.73.357	PIPE, assembly, from relay valve to pressure gauge (Pre-Mod. 3513)	1	DTD.5019	C	
27361	E.B6.73.359	PIPE, assembly, from pressure gauge to tee cone	1	DTD.5019	C	S.14
28F/9128943	AGS.1114/B	SLEEVE, screwed, bulkhead	1	—	C	
		Attaching parts for AGS.1114/B:—				
28F/9428453	AGS.1186/B	Seal, bonded	1	—	C	
28F/4051641	AGS.1115/3	Washer, plate	1	—	C	
981	EEAS.20/2DR	TAB, locking, 20 SWG	3	—	C	
	EEAS.237/17CH	WASHER, "D" (Alt. R60/39—Mod. 5100) ...	14	S.511	—	
	E.B7.73.389	PIPES, HYDRAULIC, FRAME 1 TO 3, ASSEMBLY (MOD. 3513)	—	—	—	
		Spares for this assembly are identical with those for assembly Part No. E.B6.73.355 on page 55.3 except for the following deletion and additions				
		Delete:—				
27362	E.B6.73.357	PIPE, assembly, from relay valve to pressure gauge	1	DTD.5019	C	

SERVICES

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	1	2	3	4	5	6	Description	No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
								Add:—				
40213	E.B7.73.385							PIPE, assembly, from valve at frame 1 to tee ...	1	DTD.5019	C	S.14
40212	E.B7.73.383							PIPE, assembly, from tee to relay valve ...	1	DTD.5019	C	S.14
40211	E.B7.73.381							PIPE, assembly, from tee to brake pressure gauge	1	DTD.5019	C	S.14
	E.G4.73.73							PIPES, HYDRAULIC, FRAME 3 TO PRESSURE BULKHEAD, ASSEMBLY	—	—	—	
								Spares for:—				
8336	E.A3.73.837							BRACKET , fairlead between frames 4 and 5 ...	1	L.72	C	S.14
	E.B6.73.271							CLAMP , assembly, for pipes through navigator's floor	1	—	—	S.14
								Attaching parts for E.B6.73.271:—				
28D/9133012	A25/3C							Bolt, 2 BA ...	4	—	C	
28W/9419475	SP.15/C							Washer ...	4	—	C	
39001	E.B6.73.277							CLAMP , assembly, for pipes at frames 3 and 4 ...	2	—	C	S.14
								Attaching parts for E.B6.73.277:—				
28D/9140644	A25/9C							Bolt, 2 BA ...	1	—	C	
28D/9435710	A25/11C							Bolt, 2 BA ...	2	—	C	
28M/1278190	AGS.2001/C/1							Nut, 2 BA ...	1	—	C	
28W/9419475	SP.15/C							Washer ...	1	—	C	
28W/5806394	SP.125/D							Washer ...	2	—	C	
	E.B6.73.283							CLAMP , assembly, for pipes at frames 5, 6 and 7	4	—	—	S.14
								Attaching parts for E.B6.73.283:—				
28D/9140645	A25/10C							Bolt, 2 BA ...	2	—	C	
28W/9416643	SP.47/C							Washer, spring ...	2	—	C	
5542	EEAS.143/6							CLIP , pipe, single ...	1	—	C	
17525	EEAS.143/10							CLIP , pipe, single ...	1	—	C	
5260	EEAS.143/5H							CLIP , pipe, single, bonding ...	8	L.72	C	
	or							Alternative clips (Alt. R60/39—Mod. 5100) ...				
5K/6323922	AS.4526/3							CLIP , $\frac{1}{8}$ " ...	6	—	C	
5K/4345976	AS.4526/4							CLIP , $\frac{1}{4}$ " ...	1	—	C	
5K/4345978	AS.4526/8							CLIP , $\frac{1}{2}$ " ...	1	—	C	
								Attaching parts for EEAS.143/6, EEAS.143/10 and EEAS.143/5H:—				
28D/1010658	A25/1B							Bolt, 4 BA ...	1	—	C	
28M/9403519	A27/BP							Nut, 4 BA ...	1	—	C	
5259	EEAS.21/2ERH							Washer, special, for EEAS.143/5H ...	1	L.72	C	
28W/9416642	SP.47/B							Washer, spring ...	1	—	C	
28F/9129085	AGS.1102/A							CONE , union, body ...	2	—	C	
28F/8011883	AGS.1102/B							CONE , union, body ...	8	—	C	
28F/9471001	AGS.1102/C							CONE , union, body ...	2	—	C	
28F/9439765	AGS.1102/D							CONE , union, body ...	2	—	C	
28F/1036556	AGS.1111/A							CONE , union body, flanged, pressure gauge line	1	—	C	
								Attaching parts for AGS.1111/A:—				
28D/1010658	A25/1B							Bolt, 4 BA ...	6	—	C	
5853	EEAS.69/1							Gasket, bulkhead ...	1	Neo-K-Tex	C	
28M/9403519	A27/BP							Nut, 4 BA ...	6	—	C	
28W/9416642	SP.47/B							Washer, spring ...	6	—	C	
28F/9152415	AGS.1115/1							Washer, plate ...	1	—	C	
28F/1013402	AGS.1111/B							CONE , union body, flanged, bulkhead ...	4	—	C	
								Attaching parts for AGS.1111/B:—				
28D/1008149	A25/2B							Bolt, 4 BA ...	6	—	C	
1128	EEAS.69/2							Gasket, bulkhead ...	1	Neo-K-Tex	C	
28M/9403519	A27/BP							Nut, 4 BA ...	6	—	C	
28F/9128928	AGS.1115/2							Washer, plate ...	1	—	C	
28W/9416642	SP.47/B							Washer, spring ...	6	—	C	

CANBERRA E Mk. 15

Page 55.7

SERVICES

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
28F/1036557	AGS.1111/C	CONE, union body, flanged, bulkhead, pressure return line						1	—	C	
		Attaching parts for AGS.1111/C:—									
28D/9133011	A25/2C	Bolt, 2 BA						6	—	C	
1620	EEAS.69/4	Gasket, bulkhead						1	Neo-K-Tex	C	
28M/9403520	A27/CP	Nut, 2 BA						6	—	C	
28F/9128929	AGS.1115/4	Washer, plate						1	—	C	
28W/9416643	SP.47/C	Washer, spring						6	—	C	
28F/1059217	AGS.1111/D	CONE, union body, flanged, bulkhead, hand pump suction line						1	—	C	
		Attaching parts for AGS.1111/D:—									
28D/9133011	A25/2C	Bolt, 2 BA						6	—	C	
12985	EEAS.69/6	Gasket, bulkhead						1	Neo-K-Tex	C	
28M/9403520	A27/CP	Nut, 2 BA						6	—	C	
28F/10603	AGS.1115/6	Washer, plate						1	—	C	
28W/9416643	SP.47/C	Washer, spring						6	—	C	
13018	E.A3.73.183	PIPE, assembly, from union cone aft of frame 3 to union cone aft of frame 5, hand pump pressure line						1	DTD.5019	C	S.14
	or										
	E.A3.73.1169	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
760	E.A3.73.187	PIPE, assembly, from union cone aft of frame 5 to flanged cone at pressure bulkhead, hand pump pressure line						1	DTD.5019	C	S.14
	or										
	E.A3.73.1171	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
1621	E.A3.73.283	PIPE, assembly, from union cone aft of frame 3 to union cone aft of frame 5, return line						1	L.56	C	S.14
1623	E.A3.73.285	PIPE, assembly, from union cone aft of frame 3 to union cone aft of frame 5, port brake line						1	DTD.5019	C	S.14
	or										
	E.A3.73.1173	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
1624	E.A3.73.287	PIPE, assembly, from union cone aft of frame 3 to union cone aft of frame 5, supply line						1	DTD.5019	C	S.14
	or										
	E.A3.73.1175	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
1625	E.A3.73.289	PIPE, assembly, from union cone aft of frame 3 to union cone aft of frame 5, starboard brake line						1	DTD.5019	C	S.14
	or										
	E.A3.73.1177	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
1626	E.A3.73.291	PIPE, assembly, from union cone aft of frame 5 to flanged cone at pressure bulkhead, return line						1	L.56	C	S.14
1627	E.A3.73.293	PIPE, assembly, from union cone aft of frame 5 to flanged cone at pressure bulkhead, port brake line						1	DTD.5019	C	S.14
	or										
	E.A3.73.1179	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
1628	E.A3.73.295	PIPE, assembly, from union cone aft of frame 5 to flanged cone at pressure bulkhead, supply line						1	DTD.5019	C	S.14
	or										
	E.A3.73.1181	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
1629	E.A3.73.297	PIPE, assembly, from union cone aft of frame 5 to flanged cone at pressure bulkhead						1	DTD.5019	C	S.14
	or										
	E.A3.73.1183	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	

SERVICES

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
5942	E.A3.73.781	PIPE, assembly, from union cone aft of frame 3 to union cone aft of frame 5, pressure gauge						1	DTD.5019	C	S.14
5943	E.A3.73.783	PIPE, assembly, from union cone aft of frame 5 to flanged cone at pressure bulkhead, pressure gauge line						1	DTD.5019	C	S.14
12986	E.B6.73.267	PIPE, assembly, from union cone aft of frame 3 to union cone aft of frame 5, hand pump suction line						1	L.54	C	S.14
39992	E.B6.73.375	PIPE, assembly, from union cone aft of frame 5 to flanged cone at pressure bulkhead, hand pump suction line						1	L.54	C	S.14
980	EEAS.20/1DR	TAB, locking, 20 SWG						4	L.72	C	
981	EEAS.20/2DR	TAB, locking, 20 SWG						10	L.72	C	
	EEAS.237/17CH	WASHER, "D" (Alt. R60/39—Mod. 5100) ...						2	S.511	—	
	EEAS.239/1CH	WASHER, "D" (Alt. R60/39—Mod. 5100) ...						6	S.511	—	
	E.B6.73.259	PIPES, HYDRAULIC, FROM HAND PUMP TO FRAMES 3-4, ASSEMBLY						—	—	—	
		Spares for:—									
761	E.A1.73.289	BODY, banjo, special						1	—	C	
12423	E.B6.73.263	BODY, banjo, special						1	L.85	C	S.14
		Attaching parts for E.A1.73.289 and E.B6.73.263:—									
28F/9423229	AGS.1135/C	Bolt, banjo						1	—	C	
28F/9429532	AGS.1186/C	Seal, bonded						2	—	C	
5258	EEAS.143/6H	CLIP, pipe, single, 1/2" o/d, bonding						2	L.72	C	S.15
5543	EEAS.143/10H	CLIP, pipe, single, 1/2" o/d, bonding						2	L.72	C	
	or	Alternative clips (Alt. R60/39—Mod. 5100) ...									
5K/4345976	AS.4526/4	CLIP, 1/2"						1	—	C	
5K/4345978	AS.4526/8	CLIP, 1/2"						1	—	C	
28E/9130611	AS.5419/4	CLIP, 1/2"						1	—	C	
28E/9130689	AS.5419/8	CLIP, 1/2"						1	—	C	
		Attaching parts for EEAS.143/6H and EEAS.143/10H:—									
28D/1010658	A25/1B	Bolt, 4 BA						1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA						1	—	C	
20778	EEAS.20/2ER	Tab, locking						1	—	C	
28W/9419465	SP.13/B	Washer						1	—	C	
5K/7000230	AS.3360/B3B	LEAD, bonding						2	—	C	
	or										
6150-99-7135-745	AGS.2097/B3B	LEAD, bonding (Alt. R60/39—Mod. 5100) ...						2	—	C	
763	E.A3.73.301	PIPE, assembly, from hand pump to union cone aft of frame 3, pressure line						1	DTD.5019	C	S.14
	or										
	E.A3.73.1167	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
12988	E.B6.73.261	PIPE, assembly, from hand pump to union cone aft of frame 3, suction line						1	L.54	C	S.14
	EEAS.237/17CH	WASHER, "D" (Alt. R60/39—Mod. 5100) ...						3	S.511	—	
	E.A3.73.739	PIPES, HYDRAULIC, IN NOSEWHEEL BAY, ASSEMBLY						—	—	—	
		(For Aircraft Not Embodying Mod. 5100)									
	E.A3.73.847	ADAPTOR, bulkhead connection						1	—	—	S.15
		Attaching parts for E.A3.73.847:—									
28D/9419452	A25/3B	Bolt, 4 BA						3	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA						3	—	C	
28W/9419474	SP.15/B	Washer						3	—	C	
	E.A3.73.849	Washer, plate						1	—	—	S.15

SERVICES

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
4513	E.A3.73.669	PIPE, assembly, from thermal relief valve tee cone at wheel well wall, to hydraulic reservoir cone forward of frame 12, return line Modify as required (SCD.79437) (SRIM.3533) (Mod.4799)						1	DTD.5019	C	S.15
4514	E.A3.73.671	PIPE, assembly, from nosewheel door jack thermal relief valve to nosewheel jack thermal relief valve and return line tee cone						1	DTD.5019	C	S.15
4511	E.A3.73.673	PIPE, assembly, from sequence valve and nosewheel jack supply tee cone, to thermal relief valve nosewheel "up" line						1	DTD.5019	C	S.15
750	E.A3.73.741	PIPE, assembly, from flanged union cone at wheel well wall, to sequence valve and nosewheel undercarriage jack tee cone "down" line						1	DTD.5019	C	S.15
749	E.A3.73.743	PIPE, assembly, from flanged union cone at wheel well wall, to sequence valve and nosewheel undercarriage door jack tee cone "up" line						1	DTD.5019	C	S.15
740	E.A3.73.745	PIPE, assembly, from nosewheel "up" supply line to tee cone, to sequence valve						1	DTD.5019	C	S.15
741	E.A3.73.747	PIPE, assembly, from sequence valve, to thermal relief valve and nosewheel undercarriage jack tee cone "up" line						1	DTD.5019	C	S.15
751	E.A3.73.749	PIPE, assembly, from thermal relief valve and sequence valve tee cone, to nosewheel undercarriage jack "up" line						1	DTD.5019	C	S.15
752	E.A3.73.753	PIPE, assembly, from nosewheel undercarriage jack supply tee cone to sequence valve undercarriage "down" line						1	DTD.5019	C	S.15
4782	E.A3.73.755	PIPE, assembly, from supply tee cone to nosewheel jack bulkhead adaptor "down" line						1	DTD.5019	C	S.15
743	E.A3.73.757	PIPE, assembly, from sequence valve to nosewheel door jack and to thermal relief valve tee cone, doors "open" line						1	DTD.5019	C	S.15
745	E.A3.73.761	PIPE, assembly, from sequence valve and nosewheel door jack tee cone, to thermal relief valve, "open" line						1	DTD.5019	C	S.15
4783	E.A3.73.763	PIPE, assembly, from supply tee bulkhead adaptor to nosewheel undercarriage jack union body, "down" line						1	DTD.5019	C	S.15
4495	E.A3.73.769	PIPE, assembly, from supply and sequence valve tee cone, to nosewheel undercarriage door jack union body, doors "closed" line						1	DTD.5019	C	S.15
5516	E.A3.73.771	PIPE, assembly, from sequence valve and thermal relief valve tee cone, to nosewheel door jack union body, "open" line						1	DTD.5019	C	S.15
981	EEAS.20/2DR	TAB, locking 20 SWG						8	L.72	C	S.15
28F/1010341	AGS.1106/B	UNION, body						3	—	C	
28F/8011887	AGS.1113/B	UNION, body, flanged						1	—	C	
Attaching parts for AGS.1113/B:—											
28D/9419452	A25/3B	Bolt, 4 BA						3	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA						3	—	C	
28W/9419474	SP.15/B	Washer						3	—	C	
28F/9128928	AGS.1115/2	Washer, plate						1	—	C	
28F/1013743	AGS.1167/B	UNION, elbow, assembly, 90°						2	—	C	

CANBERRA E Mk. 15

Page 55.10A

SERVICES

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.A3.73.1289	PIPES, HYDRAULIC, IN NOSEWHEEL BAY, ASSEMBLY (For Aircraft Embodying Mod. 5100) Spares for this assembly are identical to assembly Part No. E.A3.73.739 on page SS 8 except for the following deletions and additions Delete:—						—	—	—	
5260	EEAS.143/5H	CLIP	...	...	...	...	...	14	—	C	
5258	EEAS.143/6H	CLIP	...	...	...	...	...	5	—	C	
737	E.A1.73.179	CLIP, flexible pipe	...	...	...	...	...	3	—	C	
739	E.A1.73.245	CLIP, flexible pipe	...	...	...	...	...	1	—	C	
SK/7000230	AS.3360/B3B	LEAD, bonding	...	...	...	...	...	8	—	C	
750	E.A3.73.741	PIPE, assembly	...	...	...	...	...	1	—	C	
749	E.A3.73.743	PIPE, assembly	...	...	...	...	...	1	—	C	
740	E.A3.73.745	PIPE, assembly	...	...	...	...	...	1	—	C	
741	E.A3.73.747	PIPE, assembly	...	...	...	...	...	1	—	C	
751	E.A3.73.749	PIPE, assembly	...	...	...	...	...	1	—	C	
4495	E.A3.73.769	PIPE, assembly	...	...	...	...	...	1	—	C	
752	E.A3.73.753	PIPE, assembly	...	...	...	...	...	1	—	C	
4782	E.A3.73.755	PIPE, assembly	...	...	...	...	...	1	—	C	
743	E.A3.73.757	PIPE, assembly	...	...	...	...	...	1	—	C	
5516	E.A3.73.771	PIPE, assembly	...	...	...	...	...	1	—	C	
4783	E.A3.73.763	PIPE, assembly	...	...	...	...	...	1	—	C	
SK/7000230	AS.3360/B3B	LEAD, bonding	...	...	...	...	...	8	—	C	
5259	EEAS.21/2ERH	WASHER, "D"	...	...	...	...	...	33	—	C	
		Add:—									
SK/6323922	AS.4526/3	CLIP, $\frac{1}{8}$ " (Alt. R60/39—Mod. 5100)	...	...	...	...	...	5	—	C	
SK/4345976	AS.4526/4	CLIP, $\frac{1}{4}$ " (Alt. R60/39—Mod. 5100)	...	...	...	...	...	4	—	C	
28E/9130610	AS.5419/3	CLIP, $\frac{3}{8}$ " (Alt. R60/39—Mod. 5100)	...	...	...	...	...	6	—	C	
6119336	E.A3.73.1461	CLIP, flexible pipe (Alt. R60/32—Mod. 5100)	...	...	...	...	...	3	S.97	C	
6119337	E.A3.73.1459	CLIP, flexible pipe (Alt. R60/32—Mod. 5100)	...	...	...	...	...	1	S.97	C	
6150-99-7135-745	AGS.2097/B3B	LEAD, bonding (Alt. R60/39—Mod. 5100)	...	...	...	...	...	4	—	C	
	E.A3.73.1209	PIPE, assembly, from nosewheel undercarriage supply tee to wheel well coupling, "down" line (Alt. R60/80—Mod. 5100)						1	DTD.5019	LM	
	E.A3.73.1211	PIPE, assembly, from wheel well wall to sequence valve tee, undercarriage "up" line and nosewheel door "closed" line (Alt. R60/80—Mod. 5100)						1	DTD.5019	LM	
	E.A3.73.1213	PIPE, assembly, from sequence valve to tee, nosewheel undercarriage "up" line (Alt. R60/80—Mod. 5100)						1	DTD.5019	LM	
	E.A3.73.1215	PIPE, assembly, from sequence valve to thermal relief valve tee, nosewheel undercarriage "up" line (Alt. R60/80—Mod. 5100)						1	DTD.5019	LM	
	E.A3.73.1217	PIPE, assembly, from thermal relief valve tee to nosewheel jack flexible pipe coupling, "up" line (Alt. R60/80—Mod. 5100)						1	DTD.5019	LM	
	E.A3.73.1219	PIPE, assembly, from nosewheel undercarriage jack supply tee to sequence valve, undercarriage "down" line (Alt. R60/80—Mod. 5100)						1	DTD.5019	LM	

SERVICES

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.A3.73.1229	PIPE, assembly, from nosewheel undercarriage jack supply tee to jack bulkhead connection "down" line (Alt. R60/80 — Mod. 5100)						1	DTD.5019	LM	
	E.A3.73.1231	PIPE, assembly, from bulkhead connection to nosewheel undercarriage jack flexible pipe coupling "down" line (Alt. R60/80—Mod. 5100)						1	DTD.5019	LM	
	E.A3.73.1223	PIPE, assembly, from thermal relief valve tee to sequence valve, nosewheel door jack "open" line (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
	E.A3.73.1225	PIPE, assembly from sequence valve tee to nosewheel door jack flexible pipe coupling, "closed" line (Alt. R60/80—Mod. 5100)						1	DTD.5019	LM	
	E.A3.73.1227	PIPE, assembly, from thermal relief valve tee to nosewheel door jack flexible pipe coupling, "open" line (Alt. R60/80—Mod. 5100)						1	DTD.5019	LM	
	EEAS.237/17CH E.G4.73.105	WASHER, "D" (Alt. R60/39—Mod. 5100) ... PIPES, HYDRAULIC, FROM RESERVOIR TO FRAME 12 AND PRESSURE BULKHEAD, ASSEMBLY (MOD. 4799)						15	S.511	—	
		Spares for:—						—	—	—	
12423	E.B6.73.263	BANJO, body, special Attaching parts for E.B6.73.263:—						1	L.85	C	S.14
28F/9423229	AGS.1135/C	Bolt, banjo						1	—	C	
28F/9429636	AGS.1186/3	Seal, bonded						2	—	C	
9016	E.A2.73.507	BOX, oil collector						1	—	B/MR	S.14
5260	EEAS.143/5H	CLIP, pipe, single, $\frac{3}{8}$ " o/d, bonding						5	L.72	C	
5258	EEAS.143/6H	CLIP, pipe, single, $\frac{1}{2}$ " o/d, bonding						8	L.72	C	
5543	EEAS.143/10H	CLIP, pipe, single, $\frac{1}{2}$ " o/d, bonding						2	L.72	C	
5544	EEAS.143/21H	CLIP, pipe, single, $\frac{1}{2}$ " o/d, bonding						8	L.72	C	
5521	EEAS.143/24H	CLIP, pipe, single, $\frac{3}{4}$ " o/d, bonding						4	L.72	C	
	or	Alternative clips (Alt. R60/39—Mod. 5100)						5	—	C	
5K/6323922	AS.4526/3	CLIP, $\frac{3}{8}$ "						5	—	C	
5K/4345976	AS.4526/4	CLIP, $\frac{1}{2}$ "						5	—	C	
5K/4345978	AS.4526/8	CLIP, $\frac{1}{2}$ "						5	—	C	
5K/4345980	AS.4526/12	CLIP, $\frac{1}{2}$ "						4	—	C	
28E/9130689	AS.5419/8	CLIP, $\frac{1}{2}$ "						4	—	C	
		Attaching parts for EEAS.143/5H, EEAS.143/6H, EEAS.143/10H, EEAS.143/21H and EEAS.143/24H:—									
28D/1010658	A25/1B	Bolt, 4 BA (As required)						1	—	C	
28D/9436920	A25/1C	Bolt, 2 BA (As required)						1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA (As required)						1	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA (As required)						1	—	C	
28W/9419465	SP.13/B	Washer (As required)						1	—	C	
28W/9419402	SP.13/C	Washer (As required)						1	—	C	
5259	EEAS.21/2ERH	Washer, special						1	L.72	C	
5929	E.A3.73.727	CONE, tee, $\frac{1}{2}$ " x $\frac{1}{2}$ " x $\frac{3}{8}$ "						1	—	C	S.14
28F/8011811	AGS.1118/B	CONE, tee						1	—	C	
28F/1014970	AGS.1104/A	CONE, adapter (SRIM.3533) (Mod. 4799)						1	—	C	
28F/8011808	AGS.1104/D	CONE, adapter (SRIM.3533) (Mod. 4799)						1	—	C	

CANBERRA E Mk. 15

Page SS.10C/D

SERVICES

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
28F/9439765	AGS.1102/D	CONE, union, body						1	—	C	S.14
28F/1089217	AGS.1111/D	CONE, union body, flanged						2	—	C	
		Attaching parts for AGS.1111/D:—									
28D/9436920	A25/1C	Bolt, 2 BA						6	—	C	
28M/1006473	A27/CT	Nut, 2 BA						6	—	C	
28F/10603	AGS.1115/6	Washer, plate						1	—	C	
28W/9416643	SP.47/C	Washer, spring						6	—	C	
40149	E.A3.73.313	ELBOW, assembly, at hydraulic reservoir						1	—	C	
		(Mod. 3390)									
6151	E.A1.73.225	FAIRLEAD						1	—	C	
		Attaching parts for E.A1.73.225:—									
28D/9133011	A25/2C	Bolt, 1 BA						4	—	C	
28M/9403520	A27/CP	Nut, 2 BA						4	—	C	
28W/9416643	SP.47/C	Washer						4	—	C	

Restricted

Ref. No.	Part No.							Description	No. off	Matl Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6				M.R. L.M.	

Restricted

CANBERRA E Mk. 15

Page 55.11

SERVICES

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.B6.73.379	FAIRLEAD						2	—	—	S.14
		Attaching parts for E B6.73.379:—									
28D/9419397	A25/12C	Bolt, 2 BA						2	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA						2	—	C	
28W/9419402	SP.13/C	Washer						4	—	C	
719	E.A1.73.239	FILTER, CABIN BLOWER NON-RETURN VALVE, ASSEMBLY						1	—	B	S.14
		Consisting of:—									
	E.A1.73.241	BODY , filter						1	DTD.683	—	S.14
28N/2001711	AGS.2030/6	CIRCLIP , internal						1	—	C	
5036	E.A1.73.243	GAUZE , 200 mesh						1	Brass	C	S.14
28F/1013599	AGS.1142/A	NIPPLE , adapter (SRIM.3533) (Mod. 4799) ...						1	—	C	
28F/8011886	AGS.1142/D	NIPPLE , adapter (SRIM.3533) (Mod. 4799) ...						1	—	C	
28F/8011897	AGS.1142/F	NIPPLE , adapter						5	—	C	
28F/9708189	AGS.1170/A	NIPPLE , adapter (SRIM.3533) (Mod. 4799) ...						1	—	C	
28F/4051592	AGS.1170/F	NIPPLE , adapter (SRIM.3533) (Mod. 4799) ...						1	—	C	
28F/1037686	AGS.2120/D	NIPPLE , adapter (SRIM.3533) (Mod. 4799) ...						1	—	C	
5931	E.B6.73.43	PIPE , assembly, from hydraulic reservoir to tee cone						1	L.56	C	S.14
	or										
	E.G4.73.135	PIPE , assembly (Alt. R60/80—Mod. 5100) ...						1	L.56	LM	
5932	E.B6.73.45	PIPE , assembly, from pressure relief valve to tee cone overflow line						1	L.56	C	S.14
	or										
	E.G4.73.137	PIPE , assembly (Alt. R60/80—Mod. 5100) ...						1	L.56	LM	
5933	E.B6.73.47	PIPE , assembly, from hydraulic reservoir to pressure relief valve overflow line						1	L.56	C	S.14
	or										
	E.G4.73.139	PIPE , assembly (Alt. R60/80—Mod. 5100) ...						1	L.56	LM	
5934	E.B6.73.49	PIPE , assembly, from cabin blower non-return valve to hydraulic reservoir (Pre-Mod. 3390)						1	L.56	C	
40150	E.A3.73.737	PIPE , assembly, from cabin blower non-return valve to hydraulic reservoir (Mod. 3390)						1	DTD.5019	C	S.14
5935	E.B6.73.51	PIPE , assembly, from hydraulic reservoir to union cone forward of frame 10, return line						1	L.56	C	S.14
5936	E.B6.73.53	PIPE , assembly, from hydraulic reservoir to union body forward of frame 10, engine driven pump suction line						1	L.56	C	S.14
5938	E.B6.73.57	PIPE , assembly, from tee cone to oil collector box under N.B.C. compartment floor, overflow line						1	L.56	C	S.14
	or										
	E.G4.73.141	PIPE , assembly (Alt. R60/80—Mod. 5100) ...						1	L.56	LM	
5939	E.B6.73.59	PIPE , assembly, between union cone forward of frame 10, and tee cone forward of frame 12, return line						1	L.56	C	S.14
		Modify as required (SRIM.3533) (Mod. 4799)									
	SCD.79437/4	PIPE , assembly, from tee piece forward of frame 12 to cone, return line (SRIM.3533) (Mod. 4799) 3/4" o/d. x 22 SWG						1	DTD.5019	—	S.14
	SCD.79437/3	PIPE , assembly, from tee piece forward of frame 12 to flanged union cone at frame 12, return line (SRIM.3533) (Mod. 4799) 1/2" o/d. x 20 SWG						1	L.56	—	S.14
	SCD.79437/2	PIPE , assembly, from flanged union cone at frame 12 to cone forward of frame 12, engine driven pump suction line (SRIM.3533) (Mod. 4799) 3/4" o/d. x 20 SWG						1	L.56	—	S.14

SERVICES

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
33435	E.B6.73.405	PIPE, assembly, from hydraulic reservoir to adapter nipple at bulkhead, hand pump suction line						1	L.54	C	S.14
33818	E.B6.73.385	PIPE, assembly, between union cones, forward of frame 12, engine driven pump suction line Modify as required (SRIM.3533) (Mod. 4799)						1	L.56	C	S.14
28F/1051097	AGS.1114/A	SLEEVE, screwed, flanged						1	—	C	
28D/1008149	A25/28	Attaching parts for AGS.1114/A:—									
1128	EEAS.69/2	Bolt, 4 BA						6	—	C	
28M/1006504	A27/BT	Gasket, sealing, special						1	—	C	
28F/9428452	AGS.1186/A	Nut, 4 BA						6	—	C	
28F/9128928	AGS.1115/2	Seal, bonded						2	—	C	
28W/9416642	SP.47/B	Washer, plate						1	—	C	
		Washer, spring						6	—	C	
980	EEAS.20/1DR	TAB, locking						6	L.72	C	
981	EEAS.20/2DR	TAB, locking						2	L.72	C	
28F/1011798	AGS.1103/F	UNION, body						1	—	C	
28F/9439106	AGS.1105/A	UNION, adapter (SRIM.3533) (Mod. 4799) ...						1	—	C	
28F/8011908	AGS.1105/D	UNION, adapter (SRIM.3533) (Mod. 4799) ...						1	—	C	
28F/9439107	AGS.1105/F	UNION, adapter (SRIM.3533) (Mod. 4799) ...						1	—	C	
28F/9157486	AGS.1112/F	UNION, body, flanged						1	—	C	
28D/9436920	A25/1C	Attaching parts for AGS.1112/F:—									
28M/1006473	A27/CT	Bolt, 2 BA						6	—	C	
28F/11491	AGS.1115/8	Nut, 2 BA						6	—	C	
28W/9416643	SP.47/C	Washer, plate						1	—	C	
		Washer, spring						6	—	C	
28F/9439163	AGS.1109/K	UNION, reducing (Mod. 3390)						1	—	C	
	EEAS.237/17CH	WASHER, "D" (Alt. R60/39—Mod. 5100) ...						14	S.511	—	
	EEAS.239/1CH	WASHER, "D" (Alt. R60/39—Mod. 5100) ...						3	S.511	—	
26DK/24376	EEAS.239/2CH	WASHER, "D" (Alt. R60/39—Mod. 5100) ...						4	S.511	C	
	E.A3.73.37	RESERVOIR, HYDRAULIC, MOUNTING, ASSEMBLY						—	—	—	
		Spares for:—									
28F/11170	AGS.1129/D	BANJO, body cone						1	—	C	
28F/9423231	AGS.1135/D	Attaching parts for AGS.1129/D:—									
		Bolt, banjo						1	—	C	
28F/8011809	AGS.1104/B	CONE, adaptor						1	—	C	
2447	E.A1.73.49	COUPLING, pipe						1	—	C	S.16
6850	E.A3.73.607	EXTENSION, HYDRAULIC RESERVOIR FILLER, ASSEMBLY						1	—	B	S.16
		Spares for:—									
28F/8011809	AGS.1104/B	CONE, adaptor						1	—	C	
28F/9428453	AGS.1186/B	Attaching parts for AGS.1104/B:—									
		Seal, bonded						1	—	C	
9019	E.A3.73.29	EXTENSION, filler						1	—	C	S.16
9018	E.A3.73.605	GUARD, splash						1	—	C	S.16
28D/9133012	A25/3C	Attaching parts for E.A3.73.605:—									
2125	E.A3.73.603	Bolt, 2 BA						1	—	C	
28M/1278190	AGS.2001/C/1	Circlip, special, 5"2 dia.						1	L.72	C	S.16
2123	E.A3.73.609	Nut, 2 BA						1	—	C	
5502	EEAS.21/2FR	Strip, rubber						1	Neoprene	C	S.16
		Washer, "D"						2	L.72	C	S.16
28D/1212964	A61/1B	Attaching parts for E.A3.73.607:—									
764	E.A1.73.41	Bolt, 4 BA						8	—	C	
28M/9129524	A29/BP	Gasket, hydraulic reservoir filler neck ...						1	Neo-K-Tex	C	S.16
28W/9416642	SP.47/B	Nut						8	—	C	
		Washer, spring						8	—	C	

CANBERRA E Mk. 15

Page SS.13/14

SERVICES

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
9017	E.A3.73.885	HARDFELT, packing on reservoir straps, 1" x 3" x 26" long						2	—	C	
12905	E.B6.73.351	RESERVOIR, HYDRAULIC, ASSEMBLY ...						1	—	A	S.16
22234	E.B6.73.347	ADAPTOR, filler cap ...						1	S.95 or S.96	C	S.16
28S/9998146	A35/Z10	Screw, 8 BA ...						4	—	C	
28N/3720	AGS.607	CAP, filler ...						1	DTD.424	C	S.16
1886	E.A1.73.381	FILTER, oil reservoir, 45 mesh, 34 SWG						1	—	C	S.16
22235	E.B6.73.349	GASKET, filler neck ...						1	Neo-K-Tex	C	S.16
28U/15632	SP.35/E	ROD, tension, reservoir mounting strap ...						2	—	C	S.16
2124	E.A3.73.611	SEAL, rubber ...						1	Neoprene	C	S.16
766	E.A1.73.39	STRAP, hydraulic reservoir mounting ...						4	L.72	C	S.16
28P/1012221	SP.47/B12	Pin, shackle, 7/8" dia. ...						4	—	C	
28VV/9419475	SP.15/C	Washer ...						4	—	C	
981	EEAS.20/2DR	TAB, locking, 20 SWG ...						1	L.72	C	S.16
767	E.A1.70.21	TRUNNION, R.H. thread ...						2	M.S.	C	S16
768	E.A1.70.22	TRUNNION, L.H. thread ...						2	M.S.	C	S16
28F/9439107	AGS.1105/F	UNION, adaptor ...						1	—	C	

CANBERRA E Mk. 15

Page ST.1

SERVICES

HYDRAULIC EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.G4.73.7	HYDRAULIC EQUIPMENT IN PORT WING, ASSEMBLY						—	—	—	
	—	Consisting of:— HYDRAULIC EQUIPMENT CIRCUIT, ASSEMBLY (E.A6.73.283)						—	—	—	
	LOCKHEED AVA.50E	COUPLING, AVERY, ASSEMBLY						1	—	—	S.20
		Consisting of:—									
27BA/4110940	AVA.1152E	FLANGE, half, medium						1	—	B	
27BA/4110827	AVA.62E	NUT, tube						1	—	B	
27BA/9508649	AVA.54E	UNION, half						1	—	B	
	LOCKHEED AVA.52C	COUPLING, AVERY, ASSEMBLY						1	—	—	S.20
		Consisting of:—									
27BA/9129632	AVA.57C	COUPLING, half union						1	—	B	
27BA/4110824	AVA 58C	FLANGE, half						1	—	B	
27BA/9157278	AVA.62C	NUT, tube						1	—	B	
	DOWTY O.7017Y.CO 1	JACK, operating, main undercarriage (For spares see AP.4515B, Vol. 3)						1	—	A	S.20
27QM/4143561	O.7016Y.CO1	JACK, operating, flap (For spares see AP.4515B, Vol. 3)						2	—	A	S.20
	DOWTY O.8246Y.CO1	JACK, operating, main undercarriage door (For spares see AP.4515B, Vol. 3)						1	—	A	S.20
	E.B6.73.221	JACK, FOR AIR BRAKE, ASSEMBLY						1	—	—	
		Consisting of:—									
27QM/4170044	MESSIER 5232	JACK, assembly (Pre-Mod. 4454) (For spares see AP.4515A, Vol. 3, Pt. 1, Section 2)						1	—	A	S.19
27QM/1446726	DOWTY 1 03035 001 or MESSIER J.5076	JACK, assembly (Mod. 4454)						1	—	A	
27QM/4170076	DOWTY 1 03036 001	JACK, assembly (Pre-Mod. 4454)						1	—	A	
27QM/1446725		JACK, assembly (Mod. 4454) (For spares see AP.4515B, Vol. 3, Pt. 1, Section 2)						1	—	A	
27VA/4619945	DUNLOP 2/W3/101/8/8/63 or 2/W14/DAS 7005 /63	PIPE, flexible, maxaret unit (Pre-Mod. 5100 or 5190)						1	—	B	
27VA/6115884	2/W14/DAS 7005 /63	PIPE, flexible, maxaret unit (Alt. R60/32—Mod. 5100 or Mod. 5190)						1	—	B	
27VA/4629946	2/W3/101/8/10 /30	PIPE, flexible, maxaret unit (Pre-Mod. 5100 or 5190)						1	—	B	
27VA/6115885	2/W14/DAS 7007 /30	PIPE, flexible, maxaret unit (Alt. R60/32—Mod. 5100 or Mod. 5190)						1	—	B	
27VA/4619898	4/W3/101/8/8 /14	PIPE, flexible, undercarriage door, "open" line (Pre-Mod. 5100 or 5190)						1	—	B	
27VA/6115870	4/W14/DAS 7005 /14	PIPE, flexible, undercarriage door, "open" line (Alt. R60/32—Mod. 5100 or Mod. 5190)						1	—	B	
27VA/4619899	4/W3/101/8/8 /18	PIPE, flexible, undercarriage door, "closed" line (Pre-Mod. 5100 or 5190)						1	—	B	
27VA/6115871	4/W14/DAS 7005 /18	PIPE, flexible, undercarriage door, "closed" line (Alt. R60/32—Mod. 5100 or Mod. 5190)						1	—	B	

SERVICES HYDRAULIC EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description					No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5				
27VA/4619902	DUNLOP 4/W3/101/8/8/63	PIPE,	flexible,	hydraulic brake (Pre-Mod. 5100 or 5190)			1	—	B	
27VA/6115873	4/W14/DAS 7005 /63	PIPE,	flexible,	hydraulic brake (Alt. R60/32—Mod. 5100 or Mod. 5190)			1	—	B	
27VA/4611949	4/W3/101/8/10 /26.5	PIPE,	flexible,	hydraulic brake (Pre-Mod. 5100 or 5190)			1	—	B	
27VA/6115868	4/W14/DAS 7007 /26.5	PIPE,	flexible,	hydraulic brake (Alt. R60/32—Mod. 5100 or Mod. 5190)			1	—	B	
27VA/4619903	6/W3/101/8/8/ 18	PIPE,	flexible,	undercarriage "up" line (Pre-Mod. 5100 or 5190)			1	—	B	
27VA/6115874	6/W14/DAS 7005 /18	PIPE,	flexible,	undercarriage "up" line (Alt. R60/32—Mod. 5100 or Mod. 5190)			1	—	B	
27VA/4619904	6/W3/101/8/8/ /25	PIPE,	flexible,	undercarriage "down" line (Pre-Mod. 5100 or 5190)			1	—	B	
27VA/6115875	6/W14/DAS 7005 /25	PIPE,	flexible,	undercarriage "down" line (Alt. R60/32—Mod. 5100 or Mod. 5190)			1	—	B	
27VA/5298	6/W3/102/8/10 /40	PIPE,	flexible,	engine driven pump, delivery line (Pre-Mod. 2150 or 5100)			1	—	B	
27VA/6115863	6/W2/102/8/10 /40	PIPE,	flexible,	engine driven pump, delivery line (Alt. R60/32—Mod. 5100)			1	—	B	
27VA/4625955	6/W3/102/8/10 /42	PIPE,	flexible,	engine driven pump, delivery line (Mod. 2150) (Pre-Mod. 5100 or 5190)			1	—	B	
27VA/6115864	6/W2/102/8/10 /42	PIPE,	flexible,	engine driven pump, delivery line (Alt. R60/32—Mod. 5100 or Mod. 5190)			1	—	B	
27VA/3659	10/W3/121/8/10 /40	PIPE,	flexible,	engine driven pump, suction line (Pre-Mod. 5100 or 5190)			1	—	B	
27VA/6115862	10/W2/121/8/10 /40	PIPE,	flexible,	engine driven pump, suction line (Alt. R60/32—Mod. 5100 or Mod. 5190)			1	—	B	
37J/264	LOCKHEED AIR.41000	PUMP,	engine driven (Pre-Mod. 2335) (For spares see AP.4515N, Vol. 3)				1	—	A	
37J/266	LOCKHEED AIR.68000	PUMP,	engine driven (Mod. 2335)				1	—	A	S.20
27QM/4143197	DOWTY C.4603Y Mk.E	VALVE,	thermal relief				2	—	A	S.19
27QM/4674311	DOWTY C.8697 Mk.A	VALVE,	thermal relief (Mod. 3749)				1	—	A	
27QM/4143191	DOWTY D.401Y Mk.K	VALVE,	sequence, undercarriage door				1	—	A	S.19
27QM/4143192	DOWTY D.401Y Mk.L	VALVE,	sequence, undercarriage				1	—	A	S.20
27Q/919	DOWTY D.3371 Mk. E	VALVE,	restriction (Pre-Mod. 3937)				1	—	A	S.20
27Q/70290	DOWTY O.3371Y BO6	VALVE,	restrictor (Mod. 3937)				1	—	A	
27QM/4113203	DOWTY C.6790Y Mk.A	VALVE,	transfer, undercarriage jack (For spares see AP.4515B, Vol. 3)				1	—	A	S.20
27Q/1506	DOWTY 6209Y	VALVE,	restrictor, undercarriage door jack (Pre-Mod. 3937)				1	—	A	
27Q/4143176	DOWTY O.6209Y B01	VALVE,	restrictor, undercarriage door jack (Mod. 3937)				1	—	A	

CANBERRA E Mk. 15

Page ST.2A/B

SERVICES

HYDRAULIC EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
28Y/9701165	HIGH PRESSURE COMPONENTS GYP.A.58 E.B6.73.353							1	—	C	S.20
								—	—	—	
9787	E.A1.73.107							1	—	C	
28D/9436920	A25/1C							4	—	C	
28M/9403520	A27/CP							4	—	C	
28W/9416643	SP.47/C							4	—	C	
16500	E.A6.73.61							1	—	C	
28D/9436920	A25/1C							4	—	C	
28M/9403520	A27/CP							4	—	C	
28W/9416643	SP.47/C							4	—	C	
9772	E.A3.73.789							1	—	C	
28D/9436920	A25/1C							4	—	C	
28M/9403520	A27/CP							4	—	C	
28W/9416643	SP.47/C							4	—	C	
16498	E.A3.73.793							1	—	C	
28D/9436920	A25/1C							4	—	C	
28M/9403520	A27/CP							4	—	C	
28W/9416643	SP.47/C							4	—	C	
16502	E.A6.73.79							1	—	C	
28S/9992525	A32/B12							4	—	C	
28W/9416642	SP.47/B							4	—	C	

Continued on Page ST.3

CANBERRA E Mk. 15

Page ST.3

SERVICES

HYDRAULIC EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description	No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1 2 3 4 5 6				
829	E.A1.73.181	CLIP, thermal relief valve and flexible pipes ...	3	L.72	C	S.20
829	E.A1.73.181	CLIP, thermal relief valve and flexible pipes (Mod. 3749)	1	L.72	C	
5528	E.A3.73.797	CLIP, transfer valve ...	1	—	C	S.20
28E/1059357	AS.2081/3	CLIP, 1/2" i/d., with earthing tongue (Pre-Mod. 3749)	3	—	C	
28E/1059357	AS.2081/3	CLIP, 1/2" i/d., with earthing tongue (Mod. 3749)	1	—	C	
28E/1059358	AS.2081/4	CLIP, 1/2" i/d., with earthing tongue (Mod. 3749)	4	—	C	
28E/1059359	AS.2081/6	CLIP, 1/2" i/d., with earthing tongue (Mod. 3749)	7	—	C	
7136	EEAS.143/21	CLIP, pipe, single, 1/2" o/d. ...	3	L.72	C	S.20
6068	EEAS.143/24	CLIP, pipe, single, 1/2" o/d. ...	3	L.72	C	S.20
	or	Alternative clips (Alt. R60/39—Mod. 5100) ...				
5K/6323922	AS.4526/3	CLIP, 1/2" ...	4	—	C	
5K/4345976	AS.4526/4	CLIP, 1/2" ...	1	—	C	
5K/4345977	AS.4526/6	CLIP, 1/2" ...	7	—	C	
28E/9130689	AS.5419/8	CLIP, 1/2" ...	3	—	C	
28E/9130755	AS.5419/12	CLIP, 1/2" ...	3	—	C	
		Attaching parts for E.A1.73.181, E.A3.73.797, AS.2081/3, AS.2081/4, AS.2081/6, EEAS.143/21 and EEAS.143/24:—				
28D/1010658	A25/1B	Bolt, 4 BA (As required) ...	1	—	C	
28D/1008149	A25/2B	Bolt, 4 BA (As required) ...	1	—	C	
28D/9419452	A25/3B	Bolt, 4 BA (As required) ...	1	—	C	
28D/9133011	A25/2C	Bolt, 2 BA (As required) ...	1	—	C	
28D/1011019	A25/8C	Bolt, 2 BA (As required) ...	1	—	C	
28D/9140645	A25/10C	Bolt, 2 BA (As required) ...	2	—	C	
28D/9140647	A25/14C	Bolt, 2 BA (As required) ...	1	—	C	
28M/9403519	A27/BP	Nut, 4 BA (As required) ...	1	—	C	
28M/9403520	A27/CP	Nut, 2 BA (As required) ...	1	—	C	
6062	E.A1.70.73	Washer, special (As required) ...	1	—	C	S.20
12929	EEAS.21/9ER	Washer, special (As required) ...	1	—	C	S.20
28W/9419402	SP.13/C	Washer (As required) ...	2	—	C	
28W/9416642	SP.47/B	Washer, spring (As required) ...	1	—	C	
28W/9416643	SP.47/C	Washer, spring (As required) ...	1	—	C	
806	E.A1.73.177	CONE, tee ...	1	DTD.683	C	S.20
28F/9129085	AGS.1102/A	CONE, union body ...	1	—	C	
28F/8011883	AGS.1102/B	CONE, union body ...	1	—	C	
28F/9471001	AGS.1102/C	CONE, union body (Pre-Mod. 3749) ...	1	—	C	
28F/9475460	AGS.1123/A	CONE, 4-way ...	1	—	C	
28F/9508223	AGS.1123/C	CONE, 4-way ...	1	—	C	
9789	E.A1.73.109	GUARD, pipe, flexible ...	1	—	C	
		Attaching parts for E.A1.73.109:—				
28D/1212940	A61/2C	Bolt, 2 BA ...	4	—	C	
28M/4095911	A29/CP	Nut, 2 BA ...	4	—	C	
28W/9416643	SP.47/C	Washer, spring ...	4	—	C	
923	E.A3.73.537	PIPE, assembly, from sequence valve, 4-way cone, to union body, undercarriage jack "down" line	1	DTD.5019	C	S.20
2009	E.A3.73.543	PIPE, assembly, from sequence valve, 4-way cone, to sequence valve connection on rib 3 wheel well wall bay, undercarriage door "open" line	1	—	C	S.19 S.20
2011	E.A3.73.549	PIPE, assembly, from union body on rib B, to union body inboard rib A, brake pressure line	1	DTD.5019	C	S.20
	or					
	E.A3.73.1233	PIPE, assembly (Alt R60/80—Mod. 5100) ...	1	DTD.5019	LM	

SERVICES

HYDRAULIC EQUIPMENT IN PORT WING

Ref. No.	Part No.	1	2	3	4	5	6	Description	No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
4522	E.A3.73.651							PIPE, assembly, from undercarriage and door jack thermal relief valve, to 4-way cone return line	1	DTD.5019	C	\$ 20
5529	E.A3.73.729							PIPE, assembly, from 4-way cone, to union cone inboard rib A return line	1	L.56	C	\$ 20
5530	E.A3.73.799							PIPE, assembly, from union cone inboard rib A, to transfer valve, undercarriage jack "up" line (Pre-Mod. 3749)	1	DTD.5019	C	\$ 20
41175	E.A3.73.5135							PIPE, assembly, from union cone inboard rib A, to transfer valve, undercarriage jack "up" line (Mod. 3749)	1	DTD.5019	C	
41177	E.A3.73.5139							PIPE, assembly, from thermal relief valve C.8697, to tee piece (Mod. 3749)	1	DTD.5019	C	
41173	E.A3.73.5133							PIPE, assembly, from thermal relief valve C.4603Y, to 4-way piece (Mod. 3749)	1	DTD.5019	C	
41179	E.A3.73.5141							PIPE, assembly, from thermal relief valve C.8697, to 4-way piece (Mod. 3749)	1	DTD.5019	C	
5531	E.A3.73.803							PIPE, assembly, from thermal relief valve tee cone, to transfer valve, undercarriage jack "up" line	1	DTD.5019	C	\$ 20
5532	E.A3.73.807							PIPE, assembly, from transfer valve, to union body at rib C, undercarriage jack "up" line	1	DTD.5019	C	\$ 20
5533	E.A3.73.809							PIPE, assembly, from tee cone, to thermal relief valve, undercarriage jack "up" line (Pre-Mod. 3749)	1	DTD.5019	C	\$ 20
13147	E.A3.73.887							PIPE, assembly, from union body on rib B, to 4-way cone maxaret unit return line	1	DTD.5019	C	\$ 20
9790	E.A1.73.297							PLATE, back (Used with E.A1.73.109) ...	1	—	C	
28F/9439766	AGS.1106/C							UNION, body ...	2	—	C	
28F/9504828	AGS.1147/A							UNION, body, hexagon ...	1	—	C	
								Attaching parts for AGS.1147/A:—				
28F/9453689	AGS.1148/A							Nut, 1/2" BSP ...	1	—	C	
28F/9157965	AGS.1149/1							Washer, plate ...	2	—	C	
28F/9130662	AGS.1147/B							UNION, body, hexagon ...	1	—	C	
								Attaching parts for AGS.1147/B:—				
28F/1010558	AGS.1148/B							Nut, 1/2" BSP ...	1	—	C	
28F/9130664	AGS.1149/2							Washer, plate ...	2	—	C	
28F/9489760	AGS.1125/4							UNION, piece, 4-way (Mod. 3749) ...	1	—	C	
	EEAS.239/1CH							WASHER, "D" (Alt. R60/39—Mod. 5100) ...	10	\$.511	—	
26DK/24376	EEAS.239/2CH							WASHER, "D" (Alt. R60/39—Mod. 5100) ...	3	\$.511	C	
	E.A6.73.41							PIPES, HYDRAULIC, ON FIXED FAIRING, ASSEMBLY	—	—	—	
								Spares for:—				
1875	E.A3.73.601							ADAPTOR, special, charging valve and test gauge	1	—	C	
								Attaching parts for E.A3.73.601:—				
28F/9428453	AGS.1186/B							Seal, bonded ...	1	—	C	
17735	E.A6.73.277							BRACKET, bonded, for flexible pipe connections	1	L.72	C	\$ 20
								Attaching parts for E.A6.73.277:—				
5970	E.A6.73.93							Washer ...	2	—	C	\$ 20
4965	EEAS.143/5							CLIP, pipe, single, 3/8" o/d ...	1	L.72	C	\$ 20
5542	EEAS.143/6							CLIP, pipe, single, 1/2" o/d ...	1	L.72	C	\$ 20
	or							Alternative clips (Alt. R60/39—Mod. 5100) ...				
5K/6323922	AS.4526/3							CLIP, 3/8" ...	1	—	C	
5K/4345976	AS.4526/4							CLIP, 1/2" ...	1	—	C	
								Attaching parts for EEAS.143/5 and EEAS.143/6:—				
28D/1010658	A25/1B							Bolt, 4 BA ...	1	—	C	
28M/9403519	A27/BP							Nut, 4 BA ...	1	—	C	
28W/1010155	AGS.162/B							Washer, spring ...	1	—	C	

CANBERRA E Mk. 15

Page ST.5

SERVICES

HYDRAULIC EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
7136	EEAS.143/21	CLIP, pipe, single, 1/2" o/d. ...	...	...	...	...	...	1	L.72	C	S.20
6068	EEAS.143/24	CLIP, pipe, single, 3/4" o/d. ...	...	...	...	...	...	1	L.72	C	S.20
	or	Alternative clips (Alt. R60/39—Mod. 5100) ...	...	...	...	...	...				
28E/9130689	AS.5419/8	CLIP, 1/2" ...	...	...	...	...	...	1	—	C	
28E/9130755	AS.5419/12	CLIP, 1/2" ...	...	...	...	...	...	1	—	C	
		Attaching parts for EEAS.143/21 and EEAS.143/24:—	...	...	...	...	...				
28D/9133011	A25/2C	Bolt, 2 BA ...	...	...	...	...	...	1	—	C	
28W/9419404	SP.16/C	Washer ...	...	...	...	...	...	1	—	C	
28F/8011809	AGS.1104/B	CONE, adaptor ...	...	...	...	...	...	1	—	C	
		Attaching parts for AGS.1104/B:—	...	...	...	...	...				
28F/9428453	AGS.1186/B	Seal, bonded ...	...	...	...	...	...	1	—	C	
5967	E.A6.73.113	PIPE, assembly, from union body at brake flexible pipe bracket to adaptor cone at charging valve, pressure line	...	...	...	...	...	1	DTD.5019	C	S.20
	or		...	...	...	...	...				
	E.B7.73.5207	PIPE, assembly (Alt. R60/80—Mod. 5100) ...	...	...	...	...	...	1	DTD.5019	LM	
5968	E.A6.73.115	PIPE, assembly, from union body at brake flexible pipe bracket to union body at charging valve bracket, maxaret unit return line	...	...	...	...	...	1	DTD.5019	C	S.20
1876	E.A3.73.599	TEE, piece, charging valve and test gauge ...	...	...	...	...	...	1	DTD.683	C	
28F/9504828	AGS.1147/A	UNION, body, hexagon ...	...	...	...	...	...	2	—	C	
		Attaching parts for AGS.1147/A:—	...	...	...	...	...				
28F/9453689	AGS.1148/A	Nut, 1/2" BSP ...	...	...	...	...	...	1	—	C	
28F/9157965	AGS.1149/1	Washer, plate ...	...	...	...	...	...	2	—	C	
28F/9130662	AGS.1147/B	UNION, body, hexagon ...	...	...	...	...	...	1	—	C	
		Attaching parts for AGS.1147/B:—	...	...	...	...	...				
28F/1010558	AGS.1148/B	Nut, 3/4" BSP ...	...	...	...	...	...	1	—	C	
28F/9130664	AGS.1149/2	Washer, plate ...	...	...	...	...	...	2	—	C	
25585	E.A6.73.275	WASHER, special, (charging valve bracket) ...	...	...	...	...	...	2	—	C	
	EEAS.237/17CH	WASHER, "D" (Alt. R60/39—Mod. 5100) ...	...	...	...	...	...	1	S.511	—	
26DK/24376	EEAS.239/2CH	WASHER, "D" (Alt. R60/39—Mod. 5100) ...	...	...	...	...	...	1	S.511	C	
	E.A1.73.91	PIPES, HYDRAULIC, FLAP JACK, ASSEMBLY ...	...	...	...	...	...	—	—	—	
		(For Aircraft Not Embodying Mod. 5100)	...	...	...	...	...				
		Spares for:—	...	...	...	...	...				
1880	EEAS.91/1	CLIP, pipe, double, 1/2" o/d. ...	...	...	...	...	...	11	L.16	C	S.19
1242	E.A3.73.773	CLIP, pipe, double, 1/2" o/d. ...	...	...	...	...	...	3	L.72	C	S.19
		Attaching parts for EEAS.91/1 and E.A3.73.773:—	...	...	...	...	...				
28D/1010658	A25/1B	Bolt, 4 BA (As required) ...	...	...	...	...	...	1	—	C	
28D/1011006	A25/5B	Bolt, 4 BA (As required) ...	...	...	...	...	...	1	—	C	
28M/9403519	A27/BP	Nut, 4 BA (As required) ...	...	...	...	...	...	1	—	C	
	AS.2807/4/04	Tube, distance (As required) ...	...	...	...	...	...	1	L.62	LM	
5259	EEAS.21/2/ERH	Washer, special (As required) ...	...	...	...	...	...	1	L.72	C	
28W/1010155	AGS.162/B	Washer, spring (As required) ...	...	...	...	...	...	1	—	C	
5258	EEAS.143/6H	CLIP, pipe, single, 1/2" o/d., bonding ...	...	...	...	...	...	4	L.72	C	S.19
		Attaching parts for EEAS.143/6H:—	...	...	...	...	...				
28D/1010658	A25/1B	Bolt, 4 BA ...	...	...	...	...	...	1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA, aerotight ...	...	...	...	...	...	1	—	C	
28W/9419465	SP.13/B	Washer ...	...	...	...	...	...	1	—	C	
5259	EEAS.21/2/ERH	Washer, special ...	...	...	...	...	...	1	—	C	
28F/8011811	AGS.1118/B	CONE, tee ...	...	...	...	...	...	2	—	C	
28F/8011883	AGS.1102/B	CONE, union body ...	...	...	...	...	...	6	—	C	

SERVICES

HYDRAULIC EQUIPMENT IN PORT WING

Ref. No.	Part No.							No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
859	E.A1.73.93	FAIRLEAD , at inboard wing, rib 7						1	BS.2572	C	S.19
28D/1011013	A25/13B	Attaching parts for E.A1.73.93:—									
28M/9403519	A27/BP	Bolt, 4 BA						2	—	C	
28W/1010155	AGS.162/B	Nut, 4 BA						2	—	C	
		Washer, spring						2	—	C	
860	E.A1.73.91A	PIPE , assembly, from union cone between inboard wing ribs 1 and 2 to inboard flap jack tee cone "down" line						1	DTD.5019	C	S.19
861	E.A1.73.91B	PIPE , assembly, from union cone between inboard wing ribs 1 and 2 to inboard flap jack tee cone, "up" line						1	DTD.5019	C	S.19
862	E.A1.73.91C	PIPE , assembly, from tee to inboard flap jack, "down" line						1	DTD.5019	C	S.19
863	E.A1.73.91D	PIPE , assembly, from tee to inboard flap jack, "up" line						1	DTD.5019	C	S.19
864	E.A1.73.91E	PIPE , assembly, from inboard flap jack tee cone to union cone at inboard wing rib 7, "down" line						1	DTD.5019	C	S.19
865	E.A1.73.91F	PIPE , assembly, from inboard flap jack tee cone to union cone at inboard wing rib 7, "up" line						1	DTD.5019	C	S.19
866	E.A1.73.91G	PIPE , assembly, from union cone at inboard wing rib 7 to union cone at outboard wing rib 2A, "up" line						1	DTD.5019	C	S.19
867	E.A1.73.91H	PIPE , assembly, from union cone at inboard wing rib 7 to union cone at outboard wing rib 2A, "down" line						1	DTD.5019	C	S.19
868	E.A1.73.91J	PIPE , assembly, from union cone at outboard wing rib 2A to outboard flap jack, "up" line						1	DTD.5019	C	S.19
869	E.A1.73.91K	PIPE , assembly, from union cone at outboard wing rib 2A to outboard flap jack, "down" line						1	DTD.5019	C	S.19
	E.K5.73.17	PIPES, HYDRAULIC, FLAP JACK, ASSEMBLY ... (ALT. R60/313—MOD. 5100)						—	—	—	
		Spares for:—									
	E.A3.20.4003	BRACKET , fairlead support, inboard flap shroud, 18 SWG						1	L.72	—	
	E.A3.20.4004	BRACKET , fairlead support, inboard flap shroud, 18 SWG						5	L.72	—	
	E.A3.20.4005	BRACKET , fairlead support, outboard flap shroud, 18 SWG						3	L.72	—	
	E.A3.20.4007	BRACKET , fairlead support, outboard flap shroud, 18 SWG						2	L.72	—	
5K/4345976	AS.4526/4	CLIP , 1" (Alt. R60/39—Mod. 5100)						4	—	C	
5K/1037288	AS.4525/4	CLIP , 1"						6	—	C	
28F/9439531	AGS.952/B	COLLAR						2	—	C	
28F/8011811	AGS.1118/B	CONE , tee						2	—	C	
28F/8011883	AGS.1102/B	CONE , union body						2	—	C	
6101241	E.A3.20.3993	FAIRLEAD , assembly, pipe support, inboard flap shroud						6	BS.2572 Type F3	C	
6101242	E.A3.20.3997	FAIRLEAD , assembly, pipe support, outboard flap shroud						5	BS.2572 Type F3	C	
		Attaching parts for E.A3.20.3993 or E.A3.20.3997:—									
28D/1011019	A25/8C	Bolt, 2 BA						2	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA						2	—	C	
28W/9419475	SP.15/C	Washer						2	—	C	

CANBERRA E Mk. 15

Page ST.6A

SERVICES

HYDRAULIC EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip.	Plate No.
		1	2	3	4	5	6			M.R. L.M.	
28D/1010030 28M/1278190	E.B4.73.713	FAIRLEAD, assembly, pipe support on engine arch						3	—	—	
	A25/7C	Attaching parts for E.B4.73.713:—						1	—	C	
	AGS.2001/C/1	Bolt, 2 BA						1	—	C	
28D/1010030 28M/1278190	E.A3.73.1115	FAIRLEAD, assembly, pipe support, ribs 7 and 1						2	BS 2572 Type F3	—	
	A25/7C	Attaching parts for E.A3.73.1115:—						4	—	C	
	AGS.2001/C/1	Bolt, 2 BA						4	—	C	
28624	AS.2811/5/060	Nut, 2 BA						4	L.62	LM	
	EEAS.28/8ER	Tube, distance, 17 SWG						4	—	C	
		Washer						4	—	C	
28F/8011885 28F/1014650	AGS.2097/B3C	LEAD, bonding (Alt. R60/39—Mod. 5100) ...						4	—	LM	
	AGS.2097/C3C	LEAD, bonding						2	—	LM	
	AGS.2097/C6C	LEAD, bonding						2	—	LM	
28F/8011885 28F/1014650	AGS.1142/B	NIPPLE, adapter						4	—	C	
	AGS.1170/B	NIPPLE						6	—	C	
	E.A3.73.1147	PIPE, assembly, from fuselage coupling to inboard jack tee, flaps "down" line						1	DTD.5019	LM	
	E.A3.73.1143	PIPE, assembly, from fuselage coupling to inboard jack tee, flaps "up" line						1	DTD.5019	LM	
	E.A3.73.1139	PIPE, assembly, from inboard jack tee to jack "down" connection						1	DTD.5019	LM	
	E.A3.73.1135	PIPE, assembly, from inboard jack tee to jack "up" connection						1	DTD.5019	LM	
	E.A3.73.1091	PIPE, assembly, from inboard jack tee to spar coupling, flaps "down" line						1	DTD.5019	LM	
	E.A3.73.1089	PIPE, assembly, from inboard jack tee to spar coupling, flaps "up" line						1	DTD.5019	LM	
	E.A3.73.1095	PIPE, assembly, from spar coupling, inboard wing to coupling inboard of rib 7, flaps "down" line						1	DTD.5019	LM	
	E.A3.73.1093	PIPE, assembly, from spar coupling, inboard wing to coupling inboard of rib 7, flaps "up" line						1	DTD.5019	LM	
	E.A3.73.1099	PIPE, assembly, transverse across engine arch, flaps "down" line						1	DTD.5019	LM	
	E.A3.73.1097	PIPE, assembly, transverse across engine arch, flaps "up" line						1	DTD.5019	LM	
	E.A3.73.1103	PIPE, assembly, from outer wing coupling, rib 1 to spar coupling, flaps "down" line						1	DTD.5019	LM	
	E.A3.73.1101	PIPE, assembly, from outer wing coupling, rib 1 to spar coupling, flaps "up" line						1	DTD.5019	LM	
	E.A3.73.1107	PIPE, assembly, from outer wing spar coupling to coupling, trailing edge rib 2A, flaps "down" line						1	DTD.5019	LM	
	E.A3.73.1105	PIPE, assembly, from outer wing spar coupling to coupling, trailing edge rib 2A, flaps "up" line						1	DTD.5019	LM	
	E.A3.73.1111	PIPE, assembly, from coupling, rib 2A to outer wing jack connection, flaps "down" line						1	DTD.5019	LM	
	E.A3.73.1109	PIPE, assembly, from coupling, rib 2A to outer wing jack connection, flaps "up" line						1	DTD.5019	LM	

SERVICES

HYDRAULIC EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
28F/9439527	AGS.954/B	SLEEVE, outer						2	—	C	
20778	EEAS.20/2ER	TAB, locking						4	—	C	
32B/1250505	†	TAPE, glasscloth						QR	—	C	
28F/8011887	AGS.1113/B	UNION, flanged, bulkhead						4	—	C	
		Attaching parts for AGS.1113/B:—									
28D/1008149	A25/2B	Bolt, 4 BA						6	—	C	
28M/9403519	A27/BP	Nut, 4 BA						6	—	C	
28W/9419465	SP.13/B	Washer						6	—	C	
28F/9128928	AGS.1115/2	Washer, plate						1	—	C	
	EEAS.239/1CH	WASHER, "D" for pipe clips (Alt. R60/39—Mod. 5100)						4	S.511	—	
	E.A1.73.281	PIPES, HYDRAULIC, FOR AIR BRAKE, CENTRE WING, ASSEMBLY						—	—	—	
		Spares for:—									
5258	EEAS.143/6H	CLIP, pipe, single, 1/4" o/d, bonding						14	L.72	C	S.19
	or										
5K/4345976	AS.4526/4	CLIP, 1/4" (Alt. R60/39—Mod. 5100)						14	—	C	
		Attaching parts for EEAS.143/6H:—									
28D/1010658	A25/1B	Bolt, 4 BA						1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA, stiff						1	—	C	
5259	EEAS.21/2/ERH	Washer, special						1	L72	C	
28W/1010155	AGS.162/B	Washer, spring						1	—	C	
28F/8011883	AGS.1102/B	CONE, union body						4	—	C	
5K/7000230	AS.3360/B3B	LEAD, bonding						2	—	C	
	or										
	AGS.2097/B3C	LEAD, bonding (Alt. R60/39—Mod. 5100) ...						2	—	LM	
931	E.A1.73.281A	PIPE, assembly, between fuselage and union cone at centre wing ribs 3 and 4, "in" line						1	DTD.5019	C	S.19
	or										
	E.A3.73.1243	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
932	E.A1.73.281B	PIPE, assembly, between fuselage and union cone at centre wing ribs 3 and 4, "out" line						1	DTD.5019	C	S.19
	or										
	E.A3.73.1245	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
1636	E.A1.73.281E	PIPE, assembly, between union cone at ribs 3 and 4 to union cone between ribs 6 and 7, "in" line						1	DTD.5019	C	S.19
	or										
	E.A3.73.1247	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	

CANBERRA E Mk. 15

Page ST.7

SERVICES

HYDRAULIC EQUIPMENT IN PORT WING

Ref. No.	Part No.	1	2	3	4	5	6	Description	No. off	Matl Spec.	Cl. of Equip. M.P. L.M.	Plate No.
1637	E.A1.73.281F							PIPE, assembly, between union cone at ribs 3 and 4 to union cone between ribs 6 and 7, "out" line	1	DTD.5019	C	S.19
	or											
	E.A3.73.1249							PIPE, assembly (Alt. R60/80—Mod. 5100)	1	DTD.5019	LM	
	EEAS.237/17CH							WASHER, "D"	12	S.511	—	
	EEAS.239/1CH							WASHER, "D"	2	S.511	—	
	E.G4.73.75							PIPES, HYDRAULIC, FOR AIR BRAKE, OUTER WING, ASSEMBLY	—	—	—	
								Spares for:—				
5258	EEAS.143/6H							CLIP, pipe, single, 1/2" o/d, bonding	18	L.72	C	
	or											
5K/4345976	AS.4526/4							CLIP, 1/2" (Alt. R60/39—Mod. 5100)	18	—	C	
								Attaching parts for EEAS.143/6H:—				
23D/1010658	A25/1B							Bolt 4 BA (As required)	1	—	C	
28D/1008149	A25/2B							Bolt 4 BA (As required)	1	—	C	
28M/9403519	A27/BP							Nut 4 BA (As required)	1	—	C	
28M/1278189	AGS 2001/B/1							Nut 4 BA (As required)	1	—	C	
5259	EEAS.21/2ERH							Washer, special (As required)	1	L.72	C	
28W/9416642	SP.47/B							Washer, spring (As required)	1	—	C	
28F/8011883	AGS.1102/B							CONE, union body	6	—	C	
5K/7000230	AS.3360/B3B							LEAD, bonding	2	—	C	
	or											
	AGS.2097/B3C							LEAD, bonding (Alt. R60/39—Mod. 5100)	2	—	LM	
939	E.A1.73.283C							PIPE, assembly, from union cone between outer wing ribs 1 and 2A to union cone between ribs 2 and 2B, "in" line	1	DTD.5019	C	S.19
	or											
	E.A3.73.1251							PIPE, assembly (Alt. R60/80—Mod. 5100)	1	DTD.5019	LM	
940	E.A1.73.283D							PIPE, assembly, from union cone between outer wing ribs 1 and 2A to union cone between ribs 2 and 2B, "out" line	1	DTD.5019	C	S.19
	or											
	E.A3.73.1253							PIPE, assembly, (Alt. 60/80—Mod. 5100)	1	DTD.5019	LM	
941	E.A1.73.283E							PIPE, assembly, from union cone between ribs 2 and 2B to union cone between ribs 3A and 3, "in" line	1	DTD.5019	C	S.19
	or											
	E.A3.73.1255							PIPE, assembly, (Alt. 60/80—Mod. 5100)	1	DTD.5019	LM	
942	E.A1.73.283F							PIPE, assembly, from union cone between ribs 2 and 2B to union cone between ribs 3A and 3, "out" line	1	DTD.5019	C	S.19
	or											
	E.A3.73.1257							PIPE, assembly, (Alt. 60/80—Mod. 5100)	1	DTD.5019	LM	
1983	E.A1.73.283J							PIPE, assembly, from union cone between centre wing ribs 6 and 7 to union cone between outer wing ribs 1 and 2A, "out" line	1	DTD.5019	C	S.19
	or											
	E.A3.73.1263							PIPE, assembly, (Alt. 60/80—Mod. 5100)	1	DTD.5019	LM	
1984	E.A1.73.283K							PIPE, assembly, from union cone between centre wing ribs 6 and 7 to union cone between outer wing ribs 1 and 2A, "in" line	1	DTD.5019	C	S.19
	or											
	E.A3.73.1265							PIPE, assembly, (Alt. 60/80—Mod. 5100)	1	DTD.5019	LM	
33300	E.B6.73.363							Pipe, assembly, from union cone between ribs 3A and 3, to bracket on rib 3, "out" line	1	—	C	S.19
	or											
	E.G4.73.143							PIPE, assembly, (Alt. 60/80—Mod. 5100)	1	DTD.5019	LM	

SERVICES HYDRAULIC EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description					No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5				
33301	E.B6.73.365	Pipe, assembly, from union cone between ribs 3A and 3, to bracket on rib 3, "in" line					1	—	C	S.19
	or									
	E.G4.73.145	PIPE, assembly (Alt. R60/80—Mod. 5100) ...					1	DTD.5019	LM	
	EEAS.237/17CH	WASHER, "D" (Alt. R60/39—Mod. 5100) ...					16	S.511	—	
	EEAS.239/1CH	WASHER, "D" (Alt. R60/39—Mod. 5100) ...					2	S.511	—	
	E.A3.73.815	PIPES, HYDRAULIC, ON FUSELAGE SIDE WHEEL WELL BAY, ASSEMBLY					—	—	—	
		Spares for:—								
911	E.A1.73.277	BOLT, special, banjo fitting variable flow valve pipe connection					1	S.96	C	S.20
737	E.A1.73.179	CLIP, pipe, flexible, 1/4" BSP					1	—	C	S.20
	or									
6119336	E.A3.73.1461	CLIP, pipe, flexible (Alt. R60/32—Mod. 5100 or Mod. 5190)					1	S.97	C	
28D/1010030	A25/7C	Attaching parts for E.A1.73.179 or E.A3.73.1461:—								
28M/9403520	A27/CP	Bolt, 2 BA					2	—	C	
28W/9416643	SP.47/C	Nut, 2 BA					2	—	C	
		Washer, spring					2	—	C	
5348	EEAS.143/8H	CLIP, pipe, single, 1/2" o/d, bonding					5	L.72	C	S.20
	or									
5K/4345977	AS.4526/6	CLIP, 1/2" (Alt. R60/39—Mod. 5100)					5	—	C	
5526	EEAS.91/3	CLIP, pipe, double, 1/2" o/d					3	L.72	C	S.20
		Attaching parts for EEAS.143/8H and EEAS.91/3:—								
28D/1010658	A25/1B	Bolt, 4 BA					1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA					1	—	C	
5259	EEAS.21/2ERH	Washer, special					1	L.72	C	
23F/9476124	AGS.1118/C	CONE, tee					1	—	C	
912	E.A1.73.183	FITTING, right angle, banjo body, special connection for undercarriage door jack and sequence valve connections					1	—	C	S.20
5K/7000230	AS.3360/B3B	LEAD, bonding					1	—	C	
	or									
	AGS.2097/B3C	LEAD, bonding (Alt. R60/39—Mod. 5100)					1	—	LM	
913	E.A3.73.551	PIPE, assembly, from special banjo fitting at undercarriage door jack hose to variable flow tee cone "closed" line					1	DTD.5019	C	S.20
914	E.A3.73.553	PIPE, assembly, from door sequence valve to thermal relief valve tee at wing main spar "closed" line					1	DTD.5019	C	S.20
916	E.A3.73.585	PIPE, assembly, from tee cone to variable flow valve, undercarriage door jack "closed" line					1	DTD.5019	C	S.20
5524	E.A3.73.817	PIPE, assembly, from sequence valve to 4-way cone at main spar undercarriage door "closed" line					1	DTD.5019	C	S.20
5525	E.A3.73.819	PIPE, assembly, from variable flow tee cone to thermal relief and transfer valve tee cone "closed" line					1	DTD.5019	C	S.20
20998	E.A3.73.855	PIPE, assembly, from variable flow valve to undercarriage jack hose connection "closed" line					1	DTD.5019	C	S.20
28F/9429532	AGS.1186/C	SEAL, bonding, between banjo fitting and banjo bolt, 1/2" BSP					2	—	C	
28F/8011809	AGS.1106/B	UNION, body, cone					1	—	C	
	EEAS.237/17CH	WASHER, "D" (Alt. R60/39—Mod. 5100)					4	S.511	—	
	EEAS.239/1CH	WASHER, "D" (Alt. R60/39—Mod. 5100)					1	S.511	—	

CANBERRA E Mk. 15

Page ST.9

SERVICES

HYDRAULIC EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description	No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.B7.73.43	PIPES, HYDRAULIC, ON RIB E, WHEEL WELL BAY, ASSEMBLY				
		Spares for:—				
5258	EEAS.143/6H	CLIP, pipe, single, $\frac{1}{4}$ " o/d ...	2	L.72	C	
	or					
5K/4345976	AS.4526/4	CLIP, $\frac{1}{2}$ " (Alt. R60/39—Mod. 5100) ...	2	—	C	
		Attaching parts for EEAS.143/6H:—				
28D/1010658	A25/1B	Bolt, 4 BA ...	1	—	C	
28M/1278189	AGS.2001/B1	Nut, 4 BA ...	1	—	C	
5259	EEAS.21/2ERH	Washer, special ...	1	L.72	C	
5971	E.B7.73.39	PIPE, assembly, from undercarriage door jack sequence valve to union cone at wheel well diaphragm "open" line	1	DTD.5019	C	S.19
	or					
	E.B7.73.5209	PIPE, assembly (Alt. R60/80—Mod. 5100) ...	1	DTD 5019	LM	
	EEAS.237/17CH	WASHER, "D" (Alt. R60/39—Mod. 5100) ...	2	S.511	—	
	E.A3.73.531	PIPES, HYDRAULIC, AT WHEEL WELL BAY DIAPHRAGM, ASSEMBLY	—	—	—	
		Spares for:—				
829	E.A1.73.181	CLIP, thermal relief valve ...	1	—	C	
		Attaching parts for E.A1.73.181:—				
28D/9133014	A25/13C	Bolt, 2 BA ...	2	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA ...	2	—	C	
	AS.2307/030	Tube, distance ...	2	L.72	LM	
5260	EEAS.143/5H	CLIP, pipe, single, $\frac{3}{8}$ " o/d., bonding ...	3	L.72	C	S.19
5258	EEAS.143/6H	CLIP, pipe, single, $\frac{1}{4}$ " o/d., bonding ...	6	L.72	C	S.19
	or					
		Alternative pipe clips (Alt. R60/39—Mod. 5100)				
5K/6323922	AS.4526/3	CLIP, $\frac{3}{8}$ " ...	3	—	C	
5K/4345976	AS.4526/4	CLIP, $\frac{1}{2}$ " ...	6	—	C	
		Attaching parts for EEAS.143/5H and EEAS.143/6H:—				
28D/1010658	A25/1B	Bolt, 4 BA ...	1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA ...	1	—	C	
5259	EEAS.21/2ERH	Washer, special ...	1	L.72	C	
28F/9463543	AGS.1120/1	CONE, tee ...	1	—	C	
5K/7000230	AS.3360/B3B	LEAD, bonding ...	1	—	C	
	or					
	AGS.2097/B3C	LEAD, bonding (Alt. R60/39—Mod. 5100) ...	1	—	LM	
905	E.A3.73.561	PIPE, assembly, from union cone at wheel well diaphragm to undercarriage door jack thermal relief valve tee cone, "open" line	1	DTD.5019	C	S.19
	or					
	E.A3.73.1241	PIPE, assembly (Alt. R60/80—Mod. 5100) ...	1	DTD.5019	LM	
4523	E.A3.73.647	PIPE, assembly, from thermal relief valve tee cone to thermal relief valve, "open" line	1	DTD.5019	C	S.19
4524	E.A3.73.649	PIPE, assembly, from thermal relief valve to undercarriage jack thermal return valve and relief line, 4-way cone	1	DTD.5019	C	S.19 S.20
	EEAS.237/17CH	WASHER, "D" (Alt. R60/39—Mod. 5100) ...	8	S.511	—	
	EEAS.239/1CH	WASHER, "D" (Alt. R60/39—Mod. 5100) ...	1	S.511	—	
	E.G4.73.77	PIPES, HYDRAULIC, FOR AIR BRAKES ON OUTER WING RIB 3, ASSEMBLY	—	—	—	
		Spares for:—				
28F/9439533	AGS.1129/B	BANJO, body, cone, flanged ...	1	—	C	
		Attaching parts for AGS.1129/B:—				
28F/9423227	AGS.1135/B	Bolt, banjo ...	1	—	C	
28F/9428453	AGS.1186/B	Seal, bonded ...	2	—	C	

SERVICES HYDRAULIC EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
5258	EEAS.143/6H or 5K/4345976	AS.4526/4	CLIP, pipe, single, 1/4" o/d., bonding ...	...	...	...	...	2	L.72	C	
28D/1010658	A25/1B		CLIP, 1/4" (Alt. R60/39—Mod. 5100) ...	...	...	...	...	2	—	C	
28M/1278189	AGS.2001/B/1		Attaching parts for EEAS.143/6H:—								
5259	EEAS.21/2ERH		Bolt, 4 BA ...	...	...	...	...	1	—	C	
			Nut, 4 BA ...	...	...	...	...	1	—	C	
			Washer, special ...	...	...	...	...	1	L.72	C	
28F/8011809	AGS.1104/B		CONE, adaptor ...	...	...	...	...	1	—	C	
28F/9428453	AGS.1186/B		Attaching parts for AGS.1104/B:—								
			Seat, bonded ...	...	...	...	...	1	—	C	
28F/1013402	AGS.1111/B		CONE, union, body ...	...	...	...	...	2	—	C	
28D/1010658	A25/1B		Attaching parts for AGS.1111/B:—								
28M/9403519	A27/BP		Bolt, 4 BA ...	...	...	...	...	3	—	C	
28F/9128928	AGS.1115/2		Nut, 4 BA ...	...	...	...	...	3	—	C	
28W/9416642	SP.47/B		Washer, plate ...	...	...	...	...	1	—	C	
			Washer, spring ...	...	...	...	...	3	—	C	
5K/7000231	AS.3360/B3C or 12504	AGS.2097/B3C E.A9.73.563	LEAD, bonding ...	...	...	...	...	2	—	C	
			LEAD, bonding (Alt. R60/39—Mod. 5100) ...	...	...	...	...	2	—	LM	
			PIPE, coil, assembly, from bracket on rib 3 to airbrake hydraulic operating jack, "out" position					1	—	C	S.19
			PIPE, assembly (Alt. R60/80—Mod. 5100) ...	...	...	...	...	1	DTD.5019	LM	
12503	E.G4.73.147 E.A9.73.561		PIPE, coil, assembly, from bracket on rib 3 to air brake hydraulic operating jack, "in" position					1	—	C	S.19
			PIPE, assembly (Alt. R60/80—Mod. 5100) ...	...	...	...	...	1	DTD.5019	LM	
			WASHER, "D" (Alt. R60/39—Mod. 5100) ...	...	...	...	...	2	S.511	—	

CANBERRA E Mk. 15

Page SU.1

SERVICES

HYDRAULIC EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	Description	No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1 2 3 4 5 6				
	E.G4.73.8	HYDRAULIC EQUIPMENT IN STARBOARD WING, ASSEMBLY	—	—	—	
	—	Consisting of:— HYDRAULIC EQUIPMENT CIRCUIT, ASSEMBLY ... (E.A6.73.283) Spares for:—	—	—	—	
27M/461	LOCKHEED AIR.40016 LOCKHEED AVA.50E	ACCUMULATOR, hydraulic	1	—	A	S.20
		COUPLING, AVERY, ASSEMBLY	1	—	—	S.20
		Consisting of:—				
27BA/4110940	AVA.1152E	FLANGE, half, medium	1	—	B	
27BA/4110827	AVA.62/E	NUT, tube	1	—	B	
27BA/9508649	AVA.54E AVA.52C	UNION, half	1	—	B	
		COUPLING, AVERY, ASSEMBLY	1	—	—	S.20
		Consisting of:—				
27BA/9129632	AVA.57/C	COUPLING, half union	1	—	B	
27BA/4110824	AVA.58/C	FLANGE, half	1	—	B	
27BA/9157278	AVA.62/C	NUT, tube	1	—	B	
	DOWTY					
6A/2237916	↑ DOWTY	GAUGE, pressure, Mk. 14LL	1	—	A	S.20
27QM/4143616	O.7017Y.CO1	JACK, operating main undercarriage (For spares see AP.4515B, Vol. 3)	1	—	A	S.20
27QM/4143561	O.7016Y.CO1	JACK, operating, flap (For spares see AP.4515B Vol. 3)	2	—	A	S.20
27QM/4143591	DOWTY O.8246Y.CO1	JACK, operating, main undercarriage door (For spares see AP.4515B, Vol. 3)	1	—	A	S.20
16504	E.B6.73.223	JACK, FOR AIR BRAKE, ASSEMBLY	1	—	A	S.19
		Spares for:—				
30780	E.A3.20.1195	BLOCK, packing	1	TUFNOL	LM	
4427	E.A3.20.1189	BRACKET, micro switch mounting for two position brakes	1	—	C	
	E.A3.20.1193	CHANNEL	1	L.72	—	
27QM/4170044	MESSIER 5232	JACK, assembly (Pre-Mod. 4454) (For spares see AP.4515A, Vol. 3)	1	—	A	S.19
27QM/1446726	DOWTY 103035001	JACK, assembly (Mod. 4454) (For spares see AP.4515B, Vol. 3)	1	—	A	
	or MESSIER J.5076	JACK, assembly (Pre-Mod. 4454) (For spares see AP.4515A, Vol. 3)	1	—	A	
27QM/1446725	DOWTY 103036001	JACK, assembly (Mod. 4454) (For spares see AP.4515B, Vol. 3)	1	—	A	
1642	E.A3.73.303	NUT, special	1	S.96	C	
4428	E.A3.20.1191	SHOE, micro switch operating	2	—	C	
25708	E.B6.20.819	SLIDE, OPERATING, ASSEMBLY	1	—	B	
		Spares for:—				
14715	E.B6.20.935	BOLT, special (May be made from A25/6B)	4	—	C	
5972	E.A3.20.1199	PLATE, rubbing	2	—	C	
1641	E.A3.73.505	WASHER, tab	1	—	C	
	DUNLOP					
27VA/4619945	2/W3/101/8/8/63	PIPE, flexible, maxaret unit (Pre-Mod. 5100 or 5190)	1	—	B	
27VA/6115884	2/W14/DAS 7005 /63	PIPE, flexible, maxaret unit (Alt. R60/32—Mod. 5100 or Mod. 5190)	1	—	B	

SERVICES

HYDRAULIC EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
27VA/4629946	DUNLOP 2/W3/101/8/10 /30	PIPE,	flexible,	maxaret unit ...	...	...	...	1	—	B	
27VA/6115885	2/W14/DAS 7007 /30	PIPE,	flexible,	maxaret unit (Alt. R60/32—Mod. 5100 or Mod. 5190)				1	—	B	
27VA/4619898	4/W3/101/8/8 /14	PIPE,	flexible,	undercarriage door, "open" line (Pre-Mod. 5100 or 5190)				1	—	B	
27VA/6115870	4/W14/DAS 7005 /14	PIPE,	flexible,	undercarriage door, "open" line (Alt. R60/32—Mod. 5100 or Mod. 5190)				1	—	B	
27VA/4619899	4/W3/101/8/8 /18	PIPE,	flexible,	undercarriage door, "closed" line (Pre-Mod. 5100 or 5190)				1	—	B	
27VA/6115871	4/W14/DAS 7005 /18	PIPE,	flexible,	undercarriage door "closed" line (Alt. R60/32—Mod. 5100 or Mod. 5190)				1	—	B	
27VA/4619902	4/W3/101/8/8 /63	PIPE,	flexible,	hydraulic brake (Pre-Mod. 5100 or 5190)				1	—	B	
27VA/6115873	4/W14/DAS 7005 /63	PIPE,	flexible,	hydraulic brake (Alt. R60/32—Mod. 5100 or Mod. 5190)				1	—	B	
27VA/4611949	4/W3/101/8/10 /26.5	PIPE,	flexible,	hydraulic brake (Pre-Mod. 5100 or 5190)				1	—	B	
27VA/6115868	4/W14/DAS 7007 /26.5	PIPE,	flexible,	hydraulic brake (Alt. R60/32—Mod. 5100 or Mod. 5190)				1	—	B	
27VA/4619903	6/W3/101/8/8 /18	PIPE,	flexible,	undercarriage, "up" line ... (Pre-Mod. 5100 or 5190)				1	—	B	
27VA/6115874	6/W14/DAS 7005 /18	PIPE,	flexible,	undercarriage, "up" line ... (Alt. R60/32—Mod. 5100 or Mod. 5190)				1	—	B	
27VA/4619904	6/W3/101/8/8 /25	PIPE,	flexible,	undercarriage, "down" line ... (Pre-Mod. 5100 or 5190)				1	—	B	
27VA/6115875	6/W14/DAS 7005 /25	PIPE,	flexible,	undercarriage, "down" line ... (Alt. R60/32—Mod. 5100 or Mod. 5190)				1	—	B	
27VA/5298	6/W3/102/8/10 /40	PIPE,	flexible,	engine driven pump, delivery line (Pre-Mod. 2150 or 5100)				1	—	B	
27VA/6115863	6/W2/102/8/10 /40	PIPE,	flexible,	engine driven pump, delivery line (Alt. R60/32—Mod. 5100)				1	—	B	
27VA/4625956	6/W3/102/8/10 /44	PIPE,	flexible,	engine driven pump, delivery line (Mod. 2150) (Pre-Mod. 5100 or Mod. 5190)				1	—	B	
27VA/6115865	6/W2/102/8/10 /44	PIPE,	flexible,	engine driven pump, delivery line (Alt. R60/32—Mod. 5100 or Mod. 5190)				1	—	B	
27VA/3659	10/W3/121/8/10 /40	PIPE,	flexible,	engine driven pump, suction line (Pre-Mod. 5100 or 5190)				1	—	B	
27VA/6115862	10/W2/121/8/10 /40	PIPE,	flexible,	engine driven pump, suction line (Alt. R60/32—Mod. 5100 or Mod. 5190)				1	—	B	
37J/264	LOCKHEED AIR.41000	PUMP,	engine driven (Pre-Mod. 2335) (For spares see AP.4515N, Vol. 3)					1	—	A	
37J/266	LOCKHEED AIR.68000	PUMP,	engine driven (Mod. 2335) ...					1	—	A	S.20
5CW/9438275	†	SWITCH,	micro, type 1A, 3 terminal ...					2	—	B	
27QM/4143197	DOWTY C.4603Y Mk.E	VALVE,	thermal type ...					2	—	A	S.19
27QM/4674311	DOWTY C.8697Y Mk.A	VALVE,	thermal relief (Mod. 3749) ...					1	—	A	

CANBERRA E Mk. 15

Page SU.2A/B

SERVICES

HYDRAULIC EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.							No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
27QM/4143190	DOWTY D.401Y Mk.J	VALVE	sequence, undercarriage door (For spares see AP.4515B, Vol. 3)					1	—	A	S.19
27Q/4143196	D.401Y Mk.M	VALVE	sequence, undercarriage (For spares see AP.4515B, Vol. 3)					1	—	A	S.20
27Q/919	DOWTY D.3371 Mk.E	VALVE	restrictor (Pre-Mod. 3937)	...	...			3	—	A	S.20
27Q/70290	O.3371Y BO6	VALVE	restrictor (Mod. 3937)	...	...			1	—	A	
27QM/4113203	DOWTY C.6790Y Mk.A	VALVE	transfer, undercarriage jack (For spares see AP.4515B, Vol. 3)					1	—	A	S.20
27Q/1506	DOWTY 6209Y	VALVE	restrictor, undercarriage door jack (Pre-Mod. 3937)					1	—	A	
27Q/4143176	DOWTY O.6209Y BO1	VALVE	restrictor, undercarriage door jack (Mod. 3937)					1	—	A	
28Y/9701165	H. PRESSURE COMPS. GYP.A.58	VALVE	charging	...	...	...	...	1	—	C	S.20
27M/615	LOCKHEED AIR.41158	VALVE	cut-out (Pre-Mod. 1265 and 4280)	...				1	—	A	S.20
27M/4600791	LOCKHEED AIR.43634	VALVE	cut-out (Mod. 1265 and 4280)	...	...			1	—	A	
27W/10	LOCKHEED U.M.C.706	VALVE	non-return (Pre-Mod. 3368)	...	...			3	—	A	S.20
27W/4619632	U.M.C.706/4	VALVE	non-return (Mod. 3368)	...	...			3	—	A	
	E.86.73.354	PIPES, HYDRAULIC, ON MAIN SPAR, ASSEMBLY						—	—	—	
		Spares for:—									
9787	E.A1.73.107	BRACKET	...	...	...	...	...	1	—	C	
		Attaching parts for E.A1.73.107:—									
28D/9436920	A25/1C	Bolt, 2 BA	...	...	...	...	...	4	—	C	
28M/9403520	A27/CP	Nut, 2 BA	...	...	...	...	...	4	—	C	
28W/9416643	SP.47/C	Washer, spring	...	...	...	...	...	4	—	C	

Continued on Page SU.3

Restricted

[illegible]

Restricted

CANBERRA E Mk. 15

Page SU.3

SERVICES

HYDRAULIC EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	1	2	3	4	5	6	Description	No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
16500	E.A6.73.61							BRACKET	1	—	C	
								Attaching parts for E.A6.73.61:—				
28D/9436920	A25/1C							Bolt, 2 BA	4	—	C	
28M/9403520	A27/CP							Nut, 2 BA	4	—	C	
28W/9416643	SP.47/C							Washer, spring	4	—	C	
9773	E.A3.73.790							BRACKET	1	—	C	
								Attaching parts for E.A3.73.790:—				
28D/9436920	A25/1C							Bolt, 2 BA	4	—	C	
28M/9403520	A27/CP							Nut, 2 BA	4	—	C	
28W/9416643	SP.47/C							Washer, spring	4	—	C	
16498	E.A3.73.793							BRACKET	1	—	C	
								Attaching parts for E.A3.73.793:—				
28D/9436920	A25/1C							Bolt, 2 BA	4	—	C	
28W/9403520	A27/CP							Nut, 2 BA	4	—	C	
28W/9416643	SP.47/C							Washer, spring	4	—	C	
16502	E.A6.73.79							BRACKET, pipe, flexible	1	—	C	
								Attaching parts for E.A6.73.79:—				
28S/9992525	A32/B12							Screw, 4 BA	4	—	C	
28W/9416642	SP.47/B							Washer, spring	4	—	C	
829	E.A1.73.181							CLIP, thermal relief valves and flexible pipes (Pre-Mod. 3749)	3	L.72	C	S.20
829	E.A1.73.181							CLIP, thermal relief valves and flexible pipes (Mod. 3749)	4	L.72	C	
5528	E.A3.73.797							CLIP, transfer valve	1	—	C	S.20
28E/1059357	AS.2081/3							CLIP, 1/2" i/d., with earthing tongue (Pre-Mod. 3749)	3	—	C	
28E/1059357	AS.2081/3							CLIP, 1/2" i/d. with earthing tongue (Mod. 3749)	4	—	C	
28E/1059358	AS.2081/4							CLIP, 1/2" i/d., with earthing tongue (Mod. 3749)	1	—	C	
28E/1059359	AS.2081/6							CLIP, 1/2" i/d., with earthing tongue (Mod. 3749)	7	—	C	
7136	EEAS.143/21							CLIP, pipe, single, 1/2" o/d.	3	L.72	C	S.20
6068	EEAS.143/24 or							CLIP, pipe, single, 1/2" o/d.	3	L.72	C	S.20
								Alternative pipe clips (Alt. R60/39—Mod. 5100)				
5K/6323922	AS.4526/3							CLIP, 1/2"	4	—	C	
5K/4345976	AS.4526/4							CLIP, 1/2"	1	—	C	
5K/4345977	AS.4526/6							CLIP, 1/2"	14	—	C	
28E/9130689	AS.5419/8							CLIP, 1/2"	3	—	C	
28E/9130755	AS.5419/12							CLIP, 1/2"	3	—	C	
								Attaching parts for E.A1.73.181, E.A3.73.797, AS.2081/3, AS.2081/4, AS.2081/6, EEAS.143/21 and EEAS.143/24:—				
28D/1010658	A25/1B							Bolt, 4 BA (As required)	1	—	C	
28D/1008149	A25/2B							Bolt, 4 BA (As required)	1	—	C	
28D/9419452	A25/3B							Bolt, 4 BA (As required)	1	—	C	
28D/9133011	A25/2C							Bolt, 2 BA (As required)	1	—	C	
28D/1011019	A25/8C							Bolt, 2 BA (As required)	1	—	C	
28D/9140645	A25/10C							Bolt, 2 BA (As required)	2	—	C	
28D/9140647	A25/14C							Bolt, 2 BA (As required)	1	—	C	
28M/9403519	A27/BP							Nut, 4 BA (As required)	1	—	C	
28M/9403520	A27/CP							Nut, 2 BA (As required)	1	—	C	
6062	E.A1.70.73							Washer, special (As required)	1	—	C	S.20
12030	EEAS.21/2ER							Washer, special (As required)	1	—	C	
12929	EEAS.21/9ER							Washer, special (As required)	1	—	C	S.20
28W/9419402	SP.13/C							Washer (As required)	2	—	C	
28W/9416642	SP.42/B							Washer, spring (As required)	1	—	C	
28W/9416643	SP.47/C							Washer, spring (As required)	1	—	C	

SERVICES

HYDRAULIC EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
806	E.A1.73.177	CONE, tee						1	DTD.683	C	S.20
28F/9129085	AGS.1102/A	CONE, union body						1	—	C	
28F/8011883	AGS.1102/B	CONE, union body						1	—	C	
28F/9471001	AGS.1102/C	CONE, union body (Pre-Mod. 3749)						1	—	C	
28F/9475460	AGS.1123/A	CONE, 4-way						1	—	C	
28F/9508223	AGS.1123/C	CONE, 4-way						1	—	C	
9789	E.A1.73.109	GUARD, pipe, flexible						1	—	C	
		Attaching parts for E.A1.73.109:—									
28D/1212940	A61/2C	Bolt, 2 BA						4	—	C	
28M/4095911	A29/CP	Nut, 2 BA						4	—	C	
28W/9416643	SP.47/C	Washer, spring						4	—	C	
927	E.A3.73.538	PIPE, assembly, from sequence valve 4-way cone, to union body undercarriage jack "down" line						1	DTD.5019	C	S.20
2010	E.A3.73.544	PIPE, assembly, from sequence valve 4-way cone, to sequence valve connection on rib 3 wheel well bay, undercarriage door "open" line						1	DTD.5019	C	S.19 S.20
1740	E.A3.73.550	PIPE, assembly, from union body on rib B, to union body inboard rib A, brake pressure line						1	DTD.5019	C	S.20
	or										
4525	E.A3.73.1234	PIPE, assembly (Alt. R60/80—Mod. 5100)						1	DTD.5019	LM	
	E.A3.73.652	PIPE, assembly, from undercarriage and door jacks thermal relief valve, to 4-way cone return line						1	DTD.5019	C	S.20
5536	E.A3.73.730	PIPE, assembly, from 4-way cone, to union cone inboard rib A, return line						1	DTD.5019	C	S.20
5537	E.A3.73.801	PIPE, assembly, from union cone inboard rib A, to transfer valve, undercarriage jack "up" line (Pre-Mod. 3749)						1	DTD.5019	C	S.20
41176	E.A3.73.5137	PIPE, assembly, from union cone inboard rib A, to transfer valve, undercarriage jack "up" line (Mod. 3749)						1	DTD.5019	C	
41178	E.A3.73.5140	PIPE, assembly, from thermal relief valve C 8697, to tee piece (Mod. 3749)						1	DTD.5019	C	
41180	E.A3.73.5142	PIPE, assembly, from thermal relief valve C 8697, to 4-way piece (Mod. 3749)						1	DTD.5019	C	
41174	E.A3.73.5134	PIPE, assembly, from thermal relief valve C.4603Y, to 4-way piece (Mod. 3749)						1	DTD.5019	C	
5538	E.A3.73.805	PIPE, assembly, from thermal relief valve tee cone, to transfer valve, undercarriage jack "up" line						1	DTD.5019	C	S.20
5539	E.A3.73.808	PIPE, assembly, from transfer valve, to union body at rib C, undercarriage jack "up" line						1	DTD.5019	C	S.20
5540	E.A3.73.810	PIPE, assembly, from tee cone to thermal relief valve, undercarriage jack "up" line (Pre-Mod. 3749)						1	DTD.5019	C	S.20
13148	E.A3.73.888	PIPE, assembly, from union body on rib B, to 4-way cone, maxaret unit return line						1	DTD.5019	C	S.20
9790	E.A1.73.297	PLATE, back (Used with E.A1.73.109)						1	—	C	
28F/9439766	AGS.1106/C	UNION, body						2	—	C	
28F/9504828	AGS.1147/A	UNION, body, hexagon						1	—	C	
		Attaching parts for AGS.1147/A:—									
28F/9453689	AGS.1148/A	Nut, 1" BSP						1	—	C	
28F/9157965	AGS.1149/1	Washer, plate						2	—	C	
28F/9130662	AGS.1147/B	UNION, body, hexagon						1	—	C	
		Attaching parts for AGS.1147/B:—									
28F/1010558	AGS.1148/B	Nut, 1" BSP						1	—	C	
28F/9130664	AGS.1149/2	Washer, plate						2	—	C	

CANBERRA E Mk. 15

Page SU.5

SERVICES

HYDRAULIC EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.							No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
28F/9489760	AGS.1125/4							1	—	C	
	EEAS.239/1CH							10	S.511	—	
26DK/24376	EEAS.239/2CH							3	S.511	C	
	E.A6.73.42							—	—	—	
1875	E.A3.73.601							1	—	C	
28F/9428453	AGS.1186/B							1	—	C	
11736	E.A6.73.278							1	L.72	C	S.20
5970	E.A6.73.93							2	—	C	S.20
4965	EEAS.143/5							1	L.72	C	S.20
5542	EEAS.143/6							1	L.72	C	S.20
	or										
5K/6323922	AS.4526/3							1	—	C	
5K/4345976	AS.4526/4							1	—	C	
28D/1010658	A25/1B							1	—	C	
28M/9403519	A27/BP							1	—	C	
28W/1010155	AGS.162/B							1	—	C	
7136	EEAS.143/21							1	L.72	C	S.20
6068	EEAS.143/24							1	L.72	C	S.20
	or										
28E/9130689	AS.5419/8							1	—	C	
28E/9130755	AS.5419/12							1	—	C	
28D/9133011	A25/2C							1	—	C	
28W/9419404	SP.16/C							1	—	C	
28F/8011809	AGS.1104/B							1	—	C	
28F/9428453	AGS.1186/B							1	—	C	
5977	E.A6.73.114							1	DTD.5019	C	S.20
	or										
	E.B7.73.5208							1	DTD.5019	LM	
5978	E.A6.73.116							1	DTD.5019	C	S.20
1876	E.A3.73.599							1	DTD.5044	C	
28F/9504828	AGS.1147/A							2	—	C	
28F/9453689	AGS.1148/A							1	—	C	
28F/9157965	AGS.1149/1							2	—	C	
28F/9130662	AGS.1147/B							1	—	C	
28F/1010558	AGS.1148/B							1	—	C	
28F/9130664	AGS.1149/2							2	—	C	
25585	E.A6.73.275							2	—	C	
	EEAS.237/17CH							1	S.511	—	
26DK/24376	EEAS.239/2CH							1	S.511	C	

SERVICES

HYDRAULIC EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	Description	No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1 2 3 4 5 6				
	E.A1.73.92	PIPES, HYDRAULIC, FLAP JACK, ASSEMBLY ... (For Aircraft Not Embodying Mod. 5100) Spares for:—	—	—	—	
1880	EEAS.91/1	CLIP , pipe, double, $\frac{1}{2}$ " o/d. ...	11	L.16	C	S.19
1242	E.A3.73.773	CLIP , pipe, double, $\frac{1}{2}$ " o/d. ...	3	L.72	C	S.19
		Attaching parts for EEAS.91/1 and E.A3.73.773:—				
28D/1010658	A25/1B	Bolt, 4 BA (As required) ...	1	—	C	
28D/1011006	A25/5B	Bolt, 4 BA (As required) ...	1	—	C	
28M/9403519	A27/BP	Nut, 4 BA (As required) ...	1	—	C	
	AS.2807/4/04	Tube, distance (As required) ...	1	L.62	LM	
5259	EEAS.21/2ERH	Washer, special (As required) ...	1	—	C	
28W/1010155	AGS.162/B	Washer, spring (As required) ...	1	—	C	
5258	EEAS.143/6H	CLIP , pipe, single, $\frac{1}{2}$ " o/d., bonding ...	4	L.72	C	S.19
		Attaching parts for EEAS.143/6H:—				
28D/1010658	A25/1B	Bolt, 4 BA ...	4	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA, aerotight ...	4	—	C	
28W/9419465	SP.13/B	Washer ...	4	—	C	
5259	EEAS.21/2ERH	Washer, special ...	4	L.72	C	
28F/8011811	AGS.1118/B	CONE , tee ...	2	—	C	
28F/8011883	AGS.1102/B	CONE , union body ...	6	—	C	
870	E.A1.73.94	FAIRLEAD , at inboard wing, rib 7 ...	1	BS.2572	C	S.19
		Attaching parts for E.A1.73.94:—				
28D/1011013	A25/13B	Bolt, 4 BA ...	2	—	C	
28M/9403519	A27/BP	Nut, 4 BA ...	2	—	C	
28W/1010155	AGS.162/B	Washer, spring ...	2	—	C	
871	E.A1.73.92A	PIPE , assembly, from union cone between inboard wing ribs 1 and 2 to inboard flap jack tee cone, "down" line	1	DTD.5019	C	S.19
872	E.A1.73.92B	PIPE , assembly, from union cone between inboard wing ribs 1 and 2 to inboard flap jack tee cone, "up" line	1	DTD.5019	C	S.19
873	E.A1.73.92C	PIPE , assembly, from tee to inboard flap jack, "up" line	1	DTD.5019	C	S.19
874	E.A1.73.92D	PIPE , assembly, from tee to inboard flap jack, "down" line	1	DTD.5019	C	S.19
875	E.A1.73.92E	PIPE , assembly, from inboard flap jack tee cone to union cone at inboard wing rib 7, "down" line	1	DTD.5019	C	S.19
876	E.A1.73.92F	PIPE , assembly, from inboard flap jack tee cone to union cone at inboard wing rib 7, "up" line	1	DTD.5019	C	S.19
877	E.A1.73.92G	PIPE , assembly, from union cone at inboard wing rib 7 to union cone at outboard wing rib 2A, "down" line	1	DTD.5019	C	S.19
878	E.A1.73.92H	PIPE , assembly, from union cone at inboard wing rib 7 to union cone at outboard wing rib 2A, "up" line	1	DTD.5019	C	S.19
879	E.A1.73.92J	PIPE , assembly, from union cone at outboard wing rib 2A to outboard flap jack, "down" line	1	DTD.5019	C	S.19
880	E.A1.73.92K	PIPE , assembly, from union cone at outboard wing rib 2A to outboard flap jack, "up" line	1	DTD.5019	C	S.19

CANBERRA E Mk. 15

Page SU.6A

SERVICES

HYDRAULIC EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	1	2	3	4	5	6	Description	No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.K5.73.18	PIPES, HYDRAULIC, FLAP JACK, ASSEMBLY ... (ALT. R60/313—MOD. 5100)										
		Spares for:—										
	E.A3.20.4004	BRACKET , fairlead support, inboard flap shroud, 18 SWG							1	L.72	—	
	E.A3.20.4003	BRACKET , fairlead support, inboard flap shroud, 18 SWG							5	L.72	—	
	E.A3.20.4006	BRACKET , fairlead support, outboard flap shroud, 18 SWG							3	L.72	—	
	E.A3.20.4008	BRACKET , fairlead support, outboard flap shroud, 18 SWG							1	L.72	—	
5K/4345976	AS.4526/4	CLIP , 1/2" (Alt. R60/39—Mod. 5100) ...							4	—	C	
5K/1037288	AS.4525/4	CLIP , 1/2" ...							6	—	C	
28F/9439531	AGS.952/B	COLLAR ...							4	—	C	
28F/8011811	AGS.1118/B	CONE , tee ...							2	—	C	
28F/8011883	AGS.1102/B	CONE , union body ...							2	—	C	
6101241	E.A3.20.3993	FAIRLEAD , assembly, pipe support, inboard flap shroud							6	BS.2572 Type F3	C	
6101242	E.A3.20.3997	FAIRLEAD , assembly, pipe support, outboard flap shroud							4	BS.2572 Type F3	C	
28D/1011019	A25/8C	Attaching parts for E.A3.20.3993 or E.A3.20.3997:—							2	—	C	
28M/1278190	AGS.2001/C/1	Bolt, 2 BA ...							2	—	C	
28W/9419475	SP.15/C	Nut, 2 BA ...							2	—	C	
		Washer ...							2	—	C	
	E.A3.73.1115	FAIRLEAD , assembly, pipe support, ribs 7 and 1							2	BS.2572 Type F3	—	
		Attaching parts for E.A3.73.1115:—										
28D/1010030	A25/7C	Bolt, 2 BA ...							4	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA ...							4	—	C	
	AS.2811/5/060	Tube, distance, 17 SWG ...							4	L.72	LM	
28624	EEAS.28/8ER	Washer ...							4	—	C	
	E.B4.73.713	FAIRLEAD , assembly, pipe support on engine arch							3	—	—	
		Attaching parts for E.B4.73.713:—										
28D/1010030	A25/7C	Bolt, 2 BA ...							1	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA ...							1	—	C	
	AGS.2097/B3C	LEAD , bonding (Alt. R60/39—Mod. 5100) ...							4	—	LM	
	AGS.2097/C3C	LEAD , bonding ...							2	—	LM	
	AGS.2097/C6C	LEAD , bonding ...							2	—	LM	
28F/8011885	AGS.1142/B	NIPPLE , adapter ...							4	—	C	
28F/1014650	AGS.1170/B	NIPPLE ...							6	—	C	
	E.A3.73.1149	PIPE , assembly, from fuselage coupling to inboard jack tee, flaps "down" line							1	DTD.5019	LM	
	E.A3.73.1145	PIPE , assembly, from fuselage coupling to inboard jack tee, flaps "up" line							1	DTD.5019	LM	
	E.A3.73.1141	PIPE , assembly, from inboard jack tee to jack "down" connection							1	DTD.5019	LM	
	E.A3.73.1137	PIPE , assembly, from inboard jack tee to jack "up" connection							1	DTD.5019	LM	
	E.A3.73.1129	PIPE , assembly, from inboard jack tee to spar coupling, flaps "down" line							1	DTD.5019	LM	
	E.A3.73.1127	PIPE , assembly, from inboard jack tee to spar coupling, flaps "up" line							1	DTD.5019	LM	

SERVICES

HYDRAULIC EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.A3.73.1096	PIPE, assembly, from spar coupling, inboard wing to coupling inboard of rib 7, flaps "down" line						1	DTD.5019	LM	
	E.A3.73.1094	PIPE, assembly, from spar coupling, inboard wing to coupling inboard of rib 7, flaps "up" line						1	DTD.5019	LM	
	E.A3.73.1100	PIPE, assembly, transverse across engine arch, flaps "down" line						1	DTD.5019	LM	
	E.A3.73.1098	PIPE, assembly, transverse across engine arch, flaps "up" line						1	DTD.5019	LM	
	E.A3.73.1104	PIPE, assembly, from outer wing coupling, rib 1 to spar coupling, flaps "down" line						1	DTD.5019	LM	
	E.A3.73.1102	PIPE, assembly, from outer wing coupling, rib 1 to spar coupling, flaps "up" line						1	DTD.5019	LM	
	E.A3.73.1108	PIPE, assembly, from outer wing spar coupling to coupling, trailing edge rib 2A, flaps "down" line						1	DTD.5019	LM	
	E.A3.73.1106	PIPE, assembly, from outer wing spar coupling to coupling, trailing edge rib 2A, flaps "up" line						1	DTD.5019	LM	
	E.A3.73.1133	PIPE, assembly, from coupling, rib 2A to outer wing jack connection, flaps "down" line						1	DTD.5019	LM	
	E.A3.73.1131	PIPE, assembly, from coupling, rib 2A to outer wing jack connection, flaps "up" line						1	DTD.5019	LM	
28F/9439527	AGS.954/B	SLEEVE, outer						4	—	C	
20778	EEAS.20/2ER	TAB, locking						4	—	C	
32B/1250505	†	TAPE, glasscloth						QR	—	C	
28F/8011887	AGS.1113/B	UNION, flanged, bulkhead						4	—	C	
		Attaching parts for AGS.1113/B:—									
28D/1008149	A25/2B	Bolt, 4 BA						6	—	C	
28M/9403519	A27/BP	Nut, 4 BA						6	—	C	
28W/9419465	SP.13/B	Washer						6	—	C	
28F/9128928	AGS.1115/2	Washer, plate						1	—	C	
	EEAS.239/1CH	WASHER, "D" for pipe clips (Alt. R60/39—Mod. 5100)						4	S.511	—	

CANBERRA E Mk. 15

Page SU.7

SERVICES

HYDRAULIC EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	Description	No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1 2 3 4 5 6				
	E.A1.73.282	PIPES, HYDRAULIC, FOR AIR BRAKE, CENTRE WING, ASSEMBLY	—	—	—	
		Spares for:—				
5258	EEAS.143/6H	CLIP , pipe, single, $\frac{1}{2}$ " o/d, bonding	14	L.72	C	S.19
or						
5K/4345976	AS.4526/4	CLIP , $\frac{1}{2}$ " (Alt. R60/39—Mod. 5100)	14	—	C	
		Attaching parts for EEAS.143/6H:—				
28D/1010658	A25/1B	Bolt, 4 BA	1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA	1	—	C	
5259	EEAS.21/2ERH	Washer, special	1	L.72	C	
28W/9416642	SP.47/B	Washer, spring	1	—	C	
28F/8011883	AGS.1102/B	CONE , union body	4	—	C	
5K/7000230	AS.3360/B3B	LEAD , bonding	2	—	C	
	or					
	AGS.2097/B3C	LEAD , bonding (Alt. R60/39—Mod. 5100)	2	—	LM	
935	E.A1.73.282A	PIPE , assembly, between fuselage and union cone at centre wing ribs 3 and 4, "in" line	1	DTD.5019	C	S.19
	or					
	E.A3.73.1244	PIPE , assembly (Alt. R60/80—Mod. 5100)	1	DTD.5019	LM	
936	E.A1.73.282B	PIPE , assembly, between fuselage and union cone at centre wing ribs 3 and 4, "out" line	1	DTD.5019	C	S.19
	or					
	E.A3.73.1246	PIPE , assembly (Alt. R60/80—Mod. 5100)	1	DTD.5019	LM	
1638	E.A1.73.282E	PIPE , assembly, between union cone at ribs 3 and 4 to union cone between ribs 6 and 7, "in" line	1	DTD.5019	C	S.19
	or					
	E.A3.73.1248	PIPE , assembly (Alt. R60/80—Mod. 5100)	1	DTD.5019	LM	
1639	E.A1.73.282F	PIPE , assembly, between union cone at ribs 3 and 4 to union cone between ribs 6 and 7, "out" line	1	DTD.5019	C	S.19
	or					
	E.A3.73.1250	PIPE , assembly (Alt. R60/80—Mod. 5100)	1	DTD.5019	LM	
	EEAS.237/17CH	WASHER , "D" (Alt. R60/39—Mod. 5100)	12	S.511	—	
	EEAS.239/1CH	WASHER , "D" (Alt. R60/39—Mod. 5100)	2	S.511	—	
	E.G4.73.76	PIPES, HYDRAULIC, FOR AIR BRAKE, OUTER WING, ASSEMBLY	—	—	—	
		Spares for:—				
5258	EEAS.143/6H	CLIP , pipe, single, $\frac{1}{2}$ " o/d, bonding	18	L.72	C	
or						
5K/4345976	AS.4526/4	CLIP , $\frac{1}{2}$ " (Alt. R60/39—Mod. 5100)	18	—	C	
		Attaching parts for EEAS.143/6H:—				
28D/1010658	A25/1B	Bolt, 4 BA (As required)	1	—	C	
28D/1008149	A25/2B	Bolt, 4 BA (As required)	1	—	C	
28M/9403519	A27/BP	Nut, 4 BA (As required)	1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA (As required)	1	—	C	
5259	EEAS.21/2ERH	Washer, special (As required)	1	L.72	C	
23W/9416642	SP.47/B	Washer, spring (As required)	1	—	C	
28F/8011883	AGS.1102/B	CONE , union, body	6	—	C	
5K/7000230	AS.3360/B3B	LEAD , bonding	2	—	C	
	or					
	AGS.2097/B3C	LEAD , bonding (Alt. R60/39—Mod. 5100)	2	—	LM	
945	E.A1.73.284C	PIPE , assembly, from union cone between outer wing ribs 1 and 2A to union cone between ribs 2 and 2B "in" line	1	DTD.5019	C	S.19
	or					
	E.A3.73.1252	PIPE , assembly (Alt. R60/80—Mod. 5100)	1	DTD.5019	LM	

SERVICES

HYDRAULIC EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	1	2	3	4	5	6	Description	No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
946	E.A1.73.284D							PIPE, assembly, from union cone between outer wing ribs 1 and 2A to union cone between ribs 2 and 2B, "out" line	1	DTD.5019	C	S.19
	or											
	E.A3.73.1254							PIPE, assembly (Alt. R60/80—Mod. 5100) ...	1	DTD.5019	LM	
947	E.A1.73.284E							PIPE, assembly, from union cone between ribs 2 and 2B to union cone between ribs 3A and 3, "in" line	1	DTD.5019	C	S.19
	or											
	E.A3.73.1256							PIPE, assembly (Alt. R60/80—Mod. 5100) ...	1	DTD.5019	LM	
948	E.A1.73.284F							PIPE, assembly, from union cone between ribs 2 and 2B to union cone between ribs 3A and 3, "out" line	1	DTD.5019	C	S.19
	or											
	E.A3.73.1258							PIPE, assembly (Alt. R60/80—Mod. 5100) ...	1	DTD.5019	LM	
1985	E.A1.73.284J							PIPE, assembly, from union cone between centre wing ribs 6 and 7 to union cone between outer wing ribs 1 and 2A, "out" line	1	DTD.5019	C	S.19
	or											
	E.A3.73.1264							PIPE, assembly (Alt. R60/80—Mod. 5100) ...	1	DTD.5019	LM	
1986	E.A1.73.284K							PIPE, assembly, from union cone between centre wing ribs 6 and 7 to union cone between outer wing ribs 1 and 2A, "in" line	1	DTD.5019	C	S.19
	or											
	E.A3.73.1266							PIPE, assembly (Alt. R60/80—Mod. 5100) ...	1	DTD.5019	LM	
33302	E.B6.73.364							PIPE, assembly, from union cone between ribs 3A and 3, to bracket on rib 3, "out" line	1	—	C	S.19
	or											
	E.G4.73.144							PIPE, assembly (Alt. R60/80—Mod. 5100) ...	1	DTD.5019	LM	
33303	E.B6.73.366							PIPE, assembly, from union cone between ribs 3A and 3, to bracket on rib 3, "in" line	1	—	C	S.19
	or											
	E.E4.73.146							PIPE, assembly (Alt. R60/80—Mod. 5100) ...	1	DTD.5019	LM	
	EEAS.237/17CH							WASHER, "D" (Alt. R60/39—Mod. 5100) ...	16	S.511	—	
	EEAS.239/1CH							WASHER, "D" (Alt. R60/39—Mod. 5100) ...	2	S.511	—	
	E.A3.73.816							PIPES, HYDRAULIC, ON FUSELAGE SIDE WHEEL WELL BAY, ASSEMBLY	—	—	—	
								Spares for:—				
911	E.A1.73.277							BOLT, special, banjo fitting, variable flow valve pipe connection	1	S.96	C	S.20
737	E.A1.73.179							CLIP, pipe, flexible $\frac{1}{4}$ " BSP ...	1	—	C	S.20
	or											
6119336	E.A3.73.1461							CLIP, pipe, flexible (Alt. R60/32—Mod. 5100 or Mod. 5190)	1	S.97	C	
								Attaching parts for E.A1.73.179 or E.A3.73.1461:—				
28D/1010030	A25/7C							Bolt, 2 BA ...	2	—	C	
28M/9403520	A27/CP							Nut, 2 BA ...	2	—	C	
28W/9416643	SP.47/C							Washer, spring ...	2	—	C	
5348	EEAS.143/8H							CLIP, pipe, single, $\frac{3}{8}$ " o/d, bonding ...	5	L.72	C	S.20
	or											
5K/4345977	AS.4526/6							CLIP, $\frac{3}{8}$ " (Alt. R60/39—Mod. 5100) ...	5	—	C	
5526	EEAS.91/3							CLIP pipe, double, $\frac{3}{8}$ " o/d ...	3	L.72	C	S.20
								Attaching parts for EEAS.143/8H and EEAS.91/3:—				
28D/1010658	A25/1B							Bolt, 4 BA ...	1	—	C	
28M/1278189	AGS.2001/B/1							Nut, 4 BA ...	1	—	C	
5259	EEAS.21/2ERH							Washer, special ...	1	L.72	C	S.20
28F/9476124	AGS.1118/C							CONE, tee ...	1	—	C	

CANBERRA E MK. 15

Page SU.9

SERVICES

HYDRAULIC EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
912	E.A1.73.183	FITTING, right angle, banjo body, special connection for undercarriage door jack and sequence valve connections						1	—	C	S.20
5K/7000230	AS.3360/B3B or AGS.2097/B3C	LEAD, bonding						1	—	C	
919	E.A3.73.552	LEAD, bonding (Alt. R60/39—Mod. 5100) ... PIPE, assembly, from special banjo fitting at undercarriage door jack hose to variable flow tee cone "closed" line						1 1	— DTD.5019	LM C	S.20
918	E.A3.73.554	PIPE, assembly, from door sequence valve to thermal relief valve tee at wing main spar "closed" line						1	DTD.5019	C	S.20
921	E.A3.73.586	PIPE, assembly, from tee cone to variable flow valve, undercarriage door jack "closed" line						1	DTD.5019	C	S.20
5534	E.A3.73.818	PIPE, assembly, from sequence valve to 4-way cone at main spar undercarriage door "closed" line						1	DTD.5019	C	S.20
5535	E.A3.73.820	PIPE, assembly, from variable flow tee cone to thermal relief and transfer valve tee cone "closed" line						1	DTD.5019	C	S.20
20997	E.A3.73.856	PIPE, assembly, from variable flow valve to undercarriage jack hose connection "closed" line						1	DTD.5019	C	S.20
28F/9429532	AGS.1186/C	SEAL, bonding, between banjo fitting and banjo bolt, $\frac{1}{8}$ " BSP						2	—	C	
	EEAS.237/17CH	WASHER, "D" (Alt. R60/39—Mod. 5100) ...						4	S.511	—	
	EEAS.239/1CH	WASHER, "D" (Alt. R60/39—Mod. 5100) ...						1	S.511	—	
	E.B7.73.44	PIPES, HYDRAULIC, ON RIB E, WHEEL WELL BAY, ASSEMBLY						—	—	—	
		Spares for:—									
5258	EEAS.143/6H or	CLIP, pipe, single, $\frac{1}{4}$ " o/d						2	L.72	C	
5K/4345976	AS.4526/4	CLIP, $\frac{1}{2}$ " (Alt. R60/39—Mod. 5100)						2	—	C	
28D/1010658	A25/1B	Attaching parts for EEAS.143/6H:—									
28M/1278189	AGS.2001/B/1	Bolt, 4 BA						1	—	C	
5259	EEAS.21/2ERH	Nut, 4 BA						1	—	C	
		Washer, special						1	L.72	C	
5979	E.B7.73.41	PIPE, assembly, from undercarriage door jack sequence valve to union cone at wheel well diaphragm "open" line						1	DTD.5019	C	S.19
	or										
	E.B7.73.5211	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
	EEAS.237/17CH	WASHER, "D" (Alt. R60/39—Mod. 5100) ...						2	S.511	—	
	E.A3.73.532	PIPES, HYDRAULIC, AT WHEEL WELL BAY DIAPHRAGM, ASSEMBLY						—	—	—	
		Spares for:—									
829	E.A1.73.181	CLIP, thermal relief valve						1	—	C	
28D/9133014	A25/13C	Attaching parts for E.A1.73.181:—									
28M/1278190	AGS.2001/C/1	Bolt, 2 BA						2	—	C	
	AS.2307/030	Nut, 2 BA						2	—	C	
5260	EEAS.143/5H	Tube, distance						2	L.72	LM	
5258	EEAS.143/6H or	CLIP, pipe, single, $\frac{3}{8}$ " o/d., bonding						3	L.72	C	S.19
		CLIP, pipe, single, $\frac{1}{2}$ " o/d., bonding						6	L.72	C	S.19
		Alternative pipe clips (Alt. R60/39—Mod. 5100)									
5K/6323922	AS.4526/3	CLIP, $\frac{1}{4}$ "						3	—	C	
5K/4345976	AS.4526/4	CLIP, $\frac{1}{2}$ "						6	—	C	

SERVICES

HYDRAULIC EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	1	2	3	4	5	6	Description	No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
28D/1010658	A25/1B							Attaching parts for EEAS.143/5H and EEAS.143/6H:—				
28M/1278189	AGS.2001/B/1							Bolt, 4 BA	1	—	C	
5259	EEAS.21/2ERH							Nut, 4 BA	1	—	C	
								Washer, special	1	L.72	C	
28F/9463543	AGS.1120/1							CONE , tee	1	—	C	
5K/7000230	AS.3360/B3B							LEAD , bonding	1	—	C	
	or							LEAD , bonding (Alt. R60/39—Mod. 5100) ...	1	—	LM	
908	AGS.2097/B3C							PIPE , assembly, from union cone at wheel well diaphragm to undercarriage door jack thermal relief valve tee cone, "open" line	1	DTD.5019	C	S.19
	E.A3.73.562											
	or							PIPE , assembly (Alt. R60/80—Mod. 5100) ...	1	DTD.5019	LM	
4526	E.A3.73.1242							PIPE , assembly, from thermal relief valve tee cone to thermal relief valve, "open" line	1	DTD.5019	C	S.19
	E.A3.73.648											
4527	E.A3.73.650							PIPE , assembly, from thermal relief valve to undercarriage jack thermal return valve and relief line, 4-way cone	1	DTD.5019	C	S.20
	EEAS.237/17CH							WASHER , "D" (Alt. R60/39—Mod. 5100) ...	8	S.511	—	
	EEAS.239/1CH							WASHER , "D" (Alt. R60/39—Mod. 5100) ...	1	S.511	—	
	E.G4.73.78							PIPES, HYDRAULIC, FOR AIR BRAKES ON OUTER WING RIB 3, ASSEMBLY	—	—	—	
								Spares for:—				
28F/9439533	AGS.1129/B							BANJO , body, cone, flanged	1	—	C	
28F/9423227	AGS.1135/B							Attaching parts for AGS.1129/B:—				
28F/9428453	AGS.1186/B							Bolt, banjo	1	—	C	
								Seal, bonded	2	—	C	
5258	EEAS.143/6H							CLIP , pipe, single, 1/2" o/d., bonding	2	L.72	C	
5K/4345976	AS.4526/4							CLIP , 1/2" (Alt. R60/39—Mod. 5100)	2	—	C	
28D/1010658	A25/1B							Attaching parts for EEAS.143/6H:—				
28M/1278189	AGS.2001/B/1							Bolt, 4 BA	1	—	C	
5259	EEAS.21/2ERH							Nut, 4 BA	1	—	C	
								Washer, special	1	L.72	C	
28F/8011809	AGS.1104/B							CONE , adaptor	1	—	C	
28F/9428453	AGS.1186/B							Attaching parts for AGS.1104/B:—				
								Seal, bonded	1	—	C	
28F/1013402	AGS.1111/B							CONE , union, body	2	—	C	
28D/1010658	A25/1B							Attaching parts for AGS.1111/B:—				
28M/9403519	A27/BP							Bolt, 4 BA	3	—	C	
28F/9128928	AGS.1115/2							Nut, 4 BA	3	—	C	
28W/9416642	SP.47/B							Washer, plate	1	—	C	
								Washer, spring	3	—	C	
5K/7000231	AS.3360/B3C							LEAD , bonding	2	—	C	
	or							LEAD , bonding (Alt. R60/39—Mod. 5100) ...	2	—	LM	
12515	AGS.2097/B3C							PIPE , coil, assembly, from bracket on rib 3 to airbrake hydraulic operating jack, "out" position	1	—	C	S.19
	E.A9.73.564											
	or							PIPE , assembly (Alt. R60/80—Mod. 5100) ...	1	DTD.5019	LM	
12516	E.G4.73.148							PIPE , coil, assembly, from bracket on rib 3 to air brake hydraulic operating jack, "in" position	1	—	C	S.19
	E.A9.73.562											
	or							PIPE , assembly (Alt. R60/80—Mod. 5100) ...	1	DTD.5019	LM	
	E.G4.73.150							WASHER , "D" (Alt. R60/39—Mod. 5100) ...	2	S.511	—	
	EEAS.239/1CH											

CANBERRA E Mk. 15

Page SV.1

SERVICES

HYDRAULIC EQUIPMENT IN INNER WING LEADING EDGE, PORT

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.B6.73.395	HYDRAULIC EQUIPMENT IN INNER WING LEADING EDGE, PORT, ASSEMBLY						—	—	—	
		Spares for:—									
881	E.A1.73.191	BOLT , special, banjo body fitting at Lockheed hydraulic pump, suction line						1	S.96	C	\$20
882	E.A1.73.193	BOLT , special, banjo body fitting at Lockheed hydraulic pump, delivery line						1	S.96	C	\$20
5348	EEAS.143/8H or	CLIP , pipe, single, $\frac{3}{8}$ " o/d., bonding						1	L.72	C	\$20
5K/4345977	AS.4526/6	CLIP , $\frac{3}{8}$ " (Alt. R60/39—Mod. 5100)						1	—	C	
		Attaching parts for EEAS.143/8H:—									
28D/1010658	A25/1B	Bolt, 4 BA						1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA						1	—	C	
5259	EEAS.21/2ERH	Washer, special						2	—	C	\$20
5523	EEAS.143/23H or	CLIP , pipe, single, $\frac{3}{8}$ " o/d., bonding						1	L.72	C	\$20
5K/4345979	AS.4526/10	CLIP , $\frac{3}{8}$ " (Alt. R60/39—Mod. 5100)						1	—	C	
		Attaching parts for EEAS.143/23H:—									
28D/9436920	A25/1C	Bolt, 2 BA						1	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA						1	—	C	
9763	E.A3.73.55	Washer, special						2	—	C	\$20
17529	EEAS.143/23	CLIP , pipe, single, $\frac{3}{8}$ " o/d.						1	—	C	\$19
28E/1059359	AGS.2081/6	CLIP , pipe, single						1	—	C	
		Alternative pipe clips (Alt. R60/39—Mod. 5100) ...									
28E/9130685	AS.5419/6	CLIP , $\frac{3}{8}$ "						1	—	C	
28E/9130754	AS.5419/10	CLIP , $\frac{3}{8}$ "						1	—	C	
		Attaching parts for EEAS.143/23 and AGS.2081/6:—									
28D/9436920	A25/1C	Bolt, 2 BA						1	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA						1	—	C	
28W/9419475	SP.15/C	Washer, 2 BA						1	—	C	
12436	E.A9.73.165	CLIP , pipe, special, at diaphragm between ribs 2 and 3						1	—	C	\$20
		Attaching parts for E.A9.73.165:—									
28D/1212590	A25/29E	Bolt, $\frac{3}{4}$ " BSF						2	—	C	
28M/9480017	AGS.2001/E1/66	Nut, $\frac{3}{4}$ " BSF						2	—	C	
22804	E.A9.73.167	Washer, special						1	—	C	\$20
22805	E.A9.73.168	Washer, special						1	—	C	\$20
30965	E.A3.73.915	COUPLING , pipe						1	S.91	C	\$19
22789	E.A9.73.93	FAIRLEAD , rear, at diaphragm between ribs 2 and 3 for flexible suction and delivery pipes						2	BS.2572	C	\$19, \$20
		Attaching parts for E.A9.73.93:—									
28D/1017157	A25/25C	Bolt, 1 BA						4	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA						4	—	C	
	AS.2810/5/143	Tube, distance						4	L6.2	LM	
28W/9419402	SP.13/C	Washer, 2 BA						4	—	C	
22802	E.A9.73.163	FAIRLEAD , front, assembly, at diaphragm between ribs 2 and 3 for flexible suction and delivery pipes						1	BS.2572	C	\$19, \$20
		Attaching parts for E.A9.73.163:—									
28D/7002428	A25/6C	Bolt, 1 BA						4	—	C	
28W/9419402	SP.13/C	Washer, 2 BA						4	—	C	

SERVICES

HYDRAULIC EQUIPMENT IN INNER WING LEADING EDGE, PORT

Ref. No.	Part No.	1	2	3	4	5	6	Description	No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
886	E.A1.73.189							FITTING , banjo body, special connection to flexible hose at Lockheed hydraulic pump, delivery line	1	L.65	C	S.20
28F/9429527	AGS.1186/BB							Attaching parts for E.A1.73.189:— Seal, bonded	2	—	C	
885	E.A1.73.247							FITTING , banjo body, special connection to flexible hose at Lockheed hydraulic pump, suction line (Pre-Mod. 2701)	1	L.65	C	
37585	E.A1.73.403							FITTING , banjo body, special connection to flexible hose at Lockheed hydraulic pump, suction line (Mod. 2701)	1	—	C	S.20
28F/9428454	AGS.1186/CC							Attaching parts for E.A1.73.247 or E.A1.73.403:— Seal, bonded	2	—	C	
28F/8011896	AGS.1142/C							NIPPLE , adaptor	1	—	C	
28F/9439897	AGS.1142/E							NIPPLE , adaptor	3	—	C	
5K/7000230	AS.3360/B3B or							LEAD , bonding	1	—	C	
6150-99-7135 -745	AGS.2097/B3B							LEAD , bonding (Alt. R60/39—Mod. 5100)	1	—	C	
5K/7000228	AS.3360/B5C or							LEAD , bonding	1	—	C	
6888	AGS.2097/B5C							LEAD , bonding (Alt. R60/39—Mod. 5100)	1	—	LM	
	E.B6.73.191							PIPE , assembly, from coupling at rib 2 to union body inboard of rib 1, suction line	1	DTD.5019	C	S.19
30978	E.A4.73.283							PIPE , assembly, from coupling at rib 2 to union body inboard of rib 1, delivery line	1	DTD.743	C	S.19
981	EEAS.20/2DR							TAB , locking, 20 SWG	4	L.72	C	S.20
28F/4051569	AGS.1103/E							UNION , body	1	—	C	
	EEAS.237/17CH							WASHER , "D" (Alt. R60/39—Mod. 5100)	1	S.511	—	
26DK/24376	EEAS.239/2CH							WASHER , "D" (Alt. R60/39—Mod. 5100)	2	S.511	C	

CANBERRA E Mk. 15

Page SW.1

SERVICES

HYDRAULIC EQUIPMENT IN INNER WING LEADING EDGE, STARBOARD

Ref. No.	Part No.	Description						No. off	Mati Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.B6.73.397	HYDRAULIC EQUIPMENT IN INNER WING LEADING EDGE, STARBOARD, ASSEMBLY						—	—	—	
		Spares for:—									
28F/9439533	AGS.1129/B	BANJO , body						1	—	C	
28F/9423227	AGS.1135/B	Attaching parts for AGS.1129/B:—						1	—	C	
28F/9428453	AGS.1186/B	Bolt, banjo						1	—	C	
		Seal, bonded						3	—	C	
881	E.A1.73.191	BOLT , special, banjo fitting, at Lockheed hydraulic pump, suction line						1	S.96	C	S.20
		Attaching parts for E.A1.73.191:—									
28F/9428454	AGS.1186/CC	Seal, bonded						2	—	C	
882	E.A1.73.193	BOLT , special, banjo fitting, at Lockheed hydraulic pump, pressure line						1	S.96	C	S.20
		Attaching parts for E.A1.73.193:—									
28F/9429527	AGS.1186/BB	Seal, bonded						2	—	C	
2340	E.A3.73.281	CLIP , half, accumulator mounting						2	—	C	S.20
		Attaching parts for E.A3.73.281:—									
28D/9133011	A25/2C	Bolt, 2 BA						4	—	C	
28W/9419402	SP.13/C	Washer, 2 BA						4	—	C	
12436	E.A9.73.165	CLIP , pipe, special, between ribs 2 and 3						1	L.72	C	S.20
		Attaching parts for E.A9.73.165:—									
28D/1212590	A25/29E	Bolt, 1/4" BSF						2	—	C	
28M/9480017	AGS.2001/E1/66	Nut, 3/4" BSF						2	—	C	
22804	E.A9.73.167	Washer, special						1	—	C	S.20
22805	E.A9.73.168	Washer, special						1	—	C	S.20
5348	EEAS.143/8H	CLIP , pipe, single, 3/8" o/d.						2	L.72	C	S.20
	or										
5K/4345977	AS.4526/6	CLIP , 3/8" (Alt. R60/39—Mod. 5100)						2	—	C	
		Attaching parts for EEAS.143/8H:—									
28D/1010658	A25/1B	Bolt, 4 BA						1	—	C	
28M/1278189	AGS.2001/B1	Nut, 4 BA						1	—	C	
5259	EEAS.21/2ERH	Washer, special						1	—	C	S.20
5523	EEAS.143/23H	CLIP , pipe, single						2	—	C	S.20
	or										
5K/4345979	AS.4526/10	CLIP , 3/8" (Alt. R60/39—Mod. 5100)						1	—	C	
		Attaching parts for EEAS.143/23H:—									
28D/9436920	A25/1C	Bolt, 2 BA						1	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA						1	—	C	
9763	E.A3.73.55	Washer, special						1	—	C	S.20
28E/9713018	AS.3181/6C	CLIP , pipe, single, 3/8" o/d.						1	—	C	
		Attaching parts for AS.3181/6C:—									
28D/9140644	A25/9C	Bolt, 2 BA						2	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA						2	—	C	
28W/9419402	SP.13/C	Washer, 2 BA						2	—	C	
28F/8011809	AGS.1104/B	CONE , adaptor						1	—	C	
		Attaching parts for AGS.1104/B:—									
28F/9428453	AGS.1186/B	Seal, bonded						1	—	C	
28F/9140971	AGS.1104/C	CONE , adaptor						1	—	C	
		Attaching parts for AGS.1104/C:—									
28F/9429532	AGS.1186/C	Seal, bonded						1	—	C	

SERVICES

HYDRAULIC EQUIPMENT IN INNER WING LEADING EDGE, STARBOARD

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
28F/9476124	AGS.1118/C	CONE, tee	...	...	...	...	...	1	—	C	
28F/9463543	AGS.1120/1	CONE, tee	...	...	...	...	...	1	—	C	
30966	E.A3.73.905	CONE, tee, cut out valve junction pipe	...	...	...	...	...	1	—	C	
36815	E.A3.73.919	CONE, tee	...	...	...	...	...	1	—	C	S.20
28F/9471001	AGS.1102/C	CONE, union body	...	...	...	...	...	2	—	C	
30967	E.A3.73.907	COUPLING, bulkhead, rib 1, delivery line	...	...	...	...	...	1	S.91	C	
28D/9133011	A25/2C	Attaching parts for E.A3.73.907:—									
28M/1278190	AGS.2001/C/1	Bolt, 2 BA	...	...	...	...	...	6	—	C	
28W/9419402	SP.13/C	Nut, 2 BA	...	...	...	...	...	6	—	C	
28F/9128929	AGS.1115/4	Washer, 2 BA	...	...	...	...	...	6	—	C	
		Washer, plate	...	...	...	...	...	1	—	C	
2364	E.A2.73.111	ELBOW, union, special, pressure gauge connection	...	...	...	...	...	1	—	C	S.20
891	E.A1.73.199	FAIRLEAD, at rib 1	...	...	...	...	...	1	BS.2572	C	S.20
28D/9133012	A25/3C	Attaching parts for E.A1.73.199:—									
28M/1278190	AGS.2001/C/1	Bolt, 2 BA	...	...	...	...	...	6	—	C	
28W/9419402	SP.13/C	Nut, 2 BA	...	...	...	...	...	6	—	C	
		Washer, 2 BA	...	...	...	...	...	6	—	C	
6889	E.A1.73.385	FAIRLEAD, at rib 2	...	...	...	...	...	1	BS.2572	C	S.20
	or										
22788	E.A9.73.91	FAIRLEAD	...	...	...	...	...	1	BS.2572	C	
22789	E.A9.73.93	FAIRLEAD, rear, at diaphragm between ribs 2 and 3	...	...	...	...	...	2	BS.2572	C	S.20
		for flexible suction and delivery pipes									
28D/1017157	A25/25C	Attaching parts for E.A9.73.93:—									
28M/1278190	AGS.2001/C/1	Bolt, 2 BA	...	...	...	...	...	4	—	C	
	AS.2810/5/143	Nut, 2 BA	...	...	...	...	...	4	—	C	
28W/9419402	SP.13/C	Tube, distance	...	...	...	...	...	4	L.62	LM	
		Washer, 2 BA	...	...	...	...	...	4	—	C	
22803	E.A9.73.164	FAIRLEAD, front, at diaphragm between ribs 2 and 3	...	...	...	...	...	1	BS.2572	C	S.20
		for flexible suction and delivery pipes									
28D/7002428	A25/6C	Attaching parts for E.A9.73.164:—									
28W/9419402	SP.13/C	Bolt, 2 BA	...	...	...	...	...	4	—	C	
		Washer, 2 BA	...	...	...	...	...	4	—	C	
886	E.A1.73.189	FITTING, banjo body, special connection for flexible hose at Lockheed hydraulic pump, pressure line	...	...	...	...	...	1	L.65	C	S.20
885	E.A1.73.247	FITTING, banjo body, special connection for flexible hose at Lockheed hydraulic pump, suction line (Pre-Mod. 2701)	...	...	...	...	...	1	L.65	C	
37585	E.A1.73.403	FITTING, banjo body, special connection for flexible hose at Lockheed hydraulic pump, suction line (Mod. 2701)	...	...	...	...	...	1	—	C	S.20
5K/7000228	AS.3360/B5C	LEAD, bonding	...	...	...	...	...	4	—	C	
	or										
	AGS.2097/B5B	LEAD, bonding (Alt. R60/39—Mod. 5100)	...	...	...	...	...	1	—	LM	
	AGS.2097/B5C	LEAD, bonding (Alt. R60/39—Mod. 5100)	...	...	...	...	...	1	—	LM	
28F/1013599	AGS.1142/A	NIPPLE, adaptor	...	...	...	...	...	1	—	C	
		Attaching parts for AGS.1142/A:—									
28D/1008149	A25/2B	Bolt, 4 BA	...	...	...	...	...	4	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA	...	...	...	...	...	4	—	C	
28W/9419465	SP.13/B	Washer, 4 BA	...	...	...	...	...	4	—	C	
28F/9128928	AGS.1115/2	Washer, plate	...	...	...	...	...	1	—	C	
28F/9439897	AGS.1142/E	NIPPLE, adaptor	...	...	...	...	...	3	—	C	

CANBERRA E Mk. 15

Page SW.3/4

SERVICES

HYDRAULIC EQUIPMENT IN INNER WING LEADING EDGE, STARBOARD

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
6904	E.B6.73.175	PIPE, assembly, from coupling at rib 1 to charging valve and pressure gauge tee cone						1	DTD.5019	C	S.20
	or										
	E.B7.73.5217	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
6903	E.B6.73.181	PIPE, assembly, from union cone at rib 1 to fuselage union cone, return line						1	DTD.5019	C	S.20
6895	E.B6.73.183	PIPE, assembly, from cut-out valve to union cone at rib 1, return line						1	DTD.5019	C	S.20
6901	E.B6.73.185	PIPE, assembly, from accumulator tee cone to fuselage union cone non-return valve, pressure line						1	DTD.5019	C	S.20
32573	E.B6.73.399	PIPE, assembly, from accumulator to coupling at rib 1						1	DTD.5019	C	S.20
	or										
	E.G4.73.151	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
6896	E.B7.73.61	PIPE, assembly, from cut-out valve to accumulator and non-return valve tee cone, pressure line						1	DTD.5019	C	S.20
6897	E.B7.73.65	PIPE, assembly, from accumulator to tee cone, pressure line						1	DTD.5019	C	S.20
6898	E.B7.73.69	PIPE, assembly, from pressure gauge tee cone to pressure gauge						1	DTD.5019	C	S.20
6899	E.B7.73.71	PIPE, assembly, from pressure gauge tee cone to charging valve						1	DTD.5019	C	S.20
	or										
	E.B7.73.5213	PIPE, assembly (Alt. R60/80—Mod. 5100) ...						1	DTD.5019	LM	
30987	E.B7.73.361	PIPE, assembly, from Avery coupling to non-return valve, delivery line						1	DTD.743	C	S.20
30988	E.B7.73.363	PIPE, assembly, from non-return valve at rib 2 to non-return valve tee cone between ribs 1 and 2						1	DTD.743	C	S.20
30989	E.B7.73.365	PIPE, assembly, from non-return valve tee cone to cut-out valve, delivery line						1	DTD.743	C	S.20
30990	E.B7.73.367	PIPE, assembly, from non-return valve tee cone to non-return valve by rib 1						1	DTD.743	C	S.20
30991	E.B7.73.369	PIPE, assembly, from non-return valve by rib 1 to adaptor on rib 1						1	DTD.743	C	S.20
12439	E.A9.73.79	PIPE, assembly, from Avery coupling to coupling at rib 1, suction line						1	L.56	C	S.20
980	EEAS.20/1/DR	TAB, locking ...						4	—	C	S.20
981	EEAS.20/2/DR	TAB, locking ...						6	L.72	C	S.20
28F/9476128	AGS.1112/E	UNION BODY, flanged, bulkhead ...						1	—	C	
		Attaching parts for AGS.1112/E:—									
28D/9133011	A25/2C	Bolt, 2 BA ...						4	—	C	
28M/1278190	AGS.2001/C1	Nut, 2 BA ...						4	—	C	
28W/9419402	SP.13/C	Washer, 2 BA ...						4	—	C	
28F/8872	AGS.1115/7	Washer, plate ...						1	—	C	
	EEAS.237/17CH	WASHER, "D" (Alt R60/39—Mod. 5100) ...						1	S.511	—	
	EEAS.239/1CH	WASHER, "D" (Alt R60/39—Mod. 5100) ...						1	S.511	—	
26DK/24376	EEAS.239/2CH	WASHER, "D" (Alt R60/39—Mod. 5100) ...						1	S.511	C	

Restricted

[illegible]

CANBERRA E Mk. 15

Page SX.1

SERVICES OXYGEN SYSTEM

Ref. No.	Part No.	Description	No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1 2 3 4 5 6				
	E.G4.71.301	OXYGEN SYSTEM, INSTALLATION (MOD. 4799)	—	—	—	
	E.G4.71.315	Spares for:— NAVIGATOR, No. 2, OXYGEN SYSTEM (MOD. 4799)	—	—	—	
	6D/1648	Spares for:— ADAPTER , inlet, banjo type, oxygen regulator ...	2	—	B	
	34094	CLIP , spring (Pre-Mod. 3792) (Mod. 4227) ...	3	—	—	
	28F/8294	CLIP , spring (Mod. 3792) ...	1	—	C	
	15117	CONE , union body ...	1	—	C	
		FAIRLEAD , half, at frames A and I ...	4	BS.2572	C	S.21
	28D/9419452	Attaching parts for E.B7.71.53:— Bolt , 4BA ...	2	—	C	
	28M/1278189	Nut , 4BA ...	2	—	C	
	E.B7.71.55	HOSE connection, $\frac{3}{8}$ " i/d. x $1\frac{1}{4}$ " o/d. x 3" long (Make from 32C/1275037)	6	—	LM	S.21
	E.B6.71.571	OXYGEN, EMERGENCY FITTINGS ON SEAT, GROUP	—	—	—	
	6D/2055	Spares for:— CABLE , operating, socket anchor ...	1	—	C	
	6D/1698	CLIP , aerolex, type D ...	1	—	C	
	6D/1464	HOUSING , socket anchor, outer ...	1	—	C	
	6D/2678	OXYGEN-SET , emergency ...	1	—	A	
	6D/1652	SOCKET , Mk. 9 ...	1	—	C	
	6D/2203310	TUBE , upper, assembly ...	1	—	C	
	6D/1579	TUBING , L.P., demand type ...	1	—	C	S.21
	6D/575	PIECE , connecting, 2-way ...	2	—	C	S.21
	6D/603	PIECE , connecting, 3-way ...	2	—	C	S.21
	SCD.79548/4	PIPE , oxygen demand, from aft regulator to hose connection (SRIM.3533) (Mod. 4799) $\frac{3}{8}$ " o/d. x 20 SWG	1	L.56	LM	S.21
	33619	PIPE , oxygen demand, between hose connections at frame B, and pressure bulkhead. $\frac{7}{8}$ " o/d. x 22 SWG	1	L.56	C	S.21
	33620	PIPE , oxygen demand, between hose connections at pressure bulkhead and flexible hose bracket, $\frac{7}{8}$ " o/d. x 22 SWG	1	L.56	C	S.21
	5754	PIPE , oxygen demand, from nose regulator to hose connection aft of frame A, $\frac{7}{8}$ " o/d. x 22 SWG	1	L.54	C	S.21
	5755	PIPE , oxygen demand, from hose connection aft of frame A, to flexible pipe connection aft of frame 2, $\frac{7}{8}$ " o/d. x 22 SWG	1	L.56	C	S.21
	27360	PIPE , assembly, H.P., from oxygen gauge tee to coupling connection	1	T.51	C	S.21
	27359	PIPE , assembly, H.P., from tee forward of frame 2, to forward oxygen gauge	1	T.51	C	S.21
	27358	PIPE , assembly, H.P., from rear oxygen gauge to tee connection	1	T.51	C	S.21
	SCD.79548/5	PIPE , assembly, L.P., from aft regulator to coupling (SRIM.3533) (Mod.4799) $\frac{3}{8}$ " o/d. x 22 SWG	1	L.56	LM	S.21
	SCD.79548/6	PIPE , assembly, L.P., continuation, from coupling to reducing valve tee (SRIM.3533) (Mod. 4799) $\frac{3}{8}$ " o/d. x 22 SWG	1	L.56	LM	S.21

SERVICES OXYGEN SYSTEM

Ref. No.	Part No.							No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
33615	E.B6.71.195	PIPE, assembly, H.P., from stop valve on pressure bulkhead starboard, to coupling aft of frame 6						1	T.51	C	S.21
33616	E.B6.71.217	PIPE, assembly, H.P., from tee coupling forward of frame 5 to coupling aft of frame 7, starboard						1	T.51	C	S.21
33617	E.B6.71.219	PIPE, assembly, H.P., from tee coupling forward of frame 5 to coupling forward of frame 4, starboard						1	T.51	C	S.21
5756	E.B7.71.95	PIPE, assembly, L.P., from nose regulator to coupling aft of frame A						1	L.54	C	S.21
5757	E.B7.71.97	PIPE, assembly, L.P., from coupling aft of frame A, starboard, to coupling tee frame 1						1	L.54	C	S.21
5758	E.B7.71.99	PIPE, assembly, H.P., from rear oxygen gauge tee to reducing valve tee forward of frame 2						1	T.51	C	S.21
34351	E.B6.71.583	RELEASE, EMERGENCY OXYGEN, ASSEMBLY						1	—	C	
34485	E.B6.71.591	Spares for:—									
	E.B6.71.581	CABLE, release, assembly						1	—	C	
		TUBE and bracket, assembly						1	—	—	
26DK/11172	EEAS.239/1A	WASHER, "D", clips on pressure pipes						11	—	C	S.21
26DK/9264	EEAS.239/2A	WASHER, "D", clips on oxygen demand pipes						9	—	C	S.21
	E.G4.71.309	NAVIGATOR'S STATION, OXYGEN SYSTEM (MOD. 4799)						—	—	—	
		Spares for:—									
6D/1647	†	ADAPTER, straight, oxygen regulator						1	—	B	
28D/9419397	A25/12C	BOLT, 2 BA (Mod. 4105)						1	—	C	
28E/9435724	AS.3181/14B	CLIP (Mod. 4105)						1	—	C	
28F/1061849	AGS.1118/BB	CONE, tee						1	—	C	
28G/4070228	AGS.796/C	EYE-BOLT, regulator mounting						2	—	C	
	E.B6.71.9	FITTING ON PRESSURE BULKHEAD, ASSEMBLY						—	—	—	
		Spares for:—									
18646	E.B7.71.21	BRACKET, flexible hose connection						2	—	C	
1835	E.A3.57.21	BRACKET, H.P. valve mounting						2	—	C	
		Attaching parts for E.A3.57.21:—									
	E.B6.71.507	Block, packing						1	—	—	S.21
28D/9419452	A25/3B	Bolt, 4 BA						2	—	C	
28D/1009984	A25/7B	Bolt, 4 BA						2	—	C	
	EEAS.72/7	Wedge, packing						4	—	—	S.21
1128	EEAS.69/2	GASKET						2	Neo-K-Tex	C	S.21
	E.B7.71.55	HOSE, connection, $\frac{3}{4}$ " i/d. x $1\frac{1}{2}$ " o/d. x 3" long (Make from 32C/1275037)						6	BSF.67 TYPE 1	LM	S.21
	E.B6.71.571	OXYGEN, EMERGENCY FITTINGS ON SEAT, GROUP						—	—	—	
		Spares for:—									
6D/2055	†	CABLE, operating, socket anchor						1	—	C	
6D/1698	†	CLIP, aerolex, type D						1	—	C	
6D/1464	†	HOUSING, socket anchor, outer						1	—	C	
6D/2678	†	OXYGEN-SET, emergency						1	—	A	
6D/1652	†	SOCKET, Mk. 9						1	—	C	
6D/2203310	†	TUBE, upper, assembly						1	—	C	
6D/1579	†	TUBING, L.P., demand type						1	—	C	S.21
6D/575	†	PIECE, connecting, 2-way						1	—	C	S.21
6D/603	†	PIECE, connecting, 3-way						2	—	C	S.21

CANBERRA E Mk. 15

Page SX.3

SERVICES OXYGEN SYSTEM

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	SCC.79518/6							1	T.51	LM	S.21
	†							1	T.51	LM	S.21
33609	E.B6.71.177							1	T.51	C	S.21
33610	E.B6.71.179							1	T.51	C	S.21
33612	E.B6.71.185							1	T.51	C	S.21
	SCD.79548/8							1	L.56	LM	S.21
	SCD.79548/7							1	L.56	LM	S.21
	SCD.79548/1							1	L.56	LM	S.21
	SCD.79548/2							1	L.56	LM	S.21
	SCD.79548/3							1	L.56	LM	S.21
39995	E.B6.71.235							1	L.56	C	S.21
40467	E.B6.71.237							1	L.56	C	S.21
33606	E.B6.71.253							1	T.51	C	S.21
34350	E.B6.71.579							1	—	C	
34485	E.B6.71.591							1	—	C	
	E.B6.71.577							1	—	—	
6D/1464	†							2	—	C	S.21
	AS.2811/5/10							2	L.62	LM	
	E.B6.71.207							—	—	—	
6D/1892	†							1	—	C	
40501	E.B6.71.239							1	—	MR	
6D/1872	†							1	—	B	
or											
6D/2313	†							1	—	B	S.21
28D/9133011	A25/2C							4	—	C	

SERVICES OXYGEN SYSTEM

Ref. No.	Part No	1	2	3	4	5	6	Description	No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.B6.71.205							VALVE, REDUCING, INSTALLATION ...	—	—	—	
								Spares for:—				
5780	E.B6.71.203							BRACKET, assembly ...	1	L.72	—	
	E.B7.71.49							CLAMP, reducing, valve mounting ...	1	—	C	
								Attaching parts for E.B7.71.49:—				
28D/1220052	A25/17B							Bolt, 4 BA ...	2	—	C	
26DK/11172	EEAS.239/1A							WASHER, "D", pipe clips oxygen pressure ...	7	—	C	
26DK/9264	EEAS.239/2A							WASHER, "D", pipe clips oxygen demand ...	3	—	C	
	E.G4.71.327							PILOT'S STATION OXYGEN SYSTEM (MOD. 4799)	—	—	—	
								Spares for:—				
6D/1647	†							ADAPTER, straight, oxygen regulator ...	1	—	B	
15114	E.B7.71.43							BRACKET, assembly, pipe clip support under pilot's platform	1	—	C	S.21
	E.B6.71.247							BRACKET, MOUNTING, FLEXIBLE HOSE CONNECTOR, INSTALLATION	—	—	—	
								Spares for:—				
	E.B6.71.243							BRACKET ...	1	L.72	—	S.21
6D/1465	†							CABLE, operating ...	1	—	C	
5780	E.B7.71.49							CLAMP, reducing, valve mounting ...	1	—	C	S.21
								Attaching parts for E.B7.71.49:—				
28D/1220052	A25/17B							Bolt, 4 BA ...	2	—	C	
28M/1086618	AGS.2002/B/1							Nut, 4 BA ...	2	—	C	
28W/9419474	SP.15/B							Washer ...	2	—	C	
	15120							CLIP, half, pipe support under pilot's platform ...	2	S.514	C	S.21
28F/4051548	AGS.1102/BB							CONE, union, 2-way ...	3	—	C	S.21
28F/1061849	AGS.1118/BB							CONE, tee ...	1	—	C	
	E.B7.71.171							FAIRLEAD, regulator pipes at pilot's console ...	1	BS.2572	—	S.21
								Attaching parts for E.B7.71.171:—				
28D/1008149	A25/2B							Bolt, 4 BA ...	4	—	C	
28M/1278189	AGS.2001/B/1							Nut, 4 BA ...	4	—	C	
	E.B7.71.55							HOSE, connecting, 3/8" i/d. x 1 1/4" o/d. x 3" long (Make from Ref. 32C/1275037)	5	BSF.67 Type 1	LM	
	E.G5.71.23							OXYGEN FITTINGS ON CA1, MK. 2 EJECTOR SEAT, INSTALLATION (MOD. 4105)	—	—	—	S.21
								Spares for:—				
6D/2055	†							ANCHOR, cable operating socket ...	1	—	C	S.21
6D/1698	†							CLIP, Type "D" ...	1	—	C	S.21
28E/20104	SP.91/F							CLIP, hose ...	1	—	C	S.21
6D/1464	†							HOUSING, socket anchor, outer ...	1	—	C	S.21
6D/2678	†							OXYGEN set, emergency, Mk. 7J ...	1	—	C	S.21
6D/1652	†							SOCKET, Mk. 9 ...	1	—	C	S.21
6D/2185	†							TUBE, assembly, upper, oxygen ...	1	—	C	S.21
6D/1579	†							TUBING, L.P., demand type ...	1	—	C	S.21
6D/575	†							PIECE, connecting, 2-way ...	1	—	C	S.21
6D/603	†							PIECE, connecting, 3-way ...	2	—	C	S.21
20812	E.B6.71.123							PIPE, assembly, L.P., from prone position and reducing valve tee starboard side, to connection at pilot's console	1	L.54	C	S.21
20813	E.B6.71.125							PIPE, assembly, H.P., from gauge and reducing valve tee, starboard side to connection at pilot's console	1	T.51	C	S.21

CANBERRA E Mk. 15

Page SX.5

SERVICES

OXYGEN SYSTEM

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
33908	E.B6.71.229	PIPE	oxygen demand, from flexible hose con-					1	L.54	C	S.21
		connector bracket, to hose connection frame									
5784	E.B7.71.31	PIPE	assembly, L.P., from regulator to connection					1	L.54	C	S.21
		at frame 3									
5786	E.B7.71.35	PIPE	assembly, H.P., from tee piece at frame 5					1	T.51	C	S.21
		to connection at pilot's console									
5788	E.B7.71.151	PIPE	assembly, H.P., from supply line tee, to					1	T.51	C	S.21
		reducing valve									
5789	E.B7.71.153	PIPE	assembly, H.P., between port and starboard					1	T.56	C	S.21
		supply line tees forward of frame 2									
		starboard side									
5790	E.B7.71.155	PIPE	assembly, L.P., from reducing valve to pilot's					1	L.54	C	S.21
		and prone position supply tee, starboard									
		side									
5791	E.B7.71.173	PIPE	assembly, L.P., from connection at pilot's					1	L.54	C	S.21
		console to connection at frame 3, port									
		side									
12048	E.B7.71.179	PIPE	oxygen demand, under pilot's platform, be-					1	L.54	C	S.21
		tween hose connections at frame 3, $\frac{3}{4}$ "									
		o/d. x 22 SWG									
12634	E.B7.71.269	PIPE	oxygen demand, from hose connection under					1	L.54	C	S.21
		pilot's platform to hose connection above									
		pilot's platform at frame 3, $\frac{3}{4}$ " o/d. x 22									
		SWG									
12633	E.B7.71.271	PIPE	oxygen demand, from regulator to hose con-					1	L.54	C	S.21
		nection at frame 3, $\frac{3}{4}$ " o/d. x 22 SWG									
	E.G5.71.25	RELEASE, EMERGENCY OXYGEN, PILOT'S,						—	—	—	
		INSTALLATION (MOD. 4105)									
		Spares for:—									
	E.G5.71.27	RELEASE, EMERGENCY OXYGEN, ASSEMBLY						1	—	—	
		Spares for:—									
34485	E.B6.71.591	CABLE, release, assembly						1	—	C	
34484	E.G5.71.29	TUBE and bracket, assembly						1	—	C	
6D/1464	†	SOCKET, anchor						1	—	C	S.21
26DK/11172	EEAS.239/1A	WASHER, "D", pipe clips oxygen pressure						10	—	C	
26DK/9264	EEAS.239/2A	WASHER, "D", pipe clips oxygen demand						3	—	C	
	E.G4.71.307	OXYGEN EQUIPMENT CIRCUIT (MOD. 4799)						—	—	—	
		Spares for:—									
6D/1892	†	ADAPTER, plate						3	—	C	
6D/1698	†	CLIP, Aerolex, type D						3	—	C	
6D/1650	†	CONNECTOR, flanged						3	—	C	
6D/1797	†	CUP, plate, assembly						3	—	C	
6D/9429896	†	CYLINDER, gas, oxygen, Mk. 5D, 750 litres						10	—	A	
6D/574	†	FILTER, Mk. 1						1	—	A	
6D/2237	†	GAUGE, contents, Mk. 4						2	—	A	
6D/1580	†	HOSE, L.P., $\frac{3}{4}$ " i/d. x 6' long						1	—	C	
6D/1579	†	HOSE, L.P., $\frac{3}{4}$ " i/d. x 4' long						3	—	C	
6D/1644	†	OXYGEN SET, emergency, Mk. 2A						1	—	A	
6D/575	†	PIECE, connecting, 2-way						1	—	C	
6D/2294	†	REGULATOR, oxygen, Mk. 17						4	—	A	
6D/1642	†	SOCKET, quick release, Mk. 7						2	—	C	
6D/1652	†	SOCKET, quick release, Mk. 9, with cut-off valve						1	—	C	
6D/1817	†	SOCKET, quick release, Mk. 10A, with cut-off						1	—	C	
		valve									
6D/1497	†	UNION, blanking, Mk. 3						5	—	C	
6D/2204340	†	VALVE, check						4	—	C	
6D/2313	†	VALVE, oxygen, Mk. 10A						3	—	B	
6D/1616	†	VALVE, reducing, Mk. 1						2	—	A	

SERVICES OXYGEN SYSTEM

Ref. No.	Part No	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.G.4.71.101	OXYGEN SYSTEM, FROM PRESSURE BULKHEAD TO FRAME 12 (MOD. 3833) (MOD. 4799)						—	—	—	S.22
		Spares for:—									
28F/9517962	AGS.1112/B	BODY , union						2	—	C	S.22
		Attaching parts for AGS.1112/B:—									
28D/1008149	A25/2B	Bolt, 4 BA						6	—	C	S.22
28M/1278189	AGS.2001/B/1	Nut, 4 BA						6	—	C	S.22
5K/1037287	AS.4525/3	CLIP , pipe						8	—	C	
		Attaching parts for AS.4525/3:—									
28D/9436920	A25/1C	Bolt, 2 BA						1	—	C	
28W/9419475	SP.15/C	Washer						1	—	C	
1128	EEAS.69/2	GASKET						2	—	C	S.22
6D/575	†	PIECE , connecting, Mk. 3A, 2-way						1	—	C	S.22
34584	E.G.4.71.103	PIPE , assembly, from pressure bulkhead to frame 12, port						1	—	C	S.22
34586	E.G.4.71.107	PIPE , assembly, from pressure bulkhead to union, starboard						1	—	C	S.22
34585	E.G.4.71.105	PIPE , assembly, from union to frame 12, starboard						1	—	C	S.22
981	EEAS.20/2DR	PLATE , locking						4	—	C	S.22
28F/9128928	AGS.1115/2	PLATE , washer						2	—	C	S.22
	E.G.4.71.121	OXYGEN SYSTEM, IN CENTRE FUSELAGE (MOD. 3833) (MOD. 4799)						—	—	—	S.22
		Spares for:—									
5K/1037287	AS.4525/3	CLIP , pipe						47	—	C	S.22
		Attaching parts for AS.4525/3:—									
28D/9133011	A25/2C	Bolt, 2 BA						QR	—	C	S.22
28D/9133012	A25/3C	Bolt, 2 BA						QR	—	C	S.22
28D/1200119	A25/4C	Bolt, 2 BA						QR	—	C	S.22
28D/7002428	A25/6C	Bolt, 2 BA						QR	—	C	S.22
28M/1278190	AGS.2001/C/1	Nut, 2 BA						11	—	C	S.22
28W/9419475	SP.15/C	Washer						QR	—	C	S.22
28W/9419404	SP.16/C	Washer						QR	—	C	S.22
28E/1009113	AS.3181/3B	CLIP , pipe						3	—	C	S.22
		Attaching parts for AS.3181/3B:—									
28D/1010658	A25/1B	Bolt, 4 BA						1	—	C	S.22
28W/9419474	SP.15/B	Washer						1	—	C	S.22
1128	EEAS.69/2	GASKET						4	—	C	S.22
6D/575	†	PIECE , connecting, Mk. 3A, 2-way						11	—	C	S.22
6D/603	†	PIECE , connecting, Mk. 3A, 3-way						1	—	C	S.22
34603	E.G.4.71.149	PIPE , assembly, oxygen charging, from charging valve to connection at frame 12						1	—	C	S.22
34602	E.G.4.71.147	PIPE , assembly, oxygen charging, from frame 12, to frame 14						1	—	C	S.22
34601	E.G.4.71.145	PIPE , assembly, oxygen charging from frame 14 to between frames 15 and 16						1	—	C	S.22
34600	E.G.4.71.143	PIPE , assembly, oxygen charging from between frames 15 and 16 to frame 19						1	—	C	S.22
34599	E.G.4.71.141	PIPE , assembly, oxygen charging, from frame 19 to frame 22						1	—	C	S.22
34598	E.G.4.71.115	PIPE , assembly, oxygen charging, transverse frame 22 to fuselage skin, port						1	—	C	S.22

CANBERRA E Mk. 15

Page SX.7

SERVICES OXYGEN SYSTEM

Ref. No.	Part No.							No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
34597	E.C3.71.63						PIPE, assembly, oxygen charging, transverse frame 22 to fuselage skin, starboard	1	—	C	S.22
34596	E.G4.71.113						PIPE, assembly, oxygen supply from fuselage skin, port, to connecting piece at frame 21B	1	—	C	S.22
34595	E.C3.71.59						PIPE, assembly, oxygen supply from fuselage skin, starboard, to connecting piece at frame 21B	1	—	C	S.22
34594	E.C3.71.57						PIPE, assembly, oxygen supply, from frame 21B, port, to frame 19, port	1	—	C	S.22
34593	E.C3.71.55						PIPE, assembly, oxygen supply, from frame 21B, to frame 19, starboard	1	—	C	S.22
34592	E.C3.71.53						PIPE, assembly, oxygen supply, from frame 19 to frame 16, port	1	—	C	S.22
34591	E.C3.71.51						PIPE, assembly, oxygen supply, from frame 19 to frame 17, starboard	1	—	C	S.22
34590	E.C3.71.49						PIPE, assembly, oxygen supply, from frame 16 to frame 14, port	1	—	C	S.22
34589	E.C3.71.47						PIPE, assembly, oxygen supply, from frame 17 to frame 14, starboard	1	—	C	S.22
34588	E.C3.71.45						PIPE, assembly, oxygen supply, from frame 14 to frame 12, port	1	—	C	S.22
34587	E.G4.71.125						PIPE, assembly, oxygen supply, from frame 14 to frame 12, starboard	1	—	C	S.22
28F/9128928	AGS.1115/2						PLATE, washer	4	—	C	S.22
28E/9485956	TERRY 169/4"						RING, split	2	—	C	S.22
	AS.2810/5/04						TUBE, distance	3	L.62	LM	S.23
	E.G4.71.171						OXYGEN SYSTEM IN PORT MAINPLANE (MOD. 3833) (MOD. 4799)	—	—	—	S.23
							Spares for:—				
30046	E.B8.20.3063						BOLT, tie	10	—	C	S.23
30011	E.B8.71.241						BRACKET	3	—	C	S.23
							Attaching parts for E.B8.71.241:—				
28D/1010658	A25/1B						Bolt, 4 BA	3	—	C	S.23
28M/1278189	AGS.2001/B/1						Nut, 4 BA	3	—	C	S.23
28W/9419465	SP.13/B						Washer	3	—	C	S.23
30033	E.B8.20.3065						CHANNEL, assembly	10	—	C	S.23
							Attaching parts for E.B8.20.3065:—				
28D/1011247	A25/13E						Bolt, 1" BSF	2	—	C	S.23
28M/1201610	AGS.2001/E/1						Nut, 1" BSF	2	—	C	S.23
	AS.2811/6/100						Tube, distance	2	L.62	LM	S.23
28W/9418921	SP.13/E						Washer	2	—	C	S.23
5K/1037287	AS.4525/3						CLIP, pipe	6	—	C	S.23
							Attaching parts for AS.4525/3:—				
28D/9436920	A25/1C						Bolt, 2 BA	1	—	C	S.23
28M/1278190	AGS.2001/C/1						Nut, 2 BA	1	—	C	S.23
28W/9419402	SP.13/C						Washer	1	—	C	S.23
	E.C3.71.35						PAD	6	—	C	S.23
6D/575	†						PIECE, connecting, Mk. 3A, 2-way	2	—	C	S.23
34620	E.G4.71.117						PIPE, assembly, oxygen charging from rib 2 to fuselage coupling	1	T.51	C	S.23
34615	E.C3.71.31						PIPE, assembly, oxygen charging from rib 2 to forward bottle	1	T.51	C	S.23

SERVICES OXYGEN SYSTEM

Ref. No.	Part No							No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
34604	E.C3.71.21	PIPE, assembly, oxygen, from central bottle to rear bottle, between rib 3 and 4						2	—	C	S.23
34607	E.C3.71.25	PIPE, assembly, oxygen charging, from rear bottle, between ribs 3 and 4 to bottle between ribs 4 and 5						1	T.51	C	S.23
34609	E.C3.71.27	PIPE, assembly, oxygen charging, from bottle at ribs 4-5 to bottle at ribs 5-6						1	T.51	C	S.23
34611	E.C3.71.29	PIPE, assembly, oxygen supply, from bottle at ribs 4-5 to bottle at ribs 5-6						1	T.51	C	S.23
34605	E.C3.71.23	PIPE, assembly, oxygen supply, from bottle at ribs 4-5 to rear bottle, between ribs 3 and 4						1	T.51	C	S.23
34618	E.C3.71.19	PIPE, assembly, oxygen, from central bottle to forward bottle, between ribs 3 and 4						2	T.51	C	S.23
34617	E.C3.71.33	PIPE, assembly, oxygen supply, from forward bottle rib 3-4 to rib 2						1	T.51	C	S.23
34621	E.G4.71.119	PIPE, assembly, oxygen supply, from rib 2 to fuselage coupling						1	T.51	C	S.23
30044	E.B8.20.3011	STRAP, ASSEMBLY Spares for:—						10	—	C	S.23
	E.B8.20.3061	BLOCK, clamp						1	—	—	S.23
	E.B8.20.3055	PAD						2	—	—	S.23
	E.B8.20.5169	STRAP						1	—	—	S.23
30045	E.B8.20.3053	STRAP, ASSEMBLY Spares for:—						10	—	C	S.23
	E.B8.20.3137	NUT, clamp						1	—	—	S.23
	E.B8.20.3055	PAD						2	—	—	S.23
	E.B8.20.5169	STRAP						1	—	—	S.23
6D/1497	†	UNION, blanking, Mk. 3						2	—	C	S.23
	E.G4.71.172	OXYGEN SYSTEM IN STARBOARD MAINPLANE (MOD. 3833) (MOD. 4799) Spares for:—						—	—	—	S.23
30046	E.B8.20.3063	BOLT, tie						10	—	C	S.23
	E.B8.71.241	BRACKET Attaching parts for E.B8.71.241:—						3	—	C	S.23
28D/1010658	A25/1B	Bolt, 4 BA						3	—	C	S.23
28M/1278189	AGS.2001/B/1	Nut, 4 BA						3	—	C	S.23
28W/9419465	SP.13/B	Washer						3	—	C	S.23
30033	E.B8.20.3065	CHANNEL, assembly Attaching parts for E.B8.20.3065:—						10	—	C	S.23
28D/1011247	A25/13E	Bolt, 1" BSF						2	—	C	S.23
28M/9480017	AGS.2001/E1/66	Nut, 1" BSF						2	—	C	S.23
	AS.2811/6/100	Tube, distance						2	L.62	LM	S.23
28W/9418921	SP.13/E	Washer						2	—	C	S.23
5K/1037287	AS.4525/3	CLIP, pipe Attaching parts for AS.4525/3:—						6	—	C	S.23
28D/9436920	A25/1C	Bolt, 2 BA						1	—	C	S.23
28M/1278190	AGS.2001/C/1	Nut, 2 BA						1	—	C	S.23
28W/9419402	SP.13/C	Washer						1	—	C	S.23

Ref. No.	Part No.	Description	No. off	Matl Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	E.C3.71.35	PAD	6	—	—	S.23
6D/575	†	PIECE, connecting, Mk. 3A, 2-way	2	—	C	S.23
34613	E.C3.71.16	PIPE, assembly, oxygen charging, from rib 2 to fuselage coupling	1	T.51	C	S.23
34616	E.C3.71.32	PIPE, assembly, oxygen charging, from rib 2, forward bottle between ribs 3 and 4	1	T.51	C	S.23
34618	E.C3.71.19	PIPE, assembly, oxygen, from forward bottle to central bottle between ribs 3 and 4	2	T.51	C	S.23
34604	E.C3.71.21	PIPE, assembly, oxygen, from central bottle to rear bottle between ribs 3 and 4	2	T.51	C	S.23
34608	E.C3.71.26	PIPE, assembly, oxygen charging, from rear bottle between ribs 3 and 4 to bottle between ribs 4 and 5	1	T.51	C	S.23
34610	E.C3.71.28	PIPE, assembly, oxygen charging, from bottle at rib 4-5 to bottle at rib 5-6	1	T.51	C	S.23
34612	E.C3.71.30	PIPE, assembly, oxygen supply, from bottle at ribs 5 and 6 to bottle at ribs 4 and 5	1	T.51	C	S.23
34606	E.C3.71.24	PIPE, assembly, oxygen supply, from bottle at ribs 4 and 5 to rear bottle between ribs 3 and 4	1	T.51	C	S.23
34619	E.C3.71.34	PIPE, assembly, oxygen supply, from forward bottle at ribs 3 and 4 to rib 2	1	T.51	C	S.23
34614	E.C3.71.18	PIPE, assembly, oxygen supply, from rib 2 to fuselage coupling	1	T.51	C	S.23
30044	E.B8.20.3011	STRAP, ASSEMBLY Spares for:—	10	—	C	S.23
	E.B8.20.3061	BLOCK, clamp	1	—	—	S.23
	E.B8.20.3055	PAD	2	—	—	S.23
	E.B8.20.5169	STRAP	1	—	—	S.23
30045	E.B8.20.3053	STRAP, ASSEMBLY Spares for:—	10	—	C	S.23
	E.B8.20.3137	NUT, clamp	1	—	—	S.23
	E.B8.20.3055	PAD	2	—	—	S.23
	E.B8.20.5169	STRAP	1	—	—	S.23
6D/1497	†	UNION, blanking, Mk. 3	2	—	C	S.23

CANBERRA E Mk. 15

Page SY.1/2

SERVICES

STATIC PIPE RUN IN CABIN PRESSURE SYSTEM

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.G4.75.421	CABIN PRESSURE, STATIC LINE, ASSEMBLY (MOD. 4799)						—	—	—	
		Spares for:—									
5K/4345963	AS.4525/5	CLIP , pipe						16	—	C	
		Attaching parts for AS.4525/5:—									
28D/9133011	A25/2C	Bolt , 2 BA						1	—	C	
28M/1278190	AGS.2001/C/1	Nut , 2 BA						1	—	C	
28S/1214097	4104/8/1/4"	Screw , (Cad. plated)						1	—	C	
28VV/9419402	SP.13/C	Washer						1	—	C	
28F/1037653	AGS.838/13	NUT , union and bush						20	—	C	
3400	E.A3.80.1649	PIPE , drain trap						2	L.54	C	
	E.B6.80.171	PIPE , from tee aft of frame A to coupling aft of frame 2, 1/8" o/d. x 22 SWG						1	L.54	LM	S.4
	E.B6.80.173	PIPE , from coupling aft of frame 2, to coupling aft of frame 4, 1/8" o/d. x 22 SWG						1	L.54	LM	S.4
	E.B6.80.3617	PIPE , from coupling aft of frame 4, to coupling aft of frame 6, 1/8" o/d. x 20 SWG						1	L.54	LM	S.4
	E.B6.80.3619	PIPE , from coupling aft of frame 6, to tee coupling at pressure bulkhead, 1/8" o/d. x 20 SWG						1	L.54	LM	S.4
	E.G4.80.417	PIPE , from coupling at frame A, to port connection at side of fuselage, 1/8" o/d. x 20 SWG						1	L.54	LM	S.4
	E.G4.80.409	PIPE , continuation, on frame A, from tee piece, starboard side to coupling, 1/8" o/d. x 20 SWG						1	L.54	LM	S.4
	E.B6.80.5479	PIPE , from drain trap tee, to tee aft of frame A, 1/8" o/d. x 20 SWG						1	L.54	LM	S.4
	E.B6.80.5481	PIPE , from nose tee piece at frame A, to starboard connection at side of fuselage, 1/8" o/d. x 20 SWG (Pre-Mod. 5197)						1	L.54	LM	S.4
	E.G4.80.1503	PIPE , from nose tee piece at frame A, to starboard connection at side of fuselage, 1/8" o/d. x 22 SWG (Mod. 5197)						1	L.54	LM	
28F/1046309	AGS.838/1	UNION , elbow						2	—	C	
28F/1046307	AGS.838/1	UNION , straight						4	—	C	
28F/1046308	AGS.838/2	UNION , tee						3	—	C	
	EEAS.237/3A	WASHER , "D", pipe clips on pressure bulkhead ...						10	—	—	

Restricted

[illegible]

Restricted

CANBERRA E Mk. 15

Page SY.3

SERVICES

PITOT AND STATIC PIPES IN FRONT FUSELAGE

Ref. No.	Part No.	1	2	3	4	5	6	Description	No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.G4.80.1317	PITOT AND STATIC SYSTEM IN NOSE FUSELAGE (MOD. 4799)							—	—	—	
		Spares for:—										
6D/114	†	ADAPTER , forward of pressure bulkhead union ...							2	—	C	
26DK/11156	E.F2.70.27	ADAPTER , 4-way (Mod. 4864) (Pre-Mod. 5198) ...							2	—	C	
26DK/11156	E.F2.70.27	ADAPTER , 4-way (Post-Mod. 5198) ...							1	—	C	
28F/1367578	AS.8680	BANJO , body, pitot (Mod. 4864) ...							1	—	C	
		Attaching parts for AS.8680:—										
28F/1367580	AS.9682	Bolt, banjo ...							1	—	C	
28F/4051944	AGS.3098	Gasket, O-ring ...							2	—	C	
28F/1367579	AS.8681	BANJO , body, static (Mod. 4864) ...							3	—	C	
		Attaching parts for AS.8681:—										
28F/1367581	AS.8683	Bolt, banjo ...							1	—	C	
28F/19987	AGS.3099	Gasket, O-ring ...							2	—	C	
	EEAS.552/6	BOBBIN ...							1	—	—	
26DK/23436	EEAS.552/7	BOBBIN ...							1	—	C	
28F/1046309	AGS.838/3	BODY , union elbow, L.P. ...							8	—	C	
28F/1046307	AGS.838/1	BODY , union straight, L.P. ...							15	—	C	
28F/1046308	AGS.838/2	BODY , union tee, L.P. ...							21	—	C	
	EEAS.29/1ER	BRACKET (Mod. 4864) ...							2	—	—	
5340-99-4163724	EEAS.136A	BRACKET , pipe clip ...							6	—	C	
16582	E.A3.80.1665	CLAMP , pipe, half, at frames 6, 7 and 8 ...							6	—	C	
		Attaching parts for E.A3.80.1665:—										
28D/1010029	A25/6B	Bolt, 4 BA ...							1	—	C	
28D/1009984	A25/7B	Bolt, 4 BA ...							1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA ...							2	—	C	
28W/9419465	SP.13/B	Washer ...							1	—	C	
28W/9419474	SP.15/B	Washer ...							1	—	C	
1823	EEAS.91/2	CLIP , pipe (Pre-Mod. 5198) ...							6	L.72	C	
1823	EEAS.91/2	CLIP , pipe (Post-Mod. 5198) ...							4	—	C	
32A/9429657	†	CORD , nylon ...							QR	—	C	
33599	E.B6.80.5457	FAIRLEAD , assembly, navigator's lower tray ...							1	—	C	
		Attaching parts for E.B6.80.5457:—										
28D/1011013	A25/13B	Bolt, 4 BA ...							2	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA ...							2	—	C	
28W/9419465	SP.13/B	Washer ...							2	—	C	
	SCC.79869/5	FAIRLEAD at navigator's station (SRIM.3833) (Mod. 4799)							1	—	—	
		Attaching parts for SCC.79869/5:—										
28D/9133013	A25/5C	Bolt, 2 BA ...							1	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA ...							1	—	C	
28W/9419475	SP.15/C	Washer ...							1	—	C	
	SCD.79165/5	FAIRLEAD , half, at zero reader (SRIM.3833) (Mod. 4799)							1	—	—	
	SCD.79165/6	FAIRLEAD , half, at zero reader (SRIM.3833) (Mod. 4799)							1	—	—	
		Attaching parts for SCD.79165/5 and SCD.79165/6:—										
28D/1214876	AS.1246/14B	Bolt, 4 BA ...							2	—	C	
6A/4333460	†	HEAD , pressure, Mk. 8W ...							1	—	B	
or												
6A/2176	†	HEAD , pressure, Mk. 8M ...							1	—	B	
		Attaching parts for Ref. 6A/2176 or 6A/4333460:—										
285/1213926	A38/A8	Screw, 4 BA ...							8	—	C	

SERVICES

PITOT AND STATIC PIPES IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	E.B6.80.5897	HOSE , flexible, pitot, behind pilot's flying panel 0.3 i/d. x $\frac{3}{8}$ " o/d., Maricon type H	1	DTD.251	LM	
	E.G4.80.1199	HOSE , flexible, static, behind pilot's flying panel (Mod. 4864) $\frac{3}{8}$ " i/d. x $\frac{1}{4}$ " o/d., Maricon type H	1	DTD.251	LM	
	E.G4.80.1107	HOSE , flexible, static, pilot's altimeter (Mod. 4864) $\frac{3}{8}$ " i/d. x $\frac{1}{4}$ " o/d., Maricon type H	1	DTD.251	LM	
	E.B6.80.5899	HOSE , flexible, static, navigator's air speed indicator, 0.3 i/d. x $\frac{3}{8}$ " o/d., Maricon type H	1	DTD.251	LM	
	E.B6.80.5901	HOSE , flexible, pitot, navigator's air speed indicator 0.3 i/d. x $\frac{3}{8}$ " o/d., Maricon type H	1	DTD.251	LM	
	E.G4.80.1099	HOSE , flexible, static, navigator's altimeter (Mod. 4864) $\frac{3}{8}$ " i/d. x $\frac{1}{4}$ " o/d., Maricon type H	1	DTD.251	LM	
37300	DUNLOP AHO 32434/30/8	HOSE , flexible, for zero reader computer ...	1	—	C	
6A/6203323	KOLLSMAN L84340-00-080	MODULE , correction (Mod. 4864) ...	1	—	A	
4412	E.A3.80.2375	MOUNTING , pressure head ... Attaching parts for E.A3.80.2375:—	1	DTD.5044	C	
13218	E.A3.80.2901	Nut ...	1	DTD.5044	C	
4415	E.A3.80.2379	Sleeve, rubber ...	1	Shore 70	C	
4416	E.A3.80.2381	Washer, inner seal, retaining ...	2	L.72	C	
4418	E.A3.80.2391	Washer, outer, sealing ...	1	L.72	C	
4417	E.A3.80.2303	Washer, rubber, inner sealing ...	1	Shore 70	C	
	E.G9.80.1175	MOUNTING, P.E.C.U., INSTALLATION (MOD. 4864) Spares for:—	—	—	—	
	E.G4.80.1117	ANGLE , 18 SWG ...	1	L.72	LM	
	E.G9.80.1177	BRACKET , assembly, 18 SWG ...	1	L.72	LM	
28F/1037452	AS.8599	NUT , union, assembly (Mod. 4864) ...	2	—	C	
28F/1037653	AGS.838/13	NUT , union and bush assembly, L.P. ...	116	—	C	
3400	E.A3.80.1649	PIPE , drain reservoir ...	7	L.54	C	
16687	E.A3.80.2751	PIPE , pitot continuation between frames 1 and 5 ...	1	—	C	
16718	E.B6.80.125	PIPE , pitot from connection forward of frame 1 to tee piece, between frames 1 and 2	1	—	C	
26430	E.B6.80.681	PIPE , pitot forward of frame A to drain trap reservoir, $\frac{3}{8}$ " o/d. x 22 SWG	1	L.54	C	
	E.B6.80.3621	PIPE , pitot, from tee piece aft of frame 5 to pressure bulkhead, $\frac{3}{8}$ " o/d. x 20 SWG	1	L.54	LM	
	E.B6.80.4601	PIPE , pitot, head connection, $\frac{3}{8}$ " o/d. x 20 SWG ...	1	L.54	LM	
	E.B6.80.4603	PIPE , pitot, between connections frames A and B, $\frac{3}{8}$ " o/d. x 20 SWG	1	L.54	LM	
	E.B6.80.4649	PIPE , pitot, between connections forward of frame A, port side, $\frac{3}{8}$ " o/d. x 20 SWG	1	L.54	LM	
	E.B6.80.5407	PIPE , pitot, from connection aft of frame 4, to tee piece aft of frame 5	1	—	LM	
	E.B6.80.4621	PIPE , pitot and static, end of hose, flexible, behind pilot's panel, $\frac{3}{8}$ " o/d. x 22 SWG	3	L.54	LM	
	E.B6.80.4647	PIPE , pitot, from drain trap and tee piece aft of frame B to coupling forward of frame A, $\frac{3}{8}$ " o/d. x 20 SWG	1	L.54	LM	

CANBERRA E Mk. 15

Page SY.5

SERVICES

PITOT AND STATIC PIPES IN FRONT FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.B6.80.4633	PIPE						1	L.54	LM	
	†	PIPE						1	L.56	LM	
	†	PIPE						1	L.56	LM	
	SCC.79869/1	PIPE						1	L.56	LM	
	E.G4.80.517	PIPE						1	L.54	LM	
	E.G4.80.519	PIPE						1	L.54	LM	
	E.G4.80.1155	PIPE						1	L.54	LM	
	E.G4.80.1201	PIPE						1	L.54	LM	
7125	E.A3.80.1603	PIPE						1	L.54	C	
16686	E.A3.80.2747	PIPE						1	L.54	C	
16717	E.B6.80.123	PIPE						1	L.54	C	
	E.B6.80.3629	PIPE						1	L.54	LM	
	E.B6.80.4635	PIPE						1	L.54	LM	
	E.B6.80.4641	PIPE						1	L.54	LM	
	E.B6.80.4643	PIPE						1	L.54	LM	
	E.B6.80.4645	PIPE						1	L.54	LM	
	E.B6.80.5409	PIPE						1	L.54	LM	
	E.B6.80.5467	PIPE						1	L.54	LM	
	E.B6.80.5471	PIPE						1	L.54	LM	
	E.G4.80.413	PIPE						1	L.54	LM	
	E.G4.80.1501	PIPE						1	L.54	LM	

SERVICES

PITOT AND STATIC PIPES IN FRONT FUSELAGE

Ref. No.	Part No.	Description					No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5				
	E.G4.80.411	PIPE	static	from coupling forward of frame A to tee piece aft of frame A (Mod. 3833)			1	L.54	LM	
	SCD.79165/10	PIPE	static	from zero reader drain trap to flexible hose (SRIM. 3833) (Mod. 4799)			1	L.56	LM	
	†	PIPE	static	from tee piece to pilot's machmeter (Com. Mod. 0517) (Mod. 4799)			1	L.56	LM	
	†	PIPE	static	from tee piece to pilot's air speed indicator (Com. Mod. 0517) (Mod. 4799)			1	L.56	LM	
	†	PIPE	static	from tee piece to pilot's rate of climb (Com. Mod. 0517) (Mod. 4799)			1	L.56	LM	
	E.G4.80.1057	PIPE	stepped	static, from tee piece to flexible hose, pilot's altimeter and from P.E.C.U. 4-way coupling to banjo elbow (Mod. 4864)			2	L.54	LM	
	SCC.79869/1	PIPE	static	from tee piece to navigator's air speed indicator rubber hose (SRIM.3833) (Mod. 4799)			1	L.56	LM	
	E.G4.80.1087	PIPE	stepped	static, from coupling forward of frame 5 to navigator's altimeter rubber hose (Mod. 4864)			1	L.54	LM	
	E.G4.80.1085	PIPE	static	from tee piece forward of frame 6 to coupling forward of frame 5 (Mod. 4864)			1	L.54	LM	
	E.G4.80.1157	PIPE	static	from tee piece forward of frame 6 to coupling forward of frame 8 (Mod. 4864)			1	L.54	LM	
	E.G4.80.1159	PIPE	static	from coupling forward of frame 8 to pressure bulkhead (Mod. 4864)			1	L.54	LM	
	E.G4.80.1153	PIPE	static	from pressure bulkhead to P.E.C.U. 4-way adapter (Mod. 4864)			1	L.54	LM	
	E.G4.80.1149	PIPE	static	from P.E.C.U. 4-way adapter to coupling forward of frame 11 (Mod. 4864)			1	L.54	LM	
	E.G4.80.1051	PIPE	static	from coupling forward of frame 11 to central tee-piece forward of frame 12 (Mod. 4864)			1	L.54	LM	
	E.G4.80.1083	PIPE	static	from central tee piece forward of frame 12 to coupling aft of frame 11, starboard side (Mod. 4864)			1	L.54	LM	

CANBERRA E Mk. 15

Page SY.6A

SERVICES

PITOT AND STATIC PIPES IN FRONT FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.G4.80.1071	PIPE, static, from coupling aft of frame 11 to coupling forward of frame 11, starboard side (Mod. 4864) $\frac{3}{8}$ " o/d. x 22 SWG						1	L.54	LM	
	E.G4.80.1075	PIPE, static, connecting starboard static vent between frames 10 and 11 (Mod. 4864) $\frac{3}{8}$ " o/d. x 22 SWG						1	L.54	LM	
	E.G4.80.1059	PIPE, static, from central tee piece forward of frame 12 to coupling aft of frame 11, port side (Mod. 4864) $\frac{3}{8}$ " o/d. x 22 SWG						1	L.54	LM	
	E.G4.80.1095	PIPE, static, from coupling aft of frame 11 to elbow union forward of frame 11, port side (Mod. 4864) $\frac{3}{8}$ " o/d. x 22 SWG						1	L.54	LM	
	E.G4.80.1073	PIPE, static, connecting port static vent between frames 10 and 11 (Mod. 4864) $\frac{3}{8}$ " o/d. x 22 SWG						1	L.54	LM	
26DK/7759	E.B2.70.1037	SPACER (Mod. 4864)						7	—	C	
26DK/5039	EEAS.20/CR	TAB, locking						1	—	C	
28F/1046323	AGS.838/6	TRAP, drain (Pre-Mod. 5198)						7	—	C	
28F/1046323	AGS.838/6	TRAP, drain (Post-Mod. 5198)						8	—	C	
4956	E.A3.80.1671	TUBE, adapter, between drain trap reservoir and pressure bulkhead connection aft, $\frac{3}{8}$ " o/d. x 20 SWG (Pre-Mod. 5198)						2	L.54	C	
4956	E.A3.80.1671	TUBE, adapter (Post-Mod. 5198)						1	L.54	C	
28F/7106548	AS.6712	UNION, elbow (Mod. 4864)						1	—	C	
2087	E.A1.80.711	UNION, pressure bulkhead						3	DTD.683	C	
		Attaching parts for E.A1.80.711:—									
28D/1008149	A25/2B	Bolt, 4 BA						6	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA						6	—	C	
2086	E.A1.80.713	Ring, sealing						2	Neo-K-Tex	C	
28W/9419465	SP.13/B	Washer						6	—	C	
28F/4051641	AGS.1115/3	Washer, plate						1	—	C	
	KOLLSMAN										
6A/6203321	L83271-00-000	UNIT, pressure error correction (Mod. 4864) ...						1	—	A	
13058	E.B7.80.769	VENT, STATIC, FORWARD OF FRAME A PORT, ASSEMBLY						1	—	C	
		Consisting of:—									
26523	E.B7.80.777	PACKING						1	Neo-K-Tex	C	
26521	E.B7.80.773	PLATE, clamping, 18 SWG						1	DTD.124A	C	
26522	E.B7.80.775	SEAL						1	Neo-K-Tex	C	
21998	E.B7.80.771	VENT, static, assembly						1	—	C	
13059	E.B7.80.779	VENT, STATIC, FORWARD OF FRAME A STARBOARD, ASSEMBLY (PRE-MOD. 5197)						1	—	C	
		Consisting of:—									
26526	E.B7.80.787	PACKING						1	Neo-K-Tex	C	
26524	E.B7.80.783	PLATE, clamping, 18 SWG						1	DTD.124A	C	
26525	E.B7.80.785	SEAL						1	Neo-K-Tex	C	
21999	E.B7.80.781	VENT, static, assembly						1	—	C	
6119405	E.B7.80.770	VENT, STATIC, FORWARD OF FRAME A STARBOARD, ASSEMBLY (MOD. 5197)						1	—	C	
		Consisting of:—									
26523	E.B7.80.777	PACKING						1	Neo-K-Tex	C	
	E.B7.80.774	PLATE, clamping, 18 SWG						1	DTD.124A	—	
26522	E.B7.80.775	SEAL						1	Neo-K-Tex	C	
	E.B7.80.772	VENT, static, assembly						1	—	—	
		Attaching parts for static vent:—									
27113	E.A9.80.1273	Bolt, 4 BA						4	DTD.319	C	
28M/4342710	AGS.2001/B/4	Nut, 4 BA						4	—	C	
28W/9475793	AGS.1582/C	Washer						4	—	C	

SERVICES

PITOT AND STATIC PIPES IN FRONT FUSELAGE

Ref. No.	Part No.	1	2	3	4	5	6	Description	No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.G4.80.1061	VENT, STATIC BETWEEN FRAMES 10 AND 11, PORT, INSTALLATION (MOD. 4864)							—	—	—	
	E.G4.80.1063	PLATE, static vent, assembly Attaching parts for E.G4.80.1063:—							1	—	MR	
38770	E.B8.10.7870	Bolt, special							8	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA							8	—	C	
28W/9419475	SP.15/C	Washer							8	—	C	
28W/9419404	SP.16/C	Washer							8	—	C	
	E.G4.80.1062	VENT, STATIC BETWEEN FRAMES 10 AND 11, STARBOARD, INSTALLATION (MOD. 4864)							—	—	—	
	E.G4.80.1064	PLATE, static vent, assembly Attaching parts for E.G4.80.1064:—							1	—	MR	
38770	E.B8.10.7870	Bolt, special							8	—	C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA							8	—	C	
28W/9419475	SP.15/C	Washer							8	—	C	
28W/9419404	SP.16/C	Washer							8	—	C	
13141	EEAS.21/2DO	WASHER "D"							1	L.59	C	
26DK/11172	EEAS.239/1A	WASHER "D"							31	—	C	

CANBERRA E Mk. 15

Page SY.7/8

SERVICES

PITOT AND STATIC PIPES, CENTRE FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.B6.80.169	PITOT AND STATIC PIPES IN CENTRE FUSELAGE, ASSEMBLY						—	—	—	
		Spares for:—									
1823	EEAS.91/2	CLIP , pipe, double, $\frac{3}{8}$ " o/d. (Pre-Mod. 5198) ...						2	L.72	C	
		Attaching parts for EEAS.91/2:—									
28D/1010658	A25/1B	Bolt, 4 BA ...						1	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA ...						1	—	C	
5259	EEAS.21/2ERH	Washer, "D" ...						2	—	C	
6443	E.A1.80.891	FAIRLEAD , frames 14, 16, 17 ...						3	BS.2572	C/MR	
7796	E.A3.80.1655	FAIRLEAD , frame 15 ...						1	BS.2572	C/MR	
		Attaching parts for E.A1.80.891 and E.A3.80.1655:—									
28D/9419452	A25/3B	Bolt, 4 BA (frames 14, 15, and 17) ...						2	—	C	
28D/1011006	A25/5B	Bolt, 4 BA (frame 16) ...						2	—	C	
28M/1278189	AGS.2001/B/1	Nut, 4 BA ...						2	—	C	
7795	E.A3.80.1651	Piece, packing (frame 16) ...						1	—	C	
28W/9419474	SP.15/B	Washer ...						2	—	C	
28F/1037653	AGS.838/13	NUT , union and bush (Pre-Mod. 5198) ...						11	—	C	
3400	E.A3.80.1649	PIPE , drain, reservoir (Pre-Mod. 5198) ...						2	L.54	C	
28F/1046323	AGS.838/6	TRAP , drain (Pre-Mod. 5198) ...						1	—	C	
7794	E.A3.80.1643	TUBE , pitot, from coupling, frames 17-18 to fuselage, wing coupling (A.M.U.) (Pre-Mod. 5198)						1	L.54	C	
15334	E.B6.80.149	TUBE , pitot, from drain trap to coupling, frames 17-18 (Pre-Mod. 5198)						1	L.54	C	
15335	E.B6.80.151	TUBE , pitot, from front fuselage coupling to drain trap (Pre-Mod. 5198)						1	L.54	C	
15332	E.B6.80.145	TUBE , static, from front fuselage coupling to drain trap (Pre-Mod. 5198)						1	L.54	C	
15333	E.B6.80.147	TUBE , static, from drain trap to wing, fuselage coupling (A.M.U.) (Pre-Mod. 5198)						1	L.54	C	
28F/1046307	AGS.838/1	UNION , body, straight (Pre-Mod. 5198) ...						1	—	C	
28F/1046308	AGS.838/2	UNION , body, tee (Pre-Mod. 5198) ...						3	—	C	
28F/11697	AGS.838/7	WASHER , rubber (Pre-Mod. 5198) ...						1	—	C	

Restricted

[illegible]

Restricted

CANBERRA E Mk. 15

Page SY.9/10

PITOT AND STATIC PIPES, PORT MAINPLANE

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	E.G4.80.1341	PITOT AND STATIC PIPES, IN PORT MAINPLANE, ASSEMBLY (PRE-MOD. 5198)						—	—	—	
	E.A3.80.1799	MOUNTING OF V.G. RECORDER, AND VALVES, ASSEMBLY						—	—	—	
		Spares for:—									
2623	E A3.80.1891	ADAPTER , valve body						2	—	C	
28F/9439531	AGS.952/B	COLLAR						4	—	C	
28F/8011885	AGS.1142/B	NIPPLE , adapter						4	—	C	
28F/1037653	AGS.838/13	NUT , union, and bush assembly						2	—	C	
4860	E A3.80.1827	PLATE , stop, valve						2	—	C	
		Attaching parts for E.A3.80.1827:—									
28D/1010658	A25/1B	Bolt , 4 BA						3	—	C	
28M/1086618	AGS.2002/B/1	Nut , 4 BA						3	—	C	
4859	E.A3.80.1899	TUBE , adapter						2	—	C	
9676	E A3.80.1805	TUBE , pitot, from drain trap to valve, $\frac{1}{8}$ " o/d. x 22 SWG						1	L.54	C	
9677	E.A3.80.1807	TUBE , static, from drain trap to valve, $\frac{1}{8}$ " o/d. x 22 SWG						1	L.54	C	
4858	E.A3.80.1813	TUBE , rubber						1	—	C	
4857	E.A3.80.1815	TUBE , rubber						1	—	C	
	VICKERS										
27F/4526649	D 517	VALVE , 3-way						2	—	B	
28F/1037653	AGS.838/13	NUT , union, and bush assembly						14	—	C	
7216	E.A3.80.659E	PIPE , drain, reservoir, $\frac{1}{8}$ " o/d. x 4" x 22 SWG ...						2	L.54	C	
7126	E.A3.80.1817	TUBE , pitot, from tee union to A.M.U. $\frac{1}{8}$ " o/d. x 22 SWG						1	L.54	C	
7129	E.A3.80.1823	TUBE , pitot, from drain trap to tee union, $\frac{1}{8}$ " o/d. x 22 SWG						1	L.54	C	
7127	E.A3.80.1819	TUBE , static, from tee union to A.M.U., $\frac{1}{8}$ " o/d. x 22 SWG						1	L.54	C	
7128	E.A3.80.1821	TUBE , static, from drain trap to tee union, $\frac{1}{8}$ " o/d. x 22 SWG						1	L.54	C	
28F/1046308	AGS.838/2	UNION , body, tee						2	—	C	


Restricted

[illegible]


Restricted

AIR VENTILATED SUIT

RESTRICTED




BOX.GEAR, PORT MAIN PLANE



BOX, GEAR, STARBOARD MAIN PLANE


Plate S4




CABIN PRESSURE SYSTEM, FRONT FUSELAGE

RESTRICTED


Plate S5




DETAIL A

FOR LOCATION
SEE PLATE S4


DETAIL B



DETAIL C



DETAIL D




DETAIL E

CABIN PRESSURE SYSTEM, DETAILS, FRONT FUSELAGE


RESTRICTED

Plate S6



CABIN PRESSURE SYSTEM, CENTRE FUSELAGE


RESTRICTED



COLD AIR TO PILOT

RESTRICTED

Plate S.II




DEMISTER SYSTEM - DETAILS

RESTRICTED




Plate S15



HYDRAULIC SYSTEM, NOSE WHEEL BAY

RESTRICTED

Plate S16




HYDRAULIC RESERVOIR

RESTRICTED




Plate S18




HYDRAULIC SYSTEM, CENTRE FUSELAGE


RESTRICTED



OXYGEN SYSTEM, PRESSURE CABIN


RESTRICTED





OXYGEN SYSTEM, PRESSURE BULKHEAD TO FRAME 23

RESTRICTED



OXYGEN SYSTEM IN MAIN PLANES

RESTRICTED