

EQUIPMENT, ANCILLARY
GROUND EQUIPMENT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
1 2 3 4 5 6				
—	GROUND EQUIPMENT, ASSEMBLY (EG7.88.1)	—	—	1/7
	Spares for:—			
EA1.88.77	. ADAPTOR, fuselage jacking	1	—	4/18
1L/9106303	. ADAPTOR, canopy to fuselage torque wrench	1	—	
4GC/4232223	. ADAPTOR, set, engine stand	1	—	
R E67.81.5051	. ADAPTOR, special 1949-371T (Mod 5540)	1	—	12/1
	Spares for:—			
R AE99650K	. . ADAPTOR	1	—	12/2
R AE99652K	. . ADAPTOR	1	—	12/3
R EG7.81.5051.1	. . BLOCK	1	—	12/4
R HTE714.80H	. . NIPPLE	1	—	12/5
R AGS1186K	. . SEAL, bonded	4	—	12/6
R HTE714.80G	. . SOCKET	1	—	12/7
EG7.88.3	. ARM, NOSEWHEEL STEERING, ASSEMBLY	1	—	1/24
	Spares for:—			
EG7.88.367	. . BRACKET, adjustable, castor attachment	2	MS	1/20
	Attaching parts for EG7.88.367:—			
A25/18J	. . Bolt, 3/8" BSF hex head	4	—	1/19
AGS2001/J/1	. . Nut, stiff, 3/8" BSF	4	—	1/16
AS2808/8/149	. . Tube, distance, 1/2" o/d x 17 SWG	4	T45	1/18
SP13/J	. . Washer, 3/8" BSF plain	8	—	1/17
REVVO CASTOR 89AR	. . CASTOR, type TL4/RP	2	—	1/21
	Attaching parts for 89AR:—			
A25/11J	. . Bolt, 3/8" BSF hex head	4	—	1/22
AGS2001/J/1	. . Nut, stiff, 3/8" BSF	4	—	1/25
SP13/J	. . Washer, 3/8" BSF plain	4	—	1/23
EA3.88.297	. BLOCK, for depressing stud ring cover, when withdrawing fuel tanks No.1 and 2	2	—	6/3
EA1.88.889	. BOLT, canopy slave, ST8/4833	32	S97	6/4
EA3.88.307	. BRACKET, MAINWHEEL JACKING, ASSEMBLY	2	—	4/19
	Spares for:—			
EA3.88.219	. . BOLT, special	2	S94or S95	4/20
EA3.88.79	. BRIDGE, detachable, for wing slinging	1	—	1/8
	Spares for:—			
EA1.51.17	. . BEARING, spherical	2	—	1/26
EA3.88.85	. . PICK-UP	2	—	1/27
or				
EA3.88.381	. . PICK-UP (Alternative to EA3.88.85)	—	—	
EA1.51.19	. . PIN	2	—	1/28
4GB/4409987	. BRIDLE, main undercarriage towing	1	—	1/9
EG7.88.43	. BUNGS, BOMB BAY RADAR PACK OUTLET ASSEMBLY	1	—	1/6
	Consisting of:—			
EG7.88.105	. . BUNG, outlet	2	—	1/5
EG7.88.249	. . CORD, assembly	1	BS/2F59	1/1
EG7.88.95	. . PENNANT	1	DTD407	1/3
EG7.88.99	. . PLATE, ident	1	Brass	1/2
TERRY	. . RING, split, 3/4" dia.	1	—	1/4
EG7.88.151	. BUNGS, AIR TURBINE, AIR INTAKE, AND EXHAUST OUTLET, ASSEMBLY	2	—	1/10
	Consisting of:—			
EG7.88.161	. . BUNG, intake	1	—	1/12
EG7.88.163	. . BUNG, exhaust	1	—	1/11
EG7.88.165	. . CORD, assembly	1	BS/2F59	1/13
EG7.88.95	. . PENNANT	1	DTD407	1/14
EG7.88.181	. . PLATE, ident	1	Brass	1/15

EQUIPMENT, ANCILLARY
GROUND EQUIPMENT

Part Number	1 2 3 4 5 6	Description	No. Off	Matl. Spec.	Plate No.
—	.	CABLES, BENCH TEST, FOR ELECTRONIC EQUIPMENT, ASSEMBLY (EG7.88.247) Spares for:—	—	—	
—	.	CABLES, BENCH TEST, FOR ARI.23165 ELECTRONIC EQUIPMENT, ASSEMBLY (EG7.88.185) Spares for:—	—	—	
EG7.88.187	.	CABLE, ASSEMBLY, GER.1, FROM ARI.23165 CONTROL UNIT 4 TO ARI.23165 POWER UNIT 2, GROUP Consisting of:—	1	—	
R UNINYVIN 16	.	CABLE, uninyvin 16	QR	—	
R UNINYVIN 20	.	CABLE, uninyvin 20	QR	—	
508/2/04367	.	FILLER, plug 16	1	—	
508/1/04585/002	.	INSERT, socket, 16/20	5	—	
508/1/05602/002	.	INSERT, socket, 16/20	51	—	
2CZ139487	.	INSERT, socket, 12/16	14	—	
2Z139623	.	SLEEVE, packing, 12/16 white	QR	—	
2Z139626	.	SLEEVE, packing, 16/20 blue	QR	—	
EEAS146/20	.	SLEEVE, 3/4" long	QR	—	
EEAS146/0000	.	SLEEVE, 1" long	QR	—	
EEAS146/0000	.	SLEEVE, 1-1/2" long	QR	—	
UK-AN					
9000/32/7S	.	SOCKET, free	2	—	
EG7.88.189	.	CABLE, ASSEMBLY, GER 2, FROM CONTROL MODULATOR TO ARI.23165 GENERATOR UNIT 9, GROUP Consisting of:—	1	—	
R UNINYVIN 16	.	CABLE, uninyvin 16	QR	—	

EQUIPMENT, ANCILLARY
GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
R	5X/9477913	2Z.139494						PIN, plug, 12/14	4	—	C	
R	10AD/9477915	2Z.139495						PIN, plug, 12/16	3	—	C	
	5X/	UK-AN						PLUG, free	1	—	—	
		9000/24/2P										
R	5X/9460811	2Z.139626						SLEEVE, packing, white	6	—	C	
R	5X/4499818	2Z.139627						SLEEVE, packing, red	8	—	C	
R		EEAS.146/16 x 1/4"						SLEEVE	QR	—	—	
R		EEAS.146/2						SLEEVE	QR	—	—	
R		EEAS.146/2 x 1-1/2"						SLEEVE	QR	—	—	
R		EEAS.146/2 x 1"						SLEEVE	3	—	—	
R		EEAS.146/2 x 1/2"						SLEEVE	QR	—	—	
R		EEAS.146/14 x 1/4"						SLEEVE	8	—	—	
	5X/	UK-AN						SOCKET, free	1	—	—	
		9000/24/2S										
		E.G7.88.195						CABLE, ASSEMBLY, GER.5, FROM ARI.23165 TRANSMITTER TO POWER UNIT, GROUP Consisting of:—	1	—	—	
R	5E/9008507	†						CABLE, uninyvin 14	QR	—	C	
R	5E/9012998	†						CABLE, uninyvin 16	QR	—	C	
R	5E/9437424	†						CABLE, uninyvin 20	QR	—	C	
R	10AD/9477914	2CZ.139486						INSERT, socket, 12/14	8	—	C	
R	10AD/9472684	508/1/04585/002						INSERT, socket, 16	4	—	C	
R	5X/5809602	508/1/05602/002						INSERT, socket, 16/20	32	—	C	
	5X/9138835	2Z.139623						SLEEVE, packing, blue	QR	—	C	
	5X/8156	2Z.139626						SLEEVE, packing, white	QR	—	C	
R	5X/4499818	2Z.139627						SLEEVE, packing, red	QR	—	C	
R		EEAS.146/20 x 1/4"						SLEEVE	QR	—	—	
R		EEAS.146/2 x 1"						SLEEVE	QR	—	—	
R		EEAS.146/2 x 1-1/2"						SLEEVE	QR	—	—	
	5X/	UK-AN						SOCKET, free, 22-way	1	—	—	
		9000/28/11S										
	5X/	UK-AN						SOCKET, free, 22-way	1	—	—	
		9000/28/11SW										
R	10HS/9568593	E.G7.88.197						CABLE, ASSEMBLY, GER.6, FROM ARI.23165 TRANSMITTER, TO POWER UNIT, GROUP Consisting of:—	1	—	B	
	5E/9433957	†						CABLE, uniradio 96	QR	—	C	
	10AD/	AMPHENOL 31GB.226-4						PLUG, UK-BNC	2	—	—	

EQUIPMENT, ANCILLARY
GROUND EQUIPMENT

	Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
			1	2	3	4	5	6	7				
R		EEAS.146/6					SLEEVE, 1" long		3	—	—		
R		EEAS.146/6					SLEEVE, 1-1/2" long		1	—	—		
		E.G7.88.199					CABLE ASSEMBLY, GER.7, FROM ARI.23165 ... GENERATOR, TO FERRITE MODULATOR, GROUP Consisting of:—		1	—	—		
R	5E/9568884	†					CABLE, nyommetsheath 16	QR	—	—	C		
R	10AD/9472684	508/1/04585/002					INSERT, socket, 16	4	—	—	C		
R	10AD/9482657	508/1/05601/002					INSERT, socket, 16/18	2	—	—	C		
R	5X/9138834	2Z.139622					SLEEVE, packing, pink	2	—	—	C		
	5X/9138835	2Z.139623					SLEEVE, packing, blue	4	—	—	C		
R		EEAS.146/12					SLEEVE, 1/4" long	QR	—	—	—		
R		EEAS.146/2					SLEEVE, 1" long	QR	—	—	—		
R		EEAS.146/2					SLEEVE, 1-1/2" long	QR	—	—	—		
R	10H/9704119	UK-AN 9000/10S/3S					SOCKET, free	2	—	—	C		
	5E/9102378	RAYCHEM					TUBING, S.C.L. 3/8" x 1" long	QR	—	—	—		
	5E/9102378	†					WIRE, tinned copper, 26 SWG	QR	—	—	C		
R	5E/0151500	†					WIRE, equipt. type C37/.0076 brown	QR	—	—	—		
R	10HS/9568594	E.G7.88.201					CABLE ASSEMBLY GER.8, FROM ARI.23165 ... TRANSMITTER TO RECEIVER, GROUP Consisting of:—	1	—	—	C		
	5E/9433957	†					CABLE, uniradio 96	QR	—	—	C		
	10AD/	AMPHENOL 31GB.226-4					PLUG, UK-BNC	2	—	—	—		
R		EEAS.146/6					SLEEVE, 1" long	QR	—	—	—		
R		EEAS.146/6					SLEEVE, 1-1/2" long	QR	—	—	—		
		E.G7.88.203					CABLE ASSEMBLY, GER.9, FROM ARI.23165 ... RECEIVER TO DELAY UNIT, GROUP Consisting of:—	1	—	—	—		
	5E/9100295	†					CABLE, uniradio 67	QR	—	—	C		
	10H/	2CZ.139373					PLUG, type UK-N2	2	—	—	C		
R		EEAS.146/2					SLEEVE, 1" long	3	—	—	—		
R		EEAS.146/2					SLEEVE, 1-1/2" long	1	—	—	—		
R	10HS/9568595	E.G7.88.205					CABLE ASSEMBLY, GER.10, FROM ARI.23165 ... RECEIVER TO GENERATOR, GROUP Consisting of:—	1	—	—	B		
	5E/9433957	†					CABLE, uniradio 96	QR	—	—	C		
	10AD/	AMPHENOL 31GB.226-4					PLUG, UK-BNC	2	—	—	—		

EQUIPMENT, ANCILLARY
GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
R	EEAS.146/6							SLEEVE, 1" long	QR	—	—	
R	EEAS.146/6							SLEEVE, 1-1/2" long	QR	—	—	
	E.G7.88.207							CABLE ASSEMBLY, GER.11, FROM ARI.23165 ..	1	—	—	
								RECEIVER TO POWER UNIT, GROUP				
								Consisting of:—				
R	5E/9012998	†						CABLE, uninyvin 16	QR	—	C	
	10H/	BENDIX						FILLER, plug	QR	—	C	
		10.101033.10										
	10H/	THORN						FILLER, plug	1	—	—	
		10.101033.12										
R	10AD/9477914	2CZ.139486						INSERT, socket, 12/14	6	—	C	
R	10AD/9463470	2CZ.139487						INSERT, socket, 12/16	1	—	C	
R	5X/5809602	508/1/05602/002						INSERT, socket, 16/20	28	—	C	
R	5X/9138834	2Z.139622						SLEEVE, packing, pink	QR	—	C	
	5X/9138835	2Z.139623						SLEEVE, packing, blue	QR	—	C	
R	5X/9460811	2Z.139626						SLEEVE, packing, white	QR	—	C	
		EEAS.146/EQ						SLEEVE, 1/4" long	QR	—	—	
R		EEAS.146/16						SLEEVE, 1/4" long	QR	—	—	
R		EEAS.146/2						SLEEVE, 1" long	QR	—	—	
R		EEAS.146/2						SLEEVE, 1-1/2" long	QR	—	—	
		UK-AN						SOCKET, free	1	—	—	
		9000/32/7SW										
		THORN						SOCKET, free	1	—	—	
		PT06SE.20.39S(SR)										
R	5E/0149438	†						WIRE, equipt, type B 19/0076 blue	QR	—	C	
R	10HS/9568604	E.G7.88.209						CABLE ASSEMBLY, GER.12, FROM ARI.23165 ..	1	—	B	
								RECEIVER TO GENERATOR, GROUP				
								Consisting of:—				
	5E/9433957	†						CABLE, uniradio 96	QR	—	C	
	10AD/	AMPHENOL						PLUG, UK-BNC	2	—	—	
		31GB.226-4										
R		EEAS.146/6						SLEEVE, 1" long	QR	—	—	
R		EEAS.146/6						SLEEVE, 1-1/2" long	QR	—	—	
R	10HS/9568603	E.G7.88.237						CABLE ASSEMBLY, GER.23, FROM ARI.23165 ..	1	—	B	
								DELAY UNIT TO TRANSMITTER, GROUP				
								Consisting of:—				
	5E/9100295	†						CABLE, uniradio 67	QR	—	C	
	5X/	2CZ.139373						PLUG, UK-N2	2	—	—	
R		EEAS.146/2						SLEEVE, 1" long	QR	—	—	
R	5K/	EEAS.146/2						SLEEVE, 1-1/2" long	QR	—	—	

GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
R 10HS/9568581	E.G7.88.217	CABLE ASSEMBLY, GER.15, FROM ARI.23167 TRANSMITTER TO POWER UNIT, GROUP Consisting of:—							1	—	—	
R 5E/9008507	†	CABLE, uninyvin 14							QR	—	C	
R 5E/9012998	†	CABLE, uninyvin 16							QR	—	C	
R 5E/9467424	†	CABLE, uninyvin 20							QR	—	C	
R 10AD/9477914	2CZ.139486	INSERT, socket, 12/14							2	—	C	
R 10AD/9463470	2CZ.139487	INSERT, socket, 12/16							6	—	C	
R 5X/5809602	508/1/05602/002	INSERT, socket, 16/20							36	—	C	
R 5X/9138835	2Z.139623	SLEEVE, packing, blue							QR	—	C	
R 5X/9460811	2Z.139626	SLEEVE, packing, white							QR	—	C	
R 5X/4499818	2Z.139627	SLEEVE, packing red							QR	—	C	
R	EEAS.146/20	SLEEVE, 1/4" long							QR	—	—	
R	EEAS.146/2	SLEEVE, 1" long							QR	—	—	
R	EEAS.146/2	SLEEVE, 1-1/2" long							QR	—	C	
R 5X/9506988	UK-AN	SOCKET, 22-way							1	—	—	
	9000/28/11S											
	5X/	SOCKET, 22-way							1	—	—	
	9000/28/11SW											
R 10HS/9568582	E.G7.88.219	CABLE ASSEMBLY, GER.16, FROM ARI.23167 POWER SUPPLY TO BENCH TEST POWER SUPPLIES GROUP Consisting of:—							1	—	—	
R 5E/9993758	†	CABLE, uninyvin 12							QR	—	C	
R 5E/9008507	†	CABLE, uninyvin 14							QR	—	C	
R 5E/9012998	†	CABLE, uninyvin 16							QR	—	C	
R 5X/9717835	508/2/04368	FILLER, plug 12							1	—	C	
R 10AD/9468687	2CZ.138846	INSERT, socket, 12							4	—	C	
R 10AD/9477916	2CZ.139486	INSERT, socket, 12/14							2	—	C	
R 10AD/9463470	2CZ.139487	INSERT, socket, 12/16							1	—	C	
	5X/8156	SLEEVE, packing, white							QR	—	C	
R 5X/4499818	2CZ.139627	SLEEVE, packing, red							QR	—	C	
R 5X/9460813	2CZ.139628	SLEEVE, packing, black							QR	—	C	

EQUIPMENT, ANCILLARY

GROUND EQUIPMENT

Part Number	Description						No. Off	Mati. Spec.	Plate No.
	1	2	3	4	5	6			
EEAS146/12	.	.	.	.	SLEEVE, 3/4" long		QR	-	
EEAS146/16	.	.	.	.	SLEEVE, 3/4" long		QR	-	
EEAS146/2	.	.	.	.	SLEEVE, 1" long		QR	-	
EEAS146/2	.	.	.	.	SLEEVE, 1 1/2" long		QR	-	
UK-AN									
9000/24/2S	.	.	.	.	SOCKET, free		1	-	
-	.	.	.	.	CABLE, BENCH TEST, FOR ARI.18207 ELECTRONIC EQUIPMENT, ASSEMBLY (EG7.88.221)		-	-	
EG7.88.223	.	.	.	.	Spares for: CABLE, ASSEMBLY, GER.17, FROM ARI.18207 CONTROL UNIT TO REPEATER, GROUP		1	-	
	.	.	.	.	Consisting of:				
R 5E/116758	.	.	.	.	CABLE, miniature, 25C		QR	-	
508/1/07780/003	.	.	.	.	CLAMP, cable		2	-	
R 508/2/07707/200	.	.	.	.	GASKET, outlet		2	-	
Z62239	.	.	.	.	GASKET, union		2	-	
508/2/07645/003	.	.	.	.	OUTLET, straight		2	-	
R 508/1/40036/320	.	.	.	.	PLUG, free, Mk.4		1	-	
Z49086	.	.	.	.	RING, compression		1	-	
Z62233	.	.	.	.	RING, sealing		1	-	
508/2/07758/007	.	.	.	.	RING, thrust		2	-	
EEAS146/EQ	.	.	.	.	SLEEVE, 1/2" long		QR	-	
EEAS146/00	.	.	.	.	SLEEVE, 1" long		QR	-	
EEAS146/00	.	.	.	.	SLEEVE, 1 1/2" long		QR	-	
R 508/1/40016/320	.	.	.	.	SOCKET, free, Mk.4		1	-	
EG7.88.225	.	.	.	.	CABLE, ASSEMBLY, GER.18, FROM ARI.18207 REPEATER TO BRANCH TEST POWER SUPPLY, GROUP		1	-	
	.	.	.	.	Consisting of:				
R 6E/9993758	.	.	.	.	CABLE, uninyvin 12		QR	-	
508/1/07777/003	.	.	.	.	CLAMP, cable		1	-	
508/2/07705/200	.	.	.	.	GASKET, outlet		1	-	
Z62234	.	.	.	.	GASKET, union		1	-	
508/2/07460/003	.	.	.	.	OUTLET, straight		1	-	
R 508/2/07721/200	.	.	.	.	RING, sealing		1	-	
508/2/07754/007	.	.	.	.	RING, thrust		1	-	
EEAS146/12	.	.	.	.	SLEEVE, 3/4" long		QR	-	
EEAS146/6	.	.	.	.	SLEEVE, 1" long		QR	-	

EQUIPMENT, ANCILLARY

GROUND EQUIPMENT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
	1 2 3 4 5 6			
R EEAS146/6	 SLEEVE, 1½" long	QR	—	
508/1/40000/320	 SOCKET, free, Mk.4	1	—	
EG7.88.245	 CABLE, ASSEMBLY, GER.27, FROM ARI.18207 CONTROL UNIT TO BENCH TEST LIGHTING SUPPLY, GROUP Consisting of:	1	—	
R 5E/9467424	 CABLE, uninyvin 20	QR	—	
508/1/07774/003	 CLAMP, cable	1	—	
508/2/07705/200	 GASKET, outlet	1	—	
508/2/07719/200	 GASKET, union	1	—	
508/2/07639/003	 OUTLET, straight	1	—	
508/2/07708/200	 RING, sealing	1	—	
508/2/07752/007	 RING, thrust	1	—	
EEAS146/20	 SLEEVE, 3/4" long	QR	—	
EEAS146/12	 SLEEVE, 1" long	QR	—	
EEAS146/12	 SLEEVE, 1½" long	QR	—	
R 508/1/40001/320	 SOCKET, free, Mk.4	1	—	
†	 CABLES, BENCH TEST, FOR ARI.23166 ELECTRONIC EQUIPMENT, ASSEMBLY (EG7.88.227) Spares for:	—	—	
EG7.88.229	 CABLE, ASSEMBLY, GER.19, FROM ARI.32166 CONTROL UNIT TO 'S' COOLER, GROUP Consisting of:	1	—	
R 5E/9012998	 CABLE, uninyvin 16	QR	—	
R 5E/9467424	 CABLE, uninyvin 20	QR	—	
508/2/04367	 FILLER, plug, 16	1	—	
2CZ139487	 INSERT, socket, 12/16	14	—	
508/1/04585/002	 INSERT, socket, 16	1	—	
508/1/05602/002	 INSERT, socket	55	—	
2Z139623	 SLEEVE, packing, blue	QR	—	
2Z139626	 SLEEVE, packing, white	QR	—	
EEAS146/20	 SLEEVE, 3/4" long	QR	—	
EEAS146/0000	 SLEEVE, 1" long	QR	—	
EEAS146/0000	 SLEEVE, 1½" long	QR	—	

A.P.101B-0417-3A

EQUIPMENT, ANCILLARY

Page G11

GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
R	5X/4491936	UK-AN						SOCKET, free	2	—	C	
	10HS/9568584	9000/32/7S E.G7.88.231						CABLE, ASSEMBLY, GER.20, FROM ARI.23166	1	—	B	
								"S" COOLER TO BENCH TEST POWER SUPPLIES, GROUP				
								Consisting of:—				
R	5E/9993758	†						CABLE, uninyvin 12	QR	—	C	
R	5E/9008507	†						CABLE, uninyvin 14	QR	—	C	
R	5E/9012998	†						CABLE, uninyvin 16	QR	—	C	
R	5X/9717835	508/2/04368						FILLER, plug, 12	1	—	C	
	5X/8301	2CZ.139486						INSERT, socket, 12/14	2	—	C	
R	10AD/9463470	2CZ.139487						INSERT, socket, 12/16	1	—	C	
	5X/	2CZ.138846						INSERT, socket, 12	4	—	C	
	5X/8156	2Z.139626						SLEEVE, packing, white	QR	—	C	
	5X/9460812	2Z.139627						SLEEVE, packing, red	QR	—	C	
R	5X/9460813	2Z.139628						SLEEVE, packing, black	QR	—	C	
R		EEAS.146/12						SLEEVE, 3/4" long	QR	—	—	
R		EEAS.146/16						SLEEVE, 3/4" long	QR	—	—	
R		EEAS.146/2						SLEEVE, 1" long	QR	—	—	
R		EEAS.146/2						SLEEVE, 1-1/2" long	QR	—	—	
	5X/	UK-AN						SOCKET, free	1	—	—	
	10HS/9568583	9000/24/2S E.G7.88.233						CABLE, ASSEMBLY, GER.21, FROM ARI.23166	1	—	B	
								TRANSMITTER TO "S" COOLER, GROUP				
								Consisting of:—				
R	5E/9008507	†						CABLE, uninyvin 14	QR	—	C	
R	5E/9012998	†						CABLE, uninyvin 16	QR	—	C	
R	5E/9467424	†						CABLE, uninyvin 20	QR	—	C	
R	10AD/9477914	2CZ.139486						INSERT, socket, 12/14	2	—	C	
R	10AD/9463470	2CZ.139487						INSERT, socket, 12/16	6	—	C	
R	5X/5809602	508/1/05602/002						INSERT, socket, 16/20	36	—	C	
	5X/9138835	2Z.139623						SLEEVE, packing, blue	QR	—	C	
R	5X/9460811	2Z.139626						SLEEVE, packing, white	QR	—	C	
	5X/9460812	2Z.139627						SLEEVE, packing, red	QR	—	C	
R		EEAS.146/14						SLEEVE, 1/4" long	QR	—	—	

EQUIPMENT, ANCILLARY

GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
R		EEAS.146/2						SLEEVE, 1" long	3	—	—	
R		EEAS.146/2						SLEEVE, 1-1/2" long	1	—	C	
R	5X/9506988	UK-AN						SOCKET, 22-way	1	—	—	
		9000/28/11S										
		UK-AN						SOCKET, 22-way	1	—	—	
		9000/28/11SW										
	10HS/9568585	E.G7.88.239						CABLE, ASSEMBLY, GER.22, FROM ARI.23166 . "S" COOLER TO TRANSMITTER, GROUP Consisting of:—	1	—	B	
								CABLE, uninyvin 14	QR	—	C	
R	5E/9008507	†						CABLE, uninyvin 16	QR	—	C	
R	5E/9012998	†						INSERT, socket, 12/14	5	—	C	
R	10AD/9477914	2CZ.139486						INSERT, socket, 12/16	2	—	C	
R	10AD/9463470	2Z.139487						PIN, plug, 12/14	5	—	C	
R	5X/9477913	2Z.139494						PIN, plug, 12/16	2	—	C	
R	10AD/9477915	2Z.139495						PLUG, free	1	—	—	
		UK-AN										
		9000/24/2P										
R	5X/9460811	2Z.139626						SLEEVE, packing, white	4	—	C	
	5X/9460812	2Z.139627						SLEEVE, packing, red	10	—	C	
R		EEAS.146/16						SLEEVE, 1/4" long	QR	—	—	
R		EEAS.146/2						SLEEVE, 1" long	QR	—	—	
R		EEAS.146/2						SLEEVE, 1-1/2" long	QR	—	—	
	5X/	UK-AN						SOCKET, free	1	—	—	
		9000/24/2S										
	95650	E.G7.88.301						CASE, STOWAGE, FOR LEAD ADAPTOR AND TEST . LEAD, ASSEMBLY Spares for:—	1	Vynide VT-1175	B	2/14
		NEWAY						FASTENER, snap	2	—	—	2/17
		5/A.101										
	1971	E.A3.88.91						CLAMP, AILERON LOCKING, ASSEMBLY	1	—	B	2/15
								Spares for:—				
	6799	E.A3.88.103						PENNANT	2	—	C	2/21
	6800	E.A3.88.101						STRAP, assembly	1	—	C	2/22
	1972	E.A3.88.92						CLAMP, AILERON LOCKING, ASSEMBLY	1	—	B	2/4
								Spares for:—				
	6799	E.A3.88.103						PENNANT	2	—	C	2/5
	20738	E.A3.88.102						STRAP, assembly	1	—	C	2/6

A.P.101B-0417-3A

EQUIPMENT, ANCILLARY

Page G13

GROUND EQUIPMENT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
	1 2 3 4 5 6			
EA1.88.73	. CLAMP, ELEVATOR LOCKING, STARBOARD, ASSEMBLY Spares for:—	1	—	2/2
EA1.88.185	. . PENNANT	1	—	2/7
A617	. . PIN, "pip"	2	—	2/1
EA1.88.873	. CLAMP, elevator locking, port	1	—	2/3
EA3.88.383	. CLAMP, RUDDER LOCKING, ASSEMBLY (Mod.5096) Spares for:—	1	—	2/10
EEAS.20.2.ER	. . LUG	4	—	2/23
A413	. . PIN, "pip"	2	—	2/9
TERRY	. . SPRING	2	—	2/12
EX.12				
EB7.88.131	. COVERS, window, photo cells	2	—	3/13
—	. COVERS, SPECIAL, AIRCRAFT, ASSEMBLY EG7.88.271) Consisting of:—	1	—	3/24
NR1-1AP423	. . COVER, pressure head	1	—	3/28
EG7.88.275	. . COVER, coupe	1	—	3/16
EG7.88.277	. . COVER, rear locking radome	1	—	3/10
EG7.88.369	. COVER, wing tip pod	2	—	2/13
EA3.88.205	. COVER, used for protection and depressing stud rings when withdrawing fuel tanks No.1 and 2	2	—	6/2
EA1.88.403	. COVER, engine	2	—	3/9
EA1.88.405	. COVER, jet pipe	2	—	3/15
EA1.88.407	. COVER, main wheel	2	—	3/26
EA1.88.409	. COVER, nose wheel	2	—	3/20
EA1.88.787	. COVER, equipment door	1	—	3/12
EG7.88.125	. CRADLE, WING POD LIFTING, ASSEMBLY Spares for:—	1	—	2/16
†	. . CHAIN, steel, 1/2" x 1/4" x 1/16" dia.	QR	—	2/20
Z503/36	. . PIN, "pip", type "Z"	4	—	2/18
CSK.424	. . PIN, support, assembly	4	—	2/19
EA1.88.417	. CRADLE, retraction test (for use at frame 13)	1	—	2/11
EA1.88.419	. CRADLE, retraction test (for use at frame 29)	1	—	2/8
EA1.88.551	. DISC, setting, engine control	2	L72	6/1
EB6.88.103	. EXTRACTOR, rudder blow black rod	1	—	6/5
EA1.88.359	. EXTRACTOR, wing to fuselage pick-up pins	1	—	6/6
EA1.88.375	. EXTRACTOR, for tab torque tube liner	1	—	6/7
EA1.88.825	. EXTRACTOR, for aileron hinge pin	1	—	6/10
A6313	. EXTRACTOR, and assembly tool for wheels	1	—	
A10009	. FIXTURE, hydraulic brake alignment	1	—	
—	. FORMERS, MAIN PLANE LIFTING GANTRY, PORT, ASSEMBLY (EA1.88.91) Spares for:—	—	—	3/21
EA1.88.91A	. . FORMER, wing lifting gantry, forward, port	1	—	3/22

EQUIPMENT, ANCILLARY

GROUND EQUIPMENT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
	1 2 3 4 5 6			
EA1.88.91B	. . FORMER, wing lifting gantry, centre, port	1	—	3/23
EA1.88.91C	. . FORMER, wing lifting gantry, aft, port	1	—	3/25
EA1.88.91D	. . FORMER, wing lifting gantry, forward, port	1	—	3/17
EA1.88.91E	. . FORMER, wing lifting gantry, centre, port	1	—	3/18
EA1.88.91F	. . FORMER, wing lifting gantry, aft, port	1	—	3/19
—	. FORMERS, MAIN PLANE LIFTING GANTRY, STARBOARD, ASSEMBLY (EA1.88.92)	—	—	3/5
	Spares for:—			
EA1.88.92A	. . FORMER, wing lifting gantry, forward, starboard	1	—	3/6
EA1.88.92B	. . FORMER, wing lifting gantry, centre, starboard	1	—	3/7
EA1.88.92C	. . FORMER, wing lifting gantry, aft, starboard	1	—	3/8
EA1.88.92D	. . FORMER, wing lifting gantry, forward, starboard	1	—	3/3
EA1.88.92E	. . FORMER, wing lifting gantry, centre, starboard	1	—	3/2
EA1.88.92F	. . FORMER, wing lifting gantry, aft, starboard	1	—	3/4
4Q/1245	. GANTRY, main plane lifting	2	—	3/27
EA1.88.93	. GAUGE, wing incidence dihedral	1	—	3/29
EA3.88.179	. GAUGE, tailplane incidence and dihedral	1	—	3/1
EA1.88.447	. GAUGE, levelling, cockpit lateral and fuselage longeron	1	—	3/14
EA1.88.747	. GAUGE, levelling, cockpit longeron and fuselage lateral	1	—	3/11
EA1.88.823	. GAUGE, aileron fixed tab angle checking	1	—	10/8
EA1.88.893	. GAUGE, inspection, assembly of canopy to fuselage	1	—	10/10
EG7.88.259	. GEAR, LIFTING, FRONT FUSELAGE, ASSEMBLY	1	—	4/9
	Spares for:—			
EG7.88.261	. . BEAM, assembly	1	—	4/14
EA1.88.219	. . NUT	2	—	4/9
A930	. . PIN, "pip", type A	1	—	4/10
EG7.88.269	. . SLING, webbing, assembly	2	—	4/11
EA1.88.785	. GEAR, LIFTING, COMPLETE AIRCRAFT, ASSEMBLY	1	—	4/15
	Spares for:—			
EA3.88.317	. . BOLT, special shouldered	2	S97	4/12
EA3.88.319	. . WASHER, special	2	Comm. MS	4/13
EA1.88.817	. GUARD, AIR INTAKE DEBRIS, ASSEMBLY	2	—	4/16
	Spares for:—			
EA3.88.295	. . BOLT, key	2	Comm. MS	4/7
1B/9575041	. GUN, lubricating	1	—	—
EA1.88.257	. HEAD, 10 ton jack adaptor	2	Comm. MS	4/25

A.P.101B-0417-3A

Page G15

EQUIPMENT, ANCILLARY
GROUND EQUIPMENT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
	1 2 3 4 5 6			
R KSE184	. HEAD, adaptor, Mk.27	2	—	4/23
EA3.88.269	. HEAD, jacking, for 15 ton pillar jack	2	—	4/21
EG7.88.109	. HOIST, INSTALLING AND REMOVAL OF ALTERNATOR TURBINE, USING ATTACHMENT HOIST, STARBOARD, GROUP Consisting of:—	1	—	5/6
EG7.88.115	. . BOLT, HOIST SUPPORT ATTACHMENT, GROUP Consisting of:—	2	—	5/17
EG7.88.235	. . . BOLT, special, 2 BA	2	S96	5/19
EG7.88.115A	. . . CHAIN, 1/2" x 1/4" x 1/16" dia.	QR	Cadmium Plated Steel	5/20
EG7.88.119	. . . RING, chain retaining	2	Comm. MS	5/18
A25/5C	. . BOLT, 2 BA hex. head	2	—	5/21
R 4GC/4232337	. . HANDLE, winding	2	—	5/10
R D41-76	. . HOOK, detachable	2	—	5/13
R A41-5	. . MECHANISM, winding, 2-1/2 cwt.	2	—	5/12
EG7.88.121	. . PLATE, identification Attaching parts for EG7.88.121:—	2	Brass	5/14
A32/B8	. . Screw, 4 BA round head	4	—	5/15
EG7.88.111	. . SUPPORT, hoist, starboard	2	S1	5/7
SP13/C	. . WASHER, 2 BA plain	2	—	5/22
EG7.88.123	. HOIST, INSTALLING AND REMOVAL OF ALTERNATOR TURBINE, USING ATTACHMENT HOIST, PORT, GROUP Consisting of:—	1	—	5/11
EG7.88.115	. . BOLT, HOIST SUPPORT ATTACHMENT, GROUP Consisting of:—	2	—	5/17
EG7.88.235	. . . BOLT, special, 2 BA	2	S96	5/19
EG7.88.115A	. . . CHAIN, 1/2" x 1/4" x 1/16" dia.	QR	Cadmium Plated Steel	5/20
EG7.88.119	. . . RING, chain retaining	2	Comm. MS	5/18
A25/5C	. . BOLT, 2 BA hex. head	2	—	5/21
R 4GC/4232337	. . HANDLE, winding	2	—	5/10
R D41-76	. . HOOK, detachable	1	—	5/13
R A41-5	. . MECHANISM, winding, 2-1/2 cwt.	1	—	5/12
EG7.88.121	. . PLATE, identification Attaching parts for EG7.88.121:—	2	Brass	5/14
A32/B8	. . Screw, 4 BA round head	4	—	5/15

EQUIPMENT, ANCILLARY
GROUND EQUIPMENT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
1 2 3 4 5 6				
EG7.88.113	. . . SUPPORT, hoist, port	2	S1	5/16
SP13/C	. . . WASHER, 2 BA plain	2	—	5/22
EB7.88.199	. . . HOIST, "MINILIFT", 250 LBS, GREEN SATIN INSTALLATION, GROUP Consisting of:—	1	—	5/4
25/41	. . . END, ball	1	—	5/3
39/2	. . . HANDLE, winding, c/w slipping clutch, 6"	1	—	5/9
25/63	. . . HOIST, winding, 250 lb, 20 ft lift	1	—	5/8
30/14	. . . SHEATH, top	1	—	5/1
29/13	. . . TUBE, extension, 4-1/2"	1	—	5/2
EA1.88.831	. . . INDICATOR, engine controls setting disc	1	DTD124	6/11
EA1.88.349	. . . INSERTER, piston ring, main undercarriage oleo leg	1	L72	6/12
EA1.88.363	. . . INSERTER, wing to fuselage pick-up pins	1	—	6/14
EA1.88.383	. . . INSERTER, main oleopivot point brush	1	—	6/16
EA1.88.389	. . . INSERTER, for bushes in torque links, main oleo leg	1	—	6/15
EA1.88.391	. . . INSERTER, and extractor, for sealing rings, main oleo leg	1	—	10/6
EA1.88.733	. . . INSERTER, main undercarriage pivot pin	1	—	6/13
SK1188ZA	. . . JACK, hydraulic, 5 ton, fuselage	1	—	4/17
GM10122	. . . JACK, hydraulic, 10 ton, main wing	2	—	4/24
GM10334	. . . JACK, hydraulic pillar, 15 ton	2	—	4/22
EG7.88.89	. . . KEY, ARMING, WING TIP POD R.B.W. ASSEMBLY Consisting of:—	1	—	8/23
EG7.88.83	. . . KEY	1	S92	8/22
EG7.88.87	. . . PENNANT, marker flag	1	DTD407A	8/25
EG7.88.91	. . . RING, split, 1-1/4" o/d	1	—	8/24
EA1.88.395	. . . KEY, hydraulic tank	1	—	6/17
EG7.88.153	. . . LEAD, no volts test, on wing tip containers	1	—	
EG7.88.155	. . . LEAD, adaptor, for no volts test on wing tip containers	1	—	
EA1.40.169	. . . LUG, picketing	2	S11	4/27
R D2606Y	. . . NOZZLE, flexible, c/w gauge	1	—	
EA1.88.255	. . . PIN, nose wheel locking	1	—	4/2
EA1.88.891	. . . PIN, locating (ST8/4842)	6	—	6/18
EA1.88.547	. . . PLATE, setting, bell crank lever, engine control, port	1	—	6/8
EA1.88.548	. . . PLATE, setting, bell crank lever, engine control, starboard	1	—	6/9
EA1.88.549	. . . PLATE, setting, throttle box	1	—	6/19
EA3.88.281	. . . PLUG, BLANKING, CABIN PRESSURE CONTROL VALVE, GROUP Consisting of:—	1	—	4/6
R †	. . . CHAIN, retaining	QR	Brass	4/5
R EA2.88.77	. . . PENNANT	1	—	4/1
R EA3.88.283	. . . PLUG	1	L40	4/3
R †	. . . RING, split 3/4" o/d x 1/16" dia.	2	—	4/4
R 6A/4333059	. . . PLUG, protective, static vent	4	—	
R 4G/4420031	. . . PUMP, oleo, type F	1	—	

A.P.101B-0417-3A

Page G16A

EQUIPMENT, ANCILLARY
GROUND EQUIPMENT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
	1 2 3 4 5 6			
R EG7.88.5053	. RIG, test, liquid cooling circuit . 30004-378-T-17H (Mod 5540) . Spares for:—	1	—	12/8
R EG7.88.5053.24	. . ADAPTOR	2	—	12/9
R EG7.88.5053.11	. . ADAPTOR, gauge	2	—	12/10
R EG7.88.5053.5	. . ADAPTOR, hose	2	—	12/11
R AGS1105E	. . ADAPTOR, union	2	—	12/12
R EG7.88.5053.35	. . BASE, leg, RH	1	—	12/13
R EG7.88.5053.36	. . BASE, leg, LH	1	—	12/14
R EG7.88.5053.15	. . BLOCK, junction	1	—	12/15
R EG7.88.5053.27	. . BLOCK, junction . Attaching parts for EG7.88.5053.27:—	1	—	12/16
R EG7.88.5053.30	. . Nut, M10	2	—	12/17
R EG7.88.5053.32	. . Screw, M10 hex. head	2	—	12/18
R EG7.88.5053.31	. . Washer, M10	4	—	12/19
R EG7.88.5053.42	. . BOTTLE, plastic	1	—	12/20
R EG7.88.5053.37	. . BRACE . Attaching parts for EG7.88.5053.37:—	3	—	12/21
R EG7.88.5053.46	. . Nut, M6	6	—	12/22
R EG7.88.5053.47	. . Washer, M6	6	—	12/23
R PAN4 174.50 or	. . COUPLING, "V" band	1	—	12/24
R BESTOBELL 30M57.050 or	. . COUPLING	1	—	
R AEROQUIP NM102387.0200	. . COUPLING	1	—	
R EG7.88.5053.1	. . GAUGE, pressure 1/2" BSP 6" dia. . 0-300 KPa	2	—	12/25
R EG7.88.5053.33L	. . GUIDE, LH	1	—	12/26
R EG7.88.5053.33R	. . GUIDE, RH . Attaching parts for EG7.88.5053.33L/R:—	1	—	12/27
R EG7.88.5053.34	. . Screw, M5	4	—	12/28
R EG7.88.5053.43	. . HOLDER, bottle	1	—	12/29
R EG7.88.5053.21	. . HOLDER, orifice, plate	2	—	12/30
R EG7.88.5053.6	. . HOSE, assembly . Spares for:—	2	—	12/31
R C751.10	. . . ELBOW, 90°	1	—	12/32
R H178	. . . HOSE, high pressure	1	—	12/33
R C701.10	. . . UNION	1	—	12/34
R EG7.88.5053.44	. . LABEL, instruction	1	—	12/35
R BVH2	. . NIPPLE, bleed air	1	—	12/36
R HTE714.23H	. . NIPPLE, minilock	1	—	12/37

EQUIPMENT, ANCILLARY
GROUND EQUIPMENT

Part Number	Description						No. Off	Matl. Spec.	Plate No.
	1	2	3	4	5	6			
R PAN4050.06 or	.	.	NUT, thrust				2	—	12/38
R AS46730.06	.	.	NUT, thrust				2	—	
R EG7.88.5053.26	.	.	PIPE				3	—	12/39
R EG7.88.5053.40	.	.	PIPE, plastic, 5/16" i/d x 100 mm				1	—	12/40
R EG7.88.5053.18	.	.	PLATE, orifice				1	—	12/41
R EG7.88.5053.19	.	.	PLATE, orifice				1	—	12/42
R EG7.88.5053.20	.	.	PLATE, orifice				1	—	12/43
R R140P60	.	.	RING "O"				2	—	12/44
R HTE714.23G	.	.	SOCKET, 'minilock'				1	—	12/45
R EG7.88.5053.23	.	.	VALVE, ball plug, type M				1	—	12/46
R EG7.88.5053.10	.	.	VALVE, relief				2	—	12/47
R AGS1186E	.	.	WASHER, bonded				4	—	12/48
R AGS1186F	.	.	WASHER, bonded				2	—	12/49
R PP45A	.	.	WASHER, bonded				1	—	12/50
R PAN4045.06 or	.	.	WIRE, thrust				2	—	12/51
R AS46732.06	.	.	WIRE, thrust				2	—	

EQUIPMENT, ANCILLARY
GROUND EQUIPMENT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
1 2 3 4 5 6				
1C/9105853	. SCREW-DRIVER	1	—	
EA1.88.599	. SEAL, engine dust	2	—	7/12
EA1.88.797	. SLAVE, COWLING, PORT, ASSEMBLY	1	—	4/28
	Spares for:—			
EA1.50.1055	. . COVER, plate, debris guard attachment plate	2	L72	4/32
EA1.88.809	. . PIPE, EXHAUST, ASSEMBLY	2	—	4/30
	Spares for:—			
R EA3.88.5095	. . . BOLT, securing assembly (Mod 5533)	3	—	4/30A
	Spares for:—			
EA1.88.853	 BOLT, special	1	—	4/34
EA1.88.855	 PLATE, swivel	1	—	4/35
AS460/214	 RIVET, 1/8" dia. 90° csk	1	—	4/36
EA1.88.813	 SCREW, special	1	—	4/31
EA1.88.849	. . SCREW, special	2	S11	4/33
EA1.88.851	. . SCREW, special	4	S11	4/26
EA1.88.798	. SLAVE, COWLING, STARBOARD, ASSEMBLY	1	—	4/29
	Spares for this assembly are identical with those for Ref.95091			
EA1.88.743	. SLEEVE, MAIN UNDERCARRIAGE WHEEL LOCKING, ASSEMBLY	2	—	7/13
	Spares for:—			
EA2.88.77	. . PENNANT	2	—	7/16
A817	. . PIN, pip, type A	2	—	7/17
4GC/4232188	. SLING, RA3 engine	1	—	7/11
EA1.88.919	. SLING, and frame assembly (Mainplane) (Mod GE5224)	1	—	7/15
	Spares for:—			
EA1.88.925	. . BOLT, and nut assembly	3	—	
EA1.88.931	. . BOLT	3	—	
EA1.88.927	. . HOOK	1	—	
EA1.88.933	. . LABEL, ident	1	—	
EA1.88.923	. . RING	3	—	
EA1.88.921	. . SHACKLE	6	—	
	Attaching parts:—			
EA1.88.929	. . Bolt	1	—	
MS103/28	. . Nut	1	—	
SP18/J	. . Washer	1	—	
EA1.88.59	. SLING, tailplane	1	—	7/4
EA1.88.61	. SLING, centre fuselage lifting, complete	1	—	7/3
EA1.88.65	. SLING, REAR FUSELAGE LIFTING, COMPLETE	1	—	7/5
	Spares for:—			
EA1.88.267A	. . BOLT, retaining	1	—	7/6
EB7.88.135	. SLING, green satin tracking unit	1	—	7/10
EB7.88.143	. SLING, rear, green satin T/R unit	1	—	7/18
EB7.88.183	. SLING, front, green satin S/T unit	1	—	7/14
EA1.88.601	. SLING, fin and rudder	1	—	7/2
EA1.88.741	. SLING, combined nose and mid, fuselage lifting	1	—	7/8
1L/9106389	. SOCKET, 7/16" BSF, for explosive bolts	1	—	
1L/9106397	. SOCKET, 3/4" BAF, for attachment bolts	1	—	
1L/9106401	. SOCKET, 1" BSF, for attachment bolts	1	—	
1C/9106265	. SPANNER, union, main fuel feed	1	—	

EQUIPMENT, ANCILLARY

GROUND EQUIPMENT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
1 2 3 4 5 6				
EA3.88.135	. SPANNER, special, main undercarriage oleo axle clamp	1	Steel	11/8
EA3.88.303	. SPANNER, special, main undercarriage oleo bearing ring	1	Steel	11/10
EA1.88.345	. SPANNER, torque link, main undercarriage	1	DTD124	11/5
EA1.88.347	. SPANNER, special, "C", main undercarriage oleo stop nut	1	—	11/3
EA1.88.353	. SPANNER, special, main undercarriage oleo piston	1	—	11/4
EA1.88.365	. SPANNER, special, plug, forward jacking point housing	1	—	11/1
EA1.88.385	. SPANNER, special, for undercarriage pivot pin	1	MS	11/11
EA1.88.387	. SPANNER, special, for undercarriage pivot nut	1	MS	11/2
EA1.88.531	. SPANNER, special, for drop tank	1	MS	11/6
EA1.88.749	. SPANNER, forward bomb crutch	1	—	11/7
EA1.88.877	. SPANNER, nose-wheel door	1	—	11/9
EA1.88.23	. SPIGOT, forward jacking, front fuselage	1	S65	7/7
EA3.88.273	. STRAP, metal, for use with combined nose and fuselage sling	1	—	7/9
EA1.88.799	. STRUT, jury, tailplane, for use when actuator is removed	1	—	7/1
EG7.88.47	. TABLE, MAGAZINE LIFTING, ASSEMBLY	1	—	9/18
	Spares for:—			
EG7.88.183	. . BOLT, special, 1/2" BSF	4	S96	9/38
EG7.88.295	. . BOLT, special, 1/2" BSF	4	S96	9/39
†	. . CHAIN, link, 1/2" x 1/4" x 1/16" dia.	QR	Steel	9/37
EG7.88.51	. . END-LOCATOR, ASSEMBLY	1	Comm. MS	9/26
	Spares for:—			
†	. . . CHAIN, link, 1/2" x 1/4" x .062" dia	QR	Steel	9/23
EG7.88.79	. . . LOCATOR, plug	1	S56	9/24
A417	. . . PIN, "pip", type A	1	—	9/25
EG7.88.57	. . . ROLLER, ASSEMBLY	2	S95	9/28
	Spares for:—			
EG7.88.61	 BUSH	1	Bronze BS369	9/29
	Attaching parts for EG7.88.57:—			
A27/GS	. . . Nut, 5/16" BSF slotted	1	—	9/30
SP90/C7	. . . Pin, split	1	—	9/31
EG7.88.63	. . . Washer, special	1	S1	9/32
EG7.88.55	. . . SPINDLE, roller	2	S95	9/33
	Attaching parts for EG7.88.55:—			
A25/1B	. . . Bolt, 4" BA hex. head	5	—	9/34
SP13/N	. . . Washer, 1/2" BSF plain	2	—	9/35
EG7.88.297	. . PAD	4	S92	9/27
A405	. . PIN, "pip", type A	2	—	9/36

GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	—	TEMPLATES, NEUTRAL RIGGING, ASSEMBLY							—	—	—	10/3
		(E.A3.88.221)										
		Spares for:—										
95265	E.A3.88.247	TEMPLATE, neutral rigging, rudder							1	—	B	10/1
95266	E.A3.88.257	TEMPLATE, neutral rigging, aileron							1	—	B	10/2
95267	E.A3.88.223	TEMPLATE, neutral rigging, elevator							1	—	B	10/5
95619	E.A3.88.5053	TEST-SET, AIR VENTILATED SUIT,							1	—	A	8/34
		ASSEMBLY										
		Consisting of:—										
	E.A3.88.5069	ADAPTOR, test gauge, assembly							1	—	—	8/27
	E.A3.88.5077	ADAPTOR, test gauge, assembly							1	—	—	8/26
	E.A3.88.5055	CASE, carrying, assembly							1	—	—	8/32
	6685-420483	GAUGE, test, 0—30 lb sq. in							1	—	—	8/35
	6685-420491	GAUGE, test, 0—200 lb sq. in							1	—	—	8/33
	E.A3.88.5057	ORIFICE, test							3	—	—	8/30
	E.A3.88.5059	PLUG, blanking, assembly							1	—	—	8/31
	E.A3.88.5061	PLUG, blanking, assembly							1	—	—	8/28
	E.A3.88.5063	PLUG, blanking, assembly							1	—	—	8/29
95649	E.G7.88.299	TDOL, SETTING, WING-TIP POD, GROUP							1	—	A	8/20
		Consisting of:—										
	E.G7.88.307	BASE							1	Comm. MS	—	8/7
	E.G7.88.313	BUSH, locating							2	Steel	—	8/8
	E.G7.88.327	GASKET, setting, assembly							1	—	—	8/18
		Attaching parts for E.G7.88.327:—										
	E.G7.88.341	Retainer, gasket							5	EN3	—	8/19
	UNBRAKO SERIES C	Screw, socket head, 4 BA x 5/8" long							5	—	—	8/21
	E.G7.88.315	GAUGE, setting, armed position							1	Steel	—	8/1
	E.G7.88.319	GAUGE, "no-go", armed position							1	Steel	—	8/3
	E.G7.88.323	GAUGE, go, transit lock position							1	Steel	—	8/4
	EEAS.315/4	LANYARD, "pip", pin							1	—	LM	8/5
26DK/34348	EEAS.315/10	LANYARD, setting gauge ring							3	—	C	8/6
28FP/4062323	A417	PIN, "pip", type A							1	—	C	8/2
	E.G7.88.347	PLATE, identification							1	Brass	—	8/15
		Attaching parts for E.G7.88.347:—										
28S/9992525	A32/B12	Screw, 4 BA round head							4	—	C	8/13
	E.G7.88.329	RING, chain and gauge connecting							6	Steel	—	8/11
28E/9153406	TERRY TYPE 169/1"	RING, split							1	—	C	8/12
	E.G7.88.309	SPIGOT, retaining							1	Steel	—	8/16
		Attaching parts for E.G7.88.309:—										
	UNBRAKO SERIES C	Screw, socket head, 2 BA x 5/8" long							4	—	—	8/17

GROUND EQUIPMENT

R
B

EQUIPMENT ANCILLARY
GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.G7.88.337							SUPPORT, rail	4	—	—	9/7
								Attaching parts for E.G7.88.337:—				
28D/9138768	A25/1/2C							Bolt, 2 BA hex. head	4	—	C	9/8
28W/9419402	SP13/C							Washer, 2 BA plain	4	—	C	9/9
	95640	E.G7.88.345						TRUCK, "SHERPA", special handling, for	1	—	A	9/17
								installing and removal of bomb bay pack units (SALISBURY ENG. 131.AB.5001)				
R	1C/1201252	JENKS BROS EVT.360						WRENCH, torque, for explosive bolts, canopy to fuselage attachment	1	—	A	
R	1C/1201263	†						WRENCH, torque, for attachment bolts	1	—	A	
		—						TRANSPORTATION EQUIPMENT	—	—	—	
	95279	†						BEAM, transportation, fuselage nose (43G/SAL/180)	1	Deal	B	
	95280	†						BEAM, transportation, mid-section, front fuselage .. (43G/SAL/180)	1	Deal	B	
	95281	†						BEAM, transportation, fuselage, rear section (rear) .. (43G/SAL/181)	1	Deal	B	
	95282	†						BEAM, transportation, fuselage, rear section (front) . (43G/SAL/181)	1	Deal	B	
	95285	†						BEAM, transportation, fuselage, mid-section (rear) .. (43G/SAL/182)	1	Ash	B	
	95289	†						BEAM, transportation, mainplane, outer, port	1	Ash	B	
	95290	†						BEAM, transportation, mainplane, outer, starboard . (43G/SAL/194)	1	Ash	B	
	95291	†						BEAM, transportation (support blocks) mainplane .. (43G/SAL/195)	1	RSJ	B	
	95286	†						BLOCK, transportation, mainplane, front	2	Ash	B	
	95287	†						BLOCK, transportation, mainplane, rear	2	Ash	B	
	95288	†						BLOCK, transportation, mainplane, centre	2	Ash	B	
	95598	†						CLAMP-PLATE, front, No. 2 universal trestle, front .. and mid-section transportation (41G/SAL/297)	1 Set	MS	B	
	95599	†						CLAMP-PLATE, rear, No. 2 universal trestle, front ... and mid-section transportation (41G/SAL/298)	1 Set	MS	B	
	95283	†						PEDESTAL, transportation, tailplane (43G/SAL/183)	1	MS	B	
	95284	†						PEDESTAL, transportation, tailplane (43G/SAL/184)	2	MS	B	

[illegible]




FIG.1 GROUND EQUIPMENT
Restricted




FIG.2 GROUND EQUIPMENT




FIG3. GROUND EQUIPMENT
Restricted




FIG.4 GROUND EQUIPMENT




FIG 5. GROUND EQUIPMENT
Restricted




FIG 6. GROUND EQUIPMENT
Restriced




FIG 7. GROUND EQUIPMENT
Restricted




FIG 8. GROUND EQUIPMENT
Restricted




FIG 9. GROUND EQUIPMENT
Restricted




FIG 10. GROUND EQUIPMENT
Restricted




FIG II. GROUND EQUIPMENT
Restricted




FIG.12 EQUIPMENT ANCILLARY GROUND EQUIPMENT

T.MK.17 SECT.G