

AP101B-0418-3A

Page J1

MAINPLANE

AILERON, PORT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
1 2 3 4 5 6				
EA3.24.1	AILERON, PORT, ASSEMBLY	1	—	1/1
EG9.00.225	AILERON, PORT, ASSEMBLY (Spare)	1	—	
	(EA3.24.1) (Mod 5043)			
EG9.00.247	AILERON, PORT, ASSEMBLY (Spare)	1	—	
	(EA3.24.217) (Mod 5111)			
	(Pre-Mod 5349) (Ailerons supplied c/w centre hinge shim EA1.24.901 Ref. 5001)			
EA3.00.5703	AILERON, PORT, ASSEMBLY (Spares for EA3.24.217) (Mod 5349)	1	—	
	Spares for:—			
EA3.24.5	. AILERON, REAR PORTION, ASSEMBLY	1	—	1/2
or				
EA3.24.221	. AILERON, REAR, PORTION, ASSEMBLY	1	—	
	Spares for:—			
EA1.24.259	. . CLIP, tab push rod fairing	1	Spring Steel	1/3
EA1.24.199	. . HOUSING, bearing, tab hinge, outboard	1	L64	1/4
	Attaching parts for EA1.24.199:—			
A25/3C	. . Bolt, 2BA, hex. head	3	—	1/5
A27/CP	. . Nut, 2BA, plain	3	—	1/6
SP15/C	. . Washer, 2BA, plain	3	—	1/7
SP16/C	. . Washer, 2BA, plain	3	—	1/8
EA1.24.247	. . HOUSING, bearing, tab hinge, inboard	1	L40	1/9
	Attaching parts for EA1.24.247:—			
A27/CP	. . Nut, 2BA, plain	4	—	1/10
EEAS1/2C	. . Screw, 2BA, 120° csk. head	4	S96	1/11
SP15/C	. . Washer, 2BA, plain	4	—	1/12
EA1.24.261	. . HOUSING, c/w bearing, tab, hinge, centre	1	—	1/13
	Attaching parts for EA1.24.261:—			
A25/3C	. . Bolt, 2BA, hex. head	2	—	1/14
AS1242/3C	. . Bolt, 2BA, csk. head	1	—	1/15
A27/CP	. . Nut, 2BA, plain	3	—	1/16
SP16/C	. . Washer, 2BA, plain	3	—	1/17
EA1.24.915	. . TAB, fixed	1	—	1/18
—	. ATTACHMENT OF BEARING AT OUTBOARD HINGE RIB 20, ASSEMBLY (EA3.24.177)	—	—	1/19
	Consisting of:—			
SKEFCO	. . BEARING, ballrace	1	—	1/20
CBA3				
AGS2030/45	. . CIRCLIP, internal	1	—	1/21
—	. ATTACHMENT OF TOP AND BOTTOM NOSE SKIN TO AILERON SPAR, ASSEMBLY (EA3.24.183)	—	—	1/22
	Spares for:—			
EA1.24.405	. . COVER, inspection, tab gear	1	L72	1/23
	Attaching parts for EA1.24.405:—			
EA3.24.191	. . Bolt, special, 2BA	6	S95	1/24
EA1.24.271	. . STOP, rubber aileron control	2	S/H55	1/25
EA1.24.269	. FAIRING, aileron tab push rod	1	L59	1/26
—	. TAB, AILERON HINGE, ASSEMBLY (EA3.24.175)	—	—	1/27
	Consisting of:—			
SKEFCO CBA.0	. . BEARING, ballrace	2	—	1/28
EA1.24.231	. . BOLT, special, aileron inboard hinge	1	S96	1/29
EA1.24.263	. . BOLT, special, 2BA, tab control attachment	1	S65	1/30
AGS2030/15	. . CIRCLIP, internal	2	—	1/31

MAINPLANE

AILERON, PORT

Part Number	1 2 3 4 5 6	Description	No. Off	Matl. Spec.	Plate No.
A27/CS	. . .	NUT, 2BA, thin slotted	1	—	1/32
SP90/C5	. . .	PIN, split	1	—	1/33
EA1.24.923	. . .	TAB, AILERON HINGE, ASSEMBLY (Pre—Mod 5043)	1	—	1/34
EG9.00.227	. . .	TAB, AILERON, PORT, ASSEMBLY (Spare) (EA1.24.923) (Mod 5043)	1	—	
EG9.00.245	. . .	TAB, AILERON, PORT, ASSEMBLY (Spare) (EA1.24.923) (Mod 5111) (Pre—Mod 5349)	1	—	
EA3.00.5781	. . .	TAB, AILERON, PORT, ASSEMBLY (Spares for EA1.24.923) (Mod 5349) Spares for:—	1	—	
EA1.24.251	. . .	LUG, half, centre hinge Attaching parts for EA1.24.251:—	1	L40	1/35
A25/1C	. . .	Bolt, 2BA, hex. head	2	—	1/36
AS1242/1C	. . .	Bolt, 2BA, csk. head	1	—	1/37
EA1.24.955	. . .	Shim (if required, max. thick 0" .022)	1	Lam. Alum.	1/38
EA1.24.252	. . .	LUG, half, centre hinge Attaching parts for EA1.24.252:—	1	L40	1/39
A25/1C	. . .	Bolt, 2BA, hex. head	2	—	1/40
AS1242/1C	. . .	Bolt, 2BA, csk. head	1	—	1/41
EA1.24.956	. . .	Shim (if required, max. thick 0" .022)	1	Lam. Alum.	1/42
EA1.24.227	. . .	SOCKET, hinge, inboard and outboard	2	L40	1/43
EA1.24.229	. . .	SPINDLE, hinge, outboard	1	S11	1/44
—	. . .	TUBE, TORQUE, AND TAB OPERATING GEAR, ASSEMBLY (EA3.24.173 or EA3.24.219) Spares for:—	—	—	2/1
HOFFMANN T17	. . .	BEARING, ballrace	1	—	2/2
HOFFMANN BAL5/8"	. . .	BEARING, ballrace	1	—	2/3
SKEFCO CBS3	. . .	BEARING, ballrace	1	—	2/4
EA1.24.225	. . .	BOLT, special, 1/4" BSF, csk. head, blow back rod to bracket attachment, rib 4	3	S11	2/5
EA1.24.263	. . .	BOLT, special, 2BA, tab control attachment	1	S65	2/6
EA1.24.267	. . .	BOLT, special, 2BA, tab control attachment	1	S65	2/7
EA1.24.195	. . .	BRACKET, support, rib 4 Attaching parts for EA1.24.195:—	1	L40	2/8
A25/5E	. . .	Bolt, 1/4" BSF, hex. head	2	—	2/9
SP13/E	. . .	Washer, 1/4" BSF plain	2	—	2/10
EA1.45.987	. . .	Washer, shim	2	—	2/11
EA1.24.301 or	. . .	BUSH, aileron control stop (Pre—Alt. R60/74)	1	DTD625	2/12
EA3.24.215	. . .	BUSH, aileron control stop (Alt. R60/74)	1	—	
AGS2030/22	. . .	CIRCLIP, internal	1	—	2/13
AGS2030/26	. . .	CIRCLIP, internal	1	—	2/14
AGS2031/22	. . .	CIRCLIP, internal	1	—	2/15
EA1.24.243	. . .	LEVER, operating, tab torque tube Attaching parts for EA1.24.243:—	1	L40	2/16
A25/10C	. . .	Bolt, 2BA, hex. head	1	—	2/17
A27/CS	. . .	Nut, 2BA, slotted	1	—	2/18
SP90/C7	. . .	Pin, split	1	—	2/19
EA1.24.245	. . .	Washer, saddle	2	L40	2/20

AP101B-0418-3A

MAINPLANE
AILERON, PORT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
1 2 3 4 5 6				
EA3.24.207	. . . ROD, TAB CONTROL OPERATING GEAR, ASSEMBLY Spares for:—	1	—	2/21
EA1.24.331	 BOLT, special, 2 BA, blow back rod to torsion tube attachment	4	S11	2/22
EA1.24.353	 LEVER, CONTROL ARM, TAB OPERATING, ASSEMBLY Spares for:—	1	—	2/23
EA1.24.359	 BOLT, special, spool attachment	4	S11	2/24
EA1.24.953	 LEVER, C/W BALLRACE, ASSEMBLY Consisting of:—	1	—	2/25
SKEFCO				
CBA.2	 BEARING, ballrace	1	—	2/26
EEAS3/D	 HOUSING, ballrace	1	L65	2/27
EA1.24.355	 LEVER, arm	1	L40	2/28
EEAS4/20C	 WASHER, packing	2	L72	2/29
AGS2002/C/1	 NUT, stiff, 2 BA	4	—	2/30
EA1.24.913	 SPOOL	1	—	2/31
EA1.24.221	 ROD, blow back	1	S96	2/32
EA3.24.205	 TUBE, torsion, assembly	1	L65	2/23
R EA1.24.917	. . . ROD, TAB OPERATING, ASSEMBLY (Pre-Mod. 4930) (Pre Alt R60/14)	1	—	2/34
R or EA3.24.209	. . . ROD, push assembly, tab (Mod. 4930) (Pre Alt R60/14) Spares for:—	1	—	
EA1.24.899	 NUT, special lock	1	S96	2/35
HOFFMANN				
CM.2B	 ROD-END, ball bearing	1	—	2/36
R EA1.24.919	 SOCKET, tab rod, c/w bearing (Pre Alt R60/14)	1	—	2/37
R EK5.24.601	. . . ROD, push assembly (Alt R60/14) (Pre-Mod. 5473)	1	—	2/34
R EA3.24.229	. . . ROD, push assembly (Mod. 5473) Spares for:—	1	—	
HOFFMANN				
R CM2/A	 BEARING, ball, rod end	1	—	2/36
R EA1.24.899	 NUT, special, lock	1	S95	2/35
R EK5.24.603	 SOCKET, assembly (Alt R60/14)	1	—	2/37
EA1.24.391	 TUBE, distance	2	—	2/38
—	. . . SPAR, AILERON, INBOARD (EA1.24.735 or EA3.24.225) Spares for:—	—	—	
EA1.24.197	 BRACKET, hinge	1	—	
or EA3.24.211	 BRACKET, hinge	1	L92	
—	. . . SPAR, AILERON, OUTBOARD (EA1.24.737 or EA3.24.223) Spares for:—	—	—	
EA1.24.193	 HOUSING, bearing	1	—	
or EA3.24.213	 HOUSING, bearing	1	L92	

MAINPLANE
AILERON, PORT

Part Number	Description 1 2 3 4 5 6	No. Off	Matl. Spec.	Plate No.

MAINPLANE

AILERON, STARBOARD

Part Number	Description	No. Off	Matl. Spec.	Plate No.
	1 2 3 4 5 6			
EA3.24.2	AILERON, STARBOARD, ASSEMBLY	1	—	1/45
EG9.00.226	AILERON, STARBOARD, ASSEMBLY (Spare) (EA3.24.2) (Mod 5043)	1	—	
EG9.00.248	AILERON, STARBOARD, ASSEMBLY (Spare) (EA3.24.218) (Mod 5111) (Pre-Mod 5349)	1	—	
EA3.00.5704	AILERON, STARBOARD, ASSEMBLY (Spares for EA3.24.218) (Mod 5349) Spares for:—	1	—	
EA3.24.6 or EA3.24.222	. AILERON, REAR PORTION, ASSEMBLY Spares for:—	1	—	1/46
EA1.24.259	. . CLIP, tab, push rod, fairing	1	Spring Steel	1/3
EA1.24.199	. . HOUSING, bearing, tab hinge, outboard Attaching parts for EA1.24.199:—	1	L64	1/4
A25/3C	. . Bolt, 2BA, hex. head	3	—	1/5
A27/CP	. . Nut, 2BA, plain	3	—	1/6
SP15/C	. . Washer, 2BA, plain	3	—	1/7
SP16/C	. . Washer, 2BA, plain	3	—	1/8
EA1.24.247	. . HOUSING, bearing, tab hinge, inboard Attaching parts for EA1.24.247:—	1	L40	1/9
A27/CP	. . Nut, 2BA, plain	4	—	1/10
EEAS1/2C	. . Screw, 2BA, 120° csk. head	4	S96	1/11
SP15/C	. . Washer, 2BA, plain	4	—	1/12
EA1.24.262	. . HOUSING, c/w bearing, tab hinge, centre Attaching parts for EA1.24.262:—	1	—	1/47
A25/3C	. . Bolt, 2BA, hex. head	2	—	1/14
AS1242/3C	. . Bolt, 2BA, csk. head	1	—	1/15
A27/CP	. . Nut, 2BA, plain	3	—	1/16
SP16/C	. . Washer, 2BA, plain	3	—	1/17
EA1.24.916	. . TAB, fixed	1	—	1/48
—	. ATTACHMENT OF BEARING AT OUTBOARD HINGE RIB 20, ASSEMBLY (EA3.24.177) Consisting of:—	—	—	1/19
SKEFCO CBA3	. . BEARING, ballrace	1	—	1/20
AGS2030/45	. . CIRCLIP, internal	1	—	1/21
—	. ATTACHMENT OF TOP AND BOTTOM NOSE SKIN TO AILERON SPAR, ASSEMBLY (EA3.24.184) Spares for:—	—	—	1/49
EA1.24.405	. . COVER, inspection, tab gear Attaching parts for EA1.24.405:—	1	L72	1/23
EA3.24.191	. . Bolt, special, 2BA	6	S95	1/24
EA1.24.271	. . STOP, rubber, aileron control	2	S/H55	1/25
EA1.24.270	. FAIRING, aileron tab push rod	1	L59	1/50
—	. TAB, AILERON HINGE, ASSEMBLY (EA3.24.176) Consisting of:—	—	—	1/51
SKEFCO CBA0	. . BEARING, ballrace	2	—	1/28
EA1.24.231	. . BOLT, special, aileron inboard hinge	1	S96	1/29
EA1.24.263	. . BOLT, special, 2BA, tab control attachment	1	S65	1/30

MAINPLANE

AILERON, STARBOARD

Part Number	Description	No. Off	Matl. Spec.	Plate No.
1 2 3 4 5 6				
AGS2030/15	. . . CIRCLIP, internal	2	—	1/31
A27/CS	. . . NUT, 2BA, slotted	1	—	1/32
SP90/C5	. . . PIN, split	1	—	1/33
EA2.24.924	. . . TAB, AILERON, HINGE, ASSEMBLY (Pre—Mod 5043)	1	—	1/52
EG9.00.228	. . . TAB, AILERON, STARBOARD, ASSEMBLY (Spare) (EA1.24.924) (Mod 5043)	1	—	
EG9.00.246	. . . TAB, AILERON, STARBOARD, ASSEMBLY (Spare) (EA1.24.924) (Mod 5111) (Pre—Mod 5349)	1	—	
EA3.00.5782	. . . TAB, AILERON, STARBOARD (Spares for EA1.24.924) (Mod 5349) Spares for:—	1	—	
EA1.24.251	. . . LUG, half, centre hinge Attaching parts for EA1.24.251:—	1	L40	1/35
A25/1C	. . . Bolt, 2BA, hex. head	2	—	1/36
AS1242/1C	. . . Bolt, 2BA, csk. head	1	—	1/37
EA1.24.955	. . . Shim (if required, max. thick, 0" .022)	1	Lam. Alum.	1/38
EA2.24.252	. . . LUG, half centre hinge Attaching parts for EA1.24.252:—	1	L4	1/39
A25/1C	. . . Bolt, 2BA, hex. head	2	—	1/40
AS1242/1C	. . . Bolt, 2BA, csk. head	1	—	1/41
EA1.24.956	. . . Shim, (if required, max. thick, 0" .022)	1	Lam. Alum.	1/42
EA1.24.227	. . . SOCKET, hinge, inboard and outboard	2	L40	1/43
EA1.24.229	. . . SPINDLE, hinge, outboard	1	S11	1/44
—	. . . TUBE, TORQUE AND TAB OPERATING GEAR, Assembly (EA3.24.174 or EA3.24.220) Spares for:—	—	—	2/39
HOFFMANN T17	. . . BEARING, ballrace	1	—	2/2
HOFFMANN BAL5/8"	. . . BEARING, ballrace	1	—	2/3
SKEFCO	. . . BEARING, ballrace	1	—	2/4
CBS3	. . . BOLT, special, 1/4" BSF, csk. head, blow back to bracket attachment, rib 4	3	S11	2/5
EA1.24.225	. . . BOLT, special, 1/4" BSF, csk. head, blow back to bracket attachment, rib 4	1	S65	2/6
EA1.24.263	. . . BOLT, special, 2BA, tab control attachment	1	S65	2/7
EA1.24.267	. . . BOLT, special, 2BA, tab control attachment	1	L40	2/8
EA1.24.195	. . . BRACKET, support, rib 4 Attaching parts for EA1.24.195:—	1		
A25/5E	. . . Bolt, 1/4" BSF, hex. head	2	—	2/9
SP13/E	. . . Washer, 1/4" BSF, plain	2	—	2/10
EA1.45.987	. . . Washer, shim	2	—	2/11
EA1.24.301 or	. . . BUSH, aileron control stop (Pre Alt. R60/74)	1	DTD625	2/12
EA3.24.215	. . . BUSH, aileron control stop (Alt. R60/74)	1	—	
AGS2030/22	. . . CIRCLIP, internal	1	—	2/13
AGS2030/26	. . . CIRCLIP, internal	1	—	2/14
AGS2031/22	. . . CIRCLIP, internal	1	—	2/15
EA1.24.243	. . . LEVER, operating, tab torque tube Attaching parts for EA1.24.243:—	1	L40	2/16
A25/10C	. . . Bolt, 2BA, hex. head	1	—	2/17
A27/CS	. . . Nut, 2BA, slotted	1	—	2/18
SP90/C7	. . . Pin, split	1	—	2/19
EA1.24.245	. . . Washer, saddle	2	L40	2/20

MAINPLANE
AILERON, STARBOARD

Part Number	Description						No. Off	Matl. Spec.	Plate No.
	1	2	3	4	5	6			
EA3.24.208	.	.	ROD, TAB CONTROL OPERATING GEAR, ASSEMBLY				1	—	2/40
EA1.24.331	.	.	Spares for:— BOLT, special, 2 BA, blow back rod to torsion tube				4	S11	2/22
EA1.24.354	.	.	LEVER, CONTROL ARM, TAB OPERATING, ASSEMBLY				1	—	2/41
EA1.24.359	.	.	Spares for:— BOLT, special, spool attachment				4	S11	24/24
EA1.24.953	.	.	LEVER, C/W BALLRACE, ASSEMBLY Consisting of:—				1	—	2/25
SKEFCO	.	.							
CBA.2	.	.	BEARING, ballrace				1	—	2/26
EEAS3/D	.	.	HOUSING, ballrace				1	L65	2/27
EA1.24.355	.	.	LEVER, arm				1	L40	2/28
EEAS4/20C	.	.	WASHER, packing				2	L72	2/29
AGS2002/C1	.	.	NUT, stiff, 2 BA				4	—	2/30
EA1.24.914	.	.	SPOOL				1	—	2/31
EA1.24.221	.	.	ROD, blow back				1	S96	2/32
EA3.24.205	.	.	TUBE, torsion, assembly				1	L65	2/33
R EA1.24.917	.	.	ROD, TAB OPERATING, ASSEMBLY (Pre-Mod. 4930) (Pre Alt R60/14)				1	—	2/34
R EA3.24.209	.	.	ROD, push, assembly, tab (Mod. 4930) (Alt R60/14) Spares for:—				1	—	
EA1.24.899	.	.	NUT, special lock				1	S95	2/35
HOFFMANN	.	.							
CM.2B	.	.	ROD-END, ball bearing				1	—	2/36
R EA1.24.919	.	.	SOCKET, tab rod, c/w bearing (Pre Alt R60/14)				1	—	2/37
R EK5.24.601	.	.	ROD, push, assembly (Alt R60/14) (Pre-Mod. 5473)				1	—	2/34
R EA3.24.229	.	.	ROD, push, assembly (Mod. 5473) Spares for:—				1	—	
HOFFMANN	.	.							
R CM2/A	.	.	BEARING, ball, rod end				1	—	2/36
R EA1.24.899	.	.	NUT, special, lock				1	S95	2/35
R EK5.24.603	.	.	SOCKET, assembly (Alt R60/14)				1	—	2/37
EA1.24.391	.	.	TUBE, distance				2	—	2/38
—	.	.	SPAR, AILERON, INBOARD (EA1.24.736) or (EA3.24.226) Spares for:—				—	—	
EA1.24.198	.	.	BRACKET, hinge				1	—	
or EA3.24.212	.	.	BRACKET, hinge				1	L92	
—	.	.	SPAR, AILERON, OUTBOARD (EA1.24.738) or (EA3.24.224) Spares for:—				—	—	
EA1.24.193	.	.	HOUSING, bearing				1	—	
or EA3.24.213	.	.	HOUSING, bearing				1	L92	

MAINPLANE
AILERON, STARBOARD

Part Number	Description 1 2 3 4 5 6	No. Off	Matl. Spec.	Plate No.

AP101B-0418-3A

MAINPLANE

FLAPS, PORT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
	1 2 3 4 5 6			
EA1.25.1	. FLAP, OUTER WING, PORT, ASSEMBLY (Pre-Mod 1769)	1	—	3/1
EA9.25.1	. FLAP, OUTER WING, PORT, ASSEMBLY (Mod 1769) (Leading edge to be chamfered on assembly) Spares for:—	1	—	
EA1.25.63	. . BOLT, control link attachment	2	S11	3/2
EA1.25.1E	. . BLOCK, wooden (Pre-Mod 1769)	14	—	
EA1.25.95	. . BLOCK, end (Pre-Mod 1769)	2	—	
EA9.25.25	. . BLOCK, end (Mod 1769)	1	—	
EA9.25.27	. . BLOCK, end (Mod 1769)	1	—	
A27/JS	. . NUT, 3/8" BSF, slotted	2	—	3/4A
SP90/C9	. . PIN, split	2	—	3/11A
EA1.25.67	. . WASHER, bevel, control link attachment	4	L40 or L64	3/6
EEAS28/37EU	. . WASHER, special, 3/8" dia	2	—	3/7A
EEAS28/37FU	. . WASHER	2	—	3/7C
	Attaching parts for EA1.25.1:—			
EA1.25.265	. Bolt, special	2	S15	3/3
A27JS	. Nut, 3/8" BSF	2	—	3/4
SP90/C8	. Pin, split	2	—	3/11
EA1.25.43	. Washer, spherical (datum bracket)	2	S96	3/5
EEAS28/37FU	. Washer	2	—	3/7
	Attaching parts for EA9.25.1:—			
EA1.25.265	. Bolt, special	2	S15	3/3
A27JS	. Nut, 3/8" BSF	2	—	3/4
SP90/C8	. Pin, split	2	—	3/11*
EA1.25.43	. Washer, spherical (datum bracket)	2	S96	3/5
SP122J	. Washer, 3/8"	2	—	3/7B

MAINPLANE

AP101B-0418-3A

FLAPS, PORT

Part Number	Description 1 2 3 4 5 6	No. Off	Matl. Spec.	Plate No.

AP101B-0418-3A

MAINPLANE

FLAPS, STARBOARD

Part Number	Description	No. Off	Matl. Spec.	Plate No.
	1 2 3 4 5 6			
EA1.25.2	. FLAP, OUTER WING, STARBOARD, ASSEMBLY (Leading edge to be chamfered on assembly) (Pre-Mod 1769)	1	—	3/8
EA9.25.2	. FLAP, OUTER WING, STARBOARD, ASSEMBLY (Mod 1769) Spares for:—	1	—	
EA1.25.63	. . BOLT, control link attachment	2	S11	3/2
EA1.25.2E	. . BLOCK, wooden (Pre-Mod 1769)	14	—	
EA1.25.96	. . BLOCK, end (Pre-Mod 1769)	2	—	
EA9.25.26	. . BLOCK, end (Mod 1769)	1	—	
EA9.25.28	. . BLOCK, end (Mod 1769)	1	—	
A27/JS	. . NUT, 3/8" BSF, slotted	2	—	3/4A
SP90/C9	. . PIN, split	2	—	3/11A
EA1.25.67	. . WASHER, bevel, control link attachment	4	L40 or L64	3/6
EEAS28/37EU	. . WASHER, special, 3/8" dia	2	—	3/7A
EEAS28/37FU	. . WASHER	2	+	3/7C
	Attaching parts for EA1.25.2:—			
EA1.25.265	. Bolt, special	2	S15	3/3
A27JS	. Nut, 3/8" BSF	2	—	3/4
SP90/C8	. Pin, split	2	—	3/11
EA1.25.43	. Washer, spherical (datum bracket)	2	S96	3/5
EEAS28/37/FU	. Washer	2	—	3/7
	Attaching parts for EA9.25.2:—			
EA1.25.265	. Bolt, special	2	S15	3/3
A27JS	. Nut, 3/8" BSF	2	—	3/4
SP90/C8	. Pin, split	2	—	3/11
EA1.25.43	. Washer, spherical (datum bracket)	2	S96	3/5
SP122J	. Washer, 3/8"	2	—	3/7B

MAINPLANE
FLAPS, STARBOARD

AP101B-0418-3A

Part Number	Description 1 2 3 4 5 6	No. Off	Matl. Spec.	Plate No.

AP101B-0418-3A

Page JD1

MAINPLANE

FLAPS, PORT

Part Number	Description						No. Off	Matl. Spec.	Plate No.
	1	2	3	4	5	6			
EA1.25.3	.	FLAP, INNER WING, PORT, ASSEMBLY					1	—	3/9
		(Pre—Mod 1769)							
EA9.25.3	.	FLAP, INNER WING, PORT, ASSEMBLY					1	—	
		(Mod 1769) (Leading edge to be chamfered on assembly)							
		Spares for:—							
EA1.25.63	.	BOLT, control link attachment					2	S11	3/2
R A27/JS	.	NUT, 3/8" BSF, slotted					2	—	3/4A
R SP90/C9	.	PIN, split					2	—	3/11A
EA1.25.67	.	WASHER, bevel, control link attachment					4	L40 or L64	3/6
R EEAS28/37EU	.	WASHER, special, 3/8" dia.					2	—	3/7A
R EEAS28/37FU	.	WASHER					2	—	3/7C
		Attaching parts for EA1.25.3:—							
R EA1.25.265	.	Bolt, special					2	S15	3/3
R A27JS	.	Nut, 3/8" BSF					2	—	3/4
R SP90/C8	.	Pin, split					2	—	3/11
R EA1.25.43	.	Washer, spherical (datum bracket)					2	S96	3/5
R EEAS28/37/FU	.	Washer					2	—	3/7
		Attaching parts for EA9.25.3:—							
R EA1.25.265	.	Bolt, special					2	S15	3/3
R A27JS	.	Nut, 3/8" BSF					2	—	3/4
R SP90/C8	.	Pin, split					2	—	3/11
R EA1.25.43	.	Washer, spherical (datum bracket)					2	S96	3/5
R SP122J	.	Washer, 3/8"					2	—	3/7B

MAINPLANE

AP101B-0418-3A

FLAPS, PORT

Part Number	Description 1 2 3 4 5 6	No. Off	Matl. Spec.	Plate No.

MAINPLANE

FLAPS, STARBOARD

Part Number	Description	No. Off	Matl. Spec.	Plate No.
	1 2 3 4 5 6			
EA1.25.4	. FLAP, INNER WING, STARBOARD, ASSEMBLY (Pre-Mod 1769)	1	—	3/9
EA9.25.4	. FLAP, INNER WING, STARBOARD, ASSEMBLY (Mod 1769) (Leading edge to be chamfered on assembly) Spares for:—	1	—	
EA1.25.63	. . BOLT, control link attachment	2	S11	3/2
R A27/JS	. . NUT, 3/8" BSF, slotted	2	—	3/4A
R SP90/C9	. . PIN, split	2	—	3/11A
EA1.25.67	. . WASHER, bevel, control link attachment	4	L40 or L64	3/6
EEAS28/37EU	. . WASHER, special, 3/8" dia	2	—	3/7A
R EEAS28/37FU	. . WASHER	2	—	3/7C
	Attaching parts for EA1.25.4:—			
R EA1.25.265	. Bolt, special	2	S15	3/3
R A27JS	. Nut, 3/8" BSF	2	—	3/4
R SP90/C8	. Pin, split	2	—	3/11
R EA1.25.43	. Washer, spherical (datum bracket)	2	S96	3/5
R EEAS28/37/FU	. Washer	2	—	3/7
	Attaching parts for EA9.25.4:—			
R EA1.25.265	. Bolt, special	2	S15	3/3
R A27JS	. Nut, 3/8" BSF	2	—	3/4
R SP90/C8	. Pin, split	2	—	3/11
R EA1.25.43	. Washer, spherical (datum bracket)	2	S96	3/5
R SP122J	. Washer, 3/8"	2	—	3/7B

MAINPLANE
FLAPS, STARBOARD

AP101B-0418-3A

Part Number	Description 1 2 3 4 5 6	No. Off	Matl. Spec.	Plate No.

AP.101B-0418-3A

MAINPLANE
UNDERCARRIAGE DOOR
C/W MECHANISM PORT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
	1 2 3 4 5 6			
EA1.20.10733	DOOR UNDERCARRIAGE C/W MECHANISM PORT ASSEMBLY (Supplied to Drg Part No. EA3.00.1053 for spares purposes) Spares for:-	1	—	10/1
R EA3.20.869	. DOOR, undercarriage assembly port Spares for:-	1	—	
R EA3.20.1559	. . SEAL (Pre-Mod 5282)	1	—	10/81
R EA3.20.5313	. . SEAL (Mod 5282) (0.125" thick x 0.5" wide x 16" long)	1	DTD.5514A GRADE C	
R EA3.20.1561	. . SEAL (Pre-Mod 5282)	1	—	10/82
R EA3.20.5315	. . SEAL (Mod 5282) (0.125" thick x 0.5" wide x 37.5" long)	1	DTD.5514A GRADE C	
R EA3.20.1627	. . SEAL, 'P' (Make from EEAS121) (26FZ/4432) (Pre-Mod 5282)	1	—	10/83
R EA3.20.5317	. . SEAL, 'P' (Make from EEAS843) (26FZ/6147758) (Mod 5282)	1	—	
EA1.20.1141	. HINGE, aft undercarriage door (EA3.00.605) Attaching parts for EA1.20.1141:-	1	L.40	10/2
EA3.20.2405	. Bolt, special	5	S.95 or S.96	10/3
EA3.20.937	. Packing	1	L.72	10/4
EA1.20.1379	. Shim	1	Lam Alum	10/4A
SP15C	. Washer, 2 BA plain	QR	—	10/4B
R EB8.20.5351X4	. HINGE, forward, undercarriage door Attaching parts for EB8.20.5351X4:-	1	L.40	10/5
EA3.20.2405	. Bolt, special	8	S.95 or S.96	10/3
EA3.20.935	. Packing	2	L.72	10/6
EA1.20.1377	. Shim	2	Lam Alum	10/6A
SP15C	. Washer, 2 BA plain	QR	—	10/4B
EA1.20.1175	. HOUSING, locking pin aft Attaching parts for EA1.20.1175:-	1	L.40	10/7
A25/4C	. Bolt, 2 BA hex head	4	—	10/8
EA1.20.3141	. Shim	1	Alum Alloy	10/8A
EA1.20.1183	. HOUSING, locking pin forward Attaching parts for EA1.20.1183:-	1	L.40	10/9
A25/4C	. Bolt, 2 BA hex head	4	—	10/8
EA1.20.3143	. Shim	1	Alum Alloy	10/9A
EA9.20.2773	. LEVER, bellcrank assembly Attaching parts for EA9.20.2773:-	1	S514	10/10
A27ES	. Nut, 1/4" BSF slotted	1	—	10/11
EA1.20.2935	. Pin special	1	DTD126	10/12
R SP90C8	. Pin split	1	—	10/12A
SP13E	. Washer, 1/4" BSF plain	1	—	10/13
EA3.20.1777	. LEVER, door lock operating (Pre-Mod 4704) Attaching parts for EA3.20.1777:-	1	L.40	10/14
AGS899/6	. Attaching parts for EA3.20.1777:	1	—	10/15
SP4Y/F12	. Pin, shackle	1	—	10/16
R SP90E7	. Pin, split	1	—	10/16A
EA3.20.3901	. LEVER, door locking (Mod 4704) Attaching parts for EA2.20.3901:-	1	Steel S1	10/80
AGS899/6	. Collar	1	—	10/15
SP4Y/F12	. Pin, shackle	1	—	10/16
R SP90E7	. Pin, split	1	—	10/16A

MAINPLANE
UNDERCARRIAGE DOOR
C/W MECHANISM PORT

	Part Number	Description	No. Off	Matl. Spec.	Plate No.
		1 2 3 4 5 6			
R	EA1.20.2363	. LEVER, door lock operating Attaching parts for EA1.20.2363:-	1	L.40	10/17
R	A59/10G or A59/12G	. Bolt, 5/16" BSF	1	—	10/18
R	AGS899/6	. Collar	1	—	10/19
R	SP4Y/F22	. Pin, shackle	1	—	10/20
R	SP90E7	. Pin, split	1	—	10/20A
R	EA1.20.2387	. Screw, locating (Pre-Mod 5035)	1	S.11	10/21
R	EA3.20.1563	. Screw, locating (Mod 5035)	1	—	—
R	EA1.20.2369	. Washer, packIn	3	—	10/22
R	SP47G	. Washer, 5/16" BSF spring	1	—	10/23
	EA3.20.3049	. LINK DOOR CHECK ASSEMBLY Spares for:-	1	—	10/24
	EA3.20.3077	. . BLOCK, packing	1	L.40	10/25
	EA3.20.3079	. . BOLT, special eccentric	1	S.97	10/26
R	A25/19C	. . BOLT, 2 BA	1	—	10/26A
	EA3.20.3071	. . FINGER, mounting Attaching parts for EA3.20.3071:-	1	L.40	10/27
R	A25/7E	. . Bolt, 1/4" BSF	1	—	10/27A
R	A27EP	. . Nut, 1/4" BSF	1	—	10/27B
	EA3.20.3047	. . LINK, check	1	DTD687	10/28
	EA3.20.3043	. . LINK, check	1	L.40	10/29
R	AGS2001C1	. . NUT, 2 BA	2	—	10/26B
	EA3.20.3073	. . PIECE, distance	1	L.40	10/30
	EA3.20.3075	. . TAPPET Attaching parts for EA3.20.3049:-	1	S.1	10/31
	EA3.20.3061	. Bolt, special	1	S.95	10/32
	A27GS	. Nut, 5/16" BSF slotted	1	—	10/33
R	SP90C8	. Pin, split	1	—	10/33A
	SP13G	. Washer, 5/16" BSF plain	1	—	10/34
	SP13J	. Washer, 3/8" BSF plain	1	—	10/35
R	SP15J	. Washer, 3/8" BSF plain	2	—	10/36
	EA3.20.3045	. LINK, door check L.H. Attaching parts for EA3.20.3045:-	1	L.40	10/37
R	EA3.20.3063	. Bolt, special	1	S.95	10/38
R	A27GS	. Nut, 5/16" BSF slotted	1	—	10/33
R	SP90C8	. Pin, split	1	—	10/33A
R	SP13G	. Washer, 5/16" BSF plain	1	—	10/34
R	SP13J	. Washer, 3/8" BSF plain	1	—	10/35
R	SP15J	. Washer, 3/8" BSF plain	1	—	10/36
	EA3.20.3046	. LINK, door check R.H. Attaching parts for EA3.20.3046:-	1	L.40	10/39
R	EA3.20.3063	. Bolt, special	1	—	10/38
R	A27GS	. Nut, 5/16" BSF slotted	1	—	10/33
R	SP90C8	. Pin, split	1	—	10/33A
R	SP13G	. Washer, 5/16" BSF plain	1	—	10/34
R	SP13J	. Washer, 3/8" BSF plain	1	—	10/35
R	SP15J	. Washer, 3/8" BSF plain	1	—	10/36
	EB8.20.5353	. LINK, side Attaching parts for EA3.20.5353:-	2	DTD124	10/40
	EA3.20.3051	. Bolt, special	1	S.95	10/41
	A27GS	. Nut, 5/16" BSF slotted	1	—	10/42
R	SP90C8	. Pin, split	1	—	10/42A
	SP13G	. Washer, 5/16" BSF plain	1	—	10/43

AP.101B-0418-3A

MAINPLANE
UNDERCARRIAGE DOOR
C/W MECHANISM PORT

	Part Number	Description 1 2 3 4 5 6	No. Off	Matl. Spec.	Plate No.
R	EA3.20.3081	. LINK, slave Attaching parts for EA3.20.3081:-	1	DTD	10/44
R	EA3.20.3093	. Bolt, special	1	S.97	10/45
R	AGS2001C1	. Nut, stiff 2 BA	2	—	10/46
R	EA3.20.3087	. Piece, distance	1	—	10/47
R	EEAS28/15FR	. Washer	1	—	10/48
R	SP13C	. Washer	2	—	10/49
R	EA9.20.2779	. PEDESTAL BELLCRANK LEVER ASSEMBLY Spares for:-	1	—	10/50
R	EA1.20.1155	. . BEARING, bellcrank	1	L.40	10/51
R	EA9.20.2775	. . BUSH, bearing Attaching parts for EA9.20.2779:-	1	OILITE	10/52
R	A25/2C	. Bolt, 2 BA	2	—	10/53
	EA9.20.2777	. PIN, locking undercarriage door Attaching parts for EA9.20.2777:-	2	S.95	10/54
R	AGS899/2	. Collar	2	—	10/55
	EA1.20.1179	. Collar locating	1	L.64	10/56
R	SP4Y/B14	. Pin, shackle	2	—	10/57
R	SP90C4	. Pin, split	2	—	10/57A
	EB8.20.4489	. ROD, tie aft plunger Attaching parts for EB8.20.4489:-	1	—	10/58
	AGS899/2	. Collar	1	—	10/59
	SP4Y/B6	. Pin shackle	1	—	10/60
R	SP90C4	. Pin, split	1	—	10/60A
	EA1.20.10849	. ROD TIE BELLCRANK TO OPERATING MECHANISM ASSEMBLY Spares for:-	1	—	10/61
	EA1.50.75	. . BEARING, spherical	1	L.40	10/62
	EA1.20.10847	. . FORK-END	1	—	10/63
	EA1.20.10843	. . HOUSING, bearing rod end	1	S.1	10/64
R	A27GT	. . NUT, 5/16" BSF thin	1	—	10/63A
R	SP28H6	. . PIN, taper Attaching parts for EA1.20.10849:-	4	—	10/61A
	AGS899/2	. Collar	2	—	10/65
	SP4Y/B6	. Pin, shackle	1	—	10/66
	SP4Y/B11	. Pin, shackle	1	—	10/67
R	SP90C4	. Pin, split	2	—	10/65A
	EA1.20.1159	. ROD, tie forward plunger Attaching parts for EA1.20.1159:-	1	DTD126	10/68
	AGS899/2	. Collar	1	—	10/69
	SP4Y/B6	. Pin, shackle	1	—	10/70
R	SP90C4	. Pin split	1	—	10/70A
	EA3.20.2271	. SPRING, locking pin operating Attaching parts for EA1.20.10733:-	2	—	10/71
	EA1.20.1353	Bolt, special	1	S.11	10/72
	EA3.20.3085	Bolt, special	1	—	10/73
	A27CS	Nut, 2 BA slotted	1	—	10/74
	EEAS63E	Nut, 1/4" BSF slotted	1	S.96	10/75
	EA3.20.3089	Piece, distance	1	—	10/76
	EA3.20.3091	Piece, distance	1	—	10/77
R	SP90C8	Pin, split	2	—	10/84
	SP13C	Washer, 2 BA plain	1	—	10/78
	SP13E	Washer, 1/4" BSF plain	1	—	10/79

AP.101B-0418-3A

MAINPLANE
UNDERCARRIAGE DOOR
C/W MECHANISM STARBOARD

	Part Number	Description 1 2 3 4 5 6	No. Off	Matl. Spec.	Plate No.
	EA1.20.10734	DOOR UNDERCARRIAGE C/W MECHANISM STARBOARD ASSEMBLY (Supplied to Drg. Part No. EA3.00.1054 for spares purposes) Spares for:-	1	—	4/1
R	EA3.20.870	. DOOR, undercarriage assembly starboard Spares for:-	1	—	
R	EA3.20.1559	. . SEAL, (Pre-Mod 5282)	1	—	4/97
R	EA3.20.5313	. . SEAL, (Mod 5282) (0.125" thick x 0.5" wide x 16" long)	1	DTD5514A Grade C	
R	EA3.20.1561	. . SEAL, (Pre-Mod 5282)	1	—	4/98
R	EA3.20.5315	. . SEAL, (Mod 5282) (0.125" thick x 0.5" wide x 37.5" long)	1	DTD5514A Grade C	
R	EA3.20.1627	. . SEAL, 'P' (Make from EEAS121) (26FZ/4432) (Pre-Mod 5282)	1	—	4/99
R	EA3.20.5317	. . SEAL, 'P' (Make from EEAS843) (26FZ/6147758)	1	—	
	EA1.20.1141	. HINGE, aft undercarriage door EA3.00.605 Attaching parts for EA1.20.1141:-	1	L.40	4/2
	EA3.20.2405	. Bolt, special	5	S.95 or S.96	4/3
	EA3.20.937	. Packing	1	L.72	4/4
	EA1.20.1379	. Shim	1	Lam Alum	4/5
	SP15C	. Washer, 2 BA plain	QR	—	4/6
R	EB8.20.5352X4	. HINGE, forward undercarriage door Attaching parts for EB8.20.5352X4:-	1	L.40	4/7
	EA3.20.2405	. Bolt, special	8	S.95 or S.96	4/8
	EA3.20.935	. Packing	2	L.72	4/9
	EA1.20.1377	. Shim	2	Lam Alum	4/10
	SP15C	. Washer, 2 BA plain	QR	—	4/11
	EA1.20.1176	. HOUSING, locking pin aft Attaching parts for EA1.20.1176:-	1	L.40	4/12
	A25/4C	. Bolt, 2 BA hex head	4	—	4/13
	EA1.20.3141	. Shim	1	Alum Alloy	4/14
	EA1.20.1184	. HOUSING, locking pin forward Attaching parts for EA1.20.1184:-	1	L.40	4/15
	A25/4C	. Bolt, 2 BA hex head	4	—	4/16
	EA1.20.3143	. Shim	1	Alum Alloy	4/17
	EA9.20.2774	. LEVER, bellcrank assembly Attaching parts for EA9.20.2774:-	1	S514	4/18
	A27ES	. Nut, 1/4" BSF slotted	1	—	4/19
	EA1.20.2935	. Pin, special	1	DTD126	4/20
R	SP90C8	. Pin, split	1	—	4/20A
	SP13E	. Washer, 1/4" BSF plain	1	—	4/21
	EA3.20.1777	. LEVER, door lock operating (Pre-Mod 4704) Attaching parts for EA3.20.1777:-	1	L.40	4/22
	AGS899/6	. Collar	1	—	4/23
	SP4Y/F12	. Pin, shackle	1	—	4/24
R	SP90E7	. Pin, split	1	—	4/24A
	EA3.20.3901	. LEVER, door lock operating (Mod 4704) Attaching parts for EA3.20.3901:-	1	Steel S.1	4/97
	AGS899/6	. Collar	1	—	4/23
	SP4Y/F12	. Pin, shackle	1	—	4/24
R	SP90E7	. Pin, split	1	—	4/24A

MAINPLANE
UNDERCARRIAGE DOOR
C/W MECHANISM, STARBOARD

	Part Number	Description	No. Off	Matl. Spec.	Plate No.
		1 2 3 4 5 6			
R	EA1.20.2364	. LEVER, door lock operating Attaching parts for EA1.20.2364:-	1	L.40	4/25
R	A59/10G or A59/12G	. Bolt, 5/16" BSF	1	—	4/26
R	AGS899/6	. Bolt, 5/16" BSF	1	—	4/27
R	SP4Y/F22	. Collar	1	—	4/28
R	SP90E7	. Pin, shackle	1	—	4/28A
R	EA1.20.2367	. Pin, split	1	—	4/29
R	EA3.20.1563	. Screw, locating (Pre-Mod 5035)	1	S.11	4/29
R	EA3.20.1563	. Screw, locating (Mod 5035)	1	—	4/30
R	EA1.20.2369	. Washer, packing	3	Alum	4/30
R	SP47G	. Washer, 5/16" BSF spring	1	—	4/31
	EA3.20.3050	. LINK DOOR CHECK ASSEMBLY Spares for:-	1	—	4/32
	EA3.20.3077	. . BLOCK, packing	1	L.40	4/33
	EA3.20.3079	. . BOLT, special eccentric	1	S.97	4/34
R	A25/19C	. . BOLT, 2 BA	1	—	4/34A
	EA3.20.3071	. . FINGER, tappet mounting Attaching parts for EA3.20.3071:-	1	L.40	4/35
R	A25/7E	. . Bolt, 1/4" BSF	1	—	4/35A
R	A27EP	. . Nut, 1/4" BSF	1	—	4/35B
	EA3.20.3048	. . LINK, check	1	L.65	4/36
	EA3.20.3044	. . LINK, check	1	L.40	4/37
R	AGS2001C1	. . NUT, 2 BA	2	—	4/34B
	EA3.20.3073	. . PIECE, distance	1	L.40	4/38
	EA3.20.3075	. . TAPPET Attaching parts for EA3.20.3050:-	1	S.1	4/39
	EA3.20.3061	. Bolt, special	1	S.95	4/40
	A27GS	. Nut, 5/16" BSF slotted	1	—	4/41
R	SP90C8	. Pin, split	1	—	4/41A
	SP13G	. Washer, 5/16" BSF plain	1	—	4/42
	SP13J	. Washer, 3/8" BSF plain	1	—	4/43
	SP15J	. Washer, 3/8" BSF plain	2	—	4/44
	EA3.20.3045	. LINK, door check L.H. Attaching parts for EA3.20.3045:-	1	L.40	4/45
R	EA3.20.3063	. Bolt, special	1	S.95	4/46
R	A27GS	. Nut, 5/16" BSF slotted	1	—	4/47
R	SP90C8	. Pin, split	1	—	4/47A
R	SP13G	. Washer, 5/16" BSF plain	1	—	4/48
R	SP13J	. Washer, 3/8" BSF plain	1	—	4/49
R	SP15J	. Washer, 3/8" BSF plain	1	—	4/50
	EA3.20.3046	. LINK, door check R.H. Attaching parts for EA3.20.3046:-	1	L.40	4/51
R	EA3.20.3063	. Bolt, special	1	S.95	4/52
R	A27GS	. Nut, 5/16" BSF slotted	1	—	4/53
R	SP90C8	. Pin split	1	—	4/53A
R	SP13G	. Washer, 5/16" BSF plain	1	—	4/54
R	SP13J	. Washer, 3/8" BSF plain	1	—	4/55
R	SP15J	. Washer, 3/8" BSF plain	1	—	4/56
	EB8.20.5353	. LINK, side Attaching parts for EB8.20.5353:-	2	DTD124	4/57
	EA3.20.3061	. Bolt, special	1	S.95	4/58
	A27GS	. Nut, 5/16" BSF slotted	1	—	4/59
R	SP90C8	. Pin, split	1	—	4/59A
	SP13G	. Washer, 5/16" BSF plain	1	—	4/60

AP.101B-0418-3A

MAINPLANE
UNDERCARRIAGE DOOR
C/W MECHANISM, STARBOARD

	Part Number	Description 1 2 3 4 5 6	No. Off	Matl. Spec.	Plate No.
R	EA3.20.3081	. LINK, slave Attaching parts for EA3.20.3081:-	1	DTD124	4/61
R	EA3.20.3093	. Bolt, special	1	S.97	4/62
R	AGS2001C1	. Nut, stiff, 2 BA	2	—	4/63
R	EA3.20.3087	. Piece, distance	1	—	4/64
R	EEAS28/15FR	. Washer	1	L.72	4/65
R	SP13C	. Washer, 2 BA plain	2	—	4/66
R	EA9.20.2779	. PEDESTAL BELLCRANK LEVER ASSEMBLY Spares for:-	1	—	4/67
R	EA1.20.1155	. . BEARING, bellcrank	1	L.40	4/68
R	EA9.20.2775	. . BUSH, bearing Attaching parts for EA9.20.2779:-	1	Oilite	4/69
R	A25/2C	. Bolt, 2 BA hex head	2	—	4/70
R	EA9.20.2777	. PIN, locking undercarriage door Attaching parts for EA9.20.2777:-	2	S.95	4/71
R	AGS899/2	. Collar	2	—	4/72
R	EA1.20.1179	. Collar, locating	1	L.64	4/73
R	SP4Y/B14	. Pin, shackle	2	—	4/74
R	SP90C4	. Pin, split	2	—	4/74A
	EB8.20.4489	. ROD, tie aft plunger Attaching parts for EB8.20.4489:-	1	—	4/75
	AGS899/2	. Collar	1	—	4/76
	SP4Y/B6	. Pin, shackle	1	—	4/77
R	SP90C4	. Pin, split	1	—	4/77A
	EA1.20.10849	. ROD TIE BELLCRANK TO OPERATING MECHANISM, ASSEMBLY Spares for:-	1	—	4/78
	EA1.50.75	. . BEARING, spherical	1	L.40	4/79
	EA1.20.10847	. . FORK-END	1	—	4/80
	EA1.20.10843	. . HOUSING, bearing rod end	1	S.1	4/81
R	A27GT	. . NUT, 5/16" BSF thin	1	—	4/80A
R	SP28H6	. . PIN, taper Attaching parts for EA1.20.10849:-	4	—	4/78A
	AGS899/2	. Collar	2	—	4/82
	SP4Y/B6	. Pin, shackle	1	—	4/83
	SP4Y/B11	. Pin, shackle	1	—	4/84
R	SP90C4	. Pin, split	2	—	4/82A
	EA1.20.1159	. ROD, tie forward plunger Attaching parts for EA1.20.1159:-	1	DTD126	4/85
	AGS899/2	. Collar	1	—	4/86
	SP4Y/B6	. Pin, shackle	1	—	4/87
R	SP90C4	. Pin, split	1	—	4/87A
	EA3.20.2271	. SPRING, locking pin operating Attaching parts for EA1.20.10734:-	2	—	4/88
	EA1.20.1353	Bolt, special	1	S.11	4/89
	EA3.20.3085	Bolt special	1	—	4/90
	A27CS	Nut, 2 BA slotted	1	—	4/91
	EEAS63E	Nut, 1/4" BSF slotted	1	S.96	4/92
	EA3.20.3089	Piece, distance	1	—	4/93
	EA3.20.3091	Piece, distance	1	—	4/94
R	SP90C8	Pin, split	2	—	4/100
	SP13C	Washer, 2 BA plain	1	—	4/95
	SP13E	Washer, 1/4" BSF plain	1	—	4/96

AP101B-0418-3A

MAINPLANE
MAINPLANE PORT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
	1 2 3 4 5 6			
EG9.00.11	WING PORT ASSEMBLY (Pre-Mod. 5349)	1	—	5/1
EG9.00.287	WING PORT ASSEMBLY (Spares condition port wing based on EG9.00.11 to LTF standard) (Mod. 5349) Spares for:—	1	—	
EA3.40.179	. ADAPTER, lubrication nipple, for side stay pivot bolt	1	S95	5/2
EA3.24.1	. AILERON, PORT ASSEMBLY	1	—	5/3
EG9.00.225	. AILERON, PORT ASSEMBLY (Spare) (EA3.24.1) (Mod. 5043)	1	—	
EG9.00.247	. AILERON, PORT ASSEMBLY (Spare) (EA3.24.217) (Mod. 5111) (Ailerons supplied c/w centre hinge shim EA1.24.901 Ref.5001) (See page J1)	1	—	
EA3.40.177	. BOLT, special side stay pivot	1	S65 or S81	5/4
EA1.40.243	. BOLT, special hinge side stay pivot	1	S65 or S81	5/5
EA1.20.1107	. BOLT, special main undercarriage	1	S65	5/6
EA3.20.2479	. BOLT, special aileron hinge bracket	4	S95	5/7
EA3.04.9547	. CABIN PRESSURE AND COLD AIR SYSTEM (See page ND1)	—	—	
—	. CABIN PRESSURE AND COLD AIR SYSTEM ALTERATIONS (EG9.75.125) Spares for:—	—	—	11/1
AGS605/4 or SP91N	. . CLIP, hose (Pre-Alt R60/91 - Mod. 5102)	1	—	11/2
EEAS66/5	. . CLIP, hose (Alt R60/91 - Mod 5102)	1	—	11/2
EEAS66/14	. . RING, clamping	4	L72	11/3
—	. . RING, clamping	1	L72	11/4
—	. CONDUITS IN WING INSTALLATION (EG9.20.27) Spares for:—	—	—	5/8
EA3.81.2139	. . CLIP, conduit Attaching parts for EA3.81.2139:—	1	—	5/9
A25/1B	. . Bolt, 4 BA hex head	2	—	5/10
AGS2001B1	. . Nut, stiff, 4 BA	2	—	5/11
SP13B	. . Washer, 4 BA plain	2	—	5/12
AS4525/20	. . CLIP, 'P'	2	—	5/13
AS5418/22	. . CLIP, 'P'	5	—	5/14
EG9.81.181	. . CONDUIT, superflexit assembly	1	—	5/15
EG9.81.183	. . CONDUIT, outer wing 1/4" o/d pipe x 20 SWG	1	L54	5/16

MAINPLANE

MAINPLANE PORT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
1 2 3 4 5 6				
EG7.20.385	. . WASHER, pad	1	L.72	5/17
EG9.20.155	. . WASHER, conduit end rib 4	1	L.73	5/18
EA3.57.527	. . WASHER, conduit end rib 2	1	L.17	5/19
—	. CONDUITS INNER WING INSTALLATION (EG9.20.141) Spares for:-	—	—	5/20
EG7.20.373	. . ANGLE, support, rib 6 Attaching parts for EG7.20.373:-	1	L.72	5/21
A25/2C	. . Bolt, 2 BA hex head	2	—	5/22
AGS2001C1	. . Nut, stiff, 2 BA	2	—	5/23
SP13C	. . Washer, 2 BA plain	2	—	5/24
EG7.20.375	. . ANGLE, support rib 4 Attaching parts for EG7.20.375:-	1	L.72	5/25
A25/2C	. . Bolt, 2 BA hex head	2	—	5/26
AGS2001C1	. . Nut, stiff, 2 BA	2	—	5/27
SP13C	. . Washer, 2 BA plain	2	—	5/28
EG7.20.381	. . ANGLE, support rib 5 Attaching parts for EG7.20.381:-	1	L.72	5/29
A25/2C	. . Bolt, 2 BA hex head	2	—	5/30
AGS2001C1	. . Nut, stiff, 2 BA	2	—	5/31
SP13C	. . Washer, 2 BA plain	2	—	5/32
EG7.20.379	. . BRACKET, support rib 2 Attaching parts for EG7.20.379:-	1	L.72	5/33
A25/2C	. . Bolt, 2 BA hex head	3	—	5/34
AGS2001C1	. . Nut, stiff, 2 BA	4	—	5/35
SP13C	. . Washer, 2 BA plain	4	—	5/36
EF3.81.10889	. . CLIP, 'P' conduit Attaching parts for EF3.81.10889:-	4	L.72	5/37
A25/2C	. . Bolt, 2 BA hex head	1	—	5/38
AGS2001C1	. . Nut, stiff, 2 BA	1	—	5/39
SP16C	. . Washer, 2 BA plain	1	—	5/40
EG7.20.385	. . Washer, pad	1	L.72	5/41
EG7.20.383	. . CONDUIT, "superflexit" assembly	2	—	5/42
EA3.57.527	. . WASHER, between conduit and mounting bracket	4	L.17	5/19
R —	. CONDUIT OVER ENGINE NACELLE INSTALLATION (EA9.81.1053) Spares for:-	—	—	6/1
R EA9.81.1069	. . CLIP, conduit inner wing 7 and outer wing rib 1 Attaching parts for EA9.81.1069:-	2	L.72	6/2
R A25/1C	. . Bolt, 2 BA hex head	3	—	6/3
R AGS2001C1	. . Nut, stiff, 2 BA	3	—	6/4
R SP15C	. . Washer, 2 BA plain	3	—	6/5
R EA9.81.1071	. . CLIP, conduit over engine nacelle Attaching parts for EA9.81.1071:-	2	L.72	6/6
R A25/2B	. . Bolt, 4 BA hex head	2	—	6/7
R AGS2001B1	. . Nut stiff, 4 BA	2	—	6/8
R EA3.81.2133	. . Washer, 'D'	1	—	6/9
R EA9.81.1075	. . Washer, square	2	—	6/10

AP.101B-0418-3A

MAINPLANE
MAINPLANE PORT

	Part Number	Description 1 2 3 4 5 6	No. Off	Matl. Spec.	Plate No.
R	EA3.81.2135	. . CLIP, conduit at rib 2 outer wing Attaching parts for EA3.81.2135:-	2	L.72	6/11
R	A25/1C	. . Bolt, 2 BA hex head	2	—	6/12
R	AGS2001C1	. . Nut, stiff, 2 BA	2	—	6/13
R	SP15C	. . Washer, 2 BA plain	2	—	6/14
R	EA3.81.2175	. . CLIP, conduit over engine nacelle Attaching parts for EA3.81.2175:-	2	L.72	6/15
R	A25/2B	. . Bolt, 4 BA hex head	1	—	6/16
R	AGS2001B1	. . Nut, stiff, 4 BA	1	—	6/17
R	EA3.81.2133	. . Washer, 'D'	1	—	6/18
R	EA3.81.2171	. . CONDUIT, over engine nacelle	2	L.54	6/19
R	EA3.81.2173	. . CONDUIT, outboard rib 1 to rib 2 outer wing	2	L.54	6/20
R	EA3.81.1595	. . SLEEVE, conduit connecting	2	—	6/21
	EA1.45.13	. CONTROLS, aileron (See page D1)	—	—	
	EA3.47.21	. CONTROLS, ENGINE (See page DD1)	—	—	
	EA1.50.395	. COWLING ENGINE (See page LB1)	—	—	
	EA3.20.311 or EA3.20.4621	. DOOR, access aileron control joint bottom skin	1	L.73	7/1
	EEAS1/1 1/2C	Attaching parts for EA3.20.311:- . Screw, 2 BA 120 deg c'sk head	20	S.96	7/2
	EA3.20.347	. DOOR, access, air brake operating jack bottom skin	1	L.73	7/3
	EEAS1/2C	Attaching parts for EA3.20.347:- . Screw, 2 BA 120 deg C,sk head	22	S.96	7/4
	EA3.20.353	. DOOR, access rear attachment pin Attaching parts for EA3.20.353:-	1	L.73	7/5
	EEAS1/2C	. Screw, 2 BA 120 deg c'sk head	22	S.96	7/6
	EA3.20.377	. DOOR, access front wing attachment pin top skin	1	L.73	7/7
	EEAS1/2 1/2E	Attaching parts for EA3.20.377:- . Screw, 1/4" BSF 120 deg c'sk head	30	S.96	7/8
	EA3.20.685	. DOOR, access, aileron control bottom skin Attaching parts for EA3.20.685:-	1	L.73	8/1
	EEAS1/2E	. Screw, 1/4" BSF 120 deg c'sk head	30	S.96	8/2
	EA3.20.687	. DOOR, access bottom skin Attaching parts for EA3.20.687:-	1	L.73	8/3
	EEAS1/2 1/2E	. Screw, 1/4" BSF 120 deg c'sk head	30	S.96	8/4
	EA1.20.1045	. DOOR, access electrical equipment bottom skin	1	L.73	8/5
	EEAS1/2E	Attaching parts for EA1.20.1045:- . Screw, 1/4" BSF 120 deg c'sk head	18	S.96	8/6
	EEAS1/5E	. Screw, 1/4" BSF 120 deg c'sk head	20	S.96	8/7

MAINPLANE
MAINPLANE PORT

Part Number	Description 1 2 3 4 5 6	No. Off	Matl. Spec.	Plate No.
EA1.20.1099	. DOOR, access aileron control rod joint bottom skin	2	L73	8/8
EEAS1/1 1/2C	Attaching parts for EA1.20.1099:— . Screw, 2 BA 120 deg c'sk head	18	S96	8/9
EA1.20.1693	. DOOR, access to forward fixing bolts of connecting ring to false spar and rib	2	L73	8/10
EA1.20.2289	. DOOR, access aileron control intermediate joint bottom skin	1	—	8/11
EEAS1/2C	Attaching parts for EA1.20.2289:— . Screw, 2 BA 120 deg c'sk head	26	S96	8/12

AP.101B-0418-3A

MAINPLANE
MAINPLANE PORT

	Part Number	Description 1 2 3 4 5 6	No. Off	Matl. Spec.	Plate No.
R	EA3.00.67	. EQUIPMENT IN INNER WING LEADING EDGE PORT (Mod 714 Amdt No.1) Spares for:-	-	-	
R	EB7.61.1	. . . BOX GEAR AND GENERATOR INSTALLATION Spares for:-	-	-	
R	EA1.50.595	. . . ADAPTOR Attaching parts for EA1.50.595:-	1	-	33/1A
R	AGS1138A	. . . Washer	1	-	33/1B
R	EB7.61.39	. . . BLOCK, steady Attaching parts for EB7.61.39:-	1	-	33/1
R	A25/2B	. . . Bolt, 4 BA	2	-	33/2
R	A25/6B	. . . Bolt, 4 BA	2	-	33/3
R	AGS2001B1	. . . Nut, 4 BA	4	-	33/4
R	AS2810/4/146	. . . Tube, distance	2	-	33/5
R	SP13B	. . . Washer	2	-	33/6
R	SP15B	. . . Washer	2	-	33/7
R	EB7.61.41	. . . BLOCK, steady Attaching parts for EB7.61.41:-	1	-	33/8
R	A25/2B	. . . Bolt, 4 BA	2	-	33/9
R	A25/6B	. . . Bolt, 4 BA	2	-	33/10
R	AGS2001B1	. . . Nut, 4 BA	4	-	33/11
R	AS2810/4/146	. . . Tube, distance	2	-	33/12
R	SP15B	. . . Washer	4	-	33/13
R	TYPE PTG3/3	. . . BOX, gear Attaching parts for TYPE PTG3/3:-	1	-	33/13A
R	EB7.61.1A	. . . Nut, 3/8" BSF (Make from A27JP - Ref 28M/1011473)	4	-	33/13B
R	SP47J	. . . Washer	4	-	33/13C
R	EB7.61.93	. . . BRACKET	1	-	33/13D
R	EB7.61.43	. . . CLAMP, half	1	-	33/15
R	EB7.61.45	. . . CLAMP, half Attaching parts for EB7.61.43 and EB7.61.45:-	1	-	33/16
R	A25/3C	. . . Bolt, 2 BA	2	-	33/17
R	AGS2001C1	. . . Nut, 2 BA	2	-	33/18
R	BUCK & HICKMAN	. . . CHAIN, 'pip' pin safety link 3" long	2	Brass	33/14
R	AS19101B	. . . CLIP, pipe double for drain pipes Attaching parts for	2	-	33/14A
R	A25/1B	. . . Bolt 4 BA	1	-	33/14B
R	AGS2001B1	. . . Nut, 4 BA	1	-	33/14C
R	SP15B	. . . Washer, 4 BA	1	-	33/14D
R	SP91J	. . . CLIP, jubilee	1	-	33/18A
R	SP91N	. . . CLIP, jubilee	2	-	33/19
R	SP144-028	. . . CLIP, jubilee	3	-	33/20
R	EB7.61.37	. . . CONNECTION, elbow stage 12, engine tapping Attaching parts for EB7.61.37:-	1	S.92	33/20A
R	A25/2C	. . . Bolt, 2 BA	3	-	33/20B
R	AGS2001C1/66	. . . Nut, 2 BA	3	-	33/20C
R	SP15C	. . . Washer	3	-	33/20D

MAINPLANE

MAINPLANE, PORT

Part Number	Description						No. Off	Matl. Spec.	Plate No.
	1	2	3	4	5	6			
EB7.61.21	.	.	.	COVER, half (Pre-Mod 1474)			1	—	
R EB7.61.111	.	.	.	COVER, half (Mod 1474)			1	—	33/21
R EB7.61.137	.	.	.	TUBE, flanged			1	—	33/22
R EB7.61.23	.	.	.	COVER, half			1	—	33/23
R TYPE D9	.	.	.	DRIVE, 2 speed generator			1	—	33/24
R 4300	.	.	.	DIPSTICK			2	—	33/25
R EB7.61.25	.	.	.	DUCT, outlet			1	—	33/26
	.	.	.	Attaching parts for EB7.61.25:-					
R AGS2001C1/66	.	.	.	Nut, 2 BA			6	—	33/27
R EEAS1/2C	.	.	.	Screw, 2 BA			6	—	33/28
R SP15C	.	.	.	Washer, 2 BA			6	—	33/29
R EB7.61.53	.	.	.	DUCT, air assembly			1	—	33/30
	.	.	.	Attaching parts for EB7.61.53:-					
R A25/2C	.	.	.	Bolt, 2 BA			2	—	33/31
R AGS2001C1/66	.	.	.	Nut, 2 BA			2	—	33/32
R EB7.61.1B	.	.	.	Packing			QR	L.72	33/33
R EEAS1/1C	.	.	.	Screw, 2 BA			8	—	33/34
R SP15C	.	.	.	Washer, 2 BA			2	—	33/35
R TYPE P3	.	.	.	GENERATOR			1	—	33/36
R EB7.61.87	.	.	.	HOSE, 2.5" i/d x 5.8" long			1	Bells Asbestos	33/37
R AGS1142A	.	.	.	NIPPLE			2	—	33/37A
R AGS1142H	.	.	.	NIPPLE			1	—	33/37B
R AGS2120H	.	.	.	NIPPLE			1	—	33/38
R A405	.	.	.	PIN, "pip" type 'A'			2	—	33/39
R EA1.61.8	.	.	.	PIPE, drain			1	—	33/39A
R EA1.61.41	.	.	.	PIPE, drain			1	—	33/39B
R EB7.61.81	.	.	.	PIPE			1	—	33/39C
R EB7.61.27	.	.	.	PLUG, (Pre-Mod 1474)			1	—	
R EB7.61.33	.	.	.	SEAL			1	—	
R EEAS66/1	.	.	.	RING, clamping			2	—	33/40
R EEAS66/7	.	.	.	RING, clamping			1	—	33/41
R EEAS66/14	.	.	.	RING, clamping			2	—	33/42
R TERRY-169-3/4	.	.	.	RING, split			2	—	33/43
R EB7.61.55	.	.	.	RING, inlet air			1	—	33/44
R EB7.61.57	.	.	.	RING, inlet air			1	—	33/45
R GD9/47	.	.	.	SHAFT, drive			1	—	33/45A
R EB7.61.35	.	.	.	STRAP			4	—	33/46
R EB7.61.91	.	.	.	TUBE, blanking			1	—	33/47
R EB7.61.95	.	.	.	TURNBUCKLE, assembly			2	—	33/48
	.	.	.	Comprises:-					
R EB7.61.47	.	.	.	FORK-END R.H.			1	—	33/49
R EB7.61.49	.	.	.	FORK-END L.H.			1	—	33/50
R A27ET	.	.	.	NUT, 1/4" BSF			1	—	33/51
R A27ETL	.	.	.	NUT, 1/4" BSF			1	—	33/52
R EB7.61.51	.	.	.	TRUNNION			1	—	33/53
	.	.	.	Attaching parts for EB7.61.95:-					
R SP4Y/D7	.	.	.	Pin			1	—	33/54
R SP90C3	.	.	.	Pin split			1	—	33/55
R SP14E	.	.	.	Washer			1	—	33/56

AP101B-0418-3A

MAINPLANE
MAINPLANE, PORT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
	1 2 3 4 5 6			
R EA3.20.2482	. . MOD TO RIB 2, INNER WING, LEADING EDGE, FOR 2 SPEED GENERATOR DRIVE Spares for:—	—	—	
R EA3.20.2481/A	. . . PLATE, reinforcing (Make from L72, 16 SWG)	1	—	34/1
R EA3.20.2339	. . MOD TO GEARBOX MOUNTING SUPPORTS TO SUIT 2 SPEED GENERATOR DRIVE INSTALLATION Spares for:—	—	—	
R EB7.20.117	. . . PLATE, reinforcing	1	—	34/2
R EA3.20.2335	. . OUTLET IN INNER WING LEADING EDGE BOTTOM SKIN FOR GENERATOR AND 2 SPEED DRIVE COOLING AIR Spares for:—	—	—	
R EB7.20.101	. . . DOUBLING	1	—	34/3
R EB7.20.99	. . . RING, reinforcing	1	—	34/4
R EA3.20.2337	. . PANEL, ACCESS, ON TOP SKIN, FOR 2 SPEED GENERATOR DRIVE Spares for:—	—	—	
R EB7.20.103	. . . COVER	1	—	34/5
R F4-3D	. . . FASTENER	4	—	34/6
R GF4-150	. . . GROMMET	4	—	34/7
R S4-250	. . . SPRING	4	—	34/8

MAINPLANE
MAINPLANE, STARBOARD

Part Number	Description 1 2 3 4 5 6	No. Off	Matl. Spec.	Plate No.

A.P.101B-0418-3A		MAINPLANE MAINPLANE, PORT					Page JH5					
Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.A3.81.9	ELECTRICAL EQUIPMENT IN PORT WING (See page ED1)							—	—	—	
	E.A1.60.3	FIRE PROTECTION (See page NH1)							—	—	—	
2975	E.A1.25.1	FLAP, OUTER WING (Pre Mod. 1769) (See page JB1)							1	—	A	8/13
12797	E.A9.25.1	FLAP, OUTER WING (Mod. 1769) (See page JB1)							1	—	A	
2977	E.A1.25.3	FLAP, INNER WING (Pre Mod. 1769) (See page JD1)							1	—	A	8/14
12799	E.A9.25.3	FLAP, INNER, WING (Mod. 1769) (See page JD1)							1	—	A	
	E.A1.57.727	FUEL SYSTEM (See page NN1)							—	—	—	
	E.B6.57.71	FUEL DELIVERY SYSTEM IN PORT INNER WING (See page NS1)							—	—	—	
	—	HOUSING, PYLON SPIGOT, OUTER WING LEADING EDGE, INSTALLATION (E.G9.20.157) Spares for:—							—	—	—	10A/1
	E.G9.20.199	ANGLE, welded							1	L.59	—	10A/2
	E.G9.20.201	ANGLE, fairing							1	L.73	—	10A/3
	E.G9.20.203	ANGLE, fairing							1	L.73	—	10A/4
	E.G9.20.163	BEARING, bottom, assembly Attaching parts for E.G9.20.163:—							1	S.95	—	10A/5
	2103-0610	Jo-bolt, 3/16" dia, c'sk head (Use 28N/2005123)							30	—	—	10A/6
	2103-0613	Jo-bolt, 3/16" dia, c'sk head (Use 28N/1207131)							10	—	—	10A/7
	2103-0611	Jo-bolt, 3/16" dia, c'sk head (Use 28N/2005124)							1	—	—	10A/8
28M/1011475	A27/EP	Nut, 1/4" BSF plain							4	—	C	10A/9
6219	EEAS.1/6E	Screw, 1/4" BSF 120° c'sk head							4	S.96	C	10A/10
28W/9418921	SP13/E	Washer, 1/4" BSF plain							4	—	C	10A/11
1438842	E.G9.20.211	BLOCK, bearing, yaw spigot Attaching parts for E.G9.20.211:—							1	L.65	C	10A/12
28D/1013172	AS.1242/5C	Bolt, 2 BA c'sk head							4	—	C	10A/13
28M/9403520	A27/CP	Nut, 2 BA plain							4	—	C	10A/14
1438843	EEAS.28/4/HU or 2103/0607	Washer Jo-bolt, 3/16" dia, c'sk head (Use 28N/1045380)							4	S.515	C	10A/15
	E.G9.20.161	BRACKET, BEARING, UPPER, ASSEMBLY Spares for:—							1	—	—	10A/17
	E.G9.20.193	BEARING, upper Attaching parts for E.G9.20.161:—							1	S.95	—	10A/18
28D/9133012	A25/3C	Bolt, 2 BA hex. head							16	—	C	10A/19
28M/9403520	A27/CP	Nut, 2 BA plain							16	—	C	10A/20
28W/9419402	SP13/C	Washer, 2 BA plain							16	—	C	10A/21

MAINPLANE
MAINPLANE, PORT

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.G.9.20.173	BRACKET, tee	1	EEDX.264 or L.65	—	10A/22
	E.G9.20.171	CLEAT, top	1	L.73	—	10A/23
	E.G9.20.169	DIAPHRAGM, ASSEMBLY Spares for:—	1	—	—	10A/24
	E.G9.20.197	ANGLE, stiffening	1	L.73	—	10A/25
	E.G9.20.195	DIAPHRAGM	1	L.73	—	10A/26
	E.G9.20.175	DOUBLER, external, top	1	L.73	—	10A/27
	E.G9.20.177	DOUBLER, external, bottom	1	L.73	—	10A/28
	E.G9.20.183	PACKING, diaphragm to spar	1	L.73	—	10A/29
	E.G9.20.185	PACKING, diaphragm to spar	1	L.73	—	10A/30
	E.G9.20.159	PLATE, mounting, top	1	L.65	—	10A/31
	EEAS.251/2201/55E	Attaching parts for E.G9.20.159:— Bolt, 1/4" BSF 120° c'sk head	5	S.97	—	10A/32
	EEAS.251/220/55G	Bolt, 5/16" BSF 120° c'sk head	5	S.97	—	10A/33
	2103-0612	Jo-bolt, 3/16" dia. c'sk head (Use 28N/200125)	10	—	—	10A/34
28M/1011475	A27/EP	Nut, 1/4" BSF plain	5	—	C	10A/35
28W/9418921	A27/GP	Nut, 5/16" BSF plain	5	—	C	10A/36
28W/9418921	SP.13/E	Washer, 1/4" BSF plain	5	—	C	10A/37
28W/9419403	SP.13/G	Washer, 5/16" BSF plain	5	—	C	10A/38
1438844	E.G9.20.179	PLATE, cover, top	1	L.73	C	10A/39
1468	EEAS.1/2C	Attaching parts for E.G9.20.179:— Screw, 2 BA 120° c'sk head	5	S.96	C	10A/40
	E.G9.20.187	SHIM, bearing bracket, 1/16" thick	2	Alum. Alloy	—	10A/41
	E.G9.20.189	SHIM, top mounting plate, 1/32" thick	1	Alum. Alloy	—	10A/42
	E.G9.20.205	SHIM, lower bearing, 1/32" thick	2	Alum. Alloy	—	10A/43
	E.G9.20.207	SHIM, top bearing bracket, 1/32" thick	1	Alum. Alloy	—	10A/44
	E.G9.20.209	SHIM, lower bearing, 1/16" thick	1	Alum. Alloy	—	10A/45
	E.A3.73.539	HYDRAULIC EQUIPMENT (See page NW1)	—	—	—	
	E.A3.04.10911	HYDRAULIC EQUIPMENT IN INNER WING LEADING EDGE (See page NZ1)	—	—	—	
435	E.A1.50.69	LINK, COWL DOOR, GROUP Spares for:—	1	—	B	8/15
379	E.A1.50.75	BEARING, spherical	4	L.40	C	8/16
	E.A1.50.77	FITTING, plug end	4	L.40	—	8/17
436	E.A1.50.71	HOUSING, bearing	4	S.1	C	8/18
	E.A1.50.69A	LINK, tube, 1/2" o/d x 17 SWG	2	T.45	—	8/19
	E.A1.20.701	MECHANISM, FLAP OPERATING (See page DF1)	—	—	—	

AP101B-0418-3A

MAINPLANE
MAINPLANE, PORT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
1 2 3 4 5 6				
SP21	. NIPPLE, lubrication	1	—	5/43
EA1.40.287	. NUT, castle side stay link bolt	2	S96	5/44
EA1.20.1287	. NUT, main undercarriage pivot bolt	1	S96	5/45
EG7.20.911	. PANEL, ACCESS BETWEEN RIB 1 AND 2 BOTTOM SKIN ASSEMBLY Spares for:—	—	—	8/20
EEAS315/10	. . LANYARD panel	1	Nylon	8/21
EG7.20.1075	. . NUT, strip 1/4" BSF assembly	1	—	8/22
EG7.20.917	. . NUT, strip 1/4" BSF	1	—	8/23
EG7.20.919	. . NUT, strip 1/4" BSF	2	—	8/24
EG7.20.920	. . NUT, strip 1/4" BSF	2	—	8/25
EG7.20.913	. . PANEL, access assembly Attaching parts for EG7.20.913:—	1	L73	8/26
EEAS1/1 1/2E	. . Screw, 1/4" 120 deg c'sk head	26	S96	8/27
EA3.20.1813	. PIN, split undercarriage pivot bolt	1	—	5/46
or				
SP90L24	. PIN, split	1	—	
SP4Y/H12	. PIN, air brake jack hinge	1	—	7/9
SP4Y/H17	. PIN, air brake jack hinge	1	—	7/10
EA3.80.659	. PITOT AND STATIC SYSTEM (See page NAD1)	—	—	
EA9.20.1137	. PLATE, locking, undercarriage pivot bolt	1	S514	5/47
EG9.00.155	. PYLON, ASSEMBLY TO WING (See page C1)	—	—	
EA1.24.901	. SHIM, aileron centre hinge	2	Lam Alum	8/28
—	. SPAR MAIN ALTERATIONS TO ROOT END (EA3.20.4965, EA3.20.5125) Spares for EA3.20.4965:—			
EA3.20.4969	. . DOOR, access Attaching parts for EA3.20.4969:—	1	L72	7/50
EEAS1/2 1/2C	. . Bolt, 2 BA	25	—	7/33
EA3.20.4967	. . DOUBLER, external upper Attaching parts for EA3.20.4967:—	1	L73	7/34
EEAS1/3C	. . Bolt, 2 BA	8	—	7/35
EEAS1/3 1/2C	. . Bolt, 2 BA	2	—	7/36
EEAS1/4 1/2C	. . Bolt, 2 BA	11	—	7/37
EEAS1/4E	. . Bolt, 1/4" BSF	7	—	7/38
EA3.20.5161	. . Bolt, special	2	—	7/38
EA3.20.5147	. . Bolt, special	13	—	7/40
AGS2002C1	. . Nut, thin 2 BA	1	—	7/41

MAINPLANE
MAINPLANE, PORT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
	1 2 3 4 5 6			
EA3.20.5127	Spares for EA3.20.5152:- DOUBLER, external lower Attaching parts for EA3.20.5127:-	1	L.73	7/42
EEAS1/3C	Bolt, 2 BA	19	—	7/43
EEAS1/5C	Bolt, 2 BA	18	—	7/44
EEAS1/5-1/2E	Bolt, 1/4" BSF	7	—	7/45
EA3.20.5149	Bolt, special	14	—	7/46
or				
EA3.20.5148	Bolt, special			
AGS2001C1/66	Nut, 2 BA	4	—	7/47
EA3.20.5157	Washer, special	2	—	7/48
EA3.20.5151	Washer, special	—	—	7/49
EA3.20.1129	STOP, block for side stay pivot bolt Attaching parts for EA3.20.1129:-	1	L.40	5/48
AS1242/3C	Bolt, 2 BA c'sk head	2	—	5/49
EA3.20.1	STRUCTURE WING ASSEMBLY (See page JK1)	—	—	
—	SUPPORT COWL HOOP TO WING ASSEMBLY (EA1.50.859) Spares for:-	—	—	7/11
EA3.00.235	SUPPORT, cowl hoop upper Attaching parts for EA1.50.913:-	1	—	7/12
EA1.50.363	Bolt, special 3/8" BSF	4	S.96	7/13
SP13J	Washer, 3/8" BSF plain	4	—	7/14
EA1.50.949	SUPPORT, cowl hoop lower Attaching parts for EA1.50.949:-	1	—	7/15
EA1.50.363	Bolt, special 3/8" BSF	4	S.96	7/13
SP13J	Washer, 3/8" BSF plain	4	—	7/14
EA1.00.67	TIP WING PORT ASSEMBLY (EA3.00.143) (Supplied to Part No. EA3.00.5174) for spares) (See page JM1) Attaching parts for EA1.00.67:-	1	—	8/29
EEAS1/2C	Screw, 2 BA 120 deg c'sk head	92	S.96	8/30
EA1.40.1	UNDERCARRIAGE MAIN (See page R1)	—	—	
EA9.20.1143	WASHER, special main undercarriage pivot bolt	1	—	5/50

MAINPLANE
MAINPLANE, STARBOARD

Part Number	Description	No. Off	Matl. Spec.	Plate No.
	1 2 3 4 5 6			
EG9.00.12	WING STARBOARD ASSEMBLY (Pre-Mod. 5349)	1	—	5/51
EG9.00.288	WING STARBOARD ASSEMBLY (Spares condition starboard wing based on EG9.00.12 to LTF standard)(Mod. 5349) Spares for:—	1	—	
EA3.40.179	. ADAPTER, lubrication nipple, for side stay pivot bolt	1	S95	5/2
EA3.24.2	. AILERON, STARBOARD ASSEMBLY	1	—	5/52
EG9.00.226	. AILERON, STARBOARD ASSEMBLY (Spare) (EA3.24.2) (Mod. 5043)	1	—	
EG9.00.248	. AILERON, STARBOARD ASSEMBLY (Spare) (EA3.24.218) (Mod. 5111) (Ailerons supplied c/w centre hinge shim EA1.24.901 Ref. 5001) (See page JA1)	1	—	
EA3.40.177	. BOLT, special side stay pivot	1	S61 or S81	5/4
EA1.40.243	. BOLT, special hinge side stay link	1	S61 or S81	5/5
EA1.20.1107	. BOLT, special main undercarriage	1	S65	5/6
EA3.20.2479	. BOLT, special, aileron hinge bracket	4	S95	5/7
EA3.04.10941	. CABIN PRESSURE AND COLD AIR SYSTEM (See page NE1)	—	—	
—	. CONDUITS IN WINGS INSTALLATION (EG9.20.28) Spares for:—	—	—	5/53
EA3.81.2139	. . CLIP, conduit Attaching parts for EA3.81.2139:—	1	—	5/9
A25/1B	. . Bolt, 4 BA hex head	2	—	5/10
AGS2001B1	. . Nut, stiff, 4 BA	2	—	5/11
SP13B	. . Washer, 4 BA plain	2	—	5/12
AS4525/20	. . CLIP, 'P'	2	—	5/13
AS5418/22	. . CLIP, 'P'	5	—	5/14
EG9.81.181	. . CONDUIT, superflexit assembly	1	—	5/15
EG9.81.184	. . CONDUIT, outer wing 1/4" o/d pipe x 20 SWG	1	L54	5/54
EG7.20.385	. . WASHER, pad	1	L72	5/17
EG9.20.155	. . WASHER, conduit end rib 4	1	L73	5/18
EA3.57.527	. . WASHER, conduit end rib 2	1	L17	5/19

MAINPLANE
MAINPLANE, STARBOARD

Part Number	Description	No. Off	Matl. Spec.	Plate No.
1 2 3 4 5 6				
—	CONDUITS INNER WING INSTALLATION (EG9.20.142) Spares for:-	—	—	5/55
EG7.20.374	ANGLE, support rib 6 Attaching parts for EG7.20.374:-	1	L.72	5/56
A25/2C	Bolt, 2 BA hex head	2	—	5/22
AGS2001C1	Nut, stiff, 2 BA	2	—	5/23
SP13C	Washer, 2 BA plain	2	—	5/24
EG7.20.376	ANGLE, support rib 4 Attaching parts for EG7.20.376:-	1	L.72	5/57
A25/2C	Bolt, 2 BA hex head	2	—	5/26
AGS2001C1	Nut, stiff, 2 BA	2	—	5/27
SP13C	Washer, 2 BA plain	2	—	5/28
EG7.20.382	ANGLE, support rib 5 Attaching parts for EG7.20.382:-	1	L.72	5/58
A25/2C	Bolt, 2 BA hex head	2	—	5/30
AGS2001C1	Nut, stiff, 2 BA	2	—	5/31
SP13C	Washer, 2 BA plain	2	—	5/32
EG7.20.379	BRACKET, support rib 2 Attaching parts for EG7.20.379:-	1	L.72	5/33
A25/2C	Bolt, 2 BA hex head	4	—	5/34
AGS2001C1	Nut, stiff, 2 BA	4	—	5/35
SP13C	Washer, 2 BA plain	4	—	5/36
EF3.81.10889	CLIP, 'P' conduit Attaching parts for EF3.81.10889:-	4	L.72	5/37
A25/2C	Bolt, 2 BA hex head	1	—	5/38
AGS2001C1	Nut, stiff, 2 BA	1	—	5/39
SP16C	Washer, 2 BA plain	1	—	5/40
EG7.20.385	Washer, pad	1	L.72	5/41
EG7.20.383	CONDUIT, "superflexit" assembly	2	—	5/42
EA3.57.527	Washer between conduit and mounting bracket	4	L.17	5/19
R —	CONDUIT OVER ENGINE NACELLE INSTALLATION (EG9.71.1054) Spares for:-	—	—	6/22
R EA9.81.1069	CLIP, conduit inner wing rib 7 and outer wing rib 1 Attaching parts for EA9.81.1069:-	2	L.72	6/2
R A25/1C	Bolt, 2 BA hex head	3	—	6/3
R AGS2001C1	Nut, stiff, 2 BA	3	—	6/4
R SP15C	Washer, 2 BA plain	3	—	6/5
R EA9.81.1071	CLIP, conduit over engine nacelle Attaching parts for EA9.81.1071:-	2	L.72	6/6
R A25/2B	Bolt, 4 BA hex head	2	—	6/7
R AGS2001B1	Nut, stiff, 4 BA	2	—	6/8
R EA3.81.2133	Washer, 'D'	1	—	6/9
R EA9.81.1075	Washer, square	2	—	6/10

MAINPLANE
MAINPLANE, STARBOARD

Part Number	Description	No. Off	Matl. Spec.	Plate No.
	1 2 3 4 5 6			
R EA3.81.2135	. . CLIP, conduit, at rib 2, outer wing Attaching parts for EA3.81.2135:—	2	L72	6/11
R A25/1C	. . Bolt, 2 BA hex. head	2	—	6/12
R AGS2001/C/1	. . Nut, stiff, 2 BA	2	—	6/13
R SP15/C	. . Washer, 2 BA plain	2	—	6/14
R EA3.81.2175	. . CLIP, conduit, over engine nacelle Attaching parts for EA3.81.2175:—	2	L72	6/15
R A25/2B	. . Bolt, 4 BA hex. head	1	—	6/16
R AGS2001/B/1	. . Nut, stiff, 4 BA	1	—	6/17
R EA3.81.2133	. . Washer, 'D'	1	—	6/18
R EA3.81.2171	. . CONDUIT, over engine nacelle	2	L54	6/19
R EA3.81.2173	. . CONDUIT, rib 1 to rib 2 outer wing	2	L54	6/20
R EA3.81.1595	. . SLEEVE, conduit connecting	2	—	6/21
—	. CONDUIT, OUTER WING, RIB 4B TO RIB 6B, ASSEMBLY (EA4.81.1838) Spares for:—	—	—	5/59
EA3.81.2139	. . CLIP, conduit Attaching parts for EA3.81.2139:—	4	—	5/60
A25/1B	. . Bolt, 4 BA hex. head	2	—	5/61
AGS2001/B/1	. . Nut, stiff, 4 BA	2	—	5/62
SP16/B	. . Washer, 4 BA plain	2	—	5/63
EA4.81.1839	. . CONDUIT, 1-1/4" o/d, rib 4B to 5 and rib 6A to 6B	2	—	5/64
EA4.81.1841	. . CONDUIT, 1-1/4" o/d, rib 5 to 6A	1	—	5/65
EA4.81.1843	. . LINER, conduit jointing	2	—	5/66
—	. CONDUIT, OUTER WING RIB 6B, LEADING EDGE, INSTALLATION (EA4.81.1860) Spares for:—	—	—	5/67
EA4.81.1862	. . BRACKET, main spar web, assembly Attaching parts for EA4.81.1862	1	—	5/68
A25/4E	. . Bolt, 1/4" BSF hex. head	2	—	5/69
A27/EP	. . Nut, 1/4" BSF plain	2	—	5/70
SP16/E	. . Washer, 1/4" BSF plain	2	—	5/71
EA3.81.2139	. . CLIP, conduit Attaching parts for EA3.81.2139:—	2	—	5/72
A25/1B	. . Bolt, 4 BA hex. head	2	—	5/73
EA3.81.2149	. . CONDUIT, assembly	1	—	5/74
	. CONTROLS, AILERON (EA1.45.14) (See page DA1)	—	—	
	. CONTROLS, ENGINE (EA3.47.22) (See page DE1)	—	—	

MAINPLANE
MAINPLANE, STARBOARD

Part Number	1 2 3 4 5 6	Description	No. Off	Matl. Spec.	Plate No.
—		COVER AND HOUSING, ILS GLIDE PATH AERIAL, OUTER WING LEADING EDGE, RIBS 6B—7A, ASSEMBLY (EA4.20.213) Spares for:—	—	—	7/16
EA3.20.1769		COVER, assembly, c/w bushes Attaching parts for EA3.20.1769:—	1	L44	7/17
AS1242/3C		Bolt, 2 BA c'sk head	20	—	7/18
EA3.20.1757		SEAL, neoprene, 0" .02 thick	1	—	7/19
—		COVER, I.L.S. AERIAL ACCESS, OUTER WING LEADING EDGE, RIB 6B—7A, BOTTOM SKIN ASSEMBLY (EA4.20.197) Spares for:—	—	—	7/20
EA3.20.1671		COVER, access Attaching parts for EA3.20.1671:—	1	L72	7/21
EEAS1/1.1/2C		Screw, 2 BA 120° c'sk head	10	S96	7/22
—		COVER AND FRAME, I.L.S. MARKER AERIAL INNER WING LEADING EDGE, ASSEMBLY (EA4.20.215) Spares for:—	—	—	7/23
EA3.20.1791		COVER, assembly, c/w bushes Attaching parts for EA3.20.1791:—	1	L44	7/24
AS1242/3C		Bolt, 2 BA c'sk head	28	—	7/25
AGS2001/B/1		Nut, stiff, 4 BA	4	—	7/26
AGS2001/C/1		Nut, stiff, 2 BA	28	—	7/27
A45/B12		Screw, 4 BA c'sk head	4	—	7/28
—		COWLING, ENGINE (EA1.50.396) (See page LC1)	—	—	
—		DETECTOR-UNIT, G4B, COMPASS, INSTALLATION (EA3.80.1005) Spares for:—	—	—	11/5
6B4343681		DETECTOR-UNIT, type A	1	—	11/6
6B4343814		DETECTOR-UNIT, type B Attaching parts for 6B4343681 or 6B4343814	1	—	11/7
A17/1C		Bolt, 2 BA hex. head	3	—	11/8
AGS2001/C/1		Nut, stiff, 2 BA	3	—	11/9
SP15/C		Washer, 2 BA plain	3	—	11/10
EA3.20.311		DOOR, access, aileron control joint, bottom skin Attaching parts for EA3.20.311:—	1	—	7/1
EEAS1/1-1/2C		Screw, 2 BA 120° c'sk head	20	S96	7/2
EA3.20.347		DOOR, access, air brake operating jack, bottom skin Attaching parts for EA3.47.347:—	1	—	7/3
EEAS1/2C		Screw, 2 BA 120° c'sk head	22	S96	7/4

AP 101B-0418-3A

MAINPLANE

MAINPLANE, STARBOARD

Part Number	Description	No. Off	Matl. Spec.	Plate No.
	1 2 3 4 5 6			
EA3.20.353	. DOOR, access rear wing attachment pin Attaching parts for EA3.20.353:-	1	L.73	7/5
EEAS1/2C	. Screw, 2 BA 120 deg c'sk head	22	S.96	7/6
EA3.20.378	. DOOR, access front wing attachment pin top skin Attaching parts for EA3.20.378:-	1	L.73	7/29
EEAS1/2 1/2E	. Screw, 1/4" BSF 120 deg c'sk head	30	S.96	7/8
EA3.20.685	. DOOR, access aileron control bottom skin Attaching parts for EA3.20.685:-	1	L.73	8/1
EEAS1/2E	. Screw, 1/4" BSF 120 deg c'sk head	30	S.96	8/2
EA3.20.688	. DOOR, access bottom skin Attaching parts for EA3.20.688:-	1	L.73	8/31
EEAS1/2 1/2E	. Screw, 1/4" BSF 120 deg c'sk head	30	S.96	8/4
EA1.20.1046	. DOOR, access electrical equipment bottom skin Attaching parts for EA1.20.1046:-	1	L.73	8/32
EEAS1/2E	. Screw, 1/4" BSF 120 deg c'sk head	18	S.96	8/6
EEAS1/5E	. Screw, 1/4" BSF 120 deg c'sk head	20	S.96	8/7
EA1.20.1099	. DOOR, access aileron control rod joint bottom skin Attaching parts for EA1.20.1099:-	2	L.73	8/8
EEAS1/1 1/2C	. Screw, 2 BA 120 deg c'sk head	18	S.96	8/9
EA1.20.1693	. DOOR, access to forward fixing bolts of connecting ring to false spar and rib	2	L.73	8/10
EA3.20.1819	. DOOR, access outer wing rib 6B-7A bottom skin Attaching parts for EA3.20.1819:-	1	L.73	8/33
EEAS1/1 1/2C	. Screw, 2 BA 120 deg c'sk head	32	S.96	8/34
EA1.20.2289	. DOOR, access aileron control intermediate joint bottom skin Attaching parts for EA1.20.2289:-	1	L.73	8/11
EEAS1/2C	. Screw, 2 BA 120 deg c'sk head	22	S.96	8/12
R EA3.81.10	. ELECTRICAL EQUIPMENT IN STARBOARD WING (See page EF1)	—	—	

MAINPLANE
MAINPLANE, STARBOARD

Part Number	Description 1 2 3 4 5 6	No. Off	Matl. Spec.	Plate No.

MAINPLANE
MAINPLANE, STARBOARD

	Part Number	Description 1 2 3 4 5 6	No. Off	Matl. Spec.	Plate No.
R	EA3.00.68	. EQUIPMENT IN INNER WING LEADING EDGE STARBOARD (Mod 714 Amdt No.1) Spares for:-	-	-	
R	EB7.61.2	. . BOX GEAR AND GENERATOR INSTALLATION Spares for:-	-	-	
R	EA1.50.595	. . . ADAPTOR Attaching parts for EA1.50.595:-	1	-	33/1A
R	AGS1138A	. . . Washer	1	-	33/1B
R	EB7.61.40	. . . BLOCK, steady Attaching parts for EB7.61.40:-	1	-	33/57
R	A25/2B	. . . Bolt, 4 BA	2	-	33/58
R	A25/6B	. . . Bolt, 4 BA	2	-	33/59
R	AGS2001B1	. . . Nut, 4 BA	4	-	33/60
R	AS2810/4/146	. . . Tube, distance	2	-	33/61
R	SP13B	. . . Washer	2	-	33/62
R	SP15B	. . . Washer	2	-	33/63
R	EB7.61.42	. . . BLOCK steady Attaching parts for EB7.61.42:-	1	-	33/64
R	A25/2B	. . . Bolt, 4 BA	2	-	33/65
R	A25/6B	. . . Bolt, 4 BA	2	-	33/66
R	AGS2001B1	. . . Nut, 4 BA	4	-	33/67
R	AS2810/4/146	. . . Tube, distance	2	-	33/68
R	SP15B	. . . Washer	4	-	33/69
R	TYPE PTG3/4	. . . BOX, gear Attaching parts for TYPE PTG3/4:-	1	-	33/69A
R	EB7.61.1A	. . . Nut, 3/8" BSF (Make from A27JP - Ref 28M/1011473)	4	-	33/69B
R	AGS162F	. . . Washer, single spring	4	-	33/69C
R	EB7.61.93	. . . BRACKET	1	-	33/69D
R	EB7.61.43	. . . CLAMP, half	1	-	33/71
R	EB7.61.45	. . . CLAMP, half Attaching parts for EB7.61.43 and EB7.61.45:-	1	-	33/72
R	A25/3C	. . . Bolt, 2 BA	2	-	33/73
R	AGS2001C1	. . . Nut, 2 BA	2	-	33/74
R	BUCK & HICKMAN	. . . CHAIN, 'Pip' pin safety link 3" long	2	Brass	33/70
R	EA3.61.29	. . . CLIP	1	-	33/70A
R	SP91J	. . . CLIP, jubilee	1	-	33/74
R	SP91N	. . . CLIP, jubilee	2	-	33/75
R	SP144-028	. . . CLIP, jubilee	3	-	33/76
R	EB7.61.38	. . . CONNECTION, elbow Attaching parts for EB7.61.38:-	1	S.92	33/76A
R	A25/2C	. . . Bolt, 2 BA	3	-	33/76B
R	AGS2001C1/66	. . . Nut, 2 BA	3	-	33/76C
R	SP15C	. . . Washer	3	-	33/76D

MAINPLANE
MAINPLANE, STARBOARD

	Part Number	Description	No. Off	Matl. Spec.	Plate No.
		1 2 3 4 5 6			
R	EB7.61.22	. . . COVER, half (Pre-Mod 1474)	1	—	
R	EB7.61.112	. . . COVER, half (Mod 1474)	1	—	33/77
R	EB7.61.137	. . . TUBE, flanged	1	—	33/78
R	EB7.61.23	. . . COVER, half	1	—	33/79
R	TYPE D9	. . . DRIVE, 2 speed generator	1	—	33/80
R	4300	. . . DIPSTICK	2	—	33/81
R	EB7.61.26	. . . DUCT, outlet	1	—	33/82
		Attaching parts for EB7.61.26:-			
R	AGS2001C1/66	. . . Nut, 2 BA	6	—	33/83
R	EEAS1/2C	. . . Screw, 2 BA	6	—	33/84
R	SP15C	. . . Washer, 2 BA	6	—	33/85
R	EB7.61.54	. . . DUCT, air assembly	1	—	33/86
		Attaching parts for EB7.61.54:-			
R	A25/2C	. . . Bolt, 2 BA	2	—	33/87
R	AGS2001C1/66	. . . Nut, 2 BA	2	—	33/88
R	EB7.61.1B	. . . Packing	QR	L.72	33/89
R	EEAS1/1C	. . . Screw, 2 BA	8	—	33/90
R	SP15C	. . . Washer, 2 BA	2	—	33/91
R	TYPE P3	. . . GENERATOR	1	—	33/92
R	EB7.61.87	. . . HOSE, 2.5" i/d x 5.8" long	1	Bells Asbestos	33/93
R	AGS1142A	. . . NIPPLE	2	—	33/93A
R	AGS1142H	. . . NIPPLE	1	—	33/93B
R	AGS2120H	. . . NIPPLE	1	—	33/94
R	A405	. . . PIN, 'pip' type 'A'	2	—	33/94A
R	EA1.61.7	. . . PIPE, drain	1	—	33/94B
R	EA1.61.42	. . . PIPE, drain	1	—	33/94C
R	EB7.61.82	. . . PIPE	1	—	33/94D
	EB7.61.27	. . . PLUG, (Pre-Mod 1474)	1	—	
	EB7.61.33	. . . SEAL	1	—	
R	EEAS66/1	. . . RING, clamping	2	—	33/95
R	EEAS66/7	. . . RING, clamping	1	—	33/96
R	EEAS66/14	. . . RING, clamping	2	—	33/97
R	TERRY-169-3/4	. . . RING, split	2	—	33/98
R	EB7.61.55	. . . RING, inlet air	1	—	33/99
R	EB7.61.57	. . . RING, inlet air	1	—	33/100
R	GD9/47	. . . SHAFT, drive	1	—	33/100A
R	EB7.61.35	. . . STRAP	4	—	33/101
R	EB7.61.91	. . . TUBE, blanking	1	—	33/103
R	EB7.61.95	. . . TURNBUCKLE, assembly comprises:-	2	—	33/104
R	EB7.61.47	. . . FORK-END R.H.	1	—	33/105
R	EB7.61.49	. . . FORK-END L.H.	1	—	33/106
R	A27ET	. . . NUT, 1/4" BSF	1	—	33/107
R	A27ETL	. . . NUT, 1/4" BSF	1	—	33/108
R	EB7.61.51	. . . TRUNNION	1	—	33/109
		Attaching parts for EB7.61.95:-			
R	SP4Y/D7	. . . Pin	1	—	33/110
R	SP90C3	. . . Pin, split	1	—	33/111
R	SP14E	. . . Washer	1	—	33/112

AP101B-0418-3A

MAINPLANE
MAINPLANE, STARBOARD

Part Number	Description						No. Off	Matl. Spec.	Plate No.
	1	2	3	4	5	6			
R EA3.20.2481	.	.	.	MOD TO RIB 2, INNER WING LEADING EDGE, FOR 2 SPEED GENERATOR DRIVE			—	—	
R EA3.20.2482/A	.	.	.	PLATE, reinforcing (Make from L72, 16 SWG)			1	—	34/1A
R EA3.20.2340	.	.	.	MOD TO GEARBOX MOUNTING SUPPORTS TO SUIT 2 SPEED GENERATOR DRIVE INSTALLATION			—	—	
R EB7.20.118	.	.	.	PLATE, reinforcing			1	—	34/2A
R EA3.20.2336	.	.	.	OUTLET IN INNER WING LEADING EDGE BOTTOM SKIN FOR GENERATOR AND 2 SPEED DRIVE COOLING AIR			—	—	
R EB7.20.102	.	.	.	DOUBLING			1	—	34/3A
R EB7.20.100	.	.	.	RING, reinforcing			1	—	34/4A
R EA3.20.2338	.	.	.	PANEL, ACCESS, ON TOP SKIN, FOR 2 SPEED GENERATOR DRIVE			—	—	
R EB7.20.103	.	.	.	COVER			1	—	34/5A
R F4-3D	.	.	.	FASTENER			4	—	34/6
R GF4-150	.	.	.	GROMMET			4	—	34/7
R S4-250	.	.	.	SPRING			4	—	34/8