

CANBERRA T.Mk.19

Page L.1/2

SERVICES

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
		SERVICES CANBERRA T.Mk.19 AIRCRAFT									
		Spares for:—Identical to services									
		in the Canberra B.2, AP.101B-0402—3A,									
		except for the following									
		Delete:—									
	EA3-75-141	CABIN PRESSURE SYSTEM IN FRONT						—	—	—	
		FUSELAGE									
	EA3-75-507	CAMERA PIPE RUN, ASSEMBLY (Mod 1163)						—	—	—	
	EA3-75-223	CAMERA PIPE RUN, ASSEMBLY						—	—	—	
	EA3-76-215	DE-MISTING SYSTEM ASSEMBLY (Mod. 76)						—	—	—	
	EA3-76-35	DE-MISTING SYSTEM ASSEMBLY (Pre-Mod. 76)						—	—	—	
	EA1-57-5015	FUEL SYSTEM IN CENRE FUSELAGE						—	—	—	
		ASSEMBLY (Pre-Mod. 648)									
	EA3-57-67	FUEL SYSTEM IN CENTRE FUSELAGE						—	—	—	
		ASSEMBLY (Mod. 648)									
	EA3-73-205	HYDRAULIC EQUIPMENT IN FRONT FUSELAGE						—	—	—	
	EA3-71-519	OXYGEN SYSTEM ASSEMBLY (Mod. 1413)						—	—	—	
		Add:—									
	EA3-75-5053	CABIN PRESSURE SYSTEM, ASSEMBLY						—	—	—	
		(See page LA.1)									
	EA3-76-5001	DE-MISTING SYSTEM, ASSEMBLY						—	—	—	
		(See page LB.1)									
	EA3-57-5015	FUEL SYSTEM ASSEMBLY (Pre-Mod. 648)						—	—	—	
		(See page LC.1)									
	EA3-57-5017	FUEL SYSTEM ASSEMBLY (Mod. 648)						—	—	—	
		(See page LC.2)									
	EA3-73-5005	HYDRAULIC EQUIPMENT IN FRONT						—	—	—	
		FUSELAGE, ASSEMBLY									
		(See page LD.1)									
	EA3-73-5003	HYDRAULIC AND AIR PIPES, WIND BRAKE						—	—	—	
		DOOR, ASSEMBLY (See page LD.3)									
	EA3-73-5089	HYDRAULIC DRIP TRAY AND DRAINAGE						—	—	—	
		SYSTEM ASSEMBLY (See page LD.2)									
	EH5-73-101	MODIFICATIONS TO HYDRAULIC						—	—	—	
		EQUIPMENT IN CENTRE									
		FUSELAGE (MOD. 4710)									
		(See page LD.4)									
	EH5-71-1	OXYGEN SYSTEM, ASSEMBLY (See page LE.1)						—	—	—	
	EA3-75-5127	WINDOW LAUNCHER HEATING ASSEMBLY						—	—	—	
		(See page LF.1)									

Restricted

SERVICES

CABIN PRESSURE SYSTEM

REF. NO.	PART NO.	DESCRIPTION					No. OFF	MATL. SPEC.	Class of Equipt.	Plate and Illust'n. No.
		1	2	3	4	5			M.R.	
	EA3-75-5053	CABIN PRESSURE SYSTEM ASSEMBLY					-	-	-	
		Spares for:-								
14582	EA3-75-5061	ADAPTER, reducing					1	-	C	
16555	EA3-75-547	BRACKET, at pilot's floor assembly					1	-	C/MR	
	EA3-75-483	BRACKET, at frame 6					1	DTD.610	-	
16551	EA3-75-465	BRACKET, mounting louvre frame 6							C/MR	
	EA3-75-5071	DIFFUSER PUPIL PILOT ASSEMBLY					-	-	-	
		Spares for:-								
	EA3-75-5077	BRACKET, diffuser mounting					1	DTD.610	-	
1349	EA3-75-89	CLIP, retaining diffuser					1	DTD.610	C	
6980	EB7-75-23	DIFFUSER, assembly					1	-	B	
	EA3-76-5037	DE-MISTING, INNER CANOPY ASSEMBLY					-	-	-	
		Consisting of:-								
28D/12512	A25-1C	BOLT, 2 B.A. hex.head 0.55 in. long					2	-	C	
28E/8183	AGS.605-1	CLIP, pipe					2	-	C	
5K/206	AGS.1617/3	CLIP					3	-	C	
4612	EA3-76-241	FLANGE, assembly					1	-	C	
28M/12929	A27-CP	NUT, 2 B.A.					2	-	C	
14585	EA3-76-5039	PIPE, ASSEMBLY					1	-	-	
28S/14341		SCREW, self-tapping, 5/16 in. long					3	-	C	
4614	EA3-76-223	VALVE, butterfly type					1	-	B	
12027	EB7-75-83	FAIRLEAD, special, navigator's fishtail connecting pipe, frame 4					1	LFS.21	C	
14583	EA3-75-5079	FISHTAIL NAVIGATOR ASSEMBLY					1	-	B	
		Consisting of:-								
28D/12512	A25-1C	BOLT, 2 B.A.					2	-	C	
14584	EA3-75-5081	BRACKET, fishtail attachment					1	-	-	
5721	EB7-75-49	FISHTAIL, diffuser assembly					1	-	C	
28M/10288	AGS.2001/C1	NUT					2	-	C	
28Q/9417246	LTP/D/424	RIVET, break stem					3	-	C	
28W/12252	SP.13.C	WASHER, 2 B.A. plain					2	-	C	
14588	EA3-75-5057	FISHTAIL, pilot assembly					1	-	B	
		or:-								
	EA3-75-5059	FISHTAIL, pilot assembly					1	-	-	
20635	EB7-75-55	LOUVRE, punkah type DAR.2					1	-	B	
16552	EA3-75-467	LOUVRE BOX, assembly					1	-	C	
5042	THERMOTANKS	LOUVRE, punkah DAR.2					2	-	B	
	K1259/43									
	EB7-75-61	LOUVRE PILOT, (PEDAL GUARDS) ASSEMBLY					-	-	-	
		Spares for:-								
16606	EB7-75-41	BRACKET, punkah louvre mounting					1	DTD.610	C/MR	
5042	THERMOTANKS	LOUVRE, punkah, DAR.2					1	-	B	
	K1259/43									

RESTRICTED

Page LA.2

SERVICES

CABIN PRESSURE SYSTEM

REF. NO.	PART NO.	DESCRIPTION					No. OFF	MATL. SPEC.	Class of Equipt.	Plate and Illust'n. No.
		1	2	3	4	5			M.R.	
16550	EA3-75-443	PIPE BRANCH MAIN, ASSEMBLY					1	-	-	
		Spares for:-					1	-	-	
	EA3-75-445	PIPE, assembly					1	-	-	
	EA3-75-447	PIPE from main branch pipe to branch pipe for pilot's and navigators louvres					1	L.54 or TG	C	
1734 5727 5724	EA3-75-543	PIPE, alternative to EA3-75-447					1	-	-	
	EA3-75-589	PIPE, alternative to EA3-75-447 and EA3-75-543					1	-	-	
	EA3-75-171	PIPE, elbow, cabin de-misting at frame 2					1	T.9	C	
14586	EB7-75-77	PIPE, connecting navigator's fishtail					1	L.54	C	
	EB7-75-71	PIPE, branch, for pilot's louvre pedal guard					1	L.54	C	
14587	EA3-75-5069	PIPE, connecting rear pupil's louvre					1		C	
	EA3-75-5083	PIPE, from branch pipe to pipe connecting rear pupil's louvre					1	L.54		
12233	EA3-75-5063	PIPE, branch, pilot's louvre and fishtail					1	-	C	
	EA3-75-5073	PIPE, flexible, from branch pipe to navigator's louvre					1	Bells Asbestos	-	
1714	EA3-75-599	PIPE, flexible, from branch pipe at frame 2 to branch pipe supplying navigator's fishtail					1	Bells Asbestos	C	
	EA3-75-233	PIPE, flexible, branch pipe to pilot's louvre					1	Bells Asbestos	C	
6878 1446	EA3-75-5065	PIPE, flexible, main branch pipe to pilot's fishtail					1	Bells Asbestos	-	
	EA3-75-5075	PIPE, flexible, branch pipe to pipe connecting rear pupil's louvre					1	Bells Asbestos	-	
1708	EA3-75-5067	PIPE, flexible, connecting forward pupils diffuser					1			
	EEAS.66/2	RING, clamping					6		C	
	EEAS.66/5	RING, clamping					6		C	
	EA3-75-307	SEAL, pipe flange at frame 2					2	Langite		
	EA3-75-145	SLEEVE, connecting, 1.5 in. 1/d x 1/16 x 2.5 in.					6	Silastio	C	
	EA3-75-5093	SLEEVE, connecting, 1.0 in. 1/d x 1/16 x 2.5 in.					3	Silastio		

RESTRICTED

RESTRICTED

Page LA.3

SERVICES

CABIN PRESSURE SYSTEM

REF. NO.	PART NO.	DESCRIPTION					No. OFF	MATL. SPEC.	Class of Equipt.	Plate and Illust'n. No.
		1	2	3	4	5			M.R.	
	EA3-75-5099	STATIC PRESSURE LINE INSTALLATION					-	-	-	
		ASSEMBLY								
		Spares for:-								
28V/13604	AGS.838.9	BUSE, rubber					18	-	C	
6429	EEAS.143/7	CLAMP, single pipe					13	-	C	
	EA3-75-5105	PIPE, static starboard vent to pipe					1	L.56		
		EA3-75-5107								
	EA3-75-5107	PIPE, static, pipe EA3-75-5105 to 3					1	L.56		
		way connection at frame 5								
	EA3-75-5109	PIPE, static, 3 way connection to					1	L.56		
		connection at frame 8 to pipe								
		EA3-75-5111								
	EA3-75-5111	PIPE, static, to control valve at					1	L.56		
		pressure bulkhead								
	EA3-75-5113	PIPE, static, 3 way connection frame 5					1	L.56		
		to pipe EA3-75-5115 connection								
	EA3-75-5115	PIPE, static, pipe connection to pipe					1	L.56		
		EA3-75-5117 connection								
	EA3-75-5117	PIPE, static, to port vent					1	L.56		
3402	EA3-80-1965	PIPE, static, assembly control valve					1	DTD.232	C	
		to 3 way connection								
3400	EA3-80-1649	PIPE, drain, at 3 way connection					1	T.9	C	
		pressure bulkhead								
	EA3-75-5119	PLATE, clamping, at vents					2			
28V/5108	AGS.838/4	UNION, nut					18	-	C	
28V/5104	AGS.838/1	UNION, straight					6	-	C	
28V/5105	AGS.838/2	UNION, 3 way (Tee)					2	-	C	

RESTRICTED

RESTRICTED

Page LA.4

SERVICES

CABIN PRESSURE SYSTEM

REF. NO.	PART NO.	DESCRIPTION					No. OFF	MATL. SPEC.	Class of Equip.	Plate and Illust'n. No.
									M.R.	
		1	2	3	4	5				
		SUMMARY OF STOCK ITEMS USED ON CABIN PRESSURE SYSTEM								
28D/12528	A25-1B	BOLT	4	BA. hex. head, 0.5 in. long			-	-	C	
28D/12511	A25-2B	BOLT	4	BA. hex. head, 0.6 in. long			-	-	C	
28D/12512	A25-1C	BOLT	2	BA. hex. head, 0.55 in. long			-	-	C	
28D/12531	A25-3C	BOLT	2	BA. hex. head. 0.75 in. long			-	-	C	
28D/7064	A25-4C	BOLT	2	BA. hex. head. 0.8 in. long			-	-	-	
28D/6065	A25-5C	BOLT	2	BA. hex. head. 0.9 in. long			-	-	-	
28D/12518	A25-2E	BOLT	1	in. B.S.F. hex. head. 0.7 in. long			-	-	-	
28D/12519	A25-3E	BOLT	1	in. B.S.F. hex. head. 0.8 in. long			-	-	C	
28D/	AS.2292-4B	BOLT	4	B.A. round head in. long			-	-	C	
28D/12137	AS.1246/4B	BOLT	4	BA. round head 0.75 in. long			-	-	C	
28E/14201	AS.1381/18C	CLIP	1	1/8 in. dia.			-	-	C	
28E/14086	AS.1381/16C	CLIP	1	1 in. dia.			-	-	C	
5K/3002	AS.1900/K	CLIP	1	pipe			-	-	C	
28E/8182	AGS.605-0	CLIP	1	hose			-	-	C	
28E/8183	AGS.605-1	CLIP	1	hose			-	-	C	
28E/8184	AGS.605-2	CLIP	1	hose			-	-	C	
28E/8185	AGS.605-3	CLIP	1	hose			-	-	C	
28F/11177	AGS.1159A	CONE	1	cap			-	-	C	
28M/10287	AGS.2001/B1	NUT	1	stiff, 4BA.			-	-	C	
28M/10280	AGS.2001/B3	NUT	1	stiff, 4BA.			-	-	C	
28M/10288	AGS.2001/C1	NUT	1	stiff, 2BA.			-	-	C	
28M/10328	AGS.2001/C2	NUT	1	stiff, 2BA.			-	-	C	
28M/10290	AGS.2001/E1	NUT	1	stiff, 1 in. B.S.F.			-	-	C	
28L/776	A16Y-ET	NUT	1	in. B.S.F. plain			-	-	C	
28P/1201	AGS.166/1	PIN	1	split, 1/16 in. dia.			-	-	C	
28F/5721	AGS.904-A	SLEEVE	1	outer			-	-	C	
28W/12664	SP.14/B	WASHER	4	B.A. plain			-	-	C	
28W/12252	SP13/C	WASHER	2	BA. plain			-	-	C	
28W/9419405	SP.15/E	WASHER	1	in. B.S.F. plain			-	-	C	
28W/8515	AS.470-B	WASHER	4	B.A. plain			-	-	C	
28W/8516	AS.470-C	WASHER	2	B.A. plain			-	-	C	
28W/8518	AS.470-E	WASHER	1	in. B.S.F. plain			-	-	C	
28W/9416644	SP.47/E	WASHER	1	in. B.S.F. spring			-	-	C	
28W/3098	AGS.162-C	WASHER	2	B.A. spring			-	-	C	
28W/7765	AGS.567-A	WASHER	1	jointing			-	-	C	

RESTRICTED

SERVICES
DE-MISTING SYSTEM

Ref. No.	Part No.	Description						No. Off	M.R.		C.O.S. L.M.	Plate No.
		1	2	3	4	5	6		Mat.	Spec.		
	EA3-76-5001	DE-MISTING SYSTEM, ASSEMBLY						—	—	—	—	
		Spares for:—										
5UD/3310	—	BLOWER, type 1						1	—	—	A	
	EA3-76-5015	BRACKET, air drier mounting, assembly						1	—	—	—	
2160	EEAS.112/21	CLIP, rubber hose attachment						7	—	—	C	
1000	EA1-10-1657	CLIP, half, air drier to coaming cross tube, assembly						4	—	—	C	
1815	EA3-76-47	FILTER, AIR, GROUP						1	—	—	B	
		Spares for:—										
		See AP.4326B, Vol. 3										
5X/1200092	Z.1757	GROMMET, starboard side						1	—	—	C	
5K/1200719	SP.40/B16	GROMMET, at collimator bracket						2	—	—	C	
	EA3-76-23	HOSE, connecting, 3/8" o/d x 1/4" i/d x 60" long (Make from Ref. 32C/533)						1	Rubber	—	LM	
	EA3-76-27	HOSE, connecting, 9/16" o/d x 7/16" i/d x 4" long (Make from Ref. 32C/534)						1	Rubber	—	LM	
	EA3-76-5025	HOSE, connecting, 9/16" o/d x 7/16" i/d x 14" long (Make from Ref. 32C/534)						1	Rubber	—	LM	
	EA3-76-5027	HOSE, connecting, 9/16" o/d x 7/16" i/d x 4.5" long (Make from Ref. 32C/534)						1	Rubber	—	LM	
	EA3-76-175	HOSE, connecting, 9/16" o/d x 7/16" i/d x 20" long (Make from Ref. 32C/534)						1	Rubber	—	LM	
	EA3-76-31	HOSE, connecting, 9/16" o/d x 7/16" i/d x 2" long (Make from Ref. 32C/534)						1	Rubber	—	LM	
	EA3-76-33	HOSE, connecting, 9/16" o/d x 7/16" i/d x 1.5" long (Make from Ref. 32C/534)						1	Rubber	—	LM	
	EA3-76-5003	MOUNTING, BLOWER, ASSEMBLY						—	—	—	—	
		Spares for:—										
8974	EA3-76-95	BLOWER, inlet						1	—	—	C	
14594	EA3-76-5009	BLOWER, outlet						1	—	—	C	
14591	EA3-76-5005	PLATE, mounting						1	—	—	C	
14592	EA3-76-5007	PLATE, mounting						1	—	—	C	
14593	EA3-76-5011	STUD, inlet attachment						1	—	—	C	
5049	EA3-76-161	WASHER, joint						1	—	—	C	
5070	EA3-76-91	WASHER						1	—	—	C	
28S/1018882	Type 4101	SCREW, self tapping, No. 6 x 1/4"						1	—	—	C	
	EA3-76-5023	MOUNTING, FILTER, ASSEMBLY						—	—	—	—	
		Spares for:—										
	EA3-76-5021	ANGLE						1	—	—	—	
14589	EA3-76-5017	BRACKET, half clip						1	—	—	C	
14590	EA3-76-5019	BRACKET, half clip						1	—	—	C	
1001	EA3-10-1659	CLIP, half, assembly						2	—	—	C	
1000	EA1-10-1657	CLIP, half, assembly						2	—	—	C	
1004	EA1-10-1663	NUT, knurled, half clips						4	—	—	C	
1004	EA1-10-1663	NUT, knurled, half clips						4	—	—	C	
14595	EA3-76-5029	PIPE, air drier to pipe connection, 1/2" o/d x 36" long x 22 SWG						1	L.54	—	C	
	EA3-76-5043	PIPE, continuation to pipe Pt. No. EA3-76-5029, 1/2" o/d x 22 SWG						1	L.54	—	LM	
14596	EA3-76-5031	PIPE, continuation to pipe Pt. No. EA3-76-5033, 1/2" o/d x 48" long x 22 SWG						1	L.54	—	C	

SERVICES
DE-MISTING SYSTEM

Ref. No.	Part No.	Description						No. Off	M.R.		C.O.S. L.M.	Plate No.
		1	2	3	4	5	6		Mat.	Spec.		
14597	EA3-76-5033	PIPE, continuation to rubber hose, 1/2" o/d x 36" long x 22 SWG						1	L.54		C	
14598	EA3-76-5035	PIPE, from lower air drier to blower, 1/2" o/d x 20" long x 22 SWG						1	L.54		C	
1438991	EA3-76-5049	PIPE, from top air drier to blower, 1/2" o/d x 22 SWG (Mod. 4062)						1	L.54		C	
28S/1008054	Type 4101	SCREW, self tapping, No. 2 x 3/16"						2	—		C	
28S/1214066	Type 4101	SCREW, self tapping, No. 7 x 5/16"						1	—		C	
1372	EA3-76-5	TEE, piece						1	—		C	
2146	EA3-76-201	TUBE, AIR DRIER, LOWER, GROUP						1	—		B	
		Spares for:— See AP.4326B, Vol. 3										
2841	EA3-76-101	TUBE, AIR DRIER, UPPER, GROUP, COUPE						1	—		B	
		Spares for:— See AP.4326B, Vol. 3										
30B/571	—	WIRE, for binding rubber hose						QR	Copper		C	

CANBERRA T.Mk.19

Page LC 1

SERVICES
FUEL SYSTEM IN CENTRE FUSELAGE
(PRE MOD. 648)

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	EA3-57-5015	FUEL SYSTEM IN CENTRE FUSELAGE ASSEMBLY (PRE-MOD. 648) Spares for:—Identical to assembly No. EA1-57-729, AP.101B-0402-3A, except for the following Delete:—									
	EA1-57-249	PIPES AIR AND BLOW-OFF VALVE FORWARD OF FRAME 22 ASSEMBLY AP.101B-0402-3A Add:—									
	EA3-57-5003	DRAIN FOR FUEL VENT SYSTEM ASSEMBLY Spares for:—						—	—	—	
	EA3-57-5023	ANGLE at frames 22 and 24						2	DTD.610	—	
	EA3-57-5027	BRACKET at frame 23						1	—	—	
14528	EA3-57-5013	DRAIN, outlet assembly						1	—	C	
	EA3-57-5037	FAIRLEAD at frame 22						1	LFS.21	—	
	EA3-57-5025	HOSE pipe connection						3	—	—	
	EA3-57-5005	HOUSING BLOW-OFF VALVE ASSEMBLY Spares for:—						1	—	—	
14525	EA3-05-5001	BODY, assembly						1	—	C	
14526	EA3-57-5007	GASKET, at lid						1	—	C	
14527	EA3-57-5009	LID, valve housing						1	—	C	
1648	EA1-57-1073	VALVE AIR RELIEF ASSEMBLY Spares for:— See AP.101B-0402-3A						3	—	A	
	EA3-57-5019	PIPE, 1" o/d x 20 SWG, valve housing to pipe EA3-57-5021 at frame 23						1	L.56	—	
	EA3-57-5021	PIPE, assembly, connecting pipe EA3-57-5019 to drain outlet						1	L.56	—	
	EA3-57-5029	PIPE, AIR 1/2" o/d x 20 SWG, connection at starboard side of blow-off valve						1	DTD.310	—	
	EA3-57-5031	PIPE, AIR 1/2" o/d x 20 SWG, connection at starboard side of blow-off valve						1	DTD.310	—	
	EA3-57-5033	PIPE, AIR 1/2" o/d x 20 SWG, connection at port side of blow-off valve						1	DTD.310	—	
	EA3-57-5035	PIPE, AIR 1/2" o/d x 20 SWG, connection at port side of blow-off valve						1	DTD.310	—	
	EA3-57-5039	RING, reinforcing						1	—	—	

SERVICES
FUEL SYSTEM IN CENTRE FUSELAGE
(PRE MOD. 648)

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	EA3-57-5017	FUEL SYSTEM IN CENTRE FUSELAGE ASSEMBLY (MOD. 648) Spares for:—Identical to assembly No. EA3-57-67, AP.101B-0402-3A, except for the following						—	—	—	
	EA1-57-249	Delete:— PIPES AIR AND BLOW-OFF VALVE FORWARD OF FRAME 22 ASSEMBLY AP.101B-0402-3A						—	—	—	
	EA3-57-5003	Add:— DRAIN FOR FUEL VENT SYSTEM ASSEMBLY Spares for:— (See page LC.1)						1	—	—	
	EH5-57-1	INSTALLATION OF 300 GALLON OVERLOAD FUEL TANK ON FORWARD SECONDARY BOMB BEAM (MOD. 4710) Spares for:—						—	—	—	
11A/6377	EA3-04-15349	BEAM, FORWARD, SECONDARY BOMB ASSEMBLY Spares for:— See AP.101B-0402-3A						1	—	A	
12601	EA3-56-261	BRACKET AND STRAP ASSEMBLY Spares for:— See AP.101B-0402-3A Attaching parts for EA3-56-261:—						4	—	B	
28D/	A59/38J	Bolt						1	—		
28D/1223655	A59/38L	Bolt						1	—	C	
28D/	A59/47N	Bolt						1	—		
28M/1011476	A27/J5	Nut						1	—	C	
28M/9129449	A27/LS	Nut						1	—	C	
28M/13259	A27/NS	Nut						1	—	C	
28W/9155148	SP.122/J	Washer						6	—	C	
28W/9458601	SP.122/L	Washer						6	—	C	
28W/1011187	SP.122/N	Washer						2	—	C	
28P/9527619	SP.90/C7	Split-pin						1	—	C	
28P/9560929	SP.90/E8	Split-pin						2	—	C	
	AS.2808/8/210	Distance tube						1	—		
	AS.2808/10/210	Distance tube						1	—		
20470	EA3-57-259	BRACKET assembly, fuel cock, port						1	—	C	
20471	EA3-57-261	BRACKET assembly, fuel cock, st'bd.						1	—	C	
		Attaching parts for EA3-57-259 or 261:—									
28D/9436920	A25/1C	Bolt						6	—	C	
28M/1278190	AGS.2001/C1	Nut						6	—	C	
28W/9457834	SP.124/D	Washer						6	—	C	
	EH5-57-9	BRACKET, angle Attaching parts for EH5-57-9:—						1	—	—	
28D/9436920	A25/1C	Bolt						2	—	C	
28M/1278190	AGS.2001/C1	Nut						2	—	C	
28W/9419402	SP.13/C	Washer						2	—	C	

CANBERRA T.Mk.19

Page LC.3

SERVICES
FUEL SYSTEM IN CENTRE FUSELAGE
(PRE MOD. 648)

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
7725	EEAS.133	BRACKET, clip						1	—	C	
28D/1010658	A25/1B	Attaching parts for EEAS.133:—						1	—	C	
28M/1278189	AGS.2001/B1	Bolt						1	—	C	
28W/9419474	SP.15/B	Nut						1	—	C	
		Washer						1	—	C	
28E/1012874	AS.3181/16B	CLIP, pipe						1	—	C	
		Attaching parts for AS.3181/16B:—									
28D/1010658	A25/1B	Bolt						1	—	C	
28M/1278189	AGS.2001/B1	Nut						1	—	C	
28W/9419474	SP.15/B	Washer						2	—	C	
5K/4345963	AS.4525/5	CLIP, pipe						8	—	C	
		Attaching parts for AS.4525/5:—									
26DK/11172	EEAS.239/1A	Washer 'D'						1	—	C	
		Plus fairlead attachments									
1439120	EA3-57-5045	CLIP, pipe						11	—	C	
		Attaching parts for EA3-57-5045:—									
28D/1200119	A25/4C	Bolt						2	—	C	
	or										
28D/7002428	A25/6C	Bolt						2	—	C	
28M/1278190	AGS.2001/C1	Nut						2	—	C	
28W/9457834	SP.124/D	Washer						4	—	C	
30B/2107		Bonding gauze						AR	—	C	
1439084	EEAS.143/26H	CLIP, vent pipe bonding						13	—	C	
6879	EEAS.143/28H	CLIP, fuel pipe bonding						8	—	C	
		Attaching parts for EEAS.143 clips:—									
28D/9436920	A25/1C	Bolt						1	—	C	
28M/9403520	A27/CP	Nut						1	—	C	
28W/9416643	SP.47/C	Washer						1	—	C	
12929	EEAS.21/9ER	Washer						1	—	C	
30B/2107		Bonding gauze						AR	—	C	
1444	EEAS.66/3	CLAMPING ring, vent hose						8	—		
1446	EEAS.66/5	CLAMPING ring, fuel hose						8	—		
	AGS.605/1	CLIP, hose (For spares use 28E/)						8	—		
	AGS.605/2	CLIP, hose (For spares use 28E/)						8	—		
		Attaching parts for AGS.605 & EEAS.66:—									
28D/9436920	A25/1C	Bolt						1	—	C	
28D/9403520	A27/CP	Nut						1	—	C	
28W/9416643	SP.47/C	Washer						1	—	C	
22371	EEAS.21/9	Washer						1	—		
	EH5-81-3	ELECTRICAL INSTALLATION FOR 300 GALLON OVERLOAD TANK						—	—	—	
		Spares for:—									
1438625	EB6-80-483	BRACKET, plug break, at F.G.19						1	—	C	
	EA3-81-1807	BRACKET, plug break, at Eng. Inst. Panel						1	—	—	
		Attaching parts for EA3-81-1807:—									
28S/9992524	A32/A8	Screw, 6 BA						4	—	C	
28M/1987493	AGS.2001/A1	Nut, 6 BA						4	—	C	

Page LC.4

SERVICES
FUEL SYSTEM IN CENTRE FUSELAGE
(PRE MOD. 648)

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	EH5-81-5	CABLE ASSEMBLY NS1, FROM E.C.P. to ENG. INST. PANEL						1	—	—	
		Consisting of:—									
5H/4187		Cable, Uninyvin 12						QR	—	C	
5X/2785	Z.22430	Grommet No. 2						1	—	C	
5K/4346875	EEAS.146/6	Sleeve, 1" long						QR	—	C	
5K/4346876	EEAS.146/6	Sleeve, 1" long						QR	—	C	
5K/4346877	EEAS.146/6	Sleeve, 1" long						QR	—	C	
5K/4346878	EEAS.146/12	Sleeve, 1" long						QR	—	C	
5X/9450224	HC.510	Tag, Q.R.						2	—	C	
5X/1930219	HC.314A	Tag, R.T.						2	—	C	
	EH5-81-7	CABLE ASSEMBLY NS2, FROM ENG. INST. PANEL TO SOCKET AT PRESSURE BULKHEAD						1	—	—	
		Consisting of:—									
5E/4187		Cable, Uninyvin 12						QR	—	C	
10H/0970295	CZ.69736	Clamp, cable						1	—	C	
	508/1/07779/001	Clamp, cable						1	—	—	
10H/0970059	Z.60668	Gasket, outlet						1	—	C	
	508/2/07706/300	Gasket, outlet						1	—	—	
10H/0970109	Z.62236	Gasket, union						1	—	C	
	508/2/07722/300	Gasket, union						1	—	—	
10H/0119117	Z.51526	Outlet, straight						1	—	C	
	508/2/07643/001	Outlet, straight						1	—	—	
10H/0970091	Z.62231	Ring, sealing						1	—	C	
	508/2/07709/300	Ring, sealing						1	—	—	
10H/0970097	Z.51342	Ring, thrust						1	—	C	
	508/2/07757/007	Ring, thrust						1	—	—	
5K/4346875	EEAS.146/6	Sleeve, 1" long						QR	—	C	
5K/4346876	EEAS.146/6	Sleeve, 1" long						QR	—	C	
5K/4346877	EEAS.146/6	Sleeve, 1" long						QR	—	C	
5K/4346878	EEAS.146/12	Sleeve, 1" long						QR	—	C	
5K/4346878	EEAS.146/12	Sleeve, 1" long						QR	—	C	
10H/0560160	CZ.51328	Socket, Mk. 4						1	—	C	
	508/1/07006/220	Socket, Mk. 7						1	—	—	
	EH5-81-9	CABLE ASSEMBLY CS2, FROM PRESSURE BULK-HEAD TO PLUG BREAK AT FRAME 19 ST'BD.						1	—	—	
		Consisting of:—									
5E/4187		Cable, Uninyvin 12						QR	—	C	
10H/0970294	CZ.69735	Clamp, cable						1	—	C	
10H/0970295	CZ.69736	Clamp, cable						1	—	C	
	508/1/07779/001	Clamp, cable						1	—	—	
	2Z.84312/B	Gasket, moulding						1	—	—	
10H/0970059	Z.60668	Gasket, outlet						1	—	C	
	508/2/07706/300	Gasket, outlet						1	—	—	
	2Z.139115	Gasket, union						1	—	—	
	Z.62236	Gasket, union						1	—	—	
	508/2/07722/300	Gasket, union						1	—	—	
26DK/12125	EEAS.281/B	Outlet, straight						1	—	C	
10H/0119117	Z.51526	Outlet, straight						1	—	C	
	508/2/07643/001	Outlet, straight						1	—	—	
10H/0560340	CZ.51329	Plug, Mk. 4						1	—	C	
5X/9474	508/1/06402	Plug, standard						1	—	—	
	508/1/07026/220	Plug, Mk. 7						1	—	—	

CANBERRA T.Mk.19

Page LC.5

SERVICES
FUEL SYSTEM IN CENTRE FUSELAGE
(PRE MOD. 648)

Ref. No.	Part No.							No. off	Matl Spec	Cl of Equip. M.R L.M	Plate No
		1	2	3	4	5	6				
	2Z.139104						Ring, sealing	1	—	—	
	508/2/07709/300						Ring, sealing	1	—	—	
	Z.62231						Ring, sealing	1	—	—	
	Z.66473						Ring, thrust	1	—	—	
	Z.51342						Ring, thrust	1	—	—	
	508/2/07757/007						Ring, thrust	1	—	—	
5K/4346875	EEAS.146/6						Sleeve, 1/2" long	QR	—	C	
5K/4346876	EEAS.146/6						Sleeve, 3/4" long	QR	—	C	
5K/4346877	EEAS.146/6						Sleeve, 1" long	QR	—	C	
5K/4346873	EEAS.146/2						Sleeve, 1" long	QR	—	C	
5K/4346878	EEAS.146/12						Sleeve, 1/4" long	QR	—	C	
5K/4346878	EEAS.146/12						Sleeve, 1/2" long	QR	—	C	
5K/4346878	EEAS.146/12						Sleeve, 3/4" long	QR	—	C	
	RAYCHEM										
5F/	TC.4003-CRN						CAP, Thermofit heat shrink, red	1	—	—	
10H/23801							FUSE, 20 amp., type S	2	—	C	
	EH5-81-173						LABEL, switch, overload tank	2	—	—	
10H/19463	508/1/40186/320						PLUG, bulkhead, type 29	1	—	C	
28S/9419411	A31/C32						SCREW, for earth point, FG.19	1	—	C	
28M/9129528	A54/C						NUT	2	—	C	
28M/1278190	AGS.2001/C1						NUT	1	—	C	
17519	EEAS.28/DPH						WASHER, L16	2	—	C	
28W/1010007	SP.22/C						WASHER	2	—	C	
5F/9434858	HV.3254						STRAP, 1/8" wide	6 ft.	—	C	
5F/9138823	NY.3255						STUD	18	—	C	
5CW/9235	AS.10512A-2						SWITCH, overload tank, on Eng. Inst. Panel	2	—	C	
							Attaching parts for 5CW/9235 and label				
							EH5-81-173:—				
28S/1214674	A39/B14						Screw, 4 BA	6	—	C	
	EB7-81-173						Washer, packing	2	—	—	
1439121	EA3-57-5049						FAIRLEAD	1	—	C	
1439122	EA3-57-5051						FAIRLEAD	1	—	C	
1439123	EA3-57-5053						FAIRLEAD	1	—	C	
1439124	EA3-57-5077						FAIRLEAD	1	—	C	
1438789	EG9-75-65						FAIRLEAD	4	—	C	
							Attaching parts for fairleads:—				
28D/1011026	A25/26C						Bolt	6	—	C	
28D/1011027	A25/27C						Bolt	2	—	C	
28M/1278190	AGS.2001/C1						Nut	8	—	C	
28W/9457834	SP.124/D						Washer	8	—	C	
	EEAS.166/20/30						HOSE, rubber, fuel	4	—	—	
22312	EEAS.164/16/25						HOSE, rubber, vent	4	—	C	
	EH5-73-101						HYDRAULIC PIPES (MODIFICATION)				
1439194	EA3-73-5147						PIPE assembly	1	—	C	
1699	EB6-73-333						PIPE assembly	1	—	C	
1700	EB6-73-335						PIPE assembly	1	—	C	
							(See page LD.4)				
5K/1037443	AS.3360C/6C						LEAD, bonding	4	—	C	
5K/7000235	AS.3360C/5C						LEAD, bonding	4	—	C	
28F/9513420	AGS.1142/J						NIPPLE	4	—	C	
28F/1036552	AGS.2120/H						NIPPLE	1	—	C	
28F/4051887	AGS.2120/J						NIPPLE	6	—	C	
1439195	EA3-57-5055						PACKING, at clips and fairleads	9	—	—	
	EH5-57-7						PACKING	2	—	—	

SERVICES
FUEL SYSTEM IN CENTRE FUSELAGE
(PRE MOD. 648)

Ref. No.	Part No.	Description						No. off	Matl Spec	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
21170	EA3-57-493	PIPE	assembly,	fuel				1	—	C	
12976	EA3-57-495	PIPE	assembly,	fuel				1	—	C	
12974	EA3-57-497	PIPE	assembly,	fuel				1	—	C	
12975	EA3-57-499	PIPE	assembly,	fuel				1	—	C	
1439081	EA3-57-5057	PIPE	assembly,	fuel				1	—	C	
1439082	EA3-57-5059	PIPE	assembly,	fuel				1	—	C	
	EA3-57-5061	PIPE	assembly,	fuel				1			
1439126	EA3-57-5063	PIPE	assembly,	fuel				1	—	C	
1439127	EA3-57-5065	PIPE	assembly,	fuel				1	—	C	
1439128	EA3-57-5067	PIPE	assembly,	fuel				1	—	C	
	EH5-57-3	PIPE	assembly,	fuel				2			
43145	EA3-57-5069	PIPE	assembly,	vent				1	—	C	
1439083	EA3-57-5071	PIPE	assembly,	vent				1	—	C	
1439129	EA3-57-5073	PIPE	assembly,	vent				1	—	C	
1439130	EA3-57-5075	PIPE	assembly,	vent				1	—	C	
43146	EA3-57-5079	PIPE	assembly,	vent				1	—	C	
	EH5-80-269	PIPE	pitot					1			
	EH5-80-271	PIPE	pitot					1			
	EH5-80-265	PIPE	static					1			
	EH5-80-267	PIPE	static					1			
	EEAS.73	PLATE,	clamp					1			
		Attaching parts for EEAS.73:—									
28D/1013284	AS.1248/2C	Bolt,	2 BA					1	—	C	
28M/1278190	AGS.2001/C1	Nut,	2 BA					1	—	C	
28W/9149402	SP.13/C	Washer						1	—	C	
	EH5-57-5	PLATE,	support					2			
		Attaching parts for EH5-57-5:—									
28D/9133011	A25/2C	Bolt						3	—	C	
28M/1278190	AGS.2001/C1	Nut						3	—	C	
28W/9457834	SP.124/D	Washer						3	—	C	
28F/9529214	AGS.1143/J	PLUG,	cone					4			
	EA3-57-5081	RING,	reinforcing					1			
	EA3-56-45	SCREW,	trunion					2			
28F/	AGS.838/8	SEAL						10			
26DK/7759	EB2-70-1037	SPACING	piece, drain trap					2			
3418	EEAS.132/12	STRAP,	cable					1			
12592	EA3-56-243	TANK	Assembly					1	—	A	
		Spares for:—									
		See AP.101B-0402-3A									
	EA3-56-47	TRUNNION						2			
	EA3-56-49	TRUNNION						2			
	S.P.E. Co. Ltd.										
	P24A Mk.3	VALVE,	non-return					2			

SERVICES

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

REF. NO.	PART NO.	DESCRIPTION					No. OFF	MATL. SPEC.	Class of Equip.	Plate and Illust'n. No.
		1	2	3	4	5			M.R.	
	EA3-73-5005	HYDRAULIC EQUIPMENT IN FRONT FUSELAGE ASSEMBLY Spares for:- identical to assembly No. EA3-73-205, A.P.4326B, Vol. 3, page 829 except for the following Delete:-					-	-	-	
	EA3-73-207	PIPES HYDRAULIC BRAKE, FRAME 1 TO 3 ASSEMBLY Add:-					-	-	-	
	EA3-73-5009	PIPES HYDRAULIC BRAKE, FRAME 1 TO 3 ASSEMBLY Spares for:-					-	-	-	
2446	EA3-73-221	BRACKET, relay valve mounting					1	T.45	C	
	EA3-73-5071	BRACKET, inflation valve mounting					1	L.72	-	
	EA3-73-5073	BRACKET, chain retaining					1	L.72	-	
	EA3-73-5069	CHANNEL, relay mounting assembly					1			
14556	EA3-73-5067	CLAMP, pipe special					2	-	C	
1611	EA3-73-157	CLAMP, pipe special					1	-	C	
1727	EA3-73-577	CLAMP, pipe, special					1	-	C	
5348	EEAS.143.8H	CLIP, pipe single $\frac{3}{8}$ in. o/d					2	DTD.610	C	
5260	EEAS.143.5H	CLIP, pipe single $\frac{3}{16}$ in. o/d					5	DTD.610	C	
5258	EEAS.143.6H	CLIP, pipe bonding					2	DTD.610	C	
14543	EA3-73-5021	PIPE, assembly brake unit to reducing connection aft of frame 1					1	-	C	
14544	EA3-73-5023	PIPE, assembly brake unit, (port brake connection) to pipe assembly No. EA3-73-285					1	-	C	
14545	EA3-73-5025	PIPE, assembly brake unit supply connection to tee piece at pressure bulkhead					1	-	C	
14546	EA3-73-5027	PIPE, assembly brake unit, (starboard brake connection) to connec- tion at pipe No. EA3-73-289					1	-	C	
14547	EA3-73-5029	PIPE, assembly tee piece at pressure bulkhead to pipe assembly No. EA3-73-287 aft frame 3					1	-	C	
14548	EA3-73-5031	PIPE, assembly, tee piece at pressure bulkhead to pipe assembly No. EA3-73-5043, supply to brake pressure gauge					1	-	C	

RESTRICTED

SERVICES

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

REF. NO.	PART NO.	DESCRIPTION					No. OFF	MATL. SPEC.	Class of Equipt.	Plate and Illust'n. No.
									M.R.	
14549	EA3-73-5033	PIPE	assembly, inflation valve to tee				1	-	C	
14550	EA3-73-5035	PIPE	assembly, pressure gauge to tee				1	-	C	
14551	EA3-73-5037	PIPE	assembly brake pressure gauge				1	-	C	
14552	EA3-73-5039	PIPE	assembly connecting pipes				1	-	C	
			Nos. EA3-73-5041 and							
			EA3-73-781							
14553	EA3-73-5041	PIPE	assembly, hydraulic pressure				1	-	C	
			gauge to pipe No. EA3-73-5039							
14554	EA3-73-5043	PIPE	assembly gauge relay valve to				1	-	C	
			pipe No. EA3-73-5031							
14555	EA3-73-5077	PIPE	assembly reducing union to pipe				1	-	C	
			No. EA3-73-283 aft frame 3							
981	EEAS/20/ZDR	TAB	locking				2	DTD.610	C	
5259	EEAS/21/ZERH	WASHER	special				5	DTD.610	C	
30A/2296		WIRE	locking 20 SWG.				QR	DTD.189	C	
	EA3-73-5089	TRAY, DRIP AND HYDRAULIC DRAINAGE								
		SYSTEM								
		Spares for:-								
14562	EA3-73-5095	PIPE	assembly drain				1	-	C	
14563	EA3-73-5097	PIPE	assembly drain				1	-	C	
14564	EA3-73-5099	PIPE	assembly drip tray to tee piece				1	-	C	
14560	EA3-73-5091	TRAY	drip, assembly				1	-	C	
14561	EA3-73-5093	TUBE	support drip tray assembly				1	-	C	
14565	EA3-73-5101	WASHER	drip tray attachment				4	-	C	

RESTRICTED

CANBERRA T.Mk.19

Page LD.3

SERVICES

HYDRAULIC AND AIR PIPES FOR WIND BREAK DOOR

Ref. No.	Part No.	Description						No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	EA3-73-5003	HYDRAULIC AND AIR PIPES, WIND BREAK DOOR, ASSEMBLY									
		Spares for:—									
27VB/5121	HYMATIC RES.5.Mk.2	AIR BOTTLE						1	—	A	
5542	EEAS.143/6	CLIP, special						3	—	C	
27QM/1685	DOWTY C7050Y	JACK, hydraulic						1	—	A	
		Spares for:—									
		See AP.4515B, Vol. 3, Sect. 2 Chap. 5									
27VA/5182	DUNLOP DC/101C/16	PIPE, flexible assembly						2	—	B	
14557	EA3-73-5083	PIPE, assembly						1	—	C	
14558	EA3-73-5085	PIPE, assembly						1	—	C	
14559	EA3-73-5087	PIPE, assembly						1	—	C	
28S/1214849	Type 4103	SCREW, 1" long, type Z						3	—	C	
12317	EA9-73-147	TANK, HYDRAULIC GROUP						1	—	A	
		Consisting of:—									
	EA9-73-149	TANK, assembly						1	—	—	
12318	EA9-73-105	VALVE INLET, GROUP						1	—	B	
		Consisting of:—									
2A/9500571	HOFFMANN	BALL BEARING $\frac{3}{8}$ " dia.						1	Steel	C	
	EA9-73-129	CAP, filler						1			
	EA9-73-119	SEATING spring						1			
	EA9-73-121	SPRING, compression						1			
28W/3102	AGS.162/G	WASHER spring $\frac{7}{8}$ "						1	—	C	
12319	EA9-73-107	VALVE OUTLET GROUP						1	—	A	
		Consisting of:—									
2A/9500571	HOFFMANN	BALL BEARING, $\frac{3}{8}$ " dia.						1	Steel	C	
	EA9-73-125	BODY, valve						1			
	EA9-73-119	SEATING spring						1			
	EA9-73-121	SPRING, compression						1			
28W/9416647	SP.47/L	WASHER, spring						1	—	C	
28F/1200995	AGS.1138/D	WASHER, jointing						2	—	C	

SERVICES
HYDRAULIC EQUIPMENT IN CENTRE FUSELAGE

Ref. No.	Part No.							No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
	EH5-73-101	MODIFICATIONS TO HYDRAULIC EQUIPMENT IN CENTRE FUSELAGE (MOD. 4710)						—	—	—	
		PIPES, HYDRAULIC, FRAME 19 TO FRAME 28, BOMB BAY, ASSEMBLY Spares for:—Identical to Assembly No. EA3-73-407, AP.101B-0402-3A, except for the following deletions and additions						—	—	—	
		Delete:—									
1999	EA3-73-481	PIPE assembly, from running joint aft of Frame 19 to running joint aft of Frame 28, rear bomb door jack, "doors open" line (Pre-Mod. 4710)						1	DTD.5019	C	
2000	EA3-73-483	PIPE assembly, from running joint aft of Frame 19 to running joint aft of Frame 28, rear bomb door jack, "doors closed" line (Pre-Mod. 4710)						1	DTD.5019	C	
		Add:—									
1699	EB6-73-333	PIPE assembly, from running joint aft of Frame 19 to running joint aft of Frame 28, rear bomb door jack, "doors open" line (Mod. 4710)						1	DTD.5019	C	
1700	EA3-73-335	PIPE assembly, from running joint aft of Frame 19 to running joint aft of Frame 28, rear bomb door jack, "doors closed" line (Mod. 4710)						1	DTD.5019	C	
		PIPES, HYDRAULIC, AND MOUNTING OF ROTARY CONTROL VALVE AND ACTUATOR FOR AIR BRAKES, ASSEMBLY Spares for:—Identical to Assembly No. EA3-73-409, AP.101B-0402-3A, except for the following deletions and additions						—	—	—	
		Delete:—									
3686	EA3-73-697	PIPE assembly, from thermal relief valve and flow divider to air brake selector (Pre-Mod. 4710)						1	DTD.5019	C	
		Add:—									
1439194	EA3-73-5147	PIPE assembly, from thermal relief valve and flow divider to air brake selector (Mod. 4710)						1	DTD.5019	C	

SERVICES
OXYGEN SYSTEM

Ref. No.	Part No.	Description						No. Off	M.R.		C.O.S. L.M.	Plate No.
		1	2	3	4	5	6		Mat.	Spec.		
	EH5-71-1	OXYGEN DEMAND, SYSTEM (MOD. 4425)						—	—	—		
	EH5-71-11	EQUIPMENT, OXYGEN DEMAND CIRCUIT						—	—	—		
		Spares for:—										
		Spares for:—Identical to										
		assembly Pt. No. EB6-71-7,										
		AP.4326B, Vol. 3 except for										
		the following deletions and										
		additions										
		Delete:—										
6D/2065	—	CABLE, operating, socket anchor						1	—		C	
6D/1580	—	HOSE, low pressure, 72" long						1	—		C	
6D/1644	—	OXYGEN-SET, emergency, Mk. 2A						1	—		A	
6D/2678	—	OXYGEN-SET, emergency, Mk. 7						1	—		A	
6D/2294	—	REGULATOR, oxygen, Mk. 17E						4	—		A	
6D/1464	—	SOCKET, anchor, outer housing						1	—		C	
6D/1653	—	SOCKET, quick release, Mk. 10						1	—		C	
6D/2185	—	TUBE, assembly, upper oxygen						3	—		B	
6D/1616	—	VALVE, reducing, Mk. 1						2	—		A	
		Add:—										
6D/575	—	PIECE, connecting, 2-way						2	—		C	
6D/603	—	PIECE, connecting, 3-way						7	—		C	
6D/2671	—	REGULATOR, oxygen, Mk. 17F						3	—		A	
6D/2203310	—	TUBE, assembly, upper oxygen						2	—		B	
6D/2344	—	VALVE, reducing, Mk. 1A						2	—		A	
	EH5-71-9	EQUIPMENT, OXYGEN, AFT OF PRESSURE						—	—	—		
		BULKHEAD, GROUP										
		Spares for:—Identical to										
		group Pt. No. EB6-71-11,										
		AP.4326B, Vol. 3 except for										
		the following deletions and										
		additions										
		Delete:—										
5819	EB6-71-43	PIPE, assembly						1	—		C	
4402	EA3-71-431	PIPE, assembly						1	—		C	
5820	EB6-71-41	PIPE, assembly						1	—		C	
		Add:—										
	EA3-71-443	PIPE, assembly, H.P. oxygen bottle inter-						1	T.51		—	
		connection										
	EA3-71-425	PIPE, assembly, H.P. oxygen bottle inter-						1	T.51		—	
		connection										
	EH5-71-139	PIPE, assembly, H.P. from pressure bulkhead						1	T.51		—	
		coupling, to coupling aft of										
		frame 9										
	EH5-71-3	NAVIGATOR S, OXYGEN SYSTEM, GROUP						—	—	—		
		Spares for:—										
6D/1647	—	ADAPTER, oxygen regulator						1	—		C	
18646	EB7-71-21	BRACKET, flexible hose coupling						1	—		C	
		Attaching parts for EB7-71-21:—										
28D/9436920	A25/1C	Bolt, 2 BA						4	—		C	
28M/1278190	AGS.2001/C/1	Nut, 2 BA						4	—		C	
28W/9419475	SP.15/C	Washer						4	—		C	

SERVICES
OXYGEN SYSTEM

Ref. No.	Part No.	Description						No. Off	M.R.		C.O.S. L.M.	Plate No.
		1	2	3	4	5	6		Mat.	Spec.		
6734	EEAS.136							6	—		C	
1836	EA3-57-21							1	—		C	
15116	EB7-71-47							1	—		C	
5780	EB7-71-49							1	—		C	
28D/1220052	A25/17B							2	—		C	
28M/10327	AGS.2002/B/1							2	—		C	
3413	EEAS.91/4							5	—		C	
4965	EEAS.143/5							10	L.72		C	
6429	EEAS.143/7							10	L.72		C	
22515	EEAS.143/14H							12	L.72		C	
	Martin Baker											
27L/501	CMBEU/1818							1	—		C	
8D/1651	—							1	—		C	
1128	EEAS.69/2							2	—		C	
15118	EB7-71-55							3	DTD.625		LM	
	EA3-71-339							—	—		—	
1836	EA3-57-21							1	—		C	
1439106	EH5-71-73							1	T.51		C	
1439107	EH5-71-51							1	T.51		C	
	EH5-71-43							1	T.51		—	
	EH5-71-41							1	T.51		—	
	EH5-71-59							1	T.51		—	
5161	EA3-71-453							1	T.51		—	
	EA3-71-383							1	T.51		—	
	EH5-71-53							1	T.51		—	
	EH5-71-55							1	T.51		—	
	EH5-71-71							1	T.51		—	
1439108	EH5-71-47							1	T.51		C	
	EH5-71-57							1	T.51		—	
	EH5-71-69							1	T.51		—	

CANBERRA T.Mk.19

Page LE.3

SERVICES
OXYGEN SYSTEM

Ref. No.	Part No.							No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
1439109	EH5-71-45							1	L.54	C	
1439110	EH5-71-141							1	L.54	C	
	EH5-71-37							1	L.54	—	
	EH5-71-39							1	L.54	—	
1439111	EH5-71-35							1	L.54	C	
1439112	EH5-71-111							1	L.54	C	
1439113	EH5-71-113							1	L.54	C	
27L/1046	Martin Baker CMBEU/1748 EB7-71-5053							1	—	C	
								—	—	—	
980	EEAS.20/1DR							2	L.72	C	
1439114	EEAS.21/2DRH							10	L.72	C	
	EH5-71-7							—	—	—	
6734	EEAS.136							6	—	C	
28E/9438652	Terry 81/3							2	—	C	
4965	EEAS.143/5							14	L.72	C	
6429	EEAS.143/7							2	L.72	C	
	EH5-71-17							—	—	—	
	EH5-71-27							1	L.72	—	
	EH5-71-21							1	L.72	—	
	EH5-71-19							1	—	—	
1439104	EH5-71-61							1	T.51	B	
1439105	EH5-71-63							1	T.51	B	
	EH5-71-5							—	—	—	
6D/1647	—							1	—	C	
15113	EB7-71-39							1	—	C	
28D/9436920	A25/1C							4	—	C	
28M/9433473	AGS.2002/C/1							4	—	C	
28W/9419475	SP.15/C							4	—	C	
	EB7-71-47							1	—	—	

SERVICES
OXYGEN SYSTEM

Ref. No.	Part No.							No. off	Matl Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
5780	EB7-71-49							1	—	C	
28D/1220052	A25/17B							2	—	C	
28M/10327	AGS.2002/B/1							2	—	C	
	Martin Baker										
27L/501	CMBEU/1818							1	—	C	
6D/1651	—							1	—	C	
5260	EEAS.143/5H							1	L.72	C	
22515	EEAS.143/14H							11	L.72	C	
15118	EB7-71-55							2	BSF.67	LM	
	EH5-71-131							—	—	—	
	EH5-71-133							1	—	—	
1439115	EH5-71-101							1	T.51	C	
1439116	EH5-71-103							1	L.54	C	
1439117	EH5-71-105							1	L.54	C	
1439118	EH5-71-107							1	L.54	C	
	EH5-71-109							1	T.51	—	
27L/1046	Martin Baker										
	CMBEU/1748							1	—	C	
	EA3-71-5295							—	—	—	
18852	EEAS.21/2DR							1	L.72	C	
	EEAS.21/10DR							10	—	—	

SERVICES

WINDOW LAUNCHER HEATING

REF. NO.	PART NO.	DESCRIPTION					No. OFF	MATL. SPEC.	Class of Equipmt.	Plate and Illustr'n. No.
		1	2	3	4	5			M.R.	
1707 27F/	EA3-75-5127	HEATING WINDOW LAUNCHER ASSEMBLY					-	-	-	
	EA3-75-5019	Spares for:-					2	Brass	-	
1708	EA2-75-37	CHAIN, $\frac{3}{8}$ in. pitch 4" long					12	DTD.610	C	
	SAUNDERS VALVE CO. M.4273	CLIP special, single pipe					1	-	-	
28F/11850	EA3-75-145	COCK hot air, multiway Type 212AA81					3	GLASS FIBRE	C	
	EA3-75-5027	CONNECTION rubber 1.5 in. $\frac{1}{4}$ d x $\frac{1}{16}$ in. x 2.5 in.					1	FIBRE	IM	
28F/11931	EA3-75-5029	LAGGING (make from Ref. 33C/1247)					1	GLASS FIBRE	IM	
	EA3-75-5129	LAGGING (make from Ref. 33C/1247)					1	GLASS	-	
28F/11850	AGS.952K	PIPE assembly constant flow valve to tee connection					1	-	-	
	EA3-75-5131	Consisting of:-					1	-	C	
28F/11931	AGS.904K	COLLAR pipe					1	-	-	
	EA3-75-5133	PIPE assembly					1	-	C	
28F/11850	AGS.952K	SLEEVE outer					1	-	-	
	EA3-75-5135	PIPE assembly tee connection to connection aft frame 22					1	-	-	
28F/11931	AGS.904K	Consisting of:-					1	-	C	
	EA3-75-5137	COLLAR pipe					1	-	-	
28F/11850	AGS.952K	PIPE $\frac{1}{2}$ in. o/d x 20 SWG.					1	L.54	-	
	EA3-75-5139	SLEEVE outer					1	-	C	
28F/15004	AGS.954	PIPE assembly connection aft frame 22 to multiway cock					1	-	-	
	EA3-75-5141	Consisting of:-					1	-	-	
28F/11850	AGS.962K	COLLAR pipe					1	-	C	
	EA3-75-5143	PIPE $\frac{1}{2}$ in. o/d x 20 SWG.					1	L.54	-	
28F/14358	AGS.954K	SLEEVE outer					1	-	C	
	EA3-75-5017	PLATE retaining					2	-	-	
29H/	EA3-75-5015	PLATE stop assembly					1	-	-	
	AGS.114OK	PLUG blanking					2	-	C	
28F/11931	EA3-75-5023	RING chain retaining					1	DTD.189	-	
	H. Terry Ltd. 169	RING split $\frac{3}{8}$ in. o/d					4	-	-	
28F/11931	AGS.904K	SLEEVE outer					2	-	C	
	EA3-75-5011	STOWAGE adapter assembly					1	-	-	

WINDOW LAUNCHER HEATING

REF. NO.	PART NO.	DESCRIPTION	No. OFF	MATL. SPEC.	Class of Equipt.	Plate and Illust'n. No.
					M.R.	
14619	EA3-75-5009	UNION TEE AND PLUG STOWAGE	1	-	C	
		Consisting of:-	1			
	EA3-97-1175	PLUG stowage	2			
	BARBER AND	SCREW, 2 B.A. self tapping $\frac{1}{8}$ in.				
30A/3055	COLMAN	long csk/hd.	1	-	d	
	EA3-75-5043	TEE union (make from Ref. 27F/12389)	1			
	-	WIRE looking 22 SWG.	QR	DTD.189		

RESTRICTED