AL 18

LIGHTNING ALL MARKS AP101B-1000-5A2

(1st Ed)

SECTION 4


INDEPENDENT CHECKS

LIST OF CHAPTERS

Chapter 1

ALL TRADES

SMS/81/427/31



Chap 1 AL Card 1 AL 33	L TRADES	INDEPENDENT (AP101B-1000-5A2 Sect 4 (1st Ed)
system is maintenan	disturbed du ice task is re	uring maintens esponsible for	ance, the calling	any aircraft control supervisor of the up the requirement AP100B-01, Order
checks af exhaustiv a system,	ter they have te and a super or systems, I by the natur	e been disturt rvisor may cal not listed he	ed. This Il up an i ere if he	ndependent check on
a		-))		ment points.
b	Airbrakes Tailplane Flaps Rudder an Aileron A Rudder Au	and Aileron Tr and Tailplar d Rudder Trim autostab Actuat	ne Trim itor) or) uator))	 a. Assembly and locking to structure and control runs. b. Sense and range of movement

SMS/ 4

Continued

) of the primary) control system.

2. Aircraft Control Systems Independent Checks (Contd)

E. Landing/Arrester Gear

Nose Undercarriage Main Undercarriage Wheel Brakes Arrester Hook Brake Parachute

d. Propulsion Systems

Combined Throttle and HP Cock Controls Reheat Control.

- 3. <u>Pitot/Static Systems</u>. A SNCOs independent sense and/or leak check test is to be undertaken following the connection of any pitot or static pipeline to another item of equipment, including connection to another pipeline or system element. These independent check tests are to be carried out in accordance with AP100B-01, Order 4924.
- 4. Assisted Escape Systems. When any component of an Aircraft Assisted Escape System is disturbed during servicing, Vital Checks as applicable and full independent checks are to be carried out by a qualified checker as detailed in AP100B-01 Order 5635.

SMS/4A STC

Continued

