

CONTROLS
FLYING CONTROLS IN STARBOARD WING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	—	FLYING CONTROLS IN STARBOARD WING, ASSEMBLY (E.F.2.45.8) (MK. 2 A/C)	—	—	—	
	—	FLYING CONTROLS IN STARBOARD WING, ASSEMBLY (E.F.4.45.104) (MK. 2A A/C)	—	—	—	38/1
		Spares for :—				
2363	EEAS.191	BOLT , special	18	—	C	38/2
3372	E.B.2.45.943	FORK-END , connection	2	—	C	38/3
3373	E.B.2.45.2133	FORK-END , connection	2	L65	C	38/4
	E.B.2.45.371	LEVER , mounting, inner and outer aileron jack valve control, assembly	1	—	—	38/5
		Spares for :—				
28D/1213745	A30/19E	BOLT , lever mounting and pivot	1	—	C	38/6
3398	E.B.2.45.731	LEVER , assembly	1	—	B	38/7
	E.B.2.45.727	LEVER , mounting, outer jack valve operating, assembly (Mk. 2 A/c)	1	—	—	38/8
	E.F.3.45.831	LEVER , mounting, outer jack valve operating, assembly (Mk. 2A A/c)	1	—	—	38/9
		Spares for :—				
28D/1213738	A30/12E	BOLT , lever mounting and pivot	1	—	C	38/10
3399	E.B.2.45.739	LEVER , assembly (Mk. 2 A/c)	1	—	B	38/11
36244	E.F.3.45.813	LEVER , assembly (Mk. 2A A/c)	1	—	B	38/12
	E.B.2.45.729	LEVER , mounting, inner jack valve operating, assembly (Mk. 2 A/c)	1	—	—	38/13
	E.F.3.45.833	LEVER , mounting, inner jack valve operating, assembly (Mk. 2A A/c)	1	—	—	38/14
		Spares for :—				
28D/1213738	A30/12E	BOLT , lever mounting and pivot	1	—	C	38/15
3400	E.B.2.45.741	LEVER , assembly (Mk. 2 A/c)	1	—	C	38/16
36245	E.F.3.45.819	LEVER , assembly	1	—	B	38/17
	—	MOUNTING , aileron auto-stabiliser, assembly (E.F.2.45.10) (Mk. 2 A/c)	—	—	—	38/18
	—	MOUNTING , aileron auto-stabiliser, assembly (E.F.3.45.522) (Mk. 2A A/c)	—	—	—	38/19
		Spares for :—				
3376	E.B.2.45.657	BOLT , shouldered, operating lever to aileron jack pick-up	1	S96	C	38/20
3377	E.B.2.45.663	BOLT , shouldered, auto-stabiliser connecting lever pivot	1	—	C	38/21
3387	E.B.2.45.653	FORK-END , L.H.	1	L65	C	38/22
13347	E.B.3.45.387	FORK-END , R.H. (Mk. 2 A/c)	1	L65	C	38/23
3388	E.B.2.45.655	FORK-END , R.H. (Mk. 2A A/c)	1	—	C	38/24
10487	E.F.2.45.35	LEVER , aileron jack and auto-stabiliser, assembly ...	1	—	A	38/25
		Spares for :—				
10488	E.B.2.45.2761	END , ballrace, assembly	1	—	C	38/26
3402	E.B.2.45.643	LEVER , auto-stabiliser connecting	1	—	B	38/27
3380	E.B.2.45.661	LINK , auto-stabiliser jack pick-up (Pre-Mod. 1980) (Mk. 2 A/c)	1	L65	C	38/28
12424	E.F.3.45.527	LINK , auto-stabiliser jack pick-up (Mod. 1980) ...	1	L65	C	38/29
2586	E.B.2.45.649	NUT , special, 1/2" BSF, L.H.	1	S96	C	38/30

CONTROLS
FLYING CONTROLS IN STARBOARD WING

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
			1	2	3	4	5	6	7				
2587	E.B2.45.651	NUT , special, $\frac{1}{2}$ " BSF, R.H.							2	S96	C	38/31	
2563	E.B2.45.659	NUT , slotted shouldered, for aileron jack pick-up bolt							5	S96	C	38/32	
37098	E.F3.45.855	ROD , servo unit to lever, assembly (Mod. 4138) ... Spares for :—							1	—	C	38/33	
	E.F3.45.861	END , screwed							1	S92	—	38/34	
1439605	E.F3.45.877	STRUT , jury (For use when auto-stabiliser is not fitted)							—	—	—	38/35	
13348	E.B3.45.385	TURNBARREL (Mk. 2 A/c)							1	L65	C	38/36	
3386	E.B2.45.647	TURNBARREL (Mk. 2A A/c)							1	L65	C	38/37	
2417	EEAS.63/G	NUT , $\frac{3}{8}$ " BSF, thin slotted							18	—	C	38/38	
3403	E.B2.45.363	ROD , control, inner and outer aileron jack valve operating, assembly Spares for :—							1	—	B	38/39	
3383	E.B2.45.823	FORK-END							1	L65	C	38/40	
3384	E.B2.45.369	ROD , control, between auto-stabiliser and aileron jack valve lever and connection at rib 13, assembly Spares for :—							1	—	B	38/41	
3385	EEAS.189	FORK-END							1	—	C	38/42	
12422	E.B2.45.1137	NUT , $\frac{1}{4}$ " BSF, R.H. thread, turnbarrel locking ...							1	—	C	38/43	
12421	E.B2.45.1135	NUT , $\frac{1}{4}$ " BSF, L.H. thread, turnbarrel locking ...							1	—	C	38/44	
2592	E.B2.45.827	TURNBARREL							1	L65	C	38/45	
3389	E.B2.45.489	ROD , control, radiused, between wing and fuselage ...							1	—	C	38/46	
3390	E.B2.45.491	ROD , control, radiused							1	—	C	38/47	
3391	E.B2.45.493	ROD , control, between ribs 10 and 11							1	—	C	38/48	
2620	E.B2.45.495	ROD , control, between ribs 4 and 8							2	—	C	38/49	
3392	E.B2.45.497	ROD , control, from radiused rod connection to connection at rib 4							1	—	C	38/50	
3393	E.B2.45.499	ROD , control, between ribs 9 and 10							1	—	C	38/51	
3394	E.B2.45.501	ROD , control, between ribs 11 and 13							1	—	C	38/52	
3395	E.B2.45.1685	ROD , control, inner aileron jack valve operating levers connecting (Mk. 2 A/c)							1	—	C	38/53	
36242	E.F3.45.837	ROD , control, inner aileron jack valve operating levers connecting (Mk. 2A A/c)							1	—	C	38/54	
3396	E.B2.45.1689	ROD , control, outer aileron jack valve operating levers connecting (Mk. 2 A/c)							1	—	C	38/55	
36243	E.F3.45.825	ROD , control, outer aileron jack valve operating levers connecting (Mk. 2A A/c)							1	—	C	38/56	
3397	E.B1.45.1607	TURNBARREL , aileron jack control							2	L65	C	38/57	

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

