

RESTRICTED

FLYING CONTROLS — CENTRE FUSELAGE
ELECTRICAL EQUIPMENT

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	B.199204	FLYING CONTROLS, CENTRE FUSELAGE,	—	—		
		ASSEMBLY				
1928	F.196235	Bolt, attachment of aileron control tube to lever, ... frame 33	1	S.94.B	C.	
282	A.169493	Bracket, for rudder and elevator idling links, at frame 33 and 38	4	DTD.610	C.	DC.1
283	F.183798	Bracket, for rudder and elevator idling link at frames 27 and 38	2	DTD.610	C.	DC.1
7142	A.201016	Bracket, for cross shaft at frame 33	2	Stamping	MR/C	DC.1
7143	B.202890	Housing, bearing, aileron torque shaft of rear ... spar, group	1	Stamping	B.	DC.1
29	2A/9500420	Bearing	2	—	C.	
	F.177841/5	Tube, distance	1	T.4 or DTD.464		DC.1
286	A.168403	Link, idling, rudder and elevator, between frames 33 and 34, group	2	—	C.	DC.1
287	A.168404	Link, idling, rudder and elevator, between frames 38 and 39, 37 and 28, group	3	—	C.	DC.1
288	A.170441	Link, idling, and bracket, between frames 23 and 24, 27 and 28, group	4	—	C.	DC.1
	A.169495	Bracket	1	DTD.610		DC.1
287	A.168404	Link, group	1	—	C.	DC.1
11281	A.227805	Link, idling, and bracket, between frames 27 and 28, group	1	—	C.	DC.1
	A.227758	Bracket	1	M.S.		DC.1
12981	A.168405	Link	1	—	C.	DC.1
7144	B.201292	Lever, aileron control, aft of rear spar, group	1	—	MR/B	DC.1
237	B.178823	Lever, aileron torque shaft, top aft of rear spar, group	1	—	B.	DC.1
7145	B.205161	Lever, aileron torque shaft, bottom aft of rear spar, group	1	—	B.	DC.1
292	F.165986	Packing, for rudder and elevator levers	4	DTD.610	C.	DC.1
7146	A.199242	Shaft, aileron torque, aft of rear spar	1	S.95.B	C.	DC.1
7147	A.201014	Shaft, cross, mounting of aileron, frames 32 and 33	2	T.50	MR/B	DC.1
299	A.180427	Tube, control, between frames 18 and 24, group ...	3	—	B.	DC.1
8339	A.199290	Tube, control, between frames 24 and 28, group ...	3	—	B.	DC.1
8340	A.199291	Tube, elevator and rudder control, between frames 27, 28, 33 and 34, group	2	—	B.	DC.1
4113	A.199284	Tube, elevator and rudder control, between frames 33, 34, 38 and 39, group	2	—	B.	DC.1
6341	A.199292	Tube, aileron control, between frames 28 and 33, group	1	—	B.	DC.1
6342	A.199258	Tube, aileron control, aft of rear spar, group	2	—	B.	DC.1
168	A.169527	Eye-end	1	—	C.	DC.1
8343	A.199240	Tube, aileron control, aft of rear spar, group	1	—	C.	DC.1
8344	A.199239	Tube, aileron control, aft of rear spar, group	1	—	B.	DC.1
306	A.171699	Tube, adjustable, elevator and rudder control, between frames 38 and 41, group	2	—	B.	DC.1
2368	F.171710	Fork-end	1	—	MR/C	DC.1

RESTRICTED

RESTRICTED


Page DC.2

Hunter F. Mk. 8
Issued with A/L No. 25

FLYING CONTROLS - CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	P/aza No.
		1	2	3	4	5				
3790	Std.1509/24/060	Tube, distance, 3/8" o/d x 17 S.W.G. x .5" long (Make from 30B/567)					1	T.4	MR/C	DC.1
7148	F.201018	Tube, retaining cross shaft at frame 32 and 33					2	L.62	MR/C	
309	Std.1208/167/84/30	Washer, shim, torque shaft					2	Shim Steel	C.	DC.1
7149	Std.1208/140/68/30	Washer, shim aileron lever cross shaft					4	Shim Steel	MR/C	4
	F.165985	Washer, at bracket attachment between frames 27 and 28 (AS.710/42)					1	-		

RESTRICTED





This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.