


FLYING CONTROLS - REAR FUSELAGE

| Ref. No. | Part No.             | Description                                                                          | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|----------------------|--------------------------------------------------------------------------------------|---------|------------------------|---------------------|-----------|
|          |                      |                                                                                      |         |                        |                     |           |
|          |                      | 1 2 3 4 5                                                                            |         |                        |                     |           |
|          | E.217437             | FLYING CONTROLS, REAR FUSELAGE, ASSEMBLY                                             | —       | —                      |                     |           |
|          | 6345 F.202472        | Bolt, connecting tail plane lever to actuator                                        | 1       | S.99.B                 | C.                  | DE.1      |
|          | 6346 Std.325/222     | Bolt, hinge for feel unit lever                                                      | 1       | S.99.B                 | C.                  | 4         |
|          | 11121 A.189667       | Clamp (assembled to elevator booster)                                                | 1       | S.3                    |                     | DE.1      |
|          | 11122 A.189668       | Clamp (assembled to elevator booster)                                                | 1       | S.3                    |                     |           |
|          | 7857 F.214116        | Collar, at forward end of feel unit                                                  | 1       | S.1                    | C.                  | DE.1      |
|          | 7931 F.211395        | Eye-bolt                                                                             | 1       | S.95.B                 | C.                  | DE.1      |
|          | 6353 C.209753        | Feel unit, full power, elevator                                                      | 1       | —                      | A.                  | DE.1      |
| 31       | 27KF/4542600         | Hydro-booster and linkage, elevator (Mod. 1005)<br>(For spares see AP.4515P, Vol. 3) | 1       | —                      | A.                  |           |
|          |                      | (with Mod. FHB.135)                                                                  |         |                        |                     |           |
|          | 6349 A.202126        | Lever, elevator feel unit (Pre Mod. 841)                                             | 1       | —                      | C.                  |           |
|          | 10027 A.233729       | Lever, elevator feel unit (Mod. 841)                                                 | 1       | —                      | B.                  | DE.1      |
| 31       | 6348 F.202129        | Lever, connecting, at actuator                                                       | 1       | S.168                  | C.                  | DE.1      |
|          | 317 B.171446         | Lever, rudder, between frames 48 and 49                                              | 1       | —                      | B.                  | DE.1      |
|          | 287 A.168404         | Link, for elevator and rudder controls                                               | 4       | —                      | C.                  | DE.1      |
|          | 6347 B.209637        | Link, idling, elevator control                                                       | 1       | —                      | B.                  | DE.1      |
|          | C.223062             | MICRO SWITCHES AND LINKAGE, ASSEMBLY<br>(Mod. 629) (Pre Mod. 841)                    | —       | —                      |                     |           |
|          | C.236150             | MICRO SWITCHES AND LINKAGE, ASSEMBLY<br>(Mod. 841)                                   | —       | —                      |                     |           |
|          | A.211393             | BRACKET, MOUNTING FOR SWITCH CARRIER,<br>ASSEMBLY                                    | —       | —                      |                     |           |
|          | 12117 Std.1551/1/165 | Bolt, at forward link                                                                | 2       | S.99                   | C.                  | 5         |
|          | 8228 A.211399        | Bracket, mounting for links, group                                                   | 1       | —                      | MR/C                | DE.1      |
| 31       | 8192 F.218104        | Plate, locking                                                                       | 2       | S.510                  | C.                  | DE.1      |
|          | 7938 A.211394        | Link, aft                                                                            | 1       | —                      | C.                  | DE.1      |
|          | 7935 A.211397        | Link, forward                                                                        | 1       | —                      | C.                  | DE.1      |
|          | — B.253820           | Cable B19 assembly (See Cable Chart)                                                 | —       | —                      | —                   |           |
|          | 8229 F.211389        | Channel, retaining for pins on connecting rod and<br>spring unit                     | 1       | DTD.166                | MR/C                | DE.1      |
|          | 3734 Std.840/14      | Clip, 7/16" wide x 22 S.W.G. x 1.4" long                                             | 1       | DTD.610                | MR/C                | 4         |
|          | 4159 Std.841/20      | Clip, 7/16" wide x 22 S.W.G. x 2.0" long                                             | 1       | DTD.610                | C.                  | 4         |
|          | 4821 Std.841/22      | Clip, 7/16" wide x 22 S.W.G. x 2.2" long                                             | 1       | DTD.610                | MR/C                | 4         |
|          | 5157 Std.1959/1      | Clip                                                                                 | 1       | S.510                  | C.                  | 5         |
|          | 9826 F.219510        | Collar, at pin                                                                       | 1       | S.95.B                 | C.                  |           |
|          | 9836 B.221458        | Guard (Pre Mod. 841)                                                                 | 1       | —                      | C.                  |           |
|          | 10618 B.234812       | Guard, group (Mod. 841)                                                              | 1       | —                      | C.                  |           |
|          | F.223873             | Bracket, securing                                                                    | 1       | —                      |                     |           |
|          | A.223874             | Bracket, securing                                                                    | 1       | —                      |                     |           |
|          | 7945 A.211392        | Lever                                                                                | 1       | —                      | C.                  | DE.1      |
|          | 7946 F.211422        | Lever                                                                                | 1       | S.80                   | C.                  | DE.1      |
|          | 7947 F.211423        | Link                                                                                 | 1       | L.65.C                 | C.                  | DE.1      |
|          | — F.211419           | Packing, for nut plate (Make from 308/9611224)                                       | 4       | L.72                   | —                   |           |
|          | F.211410             | Plate, distance, for mounting plates                                                 | 3       | L.65.C                 |                     | DE.1      |
|          | 9625 F.219509        | Pin, for lever                                                                       | 1       | S.80.B                 | C.                  | DE.1      |
|          | 7949 F.211421        | Pin, for lever                                                                       | 1       | S.80.B                 | C.                  | DE.1      |
|          | 7939 Std.1221Z-D85   | Pin, at lower end of con-rod and spring unit                                         | 2       | —                      | C.                  | 4         |
|          | 10963 A.220794       | Plate, mounting for switches                                                         | 2       | S.520                  | C.                  | DE.1      |
|          | 7951 F.211434        | Plate, cut                                                                           | 2       | —                      | C.                  | DE.1      |
|          | 7934 A.211409        | Rod, connecting (Pre Mod. 841)                                                       | 1       | —                      | C.                  |           |
|          | 10028 A.233730       | Rod, connecting (Mod. 841)                                                           | 1       | —                      | C.                  | DE.1      |
|          | 7948 F.211420        | Screw, adjusting                                                                     | 1       | S.95.B                 | C.                  | DE.1      |
| 31       | 5K/4346296           | Sleeve, heli-syn HT.100 x 1-1/2"                                                     | 1       | —                      | C.                  |           |
|          | F.211400             | Spacer, for mounting plates                                                          | 2       | S.1                    |                     | DE.1      |

## FLYING CONTROLS - REAR FUSELAGE

| Ref. No.     | Part No.        | Description |   |   |   |                                                    | No. Off | Material Specification | M.R. Class of Score | Place No. |
|--------------|-----------------|-------------|---|---|---|----------------------------------------------------|---------|------------------------|---------------------|-----------|
|              |                 | 1           | 2 | 3 | 4 | 5                                                  |         |                        |                     |           |
| 7952         | F.213728        |             |   |   |   | Switch, micro, group .....                         | 2       | -                      | C.                  | DE.1      |
| 7953         | F.213240        |             |   |   |   | Shroud, switch .....                               | 1       | Silastomer 2452        | C.                  | DE.1      |
| 26VA/6041211 | Std.1509/23/026 |             |   |   |   | Tube, distance, at clip securing cable .....       | 1       | T.4                    | C.                  | 4         |
| 7941         | B.211414        |             |   |   |   | Unit, spring, group (Pre Mod. 841) .....           | 1       | -                      | B.                  | DE.1      |
| 10031        | B.234912        |             |   |   |   | Unit, spring, group (Mod. 841) .....               | 1       | -                      | C.                  | DE.1      |
| 7944         | F.211404        |             |   |   |   | Eye-end, lower .....                               | 1       | -                      | C.                  |           |
| 7943         | A.211407        |             |   |   |   | Eye-end, upper .....                               | 1       | -                      | C.                  |           |
| 945          | Std.1716.G      |             |   |   |   | Lock-nut .....                                     | 1       | -                      | C.                  | 5         |
| 7942         | B.211415        |             |   |   |   | Unit, spring .....                                 | 1       | -                      | C.                  |           |
| 11886        | Std.1356/6      |             |   |   |   | Washer, laminated .....                            | OR      | L.A.                   | C.                  | 4         |
| 31           | Std.914.F20     |             |   |   |   | Washer, at pin .....                               | 1       | S.1 or S.510           |                     | 4         |
| 3767         | Std.915.B20     |             |   |   |   | Washer .....                                       | 1       | DTD.610                | C.                  | 4         |
| 6350         | Std.1221Z.D40   |             |   |   |   | Pin, connecting lever at actuator .....            | 1       | -                      | C.                  | 4         |
| 8351         | Std.1221Z.D60   |             |   |   |   | Pin, for elevator feel unit .....                  | 2       | -                      | C.                  | 4         |
| 7940         | Std.1221Z.D136  |             |   |   |   | Pin, at upper end of con-rod and spring unit ..... | 2       | -                      | C.                  | 4         |
| 325          | A.171700        |             |   |   |   | Tube, control, elevator and rudder .....           | 3       | -                      | B.                  | DE.1      |
| 323          | A.171701        |             |   |   |   | Tube, control, rudder .....                        | 1       | -                      | B.                  | DE.1      |
| 324          | A.171704        |             |   |   |   | Tube, control, rudder .....                        | 1       | -                      | B.                  | DE.1      |
| 1499         | B.178196        |             |   |   |   | Tube, control, elevator, group .....               | 1       | -                      | B.                  | DE.1      |
| 1500         | A.188822        |             |   |   |   | Eye-end .....                                      | 1       | -                      | C.                  | DE.1      |
| 8184         | B.215730        |             |   |   |   | Tube, control, elevator, group .....               | 1       | -                      | B.                  | DE.1      |
| 274          | A.171044        |             |   |   |   | Eye-end .....                                      | 1       | -                      | C.                  | DE.1      |
| 31           | Std.1509/24/080 |             |   |   |   | Tube, distance, at elevator control link .....     | 2       | T.4                    |                     | 4         |
| 13241        | Std.914.E18     |             |   |   |   | Washer, packing .....                              | 4       | S.1 or S.510           |                     | 4         |
| 12788        | Std.914.E20     |             |   |   |   | Washer, packing .....                              | 4       | S.1 or S.510           | C.                  | 4         |
| 922          | Std.1310/1      |             |   |   |   | Washer .....                                       | 1       | S.510                  | C.                  | 4         |



This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

**TELEBRIEF  
CONNECTIONS**

**E**