

FLYING CONTROLS — OUTER WING

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Plate No.
	D.181483-4	FLYING CONTROLS, OUTER WINGS, ASSEMBLY	—	—	—	
	8358 A.215630	Bolt, flap, inboard hinge (Mod. 481)	2	S.95.B	C.	DG.2
	8356 A.215628	Bolt, flap, inner and outer hinges (Mod. 481)	4	S.95.B	C.	DG.2
	8357 A.215629	Bolt, flap hinge at flap jack (Mod. 481)	2	S.95.B	C.	DG.2
	137 F.170109	Bolt, flap jack operating lever attachment	2	S.95	C.	DG.2
	10514 Std.1639/13/EX	Bolt, at idling link fulcrum	2	S.95.B	C.	5
	C.199991	DETAILS IN PORT WING, ASSEMBLY	—	—	—	
31	12208 F.185694	Angle, connector rod anchor, flap inboard bearing bracket	1	L.168	C.	
	8436 A.199188	Cable, operating desynn transmitter, group	1	—	C.	DG.2
	29H/4109 Latch & Batchelor 1/00	Consisting of:— Cable, flexible, special, 1/32" dia.	25"	—	C.	
31	29H/1250086 Bowden B.52	Casing, outer	21"	—	C.	
31	29H/1250093 Bowden PN.980	Ferrule, plain	2	—	C.	
31	29H/1250079 Bowden PN.935	Nipple	1	—	C.	
	11042 F.189497	Nipple, special	1	B.11	C.	
	29H/ Bowden 64/103	Nut (Alternative to Bowden PN.1160)	1	—	C.	
	29H/1250088 Bowden PN.1160	Nut (Alternative to Bowden 64/103)	1	—	C.	
		Stop, adjusting	1	—	C.	
31	1310 A.185383	Lever, flap interconnecting, inboard hinge	1	—	C.	DG.2
	148 F.176488	Lever, flap interconnecting, inboard hinge	1	L.168	C.	DG.2
	4482 F.199213	Link, at desynn transmitter	1	L.72	C.	DG.2
	153 F.181946	Peg, attachment of flap levers, inboard hinge	1	S.95.B	C.	DG.2
	154 Std.1221/Y/B40	Pin, attachment of control rod to position indicator lever	2	S.2	C.	4
	1315 F.185697	Rod, connecting levers, flap inboard bearing bracket	1	—	C.	DG.2
31	4480 F.199191	Shackle, at desynn transmitter	1	S.510	C.	DG.2
	4469 F.157015	Spring, at desynn transmitter	1	Steel	C.	DG.2
	C.185037-B	FLAP, SYNCHRONIZING JACK MOUNTING, ASSEMBLY	1	—	—	
	4218 A.198798	Adaptor	4	DTD.364	C.	DG.2
	1305 C.185039-40	Blocks, bearing, port	1 pr.	—	C.	DG.2
	1307 C.185041-2	Blocks, bearing, starboard	1 pr.	—	C.	DG.2
	74 Std.1553/C40	Bolt, special	16	S.99.B	C.	5
	1304 F.185860	Bolt, securing jack to lever	2	S.99.B	C.	DG.2
	4219 F.191499	Bolt, banjo	4	S.95.B	C.	DG.2
	7680 Std.1231/3.B	Lug, locking	4	S.2	MR/C	4
	4214 A.198842/1	Pipe, greaser, port, inner	1	—	C.	DG.2
	4215 A.198842/2	Pipe, greaser, starboard, inner	1	—	C.	
	4216 A.198842/3	Pipe, greaser, port, outer	1	—	C.	DG.2
	4217 A.198842/4	Pipe, greaser, starboard, outer	1	—	C.	
—	Dowty SP.815/3	Seal (Use 28F/9129099)	4	—	—	
	F.202783	Shim, flap synchronising jack mounting	QR	L.72		
	F.202784	Shim, flap synchronising jack mounting	QR	L.72		
	F.202785	Shim, flap synchronising jack mounting	QR	L.72		
	F.202786	Shim, flap synchronising jack mounting	QR	L.72		
	4150 Std.915/C22	Washer	4	DTD.610	C.	4
	138 B.182043	Lever, aileron, inboard, group	2	—	B.	DG.1
2A/9500415	B.R.A. 1/2	Bearing	2	—	C.	
	Std.1357/40	Ferrule	4	S.2	—	4
5783	A.120920	Sleeve	1	S.2	C.	DG.1
	Std.184/5B	Washer	4	S.2	—	4

FLYING CONTROLS — OUTER WING

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R., Class of Store	Plate No.
		1	2	3	4	5				
	146	B.181399				Lever, aileron control, rib "L"	2	—	B.	DG.1
	151	A.181278				Link, idling, aileron control	4	—	C.	DG.1
		C.201270-1				LINKAGE, AILERON BOOSTER, ASSEMBLY	—	—		
	127	A.181938				Bearing, aileron booster unit	2	—	C.	DG.1
	130	F.182035*				Bolt, attachment of bearing blocks at aileron	32	S.95.B	C.	
						booster unit				
	5278	Std.1639/4EX				Bolt, attachment of bearing blocks at aileron	32	S.95.B	C.	5
						booster unit				
	5257	F.201358				Bolt, attachment of booster unit to lever	2	S.95.B	C.	DG.1
	5262	C.201270/A				Housing, bearing, port, group	1	—	B.	DG.1
						Consisting of:—				
	12511	Std.1553/E/145				Bolt	1	S.99	C.	5
		B.201276				Housing, group	1	S.154		
		F.168683				Stud	2	H.T.S.		
	4189	F.198959				Stud	2	H.T.S.	C.	DG.1
31	28M/1011467	A.27.ES				Nut	1	—	C.	
	28P/9527619	SP.90C7				Pin, split	1	—	C.	
		A.201278				Plug, end	1	H.T.S.		
	28W/14183	AS.1903/E12				Saddle	2	—	C.	
	5263	C.201271/A				Housing, bearing, starboard, group	1	—	B.	DG.1
						Consisting of:—				
	12511	Std.1553/E/145				Bolt	1	S.99	C.	5
		B.201277				Housing, group	1	S.154		
		F.168683				Stud	2	H.T.S.		
	4189	F.198959				Stud	2	H.T.S.	C.	DG.1
31	28M/1011467	A.27.ES				Nut	1	—	C.	
	28P/9527619	SP.90.C7				Pin, split	1	—	C.	
		A.201278				Plug, end	1	H.T.S.		
	28W/14183	AS.1903/E12				Saddle	2	—	C.	
	10896	B.255482				Lever, aileron booster unit, port, group	1	—	B.	
						(Mod. 1133)				
	10897	B.255483				Lever, aileron booster unit, starboard, group	1	—	B.	DG.1
						(Mod. 1133)				
	2A/9501242	BRL5/8				Bearing	2	—	C.	
	1560	A.191949				Block, bearing	2	Stamping	C.	DG.1
31	1561	F.191951				Bolt, bearing retaining	2	S.154	C.	DG.1
31	132	F.182095				Bolt, shackle attachment	2	S.154	C.	DG.1
31	1562	A.191950				Cap, bearing retaining	2	L.168	C.	DG.1
		C.201274				Lever, port, group	1	—		
		C.201275				Lever, starboard, group	1	—		
	5261	F.202435				Bush	2	BSS.369	C.	DG.1
	12163	Std.1357/37				Ferrule	4	S.2	C.	4
	12164	Std.1357/38				Ferrule	4	S.2	C.	4
	174	F.182015				Pin, lever attachment	2	S.97.B	C.	DG.1
		B.182065				Lever, port, group	1	—		
		B.182066				Lever, starboard, group	1	—		
	10051	F.168914				Bush, special	2	S.95.B	C.	
	12165	Std.1357/41				Ferrule	4	S.2	C.	4
		Std.1357/42				Ferrule	4	S.2		4

RESTRICTED

Hunter F. Mk. 6
Issued with A/L No. 26

Page DG.3

FLYING CONTROLS - OUTER WING

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10895	A.254844					Shackle, group (Mod. 1133)	2	-	B.	DG.1
2A/9500365	ACL.5/8					Bearing, contact	2	-	C.	
11444	F.168716					Spindle	2	S.95.B	C.	
11191	F.168717					Spindle	2	S.95.B	C.	
7959	F.214989					Washer, special, for shackle (Mod. 467)	QR	S.1	C.	DG.1
7960	F.214990					Washer, special, for shackle (Mod. 467)	QR	S.1	C.	DG.1
7961	F.214991					Washer, special, for shackle (Mod. 467)	QR	S.1	C.	DG.1
7962	F.214992					Washer, special, for shackle (Mod. 467)	QR	S.1	C.	DG.1
1501	F.190470					Washer, special	2	DTD.610	C.	DG.1
1559	F.192086					Washer, bearing attachment bolt	2	S.3	C.	DG.1
8053	Std.1208/180/ 88/20					Washer, shim, between levers	QR	Shim Steel	C.	4
8054	Std.1208/180/ 88/30					Washer, shim, between levers	QR	Shim Steel	C.	4
8055	Std.1208/180/ 88/45					Washer, shim, between levers	QR	Shim Steel	C.	4
4109	F.199249					Plate, locking, for bearing block	2	S.3	C.	
4110	F.199250					Plate, locking, for bearing block	14	S.3	C.	
10515	B.232006					Rod, control, group (Mod. 933)	2	-	B.	DG.1
						Consisting of:-				
10566	A.232008					Fork, end	1	S.95	C.	DG.1
10567	F.232007					Nut, special	1	S.98	C.	
	B.232006/1					Rod	1	S.96		
157	F.181791					Shackle	2	Stamping	C.	DG.1
7122	F.210462					Shim, for linkage	QR	DTD.166	C.	
7123	F.210463					Shim, for linkage	QR	DTD.166	C.	
7124	F.210464					Shim, for linkage	QR	DTD.166	C.	
7125	F.210465					Shim, for linkage	QR	DTD.166	C.	
7126	F.210466					Shim, for linkage	QR	DTD.166	C.	
7127	F.210467					Shim, for linkage	QR	DTD.166	C.	
7128	F.210468					Shim, for linkage	QR	DTD.166	C.	
7129	F.210469					Shim, for linkage	QR	DTD.166	C.	
8362	F.215654					Plate, locking (Mod. 481)	2	DTD.166	C.	DG.2
8360	F.215187					Sleeve, flap, inboard hinge (Mod. 481)	2	S.95.C	C.	DG.2
8359	F.215186					Sleeve, flap, inner and outer hinges (Mod. 481)	4	S.95.B	C.	DG.2
8361	F.215165					Sleeve, flap hinge at jack (Mod. 481)	2	S.95.B	C.	DG.2
164	A.180993					Tube, aileron control, inboard, port	1	-	B.	DG.1
165	A.180994					Tube, aileron control, inboard, starboard	1	-	B.	DG.1
166	A.180995					Tube, aileron control, between tail ribs "E" and "G"	2	-	B.	DG.1
1502	A.191584					Tube, aileron control, between tail ribs "G" and "L," group	2	-	B.	DG.1
168	A.169527					Eye, end	1	-	C.	DG.1
169	A.171048					Tube, aileron control, between tail rib "L" and booster unit assembly, port	1	-	B.	DG.1
170	A.171049					Tube, aileron control, between tail rib "L" and booster unit assembly, starboard	1	-	B.	DG.1

RESTRICTED

RESTRICTED

Page DG.4

Hunter F. Mk. 6
Issued with A/L No. 26


FLYING CONTROLS - OUTER WING

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
		SUMMARY OF STOCK ITEMS								
28D/9438920	A.25.1.C	Bolt	2	B.A.			-	-	-	
28D/9133011	A.25.2.C	Bolt	2	B.A.			-	-	-	
28D/9133012	A.25.3.C	Bolt	2	B.A.			-	-	-	
28D/7002428	A.25.6.C	Bolt	2	B.A.			-	-	-	
28D/7002440	A.25.18.E	Bolt	1/4"	B.S.F.			-	-	-	
28D/14365	A.30.11.G	Bolt	5/16"	B.S.F.			-	-	-	
28D/1213771	A.30.13.J	Bolt	3/8"	B.S.F.			-	-	-	
28D/1007976	AS.1242/4C	Bolt	2	B.A.			-	-	-	
28D/13256	A.30.5.C	Bolt	2	B.A.			-	-	-	
28D/14218	A.30.9.G	Bolt	5/16"	B.S.F.			-	-	-	
28D/18679	A.30.20.J	Bolt	3/8"	B.S.F.			-	-	-	
28N/9156370	SP.21	Lubricator					-	-	-	
28M/9403520	A27.CP	Nut	2	B.A.			-	-	-	
28M/5808573	A27.CS	Nut	2	B.A.			-	-	-	
28M/1006473	A27.CT	Nut	2	B.A.			-	-	-	
28M/1011467	A27.ES	Nut	1/4"	B.S.F.			-	-	-	
28M/5808571	A27.GS	Nut	5/16"	B.S.F.			-	-	-	
28M/1011476	A27.JS	Nut	3/8"	B.S.F.			-	-	-	
28M/1007404	A27.JT	Nut	3/8"	B.S.F.			-	-	-	
28M/9129449	A27.LS	Nut	7/16"	B.S.F.			-	-	-	
28M/14537	A58.GS	Nut	5/16"	B.S.F.			-	-	-	
28M/15496	A58.LT	Nut	7/16"	B.S.F.			-	-	-	
28M/14555	A58.NS	Nut	1/2"	B.S.F.			-	-	-	
28M/8101	AGS.572/C	Nut	5/16"	B.S.F.			-	-	-	
28M/7727	AGS.572.E	Nut	5/8"	B.S.F.			-	-	-	
28M/7748	AGS.572/J	Nut	9/16"	B.S.F.			-	-	-	
28M/10288	AGS.2001/C1	Nut	2	B.A.			-	-	-	
28M/10328	AGS.2002/C1	Nut	2	B.A.			-	-	-	
28P/9130722	SP.4.Y.B2	Pin					-	-	-	
28W/9419475	SP.15.C	Washer	2	B.A.			-	-	-	
28W/9419476	SP.15.G	Washer	5/16"	B.S.F.			-	-	-	
28W/9419477	SP.15.J	Washer	3/8"	B.S.F.			-	-	-	
28W/9419478	SP.15.L	Washer	7/16"	B.S.F.			-	-	-	
28W/9419404	SP.16.C	Washer	2	B.A.			-	-	-	
28W/9419488	SP.16.G	Washer	5/16"	B.S.F.			-	-	-	
28W/9419489	SP.16.J	Washer	3/8"	B.S.F.			-	-	-	
28W/9419492	SP.16.P	Washer	9/16"	B.S.F.			-	-	-	


RESTRICTED

MOD 932

RESTRICTED

PLATE NO DG.1-
(ISSUE II)

FLYING CONTROLS



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

