

EQUIPMENT S.O.O. — PYLONS — INBOARD


Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Place No.
		1 2 3 4 5				
9105	E.221165	PYLON, INBOARD, PORT, GROUP (Mod. 463)	1	—	A.	HB.1
9106	E.221166	PYLON, INBOARD, STARBOARD, GROUP (Mod. 463)	1	—	A.	HB.1
7993	F.203800	Bolt, special (Pre Mod. 965)	22	S.99.B	C.	HB.1
10584	F.244905	Bolt, special (Mod. 965)	22	S.99.B	C.	HB.1
11A/5044	—	Lug, suspension for cover plate (Mod. 863)	2	—	C.	HB.1
9536	B.223230	Pipes, fuel and air, port	1	—	B.	HB.1
9537	B.223231	Pipes, fuel and air, starboard	1	—	B.	HB.1
10241	B.235438	Plate, cover for release unit (Mod. 863)	2	—	C.	
	E.203592	Pylon, inboard, port, group	1	—		
	E.203593	Pylon, inboard, starboard, group	1	—		
—	F.224996	Bar, security for transporting (L.M.30A/404, 2-3/4" long)	2	S.1.B	—	
5X/1002695	Plessey 703/1/00249	Block, terminal, 20-way	2	—	C.	
5X/1004088	Plessey 703/2/00244	Block, terminal, 10-way	2	—	C.	
8011	F.205519	Bolt, special	4	S.99.B	C.	HB.1
10249	A.225520	Bracket, for forward fusing unit (Mod. 695)	2	L.72	C.	
	A.209895	Bracket, for aft fusing unit, port	1	L.72		
	A.209896	Bracket, for aft fusing unit, starboard	1	L.72		
	A.203226	Bracket, for switch	2	L.72		
31	9976	Bracket, mounting, relay (Mod. 814)	2	S.510	C.	
	9977	Buffer, relay, anti-vibration (Mod. 814)	8	Expanded Neoprene	C.	
	10908	Bush, spigot locating (Mod. 695)	2	—	C.	
	9522	Cable, PY.1, group (See Cable Chart)	2	—	B.	
	8012	Adaptor	3	Brass	C.	
	7990	Ferrule	1	—	C.	
—	B.208409	Cable, PY.2, group (Pre Mod. 606) (See Cable Chart)	2	—	—	
	9545	Cable, PY.2, group (Mod. 606) (See Cable Chart)	2	—	B.	
	8012	Adaptor	3	Brass	C.	
	—	Cable, PY.4, group (See Cable Chart) (Mod. 969)	2	—	—	
	—	Cable, PY.5, group (See Cable Chart)	2	—	—	
	—	Cable, PY.6, group (See Cable Chart)	2	—	—	
	—	Cable, PY.7, group (See Cable Chart)	2	—	—	
	—	Cable, PY.8, group (See Cable Chart)	2	—	—	
31	3736	Std.840/17 Clip, support, for duct, 7/16" wide x 22 S.W.G. x 1.7" long	4	DTD.610	C.	4
—	F.209901	Clip, support, for cable (Make from 30A/9610252)	4	S.510	L.M.	
	F.208710	Cover	2	L.72		
31	9974	Cover, for PY.4, cable (Mod. 814)	2	—	C.	
	F.203746	Duct, for PY.6, cable	2	L.54		
31	B.203826 or A.221508	Fairlead	2	S.510		
12580	A.221508					
5K/—	Hellermann R.2032 or	Grommet	2	—	C.	
5K/2000871	SP40—B32					
8015	A.200777*	Jettison, and reset mechanism, group (Pre AS.900/86)	2	—	B.	
	10491	Jettison, and reset mechanism, group (AS.900/86)	2	—	B.	HB.1
31	A.240267	Bracket	1	S.510		
	B.200778	Collar	2	T.26		
	F.200782	Lever	1	Casting		
	F.200779	Rod, push (Pre Mod. AS.900/86)	2	S.1.B		
	F.200780	Rod, push (AS.900/86)	2	S.1.B		
	F.240268	Spring	2	Sp. St.	C.	HB.1
	8016	F.200781				

EQUIPMENT S.O.O. — PYLONS — INBOARD

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
31	5X/4491423	Plessey				Link, commoning, 4-way	2	—	C.	
		703/2/00253								
	8017	F.205520				Nut, special	4	S.11.B	C.	HB.1
		F.233741				Nut, special	2	—	—	
	8018	C.202992 or				Panel, access, front, port, group	1	—	B.	HB.1
		C.221725								
	8019	C.202993 or				Panel, access, front, starboard, group	1	—	B.	HB.1
		C.221725								
		A.203044				Catch	2	S.510 & S.21.B		
	8020	C.202999				Panel, access to cable, port, group	1	L.72	B.	HB.1
	8021	C.203000				Panel, access to cable, starboard, group	1	L.72	B.	HB.1
		Fairey FS.430/D				Fastener, type 3	4	—		
	12475	F.163773				Pillar, for terminal block	4	Plastic	C.	
	9975	F.229903				Pillar, for cable cover mounting (Mod. 814)	4	S.1.B	C.	
	9528	Chekaleke No. 10				Plug	4	—	C.	
31	10517	F.222276				Spigot, at release housing	2	S.154	C.	
31	10518	F.222277				Spigot, at release housing	2	S.154	C.	
	11406	F.203747				Spigot, stores anti-swing	2	S.80	C.	
		F.137371				Spring, lock, for cable	2	Sp. St.		
		D.205992				Member, top, port, group	1	—		
		D.205993				Member, top, starboard, group	1	—		
		F.206037				Bolt, special	56	S.99.B		
	—	C.202519				SUPPORT, RELEASE HOUSING, ASSEMBLY	—	—	—	
		A.223544				Block, trunnion (Mod. 658)	2	Stamping		
	9934	F.218649				Block, packing (Mod. 520)	2	S.1.B	C.	
	8022	A.202419				Bolt, hanger	2	Stamping	C.	HB.1
	8023	F.202492				Bolt, special	4	S.99.B	C.	HB.1
31	9933	F.203112				Bolt, special	4	S.154	C.	
	9538	B.220515				Cable, PY.3, group (Mod. 520)	2	—	B.	
		A.218537				Cover (Mod. 520)	1	—	—	HB.1
	7989	A.209702				Ferrule	1	—	C.	HB.1
		F.218555				Plate, mounting (Mod. 520)	1	L.72		HB.1
		A.216578				Channel (Mod. 520)	2	L.72		
	4545	Std.841/21				Clip, 7/16" x 22 S.W.G. x 2.1" long	1	DTD.610	C.	4
						(Pre Mod. 606)				
	4545	Std.841/21				Clip, securing PY.3, cable (AS.740/5)	1	DTD.610	C.	4
	9729	F.214788				Collar, stop, for hanger bolt	2	S.1	C.	
		F.222153				Fitting, stowage (Mod. 606)	2	I.C.I.		
								Alkathene		
	11A/4396	—				Housing, release, No. 1, Mk. 2 (Mod. 520)	2	—	A.	
	9551	A.223545				Housing, screw for hanger bolt (Mod. 658)	2	DTD.197	C.	HB.1
		F.220016				Packing (Pre Mod. 606)	2	L.72		
	11382	F.220017				Packing	4	L.72	C.	
	9552	A.223906				Pawl (Mod. 658)	4	Casting	C.	HB.1
	8002	Std.1961/N/135				Pin	2	S.99.B	C.	5
		F.216694				Pin, special (Mod. 520)	2	DTD.215		
	12462	F.203352				Plate, side	4	—	C.	
	11A/3669	—				Release, electro-magnetic No. 1, Mk. 1	2	—	A.	
	8569	F.220075				Sleeve (Mod. 606)	2	Alkathene Compound	C.	HB.1
	8027	F.204205				Spring	4	Sp. St.	C.	HB.1
	2141	Std.915/J14				Washer (Mod. 520)	2	DTD.610	C.	4
	5407	Std.915/T18				Washer, at relay mounting (Mod. 814)	4	—	MR/C	4
31	5D/4341085	—				Unit, fusing No. 3 Mk. 1 (alternative to	4	—	B.	
						5D/6408723)				
31	5D/6408723	—				Unit, fusing No. 3 Mk. 1 (alternative to	4	—	B.	
						5D/4341085)				
	11190	Std.1509/23/082				Tube, distance at relay mounting (Mod. 814)	4	—	C.	4
	1506455	Std.1335/F18				Washer, for release housing spigot	2	L.4	C.	4
31	27QA/4534549	Dowty				Ring, "O"	4	—	C.	HB.1
		GD.1309/27								

EQUIPMENT S.O.O. - PYLONS - INBOARD

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
31 27QA/4534529	9107	B.215283	Valve, fuel and air, group				2	—	B.	HB.1
	F.211845	Guide				1	S.1.B			
	A.215381	Nut, barrel				2	S.95			
	B.215283/1	Pin, dowel, 3/32" dia. x 3/8" long				1	Silver Steel			
	11871	A.215290	Plate, sealing				1	DTD.166 & Rubber	C.	
	8005	A.206526	Plug, blanking				2	Brass	C.	HB.1
	Dowty	Ring, "O"				2	—	C.	HB.1	
	GD.1308/5									
	11041	A.215286	Sleeve				2	L.65.C	C.	
	11526	F.219598	Spring				1	Sp. Steel	C.	
	11179	F.215294	Spring				1	Sp. Steel	C.	
		A.218673	VALVE, FLAP, AND SEALING PLATE, ASSEMBLY				—	—		
		F.215296	Pin, hinge				1	L.65		
		F.225421	Sleeve				1	L.65		
	F.225420	Spring				1	DTD.215			
	A.215287	Valve, flap				1	—			
12483	A.219054	Valve, group				1	L.65C	C.		
	F.219592	Spring				1	Sp. Steel			
	F.221179	Valve				1	L.65C			
	or F.220472									





This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

ENGINE
INHIBITED
DO NOT
TURN
PROP