

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Or	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.200100	CENTRE FUSELAGE STRUCTURE, ASSEMBLY					—	—		
	D.179303	ATTACHMENT OF STRINGERS FROM NOSE					—	—		
		SPAR TO FRAME 20, ASSEMBLY								
960	F.184105	Bolt, special, at stringers "C" and "H"					2	S.95.B	C.	JB.3
	Std.1551/3/125	Bolt, special, at stringers "C" and "H"					8	S.99.B		
3825	Std.1551/3/105	Bolt, special, at stringers "C" and "H"					4	S.99.B	MR/C	
	A.178938	Fitting, attachment, at stringers "C" and "H"					4	S.99.B		
963	F.170740	Nut, special, at stringers "H"					2	S.99.B	C.	JB.3
7262	Std.1718/3	Nut, special					12	S.95.B	C.	
10607	F.240458	Nut, special, for spigot at stringer "C" (Mod. 1032)					2	S.99	C.	
10606	A.240442	Spigot, at stringer "C" (Mod. 1032)					2	S.99	C.	
962	A.178929	Spigot, at stringer "H"					2	S.95.B	C.	JB.3
961	F.184104	Tab, locking, at stringers "C" and "H"					4	S.3	C.	JB.3
	F.178931	Tab, distance, at stringers "C" and "H"					2	DTD.364		
7263	Std.1208/62/24/20	Washer, shim					QR	—	MR/C	4
	D.179304	ATTACHMENT OF STRINGERS AT FRAME 21					—	—		
		TO MAIN SPAR, ASSEMBLY								
2418	F.178919	Angle, fitting, at stringer "K"					4	Stamping	MR/C	JB.4
2419	F.178920	Angle, fitting, at stringer "K"					4	Stamping	MR/C	JB.4
3832	Std.1553/E/65	Bolt, special, at stringer "K"					8	S.99.B	C.	JB.4
3833	Std.1553/E/55	Bolt, special, at stringer "K"					4	S.99.B	MR/C	JB.4
2420	B.182214	Fitting, for aircraft slinging bolt					2	Stamping	MR/C	JB.2
	D.200910	ATTACHMENT OF STRINGERS AT MAIN					—	—		
		SPAR TO FRAME 26, ASSEMBLY								
2421	A.179650	Angle, fitting, at stringer, "K," main spar					4	Stamping	MR/C	JB.4
2422	A.178809	Angle, fitting, at stringer "K," main spar					4	Stamping	MR/C	JB.4
4447	Std.1553/J/390	Bolt, at stringer "K," main spar					4	S.99.B	MR/C	JB.4
2423	F.179742	Tube, distance, at stringer "K," main spar					4	DTD.364	MR/C	JB.4
4691	Std.1547/26/12	Washer, profile, at stringer "J" main spar					4	DTD.610	MR/C	4
	D.200912	ATTACHMENT OF STRINGERS AT REAR					—	—		
		SPAR TO FRAME 31, ASSEMBLY								
3834	Std.1553/L/320	Bolt, at stringer "K," rear spar					4	S.99.B	MR/C	JB.4
3824	Std.1551/2/85	Bolt, at stringer "K," rear spar					8	S.99.B	MR/C	JB.4
3825	Std.1551/3/105	Bolt, at stringer "K," rear spar					8	S.99.B	MR/C	JB.4
3835	Std.1553/J/300	Bolt, at stringer "J," rear spar					4	S.99.B	C	JB.4
2424	A.178816	Fitting, attachment, at stringer "K," rear spar					4	Stamping	MR/C	JB.4
2425	A.168436	Fitting, attachment, at stringer "J," rear spar					4	Stamping	MR/C	JB.4
7261	Std.1718/2	Nut, special, at stringer "K," rear spar					8	S.95.B	MR/C	JB.4
7262	Std.1718/3	Nut, special, at stringer "K," rear spar					8	S.95.B	MR/C	JB.4
2427	F.178881	Tube, distance, at stringer "K," rear spar					4	DTD.364	MR/C	JB.4
2426	F.178865	Tube, distance, at stringer "J," rear spar					4	DTD.364	MR/C	JB.4
7264	Std.1208/51/24/20	Washer, shim, at stringer "K," rear spar					QR	—	MR/C	JB.4
7265	Std.1208/62/28/20	Washer, shim, at stringer "K," rear spar					QR	—	MR/C	JB.4
	D.200727	ATTACHMENT OF STRINGERS AT FRAMES					—	—		
		22, 24, 33, 35 AND 36, ASSEMBLY								
7266	F.200577	Bracket, support, at stringer "K" port, frame 35					1	OTD.610	MR/C	
7267	F.200578	Bracket, support, at stringer "K," starboard,					1	OTD.610	MR/C	
		frame 35								
4619	Std.1335/E/18	Washer					4	L.4	C.	4

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. On	Material Specification	M.A. Class of Store	Plate No.
		1	2	3	4	5				
	D.200628	BRACKET, FOR FLYING CONTROLS, FRAMES 27 TO 29, ASSEMBLY					—	—		
	B.200630	Bracket, port, group					1	L.72		
	B.200631	Bracket, starboard, group					1	L.72		
	F.200632	Packing, port					1	L.72		
	F.200633	Packing, starboard					1	L.72		
	F.200636	Packing, port					1	L.72		
	F.200637	Packing, starboard					1	L.72		
7268	F.200634	Plate, nut, port					1	S.3	MR/C	
7269	F.200635	Plate, nut, starboard					1	S.3	MR/C	
	A.227757	Plate, reinforcing (AS.710/42)					2	—		
	D.184002	BRACKET, FOR FLYING CONTROLS, FRAMES 23 TO 24, ASSEMBLY					—	—		
	B.184003	Bracket, port					1	DTD.610		
	B.184004	Bracket, starboard					1	DTD.610		
2430	F.184005	Plate, nut					2	DTD.610	MR/C	
	C.203456-7	BRACKET, FOR FORWARD ENGINE MOUNTING, ASSEMBLY					—	—		
	B.203458	Diaphragm, outboard, port					1	L.72		
	B.203459	Diaphragm, outboard, starboard					1	L.72		
	B.203460	Diaphragm, inboard, port					1	L.72		
	B.203461	Diaphragm, inboard, starboard					1	L.72		
	B.201604	BRACKET, MOUNTING FOR AIR SUPPLY VALVE, ASSEMBLY					1	—		
7270	B.201603	Bracket					1	L.72	MR/C	JB.3
	A.203695	BRACKET, MOUNTING FOR ROTOL FLOW PROPORTIONER, ASSEMBLY					1	—		
7271	A.203394	Bracket					1	L.72	MR/C	JB.6
7272	A.203395	Bracket					1	L.72	MR/C	JB.6
	C.210539	BRACKET, MOUNTING FOR THROTTLE CONTROL LINKAGE, ASSEMBLY					1	—		
7273	F.210881	Angle, at upper mounting bracket					1	L.72	MR/C	
7274	F.210800	Bracket, mounting, lower, group					1	—	MR/C	JB.6
7275	F.209977	Spigot					1	S.95.B	MR/C	JB.6
7276	B.210540	Bracket, mounting, upper, for lever, group					1	L.72	MR/B	JB.6
	A.209978	Spigot					1	DTD.364 & S.95.B		
	Std.1509/2/086	Tube, distance, 1/4" o/d x 22 S.W.G. x 0.86" long					2	T.4	—	4
	B.210541	Plate, stiffening, for upper mounting bracket					1	L.72		
	D.233396	DOORS AND ACCESS PANELS, ASSEMBLY (Mod. 794)					—	—		
4633	F.197909	Bolt, for access panels					54	S.95	C.	
7835	Std.1700/4E	Bolt, attaching fuel system access panel					12	—	C.	5
8341	D.217495	Dpot, access to gear box, group (Mod. 425)					1	—	B.	JB.1
	D.217495/3	Hinge					1	DTD.166		
965	KAC. C.3099	Toggle, housing					2	—	C.	JB.5
6215	D.200562	Dpot, access to gear box, group (Pre Mod. 425)					1	—	B.	
6667	D.200562/3	Hinge					1	DTD.166	C.	
965	KAC. C.3099	Toggle, housing					2	—	C.	JB.5

FUSELAGE — CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
10452	D.235373					Door, access to engine starter with slot aerial, group (Mod. 857)	1	—	A.	
9359	D.221697*					Door, access to engine starter with slot aerial, group (Mod. 588) (Pre Mod. 857)	1	—	A.	JB.5
10H/113616	—					Adaptor, bulkhead (AS.680/74)	1	—	C.	
4844	F.203030					Angle, for spring clip	1	LA	C.	JB.5
	F.201721					Channel	1	L.72		
5720	Std.842/11					Clip, cable	4	S.3	MR/C	4
10H8/1205						Connector, aerial	1	—	B.	
981	A.188500					Hinge	1	DTD.166 or S.521	C.	JB.5
5854	C.202812					Insulator, aerial	1	DTD.5518	C.	JB.5
9361	B.222421					Lid, aerial box (Mod. 588)	1	—	C.	JB.5
4599	A.201719					Strip, support	1	L.72	C.	JB.5
5853	F.202811					Strap, aerial	1	DTD.5518	C.	JB.5
980	A.188515					Strip, aerial	1	L.16	C.	JB.5
965	King C.3099					Toggle, housing	2	—	C.	JB.5
28FP/9424333	Oddie No. 219					Washer	2	—	C.	
6670	D.201293					Door, access to gearbox turret, group	1	DTD.510	A.	JB.1
7582	B.201297					Duct, cooling	3	DTD.213	MR/C	JB.5
966	A.188142					Hinge	1	DTD.166 or S.521	C.	JB.5
	F.201299					Plate, support	3	DTD.610		
965	King C.3099					Toggle, housing	2	—	C.	JB.5
6671	B.200546					Panel, access to cold air unit	2	—	C.	JB.1
6672	B.201114					Panel, access to gear box drive	1	L.72	C.	JB.1
6673	B.201332					Panel, access to air supply	2	L.72	C.	JB.1
1506492	C.298594					Panel, access to fuel pump	1	DTD.610	A.	JB.1
9896	C.233394					Panel, access to fuel system, group (Mod. 794)	1	L.72	A.	JB.1
4448	F.199061					Cover, for pitot drain valve	2	—	MR/C	JB.1
6674	A.205589					Panel, access to R.P.M. adjustment and fuel pump governor bleed	1	L.72	C.	JB.5
6675	A.201229					Panel, access to slow running adjustment	1	DTD.610	C.	JB.1
6676	A.205540					Panel, access to fuel filter cover (Pre Mod. 491)	1	L.72	C.	JB.5
8185	A.216185					Panel, access to fuel filter cover (Mod. 491)	1	L.72	C.	JB.5
6677	B.200823					Panel, access to front engine mounting	2	L.72	C.	JB.1
969	B.179779					Panel, access to fuel vent connections	2	DTD.610	C.	JB.1
970	B.179777					Panel, access to fuel level switches	2	DTD.610	C.	JB.1
6678	B.200462					Panel, access to gearbox filler	1	L.72	—	JB.1
6679	B.201069					Panel, access to hydraulic reservoir, group	1	—	—	JB.5
31	28FP/4062655					Fastener	3	—	C.	
6680	A.200259					Panel, access to igniter plug	2	DTD.610	C.	JB.1
6681	A.201707					Panel, access to liquid starter filler, group	1	L.72	C.	JB.1
31	28FP/4062655					Fastener	1	—	C.	
6682	A.203667					Panel, access to oil level sighting, group	1	L.72	C.	JB.5
31	28FP/4062655					Fastener	1	—	C.	
6683	A.201362					Panel, access to starter equipment	2	L.72	C.	JB.1
10450	E.235376					Panel, access to engine, group (Mod. 857)	1	—	A.	JB.5
9357	E.221698*					Panel, access to engine, group (Pre Mod. 857)	1	—	A.	
10H/113616	—					Adaptor, bulkhead (AS.6980/74)	1	—	C.	
10712	F.219432					Clamp, cable, group (Mod. 588)	1	—	C.	
	F.219447					Block, clamp	2	LFS.21		
	F.219433					Stud, anchor	1	—		

FUSELAGE — CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Place No.
31	28E/4061984	Terry 80/2	2	—	C.	
	5720	Std.842/11	3	S.510	MR/C	4
	10HA/1096	—	1	—	B.	
	984	B.188540	2	Stamping	C.	JB.5
	5854	C.202812	1	DTD.5518	C.	JB.5
	9362	B.222506	1	DTD.610	C.	JB.5
	4737	F.197737	2	DTD.610	C.	JB.5
	5853	F.202811	1	DTD.5518	C.	JB.5
	980	A.188515	1	L.16	C.	JB.5
	965	King C.3099	2	—	C.	JB.5
	4026	Std.1507/23/080	4	T.26	MR/C	4
	4027	Std.1507/23/060	2	T.26	MR/C	4
	5269	Fairey FS.553*	48	—	C.	
	28R/17665	AS.4573/1	48	—	C.	
		D.184913	—	—		
	2434	C.184973	1	DTD.610	MR/C	JB.2
	2435	C.184974	1	DTD.610	MR/C	JB.2
	10623	C.225951	1	DTD.610	C.	JB.2
	7278	C.201507	1	DTD.610	MR/C	JB.2
	2438	B.184977	1	DTD.610	MR/C	JB.2
	2439	B.184978	1	DTD.610	MR/C	JB.2
31	28FP/4062482	Dzus EFS5/325	3	—	C.	
	1754	B.193293	1	DTD.610	C.	JB.1
31	28R/1061088	AS.4573/1	2	—	C.	
	10277	D.226452	1	DTD.610	B.	JB.1
	1506489	D.253389	1	DTD.610	B.	JB.1
	6197	C.211694	1	DTD.610	B.	JB.1
	78451	C.213452	1	DTD.610	B.	JB.1
31	28FP/4062655	Dzus EF5/45B	12	—	C.	
	7279	C.200827	1	DTD.610	MR/C	JB.6
	7280	C.200828	1	DTD.610	MR/C	JB.6
		C.188170	—	—		
	3741	Std.840/20	21	DTD.610	C.	4
	2440	C.188170/1	3	T.4	MR/C	JB.3
	2441	C.188170/2	3	T.4	MR/C	
	2442	C.188170/3	3	T.4	MR/C	
		D.202624	—	—		
	7281	A.204845	1	T.26	MR/C	JB.3
	7282	A.204846	1	T.26	MR/C	JB.3
	7283	A.202625	4	T.26	MR/C	JB.4
	7284	B.203191	2	T.26	MR/C	JB.4
31	7285	B.202626	1	S.510	MR/C	JB.4
31	7286	B.202627	1	S.510 & T.26	MR/C	JB.4

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.195155-6					DUCT, FOR FUEL LEVEL SWITCH CABLE, ASSEMBLY	—	—		
	F.195157					Duct	2	T.9		
	B.203819					DUCTS SEALING, FOR FUEL PIPES, BETWEEN FRAME 29 AND FRAME 30, ASSEMBLY	—	—		
	7287 A.203081					Duct	1	T.4	MR/C	JB.6
	7288 A.203082					Duct	3	T.4	MR/C	JB.6
31	B.240529					Frame, 18B, top portion (Mod. 943)	1	L.168		
31	2443 D.176265					Frame, 18B, lower portion, port	1	L.168	MR/B	JB.3
31	2444 D.176276					Frame, 18B, lower portion, starboard	1	L.168	MR/B	JB.3
	B.215911					Frame 19, nose spar, group (E.179358 modified)	1	—		
	2446 A.181165					Angle, support, at bottom diaphragm, port	1	DTD.610	MR/C	JB.7
	2445 A.181166					Angle, support, at bottom diaphragm, starboard	1	DTD.610	MR/C	JB.7
	7289 A.202682					Angle, support, for junction box mounting	1	L.72	MR/C	JB.7
	A.181153					Angle, bottom, for skin attachment, port	1	DTD.610		
	A.181154					Angle, bottom, for skin attachment, starboard	1	DTD.610		
	4694 A.195545					Angle, support, at bottom diaphragm	1	DTD.610	MR/C	JB.7
	B.181157					Angle, front, at bottom boom attachment, port	1	DTD.610		
	B.181158					Angle, front, at bottom boom attachment, starboard	1	DTD.610		
	2447 C.181163					Angle, lower, for tank skin attachment, port	1	DTD.610	MR/C	JB.7
	2448 C.181164					Angle, lower, for tank skin attachment, starboard	1	DTD.610	MR/C	JB.7
	2449 F.182169					Angle, for stringer attachment, port	3	DTD.610	MR/C	JB.7
	2450 F.182170					Angle, for stringer attachment, starboard	3	DTD.610	MR/C	JB.7
	4695 F.197436					Angle, bracket, securing gun heating pipe	1	DTD.610	MR/C	JB.7
	2451 F.182166					Bolt, at bottom joint	10	S.2	MR/C	JB.3
31	13396 Std.1553/E210					Bolt, for reinforcing channel (Mod. 1327)	2	S.958	C.	5
	Std.1553/E220					Bolt, for reinforcing channel (Mod. 1327)	4	S.958	—	5
	2452 F.187392					Bracket, at bottom diaphragm	1	DTD.610	MR/C	JB.3
	2453 F.187393					Bracket, at bottom diaphragm	1	DTD.610	MR/C	JB.3
	2454 F.187395					Bracket, at bottom stiffener	1	DTD.510	MR/C	JB.3
	2455 F.187397					Bracket, at bottom diaphragm	1	DTD.610	MR/C	JB.3
	F.226076					Bracket, for switch (Mod. 794)	1	L.72		
	2456 F.187396					Channel, at bottom stiffener	1	DTD.610	MR/C	
	2457 A.181119					Channel, at bottom diaphragm	1	DTD.610	MR/C	JB.7
	A.289641					Channel, reinforcing, port (Mod. 1327)	1	L.65		
	A.289642					Channel, reinforcing, starboard (Mod. 1327)	1	L.65		
	2459 A.181145					Channel, reinforcing, bottom, port	1	DTD.610	MR/C	JB.7
	2460 A.181146					Channel, reinforcing, bottom, starboard	1	DTD.610	MR/C	JB.7
	2461 B.181112					Channel, cross, at bottom diaphragm	1	DTD.610	MR/C	JB.7
	2462 A.181120					Channel, at bottom diaphragm	1	DTD.610	MR/C	JB.7
	2463 B.181115					Channel, lower, inner, port	1	DTD.610	MR/C	JB.7
	2464 B.181116					Channel, lower, inner, starboard	1	DTD.610	MR/C	JB.7
	2458 A.181121					Channel, lower, outer	2	DTD.610	MR/C	JB.7
	8230 D.216907					Diaphragm, bottom, front	1	DTD.610	MR/C	JB.7
	2467 D.181102					Diaphragm, bottom, rear	1	DTD.610	MR/C	JB.7
	A.224939					Extractor, air (Mod. 682)	1	—		
31	B.181141					Finisher, bottom, at tank door landing, port	1	L.168		
31	B.181142					Finisher, bottom, at tank door landing, starboard	1	L.168		
	2468 B.181167					Landing, for fuel pump access door	1	DTD.610	MR/C	JB.7
31	B.181133					Landing, bottom, for tank door	2	L.168		
	10626 F.181159					Packing	1	L.72	MR/C	
	C.181123					Plate, reinforcing, front, at lower boom joint, port	1	DTD.166		
	C.181124					Plate, reinforcing, front, at lower boom joint, starboard	1	DTD.166		
	C.181125					Plate, reinforcing, rear, at lower boom joint, port	1	DTD.166		
	C.181126					Plate, reinforcing, rear, at lower boom joint, starboard	1	DTD.166		
	2469 B.181106					Stiffener, boom	1	DTD.610	MR/C	JB.7

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	C.181198					Spigot, fitting, port (Pre Mod. 1327)	1	Stamping		
	C.181199					Spigot, fitting, starboard (Pre Mod. 1327)	1	Stamping		
6098224	C.289511					Spigot, fitting, port (Mod. 1327)	1	Stamping	C.	
6098225	C.289512					Spigot, fitting, starboard (Mod. 1327)	1	Stamping	C.	
31	2473	B.181160				Strap, at bottom diaphragm	2	DTD.610	MR/C	JB.7
31	2471	A.182167				Strip, fairing, at bottom boom attachment, port	1	L.168	MR/C	JB.7
31	2472	A.182168				Strip, fairing, at bottom boom attachment, starboard	1	L.168	MR/C	JB.7
31	2470	F.178982				Stud, for fairlead	4	S.1 & S.510	MR/C	JB.7
	Std.1509/24/098					Tube, distance, 3/8" x 17 S.W.G. x .98" long	2	T.4	-	4
	Std.1509/24/104					Tube, distance, 3/8" x 17 S.W.G. x 1.04" long	1	T.4	-	4
	Std.1509/20/075					Tube, distance at reinforcing channel (Mod. 1327)	30	T.4	-	4
	Std.1509/20/100					Tube, distance at reinforcing channel (Mod. 1327)	16	T.4	-	4
	Std.1549/28/10					Washer, packing	2	DTD.610	-	4
	D.178147					Frame 20, group	1	-		
31	A.177464					Angle, port	2	L.168		
31	A.177465					Angle, starboard	2	L.168		
	2474	F.177466				Block, distance	2	L.F.S.	MR/C	JB.7
	2475	D.178147/4				Bottom, portion	1	DTD.610	MR/C	JB.7
	2476	D.178147/5				Bottom, portion	1	DTD.610	MR/C	JB.7
	2477	D.178147/6				Channel	2	DTD.610	MR/C	JB.7
	2478	D.178147/7				Plate, doubling	2	DTD.610	MR/C	JB.7
	7290	C.204274				Frame 21, group	1	-	MR/B	JB.7
	2479	D.177457/4				Angle, port	1	DTD.610	MR/C	JB.7
	2480	D.177457/5				Angle, starboard	1	DTD.610	MR/C	JB.7
	2481	D.177457/7				Angle, bottom (Supplied as D.177457/6 for Spares)	1	DTD.610	MR/C	JB.7
	2482	D.177457/8				Angle	2	DTD.610	MR/C	JB.7
	F.179022					Angle, forward, starboard	1	DTD.610		
	F.179023					Angle, forward, port	1	DTD.610		
	F.179024					Angle, aft	2	DTD.610		
	F.194337					Angle, support	1	DTD.610		
	F.181825					Angle, support, at bottom centre of frame	1	DTD.610		
7291	F.203391					Bracket, mounting, for flow proportioner	1	L.72	MR/C	
2484	D.177457/2					Diaphragm, bottom, port	1	DTD.610	MR/C	JB.7
2485	D.177457/3					Diaphragm, bottom, starboard	1	DTD.610	MR/C	JB.7
4696	C.186837					Plate, reinforcing	1	DTD.166	MR/C	JB.7
2486	B.178914					Stiffener, front	1	DTD.610	MR/C	JB.7
2487	B.178915					Stiffener, rear	1	DTD.610	MR/C	JB.7
	E.199350					Frame 22, group	1	-		
4699	F.195550					Angle, for attaching hydraulic pipes	1	DTD.610	MR/C	JB.7
7292	F.203390					Bracket, mounting, for fuel flow proportioner	1	L.72	MR/C	JB.7
4901	B.177902					Channel	2	DTD.710	MR/C	JB.7
7293	E.199350/1					Diaphragm, bottom portion	1	DTD.710	MR/C	JB.7
11420	B.213359					Fitting, for bridge piece	1	.96	C.	
11419	B.212948					Piece, bridge, front	1	DTD.166	C.	
11418	B.212949					Piece, bridge, rear	1	DTD.166	C.	
2489	A.178505					Piece, distance	2	L.F.S.	MR/C	JB.7
	F.199348					Piece, reinforcing, outboard	1	DTD.166		
	F.199349					Piece, reinforcing, inboard	1	DTD.166		
7294	C.199351					Plate, reinforcing	1	DTD.610	MR/C	JB.7
	C.204275					Frame 23, group	1	-		
4700	F.195241					Angle, for attaching hydraulic pipes	1	DTD.610	MR/C	JB.7
7295	F.203388					Bracket, at lower portion of frame	1	L.65.C	MR/C	
7296	F.214242					Bracket, at lower portion of frame	1	L.72	MR/C	JB.7
2491	B.177903					Channel	2	DTD.610	MR/C	JB.7
	C.204275/1					Diaphragm, bottom portion	1	DTD.610	-	JB.7
						(E.177459/4 Ref. 26FX/2492)				
2493	A.178546					Piece, distance	1	L.F.S.	MR/C	JB.7
7297	B.211291					Plate, reinforcing	1	L.72	MR/C	JB.7

FUSELAGE-CENTRE PORTION

Ref. No.	Part No.	Description					No. On	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	E.177460	Frame 24, group					1	—		
2495	E.177460/4	Diaphragm, bottom portion, port					1	DTD.610	MR/C	JB.7
2496	E.177460/5	Diaphragm, bottom portion, starboard					1	DTD.610	MR/C	JB.7
	D.201499	Frame 25, main spar, group					1	—		
2497	D.177970	Angle, for tank support skin, port					1	DTD.610	MR/C	JB.8
2498	D.177971	Angle, for tank support skin, starboard					1	DTD.610	MR/C	JB.8
	D.177968	Angle, for tank support skin, port					1	DTD.610		
	D.177969	Angle, for tank support skin, starboard					1	DTD.610		
2499	D.177961	Angle, bottom, for tank support skin					1	DTD.610	MR/C	JB.8
2500	D.177959	Angle, centre, for tank support skin, port					1	DTD.610	MR/C	JB.8
7298	B.203168	Angle, at bottom portion of frame					1	DTD.610	MR/C	JB.8
2501	D.177960	Angle, centre, for tank support skin, starboard					1	DTD.610	MR/C	JB.8
4703	F.195554	Angle, at bottom portion of frame					1	DTD.610	MR/C	
7299	F.202234	Angle, mounting, for starter tank					1	L.168	MR/C	JB.8
2502	D.177182	Boom, bottom, front					1	L.168	MR/C	JB.8
2503	D.177188	Boom, bottom, rear					1	L.168	MR/C	JB.8
7300	Std.1551/8/310	Bolt, fork fitting					8	S.99.8	MR/C	
3826	Std.1551/8/315	Bolt, fork fitting					4	S.99.8	MR/C	5
3842	Std.1639/7/N	Bolt, for fork fitting					8	S.2 or S.11	MR/C	5
6684	A.206824	Bracket, mounting for solenoid switch, starboard					1	L.72	C.	JB.8
		only								
7301	F.203167	Bracket, attachment, on lower portion of frame					1	L.72	MR/C	
5723	F.177893	Bracket, for attaching stringers					4	DTD.610	MR/C	JB.8
5724	F.177894	Bracket, for attaching stringers					4	DTD.610	MR/C	JB.8
2504	A.177433	Channel, centre, at lower portion of frame					2	DTD.610	MR/C	JB.8
4704	F.193326	Channel, mounting, for JB.1					1	DTD.610	MR/C	JB.8
2505	A.177432	Channel, outer, at lower portion of frame					2	DTD.610	MR/C	JB.8
4705	F.193327	Channel, mounting, for JB.1					1	DTD.610	MR/C	JB.8
2506	A.177434	Channel, inner, at lower portion of frame					1	DTD.610	MR/C	JB.8
2507	B.177191	Channel, at bottom centre of frame					2	DTD.610	MR/C	JB.8
28E/9424956	Terry 80/000	Clip, for cable					1	—	C.	
28E/4061985	Terry 80X/2	Clip, for cable					3	—	C.	
28E/9138389	Terry 80/4	Clip, for cable					2	—	C.	
28E/1006928	Terry 80/5	Clip, for cable					1	—	C.	
	C.202974	Cott, mounting, for fire extinguisher					1	L.72 and 1/16" Felt		
	D.177178	Fork, fitting, top port, bottom, starboard					2	Stamping		
	D.177179	Fork, fitting, top starboard, bottom port					2	Stamping		
	E.177177	Member, cross, for hinge fitting attachment					2	Stamping		
7302	Std.1718/8	Nut, for fork fitting					12	S.1	MR/C	5
4706	F.193436	Packing, at mounting channel, for JB.1					1	DTD.610	MR/C	
	A.177710	Piece, packing, at lower portion of frame					2	DTD.610		
4437	B.198018	Plate, reinforcing, at bottom rear of frame					2	DTD.610	MR/C	JB.8
4033	B.177184	Plate, reinforcing, at bottom forward of frame,					1	DTD.546	MR/C	JB.8
		starboard								
2509	B.177185	Plate, reinforcing, at bottom forward of frame, port ..					1	DTD.546	MR/C	JB.8
	F.197529	Plate, retaining, for cable clip					1	L.72		
	F.197530	Plate, retaining, for cable clip					3	L.72		
	F.200190	Plate, retaining, for cable clip					5	L.72		
4211	Std.1687/2	Saddle					1	—	C.	5
2510	D.177180	Web, forward					1	DTD.610	MR/C	JB.8
7303	D.203045	Web, rear					1	DTD.610	MR/C	JB.8

FUSELAGE — CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	D.200376	Frame 26, group	1	—		
7304	F.209994	Angle, support, at port side of bottom diaphragm	1	L.72	MR/C	
2512	B.178772	Angle, at bottom diaphragm	1	DTD.610	MR/C	JB.8
	C.200383	Angle, for air intake, port	1	DTD.610		
	C.200384	Angle, for air intake, starboard	1	DTD.610		
7305	F.207221	Bracket, support, for cable port side of bottom diaphragm	1	L.72	MR/C	JB.8
7306	D.200376/2	Diaphragm, bottom	1	DTD.610	MR/C	JB.8
7307	F.210693	Plate, reinforcing, at bottom diaphragm, port	1	L.72	MR/C	
11883	F.214323	Spool (Mod. 459)	6	S.1		
7308	B.200377	Stiffener, at bottom diaphragm, port	1	DTD.610	MR/C	JB.8
7309	B.200378	Stiffener, at bottom diaphragm, starboard	1	DTD.610	MR/C	JB.8
	E.200196	Frame 27, group	1	—		
	E.200196/10	Angle, stiffening, at frame centre piece	1	DTD.610		
	E.200196/11	Angle, stiffening, at frame centre piece	1	DTD.610		
7310	E.200196/12	Angle, stiffening, at bottom portion of frame	1	DTD.166	MR/C	JB.8
	F.193853	Angle, for hydraulic pipes	1	DTD.610		
	F.201346	Angle, for hydraulic pipes	1	L.72		
7499	F.201606	Block, mounting, for nut plate, at top of frame	2	L.65.C	MR/C	
7311	F.209301	Catch, at bottom portion of frame	1	L.72	MR/C	
7312	E.200196/4	Diaphragm, bottom	1	L.72	MR/C	JB.8
7500	E.200196/5	Diaphragm, centre	1	L.72	MR/C	JB.8
7313	F.202660	Packing, for anchor nuts at bottom portion of frame	2	L.72	MR/C	
7498	F.209344	Plate, nut, at top of frame	1	S.3	MR/C	
7501	E.200196/6	Ring, air intake, port	1	L.72	MR/C	JB.8
7502	E.200196/7	Ring, air intake, starboard	1	L.72	MR/C	JB.8
7503	A.202588	Ring, retaining, for sealing at centre piece	1	L.72	MR/C	
6685	A.202586	Sealing, at centre piece for engine starter	1	Linatex	C.	JB.8
	D.200085	Frame 29, front portion, group	1	—		
	D.200086	Frame 29, rear portion, group	1	—		
7314	D.200086/7	Angle, port, at bottom portion on frame	1	DTD.610	MR/C	
7315	D.200086/8	Angle, starboard, at bottom portion of frame	1	DTD.610	MR/C	
7316	D.200086/11	Angle, at bottom of frame	1	DTD.610	MR/C	JB.8
7317	D.200085/2	Diaphragm, bottom portion, port	1	DTD.610	MR/C	JB.8
7318	D.200085/3	Diaphragm, bottom portion, starboard	1	DTD.610	MR/C	
7319	D.200086/6	Diaphragm, bottom portion	1	DTD.610	MR/C	JB.8
	E.200087	Frame 30, group	1	—		
7320	A.200714	Angle, support, at bottom portion of frame	1	DTD.610	MR/C	
7321	A.200715	Angle, support, at bottom portion of frame	1	DTD.610	MR/C	
7322	A.200588	Bracket, channel, at bottom, portion of frame	1	DTD.610	MR/C	JB.8
7323	A.200559	Bracket, channel, at bottom portion of frame	1	DTD.166	MR/C	
7324	A.200560	Bracket, channel, at bottom portion of frame	1	DTD.610	MR/C	JB.8
7325	A.202034	Bracket, top, for low pressure cock at bottom portion of frame	1	DTD.610	MR/C	
7326	A.202035	Bracket, bottom, for low pressure cock at bottom portion of frame	1	DTD.610	MR/C	
7327	A.202454	Bracket, mounting, for hydraulic filter	1	DTD.610	MR/C	
	E.200087/7	Diaphragm, bottom (Mod. 545)	1	DTD.610	—	JB.8
6049	F.197018	Mounting, for terminal block	1	DTD.610	MR/C	
31	7329	Packing, at bottom portion of frame	3	L.168	MR/C	
31	7330	Packing, at bottom portion of frame	1	L.168	MR/C	
31	7331	Packing, at bottom portion of frame	1	L.168	MR/C	

FUSELAGE-CENTRE PORTION

Ref. No.	Part No.	Description					No. On	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
31	7332	F.200557				Pecking, at bottom portion of frame	1	L.168	MR/C	
	7333	A.203086				Ring, reinforcing, at bottom portion of frame	1	L.72	MR/C	
	4211	Std.1687/2				Saddle, at bottom portion of frame	1	DTD.610	C.	5
	7334	B.200551				Stiffener, port side, at bottom portion of frame	1	DTD.610	MR/C	
	7335	B.200552				Stiffener, starboard side, at bottom portion of frame	1	DTD.610	MR/C	
	3802	Std.1509/23/085				Tube, distance, at stiffener for hydraulic filter mounting bracket	1	T.4	MR/C	4
		D.200847				Frame, 31, group	1	—		
	4710	F.177681				Angle	2	DTD.610	C.	JB.8
	7336	D.200847/2				Diaphragm, bottom, port	1	L.72	MR/C	JB.8
	7337	D.200847/3				Diaphragm, bottom, starboard	1	L.72	MR/C	JB.8
	7338	D.200847/4				Stiffener, bottom, port	1	DTD.610	MR/C	
	7339	D.200847/5				Stiffener, bottom, starboard	1	DTD.610	MR/C	
		E.200089				Frame, 32 rear spar, group	1	—		
31	9817	D.226691				Angle, outboard (Mod. 702)	1	S.510	C.	
31	9829	F.226692				Angle, inboard (Mod. 702)	1	S.510	C.	
		F.193853				Angle, at lower portion of frame	1	DTD.610		
	3827	Std.1551/7/265				Bolt, at top fork fitting	2	S.99.8	MR/C	5
	3830	Std.1551/7/260				Bolt, at top and bottom fork fittings	4	S.99.8	MR/C	5
	3831	Std.1551/7/205				Bolt, at top and bottom fork fittings	8	S.99.8	MR/C	5
	2547	F.180826				Bolt, special, at bottom fork fittings	2	S.99.8	MR/C	JB.8
31	2548	B.178955				Boom, forward, bottom outer	1	L.168	MR/C	JB.8
31	2549	B.178956				Boom, rear bottom, outer	1	L.168	MR/C	JB.8
31	2550	D.178943				Boom, rear outer, port	1	L.168	MR/C	JB.8
31	2551	D.178944				Boom, rear outer, starboard	1	L.168	MR/C	JB.8
31	2552	D.178945				Boom, forward, outer, port	1	L.168	MR/C	JB.8
31	2553	D.178946				Boom, forward, outer, starboard	1	L.168	MR/C	JB.8
31		C.200139				Boom, forward, inner, port	1	L.168		
31		C.200140				Boom, rear inner, port	1	L.168		
31		C.200141				Boom, forward, inner, starboard	1	L.168		
31		C.200142				Boom, rear inner, starboard	1	L.168		
		B.201363				BRACKET, FOR HYDRAULIC HANDPUMP, ASSEMBLY	—	—		
	7340	C.201354				Bracket	1	L.72	MR/C	
		A.212233				Bracket (Mod. 384)	1	L.72		
	7342	C.201356				Plate, stiffener, bottom	1	L.72	MR/C	JB.8
	7343	C.201355				Plate, stiffener, top	1	L.72	MR/C	JB.8
	—	Std.1509/23/182				Tube, distance, 5/16" o/d. x 17 S.W.G. x 1.82" long (Make from 308/9611262)	4	T.4	—	4
31		Std.1547/40/12				Washer, profile	2	DTD.610		4
	7345	Std.1547/40/8				Washer, profile	1	DTD.610	MR/C	4
		Std.1547/34/16				Washer, profile	1	DTD.610		4
	7346	A.200350				Channel, at lower portion of frame	1	L.72	MR/C	JB.8
	7347	A.204955				Channel, at lower portion of frame, port	1	L.72	MR/C	JB.8
	7348	A.200344				Channel, at lower portion of frame, starboard	1	L.72	MR/C	JB.8
	7349	A.200345				Channel, at lower portion of frame	1	L.72	MR/C	JB.8
	7350	A.200352				Channel, at lower portion of frame	1	L.72	MR/C	JB.8
	2559	A.179990				Channel, at lower portion of frame	1	DTD.610	MR/C	JB.8
	7351	A.200348				Channel, at lower portion of frame	1	L.72	MR/C	JB.8

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Plate No.
		1 2 3 4 5				
31	2561	A.179991	Charnel, at lower portion of frame	1	DTD.610	MR/C JB.8
	7352	B.208152	Charnel, bottom, inner	1	L.168	MR/C JB.8
	7353	A.200347	Charnel, below bottom fork fitting	2	L.72	MR/C JB.8
	7354	A.200354	Charnel, for gear box mounting	1	L.72	MR/C JB.8
	7355	A.200351	Charnel, for gear box mounting	1	S.3	MR/C JB.8
	7356	A.200353	Charnel, for gear box mounting	1	L.72	MR/C JB.8
		C.180497	Fork fitting, lower, port	1	Stamping	
		C.180498	Fork fitting, lower, starboard	1	Stamping	
		C.180495	Fork fitting, top, port	1	Stamping	
		C.180496	Fork fitting, top, starboard	1	Stamping	
	7357	Std.1718/7	Nut, at fork fitting	16	S.95.B	MR/C 5
	2566	F.180092	Packing, at bottom joint plates, port only	2	DTD.610	MR/C JB.8
		Std.1549/28/12	Packing, radius at outboard angle (Mod. 702)	1	—	— 4
			(Make from 308/9611213, 3/4" x 3/4")			
		F.226701	Packing, at outboard angle (Mod. 702)	1	L.65.8	—
			(Make from 308/9611328, .28" thick)			
31		F.196907	Piece, distance, between front and rear face, at	2	S.510 & T.26	
			lower portion of frame			
31		F.221660	Piece, distance, between front and rear face at	2	S.510 & T.26	
			lower portion of frame (Mod. 614)			
	2567	A.178971	Plate, joint, at lower portion of frame, port	2	DTD.166	MR/C JB.8
	2568	A.178972	Plate, joint, at lower portion of frame, starboard	2	DTD.166	MR/C JB.8
	2569	A.178973	Plate, joint, at lower portion of frame	4	DTD.166	MR/C
	7358	C.203331	Plate, reinforcing, bottom, forward	1	DTD.166	MR/C JB.8
	7359	C.203332	Plate, reinforcing, bottom, aft	1	DTD.166	MR/C JB.8
	7360	A.200096	Plate, reinforcing, at lower portion of frame	2	L.72	MR/C JB.8
		C.227266	Plate, reinforcing for gearbox drive, lower	—	—	
			attachment assembly (Mod. 702)			
		F.226909	Piece, distance	4	—	
		B.226906	Plate, reinforcing forward	1	S.520	
		B.226907	Plate, reinforcing aft	1	S.520	
	7361	B.200386	Plate, reinforcing lower	1	L.73	MR/C JB.8
	9899	F.226694	Shim, at outboard angle bracket (Mod. 702)	2	Brass or Alum.	C.
	9900	F.226695	Shim, at inboard angle bracket (Mod. 702)	2	Brass or Alum.	C.
		A.200874	Spool, for aileron control	2	Stamping	
		Std.1509/25/152	Tube, distance	1	—	
		Std.1208/100/44/20	Washer, shim, at fork fitting	QR	Shim Steel	4
		Std.1208/112/44/20	Washer, shim at fork fitting	QR	Shim Steel	4
	7362	Std.1208/60/16/5	Washer, shim for gear box steady bracket	QR	Steel	MR/C 4
	7363	D.201002	Web, forward, port	1	L.73	MR/C JB.8
	7364	D.201003	Web, forward, starboard	1	L.73	MR/C JB.8
	7365	D.201007	Web, rear, port	1	L.73	MR/C JB.8
	7366	D.201008	Web, rear, starboard	1	L.73	MR/C JB.8
		D.200056	Frame 33, group	1	—	
	4874	F.195549	Angle, supporting hydraulic pipe clipping	2	DTD.610	MR/C JB.9
	7369	D.200055/2	Diaphragm, port	1	L.72	C. JB.9
	7370	D.200055/3	Diaphragm, starboard	1	L.72	MR/C JB.9
	7371	B.201060	Plate, reinforcing	1	L.72	MR/C
	7376	F.205740	Plate, reinforcing	2	L.72	C. JB.9
		D.200098	Frame 34, group	1	—	
	7372	F.203956	Angle, mounting, at bottom portion of frame	1	L.72	MR/C JB.9
	4874	F.195549	Angle, supporting hydraulic pipe clipping	2	DTD.610	MR/C JB.9
	7373	A.205742	Bracket, mounting, for flame switch	1	L.72	MR/C
	7374	A.209855	Bracket, mounting, for pressure switch	1	L.72	MR/C JB.9
	7375	F.204071	Bracket, support, for fire extinguisher spray tube	9	L.72	MR/C JB.9
	7376	F.200765	Bracket, attachment, port side only	1	DTD.610	MR/C
	7377	A.202907	Bracket, mounting, for flame switch at top of frame	1	L.72	MR/C JB.9
	2582	A.177104	Belt-strap, outer	2	DTD.546	MR/C JB.9
	2581	A.177105	Belt-strap	2	DTD.546	MR/C

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No
		1	2	3	4	5				
	A.203462-3	CHANNEL, BEARING AND ANGLES, FOR FORWARD ENGINE MOUNTING, SUB-ASSEMBLY					-	-		
7504	A.203468	Angle, bearing, inboard, port					1	DTD.166	MR/C	JB.6
7505	A.203469	Angle, bearing, inboard, starboard					1	DTD.166	MR/C	JB.6
7506	A.203466	Angle, bearing, outboard, port					1	DTD.166	MR/C	JB.6
7507	A.203467	Angle, bearing, outboard, starboard					1	DTD.166	MR/C	JB.6
7508	B.203464	Channel, bearing, port					1	DTD.166	MR/C	JB.6
7509	B.203465	Channel, bearing, starboard					1	DTD.166	MR/C	JB.6
7378	D.200098/7	Channel, bottom					1	DTD.364	C.	JB.9
7379	D.200098/1	Diaphragm, forward, port					1	L.72	MR/C	JB.9
7380	D.200098/2	Diaphragm, forward, starboard					1	L.72	MR/C	JB.9
7381	D.200098/3	Diaphragm, aft, port					1	L.72	MR/C	JB.9
7382	D.200098/4	Diaphragm, aft, starboard					1	L.72	MR/C	JB.9
7383	A.201738	Guide, for adjusting bolt					1	S.3	MR/C	
7384	F.202092	Indicator, levelling, for engine jury rail					1	DTD.364	MR/C	JB.9
2596	A.177100	Plate, joint, at bottom frame joint					2	DTD.610	MR/C	JB.9
4211	Std.1687/2	Saddle, securing electrical cables					12	DTD.610	C.	5
7385	A.200221	Support, for engine rail					1	S.1	MR/C	JB.9
	Std.1509/23/084	Tube, distance, 5/16" o/d x 17 S.W.G. x 0.84" long					4	T.4		4
4036	Std.1509/23/112	Tube, distance, 5/16" o/d x 17 S.W.G. x 1.12" long					1	T.4	MR/C	4
7386	Std.915/A/16	Washer, at support plate					3	DTD.610	MR/C	4
	D.221336	Frame 35, group (Mod. 589)					1	-		
7510	A.203258	Angle, reinforcing, port					1	L.72	MR/C	
7511	A.203259	Angle, reinforcing, starboard					1	L.72	MR/C	
7512	F.207778	Angle, attachment, port only					1	L.72	MR/C	
	F.207779	Angle, attachment, port only					1	L.72		
7513	A.205304	Bracket, support, for pipe at top of frame					1	S.3	MR/C	JB.9
-	D.221336/2	Diaphragm, side, port (Use 26FX/7514) (Mod. 589)					1	DTD.610	-	JB.9
	D.221336/3	Diaphragm, side, starboard (Mod. 589)					1	DTD.610		JB.9
-	D.221336/4	Diaphragm, bottom, forward (Use 26FX/7387) (Mod. 589)					1	DTD.610	-	JB.9
-	D.221336/5	Diaphragm, bottom, aft (Use 26FX/7388) (Mod. 589)					1	DTD.610	-	JB.9
	C.221337	Plate, reinforcing					1	L.72		
	D.202599	Frame 36, group					1	-		
7389	D.202599/4	Bottom, portion of frame, port					1	DTD.610	MR/C	JB.9
7390	D.202599/5	Bottom, portion of frame, starboard					1	DTD.610	MR/C	JB.9
7391	F.204793	Bracket, support, for pipe					1	S.3	MR/C	JB.9
	F.196984	Bracket, for clip attachment					1	-		
4211	Std.1687/2	Saddle, securing electrical cables					3	DTD.610	C.	5
	D.200102	Frame 37, group					1	-		
	F.171766	Angle, support, bottom, starboard					1	DTD.610		
	F.171767	Angle, support, bottom, port					1	DTD.610		
	F.196985	Angle, support, for pipe clip					2	-		
7392	A.204794	Bracket, support, for fuel pipe					1	S.511	MR/C	JB.9
7393	D.200102/3	Diaphragm, bottom					1	DTD.610	MR/C	JB.9
7394	C.200337	Plate, reinforcing, at bottom of frame					1	DTD.166	MR/C	JB.9
4211	Std.1687/2	Saddle, securing cables					1	DTD.610	C.	5
	F.197056	Saddle, special, for cable clip					1	DTD.610		

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.203011	Frame, 38, group					1	—		
7395	D.203011/5	Angle, lower portion of frame					1	L.72	MR/C	
7516	D.203011/6	Angle, port					1	DTD.364	MR/C	JB.9
7517	D.203011/7	Angle, starboard					1	DTD.364	MR/C	JB.9
7377	A.202907	Bracket, mounting, for flame switch					1	L.72	MR/C	
7396	F.204070	Bracket, support, for fire extinguisher spray tube					8	L.72	MR/C	
7397	D.203011/3	Diaphragm, bottom					1	DTD.166	MR/C	JB.9
7398	B.203109	Plate, joint, port					1	DTD.166	MR/C	
7399	B.203110	Plate, joint, starboard					1	DTD.166	MR/C	
8333	A.210243	Union, flanged, for bulkhead (Mod. 342)					2	S.62.8	C.	JB.9
	E.200364	Frame, 39, top portion					1	DTD.610		
	E.200365	Frame, 39, bottom portion, group					1	—		
7400	E.200365/2	Angle, lower, port					1	DTD.610	MR/C	JB.9
7401	E.200365/3	Angle, lower, starboard					1	DTD.610	MR/C	JB.9
	F.196985	Angle, support, for pipe clip					2	—		
7402	B.200313	Bracket, bottom, port, for thrust member					1	DTD.610	MR/C	JB.9
7403	B.200314	Bracket, bottom, starboard, for thrust member					1	DTD.610	MR/C	JB.9
7404	A.200226	Bracket, support, at bottom of frame					2	L.72	MR/C	JB.9
7405	E.200365/1	Diaphragm, lower					1	DTD.610	MR/C	JB.9
2810	B.176254	Plate, reinforcing					1	DTD.610	MR/C	JB.9
7519	B.202236	Plate, reinforcing, port					1	L.72	MR/C	
7520	B.202237	Plate, reinforcing, starboard					1	L.72	MR/C	
4211	Std.1687/2	Saddle, securing cables					5	DTD.610	C.	5
	E.200679	Frame, 40A, group					1	—		
	A.200908	Angle, attachment, at engine mounting brackets, bottom port, top starboard					2	DTD.610		
	A.200909	Angle, attachment, at engine mounting brackets, top port, bottom starboard					2	DTD.610		
1264	F.163972	Angle, at transport joint fittings					8	DTD.364	C.	JB.9
1765	F.191864	Angle, at transport joint fittings					22	DTD.364	C.	JB.3
7521	A.200266	Bracket, lower hinge, for engine mounting, port					1	Stamping	MR/C	
7522	A.200267	Bracket, lower hinge, for engine mounting, starboard					1	Stamping	MR/C	
7523	A.200268	Bracket, top hinge, for engine mounting, port					1	Stamping	MR/C	
7524	A.200269	Bracket, top hinge, for engine mounting, starboard					1	Stamping	MR/C	
12202	B.262134	Bracket (Mod. 1212)					1	—	C.	
7406	A.200800	Channel, reinforcing at bottom portion of frame					2	DTD.610	MR/C	
7407	E.200679/3	Diaphragm, forward, starboard					1	DTD.610	MR/C	JB.9
7408	E.200679/4	Diaphragm, rear, starboard					1	DTD.610	MR/C	
7409	E.200679/5	Diaphragm, forward, port					1	DTD.610	MR/C	JB.9
7410	E.200679/6	Diaphragm, rear, port					1	DTD.610	MR/C	
1003	B.177308	Fitting, for rear transport joint					4	Stamping	C.	JB.9
1004	B.177306	Fitting, for rear transport joint					7	Stamping	C.	JB.3
1005	B.177307	Fitting, for rear transport joint					4	Stamping	C.	JB.9
7413	F.201768	Shim, for engine mounting hinge brackets					8	Brass	C.	
								Sheet		
7411	E.200679/9	Strap, inside, at lower joint					1	DTD.610	MR/C	JB.9
7412	F.200804	Strap, butt, at lower joint					2	DTD.610	MR/C	
7414	E.200679/8	Strap, inside, bottom					1	DTD.610	MR/C	JB.9
—	Std.1509/24/150	Tube, distance, 3/8" o/d x 17 S.W.G. x 1.5" long (Make from 30B/557)					56	T.4	—	4
	Std.1509/23/158	Tube, distance (Mod. 1212)					4	T.4		4
	C.201447-8	MOUNTING, FOR CABIN COOLER, ASSEMBLY					—	—		
7417	B.201449	Bracket, mounting, port					1	S.3	MR/C	JB.3
7418	B.201450	Bracket, mounting, starboard					1	S.3	MR/C	JB.3
7419	Std.1509/23/104	Tube, distance					2	T.4	MR/C	

FUSELAGE-CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1	2	3	4	5
	D.200522	MOUNTING, FOR GEARBOX, ASSEMBLY		-	-	
7572	F.194514	Bracket, attachment, at frame 30, port only		1	L.168	MR/C JB.6
7573	A.200764	Bracket, attachment, at frame 30, port only		1	Stamping	MR/C JB.6
7574	A.200527	Bracket, for lug		2	L.168	MR/C JB.6
7575	A.200528	Bracket, for lug		2	L.168	MR/C JB.6
7576	C.200523	Diaphragm, between frames 29 and 30, port		1	DTD.610	MR/C JB.6
7577	C.200524	Diaphragm, between frames 29 and 30, port		1	DTD.610	MR/C JB.6
7578	C.200525	Diaphragm, between frames 29 and 30, starboard		1	DTD.610	MR/C JB.6
7579	C.200526	Diaphragm, between frames 29 and 30, starboard		1	DTD.610	MR/C JB.6
7580	F.194512	Lug, attachment, at frame 29		2	L.168	MR/C JB.6
	F.194513	Tube, distance, at lug attachment		2	L.65.C	
1392	Std.1547/28/12	Washer, special		4	-	C. 4
310	Std.1547/30/12	Washer, special		4	-	C. 4
7581	Std.1549/28/16	Washer, special		1	-	MR/C 4
9894	D.233397	Panel, access, for main fuel tank, port group (Mod. 794)		1	-	A. JB.1
1506490	C.296751	Panel, access, for main fuel tank, starboard group (Mod. 1343)		1	-	A. JB.1
	F.200150	Bracket, support, for strap		4	L.72	
	F.207759	Guard, cable, port only (Mod. 276)		1	-	
	A.200153	Strap		2	DTD.5506	
10731	C.250879	Panel, access (AS.1150/79)		1	-	A. JB.1
	C.202380	PLATE, SEALING, FOR STRINGERS AT FRAMES 29 AND 30, ASSEMBLY		-	-	
7420	F.202381	Sealing, at stringer "A", frame 29		1	Plastic	MR/C JB.8
7421	F.202382	Sealing, at stringer "B", frame 29		2	Plastic	MR/C JB.8
7422	F.202383	Sealing, at stringer "C", frame 29		2	Plastic	MR/C JB.8
7423	F.202384	Sealing, at stringer "C", frame 29		2	Plastic	MR/C JB.8
7424	F.202385	Sealing, at stringer "D", frame 29		2	Plastic	MR/C JB.8
7425	F.202386	Sealing, at stringers "E" & "H", frame 29		8	Plastic	MR/C JB.8
7426	F.202388	Sealing, at stringers "E" & "H", frame 29		4	Plastic	MR/C JB.8
4456	F.189604	Sealing, at stringer "J", frame 29		2	Plastic	MR/C JB.9
7427	F.202389	Sealing, at stringer "K", frame 30		1	Plastic	MR/C JB.8
7428	F.202390	Sealing, at stringer "K", frame 30		1	Plastic	MR/C JB.8
7429	F.202391	Sealing, at stringer "K", frame 30		1	Plastic	MR/C JB.8
	C.200502	PLATE, SEALING, FOR STRINGERS AT FRAME 38, ASSEMBLY		-	-	
7430	F.200505	Sealing, at stringers "A", "B", "C" & "J"		7	Plastic	MR/C JB.9
4456	F.189604	Sealing, at stringers "D" & "H"		4	Plastic	MR/C JB.9
4465	F.189602	Sealing, at stringers "E" & "G"		4	Plastic	MR/C JB.9
4463	F.189600	Sealing, at stringer "F"		2	Plastic	MR/C JB.9
4464	F.189601	Sealing, at stringer "F"		2	Plastic	MR/C JB.9
7431	F.200503	Sealing, at stringer "K"		2	Plastic	MR/C JB.9
7432	F.200504	Sealing, at stringer "L"		2	Plastic	MR/C JB.9
	B.202112	RAIL FOR ENGINE, ASSEMBLY		-	-	
7525	F.175940	Angle, support		2	DTD.610	MR/C JB.6
7526	F.202121	Angle, port		1	L.72	MR/C JB.6
7527	F.202122	Angle, starboard		1	L.72	MR/C JB.6
7568	A.202119	Angle, port		1	L.168	MR/C JB.6
7569	A.202120	Angle, starboard		1	L.168	MR/C JB.6
7570	A.200228	Bracket, mounting, port		1	L.72	MR/C JB.6
7571	A.200229	Bracket, mounting, starboard		1	L.72	MR/C JB.6

FUSELAGE — CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	7433 B.202113					Diaphragm, forward, port, frame 37 to frame 38	1	L.72	MR/C	JB.6
	7434 B.202114					Diaphragm, forward, starboard, frame 37 to	1	L.72	MR/C	JB.6
						frame 38				
	7435 B.202115					Diaphragm, centre, port, frame 38 to frame 39	1	L.72	MR/C	JB.6
	7436 B.202116					Diaphragm, centre, starboard, frame 38 to	1	L.72	MR/C	JB.6
						frame 39				
	7437 B.202117					Diaphragm, aft, port, frame 39 to frame 40A	1	L.72	MR/C	JB.6
	7438 B.202118					Diaphragm, aft, starboard, frame 39 to frame 40A	1	L.72	MR/C	JB.6
	2815 B.177323					Lug, for rail	1	Stamping	MR/C	JB.6
	7439 B.200283					Mounting, for rail	1	Stamping	MR/C	JB.6
	7440 B.200225					Rail	1	—	MR/C	JB.6
	Std.1507/2/134					Tube, distance, 1/4" o/d x 22 S.W.G. x 1.34" long ...	8	T.26		4
	B.201050					SKIN, COVERING, FRAME 25 TO FRAME 32,	—	—		
						ASSEMBLY				
31	A.206000					Angle, reinforcing, frame 27 to frame 29, port	1	L.168		
31	A.206001					Angle, reinforcing, frame 27 to frame 29,	1	L.168		
						starboard				
	7441 Std.1551/5/270					Bolt, special, for attachment of diaphragm "M"	4	S.98.8	MR/C	5
						to lower drag members				
	C.205772					BRACKET, CRADLE FOR FUEL FILTER	—	—		
						DE-ICING ALCOHOL TANK,				
						ASSEMBLY (Mod. 254)				
	A.205145					Bracket, cradle	1	L.72		
	A.215836					Bracket, cradle	1	L.72		
	A.215837					Bracket, cradle	1	L.72		
	A.215838					Bracket, cradle	1	L.72		
	C.205772/1					Felt, 3/4" wide x 5" long	2	DTD.590		
	6047 A.201094					Bracket, mounting, at frame 31	2	L.72	MR/C	JB.2
	7528 A.206929					Bracket, for hydraulic pipe cleat, port	1	L.72	MR/C	JB.2
	7529 A.206930					Bracket, for hydraulic pipe cleat, starboard	1	L.72	MR/C	JB.2
	F.217660					Bracket, mounting (Mod. 510)	8	L.72		
	B.202153					BRACKET, FOR STARTER FUEL TANK,	—	—		
						PORT ONLY, ASSEMBLY				
	7442 A.202152					Bracket	1	L.72	MR/C	JB.3
	B.201705					LANDING, FOR ACCESS DOOR TO	—	—		
						STARTER TANK, PORT ONLY,				
						ASSEMBLY				
	7553 B.201706					Landing, group	1	L.73	MR/C	JB.2
31	28FP/4062482					Spring, fastener	1	—	C.	
	B.200515					LEVELLING POINTS, SUB-ASSEMBLY	—	—		
	11381 F.184598					Bearing, forward and aft levelling points, port	2	Stamping	C.	
						only				
31	A.200516					Bracket, bearing C of G datum point, port	1	S.510		
31	A.200517					Bracket, bearing, C of G datum point, starboard	1	S.510		
31	13411 Std.1718/5					Nut, special	2	S.95.B	C.	5
31	6148 F.206361					Plate, attachment, for weather covers	2	S.510	C.	
	7534 F.203845					Plate, reinforcing, at fuel starter drain outlet, port	1	L.72	MR/C	
						only				
	7530 D.201050/1					Skin, top main spar to rear spar, port	1	DTD.546	MR/B	JB.2
	7531 D.201050/2					Skin, top, main spar to rear spar, starboard	1	DTD.546	MR/B	JB.2
	7532 D.201050/3					Skin, side, main spar to rear spar, port	1	DTD.546	MR/B	JB.2
	7533 D.201050/4					Skin, side, main spar to rear spar, starboard	1	DTD.546	MR/B	JB.2

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. ON	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	C.205998-9					STOP, FOR UNDERCARRIAGE FAIRING DOOR, AND SEQUENCE VALVE MOUNTING, SUB-ASSEMBLY	-	-		
	5177± B.201691					Bracket, forward, port (8 morse No. 21 holes omitted)	1	L.72	C.	JB.2
	5178± B.201692					Bracket, forward, starboard (8 morse No. 21 holes omitted)	1	L.72	C.	JB.2
	5179± B.201693					Bracket, aft, port (8 morse No. 21 holes omitted)	1	L.72	C.	JB.2
	5180± B.201694					Bracket, aft, starboard (8 morse No. 21 holes omitted)	1	L.72	C.	JB.2
	5815 A.189625					Bracket, mounting, for sequence valve, port	1	DTD.610	C.	JB.2
	5816 A.189626					Bracket, mounting, for sequence valve, starboard	1	DTD.610	C.	JB.2
	5732 A.201677					Bracket, reinforcing, port	1	S.3	MR/C	JB.2
	5733 A.201678					Bracket, reinforcing, starboard	1	S.3	MR/C	JB.2
	7443 C.205994					Bracket, lower, forward, port	1	L.72	MR/C	JB.2
	7444 C.205995					Bracket, lower, forward, starboard	1	L.72	C.	JB.2
	7445 C.205996					Bracket, lower, aft, port	1	L.72	MR/C	JB.2
	7446 C.205997					Bracket, lower, aft, starboard	1	L.72	MR/C	JB.2
31	5738 A.202891					Bracket, guide, port	1	L.168 & St. St.	MR/C	JB.2
31	5739 A.202892					Bracket, guide, starboard	1	L.168 & St. St.	MR/C	JB.2
	8402 F.209988					Bush, for operating lever (Mod. 314)	2	BSS.369	C.	
	7855 A.209986					Lever, operating, sequence valve, port (Mod. 314)	1	Casting	B.	JB.2
	7856 A.209987					Lever, operating, sequence valve, starboard (Mod. 314)	1	Casting	B.	JB.2
	1014 F.189628					Rod, operating	2	S.95.B	C.	JB.2
	1013 F.189627					Screw, special	2	S.95.B	C.	JB.2
31	4650 F.198997					Screw, special, for stop adjustment	2	S.154	C.	JB.2
	1015 F.189629					Stop, at top of operating rod	2	S.95.B	C.	JB.2
31	4651 F.196354					Stud, special	2	S.510 & S.21	C.	JB.2
	1016 F.187086					Turnion	2	S.94.B	C.	JB.2
	C.205785/1					Tube, distance (May be made from Std.1567/23/060)	2	T.26	-	
	310 Std.1547/30/12					Washer, special	6	DTD.610	C.	4
31	26VN/6416169 Std.1547/30/14					Washer, special	4	DTD.610	MR/C	4
	4211 Std.1687/2					Saddle (Pre Mod. 510)	8		C.	
	2181 C.182631					Strap, reinforcing, at main spar, bottom portion, port	1	DTD.546	MR/C	JB.4
	2182 C.182632					Strap, reinforcing, at main spar, bottom portion, starboard	1	DTD.546	MR/C	JB.4
	6688 F.203844					Stub, outlet, at fuel starter drain, port only	1	-	B.	
	7537 Std.1208/82/36/20					Washer, shim, at attachment of diaphragm "M" to lower drag member	QR	-	MR/C	4
	E.201049					SKIN COVERING, FRAME 32 TO FRAME 40A, ASSEMBLY	-	-		
	D.203353					BRACKET, MOUNTING, FOR EXTRACTOR DUCTS, ASSEMBLY	-	-		
	7538 B.203354					Bracket, mounting, top	2	L.72	MR/C	
	7539 B.203356					Bracket, mounting, port	1	L.72	MR/C	
	7540 B.203357					Bracket, mounting, starboard	1	L.72	MR/C	

FUSELAGE - CENTRE PORTION

Hunter F. Mk. 6
Issued with A/L No. 31

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.222689					BRACKETS, MOUNTING, HYDRAULIC RESERVOIR, ASSEMBLY (Mod. 589)	-	-	-	
31	A.221296					Bracket, mounting, aft, bottom	1	L.72		JB.6
	A.221310					Bracket, mounting, aft, top	1	S.510		JB.6
	B.221291					Mounting, forward	1	L.168		JB.6
	C.203730-1					BRACKET, MOUNTING, FOR HIGH ENERGY IGNITER UNIT, ASSEMBLY	-	-		
7447	C.203732					Bracket, mounting, port	1	L.72	MR/C	JB.3
7448	C.203733					Bracket, mounting, starboard	1	L.72	MR/C	JB.3
31	7449	A.204499				Bracket, mounting, for hydraulic valve, starboard only	1	S.510	MR/C	JB.3
	F.220188					Connection and fuel drain, between frames 35 and 36 (Mod. 545)	1	-		
	D.203565					DUCT, FOR BLEED VALVE, STARBOARD ONLY, ASSEMBLY	-	-		
7450	D.203372					Duct (Pre Mod. 627)	1	-	B.	JB.5
9598	D.221614					Duct (Mod. 627) (Pre Mod. 817)	1	-	B.	JB.5
9821	D.233587					Duct (Mod. 817)	1	S.510	B.	JB.5
7451	C.203373					Flange, sealing	1	-	C.	JB.5
6689	A.203713					Spindle	1	S.80	C.	JB.5
6690	F.203714					Spring	1	DTD.215	C.	JB.5
6691	F.203715					Spring	1	DTD.215	C.	JB.5
7463	F.204220					Guide, for pipe	2	BSS.265 & DTD.253	MR/C	
	F.197441					Guide, for pipes between frames 35 and 36	2	S.3 & T.26		
	C.201328					INTAKE, AIR, UPPER, PORT AND STARBOARD, FOR ZONE 2 COOLING, ASSEMBLY	-	-		
7452	F.209716					Bracket	2	L.72		
7567	F.209715					Door	2	L.72	MR/C	JB.6
7545	Std.1221/YB/182					Intake, air	2	S.510 & L.72	MR/B	JB.6
	F.211457					Pin, special	2	Steel	MR/C	4
7453	F.209713					Plate, support	2	DTD.610		
						Spring	2	Sp. St.	MR/C	JB.6
7546	Std.1509/23/162					Tube, distance, 5/8" o/d. x 17 S.W.G. x 1.62" long	2	Wire T.4	MR/C	4
	C.203475					INTAKE, AIR, LOWER, PORT AND STARBOARD, FOR ZONE 2 COOLING, ASSEMBLY	-	-		
7452	F.209716					Bracket	2	L.72		
	F.209715					Door	2	L.72	MR/C	JB.6
	C.203476					Intake, air	2	S.510		
7545	Std.1221/YB/182					Pin, special	2	Steel	MR/C	
	F.201299					Plate, support	2	DTD.610		
7454	F.209714					Spring	2	Sp. St.	MR/C	
7546	Std.1509/23/162					Tube, distance, 5/16" o/d. x 17 S.W.G. x 1.62" long	2	Wire T.4	MR/C	4
	C.200544					LANDING, FOR ACCESS PANEL TO GEAR BOX DRIVE, PORT, ASSEMBLY	-	-		
7547	A.209804					Bracket, for fire detector	1	S.510	MR/C	
7548	C.200544/1					Landing	1	DTD.610	MR/C	JB.4
	Std.1231/7B					Lg. locking	1	S.510		4

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description				No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4				
	B.205543				LANDING, FOR ACCESS PANEL TO SLOW RUNNING ADJUSTMENT, PORT ONLY, ASSEMBLY	--	-		
31	7549 B.205543/1				Landing	1	L.72	MR/C	JB.4
	4751 Std.1231/8				Lug, locking	1	S.510	MR/C	4
	7550 B.200821				Landing, for front engine mountings access panel, port	1	L.72	MR/C	JB.2
	7551 B.200822				Landing, for front engine mountings access panel, starboard	1	L.72	MR/C	JB.2
	C.200258				LANDING, FOR IGNITER PLUG ACCESS PANEL, PORT AND STARBOARD, ASSEMBLY	-	-		
31	7552 C.200258/1				Landing	2	DTD.610	MR/C	JB.4
	Std.1231/78				Lug, locking	2	S.510		
	C.202248				LANDING, FOR OIL LEVEL INSPECTION PANEL, ASSEMBLY	-	-		
31	7553 B.201706				Landing, group	1	L.73	MR/C	JB.5
	B.201706/1				Landing	1	L.73		
31	28FP/4062482				Spring	1	-	C.	
31	4751 Std.1231/8				Lug, locking	1	S.510	MR/C	4
	C.205588				LANDING, FOR R.P.M. ADJUSTMENT AND FUEL PUMP GOVERNOR BLEED ACCESS PANEL, STARBOARD, ONLY, ASSEMBLY	-	-		
	C.205809				MOUNTING, FUEL FILTER DE-ICING PUMP, ASSEMBLY (Mod. 254)	-	-		
	250569				Angle (Make from 308/9611218)	1	L.72		
	C.205147				Mounting panel	1	-		
31	7554 C.205588/1				Landing	1	L.72	MR/C	JB.5
	4751 Std.1231/8				Lug, locking	1	S.510	MR/C	4
31	A.202068				Mounting, for pressure relief valves, starboard only	1	S.510		
31	6692 A.202068/3				Clip, half	1	S.510	C.	
	6049 F.197018				Mounting, for terminal blocks, starboard only	1	DTD.610	MR/C	
	2751 C.184586				Plate, reinforcing, port	1	DTD.546 & DTD.610	MR/C	JB.2
	2752 C.184587				Plate, reinforcing, starboard	1	DTD.546 & DTD.610	MR/C	JB.2
	F.216515				Platform, mounting for T.B. (Mod. 452)	1	-		
	C.202099				PLATE, REINFORCING, AT EXTRACTOR OUTLET, FRAME 36 TO FRAME 37, PORT, ASSEMBLY	-	-		
7566 11410	D.202755				Duct, extractor	1	-	C.	JB.2
	C.202099/1				Plate, reinforcing	1	L.72	C.	
	C.202100				PLATE, REINFORCING, AT EXTRACTOR OUTLET, FRAME 36 TO FRAME 37, STARBOARD, ASSEMBLY	-	-		
12107 7541	D.202756				Duct, extractor	1	-		
	C.202100/1				Plate, reinforcing	1	L.72	C.	
	E.201049/1				Skin, top, rear spar to frame 40A, port (Supplied as Ref. 26FX/2177-E.183420/13)	1	L.72	MR/B	JB.2
	7542 E.201049/2				Skin, top, rear spar to frame 40A, starboard (Supplied as Ref. 26FX/2178-E.183420/14)	1	L.72	MR/B	JB.2

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description			No. Off	Material Specification	H.R. Class of Store	Store No.
		1	2	3				
	7543 E.201049/3			Skin, side, rear spar to frame 40A, port	1	L.72	MR/B	JB.2
				(Supplied as Ref. 26FX/1831-E.183420/15)				
	7544 E.201049/4			Skin, side, rear spar to frame 40A, starboard	1	L.72	MR/B	JB.2
				(Supplied as Ref. 26FX/1832-E.183420/16)				
31	A.203670			Sleeve, locating, for centrifugal breather vent pipe	1	T.26 or T.45 & S.510		
31	4498 F.184234			Socket, for engine oil filler drain pipe	1	S.510 & T.26	C.	
	C.200501			Strap, rear spar, bottom, group	1			
31	28FP/4062658 Dzus			Spring	6		C.	
	S.F.L.A.5/200							
	7458 C.200501/1			Strap	1	L.72	MR/C	JB.4
	7459 E.201049/6			Strap, reinforcing, bottom, at frame 34	1	L.72	MR/C	JB.4
	C.200409			TRAY, DRIP, FOR HYDRAULIC RESERVOIR AND REINFORCING PLATE, ASSEMBLY	-	-		
	1009 F.184599			Ring, reinforcing	1	DTD.610	C.	JB.5
	9384 A.222093			Sealing, rubber (Mod. 589)	1	DTD.458	C.	JB.5
	B.197868			Tray, drip	1	L.69 & L.54		
	D.201054			SKIN, COVERING, BOTTOM, MAIN SPAR TO REAR SPAR, ASSEMBLY	-	-		
	7460 A.201246			Angle, support, for external supply sockets mounting	1	DTD.610	MR/C	JB.4
	7461 A.201247			Angle, support, for external supply sockets mounting	1	DTD.610	MR/C	JB.4
	7462 F.203174			Bracket, for attachment of pipe clip	1	L.72	MR/C	
31	6693 F.205158			Cap, for pipe, on rear spar	1	S.84 or S.510	C.	
	8370 F.216465			Flange, pipe for liquid starter drain (Pre Mod. 823)	1	-	B.	
	3843 King C.3903/1			Fitting, attachment	3	-	C.	JB.5
	3844 King C.3903/2			Fitting, attachment	1	-	C.	JB.5
	7463 F.204220			Guide, for pipe at frame 30 (Mod. 672)	1	BBS.265 & DTD.253	MR/C	
	10257 F.226643			Guide, for pipe between frames 27-29 (Mod. 672)	1	DTD.283 & DTD.253	C.	
	7464 D.201054/3			Landing, for engine starter and gearbox access doors, port	1	DTD.610	MR/C	JB.4
	7465 C.200461			Landing, for gearbox filler access panel, group	1	-	MR/C	JB.5
31	28FP/4062658 Dzus			Spring	8	-	C.	
	S.F.L.A.5/200							
	1024 King C.3100/H			Lever and catch pin	4	-	C.	JB.5
	C.201752			MOUNTING, FOR EXTERNAL SUPPLY SOCKETS, ASSEMBLY	-	-		
	7466 A.201754			Bracket	1	DTD.610	MR/C	JB.4
	7467 A.201755			Bracket	1	DTD.610	MR/C	
	7468 B.201753			Plate, mounting	1	DTD.610	MR/C	JB.4
	7469 B.205148			Mounting, for self sealing couplings	1	L.72	MR/C	JB.4
	D.201054/11			Pickling	1	DTD.610		
	7470 D.201054/7			Plate, at frame 27	1	DTD.171	MR/C	
	7471 D.201054/4			Plate, reinforcing, at starboard side of access doors	1	DTD.610	MR/C	
	7472 D.201054/1			Skin, bottom, between frame 30 and rear spar	1	DTD.610	MR/C	JB.1
	7473 D.201054/2			Skin, bottom, at frame 27	1	DTD.610	MR/C	JB.1
	2162 E.183421/3)			Skin, bottom, at main spar	1	DTD.610	MR/B	JB.1
	or)							
	D.201054/9)							
	7474 B.201244			Stiffener, starboard side of gearbox access door	1	L.72	MR/C	
	7475 A.201245			Stiffener, starboard side of engine starter access door	1	DTD.610	MR/C	
	4150 Std.915/C/22			Washer, between stringer "K" and attachment fittings	9	DTD.610	C.	4

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description	No Off	Material Specification	M.A. Class of Store	Place No.
		1 2 3 4 5				
	E.201053	SKIN, COVERING, BOTTOM, REAR SPAR TO FRAME 40A, ASSEMBLY	—	—		
5855	A.205075	Cable, retaining, engine access panel	2	—	C.	JB.5
8513	F.216608	Drain, extension at frames 58 and 59 (Mod. 545)	4	L.65	C.	
3843	King C.3903/1	Fitting, attachment	3	—	C.	JB.5
3845	King C.3903/3	Fitting, attachment	1	—	C.	
	A.183429	Landing, for gearbox access door	1	DTD.610		
	A.183430	Landing, for gearbox access door	1	DTD.610		
2759	A.183418	Landing, for engine access door, frame 34, starboard	1	L.72	C.	JB.5
2760	A.183419	Landing, for engine access door, frame 34, port	1	L.72	MR/C	JB.5
4275	B.183416	Landing, for engine access door, frame 34 to 37, port	1	DTD.610	MR/C	JB.5
2762	B.183417	Landing, for engine access door, frame 34 to 37, starboard	1	DTD.610	MR/C	JB.5
2761	A.183428	Landing, for engine access door, frame 37	1	L.72	MR/C	JB.5
1024	King C.3100/H	Lever and catch pin	4	—	C.	JB.5
2157	C.182692	Plate, reinforcing, at frames 37 and 40, port	1	DTD.546	MR/C	JB.5
2158	C.182693	Plate, reinforcing, at frames 37 and 40, starboard	1	DTD.546	MR/C	JB.5
1834	E.183421/2	Skin, bottom, frame 37 to frame 40A	1	DTD.610	B.	JB.1
7478	E.201053/2	Skin, bottom, at frame 34	1	DTD.610	MR/B	JB.1
2147	Std.915/C.20	Washer, packing, at "King Aircraft" attachment Fittings	3	DTD.610	C.	4
	D.203701	SKIN, PLATING, TOP, FRAME 18B TO MAIN SPAR, ASSEMBLY	—	—		
2755	C.181728	Landing, for fuel lever switch access panel	2	DTD.610	MR/C	JB.2
31 1023	F.173505	Nut, retaining, for fuel tank	10	S.510&S.21	C.	JB.2
31	F.205515	Sealing, at transport joint, frame 18 (Make from 32C/4382984)	2	Rubber	—	
	D.201052	SKIN, PLATING, TOP, BETWEEN MAIN SPAR AND REAR SPAR, ASSEMBLY	—	—		
	B.201602	BACKET, MOUNTING, FOR COLD AIR UNIT, ASSEMBLY	—	—		
	B.201601	Bracket, mounting	1	L.72		
	C.201301	Outlet, for cooler duct, port and starboard, assembly	2			
31 7555	D.201238	Outlet, for cooler duct	2	S.510	MR/C	JB.2
	E.201051	SKIN, PLATING, TOP, REAR SPAR TO FRAME 40A, ASSEMBLY	—	—		
11867	A.254790	Bracket, mounting, for cable joint at frame 40 (Mod. 1148)	1	L.72	C.	
2756	A.192906	Bracket, mounting, for tank pressurising connection . .	1	DTD.610	MR/C	JB.2
7956	B.211432	Bracket, mounting, for cable joint	1	—	C.	JB.2
7556	B.202106	Landing, for air supply access panel, port	1	DTD.610	MR/C	JB.2
7557	B.202107	Landing, for air supply access panel, starboard	1	DTD.610	MR/C	JB.2
	D.203702	SKIN, PLATING, SIDE, FRAME 18B TO MAIN SPAR, ASSEMBLY	—	—		
1480	Std.218/8	Nut, special	8	S.2 or S.62	C.	4
7558	D.203702/1	Skin, top, nose spar to main spar, port (Supplied as Ref. 26FX/2173-E.183420/1)	1	DTD.546	MR/B	JB.2
7559	D.203702/2	Skin, top, nose spar to main spar, starboard (Sup- plied as Ref. 26FX/2174-E.183420/2)	1	DTD.546	MR/B	JB.2
7560	D.203702/3	Skin, side, nose spar to frame 21, port (Supplied as Ref. 26FX/1825-E.183420/3)	1	DTD.546	C.	JB.2
7561	D.203702/4	Skin, side, nose spar to frame 21, starboard (Sup- plied as Ref. 26FX/1826-E.183420/4)	1	DTD.546	C.	JB.2

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
7562	D.203702/5	1				Skin, side, frame 21 to main spar, port (Supplied as Ref. 26FX/1827-E.183420/5)	1	DTD.546	C.	JB.2
7563	D.203702/6	1				Skin, side, frame 21 to main spar, starboard	1	DTD.546	MR/B	JB.2
2180	D.182826	1				Strap, reinforcing, at frame 21, bottom portion	1	DTD.546	MR/C	JB.4
	D.233395	—				SKIN, PLATING, BOTTOM, FRAME 188 TO MAIN SPAR, ASSEMBLY (Mod. 794)	—	—		
3370	F.184563	1				Landing, for fuel pump access panel, port	1	DTD.610	MR/C	JB.5
3371	F.184564	1				Landing, for fuel pump access panel, starboard	1	DTD.610	MR/C	JB.5
2765	F.194029	2				Plate, nut, at main spar	2	S.510	MR/C	
	C.199377	1				Plate, reinforcing, frame 22 to frame 24, port	1	DTD.610		
2156	C.182824	1				Plate, reinforcing, frame 22 to frame 24, starboard	1	DTD.610	MR/C	JB.5
	D.204310-1	—				SKIN, SUPPORTING FORWARD FUEL TANK, ASSEMBLY	—	—		
	D.203402	1				Skin, supporting centre wall, for front fuel tank, port, group	1	—		
	D.203403	1				Skin, supporting centre wall, for front fuel tank, starboard, group	1	—		
4721	F.195551	1				Angle, attaching hydraulic pipes	1	DTD.610	MR/C	
7479	D.203402/1	1				Angle, for diaphragm, port	1	L.72	MR/C	JB.6
7480	D.203403/1	1				Angle, for diaphragm, starboard	1	L.72	MR/C	JB.6
2618	A.180855	1				Channel, supporting, diaphragm	1	Rolled Section	MR/C	
7481	B.203666	1				Diaphragm, bottom aft	1	L.72	MR/C	JB.6
7482	B.199798	1				Diaphragm, bottom forward, port	1	L.72	MR/C	JB.6
7483	B.199799	1				Diaphragm, bottom forward, starboard	1	L.72	MR/C	JB.6
2622	F.182567	2				Plate, reinforcing, bottom portion	2	DTD.610	MR/C	JB.6
2623	A.193269	1				Plate, reinforcing, bottom portion	1	DTD.610	MR/C	JB.6
2624	F.192312	1				Plate, reinforcing, bottom portion, port	1	DTD.610	MR/C	JB.6
2625	F.182313	1				Plate, reinforcing, bottom portion, starboard	1	DTD.610	MR/C	JB.6
	D.265547	—				SKIN, AIR INTAKE, FRAMES 25 TO 30, ASSEMBLY (MOD. 1252)	—	—		
	F.195548	2				Angle, port and starboard	2	DTD.610		
12407	F.203057	1				Bracket, mounting, for T.B.	1	L.72	C.	
12401	B.185510	1				Buttstrap, port	1	DTD.610	C.	JB.11
12402	B.185511	1				Buttstrap, starboard	1	DTD.610	C.	JB.11
11689	D.265547/22	1				Buttstrap, port (Mod. 1252)	1	L.72	MR/C	JB.11
	D.265547/23	1				Buttstrap, starboard (Use 26FX/11689) (Mod. 1252)	1	L.72		JB.11
11691	D.265547/24	1				Buttstrap, port (Mod. 1252)	1	L.72	MR/C	JB.11
	D.265547/25	1				Buttstrap, starboard (Use 26FX/11691) (Mod. 1252)	1	L.72		JB.11
11512	C.201504	1				Buttstrap, port	1	L.72	MR/C	JB.11
11351	C.201505	1				Buttstrap, starboard (Use 26FX/11512)	1	L.72	MR/C	JB.11
11038	C.210611	1				Buttstrap, port	1	DTD.610	C.	JB.11
	C.210612	1				Buttstrap, starboard	1	DTD.610		JB.11
11542	B.202322	1				Channel, top	1	L.72	C.	JB.11
11543	B.202323	1				Channel, bottom	1	L.72	C.	
11484	D.202011	1				Duct, cooling, forward, port	1	L.59	C.	JB.11
11485	D.202012	1				Duct, cooling, forward, starboard	1	L.59	C.	JB.11
10621	B.205201	1				Duct, entry for generator cooling, port	1	L.59	C.	JB.11
8355	A.215826	1				Panel, access to starter exhaust	1	—	B.	JB.11
8354	B.215509	1				Panel, access to safety disc	1	—	C.	JB.11
	B.215509/3	1				Seal	1	—		
12408	F.185899	1				Plate, gusset	1	DTD.610	C.	JB.11
	D.265547/15	3				Plate, sealing (Make from Pattern) (Mod. 1252)	3	L.72		JB.11
	D.265547/28	3				Plate, sealing (Make from Pattern) (Mod. 1252)	3	L.72		JB.11

RESTRICTED

Hunter F. Mk. 6
Issued with A/L No. 30

Page JB.21

FUSELAGE — CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	H.A. Class of Score	Plate No.
		1	2	3	4	5				
30	9645	F.224372				Pipe, drain, top	1	—	C.	
30	11919	C.201218				Ring, seal mounting	1	L.72	MR/C	JB.11
30		C.201218/1				Ring (Alt. to C.201218/3, 1 off)	2	—		
30		C.201218/3				Ring (Alt. to C.201218/1, 2 off)	1	—		
30		C.201218/2				Strip, retaining (Alt. to C.201218/4, 1 off)	2	—		
						(Pre Mod. 1413)				
30		C.201218/4				Strip, retaining (Alt. to C.201218/2, 2 off)	1	—		
						(Pre Mod. 1413)				
30	11043	C.201441				Ring, starter fairing	1	DTD.610	B.	
	8179	A.202754				Seal, air intake to engine (Pre Mod. 1413)	1	Rubber	C.	JB.11
	10582	F.214747				Screen, port	1	Brass or Copper Gauze	C.	JB.11
		E.184957/1				Skin, top, port	1	DTD.610		JB.11
		E.184957/2				Skin, bottom, port	1	DTD.610		JB.11
		E.184958/1				Skin, top, starboard	1	DTD.610		JB.11
		E.184958/2				Skin, bottom, starboard	1	DTD.610		JB.11
	11671	D.265547/1				Skin, port (Mod. 1252)	1	L.72	MR/C	
	11672	D.265547/2				Skin, starboard (Mod. 1252)	1	L.72	MR/C	JB.11
	11673	D.265547/3				Skin, port (Mod. 1252)	1	L.72	MR/C	JB.11
	11674	D.265547/4				Skin, starboard (Mod. 1252)	1	L.72	MR/C	
	11675	D.265547/5				Skin, port (Mod. 1252)	1	L.72	MR/C	
	11676	D.265547/6				Skin, starboard (Mod. 1252)	1	L.72	MR/C	JB.11
	11677	D.265547/7				Skin, port (Mod. 1252)	1	L.72	MR/C	
	11678	D.265547/8				Skin, starboard (Mod. 1252)	1	L.72	MR/C	JB.11
	11679	D.265547/9				Skin, port (Mod. 1252)	1	L.72	MR/C	
	11680	D.265547/10				Skin, starboard (Mod. 1252)	1	L.72	MR/C	JB.11
	11681	D.265547/11				Skin, port (Mod. 1252)	1	L.72	MR/C	JB.11
	11682	D.265547/12				Skin, starboard (Mod. 1252)	1	L.72	MR/C	JB.11
	11683	D.265547/13				Skin, port (Mod. 1252)	1	L.72	MR/C	JB.11
	11684	D.265547/14				Skin, starboard (Mod. 1252)	1	L.72	MR/C	JB.11
	11693	D.265547/16				Skin, inner, top, at frame 27 (Mod. 1252)	1	L.72	MR/C	JB.11
	11694	D.265547/17				Skin, inner, bottom, at frame 27 (Mod. 1252)	1	L.72	MR/C	JB.11
	11685	D.265547/18				Skin, port (Mod. 1252)	1	L.72	MR/C	JB.11
	11686	D.265547/19				Skin, starboard (Mod. 1252)	1	L.72	MR/C	JB.11
	11687	D.265547/20				Skin, port (Mod. 1252)	1	L.72	MR/C	JB.11
	11688	D.265547/21				Skin, starboard	1	L.72	MR/C	
	12270	C.210613				Skin, port	1	L.72	C.	JB.11
	11967	C.210614				Skin, starboard	1	L.72	C.	
	11927	B.202957				Stiffener, port	1	L.72	MR/C	JB.11
	11894	B.202958				Stiffener, starboard	1	L.72	C.	JB.11
	11921	E.184957/8				Stiffener, top port, and bottom starboard	2	L.72	MR/C	JB.11
	11922	E.184957/9				Stiffener, top starboard, and bottom port	2	L.72	MR/C	JB.11
	11923	E.184957/10				Stiffener, top port, and bottom starboard	2	L.72	MR/C	JB.11
	11924	E.184957/11				Stiffener, top starboard, and bottom port	2	L.72	MR/C	JB.11
	11925	E.184957/12				Stiffener, top port, and bottom starboard	2	L.72	MR/C	JB.11
	11926	E.184957/13				Stiffener, top starboard, and bottom port	2	L.72	MR/C	JB.11
	11797	C.217000				Trailing-edge, piece, top	1	L.72 & S.3	C.	
—	C.217001					Trailing edge, piece, bottom (Use 26FX/11798)	1	L.72 & S.3	—	
	9129	C.218808				Trailing-edge, piece top	1	L.72 & S.3	MR/C	
						(Alternative to C.217000)				
	9130	C.218809				Trailing-edge, piece, bottom	1	L.72 & S.3	MR/C	
						(Alternative to C.217001)				

RESTRICTED

RESTRICTED

FUSELAGE CENTRE PORTION

Hunter F. Mk. 6
Issued with A/L No. 25

Ref. No.	Part No.	Description					No Of	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
2626	B.178521	Stringer	"J,"	nose spar to frame 21, port			1	DTD.364	MR/C	JB.4
2627	B.178522	Stringer	"J,"	nose spar to frame 21, starboard			1	DTD.364	MR/C	JB.4
2628	C.178523	Stringer	"J,"	frame 21 to main spar, port			1	DTD.364	MR/C	JB.4
2629	C.178524	Stringer	"J,"	frame 21 to main spar, starboard			1	DTD.364	MR/C	JB.4
7484	C.200919	Stringer	"J,"	main spar to rear spar, port			1	DTD.364	MR/C	JB.4
7485	C.200920	Stringer	"J,"	main spar to rear spar, starboard			1	DTD.364	MR/C	JB.4
	D.200866	Stringer	"J,"	rear spar to frame 40A, port			1	DTD.364		JB.4
7487	C.205585	Stringer	"J,"	rear spar to frame 40A, starboard			1	DTD.364	MR/C	
7488	D.200586	Stringer	"K,"	between rear spar and frame 40A, port	...		1	DTD.364	MR/C	JB.4
7489	D.200587	Stringer	"K,"	between rear spar and frame 40A,			1	DTD.364	MR/C	JB.4
				starboard						
2636	B.178525	Stringer	"K,"	between nose spar and frame 21, port			1	DTD.364	MR/C	JB.4
2637	B.178526	Stringer	"K,"	between nose spar and frame 21,			1	DTD.364	MR/C	JB.4
				starboard						
2638	C.178527/8	Stringer	"K,"	between frame 21 and main spar			2 prs.	DTD.364	MR/C	JB.4
7490	C.200785	Stringer	"K,"	main spar to rear spar, port, group			1	DTD.364	MR/C	JB.4
5721	F.197126	Stud	earthing				1	S.94-B	MR/C	
7491	C.200786	Stringer	"K,"	main spar to rear spar, starboard,			1	DTD.364	MR/C	JB.4
				group						
5721	F.197126	Stud	earthing				1	S.94-B	MR/C	
7492	D.200588	Stringer	"L,"	between frames 37 and 40A, port			1	DTD.364	MR/C	JB.4
7493	D.200589	Stringer	"L,"	between frames 37 and 40A, starboard	...		1	DTD.364	MR/C	JB.4
	D.180831	STRUCTURE, SUPPORTING, FOR FUEL					-	-	-	
		TANKS, ASSEMBLY								
4675	F.180854	Bracket					2	DTD.364	MR/C	JB.10
4676	C.180832	Channel					1	DTD.610	MR/C	JB.10
4677	C.180833	Channel					1	DTD.610	MR/C	JB.10
4678	C.180834	Channel					1	DTD.610	MR/C	JB.10
4679	C.180835	Channel					1	DTD.610	MR/C	JB.10
4680	B.180846	Member, inter-costal, port					1	-	MR/C	JB.10
4681	B.180847	Member, inter-costal, starboard					1	-	MR/C	JB.10
4682	A.180848	Member, inter-costal, frames 21-22, port					1	DTD.610	MR/C	JB.10
4683	A.180849	Member, inter-costal, frames 21-22, starboard					1	DTD.610	MR/C	JB.10
4684	A.180850	Member, inter-costal, frames 22-23, port					1	DTD.610	MR/C	JB.10
4685	A.180851	Member, inter-costal, frames 22-23, starboard					1	DTD.610	MR/C	JB.10
4686	A.180852	Member, inter-costal, frames 23-25, port					1	DTD.610	MR/C	JB.10
4687	A.180853	Member, inter-costal, frames 23-25, starboard					1	DTD.610	MR/C	JB.10
4688	C.180840	Plate, fuel pump mounting					2	DTD.610	MR/C	JB.10
4689	C.180841	Plate, recuperator mounting, port					1	DTD.610	MR/C	JB.10
4690	C.180842	Plate, recuperator mounting, starboard					1	DTD.610	MR/C	JB.10
8431	Chekaleke	Plug					16	-	C.	
or	No. 5 or									
8432	No. 6									
4652	Sid.1299/3	Stud, securing guard and clips, for attaching electrical	...	...	...		20	S.95-B	C.	4
		cables and fuel tank access panels								
9061	F.219800	Stud, at fuel tank access panels (AS.770/8)					2	S.1	C.	
	E.201500-1	STUB-WING, ASSEMBLY					-	-	-	
	D.182684-5	BOUNDARY LAYER DUCT,					-	-	-	
		SUB-ASSEMBLY								
2643	B.183782	Leading edge section, forward of nose spar,					1	DTD.364	MR/C	JB.4
		port								
2644	B.183783	Leading edge section, forward of nose spar,					1	DTD.364	MR/C	JB.4
		starboard								
5712	A.183784	Spacer, at forward end of duct					4	DTD.364	C.	JB.4

RESTRICTED

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description	No. Of	Material Specification	M.A. Class of Store	Plate No.
		1 2 3 4 5				
11471	D.230215	Diaphragm "A," port (AS.740/68)	1	—	C.	
	D.230216	Diaphragm "A," starboard (AS.740/68)	1	—	C.	
11470	D.230217	Diaphragm "B," port (AS.740/68)	1	—	C.	
	D.230218	Diaphragm "B," starboard (AS.740/68)	1	—	C.	
11469	D.230219	Diaphragm "C," port (AS.740/68)	1	—	C.	
	D.230220	Diaphragm "C," starboard (AS.740/68)	1	—	C.	
10744	D.200976/A	Diaphragm "E," starboard	1	—	C.	
	C.222754-5	DUCT, ASSEMBLY (Mod. 535)	—	—		
	F.216328	Angle, port	1	L.72		
	F.216329	Angle, starboard	1	L.72		
	A.216330	Bracket, port	1	L.72		
	A.216331	Bracket, starboard	1	L.72		
	Std.841/39	Clip, securing duct	2	DTD.610		4
	Std.1188/1	Clip, securing duct	2	DTD.610		4
	F.216332	Duct	2	L.67		
	D.200841	Fillet, for wing aft of rear spar, port, group	1	—		
	D.200842	Fillet, for wing aft of rear spar, starboard, group	1	—		
7494	B.200840	Angle, for seal retaining, top port	1	L.72	MR/C	JB.2
7495	B.200839	Angle, for seal retaining, top starboard	1	L.72	MR/C	JB.2
2647	B.181499	Angle, for seal retaining, bottom port	1	DTD.610	MR/C	JB.2
2648	B.181500	Angle, for seal retaining, bottom starboard	1	DTD.610	MR/C	JB.2
2649	A.188212	Angle, for seal retaining, top forward, port	1	DTD.610	MR/C	JB.2
2650	A.188213	Angle, for seal retaining, top forward, starboard	1	DTD.610	MR/C	JB.2
2651	A.188214	Angle, for seal retaining, bottom forward, port	1	DTD.610	MR/C	JB.2
2652	A.188215	Angle, for seal retaining, bottom forward,	1	DTD.610	MR/C	JB.2
		starboard				
1027	D.179488/A	Fillet, top, removable, port	1	L.72	B.	JB.1
1029	D.179488/C	Fillet, bottom, aft, removable, port	1	L.72	B.	JB.1
6694	D.200841/A	Fillet, bottom, forward, removable, port	1	L.72	B.	JB.1
6695	D.200841/B	Fillet, bottom, centre, removable, port	1	L.72	B.	JB.1
1030	D.179489/A	Fillet, top, removable, starboard	1	L.72	B.	JB.1
1032	D.179489/C	Fillet, bottom, aft, removable, starboard	1	L.72	B.	JB.1
6696	D.200842/A	Fillet, bottom, forward, removable, starboard	1	L.72	B.	JB.1
6697	D.200842/B	Fillet, bottom, centre, removable, starboard	1	L.72	B.	JB.1
	C.200408	LANDING, FOR ACCESS PANEL TO	—	—		
		HYDRAULIC RESERVOIR,				
		FILLER, STARBOARD ONLY,				
		SUB-ASSEMBLY				
	7564 B.201068	Landing, group	1	L.72	MR/C	
31	28FP/4062482	Spring	1	—	C.	
	3762 Std.915/A/18	Washer	2	DTD.610	MR/C	4
31	2653 F.181992	Plate, nut, at rear spar	2	S.510	MR/C	
	12033 C.222371	Plate, for rubber seal retaining, port	1	L.72	C.	
	10959 C.222372	Plate, for rubber seal retaining, starboard	1	L.72	C.	
	7565 F.201120	Socket, for drain tube, starboard only	1	S.3 & T.6 or T.45	MR/C	
	2654 A.182036	Trailing edge	2	L.33, L.51 or L.1	MR/C	JB.1
	A.209237	Plate, mounting, for time switch refuelling	1	L.72		
		indicators				
	2655 C.180004	Member, top, at leading edge, port	1	DTD.610	MR/C	JB.2
	2656 C.180005	Member, top, at leading edge, starboard	1	DTD.610	MR/C	JB.2

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.A. Class of Store	Plate No.
		1	2	3	4	5				
2657	C.180006					Member, bottom, at leading edge, port	1	DTD.610	MR/C	JB.2
2658	C.180007					Member, bottom, at leading edge, starboard	1	DTD.610	MR/C	JB.2
2659	C.178820					Mounting, for undercarriage wheel door hinge, port	1	-	MR/C	JB.2
10578	F.173639					Bracket, frame 28, port	1	DTD.610	MR/C	
2660	C.178821					Mounting, for undercarriage wheel door hinge, starboard	1	-	MR/C	JB.2
10579	F.173640					Bracket, frame 28, starboard	1	DTD.610	MR/C	
2661	C.180008					Rib, No. 1, at leading edge, top, port	1	DTD.610	MR/C	JB.2
2662	C.180009					Rib, No. 1, leading edge, top, starboard	1	DTD.610	MR/C	JB.2
	B.222750					Rib, No. 2, at leading edge, top, port (Mod. 535)	1	DTD.610		JB.2
12826	B.222751					Rib, No. 2, at leading edge, top, starboard (Mod. 535)	1	DTD.610	C.	JB.2
2665	B.180012					Rib, No. 3, at leading edge, top, port	1	DTD.610	MR/C	JB.2
2666	B.180013					Rib, No. 3, at leading edge, top, starboard	1	DTD.610	MR/C	JB.2
2667	B.180014					Rib, No. 1, at leading edge, bottom, port	1	DTD.610	MR/B	JB.2
2668	B.180015					Rib, No. 1, at leading edge, bottom, starboard	1	DTD.610	MR/B	JB.2
2669	B.180016					Rib, No. 2, at leading edge, bottom, port	1	DTD.610	MR/C	JB.2
2670	B.180017					Rib, No. 2, at leading edge, bottom, starboard	1	DTD.610	MR/C	JB.2
2671	B.180018					Rib, No. 3, at leading edge, bottom, port	1	DTD.610	NR/C	
2672	B.180019					Rib, No. 3, at leading edge, bottom, starboard	1	DTD.610	MR/C	
2673	B.180020					Rib, outboard, at leading edge	1	DTD.610	MR/C	JB.2
2674	B.180021					Rib, outboard, at leading edge	1	DTD.610	MR/C	JB.2
	D.204877-8					SEALING, BETWEEN STUB WING AND WING, SUB-ASSEMBLY	-	-		
3847	A.196439					Pad, sealing, at trailing edge	2	Volcrepe T.L.S.	C.	JB.2
3848	A.196438					Strip, sealing, at leading edge	2	Volcrepe T.L.S.	C.	JB.2
31	32C/4658784					Strip, sealing, 1" wide x 3/16" thick (D.196440/1, 4 & 5, D.196441/1 & D.204878/1 and 2)	30'	Volcrepe	C.	
4023	Std.1509/12/018					Tube, distance, 1/4" o/d x 20 S.W.G. x 0.18" long (Make from 308/619)	6	T.4	MR/C	4
	D.201497/8					SKIN, COVERING, ASSEMBLY	-	-		
7875	C.216760					Fairing, outboard, port (undrilled)	1	DTD.610	B.	JB.1
7876	C.216761					Fairing, outboard, starboard (undrilled)	1	DTD.610	B.	JB.1
7496	A.205205					Landing, for fuel pipe access panel	2	L.72	MR/C	
2676	B.192636					Landing, forward, for stub-wing, access panel, port	1	DTD.610	MR/C	JB.4
2677	B.192637					Landing, forward, for stub-wing, access panel, starboard	1	DTD.610	MR/C	JB.4
2678	B.192640					Landing, aft, for stub-wing access panel, port	1	DTD.610	MR/C	JB.4
2679	B.192641					Landing, aft, for stub-wing access panel, starboard	1	DTD.610	MR/C	JB.4
2680	B.192638					Landing, inboard, for stub-wing access panel, port	1	DTD.610	MR/C	JB.4
2681	B.192639					Landing, inboard, for stub-wing access panel, starboard	1	DTD.610	MR/C	JB.4
7497	A.209626					Landing, for hydraulic connection access door	2	L.72	MR/C	
1821	C.182596					Nosing, top, port	1	-	B.	JB.1
1822	C.182597					Nosing, top, starboard	1	-	B.	JB.1
1823	C.182598					Nosing, bottom, port	1	-	B.	JB.1
1824	C.182599					Nosing, bottom, starboard	1	-	B.	JB.1

FUSELAGE — CENTRE PORTION


Ref. No.	Part No.	Description	No. OW	Material Specification	H.R. Class of Store	Plate No.
	C.222752	PANEL, ACCESS TO STUB-WING, PORT, ASSEMBLY (Mod. 535)	—	—		
	C.222753	PANEL, ACCESS TO STUB-WING, STARBOARD, ASSEMBLY (Mod. 535)	—	—		
9418	B.216139	Panel, access, port	1	—	C.	JB.1
9419	B.216140	Panel, access, starboard	1	—	C.	JB.1
6698	A.205206	Panel, access to fuel pipe	2	L.72	C.	JB.1
1038	D.188722	Panel, access to pin joint at main spar, top port	1	DTD.610	B.	JB.1
1039	D.188723	Panel, access to pin joint at main spar, top, starboard	1	DTD.610	B.	JB.1
5818	C.200861	Panel, access to pressure relief valve, port	1	L.72	C.	JB.1
5819	C.200862	Panel, access to pressure relief valve, starboard	1	L.72	C.	JB.1
4723	F.199630	Panel, access to undercarriage hydraulic connection	2	—	MR/C	JB.1
1040	D.188724	Panel, access to pin joint at main spar, bottom, port	1	DTD.610	B.	JB.1
1041	D.188725	Panel, access to pin joint at main spar, bottom starboard	1	DTD.610	B.	JB.1
7839	D.211964	Panel, access, on underside of stub-wing, port, group (Mod. 231)	1	DTD.610	B.	JB.1
7988	B.211962	Door, access to armament safety plug, group (Mod. 231)	1	—	B.	JB.1
12292	Fairey FS.430/E F.211961	Fastener, type 3	1	—	C.	
		Packing (Make from 30B/1730, 4-1/2" x 1/2")	2	L.72		
1781	D.192980	Panel, access, on underside of stub-wing, starboard	1	DTD.610	B.	JB.5
6699	A.209625	Panel, access to hydraulic connections	2	L.72	C.	JB.1
4724	A.199629	Plate, reinforcing, for undercarriage hydraulic connections	2	DTD.610	MR/C	JB.2
4725	F.196550	Retainer, for sealing, port	2	DTD.610	MR/C	
4726	F.196551	Retainer, for sealing, starboard	2	DTD.610	MR/C	
1807	D.182688/1	Skin, top, nose spar to main spar, inboard, port	1	DTD.610	B.	JB.1
11468	D.182688/22	Skin, top, nose spar to main spar, outboard, port	1	L.72	B.	JB.1
1809	D.182688/3	Skin, forward of nose spar, top, port	1	DTD.610	C.	JB.1
11136	D.200965/2	Skin, forward of nose spar, top, port (Mod. 535)	1	DTD.610	C.	JB.1
1811	D.182688/5	Skin, forward of nose spar, top, port	1	DTD.610	C.	JB.1
18124	D.182688/6	Skin, top, aft of main spar, port	1	L.72	B.	JB.1
2682	D.182688/9	Skin, forward of nose spar, bottom, port	1	DTD.610	MR/B	JB.1
2683	D.182688/10	Skin, forward of nose spar, bottom, port	1	DTD.610	MR/B	JB.1
2684	D.182688/11	Skin, forward of nose spar, bottom, port	1	DTD.610	MR/B	JB.1
18134	D.182688/15	Skin, bottom, inboard of wheel, door, port	1	DTD.610	B.	JB.1
1807	D.182689/1	Skin, top, nose spar to main spar, inboard, starboard (Supplied as D.182688/1 for spares)	1	DTD.610	B.	JB.1
12894	D.182689/22	Skin, top, nose spar to main spar, outboard, starboard	1	L.72	B.	JB.1
1816	D.182689/3	Skin, forward of nose spar, top, starboard	1	DTD.610	C.	JB.1
11473	D.200966/2	Skin, forward of nose spar, top, starboard	1	DTD.610	C.	JB.1
1818	D.182689/5	Skin, forward of nose spar, top, starboard	1	DTD.610	C.	JB.1
1819	D.182689/6	Skin, top, aft of main spar, starboard	1	L.72	B.	JB.1
2686	D.182689/9	Skin, forward of nose spar, bottom, starboard	1	DTD.610	MR/B	JB.1
2685	D.182689/10	Skin, forward of nose spar, bottom, starboard	1	DTD.610	MR/B	JB.1
2687	D.182689/11	Skin, forward of nose spar, bottom, starboard	1	DTD.610	MR/B	JB.1
1820	D.182689/15	Skin, bottom, inboard of wheel door, starboard	1	DTD.610	C.	JB.1

FUSELAGE — CENTRE PORTION


Ref. No.	Part No.	Description					No. Off	Material Specification	H.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.202637-8						—	—		
10503	F.231548					Bracket (Mod. 772)	4	S.510	C.	
11126	C.260929					Diaphragm, aft, port	1	S.521	C.	
11127	C.260930					Diaphragm, aft, starboard	1	S.521	C.	
6704*	C.202007					Door, port, group (Pre Mod. 664 & 744)	1	DTD.610	C.	
9770	C.229884					Door, port, group (Mod. 744)	1	—	B.	JB.1
						(Pre Mod. 1433)				
1035	A.187071					Spring	3	Sp. St.	C.	JB.4
13635	C.331966					Door, port, group (Mod. 1433)	1	—	B.	JB.1
13669	B.331965					Hinge	1	—	C.	
13622	C.12071					Spring, R.H. coil	2	—	C.	JB.4
13623	C.12071/1					Spring, L.H. coil	1	—	C.	JB.4
6705*	C.202008					Door, starboard, group (Pre Mod. 664 & 744)	1	DTD.610	C.	
9771	C.229885					Door, starboard, group (Mod. 744)	1	—	B.	JB.1
						(Pre Mod. 1433)				
1035	A.187071					Spring	3	Sp. St.	C.	JB.4
13636	C.331967					Door, starboard, group (Mod. 1433)	1	—	B.	JB.1
13669	B.331965					Hinge	1	—	C.	
13622	C.12071					Spring, R.H. coil	1	—	C.	JB.4
13623	C.12071/1					Spring, L.H. coil	2	—	C.	JB.4
	D.201942-3					SLOTS, FOR AIR INTAKE, BOTTOM,	—	—		
						ASSEMBLY				
10503	F.231548					Bracket (Mod. 772)	4	S.510	C.	
11128	C.260956					Diaphragm, aft, port	1	S.521	C.	
11129	C.260957					Diaphragm, aft, starboard	1	S.521	C.	
6706*	C.202009					Door, port, group (Pre Mod. 664 & 744)	1	DTD.610	C.	
9772	C.229886					Door, port, group (Mod. 744)	1	—	B.	JB.1
						(Pre Mod. 1433)				
1035	A.187071					Spring	3	Sp. St.	C.	JB.4
13637	C.331968					Door, port, group (Mod. 1433)	1	—	B.	JB.1
13669	B.331965					Hinge	1	—	C.	
13622	C.12071					Spring, R.H. coil	2	—	C.	JB.4
13623	C.12071/1					Spring, L.H. coil	1	—	C.	JB.4
6707*	C.202010					Door, starboard, group (Pre Mod. 664 & 744)	1	DTD.610	C.	
9773	C.229887					Door, starboard, group (Mod. 744)	1	—	B.	JB.1
						(Pre Mod. 1433)				
1035	A.187071					Spring	3	Sp. St.	C.	JB.4
13638	C.331969					Door, starboard, group (Mod. 1433)	1	—	B.	JB.1
13669	B.331965					Hinge	1	—	C.	
13622	C.12071					Spring, R.H. coil	1	—	C.	JB.4
13623	C.12071/1					Spring, L.H. coil	2	—	C.	JB.4
12964	A.226244					Stiffener, skin, outboard, port (Mod. 693)	1	L.72	C.	
	A.226245					Stiffener, skin, outboard, starboard	1	L.72		
						(Mod. 693)				
12965	A.226246					Stiffener, skin, outboard, port (Mod. 693)	1	L.72	C.	
	A.226247					Stiffener, skin, outboard, starboard	1	L.72		
						(Mod. 693)				
12966	A.226248					Stiffener, skin, port (Mod. 693)	1	L.72	C.	
	A.226249					Stiffener, skin, starboard (Mod. 693)	1	L.72		
12967	A.226250					Stiffener, skin, port (Mod. 693)	1	L.72	C.	
	A.226251					Stiffener, skin, starboard (Mod. 693)	1	L.72		
	A.215361					Stiffener, skin, port	1	L.72		
	A.215362					Stiffener, skin, starboard	1	L.72		
	A.215363					Stiffener, skin, port	1	L.72		
	A.215364					Stiffener, skin, starboard	1	L.72		
13291	A.231616					Stiffener, forward, port (Mod. 772)	1	DTD.390		
	A.231617					Stiffener, forward, starboard (Mod. 772)	1	DTD.390		
11288	A.231618					Stiffener, aft, port (Mod. 772)	1	DTD.390		
	A.231619					Stiffener, aft, starboard (Mod. 772)	1	DTD.390		
	E.204277-8					SKIN, COVERING, AIR INTAKE, ASSEMBLY	—	—		
	C.222756-7					MOUNTING FOR D.M.E. AERIAL, ASSEMBLY	—	—		
						(Mod. 535)				
12272	F.216141					Bracket, for eye bolt	4	S.95.B		
	F.217474					Bracket	2	L.72		
11521	F.216142					Eye bolt	4	S.154		


F03


PLATE NRJB.1
(ISSUE 44)



CENTRE FUSELAGE










RESTRICTED

PLATE NO JB.5
(ISSUE 10)






CENTRE FUSELAGE
















This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.