

RESTRICTED

Hunter F. Mk. 6
Issued with A/L No. 25

Page JC.1

FUSELAGE - FRONT PORTION

Ref. No.	Part No.	Description					No. Off.	Material Specification	M.R. Class of Score	Place No.
		1	2	3	4	5				
	E.233460	FRONT, FUSELAGE STRUCTURE, ASSEMBLY					1	—		
		(Mod. 794)								
5807	F.204432	Bracket, support, on frame 16 for circuit breaker angles ..					1	S.3	C.	
	D.184651	DECKING, FRONT, ASSEMBLY (Pre Mod. 378)					—	—		
	D.218728	DECKING, FRONT, ASSEMBLY (Mod. 378)					—	—		
	F.184657	Angle, frame 7, windscreen platform support, port					1	DTD.610		
	F.184658	Angle, frame 7, windscreen platform support,					1	DTD.610		
		starboard								
7150	F.208959	Angle, support, for accumulator					1	L.72	MR/C	
607	F.184656	Bearing, retractable gun sight mounting					1	BSS.369	C.	
		(Pre Mod. 378)								
11246	A.184655	Block, bearing, gun sight mounting (Pre Mod. 378) ..					1	S.94.8	C.	
1508	F.191789	Bolt, eye, attachment of G.G.S. mounting tension ..					2	DTD.487	C.	JC.1
		rod, frame 8, starboard (Pre Mod. 378)								
5374	F.200128	Bolt, eye, attachment of G.G.S. mounting tension ..					2	S.94.8	C.	JC.1
		rod to socket (Pre Mod. 378)								
5381	D.T.D.487-11C	Bolt, 2 B.A., attachment of G.G.S. mounting					6	—	C.	
	D.T.D.487-12C	Bolt, 2 B.A., attachment of G.G.S. mounting plate ..					2	—		
		(Mod. 378)								
	D.T.D.487-20C	Bolt, 2 B.A., attachment of G.G.S. mounting					1	—		
5382	D.T.D.487-22C	Bolt, 2 B.A., attachment of G.G.S., tie mounting					4	—	C.	
	D.T.D.487-23E	Bolt, 1/4" B.S.F., attachment of G.G.S., centre					2	—		
		mounting and bearers (Mod. 378)								
	Std.1929-130E	Bolt, 1/4" B.S.F., attachment of G.G.S., mounting ..					2	—		
		tubes to sockets								
	Std.1929-140E	Bolt, 1/4" B.S.F., attachment of G.G.S., mounting ..					6	—		
		tubes to sockets								
1507	F.191788	Bolt, attachment of G.G.S. mounting tubes to					2	DTD.487	C.	JC.1
		socket, starboard (Mod. 378)								
		(10 off—Pre Mod. 378)								
	B.184654	Bracket, support, for G.G.S. (Pre Mod. 378)					1	DTD.610		
12190	B.184667	Bracket, G.G.S. mounting, port					1	DTD.721	C.	
	B.184668	Bracket, G.G.S. mounting, starboard					1	DTD.721		
	A.184661	Bracket, support, frame 7, port					1	DTD.610		
	A.184662	Bracket, support, frame 7, starboard					1	DTD.610		
	F.187888	Bracket, windscreen platform, starboard					1	DTD.610		
	F.186804	Connection, outlet at windscreen platform					2	DTD.364		
	F.186805	Connection, inlet, at windscreen platform					2	DTD.364		
	F.214495	Ferrule, at G.G.S. centre mounting and bearers ..					4	DTD.487		
		attachments bolts (Mod. 378)								
	C.184652	Frame, No. 7, top portion					1	DTD.610		
3771	Std.1231/8 or	Lug, locking					4	S.3	MR/C	4
	Gloster GSP.288/3									
	B.180639	Member, tie, G.G.S. mounting					1	T.4		
	F.218738	Packing, at G.G.S. mounting brackets (Mod. 378) ..					2	L.72		
	B.214568	Mounting and bearers, centre G.G.S., group					1	—		
		(Mod. 378)								
	D.T.D.487-23E	Bolt, 1/4" B.S.F.					2	—		
	F.214495	Ferrule (non-magnetic)					4	DTD.487		
	Simmonds	Nut, single anchor cap					8	—		
	AO/1387/01/									
	201									
	D.184650/7	Packing, at G.G.S. mounting brackets (Pre Mod. 378)					2	DTD.610		
7065	A.209889	Plate, retaining, retractable gunsight mounting					1	S.3	C.	
		bearing (Pre Mod. 378)								
	Std.1547/25/12	Packing, at mounting plate (Mod. 378)					2	DTD.610		4
	B.215653	Plate, mounting (Mod. 378)					1	L.72		
	C.184659	Platform, windscreen, port					1	DTD.610		
	C.184660	Platform, windscreen, starboard					1	DTD.610		

RESTRICTED

RESTRICTED

Page JC.2

Hunter F. Mk. 6
Issued with A/L No. 25

FUSELAGE - FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.A. Class of Store	Plate No.
		1	2	3	4	5				
	A.196174					Skim, at G.G.S. mounting brackets	2	Brass		
	A.214283					Skim, at G.G.S. mounting (Mod. 378)	1	Lam. Alum.		
	F.214284					Skim, at G.G.S. mounting (Mod. 378)	2	Lam. Alum.		
	D.218727/1					Skirt (Mod. 378)	1	DTD.610		
	D.184650/1					Skirt (Pre Mod. 378)	1	DTD.610		
	B.184670					Socket, G.G.S. mounting, top, port (Pre Mod. 378)	1	L.112		
	B.184672					Socket, G.G.S. mounting, top, starboard (Pre Mod. 378)	1	L.122		
-	Std.1507/23/110					Tube, distance, 5/16" o/d x 17 S.W.G. x 1.1" long (Make from 30A/9610299) (Pre Mod. 378)	2	T.26	-	4
	A.184673					Tube, G.G.S. mounting (Pre Mod. 378)	1	T.4		
	A.184674					Tube, G.G.S. mounting (Pre Mod. 378)	1	T.4		
	A.184675					Tube, G.G.S. mounting (Pre Mod. 378)	1	T.4		
	Std.1509-23-070					Tube, distance at G.G.S. mountings plate (Mod. 378)	2	-		4
	Std.1509-23-064					Tube, distance at G.G.S. mounting bolts	7	-		4
	Std.1509-23-189					Tube, distance at tie member bolts	4	-		4
	Std.1509-24-088					Tube, distance at G.G.S. mounting tube bolts	10	-		4
	A.214521					Tube, support for G.G.S. centre mounting bearers (Mod. 378)	2	T.55		
5781	Std.915/E/20					Washer (Pre Mod. 378)	4	DTD.610	C.	4
	C.182059					DIAPHRAGM, CENTRE, BETWEEN FRAMES 10 AND 11, ASSEMBLY	-	-		
1917	F.196153					Bearing, rudder control lever	1	DTD.364	C.	JC.4
612	F.177165					Bearing, nosewheel door jack anchorage	1	S.95.B	C.	JC.4
613	A.177446					Bearing and housing, elevator	1	-	C.	JC.4
614	A.179408					Bearing and housing, elevator	1	-	C.	JC.4
6808	A.170514					Born, bottom, for frame 11	1	-	MR/C	
6809	B.176990					Diaphragm, nosewheel jack anchorage	1	DTD.610	MR/C	
3118	B.176989					Landing, access panel	1	DTD.610	MR/C	
6818	F.178257					Packing, at thimbles, frame 10	3	DTD.610	MR/C	
9627	A.226679					Panel, access to nosewheel, undercarriage jack (Mod. 620)	1	DTD.610	C.	JC.1
6807	A.175489					Plate, reinforcing, for frame 11	1	DTD.610	MR/C	
2144	Std.1231/3					Tab, locking, nosewheel jack anchorage bearing	1	S.3	C.	4
6819	F.178337					Thimble, frame 10	2	S.1	C.	
11094	D.260097					Fairing, detachable, aft of hood group (Mod. 1175)	1	-	B.	JC.1
7862	C.215171/3					Panel, access (Mod. 417)	1	L.72	C.	
	E.183254					FLOOR, PILOTS, ASSEMBLY	-	-		
	F.201279					Angle	1	L.72		
5808	B.201113					Bearer, for invertors	2	L.62	C.	
	A.178021					Bracket, support, for seat rail	2	Stamping	C.	
	F.192689					Channel, mounting	1	DTD.610		
4002	A.195033					Bracket, mounting	1	DTD.610	C.	
8313	F.210664					For, fitting leg restraint anchorage (Mod. 536)	2	-	C.	
616	A.183787					Gasket, access panel, starboard, front	1	DTD.5509/D	C.	JC.3
617	A.183789					Gasket, access panel, starboard, rear	1	DTD.5509/C or D	C.	JC.3
618	B.183790					Gasket, access panel, port, rear	1	DTD.5509/C or D	C.	JC.3
619	A.183788					Gasket, access panel, port, front	1	DTD.5509/D or DTD.560D	C.	JC.3
	B.190917					Mounting, inverter	2	-		
3119	F.183590					Packing, at attachments of pilot's foot ramp	4	DTD.610	MR/C	
622	B.183347					Panel, access, flying controls, port, rear	1	DTD.610	C.	JC.3
623	A.183791					Panel, access, flying controls, port, front	1	DTD.610	C.	JC.3
620	A.183792					Panel, access, flying controls, starboard, front	1	DTD.610	C.	JC.3
621	B.183348					Panel, access, flying controls, starboard, rear	1	DTD.610	C.	JC.3
5805	C.208876					Panel, control column access, group (Mod. 297)	1	-	B.	JC.3

RESTRICTED

FUSELAGE — FRONT PORTION

Ref. No.	Part No.	Description					No Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
31	625	F.183710				Block, control column stop	2	L.168	C.	JC.3
	9693	F.225619				Block, guard for brake control cable	1	—	C.	
		F.203267				Packing (Mod. 151)	2	—		
	4895	F.203268				Stud (Mod. 151)	2	S.95.B	C.	JC.3
		A.190904				Platform, mounting, for voltage regulator	1	DTD.610		
	1509	C.189998				Rack, air bottle, group	1	—	C.	JC.3
	1510	F.189993				Channel, air bottle attachment	2	DTD.610	C.	JC.3
	1511	F.189992				Channel, air bottle attachment	4	DTD.610	C.	JC.3
	2155	F.189998/2				Sealing, 1/8" thick x 0.60" wide	2	DTD.590	MR/C	JC.3
	1512	F.189988				Washer, profile, at attachment channels	6	—	C.	JC.3
	627	B.166318				Ramp, pilot's foot, port	1	—	C.	JC.3
	628	B.166319				Ramp, pilot's foot, starboard	1	—	C.	JC.3
		Dowty				Seal, bonded (Use 28F/9429636)	37	—	—	
		SP.815/2								
	1918	Std.1341/2				Stud, control column access panel	2	—	C.	4
	1919	Std.1341/3				Stud, control column access panel	3	—	C.	4
	1920	Std.1341/8				Stud, at access panel, port	1	—	C.	4
	1921	F.168421				Stud, control column access panel	2	—	C.	JC.3
		Std.1509/23/058				Tube, distance, 5/16" o/d x 17 S.W.G. x 0.58" long	1	T.4		4
		C.182946				GUN PACKAGE, FORWARD LIFTING POINT AND JOINT, FRAMES 12 AND 13, ASSEMBLY	—	—		
	3120	F.179897				Angle, channel attachment to frame 13	2	DTD.610	MR/C	
	3121	A.178092				Angle, frame 13	1	DTD.610	MR/C	
	3122	A.179896				Bracket	1	DTD.166	MR/C	
	3123	B.179895				Channel	1	DTD.610	MR/C	
	3124	A.181790				Channel, joint, frame 12	1	DTD.610	MR/C	
	3125	A.181709				Plate, joint, frame 13	2	DTD.610	MR/C	
	3126	A.181710				Strap, lower, frame 13	1	DTD.610	MR/C	
	3127	A.181711				Strap, upper, frame 13	1	DTD.610	MR/C	
	4691	Std.1547/26/12				Washer, profile, channel attachment to frame 12	4	DTD.610	MR/C	4
	1393	Std.1547/26/14				Washer, profile, channel attachment to frame 12	4	DTD.610	C.	4
		D.179206-7				LANDINGS, GUN BLAST TUBE ACCESS DOORS, ASSEMBLY	—	—		
	3128	D.179206/1				Landing, blast tube, port	1	DTD.610	MR/C	JC.1
	3129	D.179206/2				Landing, blast tube, port	1	DTD.610	MR/C	JC.1
	3130	D.179206/3				Landing, blast tube, port	1	DTD.610	MR/C	JC.1
	3131	D.179206/4				Landing, blast tube, port	1	DTD.610	MR/C	JC.1
	3133	D.179207/1				Landing, blast tube, starboard	1	DTD.610	MR/C	JC.1
	3134	D.179207/2				Landing, blast tube, starboard	1	DTD.610	MR/C	JC.1
	3135	D.179207/3				Landing, blast tube, starboard	1	DTD.610	MR/C	JC.1
	3136	D.179207/4				Landing, blast tube, starboard	1	DTD.610	MR/C	JC.1
	7583	F.195695				Nutplate (Pre Mod. 611)	2	S.510	MR/C	JC.1
	9098	F.221504				Nut, anchor, at frames 5 and 7 (Mod. 611)	6	—	C.	
	9097	F.220784				Nut, plate, at frame 8 (Mod. 611)	2	—	C.	
	3132	D.179206/5				Packing, blast tube, landing, port	1	DTD.610	MR/C	JC.1
	3137	D.179207/5				Packing, blast tube, landing, starboard	1	DTD.610	MR/C	JC.1
		Std.1687/1				Saddle, securing cables	2	DTD.610		5
	4211	Std.1687/2				Saddle, securing cables	7	DTD.610	C.	5
	1705	Std.1703/5C				Screw, attachment of detachable fairing	24	S.95.B	C.	5
	1706	Std.1703/6C				Screw, attachment of detachable fairing	4	S.95.B	C.	5
	5809	F.205514				Sealing, at transport joint, frame 18	2	Rubber	C.	

FUSELAGE — FRONT PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Plate No.
		1 2 3 4 5				
	D.233457	STRUCTURE, FRAMES 3 TO 6, ASSEMBLY	—	—		
		(Mod. 794)				
7584	F.190905	Angle, thermostat mounting	1	DTD.610	MR/C	JC.2
630	B.183655	Beam, radar ranging unit mounting, port	1	—	C.	JC.2
631	B.183656	Beam, radar ranging unit mounting, starboard	1	—	C.	JC.2
3141	B.179028	Bracket, nose wheel door jack anchorage, group ...	1	—	MR/C	JC.2
	F.179027	Bearing	1	S.1		
7585	B.187529	Bracket, pressure controller mounting	2	DTD.610	MR/C	JC.2
3142	B.179029	Bracket, nose wheel door jack anchorage	1	DTD.610	MR/C	JC.2
	C.178624	FASTENERS, NOSE PIECE ATTACHMENT,	—	—		
		ASSEMBLY				
632	F.178628	Hook (Pre Mod. 587)	4	S.1	C.	
9390	F.220447	Hook (Mod. 587)	4	S.96.B	C.	JC.4
633	F.178626	Latch, top	2	S.510	C.	JC.4
634	F.178627	Latch, bottom	2	S.510	C.	
5838	A.207961	Lever (Pre Mod. 587)	4	DTD.166	C.	
9391	A.220638	Lever (Mod. 587)	4	DTD.166	C.	JC.4
31	28FP/1011181	Pin, pip	4	—	C.	
	636	Spring, latch	4	Sp. St.	C.	JC.4
	3794	Tube, distance, 1/4" o/d x 22 S.W.G. x 1.04"	8	T.4	MR/C	4
		long				
		Tube, distance, 1/4" o/d x 22 S.W.G. x 1.2"	4	T.4		4
		long				
	9392	Washer, rubber (Mod. 587)	4	Oil Res.	C.	
1506454	Std.914/E/22	Washer (Mod. 587)	4	S.1	C.	5
10254	D.222061	Frame, No. 3, group (Mod. 372)	1	—	MR/B	
7586	F.177006	Angle, support, port	1	DTD.610	MR/C	JC.2
7587	F.177007	Angle, support, starboard	1	DTD.610	MR/C	JC.2
12160	D.222061/2	Angle, port (Mod. 372)	1	DTD.610	C.	JC.2
11991	D.222061/3	Angle, starboard (Mod. 372)	1	DTD.610	C.	JC.2
31	—	Angle, starboard (Mod. 572)	1	DTD.166	—	
	F.218906	(Make from 30A/9610424)				
31	—	Angle, starboard (Mod. 572)	1	DTD.166	—	
	F.218907	(Make from 30A/9610424)				
31	—	Angle, port (Mod. 572) (Make from	1	DTD.166	—	
	F.218908	30A/9610424)				
31	—	Angle, port (Mod. 572) (Make from	1	DTD.166	—	
	F.218909	30A/9610424)				
	F.218944	Angle, attachment, group (Mod. 572)	2	—		
8541	F.218942	Bush	2	Rubber	C.	
8542	F.218943	Washer	4	Rubber	C.	
	A.218945	Bracket, attachment, group (Mod. 572)	1	—		
8541	F.218942	Bush	2	Rubber	C.	
8542	F.218943	Washer	4	Rubber	C.	
31	A.218538	Channel, attachment, port (Mod. 572)	1	S.510		
31	A.218539	Channel, attachment, starboard (Mod. 572)	1	S.510		
	D.222061/1	Diaphragm (Mod. 372)	1	DTD.610		JC.1
	D.222061/13	Packing, at stiffener joint (Mod. 372)	4	L.72		
7594	A.178985	Plate, reinforcing	1	DTD.610	MR/C	
7595	F.174476	Plate, joint, at stiffener	4	DTD.610	MR/C	
	F.213351	Spigot, at centre stiffener (Mod. 413)	2	S.1		
7259	B.174469	Stiffener, centre, port	1	DTD.610	C.	JC.2
7260	B.174470	Stiffener, centre, starboard	1	DTD.610	C.	JC.2
	A.215550	Stiffener, lower, port (Mod. 462)	1	—		
	A.215551	Stiffener, lower, starboard (Mod. 462)	1	—		
	D.222061/12	Stiffener, lower, centre	1	DTD.610		JC.2
7602	F.183514	Washer, packing, at attachment channel	2	—	MR/C	

RESTRICTED

Hunter F. Mk. 6
Issued with A/L No. 25

Page JC.5

FUSELAGE - FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.233449					Frame, No. 4, group (Mod. 794)	1	-		
	D.233449/3					Frame, side, port (Use 26FX/3143) (D.176894/3)	1	-		JC.2
	D.233449/4					Frame, side, starboard	1	-		JC.2
	D.233450					Frame, No. 5, group (Mod. 794)	1	-		
	D.233450/3					Frame, side, port, group (Mod. 794)	1	-		JC.2
11315	D.233450/4					Frame, side, starboard, group (Mod. 794)	1	-	B.	JC.2
6637	A.210013					Angle, reinforcing (Mod. 289)	2	L.65.C	C.	
	A.217895					Bracket, mounting, port only (Mod. 794)	1	L.72		
	F.217896					Bracket, mounting, port only (Mod. 794)	1	L.72		
7110	F.207383					Packing, profile (Mod. 289)	4	L.65.C	MR/C	
6640	F.207734					Plate, serrated (Mod. 289)	2	L.72	C.	
6642	Std.914/U14					Washer (Mod. 289)	6	S.3	C.	4
	D.233451					Frame, No. 6, group (Mod. 794)	1	-		
6067	F.200427					Angle	2	L.72	MR/C	
6636	F.210012					Angle, reinforcing	2	L.65.C	C.	
6637	A.210013					Angle, reinforcing	2	L.65.C	C.	
	D.233451/3					Angle, port, identical to D.177214/3 (26FX/7603) (Mod. 794)	1	DTD.610		
	D.233451/4					Angle, starboard, identical to D.177214/4 (26FX/7604) (Mod. 794)	1	DTD.610		
7606	A.202070					Angle, skin attachment, inboard, port	1	S.3	MR/C	
7606	A.202071					Angle, skin attachment, inboard, starboard	1	S.3	MR/C	
7607	A.202072					Angle, skin attachment, outboard, port	1	S.3	MR/C	
7608	A.202073					Angle, skin attachment, outboard, starboard	1	S.3	MR/C	
	D.233451/7					Channel, identical to D.177214/7 (26FX/7609) (Mod. 784)	1	DTD.610		
	D.233451/1					Diaphragm (Mod. 794)	1	DTD.610		
7110	F.207383					Packing, profile	4	L.65.C	MR/C	
	F.177304					Packing, cover plate	2	LFS.21		
	F.177305					Plate, cover	2	DTD.610		
6640	F.207734					Plate, serrated	2	L.72	C.	
6641	F.207735					Plate, serrated	2	L.72	C.	
6642	Std.914/U/14					Washer	10	S.3	C.	4
10946	A.221142					Landing, nose wheel door, frames 3 to 5, port (Mod. 585)	1	DTD.610	C.	JC.1
10884	A.221143					Landing, nose wheel door, frames 3 to 5, starboard (Mod. 585)	1	DTD.610	C.	JC.1
7075	A.214466					Landing, nose wheel door, frame 3 (Mod. 363)	1	DTD.610	C.	JC.1
	C.221135					Member, edge, port (Mod. 585)	1	-		
	C.221136					Member, edge, starboard (Mod. 585)	1	-		
	D.186056					MOUNTING, OXYGEN BOTTLE, ASSEMBLY	-	-		
637	F.186589					Bolt, eye, oxygen cylinder cables	1	S.94.B	C.	JC.2
638	F.186588					Bolt, eye, oxygen cylinder cables	1	S.94.B	C.	JC.2
639	A.186063					Bracket, oxygen cylinder support tubes	2	DTD.610	C.	JC.2
640	A.186062					Bracket, oxygen cylinder support tubes	1	DTD.610	C.	JC.2
641	F.186439					Packing	6	DTD.610	C.	
3150	D.186056/1					Packing, 3/16" thick x 1-1/2" wide x 5.70" long ..	1	DTD.590	MR/C	JC.2
3151	D.186056/2					Packing, 3/16" thick x 1/2" wide x 1.50" long	9	DTD.590	MR/C	JC.2
3152	D.186056/3					Packing, 3/16" thick x 1-1/2" wide x 4.70" long ..	1	DTD.590	MR/C	JC.2
28F/9428450	AGS.1186/4					Seal, bonded	1	-	C.	
7612	B.185643					Mounting, brake relay valve	1	DTD.610	MR/C	

RESTRICTED

RESTRICTED

Hunter F. Mk. 6
Issued with A/L No. 25

FUSELAGE - FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.203190					PANEL, ACCESS AND LANDING, FOR AIR- CRAFT DESTRUCTION, ASSEMBLY	-	-		
	F.208741					Cable, check	1	-		
4869	C.201287					Landing	1	L.72	MR/C	
6185	C.211572					Panel, access	1	-	C.	
4494	B.201289					Clip, support, for destructor	1	L.72	C.	
	F.215180					Fastener, group (Mod. 461)	2	-		
	F.215180/1					Plate, sealing	1	L.72		
	Fairey					Fastener	1	-		
	FS.430.D									
1839	C.182346					Skin, top (Mod. 1343)	1	DTD.610	B.	JC.1
1840	C.182347					Skin, side, port	1	DTD.610	B.	JC.1
1841	C.182348					Skin, side, starboard	1	DTD.610	B.	JC.1
	D.233457/1					Skin, bottom (identical to D.182512/1) (Ref. 26 FX/3153) (Mod. 794)	1	DTD.610		JC.1
	B.180205-6					SPIGOT, LOCK, NOSEWHEEL DOOR, ASSEMBLY	-	-		
4052	F.196849					Bolt, spigot attachment	4	S.94.B	C.	JC.1
	B.219193					Bracket, spigot mounting, port (Mod. 585)	1	S.3		JC.4
	B.219194					Bracket, spigot mounting, starboard (Mod. 585)	1	S.3		JC.4
12905	F.220611					Bracket, reinforcing, port (Mod. 585)	1	S.3	C.	
12944	F.220612					Bracket, reinforcing, starboard (Mod. 585)	1	S.3	C.	
12942	F.219173					Packing, reinforcing, port (Mod. 585)	1	S.3	C.	
12943	F.219174					Packing, profile, starboard (Mod. 585)	1	S.3	C.	
12076	F.219316					Plate, serrated (Mod. 585)	2	S.95.B	C.	JC.1
642	A.186326					Spigot	2	Stamping	C.	JC.1
8505	F.219449					Strip, locking (Mod. 585)	4	S.84	C.	
	B.220061-2					SPIGOT, FORWARD, NOSEWHEEL DOOR, ASSEMBLY (Mod. 478)	-	-		
8494	B.220061/A					Housing, group	2	-	C.	
						Consisting of:-				
	F.217492					Housing	1	S.96.B		
28M/9403520	A.27.CP					Net, 2 B.A.	1	-	C.	
	F.217491					Spigot	1	S.96.B		
	Std.915-U-12					Washer	1	DTD.610		
8438	F.217467					Shim	OR	Brass	C.	
8496	F.218753					Shim, taper	OR	L.72	C.	
6793	A.179237					Seffener, between frames 3 and 4, port	1	DTD.610	MR/C	
6794	A.179238					Seffener, between frames 3 and 4, starboard	1	DTD.610	MR/C	
	B.179459					Seffener, skin, frames 4 and 5, port	1	DTD.610		
	B.179460					Seffener, skin, frames 4 and 5, starboard	1	DTD.610		
	B.179461					Seffener, skin, frames 5 and 6, port	1	DTD.610		
	B.179462					Seffener, skin, frames 5 and 6, starboard	1	DTD.610		
3810	Std.1547/20/10					Washer, packing, at attachment of nosewheel door jack anchorage brackets	6	DTD.610	MR/C	4
	D.182410					STRUCTURE, BETWEEN KEEL MEMBERS, FRAMES 6 TO 10, ASSEMBLY	-	-		
10690	F.222146					Angle, attachment of bearing bracket to frame 8 and sealing box (Mod. 1007)	1	S.520	C.	
	F.181817					Angle, joint, frame 8	1	DTD.610		
10691	F.248723					Angle (Mod. 1007)	1	S.520	C.	
7022	A.215915					Block, stop, nose under carriage, group (Mod. 453)	1	-	C.	JC.4
7023	A.215915/1					Pad, 5/16" thick x 1.00" wide x 3.50" long (Mod. 453)	1	Rubber	C.	JC.4
	B.180865					Box, sealing, aileron, torque tube	1	L.17		
	B.176985					Box, sealing, control column, group	1	-		
1867	A.194272					Gasket	1	DTD.560C	C.	JC.4
4443	A.202036					Panel, access	1	L.72	C.	JC.4

RESTRICTED

RESTRICTED

Hunter F. Mk. 6
Issued with A/L No. 25

Page JC.7

FUSELAGE - FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10692 611	A.176987					Box, sealing	1	L.17		
	A.222131					Bracket, bearing, rudder lever, group (Mod. 1007)	1	-	C.	
	F.177456					Bearing, rudder control lever	1	DTD.364	C.	JC.4
8136 7617 8135	F.182411					Bracket, switch mounting	1	S.3		
	F.182409					Buttstrap, at keel member between frames 9 and 10	1	DTD.610	C.	
	B.184073					Buttstrap, at keel member, frame 9	1	DTD.610	C.	
A.181816 A.177644 B.176982	F.178279					Buttstrap, at keel member, frame 9	1	DTD.610	C.	
	A.181816					Channel, joint, frame 8	1	DTD.610		
	A.177644					Channel, attachment of rudder pedestal mounting	1	DTD.610		
A.177495 A.177496	B.176982					Diaphragm, centre, frame No. 7, group	1	-		
	A.177495					Bracket, lever and switch mounting	1	S.3		
	A.177496					Bracket, undercarriage sequence valve mounting	1	S.3		
6812 645 2A.9500419	B.181996					Diaphragm, frame No. 9	1	DTD.610	MR/C	
	A.180433					Housing, bearing, rudder lever, group	1	-	B.	JC.4
	BRT.1-1/16					Bearing	1	-	B.	
613 2A.9500419	A.177446					Housing, bearing, rudder lever, group	1	-	B.	JC.4
	BRT.1-1/16					Bearing	1	-	B.	
6914	A.176979					Mounting, rudder pedestal, port	1	DTD.610		
	A.176980					Mounting, rudder pedestal, starboard	1	DTD.610		
	A.181814					Plate, joint, forward, frame 8	1	DTD.610	MR/C	
6849 6813 3818	A.181815					Plate, joint, aft, frame 8	1	DTD.610		
	F.182412					Plate, profile, frame 8	1	DTD.610		
	A.177739					Stiffener, at keel member, frame 9	1	DTD.610	MR/C	
Std.1548/28/14	B.177144					Stop nose wheel lock	1	Stamping	MR/C	
						Washer, profile	1	DTD.610	MR/C	4
6058 6141	E.204678-9					STRUCTURE, FRAMES 6 TO 18A, ASSEMBLY	-	-		
	F.202753					Angle, support, for cable clip	1	L.72	MR/C	
	F.207678					Channel	2	L.72	C.	
3158 3159 3160	D.181460-1					ATTACHMENTS, STUB WING,	-	-		
	F.187779					ASSEMBLY	-	-		
	F.187780					Bracket, upper attachment	2	S.3	MR/C	JC.1
3161 3162 3163	D.181460/1					Bracket, lower, attachment	2	S.3	MR/C	JC.1
	D.181460/2					Landing, upper, port	1	DTD.610	MR/C	JC.1
	D.181461/1					Landing, lower, port	1	DTD.610	MR/C	JC.1
3163 3816	D.181461/2					Landing, upper, starboard	1	DTD.610	MR/C	JC.1
	D.181461/2					Landing, lower, starboard	1	DTD.610	MR/C	JC.1
	Std.1547/30/16					Washer, 3/16" dia. x 16 S.W.G.	8	DTD.610	MR/C	4
4002 5826 5807	B.194834					Bracket, mounting, hydraulic pressure switch	1	DTD.610		
	B.189130					Bracket, support, for spool	1	DTD.610		JC.3
	A.195034					Bracket, mounting, for electrical plug	1	DTD.610		
7613 5927 7614	A.195033					Bracket, mounting, for electrical plug	1	DTD.610	C.	
	F.203218					Bracket, mounting, for air relay box	2	L.72	MR/C	
	F.204432					Bracket, support, at frame 16	1	S.3	C.	
7615 7616 7617	A.207202					Bracket, mounting, between frames 17B and 18A	1	L.72	MR/C	
	A.193717					Bracket, mounting, for anti "G" installation	1	L.72	MR/C	
	B.202917					Bracket, for engine anti-icing controls, between frames 9 and 10	1	L.72	MR/C	
A.260746 A.260747	B.184071					Buttstrap, lower side portion, port	1	DTD.610	MR/C	
	B.184072					Buttstrap, lower side portion, starboard	1	DTD.610	MR/C	
	B.184073					Buttstrap, bottom portion	1	DTD.610	C.	
1047 8486	A.260746					Channel, mounting	3	L.72		
	A.260747					Channel, mounting	3	L.72		
	F.187998					Clip, mounting, for shuttle valves	1	S.3	C.	JC.1
	F.216030					Clip, at frame 15 (Mod. 457)	1	S.3, T.26	C.	

RESTRICTED

RESTRICTED

Hunter F. Mk. 6
Issued with A/L No. 25

FUSELAGE - FRONT PORTION

Ref. No.	Part No.	Description					No. Off.	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
4889	B.200745					Door, footstep, group	1	—	C.	JC.1
1518	Mills G.P.4					Pin, 3/16" dia. x 5/8" long	2	M.S.	C.	JC.1
4922	F.200736					Plunger	2	S.1	C.	JC.1
1520	F.189113					Spring, release	1	Sp. Std.	C.	JC.1
1521	F.189105					Spring, torsion, front	1	Sp. Std.	C.	JC.1
1522	F.189106					Spring, torsion, rear	1	Sp. Std.	C.	JC.1
	C.187149-50					DUCT, SERVICE, BETWEEN FRAMES 6	—	—		
						AND 11, ASSEMBLY				
	C.187149/1					Duct, 1.875" o/d x 22 S.W.G.	1	L54		
5F/	—					Sleeve, .50" wide x 0.48" thick x 6.0" long	1	P.V.C.	C.	
	A.188490					Socket	1	—		
	B.183140					Floor, front side portion, port	1	L.72		
	B.183141					Floor, front side portion, starboard	1	L.72		
	D.204680					FLOOR, REAR SIDE PORTION, PORT,	—	—		
						ASSEMBLY				
	A.211889					FLOOR, REAR SIDE PORTION,	—	—		
						STARBOARD, ASSEMBLY				
	F.208207					Bracket, mounting, for junction box	1	L.72		
	F.206067					Bracket, support, for cable assembly, F.6	1	L.72		
	F.189128					Spool, hood jettison gear lever mounting	1	DTD.364		
3164	D.181805					Frame 7, port, group	1	—	MR/B	JC.2
3165	D.181806					Frame 7, starboard, group	1	—	MR/B	JC.2
6637	A.210013					Angle, reinforcing (Mod. 289)	2	L.65.C	C.	
7110	F.207383					Packing, profile (Mod. 289)	4	L.65.C	MR/C	
6640	F.207734					Plate, serrated (Mod. 289)	2	L.72	C.	
6642	Std.914/U14					Washer (Mod. 289)	6	S.3	C.	4
3166	E.181803					Frame 8, port, group	1	—	MR/B	JC.2
6638	A.210014					Angle, reinforcing (Mod. 289)	1	L.65.C	C.	
	B.263355					Bracket, port	1	—		
6636	A.207737					Plate, serrated (Mod. 289)	1	L.72	C.	
6642	Std.914/U14					Washer (Mod. 289)	3	S.3	C.	4
3167	E.181804					Frame 8, starboard, group	1	—	MR/B	JC.2
6639	A.210015					Angle, reinforcing (Mod. 289)	1	L.65.C	C.	
6634	A.207736					Plate, serrated (Mod. 289)	1	L.72	C.	
6642	Std.914/U14					Washer (Mod. 289)	3	S.3	C.	4
	E.176257					Frame 9, upper portion, port, group	1	—		
6059	A.201836					Mounting, for target rejector switch	1	L.72	MR/C	
3168	E.176258					Frame 9, lower portion, port	1	—	MR/B	JC.2
	E.176259					Frame 9, upper portion, starboard	1	—		
3169	E.176260					Frame 9, lower portion, starboard	1	—	MR/C	JC.2
	E.176261					Frame 10, upper portion, port	1	—		
3170	E.176262					Frame 10, lower portion, port	1	—	MR/B	JC.2
	E.176263					Frame 10, upper portion, starboard	1	—		
3171	E.176264					Frame 10, lower portion, starboard	1	—	MR/B	JC.2
	E.181756					Frame 11, upper portion, port, group	1	—		
	E.181757					Frame 11, upper portion, starboard	1	—		
3172	E.181758					Frame 11, lower portion, port	1	—	MR/B	JC.2
12203	B.263159					Bracket, for gun harmonisation (Mod. 1212)	1	M.S.	C.	
								& S.92.B		
3173	E.181759					Frame 11, lower portion, starboard	1	—	MR/B	JC.2

RESTRICTED

RESTRICTED

Hunter F. Mk. 6
Issued with A/L No. 25

Page JC.9.

FUSELAGE - FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	H.R. Class of Store	Place No.
		1	2	3	4	5				
6060	C.206128					Frame 12, port, group	1	-	MR/B	JC.2
	B.217703					Bracket (Mod. 457)	1	L.72		
	Std.1547/24/16					Washer, packing (Mod. 457)	2	DTD.610		4
	Std.1547/40/16					Washer, packing (Mod. 457)	2	DTD.610		4
3175	D.181699					Frame 12, starboard, group	1	-	MR/B	
	F.179046					Angle, relay mounting	2	DTD.610		
	F.206508					Angle (Mod. 209)	1	L.72		
6061	C.206129					Frame 13, port	1	-	MR/B	JC.2
	F.262454					Angle	2	L.72		
3177	D.181678					Frame 13, starboard	1	-	MR/B	
	E.182120					Frame 14, side portion, port, group	1	-		
	F.189129					Angle	2	DTD.610		
	F.178049					Angle, floor	1	DTD.610		
	F.178047					Block, sealing	1	LFS.21		
	A.190946					Mounting, hood motor relay, group	1	DTD.610		
	1922 Std.1341/13					Stud, special	1	-	C.	4
	F.177747					Plate, mounting, hood motor	4	DTD.610		
	6760 A.209279					Steady, for gun pack (Mod. 313)	1	Casting	C.	JC.3
	1179 A.177021					Union, bulkhead	2	DTD.364	C.	JC.3
	A.207393					Frame 14, side portion, starboard, group	1	-		
	F.178050					Angle, floor	1	DTD.610		
	F.178048					Block, sealing	1	LFS.21		
	F.191001					Bracket, mounting of compass amplifier	3	DTD.610		
	F.191002					Bracket, mounting of compass amplifier	3	DTD.610		
	6660 A.207435					Housing	1	L.65.C	C.	
	6760 A.209279					Steady, for gun pack (Mod. 313)	1	Casting	C.	
	E.182122					Frame 14, centre portion, group	1	-		
	F.194165					Block, sealing	1	LFS.21		
	F.216374					Bracket, stop (Mod. 281)	1	L.65		
1708	B.260746					Bracket, mounting, for aneroid switch	1	L.72		
	A.183141					Mounting, anti "G" air filter	1	S.3	C.	JC.3
	A.190947					Mounting, hood motor, relay, group	1	DTD.610		
	1922 Std.1341/13					Stud, special	1	-	C.	4
	Std.1509-12-055					Tube, distance at stop bracket (Mod. 281)	1	T.4		4
	F.177747					Plate, hood motor mounting	2	DTD.610		
	C.189999					RACK, ANTI "G" AIR BOTTLE, ASSEMBLY	-	-		JC.3
1511	F.189992					Channel, attachment	6	DTD.610	C.	JC.3
	B.189997					Rack, group	1	DTD.610		
2155	C.189998/2					Seating, 1/8" thick x 0.60" wide	2	DTD.590	MR/C	JC.3
1512	F.189988					Washer	6	DTD.610	C.	JC.3
6062	D.176249					Frame 15, port	1	-		
	D.176250					Frame 15, starboard	1	-		
	D.181890					Frame 16, side portion, port	1	-		
	D.181891					Frame 16, side portion, starboard	1	-		
	D.176269					Frame 17A, port	1	DTD.610		
	D.176270					Frame 17A, starboard, group	1	DTD.610		
	A.204431					Bracket, support, for circuit breaker angles	1	-	MR/C	
	D.180278					Frame 17B, port	1	DTD.610		
	D.180279					Frame 17B, starboard	1	DTD.610		
	D.176272					Frame 18A, port	1	-		
	D.176273					Frame 18A, starboard	1	-		

RESTRICTED

RESTRICTED

Hunter F. Mk. 6
Issued with A/L No. 25

FUSELAGE - FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plan No.
		1	2	3	4	5				
3178	A.178277					Landing, gun package door, rear	2	DTD.610	MR/C	JC.1
3179	A.179799					Landing, gun package door, front, port	1	DTD.610	MR/C	JC.1
3180	A.179800					Landing, gun package door, front, starboard	1	DTD.610	MR/C	JC.1
3181	A.178266					Landing, nosewheel door, port	1	DTD.610	MR/C	JC.4
3182	A.178267					Landing, nosewheel door, starboard	1	DTD.610	MR/C	JC.4
3183	B.182482					Landing, gun package access door, frame 11 port	1	DTD.610	MR/C	JC.1
3184	B.182483					Landing, gun package access door, frame 11,	1	DTD.610	MR/C	JC.1
						starboard				
	E.177824-5					LONGERON, BOTTOM, FRAMES 8 TO 19,	-	-		
						ASSEMBLY				
	F.175839					Angle, frame 18A, port	1	DTD.610		
	F.175840					Angle, frame 18A, starboard	1	DTD.610		
	F.178540					Angle, frame 18A	2	DTD.610		
	F.178539					Angle, wireless bay access door hinge bracket,	2	DTD.610		
						frame 16				
	F.177637					Angle, frames 9, 10 and 11, port	3	DTD.364		
	F.177638					Angle, frames 9, 10 and 11, starboard	3	DTD.364		
	F.178350					Angle, frame 11, port	1	DTD.364		
	F.178351					Angle, frame 11, starboard	1	DTD.364		
	F.178352					Angle, frame 10, port	1	DTD.364		
	F.178353					Angle, frame 10, starboard	1	DTD.364		
	F.178117					Block, distance, frames 9, 10 and 11	6	Casting		
647	Std.325/90N					Bolt, special, wireless bay access door hinge	4	S.2	C.	4
3185	F.178013					Bracket, hinge, gun access doors	4	S.95.B	MR/C	
3186	F.178014					Bracket, hinge, gun access doors	4	S.95.B	MR/C	
	A.177973					Bracket, frame 14	2	Stamping		
5810	A.200676					Bracket, gun package locating	2	S.3	C.	
	A.177941					Bracket, frame 15	2	Stamping		
	A.176903					Bracket, frame 16	2	Stamping		
	F.187882					Bracket	1	S.3		
	A.177942					Channel, frame 12	2	Stamping		
	F.177989					Channel, frame 13	2	DTD.610		
	A.180325					Fitting, frame 18A	2	S.98.B		
648	F.173339					Nut, special, support spigot	6	S.97.B	C.	JC.4
	F.178015					Packing, at wireless bay access door, 16 and 18A	4	DTD.610		
	Std.1548/32/14					Packing, at attachment angle, frame 13	2	DTD.610		4
7618	E.180215					Plate, top, port	1	DTD.610	MR/B	
7619	E.180216					Plate, top, starboard	1	DTD.610	B.	
7620	E.180217					Plate, bottom, port	1	DTD.610	MR/B	
7621	E.180218					Plate, bottom, starboard	1	DTD.610	MR/B	
3187	F.178016					Shim, at gun access door hinge brackets, frames	8	Brass	MR/C	
						11 and 12				
649	F.182539					Spigot, support, gun package	6	S.97.B	C.	JC.4
	E.177342-3					LONGERON, TOP, ASSEMBLY	1	-		
	F.240459					Angle, outboard, port, frame 17B (Mod. 1330)	1	L.72		
	F.240460					Angle, outboard, stbd., frame 17B (Mod. 1330)	1	L.72		
	F.240461					Angle, inboard, port, frame 17B (Mod. 1330)	1	L.72		
	F.240462					Angle, inboard, stbd., frame 17B (Mod. 1300)	1	L.72		
	F.240465					Angle, outboard, frame 18A, port (Mod. 1330)	1	DTD.610		
	F.240466					Angle, outboard, frame 18A, stbd. (Mod. 1330)	1	DTD.610		
	F.240463					Angle, inboard, frame 18A, port (Mod. 1330)	1	DTD.610		
	F.240464					Angle, inboard, frame 18A, starboard (Mod. 1330)	1	DTD.610		
	F.240481					Bolt, special (Mod. 943)	32	S.95.B		
	F.240482					Bolt, special (Mod. 943)	26	S.95.B		
5811	A.201367					Bracket, lamp	1	L.72	C.	
6063	F.203581					Bracket, lamp	1	-	MR/C	
9051	F.216177					Bracket, pivot, hood rails, port (Mod. 281)	1	-	C.	JC.2
9052	F.216178					Bracket, pivot, hood rails, starboard (Mod. 281)	1	-	C.	JC.2
	A.180324					Fitting, frame 18A	2	S.98.B		
10095	A.234638					Lock, hood release, port, group (AS.840/8)	2	-	B.	JC.2

RESTRICTED

RESTRICTED

Hunter F. Mk. 6
Issued with A/L No. 25

Page JC.11

FUSELAGE - FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.A. Class of Store	Plate No.
		1	2	3	4	5				
10096	A.234639					Lock, hood release, starboard, group (AS.840/8) ..	2	—	B.	JC.2
3188	F.186501					Bolt, spring, anchorage	2	S.95.B	MR/C	JC.2
3189	F.186502					Nut, spring, anchorage	2	S.95.B	MR/C	JC.2
3190	F.151094					Spring, seat	1	Sp. St.	MR/C	JC.2
1709	F.186574					Lug, hinge	1	DTD.364	C.	JC.3
1710	F.186575					Lug, hinge	1	DTD.364	C.	JC.3
1923	F.183864					Plate, nut, at pivot brackets	1	S.3	C.	JC.2
	A.211754					Plate, nut, at frame 12 (Mod. 281)	2	—		
	A.240497					Plate, reinforcing, at frame 17B (Mod. 1330)	2	L.72		
	A.240498					Plate, reinforcing, at frame 17B (Mod. 1330)	2	L.72		
	A.240485					Plate, reinforcing, at frame 18B (Mod. 1330)	2	L.72		
	A.245305					Plate, reinforcing, at frame 18B (Mod. 1330)	2	L.72		
	E.175729-30					MEMBER, KEEL, ASSEMBLY	—	—		
7622	A.175746					Angle, attachment, frame 6, port	1	L.72	MR/C	JC.4
6912	A.175747					Angle, attachment, frame 6, starboard	1	L.72	MR/C	
7623	F.175752					Angle, port	1	DTD.610	MR/C	JC.4
7624	F.175753					Angle, starboard	1	DTD.610	MR/C	JC.4
7625	F.175750					Angle, port	1	DTD.364	MR/C	JC.4
7626	F.175751					Angle, starboard	1	DTD.364	MR/C	JC.4
7627	F.177164					Bearing, nosewheel door jack anchorage	1	S.95.B	MR/C	JC.4
611	F.177456					Bearing, rudder control lever	2	DTD.364	C.	JC.4
7628	A.165906					Block, pivot bolt support, port	1	DTD.166	MR/C	JC.4
7629	A.165907					Block, pivot bolt support, starboard	1	DTD.166	MR/C	JC.4
6965	F.177756					Block, hinge, nosewheel door	2	—	MR/C	
6798	E.175729/3					Boom, bottom, port	1	DTD.364	MR/C	
6835	E.175730/3					Boom, bottom, starboard	1	DTD.364	MR/C	
7630	E.175729/4					Boom, top, aft of frame 8, port	1	DTD.364	MR/C	JC.4
7631	E.175730/4					Boom, top, aft of frame 8, starboard	1	DTD.364	MR/C	JC.4
7632	E.175729/5					Boom, top, forward of frame 8, port	1	DTD.364	MR/C	JC.4
7633	E.175730/5					Boom, top, forward of frame 8, starboard	1	DTD.364	MR/C	JC.4
7634	E.175729/6					Boom, top, forward of frame 8, port	1	DTD.364	MR/C	JC.4
7635	E.175730/6					Boom, top, forward of frame 8, starboard	1	DTD.364	MR/C	JC.4
6795	C.175734					Channel, between frames 6 and 8, port	1	DTD.166	MR/C	
6911	C.175735					Channel, between frames 6 and 8, starboard	1	DTD.166	MR/C	
652	F.177166					Nut-plate, at nosewheel door jack anchorage	1	S.3	C.	JC.4
						bearing				
1924	F.177757					Nut-plate, at nosewheel door hinge block	2	S.3	C.	
7636	C.175732					Plate, reinforcing, port	1	DTD.166	MR/C	JC.4
7637	C.175733					Plate, reinforcing, starboard	1	DTD.166	MR/C	JC.4
7638	A.175740					Plate, reinforcing, forward of frame 9, port	1	DTD.610	MR/C	JC.4
7639	A.175741					Plate, reinforcing, forward of frame 9,	1	DTD.610	MR/C	JC.4
						starboard				
7640	F.175754					Plate, reinforcing, at frame 8, port	1	DTD.610	MR/C	JC.4
7641	F.175755					Plate, reinforcing, at frame 8, starboard	1	DTD.610	MR/C	JC.4
7642	F.177952					Stiffener, between frames 6 and 7	2	DTD.610	MR/C	JC.4
7643	E.175729/1					Web, forward of frame 9	1	DTD.610	MR/C	JC.4
6797	E.175729/2					Web, aft of frame 9	1	DTD.610	MR/C	JC.4
6910	E.175730/1					Web, forward of frame 9	1	DTD.610	C.	JC.4
6834	E.175730/2					Web, aft of frame 9	1	DTD.610	MR/C	JC.4
8231	A.213297					Mounting, for Arm JB.7 and B, Starboard only	1	L.72	MR/C	
						(Mod. 231)				
646	A.178256					Panel, access to nosewheel pivot bolt	2	DTD.610	C.	JC.1
	A.198857					Pipe, drain, for hood rail, port	1	—		
	A.198858					Pipe, drain, for hood rail, starboard	1	—		
18441	E.183242/1					Skin, side, port	1	DTD.610	B.	JC.1
7644	E.204890/1					Skin, side, starboard	1	DTD.610	MR/B	JC.1
	E.204887					Skin, side, port, group	1	—		
	E.204888					Skin, side, starboard, group	1	—		
7645	A.178271					Butt strap, between frames 9 and 11, port	1	DTD.610	MR/C	

RESTRICTED

RESTRICTED

FUSELAGE - FRONT PORTION

Hunter F. Mk. 6
Issued with A/L No. 25

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
7646	A.178272					Butt strap, between frames 9 and 11, starboard	1	DTD.610	MR/C	
7647	A.178269					Butt strap, between frames 6 and 9, port	1	DTD.610	MR/C	
7648	A.178270					Butt strap, between frames 6 and 9, starboard	1	DTD.610	MR/C	
7649	E.180213					Capping, bottom, port	1	DTD.610	MR/C	JC.2
7650	E.180214					Capping, bottom, starboard	1	DTD.610	MR/C	JC.2
7651	B.178260					Capping, top, port	1	DTD.610	MR/C	
7652	B.178261					Capping, top, starboard	1	DTD.610	MR/C	
7653	B.178258					Capping, top, forward, port	1	DTD.610	MR/C	
7654	B.178259					Capping, top, forward, starboard	1	DTD.610	MR/C	
3192	A.178273					Landing, gun access door, front	2	DTD.610	MR/C	JC.1
3193	A.178278					Landing, gun access door, rear	2	DTD.610	MR/C	JC.1
7657	F.178285					Plate, joint, between frames 14 and 15	2	DTD.610	MR/C	
7656	E.204887/1					Skin, side, port	1	L.72	MR/B	JC.1
7656	E.204888/1					Skin, side, starboard	1	L.72	MR/B	JC.1
1846	E.183244					Skin, bottom, frames 9 to 11, port (A.195133 to be supplied loose)	1	DTD.610	B.	JC.1
1847	E.183245					Skin, bottom, frames 9 to 11, starboard (A.195133 to be supplied loose)	1	DTD.610	B.	JC.1
1848	E.183246					Skin, bottom, frames 6 to 9, port	1	DTD.610	B.	JC.1
1849	E.183247					Skin, bottom, frames 6 to 9, starboard	1	DTD.610	B.	JC.1
	C.179465					TUBE, BLAST, FIXED, ASSEMBLY	-	-		
3194	A.190410					Plate, locking	3	DTD.610	MR/C	JC.4
11347	A.221595					Sleeve (Mod. 620)	2	S.521	C.	
1925	F.179410					Stud, gun pedestal attachment	16	S.99.8	C.	JC.4
	B.179468					Tube, blast	2	T.55		
11344	B.228711					Tube, blast (Mod. 620)	2	T.55	C.	
	E.204317					STRUCTURE, COCKPIT SHELF, PORT, ASSEMBLY	-	-		
	F.214689					Angle, mounting (Mod. 428)	1	-		
	F.214690					Angle, mounting (Mod. 428)	1	L.72		
4223	B.199577					Bracket, mounting, for triple pressure gauge (Pre Mod. 699)	1	L.72	MR/C	
	B.222070					Bracket, mounting, for triple pressure gauge (Mod. 699)	1	L.72		
	A.184303					Bracket, lower pressure fuel cock mounting	1	DTD.610		
7658	A.191920					Bracket, mounting, for air release valve	1	DTD.610	MR/C	JC.3
7659	F.192112					Bracket, mounting, for air release valve cable pulley	1	DTD.610	MR/C	
	A.184304					Cover, lower pressure fuel cock	1	DTD.610		
4224	Std.1590/C					Packing, (Pre Mod. 699)	1	DTD.610	MR/C	5
4224	Std.1590/C					Packing, (Mod. 699)	2	DTD.610	MR/C	5
	Std.1933/C.18					Packing (Mod. 699)	1	L.72		
	B.184550					Support, throttle box, inboard	1	DTD.610		
	B.184551					Support, throttle box, outboard	1	DTD.610		
	C.202313					Shelf, fixed, forward, between frames 8 and 10	1	DTD.610		
	B.184288					Shelf, fixed, aft, between frames 10 and 12	1	DTD.610		
	E.233458					STRUCTURE, COCKPIT SHELF, STARBOARD, ASSEMBLY (Mod. 794)	-	-		
1565	A.188228					Bracket, for oxygen gauge	1	DTD.610	C.	
	A.185367					Landing, cockpit shelf	1	DTD.610		
	A.206946					Landing, cockpit shelf	1	DTD.610		
	B.185368					Mounting, compass control unit	1	DTD.610		
	B.185358					Mounting, oxygen regulator	1	DTD.610		
629	B.185362					Panel, access to oxygen regulator	1	DTD.610	C.	JC.2
	B.233459					Shelf, fixed, frames 10 to 11 (Mod. 794)	1	DTD.610		
	E.233456					STRUCTURE, BETWEEN FRAMES 12 AND 18A, ASSEMBLY (Mod. 794)	-	-		
	A.214901					Angle, mounting, at frame 16 (Mod. 417)	1	L.72		

RESTRICTED

RESTRICTED

Hunter F. Mk. 6
Issued with A/L No. 25

Page JC.13


FUSELAGE - FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
11831	F.214903					Bracket, at top diaphragm, frame 16 (Mod. 417)	1	L.72	C.	
	B.214898					Bracket, for combined monitor mounting (Mod. 417)	1	-		
	B.214899					Bracket, for combined monitor mounting (Mod. 417)	1	-		
	D.233455					DECKING, REAR, ASSEMBLY (Mod. 794)	-	-		
	A.241368					Angle, port (Mod. 1330)	1	L.72		
	A.241369					Angle, starboard (Mod. 1330)	1	L.72		
	F.240599					Angle, inboard, starboard (Mod. 1330)	1	L.72		
	F.240600					Angle, inboard, port (Mod. 1330)	1	L.72		
	F.240601					Angle, outboard, port (Mod. 1330)	1	L.72		
	F.240602					Angle, outboard, starboard (Mod. 1330)	1	L.72		
	C.214896					Bracket, for gyro unit (Mod. 417)	1	L.72		
	B.233454					Diaphragm, frame 16 (Mod. 794)	1	DTD.610		
	B.183224					Former, fairing, frame 18A	2	L.72		
	B.248995					Frame 18A, top portion (Mod. 1330)	1	DTD.610		
	D.176268					Frame 17A, top portion	1	DTD.610		
	D.180277					Frame 17B, top portion	1	DTD.610		
	B.292603					Plate, reinforcing, starboard (Mod. 1330)	1	L.72		
	C.241198					Plate, reinforcing, port (Mod. 1330)	1	L.72		
	D.233455/1					Skin, 16 S.W.G. (Mod. 794)	1	DTD.610		
	C.182894					Diaphragm, frame 14-16, group	1	-		
	F.220413					Bracket, mounting (Mod. 417)	1	-		
	D.184552					FAIRING, FIXED, AFT OF HOOD, ASSEMBLY	-	-		
	D.296741					Diaphragm, frame 14, group (Mod. 1343)	1	-		
	F.214719					Bracket (Mod. 281)	1	-		
3813	A.209955					Bracket, mounting, group (Mod. 321)	1	-	MR/C MR/C	4
	C.184554					Landing, for hood fairing, group	1	-		
	B.214897					Angle, mounting for amplifier unit (Mod. 417)	1	L.65C		
	A.214902					Bracket, for amplifier mounting (Mod. 417)	1	L.72		
	Std.1547/22/10					Washer, at amplifier mounting (Mod. 417)	2	-		
	D.184552/1					Skin	1	DTD.610		
653	D.233453					Frame 16, centre portion (Mod. 794)	1	DTD.610	C.	JC.1
	A.182899					Gasket, detachable, flying control shroud	1	Rubber		
	C.182877					LONGERON, TIE SEAT RAIL ATTACHMENT AND FLYING CONTROL CASING, ASSEMBLY	-	-		
	B.179049					Bracket, top longeron tie, frame 13, forward	1	DTD.610		
	B.179050					Bracket, top longeron tie, frame 13, aft	1	DTD.610		
	B.179051					Bracket, top longeron tie, frame 13, forward	1	DTD.610		
	B.179052					Bracket, top longeron tie, frame 13, aft	1	DTD.610		
	B.182883					Bracket, seat guide rail, attachment	1	Stamping		
	A.192039					Bracket, mic-tel, socket mounting	1	S.3		
	C.182878					Casing, flying controls	1	DTD.610		
	C.190601					Platform, mounting	1	DTD.610		
	B.214900					Plate, mounting, for combined monitor, group (Mod. 417)	1	-		
	10AJ/131	-				Mounting, anti-vibration	3	-		
	9053	B.221116				Shroud, detachable, flying controls (Mod. 281)	1	DTD.213		
	3871	A.197684				Strip, washer, at detachable shroud	2	DTD.610	C. C. C. C.	JC.1
	3872	A.197685				Strip, washer, at detachable shroud	2	-		
	3873	A.197686				Strip, washer, at detachable shroud	2	-		
	3771	Std.1231/6				Tab, locking, at frame 6, attachment to keel member	1	S.3		


RESTRICTED


RESTRICTED


PLATE N° JC.1
(ISSUE 31)



FRONT FUSELAGE







This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

