

MAIN PLANES — AILERON

Ref. No.	Part No.	Description	No. OW	Material Specification	M.R. Class of Score	Place No.
		1 2 3 4 5				
10505	G.244300	AILERON, PORT, GROUP (Less Actuator, known as G.244300/A) (Mod. 961)	1	—	A.	KB.1
10506	G.244301	AILERON, STARBOARD, GROUP (Mod. 961)	1	—	A.	KB.1
10177	G.239033*	AILERON, PORT, GROUP (Less Actuator, known as G.239033/A) (Pre Mod. 961)	1	—	A.	
10178	G.239034*	AILERON, STARBOARD, GROUP (Pre Mod. 961)	1	—	A.	
	F.244295	Angle (Mod. 961)	2	L.72		
	F.244309	Angle (Mod. 961)	2	L.72		
	F.244310	Angle (Mod. 961)	2	L.72		
	A.238950	Angle, for attachment of auxiliary ribs	10	L.72		
	A.238951	Angle, for attachment of auxiliary ribs	2	L.72		
	A.238952	Angle, for attachment of auxiliary ribs	2	L.72		
	F.238953	Angle, for attachment of auxiliary ribs	4	L.72		
	F.238986	Angle	2	L.72		
2A/9500557	N.R.15	Bearing (Alt. to NK.1S.15)	2	—	C.	
	NK.1S.15	Bearing (Alt. to 2A/9500557)	2	—		
2196	B.181494	Block, for centre hinge (Pre Mod. 473)	2	Stamping	MR/C	
12725	B.233509	Block, centre hinge (Mod. 932)	2	Stamping	C.	KB.1
	Hoffmann NR.12	Bearing (Alternative to NA.12)	2	—		
2A/9500555	Hoffmann NA.12	Bearing (Alternative to NR.12)	2	—	C.	
	12743	F.169064	4	—	C.	
	4086	A.181542	2	Stamping	MR/C	KB.1
	12743	F.169064	2	—	C.	
	4087	Std.1639/3EX	8	—	C.	5
	12323	F.215376	8	S.99	C.	
	12883	F.215383	8	S.99	C.	
	11710	F.233862	4	S.99	C.	
	10935	F.233861	6	S.99	C.	
	11711	F.233863	4	S.99	C.	
	4902	A.202935	1	S.3	C.	KB.1
	A.244845	Bracket, reinforcing, at trim tab actuator bracket on spar, port (Mod. 956)	1	S.510		
	6759	A.210699	1	S.3	C.	KB.1
	1318	F.187794	1	—	C.	KB.1
	2197	B.181541	2	DTD.610	MR/C	KB.1
	2198	B.171976	2	DTD.610	MR/C	KB.1
	2199	B.171977	2	DTD.610	MR/C	KB.1
	69	F.181674	1	DTD.610	C.	KB.1
	70	F.181675	1	DTD.610	C.	KB.1
	A.187807	Door, access, at washout skin, starboard	1	T.9 or L.54		
	B.181578	Duct, for electrical cables at trim tab transmitter	1	—		
	A.215183	Fitting, for rib attachment, group	2	—		
	A.215240	Plate, nut (Mod. 473)	4	—		
	9572	B.217243	2	—		
	9573	B.217244	2	DTD.610	MR/C	
	9577	B.217248	2	DTD.610	MR/C	
	9575	B.217246	2	DTD.610	MR/C	
	2200	C.181671	2	DTD.610	MR/C	
	2201	C.181672	1	DTD.364	MR/C	
	10835	Std.1921/PS	1	DTD.364	MR/C	
	F.244419	Nut, slotted	2	S.96.B	C.	
	F.244420	Packing, for auxiliary ribs (Mod. 961)	2	L.72		
	F.244421	Packing, for auxiliary ribs (Mod. 961)	2	L.72		
	1319	B.187552	2	L.72		
	12742	A.247707	1	DTD.610	C.	KB.1
	F.237192	Panel, access, for trim tab control	2	Lam. Al.	C.	
	F.245130	Plate, shim (AS.970/69)	2	S.520		
	10861	A.220122	2	S.520		
	A.220123	Plate, gusset (Mod. 961)	2	S.520	C.	
	A.220124	Plate, gusset, top port, bottom starboard	2	S.520		
	10864	A.220125	2	S.520		
	10863	A.220126	1	S.520	C.	
	10865	A.220127	1	S.520	C.	
		Plate, gusset, top starboard, bottom port	1	S.520		
		Plate, gusset, top port	1	S.520		
		Plate, gusset, bottom port	1	S.520		
		Plate, gusset, bottom starboard	1	S.520		

MAIN PLANES — AILERON


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
2202	B.180557	Rib, No. 1, port	1				1	DTD.610	MR/C	KB.1
2203	B.180558	Rib, No. 1, starboard	1				1	DTD.610	MR/C	KB.1
2204	B.187451	Rib, nose, No. 2, port	1				1	DTD.610	MR/C	KB.1
2205	C.188586	Rib, nose, No. 2, starboard	1				1	DTD.610	MR/C	KB.1
2206	C.188587	Rib, tail, No. 2, port	1				1	DTD.610	MR/C	KB.1
2207	C.188588	Rib, tail, No. 2, starboard	1				1	DTD.610	MR/C	KB.1
2208	B.187452	Rib, nose, No. 3, port	1				1	DTD.610	MR/C	KB.1
2209	C.188589	Rib, nose, No. 3, starboard	1				1	DTD.610	MR/C	KB.1
2210	C.188590	Rib, tail, No. 3, port	1				1	DTD.610	MR/C	KB.1
2211	C.188591	Rib, tail, No. 3, starboard	1				1	DTD.610	MR/C	KB.1
2212	C.188592	Rib, nose, No. 4, port	1				1	DTD.610	MR/C	KB.1
2213	C.188593	Rib, nose, No. 4, starboard	1				1	DTD.610	MR/C	KB.1
2214	B.187627	Rib, tail, No. 4, port	1				1	DTD.610	MR/C	KB.1
2215	C.188594	Rib, tail, No. 4, starboard	1				1	DTD.610	MR/C	KB.1
2216	B.181078	Rib, nose, No. 5, port	1				1	DTD.610	MR/C	KB.1
2217	B.181079	Rib, nose, No. 5, starboard	1				1	DTD.610	MR/C	KB.1
2218	B.181080	Rib, tail, No. 5, port	1				1	DTD.610	MR/C	KB.1
2219	B.196740	Rib, tail, No. 5, starboard	1				1	DTD.610	MR/C	KB.1
2220	B.181070	Rib, nose, No. 6, port	1				1	DTD.610	MR/C	KB.1
2221	B.181071	Rib, nose, No. 6, starboard	1				1	DTD.610	MR/C	KB.1
2222	B.181072	Rib, interspar, No. 6	2				2	DTD.610	MR/C	KB.1
2223	B.181073	Rib, tail, No. 6	2				2	DTD.610	MR/C	KB.1
2224	B.181074	Rib, nose, No. 7, port	1				1	DTD.610	MR/C	KB.1
2225	B.181075	Rib, nose, No. 7, starboard	1				1	DTD.610	MR/C	KB.1
2226	B.181076	Rib, interspar, No. 7	2				2	DTD.610	MR/C	KB.1
2227	B.181077	Rib, tail, No. 7	2				2	DTD.610	MR/C	KB.1
2228	B.181081	Rib, nose, No. 8, port	1				1	DTD.610	MR/C	KB.1
2229	B.181082	Rib, nose, No. 8, starboard	1				1	DTD.610	MR/C	KB.1
2230	B.181083	Rib, tail, No. 8, port	1				1	DTD.610	MR/C	KB.1
2231	B.196741	Rib, tail, No. 8, starboard	1				1	DTD.610	MR/C	KB.1
2232	C.188595	Rib, nose, No. 9, port	1				1	DTD.610	MR/C	KB.1
2233	C.188596	Rib, nose, No. 9, starboard	1				1	DTD.610	MR/C	KB.1
2234	C.188597	Rib, tail, No. 9, port	1				1	DTD.610	MR/C	KB.1
2235	B.196742	Rib, tail, No. 9, starboard	1				1	DTD.610	MR/C	KB.1
2236	C.188598	Rib, nose, No. 10, port	1				1	DTD.610	MR/C	KB.1
2237	C.188599	Rib, nose, No. 10, starboard	1				1	DTD.610	MR/C	KB.1
2238	C.188600	Rib, tail, No. 10, port	1				1	DTD.610	MR/C	KB.1
2239	B.196743	Rib, tail, No. 10, starboard	1				1	DTD.610	MR/C	KB.1
2240	B.181084	Rib, nose, No. 11, port	1				1	DTD.610	MR/C	KB.1
2241	B.181085	Rib, nose, No. 11, starboard	1				1	DTD.610	MR/C	KB.1
9605	B.217254	Rib, tail, No. 11, port (Mod. 518)	1				1	DTD.610	MR/C	KB.1
9603	A.217255	Rib, tail, No. 11, starboard (Mod. 518)	1				1	DTD.610	MR/C	KB.1
2244	B.181436	Rib, nose, No. 12, port	1				1	DTD.610	MR/C	KB.1
2245	B.181437	Rib, nose, No. 12, starboard	1				1	DTD.610	MR/C	KB.1
9578	B.217249	Rib, tail, No. 12	2				2	DTD.610	MR/C	KB.1
2247	B.181089	Rib, nose, No. 6A, port	1				1	DTD.610	MR/C	KB.1
2248	B.181090	Rib, nose, No. 6A, starboard	1				1	DTD.610	MR/C	KB.1
2249	B.181091	Rib, interspar, No. 6A	2				2	DTD.610	MR/C	KB.1
2250	B.181092	Rib, nose, No. 7A, port	1				1	DTD.610	MR/C	KB.1
2251	B.181093	Rib, nose, No. 7A, starboard	1				1	DTD.610	MR/C	KB.1
2252	B.181094	Rib, interspar, No. 7A	2				2	DTD.610	MR/C	KB.1
	B.244658	Rib, inter (Mod. 961)	2				2	L.72		
9604	A.217256	Rib, No. 12A	2				2	DTD.610	MR/C	KB.1
2254	B.180967	Rib, diagonal centre	2				2	DTD.610	MR/C	KB.1
2255	B.180968	Rib, diagonal centre	2				2	DTD.610	MR/C	KB.1
2256	B.180933	Rib, diagonal outer	2				2	DTD.610	MR/C	KB.1
2257	B.180934	Rib, diagonal outer	2				2	DTD.610	MR/C	KB.1
2258	B.181095	Rib, main tip	2				2	DTD.610	MR/C	KB.1
2259	B.181365	Rib, tip, No. 1	2				2	DTD.610	MR/C	KB.1
2260	B.181366	Rib, tip, No. 2	2				2	DTD.610	MR/C	KB.1
	C.238276	Rib, auxiliary	2				2	L.72		
	C.238277	Rib, auxiliary	4				4	L.72		

MAIN PLANES — AILERON

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.238278					Rib, auxiliary	4	L.72		
	C.238279					Rib, auxiliary	6	L.72		
	C.238280					Rib, auxiliary	2	L.72		
	C.238281					Rib, auxiliary	2	L.72		
	C.238282					Rib, auxiliary	2	L.72		
	B.238985					Rib, auxiliary	2	L.72		
	B.241523					Rib, auxiliary	10	L.72		
	A.244935					Rib (Mod. 961)	2	L.72		
	C.245136-7					RIBS, AUXILIARY ATTACHMENTS, CENTRE HINGE, ASSEMBLY (Mod. 961)	—	—		
	F.241514					Angle, port	1	L.72		
	F.241515					Angle, starboard	1	L.72		
	F.241516					Angle, starboard	1	L.72		
	F.241517					Angle, port	1	L.72		
	F.241518					Angle, port outboard, starboard inboard	2	L.72		
	F.241519					Angle, starboard outboard, port inboard	2	L.72		
	F.244295					Angle (Mod. 961)	2	L.72		
	F.244418					Angle (Mod. 961)	2	L.72		
	F.245535					Packing (Mod. 961)	4	L.72		
	F.244297					Plate, gusset (Mod. 961)	4	L.72		
	F.241521					Plate, gusset	4	L.72		
	F.241522					Plate, gusset	4	L.72		
	F.237192					Plate, gusset (Mod. 961)	4	S.520		
	C.188785					SECTIONS AND DETAILS, ASSEMBLY	—	—		
	A.190373					ACTUATOR, GROUP	1	—		
31	5W/4511893					Actuator	1	—	A.	
	5K/4346693					Tag	4	—	C.	
31	8406					Bolt, actuator fins (Mod. 578)	4	S.154	C.	
31	1876					Bolt, securing mounting bracket (Pre Mod. 956)	1	S.154	C.	KB.1
	10507					Bracket, mounting group (Mod. 956)	1	Steel	C.	KB.1
	2261					Bush, 7/16" i/d	1	BSS.369	MR/C	KB.1
	3756					Clip, securing, 7/16" wide x 22 SWG x 2.7" long	1	DTD.610	MR/C	4
31	1321					Pin, securing rod to trim tab (Pre Mod. 568)	1	S.510 or S.11	C.	4
	4905					Pin, for transmitter	1	—	C.	KB.1
31	1322					Pin, securing rod and lever on shaft (Pre Mod. 568)	1	S.510 or S.11	C.	4
31	8405					Plate, locking for actuator fixing bolts	1	S.510	C.	
31	1324					Rod, operating trim tab (Pre Mod. 568)	1	T.4 or L.168	C.	
	9350					Rod, operating, trim tab, group (Mod. 568)	1	—	B.	
	9351					Fork-end	1	S.1	C.	
31	8422					Shaft, at actuator (Mod. 578)	1	S.92 or S.510	C.	KB.1
31	6A/4333794					Transmitter (Mod. 349)	1	—	A.	
						Tube, distance	1	T.4		4
	2147					Washer	2	—	C.	4
	1327					Washer, profile (Pre Mod. 956)	2	DTD.610	C.	4
	1328					Washer, packing (Pre Mod. 956)	2	DTD.610	C.	4
31	4868					Shackle, for trim tab control	1	S.510	C.	KB.1
	2262					Skin, nose, top port	1	DTD.610	MR/B	KB.1
	2263					Skin, nose, top starboard	1	DTD.610	MR/B	KB.1
	2264					Skin, nose, bottom, port	1	DTD.610	MR/B	KB.1
	2265					Skin, nose, bottom, starboard	1	DTD.610	MR/B	KB.1
	2266					Skin, nose, washout, port group	1	DTD.610	MR/B	KB.1
	2267					Skin, nose, washout, starboard group	1	DTD.610	MR/B	KB.1
31	71					Nut, anchor	4	S.510	C.	
	G.244300/1					Skin, top, port (Alternative to G.232400/1 or G.239033/1) (Mod. 961)	1	L.72		
	G.244300/2					Skin, bottom, port (Alternative to G.232400/3 or G.239033/2) (Mod. 961)	1	L.72		
	G.244300/3					Skin, top, port (Alternative to G.232400/2 or G.239033/3) (Mod. 961) (Use 26FX/9514)	1	L.72		

MAIN PLANES - AILERON

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	G.244300/4	Skin	reinforcing (Alternative to G.232400/4 or				4	—		
			G.239033/4) (Mod. 961)							
	G.244301/1	Skin	top, starboard (Alternative to G.232401/1 or				1	L.72		
			G.239034/1) (Mod. 961)							
	G.244301/2	Skin	bottom, starboard (Alternative to G.232401/3				1	L.72		
			or G.239034/2) (Mod. 961)							
	G.244301/3	Skin	top, starboard (Alternative to G.232401/2 or				1	L.72		
			G.239034/3) (Mod. 961) (Use 26FX/9513)							
	E.245504	Spar	main port group (Mod. 961)				1	—		
	E.245505	Spar	main starboard group (Mod. 961)				1	—		
	A.219708	Plate	nut (Mod. 473)				2	—		
	F.215262	Packing	(Mod. 473)				2	L.72		
2268	F.180559	Spigot	for inner hinge				2	S98.B	MR/C	KB.1
4469	F.157015	Spring	compression for trim tab control				2	DTD.215	C.	KB.1
	C.244941	Stiffener	No. 1 top port, bottom starboard				2	L.72		
			(Mod. 961)							
	C.244943	Stiffener	No. 1 top starboard (Mod. 961)				1	L.72		
	C.244944	Stiffener	No. 2 top port, bottom starboard				2	L.72		
			(Mod. 961)							
	C.244945	Stiffener	No. 2 top starboard (Mod. 961)				1	L.72		
	C.244946	Stiffener	No. 3 bottom port (Mod. 961)				1	L.72		
	C.236888	Stiffener	No. 3 top port, bottom starboard				2	L.72		
	C.236889	Stiffener	No. 3 top starboard, bottom port				2	L.72		
	C.244947	Stiffener	No. 4 top port, bottom starboard				2	L.72		
			(Mod. 961)							
	C.244948	Stiffener	No. 4 top starboard (Mod. 961)				1	L.72		
	C.244949	Stiffener	No. 4 bottom port (Mod. 961)				1	L.72		
	C.238948	Stiffener	No. 5 top port, bottom starboard				2	L.72		
	C.238949	Stiffener	No. 5 top starboard, bottom port				2	L.72		
4728	Std.1231/4	Tab	locking				1	—	MR/C	4
1330	C.187570	Trim-tab	group (port only) (Pre Mod. 568)				1	—	B.	
9349	C.218045	Trim-tab	group (Mod. 568)				1	—	B.	KB.1
	B.187499	Hinge					1	DTD.610		
3817	Std.1548/30/12	Washer	packing at hinge block				4	DTD.610	MR/C	4
72	F.180560	Washer	special				4	DTD.610	C.	
	C.247517	Weight	balance, inboard, port (AS.970/73)				1	S.511 and		
			Lead							
	C.247518	Weight	balance, inboard, starboard (AS.970/73)				1	S.511 and		
			Lead							
	C.247515	Weight	balance, outboard, port (AS.970/73)				1	S.511 and		
			Lead							
	C.247516	Weight	balance, outboard, starboard (AS.970/73)				1	S.511 and		
			Lead							



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

