

RADIO — D.M.E. INSTALLATION

Ref. No.	Part No.	Description	No. On	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	D.206140	D.M.E. INSTALLATION, ASSEMBLY	—	—		
31	10B/4667172	Aerial, type 91 (Mod. 588)	2	—	A.	
	F.265349	Bolt, special (Make from 28D/1214041)	8	—	—	
	10D/19364	Box, junction, type 4527 (Pre Mod. 534)	1	—	A.	
31	10D/5975-99-4691815	Box, junction, type 8196 (Mod. 534)	1	—	A.	
	A.296260	Bracket, mounting, outboard for control unit	1	L.72		
		(Mod. 1343)				
	A.296259	Bracket, mounting, inboard, for control unit	1	L.72		
		(Mod. 1343)				
	26VA/6042329	Clip, securing cable to engine door edge member	1	—		6
31	10HA/4153365	Connector, indicator, to frame 14, type 88/30B/7	1	—	B.	
31	10HA/4153009	Connector, frame 14 to junction box, type 88/10A/2	1	—	B.	
31	10HA/4153204	Connector, control unit to frame 14, type 814/20D/6	1	—	B.	
31	10HA/5995-99-4153007	Connector, frame 14 to junction box, type 814/20B/2	1	—	B.	
31	10HA/4704982	Connector, power supply to junction box, type	1	—	B.	
		B250F/—				
31	10HA/4153008	Connector, telemic circuit to junction box, type	1	—	B.	
		B22/50F/2				
31	10HA/4153010	Connector, T.R. set to transmitter aerial, type 3376/6	1	—	B.	
31	5995-99-4096329	Connector, type D272/10A/T.677	1	—	B.	
31	5995-99-4096332	Connector, type C243/10A/T695 (Mod. 535)	1	—	B.	
31	5995-99-4096335	Connector, type C243/10B/T699 (Mod. 535)	1	—	B.	
31	5995-99-4096333	Connector, type C243/10B/T696 (Mod. 535)	1	—	B.	
31	5995-99-4096330	Connector, type C243/10B/T693 (Mod. 535)	1	—	B.	
31	5995-99-4096334	Connector, type C243/10B/T697 (Mod. 535)	1	—	B.	
31	5995-99-4096331	Connector, type B22/40F/T694 (Mod. 535)	1	—	B.	
	C.222749	DETAILS, ADDITIONAL, ASSEMBLY (Mod. 535)	—	—		
	9420	Aerial, group	2	—	B.	
	C215926	Blade, aerial	1	L.72		
31	10HB/5995-99-4701669	Cable, aerial	1	—	B.	
	A.216429	Fitting, lower	1	L.65.C		
	A.216430	Fitting, upper	1	L.65.C		
	A.215950	Insulator, group	1	—		
31	B.215932	Bracket, mounting	1	S.510		
	B.215907	Insulator	1	—		
	5CZ/1053794	Block, terminal, 2-way	1	—	C.	
	26VA/6042329	Clip, sleeved	3	—	C.	6
	13240	Piece, distance	4	L.65.C		
	F.216453	Socket	2	—	C.	
31	10H/9560042	Switch, type 514	1	—	B.	
	10F/9331515	Tube, distance	1	T.4		4
	26VA/6039011	Plug-socket, 25 pin, type 59	1	—	C.	
31	10H/9116804	Plug-socket, 6 pin, type 23	1	—	C.	
31	10H/5935-99-1052650					
	5246	Screw, roundhead, 6 B.A. (Mod. 794)	2	Brass	C.	5
	1178	Screw, roundhead, 4 B.A. (Mod. 794)	1	Brass	C.	5
	4614	Screw, roundhead, 2 B.A. (Mod. 794)	2	Brass	C.	5
	5248	Screw, countersunk head, 6 B.A. (Mod. 794)	2	Brass	C.	5

RADIO — D.M.E. INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
1943	Std. 1606/45/B16	Screw, countersunk head, 2 B.A. (Mod. 794)					1	Brass	C.	5
5F/	Hellermann	Sleeve, P.V.C., 4" long					2	1738 type	C.	
	P3, Grey							B		
10H/9560042	—	Socket, J/service, assembly					3	—	B.	
10D/18676	—	Transmitter-receiver, type RJ.3708 (Pre Mod. 534)					1	—	A.	
31 10D/4691549	—	Transmitter-receiver, type TR.8193 (Mod. 534)					1	—	A.	
10L/16166	—	Unit, control, type 909 (Pre Mod. 534)					1	—	A.	
31 10L/9529152	—	Unit, control, type 8197 (Mod. 534)					1	—	A.	
10H/0970051	Plessey Z.54107	Washer, panel mounting					1	—	C.	
10H/0970049	Plessey	Washer, panel mounting					1	—	C.	
	508/2/07810/005									
5F/9454141	Hellermann	Strapping					15"	—	C.	
	NY.18007A									
5F/9138822	NY.3342	Stud					2	—	C.	

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

