

SERVICES — OXYGEN INSTALLATION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	D.186746	OXYGEN INSTALLATION, ASSEMBLY	—	—	—	
1660-99-2243050	—	Adaptor, inlet, straight	1	—	C.	
	F.232063	Block (Mod. 768)	1	LFS.21		
447	F.186436	Bolt, securing cylinder straps	4	S.95.B	C.	NK.1
11143	A.232002	Bracket, rear pulley (Mod. 768)	1	L.72	C.	
448	A.186437	Cable, front, for cylinder heads	1	—	C.	NK.1
32	Brunton SP53— 3510—10	Sheathing, leather	1	—		
	449	Cable, rear, for cylinder heads	1	—	C.	NK.1
32	Brunton SP53— 3521—11	Sheathing, leather	1	—		
5280	F.206144	Cable, emergency control	1	W.11	C.	NK.1
4099	Std.840/18	Clip, securing emergency control cable, 7/16" wide x 22 S.W.G. x 1.8" long	1	DTD.610	C.	4
4790	Std.840/32	Clip, for pipe, 7/16" wide x 22 S.W.G. x 3.2" long	1	DTD.610	C.	4
3750	Std.842/10	Clip, for pipe, 7/16" wide x 22 S.W.G. x 1.0" long	5	S.510	MR/C	4
		(Make from 30A/9610252)				
4297	Std.843/11	Clip, for pipe, 7/16" wide x 22 S.W.G. x 1.1" long	1	S.2	MR/C	4
		(Make from 30A/9610252)				
1937	F.194470	Clip, at pressure relief valve	1	S.510	C.	NK.1
4236	F.202451	Clip, securing cylinder covers	2	—	C.	NK.1
1938	B.195180	Connector, low pressure tube	1	—	C.	NK.1
4233	B.200243	Cover, protective, for charging valve (Pre Mod. 539)	1	Cobex	C.	
1938	B.195180	Connector, low pressure tube	1	—	C.	NK.1
13621	B.329655	Cover, protective, for charging valve (Mod. 1418)	1	Cobex	C.	NK.1
28R/4694994	AS.122	Cover (Mod. 768)	1	—	C.	
28R/4694995	AS.113	Cover (Mod. 768)	1	—	C.	
4234	A.200425	Cover, protective, for cylinder valve (3 off for Mk.6A)	2	P.V.C.	C.	NK.1
6D/9429894	—	Cylinder, H.P. Mk. 5D (complete with 6D/9429901 valve Mk. 7A*) (3 off for Mk. 6A)	2	—	A.	
10100	A.232000	Duct, for emergency control cable, front (Mod. 768)	1	—	C.	NK.1
10101	F.232001	Duct, for emergency control cable, centre, (Mod. 768)	1	—	C.	NK.1
10102	F.232003	Duct, rear (Mod. 768)	1	—	C.	NK.1
1939	F.195750	Fairlead, low pressure pipe	2	LFS.21	C.	NK.1
1660-99-2244018	—	Filter, pipe line, Mk. 1	2	—	A.	
6685-99-2244063	—	Gauge, contents, Mk. 4	1	—	A.	
32	32C/1275037	Hose, fabric reinforced, 7/8" i/d (For manufacture of D.186746/1)	4 1/2"	DTD.625A type 1	C.	
461	F.189156	Knob, for emergency control	1	DTD.364	C.	NK.1
7510-99-2244092	—	Label, adhesive, for filter	2	—	C.	
7510-99-2244091	—	Label, adhesive, for NRV	4	—	C.	
1940	Std.1231/1	Lug, locking	1	S.510	C.	4
9705	Std.1231/98	Lug, locking, at blanking union base fixing	1	S.510	C.	
	F.231069	Lug, bonding at regulator (Mod. 678)	1	—		
	F.329656	Packing, (Make from 5F/9400958) (Mod. 1418)	1	—		
1660-99-2243528	—	Piece, connecting, 2-way, Mk. 3A	1	—	C.	
1660-99-2243645	—	Piece, connecting, 3-way, Mk. 3A	5	—	C.	
4095	Mills GP.2	Pin, grooved, 1/8" dia. x 9/16" long	1	M.S.	MR/C	
10103	F.232004	Pin (Mod. 768)	1	S.95	C.	
450	B.186747/1	Pipe, charging valve to filter	1	T.51	C.	
532	B.186747/2	Pipe, filter to 3-way connection	1	T.51	C.	
533	B.186747/3	Pipe, 3-way connection to 3-way connection	1	T.51	C.	
534	B.186747/4	Pipe, 3-way connection to 3-way connection	1	T.51	C.	
535	B.186747/5	Pipe, 3-way connection to cylinder	1	T.51	C.	
536	B.186747/6	Pipe, 3-way connection to cylinder	1	T.51	C.	
537	B.186747/7	Pipe, 3-way connection to 3-way connection	1	T.51	C.	
538	B.186747/8	Pipe, 3-way connection to 3-way connection	1	T.51	C.	
539	B.186747/9	Pipe, 3-way connection to bulkhead connection	1	T.51	C.	
540	B.186747/10	Pipe, bulkhead connection to 3-way connection	1	T.51	C.	
541	B.186747/11	Pipe, 3-way connection to gauge	1	T.51	C.	
542	B.186747/12	Pipe, 3-way connection to pressure reducing valve	1	T.51	C.	
451	A.186748	Pipe, pressure reducing valve to demand regulator	1	L.54	C.	

SERVICES — OXYGEN INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	H.R. Class of Store	Plate No.
		1	2	3	4	5				
452	A.187685	Pipe, demand regulator to flexible connection					1	L.63	C.	
453	A.187686	Pipe, flexible connection to low pressure tube					1	L.63	C.	
		connector								
1941	Std.499/3	Plate, locking, attachment of filter to frame 6					1	L.3	C.	4
1942	F.195799	Plug, connector sealing					1	Rubber	C.	NK.1
28R/7132088	AS.111	Pulley (Mod. 768)					3	—	B.	
6D/2671	—	Regulator, demand, Mk. 17F (Mod. 919)					1	—	A.	
1943	Std.1606/45/B16	Screw, 4 B.A. x 1/2" long					4	Brass	C.	5
4235	F.200426	Spring, for charging valve cover					1	Steel	C.	NK.1
455	B.186427	Strap, front support, forward cylinder					2	—	C.	NK.1
456	B.186428	Strap, front support, rear cylinder					2	—	C.	NK.1
457	B.186429	Strap, rear support, forward and rear cylinder					4	—	C.	NK.1
26VA/6039016	Std.1509/23/064	Tube, distance, 5/16" o/d x 17 S.W.G. x .64" long					6	T.4	C.	
458	C.186059	Tube, support, for cylinder mounting					1	—	C.	NK.1
5767	Std.1509/12/030	Tube, distance, at earthing connection, 1/4" o/d x 20 S.W.G. x .3" long					1	T.4	MR/C	4
26VA/6034613	Std.1509/23/076	Tube, distance, 5/16" o/d x 17 S.W.G. x .76" long					1	T.4	C.	4
463	F.189155	Tube, for emergency control cable					1	DTD.464	C.	NK.1
459	A.185345	Union, special, frame 6					1	DTD.423	C.	NK.1
6D/2244774	—	Valve, oxygen charging, type 1 (Mod. 1418)					1	—	A.	
32 6D/2204340	—	Valve, check (6 off for Mk. 6A)					4	—	A.	
1660-99-2244070	—	Valve, pressure reducing					1	—	A.	

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

