


SERVICES — FUEL FILTER DE-ICING

Ref. No.	Part No.	Description	No. Off	Material Specification	H.R. Class of Store	Plate No.
		1 2 3 4 5				
—	C.204905	FUEL FILTER DE-ICING SYSTEM, ASSEMBLY (Mod. 254)	—	—	—	—
31	27BA/9467727	Block, clamp	2	LFS.21	C.	NN.1
31	27BA/9467728	Cap, blanking (AS.830/26)	1	—	C.	—
11227	Std.2045/21/24	Cap, blanking (AS.830/26)	1	—	C.	—
11303	Std.2046/17/26	Clip, sleeved (Alt. to Std.1959/5)	1	—	C.	6
11304	Std.2046/21/24	Clip, sleeved (Alt. to F.218519)	1	—	C.	6
11305	Std.2046/25/24	Clip, sleeved (AS.770/47)	2	—	C.	6
11302	Std.851/44	Clip, sleeved (AS.770/47)	1	—	C.	6
—	F.218519	Clip, support, for pipes 7/16" wide x 22 S.W.G.	1	DTD.610	C.	4
—	—	Clip, support, for pipe, at frame 31 (Alt. to Std.2046/17/26) (Make from 30B/9611222)	1	L.72	—	—
6314	Std.1959/5	Clip, support, for pipes (Alt. to Std.2045/21/24)	2	S.510	MR/C	5
31	27BA/9152597	Coupling	1	—	C.	—
31	27BA/4110937	Coupling	1	—	C.	—
31	1940	Lug, locking	2	S.510	C.	4
—	B.207900	MOUNTING FOR SOLENOID VALVE, ASSEMBLY	—	—	—	—
7816	A.211021	Angle, mounting	1	L.72	MR/C	—
4821	Std.841/22	Clip, at valve attachment	1	DTD.610	MR/C	4
10746	F.211092	Label	1	L.59	—	—
5CW/1047692	B.205149	Mounting, valve	1	—	C.	—
—	F.218978	Switch, S.P. centre "off", spring return	1	—	—	—
—	Std.1939/3	Packing, at pump	2	L.72	—	—
6243	B.204904/1	Packing, for solenoid valve support clip	1	LFS.21	—	5
6244	B.204904/2	Pipe, overflow, tank to coupling	1	T.55 or DTD.743	B.	NN.1
6245	B.204904/3	Pipe, pump drain to atmosphere	1	T.55 or DTD.743	C.	NN.1
6246	B.204904/4	Pipe, pump to solenoid valve	1	T.55 or DTD.743	C.	NN.1
6247	B.204904/5	Pipe, solenoid valve to non-return valve (Pre Mod. 1396)	1	T.55 or DTD.743	C.	NN.1
6248	B.204904/6	Pipe, non-return valve to fuel delivery pipe connection (Pre Mod. 1396)	1	T.55 or DTD.743	B.	NN.1
6249	B.204904/7	Pipe, filler coupling to adaptor	1	T.55 or DTD.743	B.	NN.1
6250	B.204904/8	Pipe, vent tank to connection	1	T.55 or DTD.743	B.	NN.1
6251	B.204904/9	Pipe, filter to pump	1	T.55 or DTD.743	C.	NN.1
6252	A.205044	Pipe, vent, connection to atmosphere	1	T.55 or DTD.743	C.	NN.1
10783	F.250992	Pipe, branch	1	T.55 or DTD.743	B.	NN.1
5UE/4407078	Plessey	Pipe, Bnk (Mod. 1043)	1	—	C.	—
6253	A.205848	Pump, FP3 Mk. 9	1	—	A.	—
—	—	Shield, heat, for non-return valve (Pre Mod. 1396)	2	S.95	C.	NN.1

SERVICES — FUEL FILTER DE-ICING

Ref. No.	Part No.	Description	No. Off	Material Specification	H.A. Class of Store	Plate No.
6254	B.205142	Strap, tank mounting (1/16" dia. hole in screw omitted)	2	DTD.166	C.	NN.1
6255	C.205140	Tank, group	1	—	B.	NN.1
6256	A.205045	Adaptor	1	—	C.	NN.1
6257	A.205270	Valve, pressure and suction relief, group	1	—	B.	NN.1
2A/9500570	—	Ball, 9/32" dia.	1	Steel	C.	
6258	F.205271	Spring	1	Steel	C.	NN.1
6259	F.205269	Spring	1	Steel	C.	NN.1
	Std.1509/23/055	Tube, distance, 5/16" o/d x 17 S.W.G. x .55" long (Pre Mod. 1396)	1	T.4		4
	Std.1509/23/072	Tube, distance, 5/16" o/d x 17 S.W.G. x .72" long	4	T.4		4
6260	F.204903	Union, jet, at fuel delivery pipe	1	—	C.	NN.1
31 27V/4604671	Teddington FAW/A/325	Valve, solenoid	1	—	A.	
31 27FS/4524636	Saunders N.1002	Valve, non-return (Pre Mod. 1396)	1	—	B.	



FUEL FILTER DE-ICING SYSTEM



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

R-Type Mk2
pressure breathing
mask

R-Type mask
used on Dominie
by RAF until 2011
© 2011 Scott Bouch