

RESTRICTED

Hunter F. Mk. 6
Issued with A/L No. 24

Page PB.1

TAIL UNIT-FIN

Ref. No.	Part No.	Description					No. Of	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
67	D.183036	F	N	G	R	O	1	—	A.	PB.1
9338	D.223171	F	N	G	R	O	1	—	A.	PB.1
		FIN GROUP (Less actuator, servo motor and supporting brackets) (Mod. 794)								
		(Complementary parts, e.g., inter component attachments are listed on page PE.1 and will not be supplied with the assembly spars)								
	F.202220						1	L.72		
2930	A.185164						1	DTD.610	MR/C	PB.2
2931	A.185165						1	DTD.610	MR/C	PB.2
2932	F.183048						1	DTD.610	MR/C	PB.1
2933	F.183050						1	DTD.610	MR/C	PB.1
	B.227637						1	DTD.610		PB.2
	B.227638						1	DTD.610		PB.2
	C.203729						—	—	—	
2A/9600442	BAM.1/2						1	—	C.	
2A/9600466	BAA.5/16B						1	—	C.	
1802	F.192389						1	S.94.B	C.	PB.1
	A.184161						—	—		
		BRACKET, RUDDER CONTROL, UPPER-ASSEMBLY								
2936	B.184158						1	DTD.610	MR/C	
	B.222801						1	DTD.610	—	PB.2
2937	B.184159						1	DTD.610	MR/C	PB.2
2938	F.184160						1	DTD.610	MR/C	PB.2
		Stiffener								
2939	A.183547						1	S.3	MR/C	PB.2
2940	A.183548						1	S.3	MR/C	PB.2
3741	Std.840/20						1	DTD.610	C.	4
3738	Std.840/29						1	DTD.610	MR/C	4
		Clip, for duct, upper, 7/16" wide x 22 S.W.G. x 2.9" long								
3742	Std.840/37						1	DTD.610	MR/C	4
		Clip, for duct, lower, 7/16" wide x 22 S.W.G. x 3.7" long								
	C.171698						—	—	—	
	A.185944						1	L.54		
	F.193403						1	L.54		
	A.193404						1	L.54		
2941	A.185201						1	DTD.610	MR/C	PB.2
2942	A.188102						1	DTD.610	MR/C	PB.2
2943	B.188111						1	DTD.610	MR/C	
	D.228649						—	—	—	
		ELECTRICAL INSTALLATION (For details see section E)								
	A.184945						1	DTD.610		
2944	A.186895						1	L.53	MR/C	PB.2
	B.227636						1	DTD.610		
183	C.186356						1	DTD.610	B.	PB.1
	C.172170						1	DTD.610		
		HINGE, TOP, ASSEMBLY								
2948	F.183346						—	—		
	B.183142						1	DTD.610	MR/C	PB.2
2949	B.183143						1	DTD.610	MR/C	PB.2
2950	A.177845						1	—	MR/C	PB.1
		Bracket, upper								
		Bracket, lower								
		Hinge								

RESTRICTED

RESTRICTED

Hunter F. Mk. 6
Issued with A/L No. 24

TAIL UNIT—FIN

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	F.183358	HINGE, BOTTOM, ASSEMBLY					—	—		
2951	F.182991	Angle, bottom					1	DTD.610	MR/C	PB.1
2952	A.172196	Fitting, hinge					1	—	MR/C	PB.1
2953	F.182992	Stop					1	LFS.21	MR/C	PB.1
2954	B.182990	Rib, tail "D.1"					1	DTD.610	MR/C	PB.2
2955	B.183260	Rib, tail "E"					1	DTD.610	MR/C	PB.2
4035	Std.1509/23/112	Tube, distance, 5/16" o/d x 17 S.W.G. x 1.12"					7	T.4	MR/C	4
		Long								
3815	Std.1547/20/14	Washer, profile					2	DTD.610	MR/C	4
	B.184334	PANEL, ACCESS, ASSEMBLY					—	—		
1603	Std.1700/1C	Bolt					10	S.95.B	C.	5
2956	B.184094	Landing, port					1	DTD.610	MR/C	PB.1
2957	B.184095	Landing, starboard					1	DTD.610	MR/C	PB.1
191	B.183993	Panel, access to rudder controls, port					1	DTD.610	C.	PB.1
192	B.183994	Panel, access to rudder controls, starboard					1	DTD.610	C.	PB.1
	B.203388	PANEL, ACCESS, CENTRE, ASSEMBLY (Mod. 91) ...					—	—		
9405	A.203387	Panel, access					1	L.72	C.	PB.1
	C.186441	PANEL, REAR ACCESS, ASSEMBLY (Pre Mod. 91) ..					—	—		
1603	Std.1700/1C	Bolt					15	S.95.B	C.	5
2958	C.186293	Landing					1	DTD.610	MR/C	
190	B.186322	Panel, access					1	DTD.610	C.	
	C.218175	PANEL, REAR ACCESS, ASSEMBLY (Mod. 91)					—	—		
1603	Std.1700/1C	Bolt					15	S.95.B	C.	5
	C.222459	Landing					1	L.72		PB.1
9404	B.218178	Panel, access					1	L.72	C.	PB.1
9405	B.203448	Panel, rear access, between tail ribs "E1" and "F"					1	L.72	C.	PB.1
		(Mod. 91)								
2959	A.183897	Plate, cover, rib "A"					1	DTD.610	MR/C	PB.2
2947	F.183204	Plate, stud					1	S.3	MR/C	PB.1
	E.303383	Radio, J.F.F. installation (See page MC.1)					—	—		
2960	D.184098	Rib, intersper, "A" group (Pre Mod. 91)					1	—	MR/B	
	D.222458	Rib, intersper, "A" group (Mod. 91)					1	—		PB.2
	F.183929	Angle, forward and intermediate					1	DTD.364		
	F.183930	Angle, rear					2	DTD.364		
	D.184098/3	Boom, port					1	DTD.364		
	D.184098/2	Boom, starboard					1	DTD.364		
	B.172194	Fitting, attachment, rear, port					1	Stpg.		
	B.172195	Fitting, attachment, rear, starboard					1	Stpg.		
	B.172193	Fitting, attachment, forward					2	Stpg.		
	A.172211	Fitting, tie, aft					1	DTD.364		
	A.172208	Fitting, tie, forward					1	DTD.364		
2961	B.183362	Rib, intersper "B"					1	DTD.610	MR/C	PB.2
2962	B.183363	Rib, intersper "C"					1	DTD.610	MR/C	PB.2
2963	B.183364	Rib, intersper "D"					1	DTD.610	MR/C	PB.2
2964	B.183365	Rib, intersper "D.1"					1	DTD.610	MR/C	PB.2
2965	B.183368	Rib, intersper "E"					1	DTD.610	MR/C	PB.2
2966	B.184543	Rib, intersper "E.1" (Pre Mod. 91)					1	—	MR/C	
	B.222456	Rib, intersper "E.1" (Mod. 91)					1	L.72		PB.2
	B.222454	Rib, intersper "F" group (Mod. 91)					1	DTD.610		PB.2
	F.206970	Angle, mounting					1	L.72		
	F.203693	Bracket, mounting					1	S.3		
2967	B.183368	Rib, intersper "F" (Pre Mod. 91)					1	DTD.610	MR/C	
2968	B.183369	Rib, intersper "G"					1	DTD.610	MR/C	PB.2
2969	B.183370	Rib, intersper "H"					1	DTD.610	MR/C	PB.2
2970	B.183035	Rib, top intersper					1	DTD.610	MR/C	PB.2
2971	B.183679	Rib, nose "B"					1	DTD.610	MR/C	PB.2

RESTRICTED

RESTRICTED

Hunter F. Mk. 8
Issued with A/L No. 24

Page PB.3.

TAIL UNIT-FIN

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
2972	B.183580	Rib, nose	"C"				1	DTD.610	MR/C	PB.2
2973	B.183581	Rib, nose	"D"				1	DTD.610	MR/C	PB.2
2974	B.183582	Rib, nose	"E"				1	DTD.610	MR/C	PB.2
2975	B.183583	Rib, nose	"F"				1	DTD.610	MR/C	PB.2
2976	B.183584	Rib, nose	"G"				1	DTD.610	MR/C	PB.2
2977	B.183148	Rib, nose	"H"				1	—	MR/C	PB.2
	C.227639	Rib, top, at detachable tip (Mod. 794)					1	DTD.610		PB.2
2979	C.185845	Rib, bottom					1	DTD.610	MR/C	PB.2
2980	B.182978	Rib, tail	"D"				1	DTD.610	MR/C	PB.2
2981	B.183283	Rib, tail	"E1" (Pre Mod. 91)				1	DTD.610	MR/C	
	B.222453	Rib, tail	"E1" (Mod. 91)				1	—		PB.2
2982	B.182995	Rib, tail	"F" (Pre Mod. 91)				1	DTD.610	MR/C	
	B.222460	Rib, tail	"F" (Mod. 91)				1	L.72		PB.2
2983	B.182998	Rib, tail	"G"				1	DTD.610	MR/C	PB.2
2984	B.182999	Rib, tail	"H"				1	DTD.610	MR/C	PB.2
2985	A.183037	Rib, tail	"J"				1	DTD.610	MR/C	PB.2
2986	B.185416	Rib, lower, between rear spar and diaphragm					1	DTD.610	MR/C	PB.2
3779	Std.1356/15	Skirt, lower hinge bearing					2	Laminated Aluminium	MR/C	4
3778	Std.1356/13	Skirt, upper hinge bearing					2	Laminated Aluminium	MR/C	4
2987	B.183216	Shroud, below, rib D					1	DTD.610	MR/C	PB.2
2988	B.183040	Shroud, between tail ribs D and D1					1	DTD.610	MR/C	PB.2
2989	B.183042	Shroud, between tail ribs F and G					1	DTD.610	MR/C	PB.2
2990	B.183043	Shroud, between tail ribs G and H					1	DTD.610	MR/C	PB.2
2991	B.183044	Shroud, between tail ribs H and top rib					1	DTD.610	MR/C	PB.2
2992	B.183045	Shroud, between top rib and tail rib 1					1	DTD.610	MR/C	PB.2
2993	B.183229	Shroud, top					1	DTD.610	MR/C	PB.2
	D.183316	Spar, front					1	DTD.610		
	D.183317	Spar, rear					1	DTD.610		
2994	F.183820	Stiffener, between tail ribs D and D1					1	DTD.610	MR/C	PB.2
	B.222457	Stiffener, starboard (Mod. 91)					1	DTD.610		PB.2
2996	A.183823	Stiffener, port					1	DTD.364	MR/C	
2997	F.183835	Stiffener					2	DTD.364	MR/C	PB.2
2998	F.183821	Stiffener, skin, tip, portion					1	DTD.364	MR/C	PB.2
2999	D.183036/2	Skin, main, port (Pre Mod. 91)					1	DTD.610	MR/C	
3000	D.183036/3	Skin, main, starboard (Pre Mod. 91)					1	DTD.610	MR/B	
	D.223171/2	Skin, main, port (Mod. 794)					1	—		PB.1
		(Can be supplied as D.183036/2, Ref. 26FX/2999)								
	D.223171/3	Skin, main, starboard (Mod. 794)					1	—		PB.1
		(Can be supplied as D.183036/3, Ref. 26FX/3000)								
	D.223171/1	Skin, nose (Mod. 794)					1	—		PB.1
		(Can be supplied as D.183036/1, Ref. 26FX/1865)								
	D.223171/4	Skin, tip, port (Mod. 794)					1	—		PB.1
		(Can be supplied as D.183036/4, Ref. 26FX/3001)								
	D.223171/5	Skin, tip, starboard (Mod. 794)					1	—	C.	PB.1
		(Can be supplied as D.183036/5, Ref. 26FX/3002)								
4892	D.204063	Tip, detachable (Mod. 158)					1	Lam. Paper	B.	PB.1
	B.186806	SLINGING, ATTACHMENT, ASSEMBLY					—	—		
	A.186592	Tube, slinging					1	—		
1506480	F.195139	Washer, special lower hinge bearing					2	S.1 or S.3	MR/C	
3789	Std.915/G12	Washer, upper hinge bearing					2	DTD.610	MR/C	4

RESTRICTED


RESTRICTED


TAIL UNIT-FIN

Hunter F. Mkt. 8
Issued with A/L No. 24

Ref. No.	Part No.	Description					No. On	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
		SUMMARY OF STOCK ITEMS								
28D/1010658	A.25.1.B	Bolt	4	B.A.			-	-	-	
28D/9438920	A.25.1.C	Bolt	2	B.A.			-	-	-	
28D/9133011	A.25.2.C	Bolt	2	B.A.			-	-	-	
28D/9133013	A.25.5.C	Bolt	2	B.A.			-	-	-	
28D/1011021	A.25.16.C	Bolt	2	B.A.			-	-	-	
28D/1011242	A.25.7.E	Bolt	1/4"	B.S.F.			-	-	-	
28D/1010031	A.25.8.E	Bolt	1/4"	B.S.F.			-	-	-	
28D/1007975	AS.1242/1C	Bolt	2	B.A.			-	-	-	
28D/13132	AS.3297/1C	Bolt	2	B.A.			-	-	-	
28D/14129	A30/12G	Bolt	5/16"	B.S.F.			-	-	-	
28M/10327	AGS.2002/B1	Nut	4	B.A.			-	-	-	
28M/10328	AGS.2002.C1	Nut	2	B.A.			-	-	-	
28M/9435087	AGS.2006.C1	Nut	2	B.A.			-	-	-	
28M/753	A16.Y.CT	Nut	2	B.A.			-	-	-	
28M/776	A16.Y.EY	Nut	1/4"	B.S.F.			-	-	-	
28M/9403520	A27.CP	Nut	2	B.A.			-	-	-	
28M/5808571	A27.G.S.	Nut	5/16"	B.S.F.			-	-	-	
28M/7727	AGS.572/E	Nut	1/4"	B.S.F.			-	-	-	
28S/9136206	A.33.C.28	Screw	2	B.A.			-	-	-	
28W/9419474	SP.15.B	Washer	4	B.A.			-	-	-	
28W/9419475	SP.15.C	Washer	2	B.A.			-	-	-	
28W/9419476	SP.15.G	Washer	5/16"	B.S.F.			-	-	-	
28W/9419477	SP.15.J	Washer	3/8"	B.S.F.			-	-	-	
28W/9419404	SP.16.C	Washer	2	B.A.			-	-	-	
28W/9419487	SP.16.E	Washer	1/4"	B.S.F.			-	-	-	

RESTRICTED





This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

