

UNDERCARRIAGE - NOSE WHEEL DOORS

Ref. No.	Part No.	Description	No. Off.	Material Specification	M.R. Class of Store	Plate No.
	D.188115	DOORS, NOSEWHEEL ASSEMBLY	—	—	—	
681	Std.323/64N	Bolt, attachment of operating rod to rear nosewheel door (Pre Mod. 318)	2	S.95.B	C.	4
5387	Std.323/68N	Bolt, attachment of operating rod to rear nosewheel door (Mod. 318)	2	S.95.B	C.	4
682	F.188114	Bolt, rear door attachment to keel member	2	S.94.B	C.	RE.1
8506	E.221074	Door, forward, group (Mod. 598)	1	—	A.	RE.1
685	Std.323/48	Bolt, attachment of door lock micro-switch lever	2	S.95.B	C.	4
9787	Std.1988/110/N	Bolt, attachment of operating lever to hinge	2	S.95.B	C.	RE.1
8445	Std.1639/1/BX	Bolt, attachment of lock cover (Mod. 570)	6	S.95.B	C.	5
8440	Std.1639/2/BX	Bolt, attachment of tie to former	2	S.95.B	C.	5
8444	Std.1639/9/BX	Bolt, attachment of micro-switch (Mod. 570)	4	S.95.B	C.	5
1506458	Std.1639/1/CX	Bolt, attachment support brackets (Mod. 570)	4	S.95.B	C.	5
684	F.170586	Bolt, hinge	2	S.95.B	C.	RE.1
8509	F.220194	Bolt, lock attachment	4	S.96.B	C.	RE.1
8504	F.218847	Bolt, special, attaching spring housing and lock (Mod. 573)	4	S.95.U	C.	RE.1
686†	A.187661	Bracket, door lock cover support, port	1	S.510	C.	RE.1
687†	A.187662	Bracket, door lock cover support, starboard	1	S.510	C.	RE.1
—	—	Cables (See Cable Chart)	—	—		
8497	B.219749	Cover, door lock, port (Mod. 592)	1	S.510	C.	RE.1
8498	B.219750	Cover, door lock, starboard (Mod. 592)	1	S.510	C.	RE.1
8507	B.221073	Deck cable (Mod. 598)	1	—	C.	RE.1
6168	Hellermann G.2553	Geomat	2	—	C.	
8508	A.220610	Guide (Mod. 598)	2	—	C.	RE.1
691	B.188320	Hinge, port	1	Stmg.	C.	RE.1
692	B.188321	Hinge, starboard	1	Stmg.	C.	RE.1
8500	F.218878	Housing, spring, port (Mod. 573)	1	S.95.B	C.	RE.1
8501	F.218879	Housing, spring, starboard (Mod. 573)	1	S.95.B	C.	RE.1
9549	B.222397	Lever, hinge, port, group	1	—	B.	RE.1
4488	Std.1718/1	Net (Mod. 478)	1	—	C.	5
8420	F.217874	Pin (Mod. 478)	1	S.94	C.	RE.1
9550	B.222398	Lever, hinge, starboard, group	1	—	B.	RE.1
4488	Std.1718/1	Net (Mod. 478)	1	—	C.	5
8420	F.217874	Pin (Mod. 478)	1	S.94	C.	RE.1
695	F.187675	Lever, door lock micro-switch (Pre Mod. 251)	2	Casting	C.	RE.1
6622	F.210047	Lever, door lock micro-switch, port (Mod. 251)	1	—	C.	RE.1
6623	F.210048	Lever, door lock micro-switch, starboard (Mod. 251)	1	—	C.	RE.1
8503	F.218761	Lever, between slide in spring housing and door lock (Mod. 573)	2	S.95.B	C.	
8455	B.219281	Lock, door, group (Mod. 573)	1	—	B.	RE.1
697	F.187678	Piece, filling, hinge, port	1	LFS.21	C.	RE.1
698	F.187679	Piece, filling, hinge, starboard	1	LFS.21	C.	RE.1
699	F.187671	Pin, attachment of door lock lever to operating rod	2	S.2	C.	RE.1
9428	F.276292	Pin, securing operating rod attachment pin	4	St. Stl.	C.	
8499	B.218821	Rod, operating door locks (Mod. 573)	2	—	C.	RE.1
8439	F.217468	Shim, between tie and former (Mod. 478)	2	Brass	C.	
8502	F.218763	Slide, for spring in housing (Mod. 573)	2	BSS.369	C.	RE.1
	Std.2137-15	Sleeve (AS.1150/27)	1	P.V.C.		

UNDERCARRIAGE — NOSE WHEEL DOORS

Ref. No.	Part No.	Description					No. Off	Material Specification	P.R. Class of Steel	Plate No.
		1	2	3	4	5				
6239	F.205562					Spring, in spring housing (Mod. 573)	2	DTD.215	C.	RE.1
6624	F.209950					Stop (Mod. 251)	2	S.95.B	C.	RE.1
5F/9454141	NY.18007A					Strapping, cable attachment to saddle	QR	—	C.	
5F/9138822	NY.3342					Stud, cable attachment to saddle	1	—	C.	
31 5CW/6427230	Dowty 13222 Mk. 4					Switch, micro	2	—	B.	
	B.218685					Tie, at rear of door (Mod. 571)	1	—		
3786	Std.1507/24/078					Tube, distance, hinge lever stop	2	T.4	MR/C	RE.1
751	Std.915.A20					Washer, at guide attachment	2	DTD.610	C.	4
4150	Std.915.C22					Washer, at operating rod attachment pin	2	DTD.610	C.	4
702	Std.1208/75/24/ 10					Washer, shim, at attachment of hinge bolt	QR	Shim Steel	C.	RE.1
8597	D.221644					Door, rear, group (AS.610/78)	1	—	A.	RE.1
703	F.183256					Block, hinge	2	—	C.	RE.1
704	F.187373					Block, pivot, port	1	Casting	C.	RE.1
705	F.187374					Block, pivot, starboard	1	Casting	C.	RE.1
10660	A.219788					Bracket, reinforcing, port (Mod. 592)	1	—	C.	
						(Supplied loose with spare door)				
9570	A.219789					Bracket, reinforcing, starboard (Mod. 592)	1	—	C.	
						(Supplied loose with spare door)				
706	A.179926					Panel, access to hinge block attachment bolts ..	1	DTD.610	C.	RE.1
—	F.219813					Shim, under reinforcing bracket (Mod. 592)	12	L72	—	
						(Supplied loose with spare door)				
						(Make from 308/9611222)				
707	F.170584					Pin, hinge forward nosewheel door	2	S.95.B	C.	RE.1
708	A.187814					Rod, rear nosewheel door, group	2	—	B.	RE.1
709	F.187818					Spring	1	DTD.239	C.	RE.1
710	Std.1208/62/20/5					Shim, at attachment of rear door to keel member ..	QR	Shim Steel	C.	4

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

