

ARMAMENT-GUN INSTALLATION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	E.235655	GUN INSTALLATION, ASSEMBLY (Mod. 745) . . . . .	—	—		
1 23	7R/9641298	Barrel, gun Mk. 2 (for high velocity ammunition) . . . . .	1	—	A.	
	10183 F.227967	Bolt, special, for blast deflector (Mod. 745) . . . . .	9	S.80	C.	
	10187 F.232313	Bolt, for front portion of gun fairing (Mod. 745) . . . . .	4	S.80.B	C.	
	10192 F.235620	Bolt, special for eccentric bush bridge piece (Mod. 745) . . . . .	1	S.95.B or S.95	C.	CA.3
	10602 F.245074	Bolt, special, for blast deflector (AS.920/89) . . . . .	6	S.95		
	9369 E.218768	Bdx, ammunition, group (Pre Mod. 800) . . . . .	1	—	A.	CA.1
	9848 E.233377	Bdx, ammunition, group (Mod. 800) . . . . .	1	—	A.	CA.1
	9475 F.210669	Angle, slotted, for link chute attachment . . . . .	1	—	C.	CA.1
2A/9501177	BRE.1/2"	Bearing, at rollers . . . . .	4	—	C.	
	9476 F.223261	Bolt, retaining roller . . . . .	4	S.95.B	C.	CA.1
	9477 F.210695	Bolt, special, for link chute attachment . . . . .	1	S.94.B	C.	CA.1
	29H/—	Chain, chandelier . . . . .	QR	Coml. Brass	C.	
	9478 C.208845	Chute, internal feed . . . . .	1	DTD.171	C.	CA.1
	9479 C.210712	Chute, link, top portion . . . . .	1	—	C.	CA.1
	9480 F.210696	Ferrule, for link chute attachment . . . . .	2	B.8	C.	CA.1
	9764 F.229595	Lid, ammunition box, group (AS.720/73) . . . . .	1	—	B.	CA.1
	B.208968	Bolt, pinch group . . . . .	1	—		
	808 F.176633	Knob, bolt . . . . .	2	S.94.B	C.	CA.2
	809 F.176635	Spring . . . . .	1	Sp. Stl.	C.	CA.2
	10444 A.208966	Fitting, hinge . . . . .	2	L.65.C	C.	
	792 F.183848	Fitting, hook . . . . .	2	S.94.B	C.	
	D.208835/9	Strip, sealing, 1/16" thick . . . . .	2	Felt RS7		
	D.208835/10	Strip, sealing, 1/16" thick . . . . .	1	Felt RS7		
	D.208835/12	Strip, sealing, 1/16" thick . . . . .	1	Felt RS7		
	D.208835/13	Strip, sealing, 1/16" thick . . . . .	2	Felt RS7		
	Std.1509/23/018	Tube, distance, 5/16" o/d x 17 S.W.G. x 0.18" long . . . . .	4	L.62		4
	3996 Std.1547/20/16	Washer, packing . . . . .	16	DTD.364	MR/C	4
	9482 F.223260	Piece, distance, at rollers . . . . .	4	S.95.B	C.	CA.1
28FP/4069620	Aviation Development 5134/510	Pin, pin . . . . .	1	—	C.	
	9483 F.222734	Pin, sling . . . . .	1	—	C.	
	—	Ring, key, double split type, 3/8" dia. . . . .	2	—		
	1548 A.188823	Roller, internal feed . . . . .	1	—	C.	CA.1
	9484 A.222511	Roller, external . . . . .	4	L.65.C	C.	CA.1
	9485 F.223293	Shim, at rollers . . . . .	4	Alumn.	C.	CA.1
	9486 B.208846	Sling, group . . . . .	1	—	C.	CA.1
	B.208846/4	Spindle . . . . .	1	T.26		
	Std.1507/24/100	Tube, distance, 3/8" o/d x 17 S.W.G. x 1.0" long . . . . .	2	L.62		4
	9487 F.208877	Spindle, for roller . . . . .	1	T.26	C.	CA.1
	Std.1509/5/838	Tube, distance at bottom bearings 7/16" o/d x 22 S.W.G. x 8.38" long . . . . .	1	L.62		4
	D.218719	Wall, front group . . . . .	1	—		
	B.218801	Angle, support front group . . . . .	11	—		
	F.209031	Bearing, for pin . . . . .	1	BSS.369		
	F.209032	Pin, group . . . . .	1	—		
	F.209042	Handle . . . . .	1	S.1.B		
	F.209041	Nut . . . . .	1	S.1.B		
	F.209040	Pin . . . . .	1	S.80		

## ARMAMENT—GUN INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	F.210257						1	—		
	F.226414						1	BSS.369		
	F.222870						1	S.96.B		
	F.226086						1	MS.		
	F.223172						1	—		
	A.226290						1	—		
	F.226088						1	S.95.B		
795	F.175253						1	LFB.82	C.	CA.1
3789	Std.1509/24/076						1	L.62	MR/C	CA.1
	F.226087						1	Sp. St.	C.	
9942	F.226035						1	DTD.610	C.	
3767	Std.915/B/20						1	DTD.610	C.	4
	D.218720						1	—		
	B.218802						1	—		
10046	F.222823						1	BSS.369	MR/C	
10045	F.215658						1	S.95.B	MR/C	
	F.210257						1	—		
	F.226451						1	BSS.369		
	F.222870						1	S.96.B		
	F.226086						1	MS.		
	F.223172						1	—		
	A.226290						1	—		
	F.226088						1	S.95.B		
795	F.175253						1	LFB.82	C.	CA.1
3789	Std.1509/24/076						1	L.62	MR/C	CA.1
	F.226087						1	Sp. St.	C.	
9941	F.226084						1	—	C.	
3767	Std.915/B/20						1	DTD.610	C.	4
	C.208839						1	—		
	A.210845/2						1	—		
	F.210667						1	DTD.166		
	A.210846						1	—		
26VA/6046969	Std.2338/2						1	Rubber C.		
	Std.1509/2/030						2	L.62		4
10191	F.234320						1	S.96.B	C.	CA.3
10188	A.232316						1	S.61.B	C.	CA.3
10189	A.232317						1	S.61.B	C.	CA.3
8796	B.212511						1	—	B.	CA.1
6630	F.206709						23	—	C.	CA.1
10190	F.232314						1	S.510.B	C.	CA.3
10253	E.230325						1	S.521	B.	CA.2
9488	D.223238						1	—	B.	CA.1
9939	A.226150						1	—	C.	
	F.209032						1	—		
	F.209042						1	S.1.B		
	F.209041						1	S.1.B		
	F.209040						1	S.80		
10186	B.230577						1	—	B.	CA.2

ARMAMENT—GUN INSTALLATION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
10185	E.230596	Fairing, gun, centre portion, group (Mod. 745) .....	1	—	B.	CA.2
9809	K.A.C.C.7810	Fastener, custodian stud, lower body .....	1	—	C.	CA.1
	C.209005	Former, "B", group .....	1	—		
8800	A.209064	Fitting, spigot, inboard, group .....	1	—	MR/C	CA.2
	F.209065	Spigot .....	1	S.95.B		
8801	A.209060	Fitting, spigot, outboard, group .....	1	—	MR/C	CA.2
	F.209065	Spigot .....	1	S.95.B		
26VA/6043402	Std.1509/23/080	Tube, distance, 5/16" o/d x 17 S.W.G. x 0.8" ..... long	7	L.62	MR/C	4
	C.209034	Former, "D", group .....	1	—		
8802	A.209062	Fitting, spigot, inboard, group .....	1	—	MR/C	
	F.209065	Spigot .....	1	S.95.B		
8801	A.209060	Fitting, spigot, outboard, group .....	1	—	MR/C	CA.2
	F.209065	Spigot .....	1	S.95.B		
26VA/6043402	Std.1509/23/080	Tube, distance, 5/16" o/d x 17 S.W.G. x 0.8" ..... long	7	L.62	MR/C	4
8803#	F.209440	Housing, fastener .....	1	L.65.C & L.72	MR/C	CA.
	F.214733	Plate, joint, at stud fastener .....	1	L.72		
	E.230596/27	Strip, sealing, attachment inboard .....	1	L.72		
	E.230596/28	Strip, sealing, attachment outboard .....	1	L.72		
26VA/6046969	Std.2338/2	Strip, sealing, inboard (for the manufacture of ..... E.230596/29)	2 ft.	Rubber	C.	
26VA/6046969	Std.2338/2	Strip, sealing, outboard (for the manufacture of ..... E.230596/30)	4 ft.	Rubber	C.	
8804	E.210792	Feed, neck, group (supplied less panel) .....	1	—	A.	CA.2
8805	E.210792/8	Panel, access, group .....	1	—	B.	CA.2
		Consisting of:—				
	E.210791/12	Angle .....	2	DTD.171		
	E.210792/6	Angle .....	1	DTD.171		
807	F.185768	Bolt .....	2	S.94.B	C.	CA.2
808	F.176633	Knob .....	2	S.94.B	C.	CA.2
	E.210792/7	Panel .....	1	DTD.171		
809	F.176635	Spring .....	1	Sp.St.	C.	CA.2
	F.185766	Tongue .....	2	—		
	F.185767	Tube .....	1	—		
28FP/4069686	Aviation Dev. 5134/421	Pin, pip .....	1	—	C.	
23	7R/9640062	Gun, "Aden", 30 m/m, Mk. 4 (L.H. feed) .....	1	—	A.	
		less barrel				
8798	D.212602	Lid, collector tank, group .....	1	—	B.	CA.1
12779	B.212605	Bolt, pinch, group .....	1	—	C.	
808	F.176633	Knob .....	2	S.95.B	C.	CA.2
	F.212634	Spring .....	1	Sp.St.		
9918	F.212604	Fitting, hinge .....	2	L.65.C	C.	
9917	F.212603	Fitting, hook .....	2	L.65.C	C.	
	D.212602/7	Strip, sealing, 3/32" thick .....	2	BS.2752.C2		
	D.212602/8	Strip, sealing, 3/32" thick .....	2	BS.2752.C2		

## ARMAMENT-GUN INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
8806	B.210871					Link chute, group	1	—	B.	CA.2
8807	B.210869					Door, link chute, group	1	—	C.	CA.2
	A.210863					Bolt, pinch, group	1	—		
808	F.176633					Knob	2	S.95.B	C.	CA.2
	F.210866					Spring	1	Sp. St.		
8808	B.210723					Link chute, bottom portion	1	—	B.	CA.2
8809	C.210803					Link chute, centre portion, group	1	—	B.	CA.2
	A.216499					Bolt, pinch, group	1	—		
808	F.176633					Knob	2	S.95.B	C.	CA.2
	F.210866					Spring	1	Sp. St.		
	B.210870/1					Pin, hinge	1	S.1.B or S.92		
	F.220587					Washer, special	2	L.65.C or L.72		
	D.208449					MOUNTINGS, GUN, ASSEMBLY	—	—		
8810	D.208929					Attachments, to Aden Gun, group	1 set	—	A.	CA.4
7R/9639957	Dunlop					Adaptor, cocking (Alt to F.230941)	1	—	C.	CA.4
	ACO.26079									
	F.230941					Adaptor, cocking (Alt to 7R/9639957)	1	—		
768	F.187866					Bar, locking, link chute attachment	2	S.94.B	C.	CA.4
770	F.175964					Bolt, special, attaching gun mounting brackets	5	S.94.B	C.	CA.4
769	F.177014					Bolt, special, feed neck bracket attachment	3	S.94.B	C.	CA.4
9936	A.226007					Bracket, feed neck attachment	1	S.510	C.	CA.4
9749	C.208404					Bracket, gun mounting, starboard	1	Stmpg.	C.	CA.4
780	F.187874					Head, slotted, link chute attachment	1	S.94.B	C.	CA.4
781	F.187868					Lever, link chute, attachment	1	—	C.	CA.4
9937	A.223588					Lug, for gun handling, attachment	1	S.96.B	C.	CA.4
782	F.187873					Pad, locking, link chute attachment	1	S.80	C.	CA.4
7R/9640379	Dunlop					Plate, attachment, at cocking adaptor	1	—	B.	
	ACO.7739									
9938	F.226005					Plate, locking, feed neck attachment	1	S.510	C.	CA.4
784	A.187871					Plate, locking, link chute attachment, L.H. feed	1	S.80	C.	CA.4
7R/9640380	Dunlop					Seal, at cocking adaptor	1	Rubber	C.	CA.4
	ACO.7738									
785	F.183105					Shim, laminated, gun mounting	1	Brass	C.	CA.4
5780	F.206705					Spring, link chute attachment	1	DTD.215	C.	CA.4
787	F.184270					Washer, locking, gun mounting	2	S.3	C.	CA.4
10182	F.230766					Bearing, spherical, barrel support (Mod. 745)	1	BSS.369	C.	CA.3
6975	A.213709					Bolt, attachment, eccentric to universal link	1	S.97.B	C.	CA.3
816	B.183106					Bush, spherical, front gun mounting	1	Stmpg.	C.	CA.3
6782	B.214162					Eccentric, group	1	—	B.	CA.3
8814	F.208083					Ferrule, at barrel support	2	S.95.B	C.	CA.3
8815	B.208567					Link, rear gun mounting	1	S.97.B	C.	CA.3
8816	B.208507					Link, universal rear gun mounting	1	Stmpg.	C.	CA.3
7R/9641074	—					Nut, cradle, Mk. II	1	—	C.	
8817	B.208932					Pin, group	1	—	C.	CA.3
	F.212243					Bolt	1	S.95.B		
	F.211790					Handle	1	L.65.C		
	F.211788					Pin	1	S.96.B		
	F.211791					Screw, special	1	S.1		
	F.211549					Spring	1	Sp. St.		
	F.211789					Stop	1	—		
3791	Std.1509/2/026					Tube, distance, 3/4" o/d x 22 S.W.G. x 0.26" long	1	L.62	MR/C	4

ARMAMENT-GUN INSTALLATION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Plate No.
8818	F.212929	Plate, locating, at front mounting	1	DTD.166	C.	CA.3
817	B.172423	Ring, retaining special bush at front mounting	1	Stmpg.	C.	CA.3
851	A.190699	Ring, retaining, at barrel support	1	S.95.B	C.	CA.3
8819	A.208930	Screw, traverse, rear mounting	1	S.95.B	C.	CA.3
8820	F.208931	Sleeve, locating, rear mounting	1	S.1.B	C.	CA.3
826	F.180624	Sleeve, locking, rear mounting	1	S.97.B	C.	CA.3
8821	F.208099	Stud, at barrel support	2	S.97.B	C.	CA.3
	A.208082	Support, barrel	1	L.65.C		CA.3
26VA/6041179	Std.1507/23/020	Tube, distance, 5/16" o/d x 17 S.W.G. x 0.2" long	2	T.26	C.	4
8822	F.208898	Washer, grooved, at barrel support	2	S.95.B	C.	CA.3
	F.208085	Washer, at barrel support	2	L.16		CA.3
8823	F.208419	Washer, locking, at front mounting	1	S.1.B	C.	CA.3
8824	F.208084	Washer, special, at barrel support	2	S.95.B	C.	CA.3
10193	F.235737	Nut, special, for bridge feed bolt (Mod. 745)	1	S.80.C	C.	CA.3
8625	E.218899	Panel, armament access, group (Pre Mod. 1114)	1	-	A.	CA.1
	F.214505	Bush, group	1	-		
9858	K.A.C. C.5331	Fastener, stud	1	-	C.	
8763	K.A.C. C.6595	Fastener, stud	1	-	C.	CA.1
8764	K.A.C. D.6597	Pin, and spring	1	-	C.	
	E.218899/16	Seal, 3/32" thick, x 0.55" wide, x 7.0" long	1	Neoprene sponge		
	E.218899/17	Seal, 3/32" thick, x 0.55" wide, x 1.8" long	1	Neoprene sponge		
	E.218899/18	Seal, 3/32" thick, x 0.55" wide, x 1.6" long	1	Neoprene sponge		
	E.218899/19	Seal, 3/32" thick, x 0.55" wide, x 8.5" long	1	Neoprene sponge		
	E.218899/20	Seal, 1/4" thick, x 0.55" wide, x 12.0" long	1	Neoprene sponge		
	E.218899/21	Seal, 1/4" thick, x 0.55" wide, x 7.25" long	1	Neoprene sponge		
	E.218899/22	Seal, 1/8" thick, x 1-5/16" wide, x 2.0" long	2	Neoprene sponge		
	E.218899/23	Seal, 1/4" thick, x 1.1/8" wide, x 2.0" long	2	Neoprene sponge		
8765	K.A.C. D.5089	Washer, retaining (AS.760/22)	1	-	C.	
8623	D.218940	Panel, armament and radio bay access, port, group (Pre Mod. 1114)	1	-	A.	CA.1
	C.222229	DOOR, ACCESS TO EXTERNAL SUPPLY SOCKET, SUB-ASSEMBLY	-	-		
8797	B.222228	Door, access, group	1	-	C.	CA.1
	Fairey FS.430/D.	Fastener	2	-		
	A.222226	Landing	1	L.72		
	A.222227	Landing	1	L.72		
	A.228959	Hook	2	Stmpg.		CA.1
9640	K.A.C. C.7057	Housing, toggle fastener	2	-	C.	CA.1
4034	Std.1509/23/088	Tube, distance at hook	4	T.4	MR/C	4
6098048	Std.1547/20/12	Washer, at hook	4	DTD.610	C.	4
1327	Std.1547/24/12	Washer, at hook	2	DTD.610	C.	4
9808	G.207965	Panel, armament and radio bay access starboard, group (Pre Mod. 758) (complete with gun fairing rear portion)	1	-	A.	
10176	B.235608	Panel, armament and radio bay access starboard, group (Mod. 758) (complete with gun fairing rear portion)	1	-	A.	CA.1
10173	F.233797	Attachment, for strut (Mod. 758)	1	S.95.B	C.	CA.4
13035	F.220945	Bolt, pinch, supporting panel, group	1	-	C.	
	F.221144	Bolt	1	S.95.B or S.96.B		

## ARMAMENT-GUN INSTALLATION


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
808	F.176633 F.211516					Knob .....	1	S.94.B	C.	CA.2
						Spring .....	1	Sp. St.		
9641	K.A.C. D.4798					Fitting, attachment, for toggle fastener .....	2	-	C.	CA.1
	A.228959					Hook .....	2	Stmpg.		CA.1
9474	K.A.C. C.7032					Lever, and male link, for toggle fastener .....	2	-	C.	CA.1
28FP/9485292	Aviation Dev. A.405					Pie, pip (Mod. 758) .....	1	-	C.	
12250	F.234835					Plate, rubbing (Mod. 758) .....	1	-	C.	
4034	Std.1509/23/088					Tube, distance, at attachment hook 5/16" o/d x 17 S.W.G. x 0.88" long .....	4	L.62	MR/C	4
	F.228994					Tube, distance (Mod. 727) .....	1	L.62		
6098048	Std.1547/20/12					Washer, at hook attachment .....	4	DTD.610	C.	4
1327	Std.1547/24/12					Washer, at hook attachment .....	2	DTD.610	C.	4
	Std.1548/26/12					Washer (Mod. 727) .....	1	DTD.610		4
8621	C.218889					Panel, access, to feed neck port, group .....	1	-	A.	CA.1
	F.211517					Bolt, pinch, group .....	2	-		
	F.210865					Bolt .....	1	S.96.B or S.95.B		
808	F.176633					Knob .....	1	S.94.B	C.	CA.2
	F.211516					Spring .....	1	Sp. St.		
	A.211508					Bracket .....	2	L.72		
	B.218890					Landing, group .....	1	-		
9809	K.A.C. 7810					Fastener, stud .....	1	-	C.	CA.1
8803	F.209440					Housing, fastener .....	1	-	MR/C	CA.1
8622	C.211501					Panel, gun access starboard, group .....	1	-	A.	CA.1
	F.211517					Bolt, pinch, group .....	2	-		
	F.210865					Bolt .....	1	S.96.B or S.95.B		
808	F.176633					Knob .....	1	S.94.B	C.	CA.2
	F.211516					Spring .....	1	Sp. St.		
	A.211508					Bracket .....	2	L.72		
9874	D.229967					Panel, gun bay access, group (less actuator) (Mod. 745) .....	1	-	A.	CA.2
	C.213844					ACTUATOR and VENTILATING GEAR, ASSEMBLY .....	-	-		
3 5W/4511896	Plessey CZ.72257					Actuator, Jaguar .....	1	-	A.	
4768	Std.841/14					Clip, securing hinge pin .....	1	DTD.610	MR/C	4
1486‡	F.191862					Lever, actuator shaft .....	1	Stmpg.	C.	CA.2
1487‡	F.191861					Lever, door .....	1	Stmpg.	C.	CA.2
	F.216294					Link, door lever .....	2	L.72		CA.2
8826	F.218778					Pie, hinge .....	1	S.96.B	C.	CA.2
1492‡	F.191863					Shaft, actuator .....	1	T.45	C.	CA.2
8827	C.213659					Scop .....	1	-	C.	CA.2
2147	Std.915/C20					Washer, at attachment of mounting bracket .....	1	DTD.610	C.	4
1506444	A.213330					Bracket, bearing, group .....	1	-	C.	CA.2
1482	F.191727					Bush .....	2	B.8	C.	CA.2
	A.213331					Bracket, hinge .....	1	S.3		CA.2
10184	B.230930					Door, access (Mod. 745) .....	1	-	C.	CA.2
	Fairey FS.430D					Fastener .....	2	-	C.	
	D.229966					DUCT, GUN VENTILATION, TO ACCESS PANEL, ASSEMBLY (Mod. 745) .....	-	-		
	D.229823					Duct (Mod. 745) .....	1	L.59 & L.72		CA.2
	C.229766					Support, duct (Mod. 745) .....	1	L.72		CA.2
	F.213336					Landing, for duct, port .....	1	L.72		
	F.213337					Landing, for duct, starboard .....	1	L.72		

ARMAMENT - GUN INSTALLATION


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.213329						1	-		CA.2
1490	A.191726						2	-	C.	CA.2
1482	F.191727						1	B.8	C.	CA.2
11067	Std.1509/23/050						2	L.62	C.	4
	Std.1509/23/054						2	L.62		4
10200	A.233791						1	-	B.	CA.4
10203	F.233796						1	-	C.	CA.4
	F.233794						1	BSS.250		
10202	F.234169						1	L.72	C.	CA.4
	F.234553						1	Leather		
	F.234554						1	S.510		
10201	F.234170						1	Leather	C.	CA.4
9807	E.221305						1	-	B.	
9987	F.212647						2	-	C.	
9988	F.212648						2	-	C.	
	F.212945						1	S.96.B or S.95.B		
	Std.377/3B						1	S.94		
8799	C.212687						1	S.3	B.	CA.1
	A.213864						1	-		
	F.212649						2	L.65		
	F.212892						2	-		
	Std.914.B.20						2	-		4
10157	F.222336						4	S.511	C.	

ARMAMENT - GUN INSTALLATION


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				





ARMAMENT INSTALLATION



ARMAMENT INSTALLATION







This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

R-Type Mk2  
pressure breathing  
mask

R-Type mask  
used on Dominie  
by RAF until 2011  
© Copyright 2011 Scott Bouch