

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	G.258720	ELECTRICAL EQUIPMENT, CENTRE FUSELAGE					—	—		
		(Mod. 1024)								
	G.199814	ELECTRICAL EQUIPMENT, CENTRE FUSELAGE					—	—		
		(Pre Mod. 1024)								
	B.206477	BLOCK, TERMINAL, No. 11, ASSEMBLY					—	—		
5X/1004088	Plessey	Block, terminal, 10-way					1	—	C.	
	703/2/00244									
5X/3275	Plessey	Cover					1	—	C.	
	703/1/00265									
5X/1004082	Plessey	Link, connecting, 2-way					1	—	C.	
	703/2/00251									
5X/9450403	Plessey	Pillar					2	—	C.	
	703/2/00267									
	B.206478	BLOCK, TERMINAL, No. 12, ASSEMBLY					—	—		
5X/1004088	Plessey	Block, terminal, 10-way					1	—	C.	
	703/2/00244									
23 10H/9462765	Plessey	Cover					1	—	C.	
	703/1/100265									
	F.256992	Label, for T.B.12 (Mod. 1024)					1	—		
5X/4491423	Plessey	Link, commoning, 4-way					2	—	C.	
	703/2/00253									
5X/9450403	Plessey	Pillar					2	—	C.	
	703/2/00267									
	A.216517	BLOCK, TERMINAL, No. 84, ASSEMBLY					—	—		
5D/4340940		Box, junction, 5-way					1	—	C.	
5K/4329498		Disc, blanking					3	—	C.	
5K/4329334		Nut, gland					3	—	C.	
	A.233847	Box, terminal, No. 83, group (Mod. 811)					1	—		
5X/1004088	Plessey	Block, terminal					1	—	C.	
	703/2/00244									
	A.215762	Box					1	—		
8480	A.215763	Lid					1	L.16	C.	
5X/1004082	Plessey	Link, 2-way					1	—	C.	
	703/2/00251									
23 6A/4333790	Smiths	Box, relay					1	—	A.	
	Waymouth									
	JX.15									
23 6A/4333789	Smiths	Box, relay					1	—	A.	
	Waymouth									
	JX.13									
5866	D.203812	Box, junction, No. 1, group					1	—	A.	
	D.213196	Box, junction					1	—		
5X/1002695	Plessey	Block, terminal, 20-way					4	—	C.	
	703/1/00249									
	B.312847/1	Cables (See Cable Chart)					1	—		
28FP/9488815	Dzus A4/30	Diagram, wiring (Mod. 1364)					1	Photo		
28FP/9430915	Dzus GA.4.250	Fastener					2	—	C.	
6714	C.213287	Grommet					2	—	C.	
5X/1012122	Plessey	Lid, group					1	—	C.	
	703/2/00259									
	Plessey	Link, 6-way					1	—	C.	
	703/2/00255									
5X/1004083	Plessey	Link, 3-way					1	—	C.	
	703/2/00252									
5X/1004082	Plessey	Link, 2-way					4	—	C.	
	703/2/00251									
5X/1004085	Plessey	Link, transverse					2	—	C.	
	703/2/00260									

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	7812	F.206915	Plate, tapped	1	—	MR/C
	7813	F.206916	Plate, tapped	1	—	MR/C
	7814	F.206917	Plate, tapped	1	—	MR/C
	7815	F.206918	Plate, tapped	1	—	MR/C
23	5X/4500160	Plessey 2CZ.111401	Plug, code 4	1	—	C.
23	5X/4500164	Plessey 2CZ.111404	Plug, code 8	1	—	C.
23	5X/4500170	Plessey 2CZ.111227	Plug, code 14	1	—	C.
23	5X/4500177	Plessey 2CZ.111229	Plug, code 21	11	—	C.
	5X/1005131	Plessey 508/2/11232/002	Sleeve, 4-7 amp	QR	—	C.
	5X/9525146	Plessey 508/2/11231/002	Sleeve, 7-19 amp.	QR	—	C.
	5K/4346693	RC.2120	Tag, 4 amp.	QR	—	C.
	5K/4346711	RC.2121	Tag, 7 amp.	QR	—	C.
		RC.2122	Tag, 19 amp.	QR	—	C.
23	5D/4341105	C.2060195	Box, distribution, R.P. Firing (Mod. 1100)	1	—	A.
	T2279	F.214406	Box, junction, ARM No. 1, group (Mod. 1165)	1	—	B.
		F.214407	Block, mounting	4	L.65.C	
	5X/1002695	Plessey 703/1/00249	Block, mounting	2	L.65.C	
	5X/1004088	Plessey 703/2/00244	Block, terminal, 20-way	1	—	C.
		C.214402	Block, terminal, 10-way	3	—	C.
		F.214404	Box	1	—	
		A.214844	Bracket, relay mounting	1	—	
		B.259605/1	Cable, arm, earthing	1	—	
		A.159698	Diagram, wiring	1	—	
23	5X/1074460	Plessey Z.23197	Ferrule	2	BSS.265	
	5CZ/4335566	Dowty C.5165Y Mk. 1	Gasket	2	—	C.
		B.202522	Indicator, magnetic	1	—	C.
	6029	B.202522	Lid	1	L.59	C.
	5X/1004082	Plessey 703/2/00251	Link, commoning (1 off Mk. 7A)	2	—	C.
	5X/1004085	Plessey 703/2/00254	Link, commoning	1	—	C.
		F.214405	Plate, switch mounting	1	L.65.C	
	10H/0560150	Plessey 508/1/40069/320	Plug, panel unit	1	—	C.
	10H/0560200	Plessey 508/1/40076/320	Plug, panel unit	1	—	C.
	10H/0560203	Plessey	Plug, panel unit	1	—	C.
	10F/0530032	Plessey	Relay, miniature sealed SM5-H12	1	—	B.
	5CW/1102662	Rotax D.0701	Switch, push D.P., Flange type B	1	—	C.
	6030	A.205605	Bracket, mounting, for service lamp	1	DTD.610	MR/C
	5827	B.205573	Bracket, for fuel time switch	1	L.72	C.
		A.208251	Bracket, mounting, for suppressor	1	L.72	
	4772	A.199648	Bracket, mounting, for suppressor	1	L.72	MR/C
		—	Cables, Electrical (See Cable Chart)	—	—	—
	8581	D.200759	Cable, C.12 (Pre Mod. 1024) (See Cable Chart)	1	—	B.
	8465	C.205746	Cable, C.30 (See Cable Chart)	1	—	B.
	8466	C.205747	Cable, C.31 (See Cable Chart)	1	—	B.
	8579	C.205748	Cable, C.37 (See Cable Chart)	1	—	B.
		B.325507	Cable, C.89 (See Cable Chart) (Mod. 1380)	1	—	—
		B.325508	Cable, C.90 (See Cable Chart) (Mod. 1380)	1	—	—
		B.325509	Cable, C.91 (See Cable Chart) (Mod. 1380)	1	—	—
		B.325510	Cable, C.92 (See Cable Chart) (Mod. 1380)	1	—	—
	9527	B.216475	Cable, P.G.14 (See Cable Chart)	1	—	B.
		E.296761	CLIPPING FOR CABLES, ASSEMBLY	—	—	—
		A.245839	Bracket, mounting, for refuelling selector switch	1	DTD.610	MR/C
	6031	B.201234	Bracket, wing service, inboard, port	1	S.84	MR/C

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
6032	B.201235					Bracket, wing service, inboard, starboard	1	S.84	MR/C	
6033	A.201236					Bracket, wing service, outboard, port	1	S.84	MR/C	
10H/9137027	Plessey 2CZ.83672					Cap, protective	1	—	C.	
4618	F.196181					Clamp, for igniter cables, frame 37	2	Ferobestos	C.	
4784	F.196958					Clip, securing cables at frame 26	1	DTD.610	MR/C	
						(May be made from Std.850/51)				
4788	F.198279					Clip, securing cables, frame 21	1	DTD.610	MR/C	
4764	Std.840/21					Clip, securing cables, 7/16" wide x 22 S.W.G. x 2.1" long	4	DTD.610	MR/C	4
4802	Std.840/31					Clip, securing high energy cables, frame 36, 7/16" wide x 22 S.W.G. x 3.1" long	1	DTD.610	MR/C	4
3749	Std.841/38					Clip, securing cables at frame 25	3	DTD.610	C.	4
						(Alt. to Std.2046/41/20)				
	Std.841/40					Clip, securing A4 cable on frame 25	1	DTD.610		4
						(Alternative to Std.2046/43/20)				
6010	Std.841/41					Clip, securing A3 cable on frame 25	1	DTD.610	MR/C	4
						(Alternative to Std.2046/44/20)				
3751	Std.842/12					Clip, securing cable, 7/16" wide x 22 S.W.G. x 1.2" long	1	S.3	C.	4
4792	Std.852/36					Clip, securing cable C30, frame 34, 7/16" wide x 22 S.W.G. x 3.6" long	1	S.3	MR/C	4
26VA/6044412	Std.2045/17/26					Clip, sleeved	1	—	C	6
26VA/6041761	Std.2045/24/24					Clip, sleeved	1	—	C.	6
	Std.2045/32/22					Clip, sleeved	2	—		6
12242	Std.2045/36/22					Clip, sleeved	2	—	C.	6
26VA/6044395	Std.2045/45/20					Clip, sleeved	2	—	C.	6
26VA/6044396	Std.2045/47/20					Clip, sleeved	1	—	C.	6
26VA/6044403	Std.2045/52/20					Clip, sleeved	1	—	C.	6
	Std.2045/53/20					Clip, sleeved	1	—		6
26VA/6041258	Std.2045/57/20					Clip, sleeved	1	—	C.	6
12932	Std.2045/65/20					Clip, sleeved	1	—	C.	6
	Std.2045/67/20					Clip, sleeved	1	—		6
	Std.2046/17/24					Clip, sleeved	1	—		6
11303	Std.2046/17/26					Clip, sleeved	1	—	C.	6
26VA/6041267	Std.2046/27/22					Clip, sleeved	1	—	C.	6
	Std.2046/41/20					Clip, sleeved, securing A39 C13 cable at frame 25 (Alternative to Std.841/38)	2	—		6
26VA/6045645	Std.2046/43/20					Clip, sleeved, securing A4 cable at frame 25 (Alternative to Std.841/40)	1	—	C.	6
	Std.2046/44/20					Clip, sleeved, securing A3 cable at frame 25 (Alternative to Std.841/41)	1	—		6
	Std.2046/49/20					Clip (AS.1150/97)	1	—		6
26VA/6042386	Std.2046/55/20					Clip, sleeved	1	—	C.	6
	Std.2046/72/22					Clip, sleeved	1	—		6
	Std.2076/23/24					Clip, sleeved	1	—		6
	Std.2076/30/22					Clip, sleeved	1	—		6
	Std.2076/40/22					Clip, sleeved	1	—		6
	Std.2076/44/22					Clip, sleeved	2	—		6
	Std.2076/50/20					Clip, sleeved	1	—		6
	Std.2076/57/20					Clip, sleeved	2	—		6
	Std.2076/74/20					Clip, sleeved	2	—		6
29H/9437201						Clip	26	—	C.	
	A.197386					EARTHING POINT No. 9, FRAME 25, STARBOARD SIDE, ASSEMBLY	—	—		
	Std.1298/1					Stud	1	S.1		4
4613	Std.1335/C.18					Washer	3	L.4	C.	4
	B.198028					Guard, cable	1	—		
4804	F.196308					Plate, sealing, for cables C24 and C26, at frame 37 (Pre Mod. 1024)	4	LFS.21	MR/C	
	F.209619					Plate, sealing, aft on frame 37, port	2	LFS.21		
	F.227156					Plate, sealing, at frame 37	2	LFS.21		

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	5F/9454141	NY.18007A				Strapping	QR	—	C.	
	5F/9138822	NY.3342				Stud	QR	—	C.	
	5CW/1047696	C.W.C. Ltd. XD.784				Switch, DP	1	—	C.	
	26VA/6047121	Std.1509/12/020				Tube, distance, 1/4" o/d x 20 S.W.G. x 0.20"	2	T.4	C.	4
		C.296762				CABLE CLIPPING, IN SPINE	—	—	—	
	26VA/6044412	Std.2045/17/26				Clip	1	—	C.	6
	11294	Std.2045/25/24				Clip	2	—	C.	6
	11303	Std.2046/17/26				Clip	3	—	C.	6
	11795	Std.2046/22/24				Clip	2	—	C.	6
	5F/9454141	Ny.18007A				Strapping	QR	—	C.	
	5F/9138822	Ny.3342				Stud	QR	—	C.	
21	20H/09708455	—				Clip (Mod. 1380)	1	—	C.	
	4808	Std.850/24				Clip, securing ignition leads at engine mounting rail, 7/16" wide x 22 S.W.G. x 2.4" long	2	DTD.610	MR/C	4
21	26VA/6044412	Std.2045/17/26				Clip, securing cable (1 off Pre Mod. 1380)	3	—	C.	6
	26VA/6043471	Std.2045/20/24				Clip, securing cable	1	—	C.	6
	9664	Std.2045/22/24				Clip, securing cable	1	—	C.	6
	11294	Std.2045/25/24				Clip, securing cable	3	—	C.	6
		Std.2045/32/22				Clip, securing cables	1	—	—	6
	11209	Std.2045/34/22				Clip, securing cables	3	—	C.	6
	12242	Std.2045/36/22				Clip, sleeved:	1	—	C.	6
	11748	Std.2045/38/22				Clip, securing cables	1	—	C.	6
	26VA/6044401	Std.2045/39/22				Clip, securing cables	1	—	C.	6
	26VA/6044397	Std.2045/49/20				Clip, securing cables	1	—	C.	6
	26VA/6041258	Std.2045/57/20				Clip, securing cables	1	—	C.	6
		Std.2045/68/20				Clip, sleeved:	1	—	—	6
	26VA/6041260	Std.2046/16/26				Clip, securing cables	2	—	C.	6
	11303	Std.2046/17/26				Clip, securing cables	5	—	C.	6
	11304	Std.2046/21/24				Clip, securing cables	1	—	C.	6
	26VA/6044073	Std.2046/35/22				Clip, securing cables	1	—	C.	6
		Std.2046/37/22				Clip, securing cables	1	—	—	6
	11793	Std.2046/38/22				Clip, securing cables	2	—	C.	6
		Std.2046/42/20				Clip, sleeved:	2	—	—	6
	26VA/6044200	Std.2046/45/20				Clip, sleeved:	1	—	C.	6
	26VA/6042386	Std.2046/55/20				Clip, securing cable	1	—	C.	6
		Std.2046/67/20				Clip, securing cable	1	—	—	6
	26VA/6041267	Std.2046/27/22				Clip, securing cable	1	—	C.	6
		Std.2076/23/24				Clip, securing cable	1	—	—	6
		Std.2076/30/22				Clip, securing cables	1	—	—	6
		Std.2076/40/22				Clip, securing cable	3	—	—	6
		Std.2076/44/22				Clip, securing cable	3	—	—	6
		Std.2076/50/20				Clip, securing cables	1	—	—	6
		Std.2076/57/20				Clip, securing cable	2	—	—	6
		Std.2076/74/20				Clip, securing cable	2	—	—	6
	11795	Std.2046/22/24				Clip, securing cable (Mod. 1024)	2	—	C.	6
	9735	Std.2046/33/22				Clip, securing cable	1	—	C.	6
21	6A/4333278	Smiths Waymouth CA/30				Connector	2	—	C.	
21	6A/4333085	Smiths Waymouth Ca/37				Connector	1	—	C.	
21	6A/4333341	Smiths Waymouth CA/62				Connector	1	—	C.	
21	6A/4333342	Smiths Waymouth CA/125				Connector	1	—	C.	
21	6A/4333343	Smiths Waymouth CA/140				Connector	1	—	C.	
21	6A/4333793	Smiths Waymouth CS/75				Connector	2	—	C.	

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
4105	Std.1285/8/CC	Connector, earthing at high energy ignition	1	—	C.	4
4619	A.197124-5	EARTHING POINTS, Nos. 10 AND 16, ASSEMBLY ..	—	—		
5L/9953271	Std.1335/E.18	Washer	2	L.4	C.	4
	—	Filament, 28V., 7W.	1	—	B.	
	E.258775	FIREWIRE, FIRE DETECTION, ASSEMBLY	—	—		
		(Mod. 1024)				
	C.258774	Additional, details	—	—		
	B.238482	Bracket, mounting	1	L.72		
	F.197421	Bracket	2	—		
23	5CZ/1054305	Graviner D.2765	1	—	C.	
	11384	Std.2046/34/22	1	S.510 or S.511	C.	6
	5CZ/4329955	Graviner D.3090	2	—	C.	
	5CZ/1042862	Graviner D.3004	1	—	C.	
23	5CZ/1048798	Graviner D.3170	2	—	C.	
	1506233	F.239725	1	L.72	C.	
	5CZ/1084614	Graviner D.3131	2	—	C.	
	F.261482	Angle; attachment	2	S.520		
	F.261483	Angle; attachment	1	S.520		
	F.258135	Bracket	2	L.72		
	F.258136	Bracket	1	—		
	F.262432	Bracket	2	—		
23	5CZ/1054305	Graviner	41	—	C.	
	10756	F.238693	3	S.510	C.	
	11303	Std.2046/17/26	1	S.510 or S.511	C.	6
	11304	Std.2046/21/24	2	—	C.	6
	11305	Std.2046/25/24	5	—	C.	6
	11409	Std.2046/42/22	1	—	C.	6
	4799	Std.840/50	5	—	C.	4
		Std.2046/67/20	2	—		6
		Std.2046/33/20	1	—		6
	5CZ/4329955	Graviner D.3090	20	—	C.	
	5CZ/1042862	Graviner D.3004	41	—	C.	
	3741	Std.840/20	1	—	C.	4
	5CZ/7001128	Graviner	3	—	C.	
		D.2370/120				
23	5CZ/8816062	Graviner	1	—	C.	
		D.2370/89				
	5CZ/7001127	Graviner	2	—	C.	
		D.2370/60				
	F.258090	Plate, blanking	1	L.72		
	Std.1509/2/076	Tube, distance	1	—		4
26VA/6041189	Std.1509/2/024	Tube, distance	4	—	C.	4
	Std.1509/2/100	Tube, distance	1	—		4
	26VA/6041191	Std.1509/2/080	1	—	C.	4
23	5CZ/7001131	Graviner D.2475	3	—	C.	
	5X/4491391	508/4/11292/005	1	—	C.	
	26VA/6037564	A.271859	1	—	C.	
23	5325-99-4491351	—	1	—	C.	
23	37A/4387626	—	2	—	A.	
23	5CX/4330002	—	1	—	C.	

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5CX/4330432 4896	Grimes G.9950-1 B.199981					Lamp, occulting (Mod. 1380).....	2	—	A.	
						Lead, ignition, group.....	1	—	B.	
25	5E/ BICC. ECM3					Consisting of:— Cable (Alt. to uniplugsheath No. 5 or 5E/6506940 or R.2060 or BICC.37/0.315)	46"	—	C.	
25	5E/6506940					Cable, uniplughitemp No. 3 (Alt. to uniplugsheath No. 5 or R.2060 or BICC. ECM3 or 37/0.315)	46"	—	C.	
25	5E/ —					Cable, uniplugsheath No. 5 (Alt. to 5E/6506940 or R.2060 or BICC. ECM3 or 37/0.315)	46"	—	C.	
25	5E/ R.2060					Cable, spec. EC.81 (Alt. to 5E/6506940 or uniplugsheath No. 5 or BICC. ECM3 or 37/0.315)	46"	—	C.	
25	BICC.37/0.315					Cable (Alt. to BICC. ECM3 or 5E/6506940 or uniplugsheath No. 5 or R.2060)	46"	—	C.	
	United Metallic Co. No. 110					Conduit, braided, 0.312" i/d (Alt. to Gabriel Manufacturing Co., conduit, braided, 5/16" i/d)	37"	—		
	Gabriel Manufact. Co.					Conduit, braided, 5/16" i/d (Alt. to United..... Metallic Co., No. 110)	37"	—		
	Lodge CG-11					Contact-button.....	2	—		
29H/9437201	—					Clip.....	1	—	C.	
	Lodge EA6—90°					Elbow, assembly.....	1	—		
37B/1985	Rolls Royce D.29850					Ferrule (Alt. to 310356).....	2	—	C.	
	F.310356					Ferrule (Alt. to 37B/1985).....	2	—		
	Lodge SF.6					Ferrule, spring type.....	2	—		
	Lodge N.28					Nut.....	2	—		
	Lodge SS.18					Sleeve.....	1	—		
	Lodge SS.23					Sleeve.....	1	—		
4897	B.199982					Lead, ignition, group.....	1	—	B.	
25	5E/ BICC. ECM3					Consisting of:— Cable (Alt. to uniplugsheath No. 5 or 5E/6506940 or R.2060 or BICC.37/0.315)	82"	—		
25	5E/6506940					Cable, uniplughitemp. No. 3 (Alt. to uniplugsheath No. 5 or R.2060 or BICC. ECM3 or BICC.37/0.315)	82"	—	C.	
25	5E/ —					Cable, uniplugsheath No. 5 (Alt. to 5E/6506940 or R.2060 or BICC. ECM3 or BICC.37/0.315)	82"	—	C.	
25	5E/ R.2060					Cable, spec. EC.81 (Alt. to 5E/6506940 or uniplugsheath No. 5 or BICC. ECM3 or BICC.37/0.315)	82"	—	C.	
25	BICC.37/0.315					Cable (Alt. to BICC. ECM3 or 5E/6506940 or uniplugsheath No. 5 or R.2060)	46"	—	C.	
	United Metallic Co. No. 110					Conduit, braided 0.312" i/d (Alt. to Gabriel Manufacturing Co., conduit, braided, 5/16" i/d)	73"	—		
	Gabriel Manufact. Co.					Conduit, braided, 5/16" i/d (Alt. to United..... Metallic Co. No. 110)	73"	—		
	Lodge CG-11					Contact-button.....	2	—		
29H/4066479	77—100					Clip.....	1	—	C.	
	Lodge EA6—90°					Elbow, assembly.....	1	—		
37B/1985	Rolls Royce D.29850					Ferrule (Alt. to F.310356).....	2	—	C.	
	F.310356					Ferrule (Alt. to 37B/1985).....	2	—		
	Lodge S.F.6					Ferrule, spring type.....	2	—		
	Lodge N.28					Nut.....	2	—		
	Lodge SS.23					Sleeve.....	1	—		
	Lodge SS.18					Sleeve.....	1	—		
4620	F.197595					Plate, sealing, at frame 37.....	4	LFS.21	C.	
4621	F.197596					Plate, sealing, at frame 37.....	4	LFS.21	C.	
5X/1103753	—					Plug, shell.....	2	—	C.	

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
26DK/9821	English Electric	Plug, shorting (Mod. 1013)	1	—	B.	
5CY/1054157	—	Plug, ground supply (Mod. 1024)	1	—	C.	
5J/4335378	—	Socket, Cannon accumulators (Mod. 1024)	2	—	B.	
5CY/4376392	—	Socket, at accumulator (Mod. 1024)	1	—	C.	
5F/9434858	HV.3254	Strapping	QR	—	C.	
5F/9506025	NY.18067	Strapping (Mod. 1024)	QR	—	C.	
5F/9454141	NY.18007A	Strapping	QR	—	C.	
5F/9138822	NY.3342	Stud	QR	—	C.	
5F/9138823	Hellermann NY.3255	Stud (Mod. 1024)	QR	—	C.	
	B.196635	Suppressor, group	2	—		
4811	A.196638	Angle, mounting	1	DTD.364	MR/C	
4812	A.196639	Angle, mounting	1	DTD.364	MR/C	
4813	A.196640	Plate, mounting	1	DTD.610	MR/C	
5CY/4376397	—	Suppressor, type "X3"	1	—	B.	
5CY/7001363	—	Suppressor, type "B4"	1	—	C.	
4814	Std.1548/24/10	Washer, profile	2	DTD.610	MR/C	4
5CY/4376390	—	Suppressor, type O, No. 2	1	—	B.	
5CW/4400098	Venner PTA/HA/W 19055	Switch, time	1	—	B.	
23	27N/4526464	Switch, inertia, Mk. 1	1	—	A.	
	Std.1509/24/022	Tube, distance, 3/8" o/d x 17 S.W.G. x 0.22" long	4	T.4		4
	2192	Washer	2	—	C.	4
	9174	Washer	4	—	C.	4
	4619	Washer	4	—	C.	4

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

