

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	G.218359	ELECTRICAL EQUIPMENT IN FRONT FUSELAGE,	—	—		
	E.222047	ASSEMBLY				
5X/1002695	Plessey	ADDITIONAL DETAILS, ASSEMBLY	—	—		
	703/1/00249	Block, terminal, 20-way	2	—	C.	
5X/1002694	Plessey	Block, terminal, 5-way	1	—	C.	
	703/1/00238					
9670	B.227889	Box, test, for G.90 camera, group (Mod. 712)	1	—	B.	
	B.227799	Box, ground test	1	—		
5L/9951273	—	Filament, 28v. 3.5 watt	1	—	C.	
10H/	Belling Lee	Fuse, 7.5 amp	1	—	C.	
	L.1055/7.5A					
10H/0590100	Belling Lee L356	Holder, fuse	1	—	C.	
23	5CX/4330111	Lamp, warning	1	—	C.	
	3837	Screw, securing switch	4	Brass	C.	5
	10H/0560820	Socket, code 45	1	—	C.	
	5CW/1047700	Switch, D.P. "ON-OFF"	1	—	C.	
	XD.786					
	A.235100	Bracket, mounting (Mod. 789)	1	L.72	—	
	—	Cables (See Cable Chart)	—	—	—	
26VA/6041562	Std.2045/26/22	Clip, securing cables	2	—	C.	
26VA/6039070	Std.2045/29/22	Clip, securing cables	2	—	C.	
26VA/6041253	Std.2046/46/20	Clip, securing cables	1	—	C.	
	9663	Clip, securing cables	1	—	C.	6
26VA/6043780	Std.2045/19/24	Clip, securing cables (Mod. 789)	1	—	C.	
	Std.2045/18/26	Clip, securing cables (Mod. 789)	3	—		
	Std.2045/19/26	Clip, securing cables (Mod. 789)	2	—	C.	
26VA/6041262	Std.2045/19/24	Clip, securing cables (Mod. 789)	1	—	C.	
	11209	Clip (AS.1200/17)	1	—	C.	
23	5935-99-	Connector, bulkhead, code 45	1	—	C.	
	1052650					
	5X/9149643	Cover, T.B., 20-way	2	—	C.	
	703/1/00266					
	5X/9149641	Cover, T.B., 5-way	1	—	C.	
	703/1/00264					
23	5CW/4402893	Delay unit, thermal, hood (Mod. 756)	1	—	C.	
	10207	Diode, assembly (Mod. 789)	1	—	C.	
	5L/9952254	Filament, lamp	1	—	C.	
23	5CZ/1996659	Horn, electric, Type C.24 volts	1	—	C.	
23	5CX/4330002	Lamp, cockpit, Mk. 1A	1	—	C.	
	10204	Leyer, for micro-switch (Mod. 789)	1	S.521	C.	
	5X/1004083	Link, commoning, 3-way	1	—	C.	
	703/2/00252					
	5X/9450403	Pillar	6	—	C.	
	703/2/00267					
	11843	Plate, guard (Mod. 789)	1	—	C.	
	A.235288	Plate, serrated (Mod. 789)	1	L.72	C.	
	10206	Plate, mounting, for delay unit (Mod. 756)	1	L.72		
23	5CW/4405754	Relay (Mod. 911)	2	—	C.	
	9447	Screw, round head, 4 B.A.	2	Brass	C.	5
	4179	Screw, round head, 4 B.A.	2	Brass	5	
	10205	Spring (Mod. 789)	1	DTD.215	C.	
	5F/9506025	Strap, helvyn, 5/16" wide	QR	—	C.	
	Hellermann					
	NY.18067					
	5F/9454141	Strap, nylon, 1/2" wide	QR	—	C.	
	5F/9138822	Stud	QR	—	C.	
	5F/9138823	Stud	QR	—	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Place No.
23	5CW/4400328	Dowty C.1831Y Mk. 102C	1	—	A.	
	5CW/1047693	C.W.C. Ltd. XD.778	1	—	C.	
	5CW/4405149	Teddington Controls FHM/A/76	2	—	A.	
	10893	Std.1509/12/050	1	T.4	C.	4
		Std.1509/23/116	1	T.4		4
		Std.1509/25/020	2	T.4		4
	5768	Std.1509/12/016	2	T.4	MR/C	4
	5F/—	—	QR	P.V.C.	C.	
	10488	D.236392 C.238026	— 1	— —	— B.	
		ADDITIONAL DETAILS, ASSEMBLY (Mod. 813)	—	—		
		BOX TEST FOR TAIL CHUTE, GROUP (Mod. 850)	1	—	B.	
		A.238046 Base	1	L.72		
		B.238027 Box, test	1	L.59		
	5CY/4376082	BTH LGA. 6 B1/1	1	—	.B.	
	5CY/4376068	AEI Ltd. CX.119950	1	—	C.	
		Std.2044/9/067	1	DTD.604		6
23	10H/9019668	Belling Lee L.1055/5	1	—	C.	
		A.238028	1	L.72		
		Std.1606/45/A.10	1	—		5
23	5930-99-9709161	N.S.F. Ltd. 7675 B.102	1	—	C.	
		F.222497	8	L.72	—	
		Clip, special securing cable (make from 30B/9611222, Q.R.)	—	—		
		Std.2045/14/26	1	—		6
		B.235458	1	L.67		
	5F/	Hellermann	1	—	C.	
	5F/	Hellermann	1	—	C.	
	9335	Std.1547/19/6	2	DTD.610	C.	4
23	6A/4337986	—	1	—	A.	
	5CZ/4335604	Teddington Controls FLM.A.5	1	—	A.	
	5CZ/1053794	Rotax N.5BN	1	—	C.	
	5X/1004088	Plessey 703/2/00244	2	—	C.	
	5X/1002695	Plessey 703/1/00249	4	—	C.	
	11253	D.262582	1	—	A.	
		D.316477	1	—	A.	
	5X/1004088	Plessey 703/2/00244	2	—	C.	
	5X/4491482	Plessey 703/1/00420	10	—	C.	
	8671	A.215864	8	BSS.265	C.	
	8670	F.220761	2	LFB.82	C.	
	—	—	1	—	—	
		Cables (See Cable Chart)	1	—	—	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	A.224535					Capacitors, 4, 5 and 6, group.....	1	—		
	A.224536					Capacitors, 7, 8 and 9, group.....	1	—		
	A.224537					Capacitors, 10, 11 and 12, group.....	1	—		
10C/0115567	Dubilier					Capacitor, 0.5 mfd., 250 v (Pre Mod. 1408)	3	—	C.	
10C/0141404	—					Capacitor, 0.5 mfd. (Mod. 1408)	3	—	C.	
5X/9462745	Plessey					Lug	1	—	C.	
	703/2/00320									
10CV/—	Ferranti					Rectifier, silicon, type Z.510A	1	—	C.	
	or									
25 10CV/0372373	—					Rectifier, silicon.....	1	—	C.	
10H/9150652	Tucker S.79					Tag, eyelet	4	—	C.	
5K/4346693	RC.2120					Tag, 6 amp., QR (AS.1200/24)	2	—	C.	
	Std.841/71					Clip, for retention of capacitors 7/16" wide x 22 S.W.G. x 7.1" long	3	L.72		4
	B.215794					Cover, end	1	—		
12593	C.262588/1					Diagram, wiring (Pre Mod. 1377).....	1	—	C.	
	C.317994/1					Diagram, wiring (Mod. 1377)	1	—		
	B.215787					Diaphragm	1	L.72		
10H/4709559	H.T. Newton Ltd.					Fuse, 2.5 amp.	12	—	C.	
10H/1043043	English Electric AS.25					Fuse, 2.5 amp. H.R.C.....	8	—	C.	
10H/9718192	English Electric AS.5					Fuse, 5 amp. H.R.C.....	2	—	C.	
10H/1047920	—					Fuse, dummy, type "S"	20	—	C.	
5X/1931479	Plessey Z.22634					Grommet, dummy.....	1	—	C.	
	A.230969					Guard, switch.....	1	L.72		
	F.229680					Guard, cushion	1	—		
	F.222438					Holder, for relay group.....	1	—		
	F.222438/2					Pad, 1/4" thick, "Volcrepe"	1	Rubber		
8669	B.215796					Lid, for junction box, group.....	1	L.72	C.	
28FP/1004892	Oddie 213/2					Stud, fastener.....	8	—	C.	
28FP/1004893	Oddie 214					Washer.....	8	—	C.	
	B.215793					Plate, plug mounting, group.....	1	—		
28FP/9993392	Oddie 212					Clip, spring	2	—	C.	
	B.215964					Platform, fuse block, group.....	1	—		
5K/9457704	Hellermann HV.3110A					Grommet.....	6	—	C.	
	B.215791					Platform, fuse block.....	1	L.72		
	C.215831					Platform, relay, group	1	—		
6A/4333075	Smiths 213 M.V.					Auto-transformer.....	1	—	C.	
5E/9012567	—					Cable, unipren, 24 amp.....	QR	—	C.	
10C/0119831	Dubilier					Capacitor, 0.25 mf 250V., working	1	—	C.	
	(Pre Mod. 1408)									
10C/0141403	—					Capacitor, 0.25 μF (Mod. 1408).....	1	—	C.	
10250	Std.2045/27/22					Clip, securing capacitor	1	S.510 or S.511	C.	6
5CX/4331066	Plessey Z.1840					Grommet	1	—	C.	
	B.215792					Platform, relay.....	1	L.72		
10H/0560130	Plessey					Plug, panel, mounting	1	—	C.	
	508/1/40066/320									
5CW/9729122	—					Relay, type "S" No. 7, 25 amp.	4	—	C.	
5CW/9729123	Pullin or Hendry					Relay, type "S" No. 9, 25 amp.	5	—	C.	
	5F/—					Sleeve, Helsyn 150 H.T.20 x 3/4" long.....	8	—	C.	
	5F/—					Sleeve, Helsyn 150 H.T.30 x 3/4" long.....	3	—	C.	
10H/9993525	Plessey					Socket, panel mounting.....	1	—	C.	
	508/1/40046/320									
5K/4346693	RC.2120					Tag, 6 amp. Q.R.	31	—	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5X/9462951	Hellermann HC.294					Terminal, ring	1	—	C.	
5E/9100175	—					Wire, equipment, type 2, 14/0076, red	QR	DEF.12	C.	
5E/9100176	—					Wire, equipment, type 2, 14/0076, blue	QR	DEF.12	C.	
5E/9100179	—					Wire, equipment, type 2, 14/0076, black	QR	DEF.12	C.	
5E/9100185	—					Wire, equipment, type 2, 14/0076, pink	QR	DEF.12	C.	
	B224538					Relay, "M" group	1	—		
	F.222438					Holder, group	1	—		
	F.222438/2					Pad, 1/4" thick Volcrepe	1	Rubber		
10F/0530453	Standard Telephone					Relay, type SM.5A N.25 (Alt. to 10F/0119881)	1	—	B.	
10F/0119881	—					Relay, type SM.5A N.96 (Alt. to 10F/0530453)	1	—	B.	
	Std.2134/11					Sleeve, marker	6	—		
9616	F.224534					Support, relay wire	1	LFS.21	C.	
5X/9450396	Hellermann HC.490					Tag, 6 amp., Q.R.	2	—	C.	
23	10H/9150652	Tucker S.79				Tag	2	—	C.	
	5X/9462951	Hellermann HC.294				Terminal, ring	1	—	C.	
	5E/9100185	—				Wire, equipment, type 2, 14/0076, pink	QR	—	C.	
	5E/9100180	—				Wire, equipment, type 2, 14/0076, white	QR	—	C.	
	B.224539					Relay, "N", group	1	—		
	F.222438					Holder, group	1	—		
	F.222438/2					Pad, 1/4" thick Volcrepe	1	Rubber		
10F/0530453	Standard Telephones					Relay, type SM.5A.N.25 (Alt. to 10F/0119881)	1	—	B.	
10F/0119881	—					Relay, type SM.5A.N.96 (Alt. to 10F/0530453)	1	—	B.	
	Std.2134/11					Sleeve, marker	6	—		
9616	F.224534					Support, relay wire	1	LFS.21	C.	
5X/9450396	Hellermann HC.490					Tag, 6 amp. Q.R.	2	—	C.	
23	10H/9150652	Tucker S.79				Tag	2	—	C.	
	5X/9462951	Hellermann HC.294				Terminal, ring	1	—	C.	
	5E/9100185	—				Wire, equipment, type 2, 14/0076, pink	QR	—	C.	
	5E/9100180	—				Wire, equipment, type 2, 14/0076, white	QR	—	C.	
	B.224540					Relay, "P", group	1	—		
10F/0530453	Standard Telephones					Relay, type SM.5A.N.25 (Alt. to 10F/0119881)	1	—	B.	
10F/0119881	—					Relay, type SM.5A.N.96 (Alt. to 10F/0530453)	1	—	B.	
	Std.2134/11					Sleeve, marker	6	—		
9616	F.224534					Support, relay wire	1	LFS.21	C.	
5X/9450396	Hellermann HC.490					Tag, 6 amp. Q.R.	2	—	C.	
23	10H/9150652	Tucker S.79				Tag	2	—	C.	
	5X/9462951	Hellermann HC.294				Terminal, ring	1	—	C.	
	5E/9100185	—				Wire, equipment, type 2, 14/0076, pink	QR	—	C.	
	5E/9100180	—				Wire, equipment, type 2, 14/0076, white	QR	—	C.	
	3838	Std.1606/44/B8				Screw, roundhead, 4 B.A.	2	Brass	C.	5
		C.215795				Shelf, for junction box, group	1	L.72		
	28FP/9993392	Oddie 212				Clip, spring	4	—	C.	
23	5930-99-1089792	Smiths EAP.2340				Switch, torque	3	—	A.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5K/4346711	RC.2121					Tag, 7 amp	55	—	C.	
5K/	RC.2122					Tag, 19 amp	6	—	C.	
5K/5866	RC.00					Tag	1	—	C.	
5X/9525146	Plessey					Thimble, 7 amp	55	—	C.	
	508/2/11231/002									
5X/1005132	Plessey					Thimble, 19 amp	6	—	C.	
	508/2/11230									
5F/9995578	BS2848 Type 3					Tube, 1-1/2 mm—2-1/2mm black	QR	P.V.C.	.C.	
	B.263869					Box, junction, artificial horizon (Mod. 1017)	1	—		
						(Pre Mod. 1377)				
	A.221485					Box, junction, artificial horizon (Mod. 1377)	1	—		
	A.253591					Box	1	L.72		
	A.248673					Cable (See Cable Chart) (Pre Mod. 1377)	1	—	—	
5X/9491422	Plessey Z.22431					Grommet (Pre Mod. 1377)	1	—	C.	
5X/1931479	—					Grommet, dummy (Mod. 1377)	1	—	C.	
	A.214146					Plate, cover	1	L.72		
10H/0560080	Plessey					Plug, panel unit, code 45	1	—	C.	
	508/1/40063/320									
10H/0560260	Plessey					Socket, panel, unit code 45	2	—	C.	
	508/1/40043/320									
5E/9100173	—					Wire, equipment 7/70076, grey	QR	DEF.12	C.	
	G.217944					BOX, JUNCTION, FOR MAIN TRUNKING,	—	—		
						ASSEMBLY (Pre Mod. 1377)				
	E.316478					BOX, JUNCTION, FOR MAIN TRUNKING,	—	—		
						ASSEMBLY (Mod. 1377)				
	8677 F.217908					Block, packing	40	LFS.21	C.	
5X/1002695	Plessey					Block, terminal, 20-way	14	—	C.	
	703/1/00249									
25	5E/9467424					Cable, uninyvin 20	QR	—	C.	
25	5E/9012998					Cable, uninyvin 16	QR	—	C.	
	5E/9012567					Cable, unpren, 24 amp	QR	—	C.	
	5E/9007800					Cable, duprensheath, 6 amp	QR	—	C.	
	5E/					Cable, septoprensheath, 6 amp	QR	—	C.	
	5X/					Cover, for terminal block, 20-way	14	—	C.	
	Plessey									
	703/2/00477									
	C.259609					Diagram, wiring (Pre Mod. 979)	1	—		
	C.305995					Diagram, wiring	1	—		
	C.317991/1					Diagram, wiring (Mod. 1377)	1	—		
	C.317993/1					Diagram, wiring (Mod. 1364) (Mod. 1377)	1	—		

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
7989	C.312845/1						1	Photo	C.	6
	D.313270/1						1	Photo		
	A.209702						2	L.65.C or L.62		
7990	A.209704						2	L.65.C or L.62	C.	
5X/4491288	Std.2044/8/061						1	—	C.	
	Plessey CZ.28009						20	—		
	Plessey Z.18500/B						1	—		
	Plessey CZ.50823						2	—		
4940-99-4491290	Plessey Z.18500/D						2	—	C.	
9336	B.222448						1	—	C.	
10H/0119877	Plessey						4	Rubber	C.	
10H/0970059	508/2/07705/200						2	Rubber	C.	
10H/0970060	Plessey						2	Rubber	C.	
10H/0970107	508/2/07706/200						2	—	C.	
10H/0970111	Plessey						1	Rubber	C.	
5325-99-4491351	508/2/07721/200						1	—	C.	
8680	Plessey Z.22433						1	—	C.	
28FP/1013258	C.215080						1	—	C.	
8681	Dzus A4.35						6	—	C.	
28FP/1013258	C.215081						1	—	C.	
5X/1004082	Dzus A4.35						6	—	C.	
5X/1004082	Plessey						15	—	C.	
	Dzus GH4						6	—		
5X/1012122	Plessey						15	—	C.	
5X/1004083	703/2/00251						2	—	C.	
5X/4491423	Plessey						6	—	C.	
5CZ/4350503	703/2/00259						1	—	C.	
5X/9400389	Plessey						3	—	C.	
8682	Purcell						3	—	C.	
10H/0970061	Bros. No. 25						28	—	C.	
10H/0970065	Erma 12109						2	—	C.	
10H/0970067	F.220647						2	—	C.	
10H/0970068	Plessey						2	—	C.	
8679	508/1/07622/003						1	—	C.	
5X/4491456	Plessey						1	—	C.	
5X/4491465	508/1/07624/003						4	—	C.	
5X/1058004	Plessey						6	—	C.	
5X/4491395	508/1/07627/003						39	—	C.	
5X/9462952	Plessey						6	—	C.	
10H/0970087	508/1/07631/003						2	—	C.	
10H/0970090	C.220646						1	—	C.	
10H/0970091	Plessey						4	—	C.	
10H/0970095	Plessey						6	—	C.	
10H/0970098	CZ.23144/Z						39	—	C.	
10H/1201698	Plessey						6	—	C.	
	508/2/07753/007						2	—	C.	
	Hellermann						2	—	C.	
	HC.302						2	—	C.	
	Plessey						2	—	C.	
	508/2/07710/200						2	—	C.	
	Plessey						2	—	C.	
	508/2/07713/200						3	—	C.	
	Plessey						2	—	C.	
	508/2/07709/200						2	—	C.	
	Plessey						1	—	C.	
	508/2/07754/007						1	—	C.	
	Plessey						1	—	C.	
	508/2/07758/007						1	—	C.	
	Plessey						1	—	C.	
	508/2/07753/007						1	—	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.	
							1
	5X/1005131	Plessey 508/2/11232/002	Sleeve, 6 amp. — 12 amp.	498	—	C.	
	5X/1005132	Plessey 508/2/11230	Sleeve, 12 amp.	5	—	C.	
	5K/	—	Sleeve, hëlsyn, HT.20 x 3/4"	766	—	C.	
	5K/	—	Sleeve, hëlsyn, HT.30 x 1" (1 off Pre Mod. 1380)	3	—	C.	
	5K/	—	Sleeve, hëlsyn, HT.50 x 1" (Mod. 1188)	1	—	C.	
	5K/	—	Sleeve, hëlsyn, HT.75 x 1"	5	—	C.	
	5K/	—	Sleeve, hëlsyn, HT.100 x 1"	4	—	C.	
	5K/	—	Sleeve, hëlsyn, HT.150 x 1"	1	—	C.	
23	5X/8053699	Plessey CZ.56108	Socket, code 9	1	—	C.	
23	5X/4500086	Plessey CZ.71751	Socket, code 14	2	—	C.	
23	5X/4500092	Plessey CZ.71753	Socket, code 20	2	—	C.	
23	5X/4500093	Plessey CZ.71754	Socket, code 21	20	—	C.	
	10H/0560090	Plessey 508/1/40000/320	Socket, code 41	2	—	C.	
	10H/0560120	Plessey 508/1/40003/320	Socket, code 45	2	—	C.	
	10H/0560180	Plessey 508/1/40029/320	Socket, code 48	1	—	C.	
	10H/0560181	Plessey 508/1/40029/321	Socket, code 48	1	—	C.	
	10H/0560220	Plessey 508/1/40015/320	Socket, code 50	2	—	C.	
	5X/5809602	Plessey 508/1/05602/002	Socket (Mod. 1188)	3	—	C.	
	5X/	UKAN.9202/14S-7S	Socket, free, 3 pin (Mod. 1188)	1	—	C.	
	5X/9450396	Hellermann HC.490	Tag, quick release	3	—	C.	
	5K/4346693	Ross Courtney RC.2120	Tag, quick release	3	—	C.	
	5K/4346711	Ross Courtney RC.2121	Tag, quick release	QR	—	C.	
		E.214995	TRUNKING, SUB-ASSEMBLY	—	—		
		F.217904	Guard, cable	1	S.84/T.4		
		F.217905	Guard, cable	2	S.84/T.4		
		F.217906	Guard, cable	2	S.84/T.4		
		F.217907	Guard, cable	4	S.84/T.4		
		B.215077	Plate, end, for trunking, port, group	1	—		
	28FP/9429531	Dzus S.4.225	Spring	1	—	C.	
		B.215078	Plate, end, for trunking, starboard, group	1	—	C.	
	28FP/9429531	Dzus S.4.225	Spring	1	—	C.	
		C.215079	Plate, side, for trunking, centre, group	1	—		
	28FP/9429531	Dzus S.4.225	Spring	1	—	C.	
		F.228599	Plate, stud	12	—		
		F.212157	Plate, stud	12	—		
		F.212867	Plate, stud	8	—		
	28FP/9429531	Dzus S.4.225	Spring	8	—	C.	
		—	Spring, sealing, 1" x 1"	QR	DTD.5509/D or DTD.560D		
23	5F/9013643	—	Tube, 3/8" i/d	QR	P.V.C.	C.	
23	5F/4349854	—	Tube, 1/2" i/d	QR	P.V.C.	C.	
	5F/1018176	—	Tube, 5/8" i/d	QR	P.V.C.	C.	
23	5F/4349855	—	Tube, 3/4" i/d	QR	P.V.C.	C.	
23	5F/4349856	—	Tube, 1" i/d	QR	P.V.C.	C.	
	7100	Std.915.B10	Washer	28	DTD.610	C.	4
	12278	E.260251	Box, junction, No. 2, group (Mod 1165)	1	—	A.	
	5X/4491482	Plessey 703/1/00420	Block, fuse, with identification tags, less cover	7	—	C.	
	5X/1004088	Plessey 703/2/00244	Block, terminal, 10-way	10	—	C.	
	5X/1002695	Plessey 703/1/00249	Block, terminal, 20-way	2	—	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	D.215173	Box, group	1	—		
	A.221811	Champ, cable	1	—		
8685	D.215173/4	Panel, access	1	L.72	C.	
13136	F.221810	Plate, stud	2	—	C.	
28FP/1201748	Dzus S.5.200	Spring	2	—	C.	
	Std.914/B22	Washer, 4 B.A.	4	DTD.610		4
3762	Std.915/A18	Washer, 6 B.A.	4	DTD.610	MR/C	4
23	5E/9467424	Cable, unipren, 6 amp.	QR	—	C.	
23	5E/9012998	Cable, unipren, 12 amp.	QR	—	C.	
23	5E/9012567	Cable, unipren, 24 amp.	QR	—	C.	
	3971	Clip, securing, resistor, 7/16" wide x 22 S.W.G. x 1.9" long	1	DTD.610	MR/C	4
	10247	Cover, terminal (Mod. 886)	1	Comm'l.	C.	
	10246	Cover, terminal (Mod. 886)	1	Comm'l.	C.	
	C.259606/1	Diagram, wiring (Pre Mod. 979) (Mod. 1165)	1	—		
	C.259607/1	Diagram, wiring (Mod. 979 and 1165)	1	—		
	C.312844/1	Diagram, wiring (Mod. 1364)	1	Photo		
	Plessey CZ 28000	Ferrule	1	—		
8687	A.220751	Ferrule, group	2	—	C.	
7990	A.209704	Ferrule	1	—	C.	
23	10H/4709559	Fuse, 2.5 amp., type "S"	12	—	C.	
23	10H/1043043	English Electric AS.25 Fuse, 2.5 amp., type "S"	1	—	C.	
23	10H/4709560	H.T. Newton Ltd. Fuse, 5 amp., type "S" (7 off Pre Mod. 1364)	8	—	C.	
23	10H/470956	H.T. Newton Ltd. Fuse, 10 amp., type "S" (AS.970/82)	1	—	C.	
23	10H/4695448	— Fuse, 20 amp. (AS.970/82)	—	—		
23	10H/1047920	— Fuse, dummy, type "S" (AS.900/14)	4	—	C.	
23	10H/9718191	— (5 off Pre Mod. 1364) Fuse, 10 amp., type "S" H.R.C. (AS.900/19)	1	—	C.	
23	5X/9491421	Plessey Z.22431 Grommet, helsyn	1	—	C.	
23	5K/1041541	Hellermann HV.2855 Grommet	1	—	C.	
8688	C.215436	Lid, group	1	—	B.	
8689	F.215416	Bolt, wing	2	—	C.	
	A.215438	Bracket, mounting	2	L.72		
8690	B.215437	Cover	1	L.72	C.	
28FP/9438813	Dzus AW.530	Fastener	2	—	C.	
5X/1004082	Plessey	Link, commoning	5	—	C.	
	703/2/00251	Link, commoning	2	—	C.	
5X/1004083	Plessey	Link, commoning	2	—	C.	
23	5X/4491463	Plessey	7	—	C.	
	703/2/00465	Link, commoning (Mod. 811)	1	—	C.	
5X/1012122	Plessey	Link, commoning	1	—	C.	
	703/2/00259	Link, wire	1	—		
23	5X/9400385	Plessey	1	—	C.	
	703/2/00359	Lug	2	—	C.	
23	5X/9400389	Plessey	2	—	C.	
	703/2/00363	Lug	2	—	C.	
10H/0970060	Plessey	Outlet, gasket code 50	1	—	C.	
	508/2/07707/200	Outlet, angle code 50	1	—	C.	
10H/0970074	Plessey	Outlet, angle code 50	1	—	C.	
	508/1/07636/003	Plate, blanking (Mod. 779)	1	—		
7813	F.232398	Plate, tapped	1	L.72	MR/C	
7814	F.206916	Plate, tapped	1	L.72	MR/C	
7815	F.206917	Plate, tapped	12	L.72	MR/C	
10H/0560050	Plessey	Plug, panel unit code 41 (Mod. 779)	2	—	C.	
	508/1/40060/320	Plug, panel unit code 48	1	—	C.	
10H/0560150	Plessey	Plug, panel unit code 48	1	—	C.	
	508/1/40069/320					

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
10H/0560151	Plessey 508/1/40069321	Plug, panel unit code 48	1	—	C.	
5X/5805562	Plessey 2CZ.111224	Plug, code 7 (AS.970/91)	1	—	C.	
5X/4500169	Plessey 2CZ.111226	Plug, code 13 (AS.970/91)	1	—	C.	
5X/4500177	Plessey 2CZ.111229	Plug, code 21 (AS.970/91)	12	—	C.	
10H/0560200	Plessey 508/1/40076/320	Plug, panel unit code 50	1	—	C.	
10W/0113360	—	Resistor, 30 ohm.	1	—	C.	
10H/0970090	Plessey 508/2/07713/200	Ring, sealing code 50	1	—	C.	
5X/1005131	Plessey 508/2/1123/002	Sleeve, 6 amp. to 12 amp.	QR	—	C.	
5F/—	—	Sleeve, helsyn plus JP x 3/4"	113	—	C.	
10H/0560330	Plessey 508/1/40049/320	Socket, panel unit code 48	1	—	C.	
10H/0560260	Plessey 508/1/40043/320	Socket, panel unit code 45	1	—	C.	
10H/0560380	Plessey 508/1/40056/320	Socket, panel unit code 50	1	—	C.	
10H/0560381	Plessey 508/1/40056/321	Socket, panel unit code 50	1	—	C.	
5X/4500093	Plessey 2CZ.11238	Socket (AS.970/91)	1	—	B.	
10H/0560220	Plessey 508/1/40015/320	Socket, cable code 50	1	—	C.	
5K/4346693	RC.2120	Tag, Q.R.	272	—	C.	
5K/4346711	RC.2121	Tag, Q.R.	6	—	C.	
5K/—	RC.2122	Tag, Q.R.	6	—	C.	
5F/—	—	Tube, 1-1/2—2-1/2 m/m. i/d. (Comml. Grade)	QR	P.V.C.	C.	
5F/4349855	—	Tube, 3/4" i/d	54	P.V.C.	C.	
	C.261118	Box, tail plane relay, assembly (Mod. 1188)	—	—		
	C.261119	Box, relay group	1	—		
24	5E/9467424	Cable, uninyvin 20	QR	—	C.	
24	5E/9012998	Cable, uninyvin 16	QR	—	C.	
	B.261126	Diagram, wiring	1	Photo		
	5K/4329288	Ferrule	1	—	C.	
	5X/5801443	Grommet	1	—	C.	
5325-99-4491350	—	Grommet	1	—	C.	
	5X/—	Insert, socket	19	—	C.	
	508/2/05602/002	—				
	A.261151	Mounting, relay box	1	L.72		
	10H/—	Nut, cable clamp	1	—	C.	
	10H/—	Nut, outlet	1	—	C.	
	10H/—	Outlet, straight	1	—	C.	
	5X/—	Pin, plug	3	—	C.	
	508/2/05604/002	—				
	5X/—	Plug, fixed unit	1	—	C.	
5CW/1057583	Hendry	Relay, tube 20B No. 3	2	—	C.	
5F/—	Hellermann	Sleeve, Helsyn 150 HT.20 x 1/2" long	34	—	C.	
10H/9479044	Ukan 8000/22/14S	Socket, fixed unit	1	—	C.	
5X/9459738	Ukan 9000/16/1S	Socket, straight, free unit	1	—	C.	
10H/5805130	2CZ.139485	Socket, contacts	7	—	C.	
	RC01	Tag	52	—		
5X/9462952	—	Tag, ring tongue	2	—	C.	
5E/—	—	Wire, equipment, type DEF. 12, 14/0076, Black	QR	—	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
5K/4346060	A.218494	Bracket, mounting					3	S.3	C.	
	F.220710	Bracket, for switch, at frame 10					1	L.72		
	Hellermann HV.3185	Bung, forward of frame 14					1	—		
—	—	Cables, electrical (See Cable Chart)					1	—	—	
10741	B.235459	Cable, F.29, group (See Cable Chart) (Mod. 813)					1	—	B.	
—	F.229253	Cable, compass light (Make from 6B/1038551)					1	—	—	
—	B.233295	Duct					1	L.67	—	
—	B.228264	Cable, F.102, group (See Cable Chart)					1	—	—	
5L/9951273	—	Filament, lamp (AS.79055)					1	—	—	
5CX/4330111	Rotax N.2705	Indicator, warning					1	—	C.	
6038	F.202760	Plate, adaptor					1	—	MR/C	
—	C.261149	Cable, F.206, group (See Cable Chart)					1	—	—	
—	B.228265	Cable, F.103, group (See Cable Chart)					1	—	—	
10F/9325304	—	Switch					1	—	C.	
—	A.220708	Cable, F.113, group (See Cable Chart)					1	—	—	
—	C227820	Cable, F.50, assembly					1	—	—	
—	—	Cable, F.183, group (See Cable Chart) (Mod. 1380)					1	—	—	
8012	B.325511	Cable, F.184, group (See Cable Chart) (Mod. 1380)...					1	—	—	
—	F.208578	Adaptor					2	BSS.249	C.	
—	Std.2044/7/052	Ferrule					1	—	—	6
24	C.334633	Cable, F.146, group (See Cable Chart) (Mod. 1442)					1	—	—	
6A/7002018	Smiths Waymouth CS.21	Cable, co-axial					2	—	C.	
6720-99-4700830	—	Camera, G.90					1	—	A.	
10H/0970055	—	Cap, protective					1	—	C.	
5X/1144436	Plessey	Cap, protective (Mod. 1377)					2	—	C.	
5X/1144437	508/1/03442/003 Plessey	Cap, protective (Mod. 1377)					2	—	C.	
—	508/1/03443/003									
—	A.227880	Channel, mounting					1	L.72	—	
26VA/6041253	Std.2045/46/20	Clip, securing cables					1	S.510 & 511	C.	6
11409	Std.2046/42/22	Clip, securing cables					2	S.510 & 511	C.	6
26VA/6043780	Std.2045/18/26	Clip, securing cables					2	S.510 & 511	C.	6
26VA/6043471	Std.2045/20/24	Clip, securing cables					1	—	C.	6
9496	Std.2045/20/22	Clip, securing cables					1	S.510 & 511	C.	6
11227	Std.2045/21/24	Clip, securing cables					1	S.510 & 511	C.	6
9664	Std.2045/22/24	Clip, securing cables					1	S.510 & 511	C.	6
26VA/6039070	Std.2045/29/22	Clip, securing cables					1	—	C.	6
11748	Std.2045/38/22	Clip, securing cables					1	S.510 & 511	C.	6
11294	Std.2045/25/24	Clip, securing cables					1	S.510 & 511	C.	6
26VA/6041262	Std.2046/19/24	Clip, securing cables					1	S.510 & 511	C.	6
26VA/6041265	Std.2046/23/24	Clip, securing cables					3	S.510 & 511	C.	6
—	Std.2046/25/22	Clip, securing cables					2	S.510 & 511	C.	6
11305	Std.2046/25/24	Clip, securing cables					1	S.510 & 511	C.	6
26VA/6044295	Std.2046/18/26	Clip, securing cables					1	S.510 & 511	C.	6
26VA/6042337	Std.2046/29/22	Clip, securing cables					1	S.510 & 511	C.	6
—	Std.2046/41/22	Clip, securing cables					1	S.510 & 511	C.	6
11384	Std.2046/34/22	Clip, securing cables					4	S.510 & 511	C.	6
—	Std.2046/38/24	Clip, securing cables					1	S.510 & 511	C.	6
26VA/6041264	Std.2046/20/24	Clip, securing cables					1	S.510 & 511	C.	6
11405	Std.2046/59/20	Clip, securing cables					1	S.510 & 511	C.	6
—	Std.2046/63/20	Clip, securing cables					1	S.510 & 511	—	6
—	Std.2046/72/20	Clip, securing cables					1	S.510 & 511	—	6
—	Std.2076/35/22	Clip, securing cables					1	S.510 & 511	—	6
—	Std.2076/27/24	Clip, securing cables					1	S.510 & 511	—	6
10216	F.234133	Clip, securing cable guard at frame 8					1	—	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	C.198766	CLIPPING; FOR CABLES, ASSEMBLY	—	—		
3741	Std.840/20	Clip, 7/16" wide x 22 S.W.G. x 2" long	1	DTD.610	C.	4
4670	Std.840/23	Clip, 7/16" wide x 22 S.W.G. x 2.3" long	1	DTD.610	C.	4
3747	Std.841/28	Clip, 7/16" wide x 22 S.W.G. x 2.8" long	1	L.72	MR/C	4
4823	Std.841/42	Clip, 7/16" wide x 22 S.W.G. x 4.2" long	1	L.72	MR/C	4
5F/9454141	NY.18007A	Strapping	QR	—	C.	
5F/S138822	NY.3342	Stud	QR	—	C.	
12172	A.228425	Connector, inverter, for invertors No. 1 and 2, group	2	—	C.	
9339	A.220700	Connector, for inverter No. 3, group	1	—	B.	
6022	A.201761	Connector, for inverter No 4, group	1	—	B.	
	E.293901	Console, centre, group (Mod. 1338)	1	—		
	A.212377	Angle, relay, mounting	2	L.72		
5X/1957037	Plessey	Block, terminal, Q.R., 3-way	1	—	C.	
	703/1/00232					
5CZ/1053794	Rotax N.5.B.N.	Block, terminal, 2-way, No. 1	1	—	C.	
	F.227348	Block, taper	2	L.65.C		
	A.293886	Bracket, fuse mounting	1	—		
5CY/4376060	—	Bracket, circuit, type "A", 45 amp.	1	—	C.	
4178	Rotax N.65291	Bung	QR	—	C.	
—	D.293894	Cable, form (Mod. 1338) (See Cable Chart)	1	—	—	
10C/0145519	Plessey	Capacitor, 500 M.F.D., 50 V.D.C.	1	—	C.	
	CE.4063/40	(Alt. to 5910-99-012-4913)				
5910-99-012-4913	Plessey	Capacitor, 500 M.F.D., 50 V.D.C.	1	—	C.	
		(Alt. to 10C/0145519)				
23	5CW/4405619	Cap, helvin (Sea grey)	5	—	C.	
	Hellermann					
	HV.3711					
23	5CW/4405620	Cap, helvin (Sea grey)	1	—	C.	
	8691	Clip, for audio delay unit	1	—	C.	
	4043	Clip, securing tubing	1	DTD.610	MR/C	4
	3739	Clip, securing tubing	2	DTD.610	C.	4
	4733	Clip, securing oxygen pipes	2	DTD.610	MR/C	4
23	5D/4664325	Connector, 4-pole, 2.5 amp. 18" long	1	—	C.	
	M.B. Metals					
	EL.42887/1C					
	B.293960	CONSOLE, CENTRE, SUB-ASSEMBLY (Mod. 1338)	—	—		
	A.221275	Fitting, pivot	1	L.65.C		
23	2590-99-8813547	Cover, safety	1	—	C.	
	—	Diagram, wiring	1	—		
	E.293892/1	Filament, 28V., 0.04 amp.	2	—	C.	
5L/9959118	—	Fuse, 3 amp.	2	—	C.	
23	10H/0590111	Grommet, at light mounting pillar (Mod. 1029)	1	—	C.	
	Belling, Lee	Guard, switch locking	3	—	C.	
	L.1055/3	Holder, fuse	2	—	C.	
23	5CW/4405594	Indicator, magnetic	2	—	C.	
	Rotax N.65290					
	5CW/4222	Indicator, magnetic	1	—	C.	
	10H/0590100	Light, pillar, 12" stem	2	—	C.	
	Belling Lee L.356					
	5CZ/4335719	Mounting, for light pillar (Mod. 1029)	1	—	C.	
	Plessey	Panel, access, port	1	L.72 or L.59	C.	
	CZ.97135/55	Panel, access, starboard	1	L.72 or L.59	C.	
5CZ/4335573	Plessey	Pipe, joint to joint (Oxygen installation)	1	L.67	C.	NK.1
	CZ.97636/2	(Pre Mod. 979)				
23	5CX/1143870	Pipe, joint to joint (Oxygen installation)	1	DTD.253	C.	NK.1
	Thorn 80/10/	Plate, locking, for switch	1	L.72		
	0855/Clear	Plate, nut	1	—		
10695	F.249493	Plate, relay mounting	1	L.72		
8692	C.213144	Plate, relay mounting	1	L.72		
8693	C.213145	Plate, relay mounting	1	L.72		
8694	A.214022/6	Plate, relay mounting	1	L.72		
		Pipe, tapped	2	L.72	MR/C	
8695	A.214022/7					
	F.223718					
	F.293885					
	A.212378					
	A.212379					
	A.212380					
7815	F.206918					

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Place No.
	10981 A.214022/13	Pipe, joint to joint (Mod. 979)	1	L.67	C.	
	10982 A.214022/14	Pipe, joint to joint (Mod. 979)	1	L.67	C.	
23	5945-99-9729123 —	Relay, Type "S", No. 9 (Mod. 1338)	14	—	C.	
	10CW/0113475 —	Resistor, 330 ohm, 4.5 watt	1	—	C.	
	5F/— —	Sleeve, Helsing plus, 150 H.T. 50 x 3/4"	1	—	C.	
	5F/— —	Sleeve, Helsing, 150 H.T. 30 x 3/4"	14	—	C.	
	5F/— —	Sleeve, Helsing plus, 150 H.T. 75 x 1"	1	—	C.	
	Std.195311-3	Sleeve, marker	1 Set	—		
	1639 Std.1606/44/A6	Screw, roundhead, 6 B.A.	2	Brass	C.	5
	3838 Std.1606/44/B8	Screw, roundhead, 4 B.A.	1	Brass	C.	5
	5245 Std.1606/44/A10	Screw, roundhead, 6 B.A.	3	Brass	C.	6
	9451 Std.1606/44/A24	Screw, roundhead, 6 B.A.	2	Brass	C.	5
	3837 Std.1606/44/B10	Screw, roundhead, 4 B.A.	4	Brass	C.	5
	1178 Std.1606/44/B12	Screw, roundhead, 4 B.A.	1	Brass	C.	5
	1720 Std.1606/44/B24	Screw, roundhead, 4 B.A.	2	Brass	C.	5
	5829 Std.1606/44/A14	Screw, roundhead, 6 B.A.	2	Brass	C.	5
	Std.1606/44/B6	Screw, roundhead, 4 B.A.	8	Brass		5
	Std.1606/44/A36	Screw, roundhead, 6 B.A.	4	Brass		5
	5830 Std.1606/45/A14	Screw, countersunk, 6 B.A.	2	Brass	C.	5
	8697 Std.1606/45/A20	Screw, countersunk, 6 B.A.	2	Brass	C.	5
23	1638 Std.1606/45/B6	Screw, countersunk, 4 B.A.	1	Brass	C.	5
	Std.1606/45/A10	Screw, countersunk, 4 B.A.	1	Brass		5
	5CW/1047693 C.W.C. Ltd	Switch, S.P., change over, No. "off" position	3	—	C.	
	XD.778					
23	5930-99-9330972 —	Switch, S.P. change over	1	—	B.	
	5CW/1047698 C.W.C. Ltd.	Switch, D:P.	1	—	C.	
	XD.787					
23	5CW/10477699 C.W.C. Ltd.	Switch, D:P.	1	—	C.	
	XD.788					
	5K/4346693 RC.2120	Tag, Q.R.	3	—	C.	
	5CW/1056625 Rotax	Transfer, "TEST"	1	—	C.	
	N.100397/7					
23	5CW/4405585 Rotax	Transfer, "NORMAL"	1	—	C.	
	N.100397/37					
	5CW/4405550 Rotax	Transfer, "OPEN"	1	—	C.	
	N100397/5					
	5CW/4405551 Rotax	Transfer, "SHUT"	1	—	C.	
	N100397/6					
	5F/ —	Tube, 1-1/2 m/m—2-112 m/m i/d	QR	P.V.C.	C.	
26VA/6041112	Std.1509/12/025	Tube, distance, for relay boxes	1	T.4	C.	4
	3792 Std.1509/23/025	Tube, distance, for relay boxes	4	T.4	MR/C	4
26VA/6041179	Std.1507/23/020	Tube, distance, for oxygen pipe clipping, 1" o/d x 22 S.W.G. x 0.64" long	1	T.26	C.	4
	3808 Std.1507/23/040	Tube, distance, for oxygen pipe clipping, 5/16" o/d x 17 S.W.G. x 0.4" long	1	T.26	MR/C	4
	— E.235665/1	Tube, 7/8" i/d x 1-1/4" o/d x 2-1/8" long	2	DTD.625A Type 1	—	
	(Make from 32C/445) (Mod. 1338)					
	B.293889	Unit, delay and terminal block, group (Mod. 1338)	1	—		
5X/1997586	703/1/00190	Block, terminal, 5-way	1	—	C.	
	A.293887	Plate, mounting, for delay unit	1	L.72		
	B.293888	Unit, delay, group	1	—		
	A.292825	Bracket	2	—		
	5E/9516201 —	Cable, type B, 19/0.0076, black	QR	EL.1930	C.	
	5E/9100168 —	Cable, type 2, 7/0.0076, black	QR	DEF.12A	C.	
	10C/ Thorn	Capacitor	1	—	C.	
	S.68.15C3J1					
	10F/ Elliott RL.9006	Clip, retaining	2	—	C.	
10CV/0374391	Ferranti ZS.78	Diode, DV.9117	5	—	C.	
	10CV/ International	Diode	1	—	C.	
	Rectifiers					
	IR10D1					
10CV/0372346	Texas 187130A	Diode, Zenor, CV.7146	1	—	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Of	Material Specification	M.R. Class of Score	Place No.
		1	2	3	4	5				
	6A/4333796	Smiths			Amplifier	2	—	A.		
		Waymouth								
		FAB/18								
24	5CZ/5264	Ultra A.234			Amplifier, magnetic	1	—	A.		
	5CZ/4335686	Smiths EC4/4			Amplifier, magnetic	1	—	A.		
		A.213623			Angle, mounting, top, for circuit breaker	1	L.72			
		A.213624			Angle, mounting, bottom, for circuit breaker	1	L.72			
24		C.331985			Battery, with revised venting, introduced	—	—	—		
					(Mod. 1436)					
24		F.331968			Angle (Make from 30B/9611218)	1	L.72	LM		
					(Mod. 1321)					
24		F.331987			Angle (Make from 30B/9611213)	1	L.72	LM		
					(Mod. 1321)					
24	5J/6546954	Varley			Battery (Pre Mod. 1321)	2		B.		
		24.19/25C/V2								
24	5J/6485307	Varley			Outlet, vent (Pre Mod. 1321)	2		C.		
		V2092 L187/2								
24	32C/4696775	—			Tubing (Mod. 1321)	3ft		C.		
		9744 F209908			Bolt, special	4	S.95.B	C.		
	6A/4333791	Smiths			Box, connector	1	—	C.		
		Waymouth JX12								
	6A/4333792	Smiths			Box, connector	1	—	C.		
		Waymouth JX14								
	5D/4340940	—			Box, junction	2	—	C.		
		B.228553			Box, relay, for gun firing, and engine controls	1	—			
					group (Mod. 719)					
		B.228554			Base, for relay box group	1	—			
		B.213540			Cover	1	—			
	10H/0560080	Plessey			Plug, panel mounting	1	—	C.		
		508/1/40063/320								
	5CW/9729122	—			Relay, type "S", No. 7	1	—	C.		
	5CW/4400178	Oliver Pell Ltd.			Relay	1	—	A.		
		RH2/1								
	8482	A.216114			Bdx, for stand-by batteries (complete with cable	1	—	B.		
					PC.13)					
		C.216112			Box, group	1	—			
	8483	F.216126			Clip, spring	2	Spr. Stl.	C.		
		F.216127			Packing	1	—			
		C.225203			BREAKER, CIRCUIT, MAIN FEED, ASSEMBLY	—	—			
		A.225186			Angle, mounting, bottom	1	L.72			
		A.225187			Angle, mounting, top	1	L.72			
		B.225184			Bracket, mounting	1	L.72			
		B.225185			Bracket, mounting	1	L.72			
	5CY/4376060	—			Break, circuit, 45 amp	6	—	C.		
	2590-99-8813547	—			Cover	6	—	C.		
		1639 Std.1606/44/A6			Screw, round head, 6 B.A.	12	Brass	C.	5	
		Std.1509/23/075			Tube, distance	4	T.4		4	
	5CY/9550803	—			Breaker, circuit, 10 amp	1	—	C.		
	5CY/4376060	—			Breaker, circuit, 45 amp	1	—	C.		
	5CY/4376062	—			Breaker, circuit, 125 amp., Type B.4	1	—	B.		
	5CY/4376383	—			Breaker, circuit (Mod. 1141)	1	—	C.		
	5X/9512504	A.2724			Bus-bar	1	—	C.		

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
—	—						—	—	—	
11294	Std.2076/36/22 Std.2045/25/24						1	—	C.	6
11227	Std.2045/21/24						1	S.510 or S.511	C.	6
11305	Std.2046/25/24						1	S.510 or S.511	C.	6
—	Std.2046/19/26						3	S.510 or S.511		6
20239	Std.2046/31/22						1	S.510 or S.511	C.	6
	Std.2045/23/24						1	S.510 or S.511		6
26VA/6042332	Std.2045/44/20						1	S.510 or S.511	C.	6
11405	Std.2046/59/20						2	S.510 or S.511	C.	6
11793	Std.2046/38/22						1	S.510 or S.511	C.	6
11303	Std.2046/17/26						2	S.510 or S.511	C.	6
11795	Std.2046/22/24						1	S.510 or S.511	C.	6
4099	Std.840/18						1	DTD.610	C.	4
3747	Std.841/28						1	DTD.160	MR/C	4
6A/4333340	Smiths Waymouth CA.10						1	—	B.	
6680-99-4333101	Smiths Waymouth CA.14						1	—	B	
4143	F.170058						1	DTD.213	C.	
5J/4335379	—						2	—	C.	
2590-99-8813547	—						3	—	C.	
	D.259611/1						1	—		
	D.316832/1						1	—		
	D.305996/1						1	—		
5K/4329498	—						3	—	C.	
5L/9952254	—						1	—	C.	
5K/4329335	—						3	—	C.	
5X/4500037	AS.2722						2	—	C.	
5CX/4330002	—						1	—	C.	
	F.213042						1	L.72		
	D.212163						—	—		
5X/4491463	Plessey 703/2/00471/100						1	—	C.	
5X/4491482	Plessey 703/1/00420						2	—	C.	
5X/1004088	Plessey 703/2/00244						1	—	C.	
	F.196207						2	5SS.250B		
	B.222427						1	L.72		
	A.198117						2	DTD.610		
5CY/9550803	—						2	—	C.	
5CY/4376491	D18						2	—	A.	
4178	Rotax N 65291						4	—	C.	
—	—						—	—	—	
—	D.222679						1	—	—	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
23	2590-99-8813547	—					2	—	C.	
	3735	Std.840/16					1	DTD.610	MR/C	4
	3971	Std.840/19					3	DTD.610	MR/C	4
	4768	Std.841/14					1	DTD.610	MR/C	4
	3741	Std.840/20					1	DTD.610	C.	4
	3743	Std.840/25					1	DTD.610	MR/C	4
	4764	Std.840/21					1	DTD.610	MR/C	4
	3740	Std.840/33					1	DTD.610	MR/C	4
	4769	Std.843/10					1	S.510	MR/C	4
	5CY/4376508	—					2	—	A.	
23	10H/4709560	—					7	—	C.	
23	10H/4709561	—					1	—	C.	
	5X/9131181	Plessey Z.1841					2	—	C.	
23	5CZ/4340340	Dowty C.5165.Y Mk.1					2	—	C.	
	5X/1012122	Plessey 703/2/00259 A.190681					1	—	C.	
23							1	BSS.1433 or BS.2870- C101		
	4181	A.190682					1	BSS.1433	C.	
	4182	A.190683					1	BSS.1433	C.	
	4183	A.190684					1	BSS.1433	C.	
23	4184	F.190685					1	BSS.1433 or BS.2870- C101	C.	
	4185	B.190680 D.217635					1	BSS.1433	C.	
	28FP/9425773	Dzus AJW.5/35 F.212049					1	—		
							4	—	C.	
							2	L.65.C		
		F.216829					1	L.72		
	5UC/4379166	—					2	—	A.	
	5UC/4379135	—					2	—	C.	
	5Q/4347802	—					2	—	C.	
	5CY/4376392	—					4	—	C.	
23	5CW/1047697	C.W.C. Ltd. XD.789					2	—	C.	
23	5CW/6719	—					4	—	C.	
	5CW/9729123	—					—	—	C.	
23	5CW/4405753	Smiths RD.1					4	—	C.	
	5CW/6185	—					1	—	A.	
23	5CW/1047695	C.W.C. Ltd. XD.782					2	—	C.	
23	5CW/4405585	Rotax N.100397/37					2	—	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.	
							1
	Std.1509/12/174	Tube, distance, at bolts securing relays	1	T.4		4	
26VA/6041211	Std.1509/23/026	Tube, distance	1	T.4	C.	4	
5781	Std.915/E.20	Washer, at differential cut-out	4	DTD.610	C.	4	
	Std.1546/36/16	Washer, profile	1	—		4	
	C.230203	PANEL, GUN FIRING ASSEMBLY (Mod. 745)	—	—			
5X/4491463	Plessey	Bar, commoning	1	—	C.		
	703/2/00465						
5X/4491411	Plessey	Block, fuse	1	—	B.		
	703/1/00416						
5X/1004088	Plessey	Block, terminal, 10-way	2	—	B.		
	703/2/00244						
24	5E/9467424	Cable, uninyvin 20	QR	—	C.		
24	5E/9012998	Cable, uninyvin 16	QR	—	C.		
	10H/9462765	Cover, 10-way	2	—	B.		
	703/1/00265						
	Std.2045/22/22	Clip, securing cables	2	S.510 or S.511		6	
10H/4709560	—	Fuse, 5 amp.	2	—	C.		
	C.224661	Panel, detail	1	—			
5X/9450403	Plessey	Pillar, fixing	4	—	C.		
	703/2/00267						
	B.230202	Relay, C.1 and F.1, group (Mod. 745)	1	—			
5X/1002694	Plessey	Block, terminal, 5-way	1	—	B.		
	703/1/00238						
	A.224694	Bracket, relay mounting	1	L.72			
5E/9467424	—	Cable, unipren, 6 amp.	10'	—	C.		
	Std.2045/14/22	Clip, sleeved	1	S.510 or S.511		6	
	9496	Std.2045/20/22	Clip, sleeved	1	S.510 or S.511	C.	6
5X/9149641	Plessey	Cover, 5-way	1	—	B.		
	703/1/00264						
5X/4491423	Plessey	Link, commoning	1	—	C.		
	703/2/00253						
5X/9450403	Plessey	Pillar, fixing	2	—	C.		
	703/2/00267/1						
5945-99-9729123	—	Relay, Type, "S", No. 9	2	—	C.		
1178	Std.1606/44/B12	Screw, securing clip	1	Brass	C.	5	
5K/4346293	RC.2120	Sleeve, helsyn, 100, J.P. x 3/4"	11	—	C.		
5K/4346693	—	Tag, 4 amp.	10	—	C.		
5F/	—	Tube, 1-1/2—2-1/2 m/m i/d	QR	P.V.C.	C.		
5F/	—	Tubing, 2-1/2—5 m/m i/d. vidaflex (yellow)	QR	RCS.313	C.		
3838	Std.1606/44/B8	Screw, roundhead, 4 B.A.	2	Brass	C.	5	
1178	Std.1606/44/B12	Screw, roundhead, 4 B.A.	4	Brass	C.	5	
4179	Std.1606/44/B20	Screw, roundhead, 4 B.A.	6	Brass	C.	5	
5CW/4405753	Smiths RD.1	Switch, magnetic, Type 9B, No. 1A	2	—	C.		
5F/	—	Tube, 1-1/2—2-1/2 m/m i/d.	QR	P.V.C.	C.		
	E.223427	PANEL, SUPPLY, ASSEMBLY	—	—			
5X/4491482	Plessey	Block, fuse	12	—	B.		
	703/1/00420						
5X/1002695	Plessey	Block, terminal, 20-way	8	—	B.		
	703/1/00249						
	—	Cables, electrical (See Cable Chart)	—	—			
	A.223553	Clamp, retaining cables	1	L.72			
	Std.2046/49/20	Clip, sleeved	2	S.510 or S.511		6	
	11405	Std.2046/59/20	Clip, sleeved	2	S.510 or S.511	C.	
	Std.2046/67/20	Clip, sleeved	1	S.510 or S.511		6	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	5F/9454141	NY.18007A					QR	—	C.	
	5F/9138822	NY.3342					QR	—	C.	
	10815	A.230397					1	LRS.36 or BS.2966	C.	
		F.224693					4	L.54.C		
		F.224202					1	L.72		
	5CY/1054157	—					1	—	C.	
	5CZ/4335589	Electronic Components					1	—	C.	
		22508-685-°C								
	3838	Std.1606/44/B8					4	Brass	C.	5
	4660	Std.1606/45/B14					3	Brass	C.	5
	5CY/4376392	—					1	—	C.	
	5F/9454141	NY.18007A					QR	—	C.	
	5F/9138822	NY.3342					AR	—	C.	
	5X/4500038	—					3	—	C.	
23	27N/4526464	—					3	—	A.	
23	5CW/1047699	—					1	—	B.	
23	5CW/4405585	—					1	—	C.	
	5CW/1056625	—					1	—	C.	
	5F/	—					QR	P.V.C.	C.	
	26VA/6034610	Std.1509/23/060					2	L.62	C.	4
		Std.1509/24/052					1	L.62	C.	4
	5UB/4342901	—					1	—	A.	
	3953	Std.915/E/22					4	DTD.610	C.	4
		C.222221					—	—		
		C.322983					1	—		
		B.238563					1	—		
	10966	B.238564					1	—	B.	
		A.238566					1	—		
		F.238573					1	S.518 T.4		
		F.238574					1	S.518 T.4		
		F.240559					1	L.72		
	10495	F.238579					1	—	C.	
	1642	F.190212					1	Spr. Stl.	C.	
	10496	F.238576					1	Spr. Stl.	C.	
	10562	F.240558					1	Spr. Stl.	C.	
		Std.1509/12/046					1	T.4		4
		C.217606					—	—		
		A.241191					1	—		
		A.261150					1	—		
	3741	Std.840/20					1	DTD.610	C.	4
		Std.2046/18/24					1	S.510 or S.511	C.	6
							1	—		
	5L/9951273	—					1	—	C.	
	5CW/4222	—					1	L.72	C.	
23	6A/4333339	Smiths 501/FL					1	—	A.	
	5CX/1085815	—					1	—	C.	
		B.233279					1	—		
		AW.49161					1	—		
		AW.49164					1	—		
		A.233268					1	S.510		
	5700	AW.49162					1	—	MR/C	
	5701	AW.49163					1	—	MR/C	
		AS.2806					1	—		
		AW.88052/7					1	—		
		AW.88052/8					1	—		
	1940	Std.1231/1					1	—	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Place No.
	F.241192	Plate, mounting, connector (Mod. 921)	1	L.72		
3838	Std.1606/44/B8	Screw, roundhead, 4 B.A. (AS.860/11)	6	Brass	C.	5
1637	Std.1606/44/B14	Screw, roundhead, 4 B.A.	1	Brass	C.	5
3839	Std.1606/44/B16	Screw, roundhead, 4 B.A.	2	Brass	C.	5
3856	Std.1606/44/C20	Screw, roundhead, 2 B.A. (AS.860/93)	3	Brass	C.	5
3857	Std.1606/44/C24	Screw, roundhead, 2 B.A. (AS.860/93)	1	Brass	C.	5
5K/9107067	Hellermann P.3 Grey	Sleeve, P.V.D.C., .90" long (Pre Mod. 1404)	1	1738	C.	
5CW/1047690	—	Switch, S.P. "on-off"	1	—	C.	
5CW/4400035	Western Manufg. LS.1611	Switch, trim Mk. B/2	1	—	A.	
	C.235435	EQUIPMENT, ON STARBOARD FORWARD SHELF, ASSEMBLY (Mod. 779)	—	—		
	F.213003	Angle, support, for switch	1	L.72		
	F.213004	Angle, support, for switch	1	L.72		
	A.213138	Bracket, mounting, for trim switch lever	1	—		
5CY/4376060	B.T.H. or Thorn	Breaker, circuit, Type "S" No. 56	1	—	C.	
—	C.235433	Cable, F.99 (See Cable Chart) (Mod. 779)	1	—	—	
—	B.217570	Cable, F.93 (See Cable Chart)	1	—	—	
	F.213142	Cam, at mounting bracket	1	—		
23	5CW/4405619	Cap, sea grey	2	—	C.	
	8698	A.213360	Cover, for circuit breaker, group	1	C.	
		F.213303	Bracket	1	L.72	
		A.213302	Cover	1	—	
		F.213304	Spring	1	Ph. Bronze Wire	
	11845	B.223749	Housing, for armament safety switch	1	—	C.
6A/4333339	Smiths 501/FL	A.213139	Indicator, position	1	—	A.
		A.213139	Lever, actuating trim switch	1	—	
	3815	Std.1547/20/14	Packing	6	DTD.610	MR/C
	5700	Armstrong	Plunger	1	S.1	MR/C
		Whitworth AW.49162				
		F.213140	Rod, actuating, adjustable, group	1	—	
	8699	F.213195	Screw, adjusting	1	S.1	C.
	3839	Std.1606/44/B16	Screw, roundhead, 4 B.A.	2	Brass	C.
	3856	Std.1606/44/C20	Screw, roundhead, 4 B.A.	2	Brass	C.
	3857	Std.1606/44/C24	Screw, roundhead, 4 B.A.	2	Brass	C.
	1178	Std.1606/44/B12	Screw, roundhead, 4 B.A.	4	Brass	C.
	4661	Std.1606/45/B12	Screw, countersunk, 4 B.A. (Mod. 779)	4	Brass	C.
		C.235434	Shelf, starboard, forward portion, group	1	—	
			(Mod. 779)			
23	28G/4658548	Carr 882	Stud (Lift the Dot)	1	—	C.
		5701	Spring	1	Steel	MR/C
		Whitworth AW.49163				
23	5CW/4400328	Dowty	Switch, armament safety	1	—	A.
		C.1831.Y				
		Mk. 102C				
5CW/4400035	Western Manufg. L.S.1611	Switch, trim, Mk. B/2	1	—	A.	
5CW/1047693	—	Switch, S.P.C.O. "No. Centre Off" (Mod. 1041)	2	—	C.	
	C.235435/1	Washer, at lever attachment (Mod. 779)	1	S.3		
5CZ/1044107	—	Flasher, unit, type A, 24 volt (Mod. 741)	1	—	A.	
		C.227917	Guard, cable, centre console	1	L.72	
		B.227595	Guard, cable, forward	1	L.72	
	11354	B.227596	Guard, cable, centre	1	L.72	C.
	12192	B.227597	Guard, cable, aft	1	L.72	C.
	12641	F.222049	Guard, locking for switch	1	—	C.
5CZ/4335566	Dowty	Indicator, magnetic	1	—	C.	
		C.5165.Y Mk. 1				

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	C.222598	INVERTERS, INSTALLATION, ASSEMBLY	—	—		
5UB/4938	—	Inverter, Type 100A	4	—	A.	
12468	B.1222533	Mounting, Inverter, group	4	—	B.	
	F.222535	Bush, special	4	S.1		
	F.222536	Bush, special	4	S.1		
663	F.183670	Collar	2	S.1	C.	
	F.222544	Handle, catch	2	S.95B or S.96B		
	B.222405	Mounting	1	L.53		
	F.222534	Pin, catch	2	S.95B		
	F.222538	Pin	1	S.96B		
	F.222537	Spring	2	20G Spr. Stl.		
5UC/6110-99-6369631	—	Panel, control, Type 12	4	—	A.	
	F.232410/1	Label, TB.100 (Pre Mod. 1377)	1	—		
	F.317999/1	Label, TB.100 (Mod. 1377)	1	—		
5X/1004082	Plessey	Link, commoning, 2-way	10	—	C.	
	703/2/00251					
24	C.332781/1	Link assy., wire, for T.B.7 (Mod. 1442) Retro	1	—		
24	5E/1933440	Cable, minyvin 20 (Alt. to 5E/2236873 & 5E/0149438)	6"	—		
24	5E/2236873	Wire, equip., P.T.F.E. type 'B' 19/.0076	6"	—		
24	5E/0149438	(Alt. to 5E/1933440 & 5E/0149438)	6"	—		
24		Wire, equip., P.T.F.E. Type 'B' 19/0.020mm	6"	—		
24		(Alt. to 5E/1933440 & 5E/2236873)	6"	—		
24	Hellermann	Sleeve, helsyn, yellow (Make from 5F/9133790)	2	—	LM	
	150HT15 x 3/4					
24	Std.2133/11	Sleeve, marker (Make from 5F/5133790)	1	—	LM	
24	Std.2133/21	Sleeve, marker (Make from 5F/5133790)	2	—	LM	
24	5X/9718093	Tag, ring	2	—		
	HC296B					
8543	F.218495	Mounting	12	Rubber	C.	
6733	A.207436	Nut	1	L.65	C.	
	C.218570	Panel, A.C. supplies circuit breaker, group	1	—		
5CY/4376383	—	Breaker, circuit, Type "A", No. 3, 15 amp	4	—	C.	
	B.218569	Cable, F.34, group (See Cable Chart)	1	—		
	A.209700	Ferrule, code 54	1	—		
5CW/4405620	Hellermann	Cap, helvin (Sea grey)	1	—	C.	
	HV.3710					
2590-99-8813547	—	Cover, safety	4	—	C.	
1639	Std.1606/44/A6	Screw, roundhead, 6 B.A.	8	Brass	C.	5
	Std.1606/44/B6	Screw, roundhead, 4 B.A.	4	Brass		5
1943	Std.1606/45/B16	Screw, countersunk, 4 B.A.	3	Brass	C.	5
5CY/4376392	—	Socket, 3 pole, 2 amp	1	—	C.	
5CW/1047698	C.W.C. Ltd.	Switch, D.P. "centre off" spring return both ways	1	—	C.	
	XD.787					
5CW/1056625	Rotax	Transfer, "TEST"	2	—	C.	
	N.100397/7					
5CW/4405581	Rotax	Transfer, "PORT"	1	—	C.	
	N.100397/33					
5CW/4405582	Rotax	Transfer, "STARBOARD"	1	—	C.	
	N.100397/34					
	C.218033	Panel, cabin pressurisation control, group	1	—		
6076	F.207954	Bar, ganging	1	Fibre	C.	
	A.212462	Panel, control	1	L.72		

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	Std.1606/44/B6						8	Brass		5
1178	Std.1606/44/B12						4	Brass	C.	5
3839	Std.1606/44/B16						2	Brass	C.	5
5CZ/4335603	Teddington Controls FHK/A/26						1	—	A.	
24	5CW/4400318	Dowty C.1223Y Mk. 12N					1	—	A.	
24	5CW/	Dowty C.1223Y Mk. 12NP					1	—	A.	
	5CW/1047693	C.W.C. Ltd. XD.778					4	—	C.	
	5CW/1055544	Rotax N.100397/1					3	—	C.	
	5CW/1055545	Rotax N.100397/2					3	—	C.	
	5CW/4405552	Rotax N.100397/8					1	—	C.	
	5CW/1056624	Rotax N.100397/9					1	—	C.	
		A.220711					1	L.72		
		D.217197					1	—		
	5X/1004088	Plessey 703/2/00244					1	—	C.	
		—					—	—	—	
	8700	A.212014					1	—	C.	
	28FP/9144248	Dzus A.425 Std.1512/1					6	—	C.	
		—					2	—	C.	4
	5L/9951273	—					2	—	C.	
	5L/9959118	—					1	—	C.	
	5CW/4405594	Rotax N.65290					1	—	C.	
	5CX/1553	Rotax H.1104 (Red)					2	—	C.	
		F.213272					4	S.3	—	
		A.188310					1	—		
	1649	F.188308					1	T.26 or T.45	C.	
		F.188311					1	S.3	C.	
	5CX/1143223	Thorn 80/10/1483 (Issue 1)					1	—	C.	
	5X/4491423	Plessey 703/2/00253					1	—	C.	
	5X/9400389	Plessey 703/2/00363					2	—	C.	
	4490	F.199451					1	L.65.C	C.	
	8682	F.220647					2	Brass	C.	
		A.217235					1	L.72		
		B.212009					1	L.72		
		F.233330					2	—		
	12410	A.215168					1	L.72	C.	
	7813	F.206916					2	L.72	MR/C	
	7815	F.206918					2	L.72	MR/C	
	6A/4333074	Smiths 1 A.C.R.					1	—	A.	
	4617	Std.1606/44/C14					4	Brass	C.	5
	3838	Std.1606/44/B8					12	Brass	C.	5
	3837	Std.1606/44/B10					4	Brass	C.	5
	1720	Std.1606/44/B24					2	Brass	C.	5
	3840	Std.1606/44/B28					2	Brass	C.	5
	4491	F.199449					—	S.95.B	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5CW/4402868	Teddington FJB/A/5 or FJB/A/3					Switch, cartridge selector	1	—	A.	
5CW/1047697	C.W.C. Ltd. XD.789					Switch, D.P. change over	1	—	C.	
5CW/1047693	C.W.C. Ltd. XD.778					Switch, S.P. change over	3	—	C.	
5CW/1047690	C.W.C. Ltd. XD.779					Switch, S.P. "on-off" "upright-off"	1	—	C.	
5CW/1055544	Rotax N.100397/1					Transfer, "ON"	5	—	C.	
5CW/1055545	Rotax N.100397/2					Transfer, "OFF"	5	—	C.	
	5F/					Tube, 1-1/2 m/m—2-1/2 m/m black	QR	P.V.C.	C.	
	Std.1507/12/006					Tube, distance	8	T.4		4
	Std.1509/12/100					Tube, distance	2	T.4		4
5CZ/4335544	Teddington F.K.X./A1 B.230995					Unit, resistance, 10 ohms	1	—	A.	
						PANEL, PORT, MISCELLANEOUS SWITCH, ASSEMBLY	—	—		
5CW/4405620	Hellermann HV.3710 A.320965 Std.1606/44/B.6					Cap, helvin, sea grey	2	—	C.	
						Panel, mounting	1	L.72		
						Screw, roundhead, 4 B.A.	8	Brass	—	5
5CW/1047700	C.W.C. Ltd. XD.786					Switch, D.P. "ON-OFF"	1	—	C.	
5CW/1047699	C.W.C. Ltd. XD.788					Switch, D.P. one side "ON"	1	—	C.	
5CW/1056625	Rotax N.100397/7					Transfer, "TEST"	1	—	C.	
5CW/4405550	Rotax N.100397/5					Transfer, "OPEN"	1	—	C.	
5CW/4405585	Rotax N.100397/37					Transfer, "NORMAL"	1	—	C.	
	8544	F.217580				Pillar	6	S.95.B	C.	
5X/9450403	Plessey 703/2/00267					Pillar, fixing	8	—	C.	
		B.221852				Plate, cover, for T.B.79 and T.B.80	1	L.72		
		B.223174				Plate, cover, for T.B.4 and T.B.7	1	L.72		
	11770	B.232569				Plate, mounting (Mod. 779)	1	L.72	C.	
		B.227578				Plate, mounting, cabin temperature amplifier	1	L.72		
		Rotax F.1303				Relay, hood motor (Pre Mod. 838)	1	—		
	5945-99- 4379475	Rotax F.1306				Relay, hood motor (Mod. 838)	1	—	A.	
	3838	Std.1606/44/B8				Screw, roundhead, 4 B.A.	2	Brass	C.	5
	1720	Std.1606/44/B24				Screw, roundhead, 4 B.A.	3	Brass	C.	5
	9450	Std.1606/45/A18				Screw, countersunk, 6 B.A.	2	Brass	C.	5
5K/9107067	Hellermann P.3 Grey B.323870 B.316476					Sleeve, 0.9" long	1	P.V.C.	C.	
						Socket, test, assy. (Mod. 1377)	1	—		
						Cable, assy., F.228 (See Cable Chart)	1	—		
5X/4683253	Hellermann 0003-033-000					Cap, protective	2	—	C.	
5F/9454141	NY.18007A					Strapping, 1/2" wide	QR	—	C.	
	8546	Std.2008/C/362				Strip, locking	3	S.84	C.	6
	8547	Std.2008/B/423				Strip, locking	3	S.94	C.	6
5F/9138822	NY.3342					Stud	QR	—	C.	
5CY/4376043	—					Suppressor, Type "P", No. 1	1	—	C.	
5CW/13757	Honeywell 2TL-1-3G					Switch (Mod. 1380)	1	—	B.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
5CW/4400051	Kelvin & Hughes KSD/02/01	Switch, altitude	1	—	A.	
5CW/1047693	C.W.C. Ltd. XD.778	Switch, single pole	2	—	C.	
5CW/1047698	C.W.C. Ltd. .XD.787	Switch, change over, centre "OFF"	1	—	C.	
	C.228720	SWITCHES, MICRO, FOR HOOD LOCKING GEAR, ASSEMBLY	—	—		
8702	DTD.487/9B	Bolt	2	DTD.487	C.	
	A.232039	Channel, mounting (Mod. 813)	2	L.72		
9919	Std.1459/C	Cup (Mod. 813)	3	—	C.	
8705	F.213284	Plate, serrated (Mod. 813)	1	L.72	C.	
5CW/9438275	Burgess Mk. 4 BR	Switch, micro, Type 1A	1	—	B.	
5CW/9994686	Burgess Mk. 5 BR	Switch, micro, Type 4A (Mod. 813)	3	—	C.	
9920	F.228644	Tappet, adjusting (Mod. 813)	3	—	C.	
5CW/4402866	Teddington Controls FHM/A25	Switch, time delay	1	—	A.	
5CW/4402899	Teddington Controls FHO/A96	Thermostat	1	—	A.	
5CW/1055544	Rotax N.100397/1	Transfer, "ON"	1	—	C.	
5CW/1055545	Rotax N.100397/2	Transfer, "OFF"	1	—	C.	
5CW/4405550	Rotax N.100397/5	Transfer, "OPEN"	1	—	C.	
5CW/4437	—	Transfer, "CLOSE"	1	—	C.	
5F/	—	Tube, 5/16" i/d	QR	P.V.C.	C.	
5F/	—	Tube, 1-1/2" i/d	QR	P.V.C.	C.	
3802	Std.1507/23/085.	Tube, distance	2	T.4	C.	4
	Std.1509/23/084	Tube, distance	6	T.4	—	4
	Std.1509/13/075	Tube, distance	1	T.4	—	4
4042	Std.1509/23/030	Tube, distance	1	T.4	MR/C	4
26VA/6039015	Std.1509/23/058	Tube, distance, 5/16" o/d x 17 S.W.G. x 0.58" long	2	L.62	C.	4
6A/6130	—	Unit, control, Type "B" (Mod. 779)	1	—	A.	
	C.258773	UNIT CONTROL, MOUNTING, ASSEMBLY	—	—		
	(Mod. 1024)					
	A.249462	Bracket	1	L.72		
—	B.249461	Cable, FF.153, group (See Cable Chart)	1	—	—	
26VA/6044071	Std.2046/50/20	Clip	1	S.510 or S.511	C.	6
26VA/6043471	Std.2045/20/24	Clip	1	S.510 or S.511	C.	6
	Std.2045/50/20	Clip	1	S.510 or S.511		6
5F/9454141	NY.18007A	Strapping	QR	—	C.	
5F/9138822	NY.3342	Stud	QR	—	C.	
5CZ/4340133	Graviner	Unit, control, Type 165.D (2)	1	—	A.	
	Std.1335/B/18	Washer	2	—		4
4162	Std.915/B/22	Washer	1	L.72	C.	4
	Std.915/B/16	Washer (Mod. 779)	1	DTD.610		4
7169	Std.915/C/18	Washer (Mod. 843)	2	DTD.610	MR/C	4
5407	Std.915/T/18	Washer	6	DTD.610	MR/C	4
1940	Std.1231/1	Washer, tab	1	S.3	C.	4
7060	F.207437	Washer	1	DTD.171	C.	4
4613	Std.1335/C/18	Washer	10	L.34	C.	4
	Std.1208/44/16/20	Washer, at F5 suppressor outlet (AS.830/38)	1	Com'l Shim Steel		4



This file was downloaded from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms, and more aircraft documents.

