

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.	
							1
23	D.218068	INSTRUMENT PANELS, ASSEMBLY	1	—			
	3866 Andre	Block, mounting (Pre Mod. 761)	3	—	C.		
	B134/AD/140						
	A.231150	Bracket, mounting for bomb and RP. panel (Mod. 1165)	1	L.72			
	A.221827	Bracket, mounting for bomb and RP. panel	1	L.72			
	A.317848	Cable, assy., F.170, for arrestor hook assy. (See Cable Chart) (Mod. 1364)	1	—			
	Std.2045/17/26	Clip, sleeved (Mod. 850)	1	—		6	
	11303 Std.2046/17/26	Clip, sleeved (Mod. 850)	1	—	C.	6	
	10L/9529152	Controller, D.M.E., type 8197	1	—	A.		
	9851 E.231422	Cover, windscreen reflector, group (Mod. 767)	1	—	B.	FC.1	
	F.231555	Hook	2	Comm. Spr. Stl.			
	23 29G/1034156	Carr Fasteners N.608	Socket, "lift the dot"	9	—	C.	
	23 29G/1034153	Carr Fasteners 708A	Washer, back	9	—	C.	
	5L/9951273	—	Filament, 3.5W (Mod. 850) (2 off Pre Mod. 1364) ...	1	—	C.	
	10651 F.232337	Finisher and mounting angle, group at D.M.E. controller	1	—	C.		
	10652 F.232338	Finisher and mounting angle, group at D.M.E. controller	1	—	C.		
	F.256438	Guard, switch (Mod. 1165)	1	—			
	9946 F.232600	Indicator, aileron neutral position (Mod. 782)	1	L.72	C.	FC 1	
	A.237842	Lamp, mounting, assembly (Mod. 850)	—	—			
	10475 A.237840	Cover	1	—	C.		
	10476 A.237841	Mounting, lamp, group	1	—	B.		
	A.237838	Block, terminal	1	—			
	F.237836	Bracket, lamp, mounting	1	—			
F.237835	Plate, base	1	L.72				
5CX/1085815	Rotax	Light, warning, for arrestor hook assy. (Mod. 1364)	1	—	C.		
H.2702							
8543 F.218495	Mounting, for port panel (Mod. 761)	6	—	C.	FC 1		
D.235428	MOUNTING, PANEL, ASSEMBLY (Mod. 779)	—	—				
8718 A.208746	Bracket, for anti-vibration mounting	3	—	C.	FC.1		
5373 A.203162	Bracket, for anti-vibration mounting	2	—	C.	FC.1		
8719 A.214988	Bracket, for anti-vibration mounting	1	—	C.	FC.1		
A.232304	Bracket, mounting, outboard, group (Mod. 779)	1	—				
10105 F.232305	Stud	1	DTD.487	C.	FC 1		
10104 F.235357	Stud	1	DTD.487	C.	FD.1		
A.235358	Bracket, mounting, inboard, group	1	—				
10104 F.235357	Stud	1	DTD.487	C.	FC.1		
23 27H/4605586	Mounting, anti-vibration	8	—	C.			
23 27H/4605580	Mounting, anti-vibration, non-magnetic	8	—	C.			
1506436 F.259024	Packing, piece (Mod. 1017)	1	L.72	C.			
3868 F.168524	Washer, at anti-vibration mounting	24	DTD.610	C.	FC 1		
F.240020	Packing, at tail chute lamp (Mod. 850)	1	LFS.21				
C.312870	Panel, control, for bomb and R.P., group (Mod. 1364)	1	—				
C.259010	Panel, control, for bomb and R.P., group (Mod. 1165) (Pre Mod. 1364)	1	—				
—	—	Cables (See Cable Chart)	—	—	—		
8706 F.214078	Cover, spring, inboard, group	1	—	C.	FC.1		
5K 9573173	—	Cover, spring	1	—	C.		
8707 F.214079	Cover, spring, outboard, group	1	—	C.	FC.1		
9573173	—	Cover, spring	1	—	C.		

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
8708	F.214077					Flap, switch, group	1	—	C.	FC.1
	F.214087					Channiel (Make from Std.1530/11)	1	DTD.364		
	F.214084					Flap	1	Casting		
	F.214086					Pin	1	S.1.B		
	F.214085					Spring	1	Spr. St.		
	F.311066					Guard, switch (Mod. 1364)	1	—		
	F.228684					Guard, switch	1	—		
	F.256438					Guard, switch (Honeywell)	1	—		
23	5CW/4401527					Guard, switch (Honeywell)	2	—	C.	
	B.259009					Plate, switch mounting (Mod. 1165)	1	L.72		
	1178	Std.1606/44/B12				Screw, retaining switch	4	Brass	C.	5
	5247	Std.1606/44/A16				Screw, retaining switch	8	Brass	C.	5
	1637	Std.1606/44/B14				Screw, retaining switch (Mod. 1364)	2	Brass	C.	5
	4661	Std.1606/45/B12				Screw, retaining switch	2	Brass	C.	5
	5830	Std.1606/45/A14				Screw, retaining switch	4	Brass	C.	5
	3859	Std.1606/45/B10				Screw, retaining switch	2	Brass	C.	5
23	5CW/4671815	Rotax D5435				Switch (Mod. 1364 and 1365)	1	—	A.	
23	5CW/4408140	2TL1-10A				Switch, D.P. (Mod. 1165)	1	—	B.	
23	5CW/4405115	Rotax D10007				Switch	1	—	B.	
	5CW/1102662	—				Switch, D.P., push	2	—	C.	
	5CW/936	—				Switch, 3-way, rotary, type B	1	—	C.	
23	5CW/6191356	2TL1-1A				Switch, D.P., change-over (Mod. 1165)	1	—	B.	
	5D/4341029	—				Switch, D.P., selector	1	—	A.	
	751	Std.915/A.20				Washer	4	DTD.610	C.	4
	D.215024					PANEL, FLYING ASSEMBLY (Pre Mod. 1377)	—	—		
	D.316480					PANEL, FLYING, ASSEMBLY (Mod. 1377)	—	—		
23	6A/4339897	—				Altimeter, Mk. 22F (Pre Mod. 1377)	1	—	A.	
	6A/6201976	—				Altimeter, servo controlled, Mk. 29B (Mod. 1377)	—	—	A.	
23	5CZ/4350489	—				Block, terminal (Mod. 1377)	1	—	C.	
	F.319697					Bracket (Mod. 1377)	2	—		
	F.319806					Bracket, for T.B. (Mod. 1377)	1	—		
	—	D.222342				Cable, F.12, assembly (See Cable Chart)	1	—	—	
	—	B.224703				Cable, F.60, group (See Cable Chart)	1	—	—	
		Std.2044/6/052				Ferrule	1	—		6
	6A/7022039	Smiths Std.1503				Clamp, at flap indicator	1	—	C.	
	3735	Std.840/16				Clip, securing cable, 7/16" wide x 22 S.W.G. x 1.6" long	2	DTD.610	MR/C	4
		Std.2045/28/22				Clip, securing cable F.12	1	—		6
	6A/1061012	—				Connector, static and pressure	2	—	C.	
	6A/4339155	—				Indicator, rate of climb, Mk. 3Q (Mod. 1233)	1	—	A.	
	6A/5546	—				Indicator, turn and slip, Mk.3	1	—	A.	
23	6A/4338386	64-33171				Indicator, artificial horizon, Mk.4	1	—	A.	
	or	—				Indicator, artificial horizon, Mk. 4E (AS.860/11)	1	—	A.	
23	6A/4333224	—				Indicator, air speed, Mk. 12A	1	—	A.	
	6A/4337748	Smiths 587.F.L.				Indicator, tail plane position	1	—	A.	
23	6A/5942	Smiths 7.H.S.D.				Indicator, flap position (Pre Mod. 769)	1	—	A.	
	6A/4338243	Smiths 19.H.S.D.				Indicator, flap position (Mod. 769)	1	—	A.	
23	5CZ/4340381	Dowty C.5165.Y Mk.2				Indicator, magnetic	2	—	C.	
	A.216487					Label	1	L.72		
	11111	F.223732				Label, "Turn and Slip"	1	L.72	C.	
	12416	F.237794				Label (Mod. 890)	1	L.72	C.	

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.245995						—	—		
	5CZ/1053795						1	—	C.	
	F.222196						1	L.72		
	5L/9959118						26	—	C.	
23	5CW/4405594	Rotax N.65290					21	—	C.	
23	5CX/1143222	Thorn 80/10/1236					1	—	C.	
	5CX/1083088	Thorn 80/10/1193					1	—	C.	
23	5CX/1143214	Thorn 80/10/1192					4	—	C.	
23	5CX/1143215	Thorn 80/10/1190					1	—	C.	
	5CX/4330351	Thorn 80/10/1191					1	—	C.	
23	5CX/1143218	Thorn 80/10/1189					1	—	C.	
23	5CX/1143219	Thorn 80/10/1194					1	—	C.	
23	5CX/1143869	Thorn 80/10/0855					4	—	C.	
	9446	Std.1606/44/A20					6	Brass	C.	5
	4179	Std.1606/44/B20					2	Brass	C.	5
	6356	Std.1606/44/B32					4	Brass	C.	5
	3840	Std.1606/44/B28					4	Brass	C.	5
	7970	Std.1606/44/B36					4	Brass	C.	5
	9447	Std.1606/44/C28					2	Brass	C.	5
	9448	Std.1606/44/C32					6	Brass	C.	5
	1506463	Std.1606/44/C36					2	Brass	C.	5
	5830	Std.1606/45/A 14					2	Brass	C.	5
	9450	Std.1606/45/A18					2	Brass	C.	5
	5CW/4405520	—					2	—	C.	
	5K/5866	Ross Courtney 00					2	—	C.	
	7100	Std.915/B/10					2	—	C.	4
	1940	Std.1231/1					2	—	C.	4
23	6A/4333270	—					1	—	A.	
	D.215024/1						1	—		
	F.188326						1	—		
	D.215025						1	L.72		FC.1
	D.316481						1	—		
	3601	A.191177/5					1	T.9	C.	
	11569	A.208536/9					1	L.54	C.	
		A.208536/22					1	—		
	11572	A.208536/12					1	L.54	C.	
		A.208536/23					1	—		
	8712	A.208536/3					1	L.54	C.	
	11570	A.208536/10					1	L.54	C.	
		A.208536/21					1	—		
	11571	A.208536/11					1	L.54	C.	
	11721	A.208536/13					1	L.54	C.	
23	27QA/1011352	Dowty					2	—	C.	
		SP.900-9								
	1178	Std.1606/44/B12					2	Brass	C.	5
	4179	Std.1606/44/B20					2	Brass	C.	5

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
1720	Std.1606/44/B24					Screw, countersunk, 4 B.A. (860/41P)	4	Brass	C.	5
6356	Std.1606/44/B32					Screw, securing altimeter, 4 B.A. (Mod. 1377)	8	—	C.	
3857	Std.1606/44/C24					Screw, round head, 2 B.A.	4	Brass	C.	5
3859	Std.1606/45/B10					Screw, countersunk, 4 B.A.	4	Brass	C.	5
4660	Std.1606/45/B14					Screw, countersunk, 4 B.A.	3	Brass	C.	5
3860	Std.1606/45/B20					Screw, countersunk, 4 B.A.	4	Brass	C.	5
8717	Std.1606/45/B28					Screw, countersunk, 4 B.A. (Mod. 811)	8	Brass	C.	5
3863	Std.1606/45/C24					Screw, countersunk, 2 B.A.	4	Brass	C.	5
4116	Std.1606/45/C28					Screw, countersunk, 2 B.A.	4	Brass	C.	5
3865	Std.1606/45/C32					Screw, countersunk, 2 B.A.	4	Brass	C.	5
8714	Std.1606/45/C44					Screw, countersunk, 2 B.A.	4	Brass	C.	5
9951	Std.2095/208/B20					Screw, countersunk unified thread) For use	4	—	C.	
9952	Std.2095/208/B24					Screw, countersunk unified thread) only when	8	—	C.	
9953	Std.2095/208/B28					Screw, countersunk unified thread) instruments	12	—	C.	
						(Mod. 811)) have unified				
9955	Std.2095/208/D24					Screw, countersunk unified thread) threads	4	—	C.	
9956	Std.2095/208/D28					Screw, countersunk unified thread)	4	—	C.	
9957	Std.2095/208/D32					Screw, countersunk unified thread)	4	—	C.	
						(Mod. 811)				
5F/9454141	NY.18007A					Strapping	QR	—	C.	
5F/9138822	NY.3342					Stud	QR	—	C.	
5CW/1047697	—					Switch, D.P., change over, no central position	1	—	C.	
5CW/1047693	—					Switch, S.P., C/O	1	—	C.	
6A/4676148	—					Tachometer, engine speed, Mk. 10A	1	—	A.	
5K/5866	Ross Courtney RC-00					Tag, ring (Mod. 1377)	2	—	C.	
6A/4333344	—					Thermometer, exhaust gas	1	—	A.	
5CW/1055544	—					Transfer, "on"	1	—	C.	
5CW/1055545	—					Transfer, "off"	1	—	C.	
—	Std.1509/23/065					Tube, distance, 5/16" o/d x 17 S.W.G. x .65" long	4	L.62	—	4
—	Std.1509/12/032					Tube, distance (Make from 30B/9611259)	2	—	—	4
6B/4343642	—					Unit, gyro, type "B"	1	—	A.	
4162	Std.915/B/22					Washer, 4 B.A.	12	DTD.610	C.	4
10654	F.239237					Washer, tapered (Make from S.P.15E) (Mod. 890)	2	L.65	C.	
	D.218055					PANEL, CENTRE, ASSEMBLY	—	—	—	
6A/4695406	—					Accelerometer, Mk. 2	1	—	A.	
6A/1037854	—					Altimeter, cabin, Mk.21	1	—	A.	
	A.221637					Bracket, mounting, for circuit breaker	1	L.72	—	
	A.221638					Bracket, mounting, for circuit breaker	1	L.72	C.	
6098060	—					Breaker, circuit, type "A" 25 amps.	2	—	C.	
5CY/9992777	—					Cable, F.40, assembly (See Cable Chart) (Mod. 702)	1	—	—	
—	D.229707					Cable, F.62, group (See Cable Chart) (Mod. 1024)	1	—	—	
—	D.257047					Cable, F.62, assembly (See Cable Chart)	1	—	—	
—	D.217901					(Pre Mod. 1024)				
—	C.311068					Cable, F.65, group (Mod. 1364) (See Cable Chart)	1	—	—	
—	B.256867					Cable, F.65, group (See Cable Chart)	1	—	—	
						(Mod. 1024, Pre Mod. 1364)				
—	B.254856					Cable, F.65, assembly (Pre Mod. 1024)	1	—	—	
—	A.261148					Cable, F.204, group (See Cable Chart) (Mod. 1188)	1	—	—	
—	B.227899					Cable, RR.5, group (See Cable Chart)	1	—	—	
5CW/4405619	Hellermann HV.3711					Cap, protective, sea grey	3	—	C.	

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
23	5CW/4405620	Hellermann HV.3710	4	—	C.	
23	2590-99-8813547	—	2	—	C.	
	11078	F.257143	1	Neoprene	C.	
23	5CX/4330149	Std.1512/29	1	—	C.	4
	5L/9951272	—	1	—	C.	
	5L/9951273	Rotax N.56091	3	—	C.	
		(4 off, Mod. 1365)				
23	6A/1983016	SA-22055-1234	1	—	B.	
23	6A/4333787	Smiths AG/38	1	—	A.	
23	6A/4333789	Smiths AG/39	1	—	A.	
23	10490	F.240266	1	L.72	C.	
23		F.208670	1	L.72	C.	
23	9671	F.226393	1	—	C.	FC.1
23	5CW/4401527	Honeywell 5PA8	1	—	C.	
	4121	F.200057	1	Rubber	C.	FC.1
23	5826-99-4049193	—	1	—	A.	
23	6605-99-4689944	—	1	—	A.	
	5CZ/4335566	Dowty C.5165.Y Mk. 1	2	—	C.	
	—	F.232534	2	—	—	
		Indicator group Consisting of:—				
23	5CX/4330542	Rotax H.4501	1	—	C.	
23	5CX/4694696	Rotax H.4602/5	1	—	C.	
	5L/9959215	Hivac Ltd.	1	—	C.	
23	5CZ/4340381	Dowty C.5165Y Mk. 2	2	—	C.	
		F.240355	1	S.98.B	C.	
23	5CX/1059365	Rotax H.2703	1	—	C.	
	5CX/1085815	Rotax H.2702	2	—	C.	
		(1 of Pre Mod. 1365)				
	5CX/1553	Rotax H.1104	1	—	C.	
	1940	Std.1231/1	1	—	C.	4
		D.222563	—	—	—	
		LIGHTING, PILLAR, ON CENTRE INSTRUMENT PANEL, ASSEMBLY				
	5CZ/1053795	—	1	—	C.	
		F.222196	1	L.72	C.	
23	5E/9467424	—	QR	—	C.	
	5L/9959118	—	18	—	C.	
23	5CW/4405594	Rotax N.65290	3	—	C.	
23	5CX/1143215	Thorn 80/10/1190	2	—	C.	
23	5CX/1143869	Thorn 80/10/0855	14	—	C.	
	9451	Std.1606/44/A24	6	Brass	C.	5
	3840	Std.1606/44/B28	4	Brass	C.	5
	9450	Std.1606/45/A18	4	Brass	C.	5
	5CW/4405520	—	2	—	C.	
	5F/	—	QR	P.V.C.	C.	
		C.216865	1	L.72	C.	FC.1
	1639	Std.1606/44/A6	4	Brass	C.	5
		F.232409	1	—	—	
	3837	Std.1606/44/B10	8	Brass	C.	5
	1637	Std.1606/44/B14	5	Brass	C.	5
	3839	Std.1606/44/B16	2	Brass	C.	5
	4661	Std.1606/45/B12	21	Brass	C.	5

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
1943	Std.1606/45/B16	Screw, countersunk, 4 B.A.	4	Brass	C.	5
3861	Std.1606/45/B24	Screw, countersunk, 4 B.A.	11	Brass	C.	5
8717	Std.1606/45/B28	Screw, countersunk, 4 B.A.	8	Brass	C.	5
12409	Std.1606/45/Z12	Screw, countersunk, 8 B.A.	2	Brass	C.	5
5CW/1047697	—	Switch, D.P., changeover, no centre off	1	—	C.	
5CW/4405115	Rotax D.10007	Switch, D.P., 3-way spring return one way	1	—	B.	
5CW/7047698	—	Switch, D.P., change over (centre "OFF" spring return both sides)	1	—	C.	
5CW/4408726	—	Switch, S.P. (centre "OFF")	1	—	A.	
5CW/2007871	Dowty C.5162Y Mk. 2	Switch (Mod. 1312)	1	—	C.	
5CW/4405748	—	Switch, fire warning, push	1	—	C.	
5CW/1047690	CWC XD.779	Switch, S.P., "ON—OFF" (upright OFF)	3	—	C.	
5CW/4407828	CWC. XD.777	Switch, S.P., change over (centre "OFF" spring return)	1	—	C.	
5CW/1047691	CWC. XD.780	Switch, S.P., change over	1	—	C.	
5CW/1047696	CWC. XD.784	Switch, D.P., change over	1	—	C.	
5CW/1047699	CWC. XD.788	Switch, D.P., change over (centre and one side "ON" spring return to centre)	1	—	C.	
5CW/4408080	Honeywell 2TL1-3D	Switch, D.P., tailplane (Mod. 1125)	—	—	B.	
5CW/1055544	—	Transfer, "ON"	5	—	C.	
5CW/1055545	—	Transfer, "OFF"	5	—	C.	
5CW/4405550	—	Transfer, "OPEN"	1	—	C.	
5CW/4405554	—	Transfer, "CLOSE"	1	—	C.	
5CW/4405587	—	Transfer, "ENG"	2	—	C.	
5CW/4405560	—	Transfer, "DIM"	1	—	C.	
5CW/4405561	—	Transfer, "BRIGHT"	1	—	C.	
5CW/4405562	—	Transfer, "IN"	1	—	C.	
5CW/4405563	—	Transfer, "OUT"	2	—	C.	
5CW/4405760	Rotax N.147415/1	Transfer, "JETTISON"	1	—	C.	
5CW/4405761	Rotax N.147415/2	Transfer, "STREAM"	1	—	C.	
5768	Std.1509/12/016	Tube, distance, 1/4" o/d, x 20 S.W.G. x 0.16" long	8	T.4	M/R/C	4
5CW/11817	—	Window, red	1	—	C.	
	D.258615	PANEL, STARBOARD, ASSEMBLY (AS.1150/38) (Pre Mod. 1377)	—	—	—	
	D.316482	PANEL, STARBOARD, ASSEMBLY (Mod. 1377)	—	—	—	
6A/4339365	—	Altimeter, Mk. 19F (AS.1150/30) (Pre Mod. 1377)	1	—	A.	
6A/6206302	—	Altimeter, Mk. 30B, servo encoding (Mod. 1377)	1	—	A.	
10106	F.234666	Block, packing at altimeter bridge light (Mod. 779)	1	LFS.21	C.	
5CZ/1053795	—	Block, terminal type "B" 3-way (Mod. 779)	1	—	C.	
	A.232441	Bracket, mounting, terminal block (Mod. 779)	1	—	—	
	C.235432	Cable, F.11 (See Cable Chart)	1	—	—	
11208	Std.2045/15/26	Clip	2	—	C.	6
6B/4343779	—	Compass, repeater Mk. 2	1	—	A.	
6A/1061012	—	Connector, static and pressure (Mod. 779)	2	—	C.	
5L/9959118	—	Filament, 28V .04A	16	—	C.	
5CW/4405594	Rotax N.65290	Grommet	9	—	C.	
6A/4333224	—	Indicator, air speed Mk. 12A	1	—	A.	
6A/4338293	—	Indicator, artificial horizon Mk. 6 (C) Miniature (Mod. 779)	1	—	A.	

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
23	5CZ/1031243	—	Indicator, magnetic	1	—	C.
23	5CZ/4340381	—	Indicator, magnetic	2	—	C.
	6A/4339155	—	Indicator, rate of climb Mk. 3Q	1	—	A.
	6A/5546	—	Indicator, turn and slip Mk. 3 (Mod. 779)	1	—	A.
	11111	F.223732	Label, turn and slip indicator (Mod. 779)	1	L.59	C.
23	5CX/1143214	Thorn 80/10/1192	Light, bridge, type "C" (6 off, Pre Mod. 1377)	5	—	C.
23	5CX/1143219	Thorn 80/10/1194	Light, bridge, type "H"	1	—	C.
23	5CX/1143867	Thorn 80/10/0678	Light, bridge, red (Mod. 1377, 1382)	2	—	C.
23	5CX/1143869	Thorn 80/10/0855	Light, pillar, red	2	—	C.
	1940	Std.1231/1	Lug, locking	1	—	C.
23	6A/4333270	—	Machmeter, Mk. 3A	1	—	A.
	C.316483		Panel, detail (Mod. 1377)	1	—	
	C.232440		Panel, instrument (Mod. 779) (Pre Mod. 1377)	1	L.72	FC.1
	A.232436/14		Pipe, pitot, connector to tee union on machmeter (Mod. 1377, 1382)	1	—	
	—	A.232436/1	Pipe, pressure, pitot connector to tee union on machmeter (Mod. 779) (Pre Mod. 1377) (Make from 30B/1637, Q.R.)	1	T.9	—
	—	A.232436/2	Pipe, pressure, tee union on Machmeter to elbow on A.S.I. (Mod. 779) (Make from 30B/1637, Q.R.)	1	T.9	—
	—	A.232436/9	Pipe, static, connector to tee union on rate of climb indicator (Mod. 1233) (Make from 30B/1637, Q.R.)	1	T.9	—
	—	A.232436/10	Pipe, static, tee union on rate of climb indicator to tee union (Mod. 1233) (Make from 30B/1637, Q.R.)	1	T.9	—
	—	A.232436/5	Pipe, static, tee union to elbow in A.S.I. (Mod. 779) (Make from 30B/1637, Q.R.)	1	T.9	—
	—	A.232436/6	Pipe, static, tee union to tee union on machmeter (Mod. 779) (Make from 30B/1637, Q.R.)	1	T.9	—
	—	A.232436/8	Pipe, static, tee union on machmeter to elbow on altimeter (Mod. 1002) (Pre Mod. 1377) (Make from 30B/1637, Q.R.)	1	T.9	—
	—	A.232436/11	Pipe, static, tee union on machmeter to elbow on altimeter (Mod. 1377, 1382)	1	—	—
23	27QA/1011352	Dowty SP.900/9	Ring, sealing, "O" type	1	—	C.
	9446	Std.1606/44/A20	Screw, roundhead, 6 B.A.	2	Brass	C. 5
		Std.1606/44/B22	Screw, roundhead, 4 B.A.	2	Brass	C. 5
	1720	Std.1606/44/B24	Screw:	2	—	C. 5
	3840	Std.1606/44/B28	Screw, roundhead, 4 B.A.	2	Brass	C. 5
		Std.1606/44/B30	Screw, roundhead, 4 B.A.	1	Brass	C. 5
	6356	Std.1606/44/B32	Screw, roundhead, 4 B.A.	2	Brass	C. 5
	7970	Std.1606/44/B36	Screw, roundhead, 4 B.A.	4	Brass	C. 5
		Std.1606/44/B40	Screw, roundhead, 4 B.A.	3	Brass	C. 5
	5385	Std.1606/44/B44	Screw:	2	—	C. 5
	5830	Std.1606/45/A14	Screw, countersunk, 6 B.A.	2	Brass	C. 5
	3859	Std.1606/45/B10	Screw, countersunk, 4 B.A.	2	Brass	C. 5
	4660	Std.1606/45/B14	Screw, countersunk, 4 B.A.	1	Brass	C. 5
	3860	Std.1606/45/B20	Screw, countersunk, 4 B.A.	3	Brass	C. 5
	3861	Std.1606/45/B24	Screw, countersunk, 4 B.A.	2	Brass	C. 5
		Std.1606/45/B26	Screw, countersunk, 4 B.A.	2	Brass	C. 5

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
8717	Std.1606/45/B28					Screw, countersunk, 4 B.A.	6	Brass	C.	5
4114	Std.1606/45/B32					Screw, for attaching altimeter (Mod. 1382)	4	—	C.	
9951	Std.2095/208/B20					Screw, unified thread) to be used only if instru-	1	—	C.	
13030	Std.2095/209/B28					Screw, unified thread) ments have unified threads	2	—	C.	
	Std.2095/209/B36					Screw	2	—	—	
10682	Std.2095/209/B44					Screw	2	—	C.	
5F/	Hellermann					Sleeve, Helsyn, 150HT20 x 1"	2	—	C.	
5CW/4405520	—					Switch, dimmer, Type "R" 75 ohms (Mod. 779)	1	—	C.	
5CW/1047693	—					Switch, S.P.C.O., no centre position	1	—	C.	
	Std.1509/12/032					Tube, distance, at turn and slip label (Mod. 779)	2	—	—	4
23 26VA/6043316	Std.1509/24/030					Tube, distance (Mod. 1377, 1382)	2	—	C.	
6A/4338811	Kelvin Hughes					Unit, vibrator (AS.1150/38) (Pre Mod. 1377)	1	—	A.	
	KVC.0101									
7100	Std.915/B10					Washer	1	—	C.	4
	B.232298					PANEL, SIDESTARBOARD, ASSEMBLY (Mod. 779)	—	—	—	
—	D.212119					Cable, F.36, assembly (See Cable Chart)	1	—	—	
11227	Std.2045/21/24					Clip	1	—	C.	-6
	B.232299					Panel, group (Mod. 779)	1	L.72		FC.1
	F.212983					Plate, stop	1	L.72		
1637	Std.1606/44/B14					Screw, roundhead, 4 B.A.	1	Brass	C.	5
3839	Std.1606/44/B16					Screw, roundhead, 4 B.A. (AS.860/39)	1	Brass	C.	5
4179	Std.1606/44/B20					Screw, roundhead, 4 B.A.	2	Brass	C.	5
1720	Std.1606/44/B24					Screw, roundhead, 4 B.A.	2	Brass	C.	5
7970	Std.1606/44/B36					Screw, roundhead, 4 B.A.	1	Brass	C.	5
23 5CW/4400336	Dowty C.5183.Y					Switch, undercarriage selector (AS.900/52)	1	—	A.	
	Mk. 4D									
23 5CW/4706417	C.5148Y Mk. 5S					Switch, flap selector (Mod. 1353)	1	—	A.	
	B.215028					PANEL, SIDE PORT, ASSEMBLY	—	—	—	
—	D.216678					Cable, F.13, Assembly (See Cable Chart)	1	—	—	
—	C.216681					Cable, F.6B, Assembly (See Cable Chart)	1	—	—	
23 5CW/4405620	Hellermann					Cap, protective, sea grey	1	—	C.	
	HV.3710									
23 5CW/4405619	—					Cap, Helvin, sea grey	1	—	C.	
23 5CX/4330148	Std.1512/28					Disc, identification	1	—	C.	4
	5L/9951286					Filament, 28V., 2.5W	9	—	C.	
	5L/9951273					Filament, 28V., 3.5W	2	—	C.	
23 5CX/4330226	—					Indicator, undercarriage, position, type "D1"	1	—	B.	
23 5CZ/4340381	Dowty C.5165					Indicator, magnetic, elevator power	1	—	C.	
	Mk. 2									
23 5CZ/4340340	Dowty C.5165					Indicator, magnetic, air brake	1	—	C.	
	Mk. 1									
	F.216265					Label	1	L.72		
	A.216486					Label	1	L.72		
23 5CX/4330099	—					Lamp, undercarriage warning, iris type	1	—	C.	
	5CX/1553					Lamp, hydraulic pressure warning, type "B"	1	—	C.	
	B.215011					Panel, group	1	L.72		FC.1
1178	Std.1606/44/B12					Screw, roundhead, 4 B.A.	2	Brass	C.	5
3839	Std.1606/44/B16					Screw, roundhead, 4 B.A.	2	Brass	C.	5
4179	Std.1606/44/B20					Screw, roundhead, 4 B.A.	6	Brass	C.	5

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	3838	Std.1608/44/B8				Screw, roundhead, 4 B.A.	1	Brass	C.	5
	1943	Std.1606/45/B16				Screw, countersunk, 4 B.A.	2	Brass	C.	5
	3858	Std.1606/45/B8				Screw, countersunk, 4 B.A.	3	Brass	C.	5
	5CW/4680628	Dowty C.1223Y Mk. 15N				Switch, flap lever (Pre Mod. 1353)	1	—	A.	
	5CW/4680628	C.1223Y Mk. 27				Switch, flap lever (Mod. 1353)	1	—	A.	
	5CW/1047697	CWC. XD.789				Switch, D.P., change-over on centre "OFF" (Mod. 1041)	1	—	C.	
	5CW/1047690	CWC.XD.779				Switch, S.P., "ON—OFF", upright "OFF"	1	—	C.	
	5CW/4400332	Dowty C.5182.Y Mk. 3D				Switch, undercarriage (Pre Mod. 1012)	1	—	A.	
	5CW/4400504	Dowty C.5182.Y Mk. 8D				Switch, undercarriage (Mod. 1012)	1	—	A.	
	5CW/1055544	—				Transfer, "ON"	1	—	C.	
	5CW/1055545	—				Transfer, "OFF"	—	—	C.	
	5CW/4405562	Rotax N.100397/20				Transfer, "IN"	1	—	C.	
	5CW/4405563	Rotax N.100397/43				Transfer, "OUT"	1	—	C.	
		A.225879				Plate, blanking	1	—		
		F.317849				Plate, lamp mtg., for arrestor hook assy. (Mod. 1364)	1	—		
	1178	Std.1606/44/B12				Screw, roundhead, 4B.A. (Mod. 850)	1	Brass	C.	5
	3839	Std.1606/44/B16				Screw, for arrestor hook assy. (Mod. 1364)	3	—	C.	
	4614	Std.1606/44/C16				Screw, roundhead, 2 B.A.	2	Brass	C.	5
	3856	Std.1606/44/C20				Screw, roundhead, 2 B.A.	4	Brass	C.	5
		D.222376				Shield, glare, centre, group	1	—		
		D.222376/4				Strip, retaining (Local Manufacture)	1	L.72	—	
	26VA/6046969	Std.2338/2				Strip, sealing	1	Rubber	C.	
24	29G/4658548	Carr Fastener 882				Stud, 2 B.A., securing windscreen reflector cover (Mod. 767)	3	—	C.	
		C.234817				Shield, glare, port, group (Mod. 803)	1	—		
		C.234817/2				Strip, retaining (Mod. 803)	1	L.72		
	26VA/6046969	Std.2338/2				Strip, sealing	1	Rubber	C.	
	29G/4658548	Carr Fastener 882				Stud, 2 B.A., securing windscreen reflector cover (Mod. 767)	3	—	C.	
	12211	C.234316				Shield, glare, starboard, group (Mod. 779)	1	—	B.	
	5245	Std.1606/44/A10				Screw, roundhead, 6 B.A.	2	Brass	C.	5
		C.234316/2				Strip, retaining (Mod. 779)	1	L.72		
	26VA/6046969	Std.2338/2				Strip, sealing	1	Rubber	C.	
24	29G/4658548	Carr Fastener 882				Stud, 2 B.A., securing windscreen reflector cover (Mod. 767)	3	—	C.	
		A.223946				Shield, glare, side	1	—		
		A.221853				Strut, support, for bomb and R.P., panel	1	L.72		
	26VA/6043303	Std.1509/2/060				Tube, distance	1	—	C.	4
	10930	Std.1509/3/026				Tube, distance at port panel mounting (Mod. 761)	3	T.4	C.	4
		Std.1509/3/076				Tube, distance, at port panel mounting (Mod. 761)	3	T.4	C.	4
	9777	F.231121				Washer, at port panel mounting (Mod. 761)	6	DTD.5509 C or D	C.	FC.1

**ILLUSTRATIONS FOR THIS UNIT
TO BE ISSUED LATER.**



This file was downloaded from the RTFM Library. Link: www.scottbouch.com/rtfm Please see site for usage terms, and more aircraft documents.