

EQUIPMENT—ANCILLARY

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Place No.
	E.214053	ANCILLARY EQUIPMENT, ASSEMBLY	—	—		
	2726 A.195020	Adaptor, union for pressure gauge pipe	1	DTD.364	C.	GA.3
23	4Q/4230852	Adaptor, head, Mk. 102	3	—	B.	
23	4Q/4230806	Adaptor, head, Mk. 42 (AS.740/83)	1	—	B.	
	105G/11	Adaptor	1	—	B.	
	95527 A.208035	Adaptor, for external air supply, group	1	—	B.	GA.4
	A.208029	Adaptor	1	Brass		
	95723 BEN/SA.179	Plug, half ferrule, "Instantair", 3/8"	1	—	C.	
	1731 F.193381	Ring, sealing	1	Rubber	C.	GA.4
	E.229601	ANCILLARY EQUIPMENT (ARMAMENT INSTALLATION), ASSEMBLY	—	—		
	95674 D.226308	Adaptor, for ammunition box trolley, group (To be used in conjunction with Aden Gun Trolley Cradle 4G/5455)	1	—	B.	GA.9
28FP/4062333	Aviation Dev. A.611	Pin, pip	1	—	C.	
	95675 C.226309	Adaptor, for gun trolley (To be used in conjunction with Aden Gun Trolley Cradle 4G/5455)	1	—	B.	GA.9
	95676 C.223647	Attachment, gun lifting, group	1	—	B.	GA.9
28FP/9708579	Aviation Dev. A.623	Pin, pip	1	—	C.	
	95677 B.223910	Brace for gun hoist	1	—	B.	
	95678 D.224222	Cradle, gun, group (To be used in conjunction with Aden Gun Trolley 4G/5455)	1	—	B.	GA.6
	95679 F.224221	Spigot	2	H.T.S.	C.	GA.6
	95680 A.223952	Extension for gun hoist, group	1	—	B.	GA.10
	95681 Mollart Eng. Type 0.1	Ball, joint union, 5/16" bore x 7/16" deep	1	—	C.	
	95682 F.223912	Drive	1	62.B	C.	GA.10
28FP/9469298	Aviation Dev. A.407	Pin, pip	1	—	C.	
	95683 B.224119	Hoist, lifting, group	1	—	A.	GA.9
	95684 B.223577	Bracket, mounting, group	1	—	B.	GA.9
23	28X/9511235	Cable, 3 cwt., 16" long	2	W.11	C.	
	95685 F.223613	Nut	1	S.95.B	C.	GA.9
23	28FP/ AS.2434/45	Pin, quick release (Alt. to BLS.4R.39S)	2	—	C.	
	BLS.4R.39S	Pin, quick release (Alt. to AS.2434/45)	2	—		
	95686 F.223616	Spring	1	Sp. St.	C.	
	C.226234	Gearbox, group	1	—		
	95687 F.226524	Bush	1	BSS.369	C.	
	95688 A.223654	Bush	1	BSS.369	C.	
	95689 A.223655	Bush	1	BSS.369	C.	
	95690 A.233656	Bush	2	BSS.369	C.	
	95691 A.223658	Bush	1	BSS.369	C.	
	95692 A.223710	Cable	1	—		
	95693 B.226110	Casing	1	Casting	B.	
	95694 Salter & Co. 5100/43	Circlip, 7/16" extension	2	—	C.	
	95695 A.226340	Cover	1	L.72	C.	
	95696 B.223715	Drum, split	1	L.65.C	C.	
	95697 B.223716	Drum, split	1	L.65.C	C.	
	95698 F.226392	Gasket	1	Klingerit	C.	
	95699 F.223678 ) F.223679 ) A.223677 )	Gear box, worm and spindle, group	1 set	—	B.	

EQUIPMENT—ANCILLARY

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Place No.
95700	B.226233	Plate, end .....	1	Casting	B.	
2A/9500491	Ransome & Marles FT.3/8"	Race, thrust .....	1	—	C.	
95701	B.226230 )	Shrouds, half, for drum .....	1 set	—	B.	
	B.226231 )					
95702	A.223697	Spindle, drive .....	1	S.80.B	C.	
95703	F.223662	Washer, serrated .....	2	S.96.B	C.	
95704	F.223663	Washer, shim .....	1	Brass	C.	
95706	F.226235	Washer, shim .....	2	Brass	C.	
95707	E.223262	Tube, support, for hoist, group .....	1	—	B.	GA.9
28FP/4069997	AS.2434/44	Pin, quick release (Alt. to BLS.4R.39S) .....	1	—	C.	
	Aviation Dev. BLS.4R.39S	Pin, quick release (Alt. to 28FP/4069997) .....	1	—	C.	
95708	A.223263	Spigot, group .....	1	—	C.	GA.9
	Std.1996/9	Chain .....	1	—		5
9136	—	Ring, split, type 3/4" dia. ....	1	Steel	C.	
4G/	—	Trolley, Aden Gun .....	1	—	A.	
4GB/4409989	—	Arm, towing, unit Mk. II .....	1	—	A.	
95612	D.218657	Arm, towing, adaptor, group .....	1	—	A.	GA.9
6133	Std.1996/7	Chain .....	2	—	C.	5
13192	F.218535	Collar .....	2	M.S.S.S.4	C.	
	F.218534	Drawbolt .....	2	H.T.S. Bar		
13193	B.218532	Hook .....	2	H.T.S. Bar	C.	
28FP/9433677	Aviation Dev. A.619	Pin .....	2	—	C.	
13191	F.218536	Spring .....	2	Spr. St.	C.	
25	Dunlop TW.49A	Wheel (10" x 3" pneumatic tyre) .....	2	—		
		(Alt. to 4GB/4409944) .....				
25	4GB/4409944	Wheel (Alt. to Dunlop TW.49A) .....	2	—		
4GB/4409935	—	Arm, forward steering .....	1	—	A.	
95220	A.201222	Bar, levelling, longitudinal .....	1	S.1	B.	GA.4
95736	D.231154	Base, clinometer to tailplane .....	1	—	B.	GA.10
95633	D.22419	Board, elevator checking (Mod. 713) .....	1	—	B.	GA.10
4Q/1050356	—	Body, jack, 5 ton, hydraulic .....	3	—	A.	
	D.219659	Container, for gun barrel alignment tool .....	1	—		
95604	B.213633	Covers, blanking, for air intake, group .....	1 pr.	—	B.	GA.5
	C.213621	Cover, blanking, for intake, port, group .....	1	—		
	C.213622	Cover, blanking, for intake, starboard, group .....	1	—		
95922	C.200079	Bung, top, port .....	1	—	C.	
95923	C.200080	Bung, top, starboard .....	1	—	C.	
95924	C.200081	Bung, bottom, port .....	1	—	C.	
95925	C.200082	Bung, bottom, starboard .....	1	—	C.	
95782	A.192941	Catch, port .....	1	—	C.	
95783	A.192942	Catch, starboard .....	1	—	C.	
1506470	F.193287	Eye-bolt .....	2	M.S.	C.	
95786	F.193285	Lever .....	2	M.S.	C.	
95786	F.193285	Lever .....	2	M.S.	C.	
95787	F.193286	Link .....	2	M.S.	C.	
95788	F.193288	Plunger .....	2	M.S.	C.	
95785	A.194620	Spindle .....	2	M.S.	C.	
95789	F.184342	Spring .....	2	Sp. St.	C.	
9138	—	Key ring, 1-1/4" dia. ....	1	Steel	C.	
95065	A.164139	Pennant (Alt. to 26VA/6043980) .....	1	—	C.	GA.2
26VA/6043980	S.60/18	Pennant (Alt. to 26FX/95065) .....	1	—	C.	GA.2
20281	B.214194/2	Strap, complete with eyelets .....	1	Webbing	C.	

EQUIPMENT—ANCILLARY

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
95217	C.200177	Cover, for centre fuselage ducts, port	1	—	B.	GA.5
95218	C.200178	Cover, for centre fuselage ducts, starboard	1	—	B.	GA.5
95552	C.218417	Cover, feeling, for jet pipe group	1	—	B.	GA.5
—	Std.1996/12	Chain (Make from 29H/9488796)	1	Brass	—	5
95065	A.164139	Pennant (Alt. to 26VA/6043980)	1	—	C.	GA.2
26VA/6043980	S.60/18	Pennant (Alt. to 26FX/95065)	1	—	C.	GA.2
9371	—	Ring, split, 3/8" o/d x 1/2" i/d	2	Steel	C.	
95727	C.230908	Cover, protective for trunking J.B., starboard	1	—	B.	GA.6
95726	C.230909	Cover, protective for trunking J.B., port	1	—	B.	GA.6
95022	D.194044	Cradle, inboard, for wing trestling, group	2	—	B.	GA.6
6133	Std.1996/7	Chain, 7" long	2	Brass	C.	5
6098336	A.180683	Lever	2	S.1	C.	
—	Aerolex	Pin, quick release (use 28FP/4062327)	2	Steel	—	
—	F.48/7/513					
95023	D.194045	Cradle, outboard, for wing trestling, group	2	—	B.	GA.6
6133	Std.1996/7	Chain, 7" long	2	Brass	C.	5
6098336	A.180683	Lever	2	S.1	C.	
—	Aerolex	Pin, quick release (use 28FP/4062327)	2	Steel	—	
—	F.48/7/513					
95729	E.230827	Equipment, gun alignment, group (complete in box)	1	—	A.	GA.10
—	E.230828	Bdx	1	—		
95730	C.215354	Bearer, port	1	—	B.	GA.10
95731	C.215355	Bearer, starboard	1	—	B.	GA.10
95732	A.251371	Cross-tube	1	T.26	B.	GA.10
95609	B.205914	Extension, jacking, main wheel, group	1	—	B.	GA.2
13247	F.192139	Pin	1	S.1	C.	
—	F.176122	Plug	1	S.1		
675	F.186124	Spring	1	DTD.239	C.	
95058	A.191552	Extractor, for front spar joint pin	1	—	B.	GA.3
95059	A.191655	Extractor, for rear spar joint pin	1	—	B.	GA.3
95140	B.198963	Extractor, for main spar wing joint bush	1	—	B.	GA.3
95141	C.198962	Extractor, for rear spar wing joint bush	1	—	B.	GA.3
95303	Dunlop A.10054	Extractor, for main wheels	1	—	A.	
95032.	Dunlop A.5826	Extractor, for nose wheel	1	—	A.	
23	27G/4618368	Fixture, brake alignment	1	—	A.	
95792	D.232208	Fixture, flying controls rigging	1	—	A.	
95644	C.224263	Gauge, incidence, for main plane, group	1	—	B.	GA.4
—	F.192067	Bar, contact	1	BSS.251		
95007	B.201624	Gauge, incidence, for tail plane	1	—	B.	GA.4
95006	A.192534	Gauge, dihedral, main plane	1	—	B.	GA.4
—	A.231118	Gauge, feeler for aileron hydrobooster adjustment (L.M. See G.E. Mod. 684)	1	—	—	
—	A.231119	Gauge, feeler for aileron hydrobooster adjustment (L.M. See G.E. Mod. 684)	1	—	—	
95860	A.249091	Gauge, for undercarriage lever setting, rear lock, group (Mod. 1021)	1	—	B.	GA.8
—	Std.1996/12	Chain (Make from 29H/9488796)	2	Brass	—	5
—	F.249045	Gauge, rear lock	1	Cast Steel		
95871	F.249580	Nut, knurled	1	B.11	C.	
95065	A.164139	Pennant (Alt. to 26VA/6043980)	1	—	C.	GA.2
26VA/6043980	S.60/18	Pennant (Alt. to 26FX/95065)	1	—	C.	GA.2
9136	—	Ring, key, 3/4" dia.	3	Steel	C.	
95870	F.249044	Screw, knurled	2	S.94.B	C.	
95861	A.249092	Gauge, for undercarriage lever setting, front lock, group (Mod. 1021)	1	—	B.	GA.8
—	Std.1996/12	Chain (Make from 29H/9488796)	2	Brass	—	
—	F.249046	Gauge, front lock	1	Cast Steel		
95871	F.249580	Nut, knurled	1	B.11	C.	

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
95065	A.164139	Pennant (Alt. to 26VA/6043980) .....	1	-	C.	GA.2
26VA/6043980	S.60/18	Pennant (Alt. to 26FX/95065) .....	1	-	C.	GA.2
9136	-	Ring, key, 3/4" dia. ....	3	Steel	C.	
95870	F.249044	Screw, knurled .....	3	S.94.B	C.	
95508	A.210921	Gauge, setting, undercarriage, nosewheel down .....	1	-	B.	GA.4
95513	B.214835	Gauge, setting, for micro switch nosewheel up .....	1	-	B.	GA.4
95793	C.235557	Gauge, checking, hoodlock micro switch adjustment ... (Mod. 869)	1	-	B.	
	C.221206	GROUND LOCKING GEAR, FOR FLYING .....	-	-		
		CONTROLS, ASSEMBLY				
95137	C.189263	Ground locking gear, for aileron, group .....	2	-	B.	GA.7
6133	Std.1996/7	Chain, 7" long .....	1	Brass	C.	5
95155	A.111811	Cord, shock absorber .....	2	F.16	C.	GA.7
-	A.208394	Pennant (Make from 26FX/95065) .....	1	-	-	
-	C.206419	Plate, locking .....	1	S.3	-	
9136	-	Ring, split type, 3/4" dia. ....	2	Steel	C.	
95514	A.189264	Strap .....	1	F.52 or F.111	C.	GA.7
95138	C.192836	Ground, locking gear, for elevator, group .....	2	-	B.	GA.7
95068	A.192835	Cord, tension .....	2	F.16	C.	GA.7
95139	B.189267	Ground, locking gear, rudder, group .....	1	-	B.	GA.7
95069	A.193038	Bolt, wing .....	1	S.92.B & S.3	C.	GA.7
6133	Std.1996/7	Chain, 7" long .....	2	Brass	C.	5
-	A.208394	Pennant (Make from 26FX/95065) .....	1	-	-	
9136	-	Ring, split type, 3/4" dia. ....	4	-	C.	
95605	B.219222	Ground locking gear, for cockpit controls, group ...	1	-	B.	GA.7
	A.88468	Bolt .....	2	S.1		
	A.192829	Bracket .....	1	S.3 & Rubber		
	A.200724	Bracket, for aileron locking .....	1	-		
	B.219222/1	Cable, front (complete with hooks and thimbles) ..	2	W.2		
	B.219222/2	Cable, rear (complete with hooks, thimbles and ... bracket)	2	W.2		
	A.188484	Cap .....	1	S.3		
	A.200718	Cap, for aileron locking .....	1	-		
6133	Std.1996/7	Chain, 7" long .....	1	Brass	C.	5
	F.186679	Eye-bolt .....	1	S.1		
-	A.208393	Pennant (Make from 26FX/95065) .....	1	-	-	
	F.318145	Plate (Alternative to 28Y/9707225) .....	4	-	-	
	-	Ring, split type, 5/8" dia. ....	2	Steel		
9136	-	Ring, split type, 3/4" dia. ....	2	Steel	C.	
28Y/9707225	Sp.1/690B	Shackle (Alternative to F.318145) .....	2	-	C.	
95616	B.214206	Ground lock, for nose wheel, group .....	1	-	B.	GA.7
12586	A.214436	Adjuster .....	1	-	C.	
	B.214435	Bar, clamping, group .....	1	-		
12585	B.214435/1	Setting .....	2	LFB.82	C.	
6133	Std.1996/7	Chain, 7" long .....	2	Brass	C.	5
95072	A.193720	Pennant .....	1	-	C.	FA.7
-	Aerolex	Pin, quick release (use 28FP/9521098) .....	1	-	-	
	F.48/7/508					
9136	-	Ring, split type, 3/4" dia. ....	3	Steel	C.	
	A.204974	Guard, for spigot in wheel bay .....	1	-		
95617	A.218961	Guard, safety, for air intake port, group .....	1	-	B.	GA.5
95618	A.218962	Guard, safety, for air intake, starboard, group .....	1	-	B.	GA.5
95782	A.192941	Catch, assembly, port .....	1	-	C.	
95783	A.192942	Catch, assembly, starboard .....	1	-	C.	
1506470	F.193287	Eye-bolt .....	2	M.S.	C.	
95786	F.193285	Lever .....	2	M.S.	C.	
95787	F.193286	Link .....	2	M.S.	C.	
95788	F.193288	Plunger .....	2	M.S.	C.	
	A.194621	Spindle .....	2	M.S.		
95789	F.184342	Spring .....	2	Sp. St.	C.	
11389	C.218224	Strut, bracing .....	2	-	C.	
95086	A.194464	Guide, for fuel tanks vent connector .....	1	-	B.	GA.3

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.	
							1
	95421	A.214536	Indicator, position, for aileron booster unit adjustment	1	EB.33 & S.3	B.	GA.4
	95728	D.227026	Jig, setting up micro switch, nose undercarriage	1	-	B.	GA.8
	95733	B.227016	Jig, setting, nosewheel door sequence valve	1	-	B.	GA.8
23	4Q/4230810	MG.576/1 Mod. 2	Jack, pillar type, 4 ton, hydraulic	1	-	A.	
	95390	A.212332	Key, for hydraulic reservoir	1	T.26 & S.3	B.	GA.3
	-	F.223909	Key, armament ground test switch (Use 1E/4658095)...	1	-	-	
	95603	D.213985	Ladder, for pilot, group	2	-	A.	GA.5
	95306	A.201030	Lock, rigging, elevator control tube	1	-	C.	GA.7
	95307	A.201031	Lock, rigging, aileron to rudder control tubes	2	-	C.	GA.7
23	4GD/4661338	-	Mats, for main plane	2	-	B.	
	95607	B.208925	Pad, jacking, at frame 11, group	1	-	B.	GA.2
	6133	Std.1996/7	Chair, 7" long	2	Brass	C.	5
	-	Aerolex	Pin, quick release (use 28FP/9521098)	2	-	-	
	-	F.48/7/508					
	9136	-	Ring, split type, 3/4" dia.	4	Steel	C.	
	95606	B.205909	Pad, jacking, for main plane, group	2	-	B.	GA.2
	6133	Std.1996/7	Chair	2	-	C.	5
23	-	Aerolex	Pin, quick release (use 28FP/4664006)	2	-	-	
	-	F.48/7/509					
	9136	-	Ring, split type, 3/4" dia.	4	Steel	C.	
	95608	A.205912	Pad, jacking, for nose undercarriage, group	1	-	B.	GA.2
	6133	Std.1996/7	Chair, 7" long	1	-	C.	5
	-	B.205911	Pad, jacking	1	Casting	-	
	95065	A.164139	Pennant (Alt. to 26VA/6043980)	1	-	C.	GA.2
26VA/6043980	S.60/18	-	Pennant (Alt. to 26FX/95065)	1	-	C.	GA.2
	-	Aerolex	Pin, quick release (use 28FP/4062669)	1	-	-	
	-	F.48/7/830					
		D.193482	PICKETING AND REARWARD TOWING, ASSEMBLY	-	-		
	95203	F.159908	Bolt, picketing, for rear fuselage, group	1	-	B.	GA.5
	6133	Std.1996/7	Chair, 7" long	1	Brass	C.	5
	95632	F.159909	Eyebolt	1	S.95.B	C.	
	95065	A.164139	Pennant (Alt. to 26VA/6043980)	1	-	C.	GA.2
26VA/6043980	S.60/18	-	Pennant (Alt. to 26FX/95065)	1	-	C.	GA.2
	9137	-	Ring, split type, 1" dia.	2	-	C.	
4GB/4409986	-	-	Bridle, towing, 35 ft. long	1	-	A.	
	95205	A.176437	Shackle, picketing, for main undercarriage, group	2	-	B.	GA.5
	6133	Std.1996/7	Chair, 7" long	3	Brass	C.	5
	95071	F.176436	Collar, locking	1	T.45 & S.3	C.	GA.5
	95065	A.164139	Pennant (Alt. to 26VA/6043980)	1	-	C.	GA.2
26VA/6043980	S.60/18	-	Pennant (Alt. to 26FX/95065)	1	-	C.	GA.2
23	-	Aerolex	Pin, quick release (use 28FP/4062326)	1	-	-	
	-	F.48/7/512					
	9136	-	Ring, split type, 3/4" dia.	4	Steel	C.	
	95204	A.176434	Shackle, picketing, for nose undercarriage, group	1	-	B.	GA.5
	6133	Std.1996/7	Chair, 7" long	2	Brass	C.	5
	95065	A.164139	Pennant (Alt. 26VA/6043980)	1	-	C.	GA.2
26VA/6043980	S.60/18	-	Pennant (Alt. to 26FX/95065)	1	-	C.	GA.2
	-	Aerolex	Pin, quick release (use 28FP/4062669)	1	-	-	
	-	F.48/7/830					
	9136	-	Pennant, split type, 3/4" dia.	3	Steel	C.	

EQUIPMENT—ANCILLARY

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	D.191909	PICKETING AND REARWARD TOWING, ..... ASSEMBLY (S.O.O. for embalmed aircraft only)	—	—		
	95203 F.159908	Bolt, picketing, for rear fuselage, group .....	1	—	B.	GA.5
	6133 Std.1996/7	Chain, 7" long .....	1	Brass	C.	5
	95632 F.159909	Eye-bolt .....	1	S.95.B	C.	
	95065 A.164139	Pennant (Alt. to 26VA/6043980) .....	1	—	C.	GA.2
26VA/6043980	S.60/18	Pennant (Alt. to 26FX/95065) .....	1	—	C.	GA.2
	9137 —	Ring, split type, 1" dia .....	2	—	C.	
4GB/4409986	—	Bridle, rearward towing, 35 ft. long .....	1	—	A.	
	B.191910	Fitting, picketing and rearward towing, at main ..... undercarriage, group	2	—		GA.5
	6133 Std.1996/7	Chain, 7" long .....	3	Brass	C.	5
	95071 F.176436	Collar .....	1	M.S.P. & M.S.T.	C.	GA.5
	95065 A.164139	Pennant (Alt. to 26VA/6043980) .....	1	—	C.	GA.2
26VA/6043980	S.60/18	Pennant (Alt. to 26FX/95065) .....	1	—	C.	GA.2
	— Aerolex	Pin, quick release (Use 28FP/4062326) .....	1	—	—	
	F.48/7/512					
	9137 —	Ring, split type, 1" dia. ....	5	Comml.	C.	
	A.191716	Fitting, picketing, at nose undercarriage, group .....	1	—		GA.5
	6133 Std.1996/7	Chain, 7" long .....	2	Brass	C.	5
	95065 A.164139	Pennant (Alt. to 26VA/6043980) .....	1	—	C.	GA.2
26VA/6043980	S.60/18	Pennant (Alt. 26FX/95065) .....	1	—	C.	GA.2
	— Aerolex	Pin, quick release (use 28FP/4062669) .....	1	—	—	
	F.48/7/830					
	9137 —	Ring, split type, 1" dia. ....	2	Comml.	C.	
	95309 A.204865	Piece, distance, for use at front fuselage attachment..... nuts	1	M.S.B.	C.	GA.8
	C.231753	PIPE, DE-FUELLING EQUIPMENT, FOR .....	—	—		
	95797 C.231754	"WHEELS UP", ASSEMBLY (AS.770/15) Pipe, group (AS.770/15) .....	1	—	B.	GA.7
	B.207509	Handle, for coupling .....	1	Comml.		
	F.209903	Nut, special .....	4	M.S.		
	A.231679	Pipe (AS.770/15) .....	1	—		
	C.207508	Pipe, defuelling .....	1	—		
	Avica 1/12/72/AA	Pipe, flexible, 1-1/2" .....	1	—		
24	27FR/4677550	Valve, coupling, refuelling (Alternative to .....	1	—	B.	
	Flight Refuelling	Avery Hardoll FC110 Mk. 2)				
24	27F/6457327	Valve, coupling, refuelling (Alternative to .....	1	—	B.	
	Flight Refuelling	C0724000/1)				
	95046 B.191737	Rail, for engine, between frames 34 and 37, group .....	1	—	B.	GA.6
	6133 Std.1996/7	Chain, 7" long .....	1	Brass	C.	5
	Std.1996/14	Chain .....	1	Brass		5
	F.199939	Label .....	1	—		
	— Aerolex	Pin, quick release (use 28FP/4062328) .....	1	—	—	
	F.48/7/514					
	B.191737/3	Plate, indicator .....	1	Comml. M.S.B.		
	B.191737/1	Ring, retaining adjustable stop .....	1	Comml.		
	9137 —	Ring, split type, 1" dia. ....	4	M.S. Wire	C.	
	9378 B.176010	Stop, adjustable .....	1	S.95.B	C.	GA.6
	5P/4383671	Rectifier, metal, transportable, type 37 .....	1	—	A.	

EQUIPMENT—ANCILLARY

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
95029	C.191636	Sleeve, locking, for main undercarriage, group	2	—	B.	GA.7
6133	Std.1996/7	Chain, 7" long	1	Brass	C.	5
95721	F.191640	Eye-bolt	2	M.S.	C.	
13147	F.191638	Flange	1	M.S.	C.	
95072	A.193720	Pennant	1	—	C.	GA.7
9136	—	Ring, split type, 3/4" dia.	2	Steel	C.	
95926	F.191639	Shim	4	M.S.	C.	
95011	D.188575	Sling, lifting, for complete aircraft, group	1	—	A.	GA.2
95070	F.188573	Bolt, fork, for attachment of sling to aircraft	4	S.95.B	C.	GA.2
95074	A.188570	Bolt, fork, for attaching spreader strut to link	4	S.95.B	C.	GA.2
	D.188575/1	Cable, 100/110 ton	4	BS.302		
	B.118566	Link, between spreader strut and aircraft attachment bolt	4	Stpg.		
	A.188726	Link, slinging, group	1	—		
	F.187729	Pin	2	S.94.B		
	F.187728	Roller	1	S.1		
9137	—	Ring, split type, 1" dia.	1	Steel	C.	
	A.188572	Shackle, at sling to spreader strut attachment	4	Stpg.		
	B.188565	Shackle, at sling to top link, attachment	2	Stpg.		
	B.188567	Strut, spreader, front and rear, group	2	—		
6133	Std.1996/7	Chain, 7" long	2	Brass	C.	5
—	Aerolex	Pin, quick release (use 28FP/1433446)	2	—	—	
	F.48/7/813					
9136	—	Ring, split type, 3/4" dia.	4	—	C.	
	B.188568	Strut, spreader, side	2	—		
	Std.1676	Tally	1	—		
95369	D.206951	Sling, salvaging (Fuselage only less engine) (Pre Mod. 1030)	1	—	A.	
95877	E.248990	Sling, salvaging (Fuselage only less engine), S.O.O. (Mod. 1030)	1	—	A.	GA.6
95070	F.188573	Bolt, fork, for attachment sling to aircraft	2	S.95.B	C.	GA.2
	D.206951/1	Cable, rear	2	BS.302		
	D.206951/2	Cable, forward	2	BS.302		
	F.200603	Label	1	Brass		
	B.200600	Link, forward (Pre Mod. 1030)	2	—		
	B.248992	Link, forward (Mod. 1030)	2	—		
	B.207066	Link, rear (Pre Mod. 1130)	2	—		
	B.253320	Link, rear (Mod. 1030)	2	—		
	A.207187	Link, slinging, group	1	—		
	F.187729	Pin	2	S.94.B		
	F.187728	Roller	1	S.1		
	F.200668	Piece, distance (AS.860/34)	4	—		
9138	—	Ring, split type, 1-1/4" dia.	2	—	C.	
	B.194418	Shackle, at sling to top link attachment	2	Stmpg.		
	B.207178	Shackle (Pre Mod. 1030)	1	Stmpg.		
	B.250173	Shackle, rear, starboard (Mod. 1030)	1	Stmpg.		
	B.207179	Shackle (Pre Mod. 1030)	1	Stmpg.		
	B.250174	Shackle, rear, port (Mod. 1030)	1	Stmpg.		
	B.207180	Shackle (Pre Mod. 1030)	1	Stmpg.		
	B.250175	Shackle, front, starboard (Mod. 1030)	1	Stmpg.		
	B.207181	Shackle (Pre Mod. 1030)	1	Stmpg.		
	B.250176	Shackle, front, port (Mod. 1030)	1	Stmpg.		
	A.200602	Spigot (Pre Mod. 1030)	2	—		
	A.248993	Spigot (Mod. 1030)	2	—		
	B.200594	Strut, spreader side (Pre Mod. 1030)	2	—		
	B.248991	Strut, spreader side (Mod. 1030)	2	—		
	A.200598	Strut, forward	1	—		
	A.200599	Strut, rear	1	—		
	Std.1676	Tally	1	—		

23

EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
95370	D.206952	Sling, for salvaging (Fuselage only with engine), . . . . . group (S.O.O.)					1	-	A.	GA.2
95070	F.188573	Bolt, fork, for attaching sling to aircraft . . . . .					4	S.95.B	C.	GA.2
95074	A.188570	Bolt, fork, for attaching spreader strut to link . . . . .					4	S.96.B	C.	GA.2
	D.206952/1	Cable, forward . . . . .					2	BS.302		
	D.206952/2	Cable, rear . . . . .					2	BS.302		
	F.194575	Label . . . . .					1	Brass		
	B.188566	Link, between spreader strut and aircraft attachment bolts					2	-		
	A.194422	Link, slinging, group . . . . .					1	-		
	F.187729	Pin . . . . .					2	S.94.B		
	F.187728	Roller . . . . .					1	S.1		
	F.194423	Piece, distance . . . . .					2	M.S.		
	F.194424	Piece, distance . . . . .					2	M.S.		
	F.194425	Piece, distance . . . . .					2	M.S.		
9138	-	Ring, split type, 1-1/4" dia. . . . .					2	Steel	C.	
	B.194418	Shackle, at sling, to top link attachment . . . . .					2	Stmpg.		
	A.207182	Shackle, at sling, for spreader strut attachment, . . . . . rear					2	Stmpg.		
	A.207183	Shackle, at sling, for spreader strut attachment, . . . . . forward					2	Stmpg.		
	B.188567	Strut, spreader, front and rear, group . . . . .					2	-		
6133	Std.1996/7	Chain, 7" long . . . . .					2	Brass	C.	5
-	Aerolex	Pin, quick release (use 28FP/1433446) . . . . .					2	-	-	
	F.48/7/813									
9136	-	Ring, split type, 3/4" dia. . . . .					4	Steel	C.	
	B.188568	Strut, spreader, side . . . . .					2	-		
95610	D.222260	Sling, lifting, for windscreen, group . . . . .					1	-	A.	GA.10
	D.222261	Bracket . . . . .					1	S.95.B		
	D.222260/1	Cable, forward, 80-90 ton . . . . .					1	BS.302		
	D.222260/2	Cable, rear, 80-90 ton . . . . .					2	BS.302		
	Std.1996/6	Chain . . . . .					3	Brass		
	F.222262	Eye-bolt . . . . .					2	S.95.B		
-	Aerolex	Pin, quick release (Use 28FP/9703070) . . . . .					3	-	-	
	F.48/7/815									
	-	Ring, split type, 1/2" dia. . . . .					4	Steel		
	-	Shackle, 10 cwt., small DEE. . . . .					3	BSS.25		
	C.220362	SLINGING AND TRESTLING, FRONT FUSELAGE, ASSEMBLY					-	-		
95614	C.220363	Beam, at rear trestle, group . . . . .					1	-	B.	GA.1
6133	Std.1996/7	Chain, 7" long . . . . .					6	Brass	C.	5
95812	F.220356	Eye-bolt . . . . .					2	S.1	C.	GA.1
	F.221280	Hook . . . . .					1	M.S.		
	F.221281	Hook . . . . .					1	M.S.		
	A.230751	Lever . . . . .					4	S.1		
13271	F.221241	Pin . . . . .					2	BSS.250.B	C.	
-	Aerolex	Pin, quick release (Use 28FP/4062327) . . . . .					4	-	-	
	F.48/7/513									
9136	-	Ring, split type, 3/4" dia. . . . .					8	Steel	C.	
95052	A.189921	Clip, at nose wheel leg . . . . .					2	S.3 & L.16	C.	GA.1
95613	C.220364	Cradle, front, group . . . . .					1	-	B.	GA.1
	Std.1996/6	Chain . . . . .					5	Brass		5
95812	F.220356	Eye-bolt . . . . .					2	S.2	C.	
	A.230751	Lever . . . . .					4	S.1		
-	Aerolex	Pin, quick release (use 28FP/4062327) . . . . .					4	-	-	
	F.48/7/513									
-	Aerolex	Pin, quick release (use 28FP/4062332) . . . . .					1	-	-	
	F.48/7/609									
9136	-	Ring, split type, 3/4" dia. . . . .					5	Steel	C.	

23

EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
95611	A.230750					Link, at nose wheel leg	1	S.1 & S.3		GA.1
	C.220365					Sling, lifting, group	1	-	A.	GA.1
	C.220365/1					Cable, forward, top portion, 110-120 ton	2	BS.302		
	C.220365/2					Cable, rear, top portion	2	BS.302		
	C.220365/3					Cable, forward, bottom portion, 110-120 ton	2	BS.302		
	C.220365/4					Cable, rear, bottom portion, 110-120 ton	2	BS.302		
	F.220358					Piece, distance	8	S.1		
	F.220357					Plate, link	8	S.3		
	B.220359					Ring, lifting	1	S.92.B		
	B.220360					Strut, forward, group	2	-		
95615	B.220361					Strut, bracing, between front and rear trestle, group	2	-	B.	GA.1
	Std.1996/6					Chain	2	Brass		
-	Aerolex					Pla, quick release (use 28FP/9482444)	2	-	-	
	F.48/7/1023									
9136	-					Ring, split type, 3/4" dia.	2	Steel	C.	
4GB/	-					Trestle, U.J. No. 1	2	-	A.	
	B.190381					SLINGING AND TRESTLING, CENTRE FUSELAGE, ASSEMBLY	-	-		
95020	C.190377					Cradle, group	2	-	B.	GA.1
6133	Std.1996/7					Chain, 7" long	4	Brass	C.	5
6098336	A.180683					Lever	4	S.1	C.	
-	Aerolex					Pin, quick release (use 28FP/4062327)	4	-	-	
	F.48/7/513									
9136	-					Ring, split type, 3/4" dia.	4	Steel	C.	
95049	C.190378					Sling, lifting, group	1	-	A.	GA.1
	C.190378/1					Cable, aft, 100-110 ton	1	BS.302		
	C.190378/2					Cable, forward, 100-110 ton	1	BS.302		
	F.190386					Plate, link	4	M.S.		
	B.190380					Plate, link, group	4	-		
6133	Std.1996/7					Chain, 7" long	1	Brass	C.	5
-	Aerolex					Pin, quick release (use 28FP/1433446)	1	-	-	
	F.48/7/813									
9136	-					Ring, split type, 3/4" dia.	1	Steel	C.	
	F.190384					Pin, forked	2	S.1		
	F.186238					Ring, lifting	1	S.92.B		
	B.190379					Strut, upper, group	1	-		
	A.190383					Strut, lower, group	2	-		
4GB/	-					Trestle, U.J., No. 1	2	-	A.	
	C.207184					SLINGING AND TRESTLING, REAR FUSELAGE (WITHOUT TAIL UNIT), ASSEMBLY	-	-		
95041	C.190878					Cradle, front, group	1	-	B.	GA.1
6133	Std.1996/7					Chain, 7" long	4	Brass	C.	5
95512	F.180694					Eye-bolt	2	S.1	C.	
6098336	A.180683					Lever	4	S.1	C.	
-	Aerolex					Pin, quick release (use 28FP/4062327)	4	-	-	
	F.48/7/513									
9136	-					Ring, split type, 3/4" dia.	4	Steel	C.	

23



EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
95077	D.200062/16					Nut, wheel attachment (Use 29A/4179243).....	4	M.S.		
	D.189637					Piece, distance, for wheel spindle .....	4	S.21.B		
95078	D.189638					Spindle .....	2	S.21.B	C.	GA.1
	Dunlop					Wheel (complete with solid tyre) .....	2	-	B.	GA.1
6098386	WDM.564					Wheel, runner .....	2	M.S.		
	D.200062/11					Arm towing .....	1	-		
	B.200212					Bolt, attaching side frame .....	6	-	C.	
	C.200058/1					Bolt, attaching side frame (Use 29A/9419848) ...	2	-		
	C.200058/2					Cradle .....	1	-		
	C.200060					Frame, side .....	2	-		
11207	B.200059					Forward end, group .....	1	-		
	D.200061					Bearing, thrust race .....	2	-	C.	
	Skefco 08					Bush, for castor fork spindle .....	2	Bronze	C.	
95868	D.189642					Bush, for runner wheel .....	2	Bronze		
	D.200062/2					Jack, screw, group .....	1	-	B.	
95076	C.189645					Bush .....	1	BSS.369		
	C.189645/2					Grub screw, 2 B.A., 0.38" long .....	2	M.S.		
	BS.768/1938					Nut .....	1	M.S.		
	C.189645/5					Shaft, screwed .....	1	M.S.	C.	GA.1
95077	D.200061/16					Nut, wheel attachment .....	4	M.S.		
	D.189637					Piece, distance, for wheel spindle .....	4	S.21.B		
95078	D.189638					Spindle .....	2	S.21.B	C.	GA.1
	Dunlop					Wheel (complete with solid tyre) .....	2	-	B.	GA.1
8601	WDM.564					Wheel, runner .....	2	M.S.		
	D.200062/11					Lug, for tee-bar .....	4	M.S.		
95014	F.200236					Strap, attachment, group .....	1	-	C.	GA.1
	C.190463					Bolt, with plate, group .....	1	-		
	A.179741					Bolt .....	1	S.1		
	F.179739					Collar .....	1	S.1		
95014	A.179741/1					Tie-bar .....	2	-		
	A.200232					Sling, for outer wings, group .....	1	-	A.	GA.2
6133	C.188900					Cable, forward, 100-110 ton, 5/16" dia. ....	1	BS.302		
	C.188900/1					Cable, rear, 100-110 ton, 5/16" dia. ....	1	BS.302		
	C.188902/2					Cable, outboard, 100-110 ton, 5/16" dia. ....	1	BS.302		
95075	C.188900/4					Chain, 7" long .....	3	Brass	C.	5
9138	Std.1996/7					Eye-bolt .....	3	S.95.B	C.	GA.1
	F.188901					Pin, quick release (use 28FP/4062670) .....	3	-		
95222	Aerolex					Ring, split type, 1-1/4" dia. ....	3	Steel	C.	
	F.48/7/1017					Ring, lifting .....	1	S.92.B		
95016	F.186238					Shackle, 1 ton narrow jaw type .....	3	BS.825		
	C.188900/3					Sling, outer wing, for chord vertical lifting .....	1	-	A.	GA.2
6133	C.199388					Cable, 100-110 ton, 5/16" dia., complete with .....	4	BS.302		
	C.199388/1					lifting ring .....	4	-		
95016	C.199388/2					Leather, strip, 1/16" thick .....	4	-		
	B.189219					Ring, lifting .....	1	S.92.B		
95016	A.199389					Screw, anchorage .....	4	-		
	F.199390					Thimble .....	4	-		
6133	B.190526					Sling, for tail plane, fin and rudder .....	1	-	A.	GA.2
	B.190526/1					Cable, 100-110 ton, 5/16" dia. ....	2	BS.302		
	Std.1996/7					Chain, 7" long .....	4	Brass	C.	5

EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description					No. Of	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
95520	F.190527						1	H.T.S.	C.	
95519	F.199873						1	-	C.	
-	Aerolex						2	-	-	
	F.4877/612									
	F.180478						1	S.92.B		
	F.313999						1	B.S.		
								SAE.8620		
9138	-						2	Steel	C.	
23 4GC/4232190	-						1	-	A.	
95720	B.229927						1	-	A.	GA.10
95087	A.194634						1	Comm.	B.	GA.3
95311	A.209612						1	-	B.	GA.8
95228	Britool						1	-	C.	
	Z.4948									
95085	A.194578						1	EN.33	B.	GA.3
95081	B.194717						1	T.26 & S.3	B.	GA.3
95645	B.224080						1	-	B.	GA.3
95226	A.201965						1	EN.33	B.	GA.8
95163	A.197766						1	S.21 & S.3	B.	GA.3
95165	A.197767						1	S.21 & S.3	B.	GA.3
95166	A.197768						1	S.21 & S.3	B.	GA.3
95706	A.222402						1	S.3	B.	GA.3
95715	A.227530						1	-	B.	GA.4
95164	F.199124						1	-	B.	GA.3
95304	F.199406						1	M.S. or EN.351	B.	GA.8
95305	F.199407						1	M.S.	B.	GA.8
95308	B.204866						1	S.15 or EN.351	B.	GA.8
95425	A.190295						1	Comm.	B.	GA.8
95503	B.209815						1	EN.33	B.	GA.8
95504	B.209816						1	EN.33	B.	GA.8
95143	F.198704						2	-	B.	GA.3
6133	Std.1996/7						2	Brass	C.	5
95065	A.164139						1	-	C.	GA.2
9136	-						1	Steel	C.	
	F.261598						2	M.S.		
	F.261597						8	H.T.S.		
95234	B.199253						1	-	B.	GA.4
	F.199257						1	S.1		
95799	F.199255						1	M.S.B.	C.	
	A.199254						1	S.1.B.		
	F.199256						1	M.S.B.		
95725	B.230207						1	-	B.	GA.10
	F.230212						1	M.S.		
	Std.1551/1/145						1	-		5
	F.230210						1	M.S.		
	F.230211						1	M.S.		
	F.230209						1	M.S.		
23 28FP/4070077	Aviation Dev.						1	-	C.	
	A.515									
	A.230208						1	T.45		

EQUIPMENT-ANCILLARY


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
95427	C.208502					Test Equipment, for Fuel System, group (Mod. 385 S.O.O.)	1	-	B.	GA.2
	A.211191					Adaptor, for spine connection, group	1	-		
1731	F.193381					Ring, sealing	1	Rubber	C.	
	C.212514					Box, for test equipment	1	-		
	B.207700					Box, control, group	1	-		
	I.V. Pressure Controllers SK.342/1					Controller, pressure (Alt. to CU.345)	1	-		
	I.V. Pressure Controllers CU.345					Controller, pressure (Alt. to SK.342/1)	1	-		
	Std.1371.C					Coupling	1	DTD.423		
	B.207700/1					Hose, 3/8" i/d. x 12 ft. long	1	-		
	F.207701					Nipple, special	1	L.65.C		
95723	BEN/SA.179					Plug, instantair	1	-	C.	
95757	A.207899					Bung, for forward vent pipe, group	1	-	B.	
	A.194466					Bolt	1	-		
	Std.1996/6					Chain	1	Brass		
95665	A.194464/1					Gland	1	-	C.	
	F.208459					Label	1	L.72		
9137	-					Ring, split, type, 1" dia.	2	Steel	C.	
	F.194467					Ring, locking	1	-		
	A.207818					Cover, blanking, for refuelling pressure relief valve, group	2	-		
	Std.1996/6					Chain	1	Brass		
	A.207800					Clamp	1	M.S.		
	F.207817					Nut, wing	1	-		
	A.207818/2					Pennant	1	-		
	F.207793					Plunger, group	1	-		
23 5330-99-6516368	Dowty S.P.597/9					Ring, seal	1	-	C.	
23 28B/1061088	AS.4573/1					Ring, retaining	2	-	C.	
	9137					Ring, split type, 1" dia.	2	Steel	C.	
	95080	B.191654				Tool, for undercarriage up-lock	1	-	B.	GA.3
	95223	B.200521				Tool, for assembly, of transport joint spigot	1	-	B.	GA.8
	95516	C.215976				Tool, for alignment of gun and barrel support, group	1	-	A.	GA.10
		C.215999				Barrel	1	M.S.		
		F.216000				Screw, special	3	EN.33		
		B.215997				Sleeve	1	EN.33		
		A.215998				Spigot	1	EN.33		
	95557	B.215975				Tool, bearing rotation	1	M.S.	B.	GA.10
23 4Q/4230819	-					Trestle, Mk. 1	1	-	A.	
23 4Q/4230821	-					Trestle, Mk. 3	2	-	A.	
	-					Trestle, U.J., No. 6	4	-		
	95045	E.189646				Trolley removal, for engine unit (Pre Mod. GE.51)	1	-	A.	
	95216	C.200213				Trolley removal, for engine unit, group (Mod. GE.51)	1	-	A.	GA.6
		B.200212				Arm, towing	1	-		
		D.200198				Att-end, group	1	-		
		D.189644				Collar, wheel attachment	2	M.S.		
	95868	C.189645				Jack, screw, group	2	-	B.	
		C.189645/2				Bush	1	BSS.369		
		BS.768/1938				Grub-screw, 2 BA x 0.38" long	2	M.S.B.		
6098385	C.189645/5					Nut	1	M.S.B.	C.	
95076	C.189645/1					Shaft, screwed	1	M.S.B.	C.	GA.1
6098387	D.200198/16					Nut, wheel attachment	2	M.S.	C.	
95079	D.189643					Spindle, for wheel	2	S.21.B	B.	GA.6
95078	Dunlop					Wheel, complete with solid tyre	2	-	B.	GA.1
	WDM.564									
6098386	C.200058/1					Bolt, attaching side frames	6	M.S.	C.	
	C.200058/2					Bolt, attaching side frames (Use 29A/9419848 in lieu)	2	M.S.	-	
	B.200191					Frame, centre	1	-		
	B.200188					Frame, side	2	-		


EQUIPMENT-ANCILLARY


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.200197					Forward, end, group	1	-		
2A/9500503	Skefco 08					Bearing, thrust race (AS.770/8)	2	-	C.	
11207	D.189642					Bush for castor for spindle	2	Bronze	C.	
95868	C.189645					Jack, screw, group	2	-	B.	
	C.189645/2					Bush	1	BSS.369		
	BS.768/1938					Grub-screw, 2 B.A. 0.33" long	2	M.S.B.		
6098385	C.189645/5					Nut	1	M.S.B.	C.	
95078	C.189645/1					Shaft, screwed	1	M.S.B.	C.	
	D.200197/12					Nut, wheel attachment	4	M.S.		
13223	D.189637					Piece, distance, for wheel spindle	4	S.21.B	C.	
95077	D.189638					Spindle	2	S.21.B	B.	GA.1
95078	Dunlop WDM.564					Wheel, complete with solid tyre	2	-	B.	
6098388	F.200238					Lug, for tie bar	2	M.S.	C.	
6098389	F.200237					Lug, for tie bar	2	M.S.	C.	
	D.200210					Rail, group	1	-		
12940	F.196530					Bolt, at lower rail	1	S.95.B	C.	
95876	D.200210/16					Bolt, special	2	M.S.	C.	
	Std.1996/12					Chain	2	Brass		5
12939	F.196531					Nut, at lower rail	1	S.95.B	C.	
-	Aerolex					Pie, pip (use 28FP/9432064)	1	-	-	
	F.48/7/817									
9136	-					Ring, split type, 3/4" dia.	2	Steel	C.	
-	D.200210/19					Tommy-bar (Make from 30/9611795)	2	M.S.	-	
13267	A.200233					Tie bar	2	-	C.	
95770	E.229359					Trolley, drop tank handling, group (Mod. 894)	1	-	A.	
95813	B.231705					Arm, towing	1	-	B.	
95818	A.236313					Bar, tow	1	M.S.P.	C.	
2A/9500507	S.F.L./1-1/2					Bearing, thrust	2	-	C.	
	E.229359/1					Bolt, tie	4	M.S. Bar		
6098237	C.236263					Cradle, inboard (For use with 100 gal. drop tank)	2	-	C.	
6098238	C.236264					Cradle, outboard (For use with 100 gal. drop tank)	2	-	C.	
95824	C.231702					Fork, forward	2	-	C.	
95815	C.236626					Handle, jack operating, forward	2	-	B.	
95816	C.236627					Handle, jack operating, aft	1	-	B.	
95817	B.233333					Jack (Make from Lake and Elliott jack type S.414-20428) (Alt. to B.311857)	3	-	B.	
	B.311857					Jack (Make from Lake and Elliott jack type S.411) (Alt. to 26FX/95817)	1	-		
	D.189641					Link, towing	1	-		
	E.231700					MAIN FRAME, ASSEMBLY	-	-		
95814	F.231715					Bush, at forward end of frame	4	BSS.369	C.	
	F.249007					Roller, for jack (Mod. 681008)	1	M.S.		
95819	A.235425					Strap, with buckle	2	-	C.	
95820	A.235426					Strap	2	-	C.	
	F.233326					Trunnion, at jacks	2	M.S.		
95821	F.235690					Washer	2	M.S. plate	C.	
	F.235291					Washer, taper for jack attachments (Used with B.233333)	12	M.S. Bar		
28N/9706991	SP.25N					Washer (Used with 26FX/95822)	2	-	C.	
	F.311858					Washer, taper (Used with B.311857)	12	-		
95822	Flexello					Wheel, castor, assembly (Alternative to Flexello KV.8R x B.SP Wheel, castor, assy., fitted with Timken taper roller bearings and swivel hook, without wheel lock)	2	-	B.	
	KV.8R x B.SP									
	Flexello					Wheel	1	-		
	WSU.8TM									
	Flexello					Wheel, castor, assembly, fitted with Timken taper roller bearings and swivel hook (wheel lock not fitted) (Alternative to 26FX95822)	2	-		
	KV.8R x B.SP									
95823	Flexello					Wheel, fitted, with Timken taper roller bearings complete with bolt	2	-	B.	
	REX.8RB.SP									


23





















ANCILLARY EQUIPMENT











This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.