

EQUIPMENT S.O.O.—BALLASTING

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	A.228730	BALLASTING—RADAR HEAD AND RANGING					—	—		
		UNIT, ASSEMBLY								
	A.228462	Weight, ballast ranging unit, group (26½ ± ¼ lbs.)					1	—	—	
		(Use 26FX/8599)								
	C.197392/8	Pin					2	Silver Steel		
	C.197392/10	Pin, pivot (Alternative to C.245827/10)					4	S.95.B		
10H/O560191	Plessey	Plug, panel, unit					1	—	C.	
	508/1/40075/321									
	C.197392/9	Roller (Alternative to C.245827/9)					4	M.S.		
10H/O560262	Plessey	Socket, panel unit					1	—	C.	
	508/1/40043/322									
10H/O560332	Plessey	Socket, panel unit					1	—	C.	
	508/1/40049/321									
	C.197392/12	Washer (Alternative to C245827/12)					4	M.S.		
10589	C.245827	Weight, ballast radar head, group (Mod. 974)					1	—	B.	
13098	C.245827/8	Pin					2	Silver Steel	C.	
	C.245827/10	Pin, pivot (Alternative to C.197392/10)					4	S.95.B		
10H/O560192	Plessey	Plug, panel unit					2	—	C.	
	508/1/40075/322									
	C.245827/9	Roller (Alternative to C.197392/9)					4	M.S.		
10H/O560331	Plessey	Socket, panel unit					1	—	C.	
	508/1/40049/321									
	C.245827/12	Washer (Alternative to C.197392/12)					4	M.S.		

EQUIPMENT S.O.O.—BALLASTING

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/1008151	A24.4E	Bolt	1/4"	B.S.F.	-	-	-		
28D/1008145	A25.6E	Bolt	1/4"	B.S.F.	-	-	-		
28D/1011142	A25.7E	Bolt	1/4"	B.S.F.	-	-	-		
28D/1010132	A25.12E	Bolt	1/4"	B.S.F.	-	-	-		
28M/1011475	A27.E.P.	Nut	1/8"	B.S.F.	-	-	-		
28S/9419411	A31/C/32	Screw	2	B.A.	-	-	-		
28W/9419405	SP.15/E	Washer	1/4"	B.S.F.	-	-	-		

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

