

HUNTER T. MK. 7A (S.O.O.)

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|--------------|--|---------|--|---|----|------------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| | F.263841 | CABIN PRESSURISING EQUIPMENT IN FRONT FUSELAGE, ASSEMBLY (For further spares see E.235596) | | | | | — | — | | |
| | 11644 | Std.2045/68/20 | | Clip | | 1 | — | | | |
| | | Std.2045/83/20 | | Clip | | 1 | — | | | |
| | | Std.2046/49/20 | | Clip | | 1 | — | | | |
| | | A.263848 | | Control, butterfly valve (Shown on A.263849) | | 1 | — | C. | | |
| | D.262956 | COOLING SYSTEM, FRAMES 1C TO 6 ASSEMBLY (For further spares see D.232115) | | | | | — | — | | |
| | 20410 | B.205921 | | Bracket, support, ground connection, frame 4 | | 1 | — | C. | | |
| | | F.253349 | | Clip, pipe, frame 5 | | 1 | — | | | |
| | 4801 | Std.840/48 | | Clip | | 1 | DTD.610 | MR/C | 4 | |
| | 7154 | Std.840/55 | | Clip | | 2 | DTD.610 | MR/C | 4 | |
| | 5419 | Std.851/29 | | Clip | | 1 | — | MR/C | 4 | |
| 23 | 27KD/4631277 | Normalair | 504600 | Coupling, ground | | 1 | — | B. | | |
| | 11641 | A.263589 | | Duct, aft | | 1 | — | C. | | |
| | 11638 | C.241599 | | Duct, cooling | | 1 | — | C. | | |
| | 11639 | C.263748 | | Duct, cooling, bifurcated | | 1 | — | C. | | |
| | 11640 | A.263588 | | Duct, forward, ground pressure connection | | 1 | — | C. | | |
| | 1506206 | B.238199 | | Pipe, "Y" branch | | 1 | — | B. | | |
| | 1506205 | B.238198 | | Pipe, "Y" branch to coupling | | 1 | — | B. | | |
| | | A.263196 | | Pipe, bottom, cooling | | 1 | — | | | |
| | | A.263197 | | Pipe, top, cooling | | 1 | — | | | |
| | 20276 | A.246205 | | Pipe, cooling | | 1 | — | C. | | |
| | | F.262928 | | Restrictor, at four way piece, frame 4 | | 1 | L.67, L.16 | | | |
| | | F.242249 | | Support, pipe at frame 3 | | 1 | LFS.21 | | | |
| | 20270 | B.247060 | | Pipe, branch, frame 8 to valve, port | | 1 | — | C. | | |
| | 11654 | B.247063 | | Pipe, feet spray (port) | | 1 | — | C. | | |
| | 20274 | B.247064 | | Pipe, front, light spray (port) | | 1 | — | C. | | |
| | | B.213254/53 | | Pipe, pressurisation, frames 9-12 | | 1 | — | | | |
| | | B.213254/54 | | Pipe, pressurisation, frames 9-12 | | 1 | — | | | |
| | 20272 | B.247062 | | Pipe, quarter light spray | | 1 | — | C. | | |
| | 20277 | A.246273 | | Pipe, ram, air | | 1 | — | C. | | |
| | | B.263743 | | Pipe, valve to spray pipe | | 1 | — | | | |
| | F.264147 | ELECTRICAL EQUIPMENT, CENTRE FUSELAGE, ASSEMBLY (For further spares see G.258720) | | | | | — | — | | |
| | D.263272 | Box, junction No. 1, group (For further spares see D.203812) | | | | | 1 | — | | |
| | | B.265475/1 | | Diagram, wiring (Mod. 1251) | | 1 | Photo | | | |
| | 5K/4346693 | Ross Courtney | RC.2120 | Tag, 6 amp. | | QR | — | C. | | |
| | 5K/4346711 | Ross Courtney | RC.2121 | Tag, 12 amp. | | QR | — | C. | | |
| 23 | — | Ross Courtney | RC.2122 | Tag, 24 amp (Use 5X/9709497) | | QR | — | — | | |
| | 11645 | C.263271 | | Box, junction, armament No. 1 (For further spares see C.260195) | | 1 | — | B. | | |
| | | C.264146 | | Box | | 1 | L.59 | | | |
| | 5K/4346693 | Ross Courtney | RC.2120 | Tag, 6 amp. | | 52 | — | C. | | |
| | 5K/4346711 | Ross Courtney | RC.2121 | Tag, 12 amp. | | 2 | — | C. | | |

HUNTER T. MK. 7A (S.O.O.)

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Score | Place No. |
|-------------|--|---|---------|------------------------|---------------------|-----------|
| | | | | | | |
| 11646 | Std.2076/46/22 | Clip, cable, frame 19 | 1 | — | C. | 6 |
| 11647 | Std.2076/65/20 | Clip, cable, frame 19 | 1 | — | C. | 6 |
| | A.263396 | ELECTRICAL EQUIPMENT IN FRONT FUSELAGE, ASSEMBLY (For further spares see G.218359) | — | — | | |
| 6A/1983016 | SA-22055-234 | Adaptbr, flange for altimeter, Mk. 21 (See C.263401) (Mod. 1415) | 1 | — | C. | |
| | C.323971 | ADDITIONAL DETAILS, ASSY. (Mod. 1382) | — | — | | |
| | B.316545 | Cable assy., F.175 (See Cable Chart) | 1 | — | | |
| | C.316546 | Cable, assy., F.199 (See Cable Chart) | 1 | — | | |
| 5X/4683253 | Hellermann 0003-033-000 | Cap, protective | 1 | — | C. | |
| | D.320061 | Clipping, on FR.5 | 1 | — | | |
| 11304 | Std.2046/21/24 | Clip | 7 | — | C. | |
| 6A/1037854 | M1707 or KAA1301K | Altimeter, cabin, Mk. 21 (See C.263401) (Mod. 1415) | 1 | — | A. | |
| | G.263445 | BOX, JUNCTION, MAIN TRUNKING, ASSEMBLY (For further spares see G.217944) | — | — | | |
| | D.316528/1 | Diagram, wiring (Mod. 1380) | 1 | Photo | | |
| | Std.2044/8/061 | Ferrule | 1 | DTD.604 | | 6 |
| | Std.2044/4/054 | Ferrule | 1 | DTD.604 | | 6 |
| | Std.2044/6/058 | Ferrule | 1 | DTD.604 | | 6 |
| | Std.2044/7/063 | Ferrule | 1 | DTD.604 | | 6 |
| 10H/0970074 | Plessey 508/1/07636/003 | Outlet, 90° | 1 | — | C. | |
| 10H/0970062 | Plessey 508/1/07621/003 | Outlet, straight | 1 | — | C. | |
| 10H/0970089 | Plessey 508/2/07711/200 | Ring, sealing | 1 | — | C. | |
| 5X/9525146 | Plessey 508/2/11231/002 | Sleeve | 5 | — | C. | |
| | 5K/ 5K/ Hellermann Hellermann | Sleeve, Helsyn 150, HT.30 x 3/4" | 4 | — | C. | |
| | 5K/ Hellermann | Sleeve, Helsyn 150, HT.50 x 1" | 2 | — | C. | |
| 10H/0560160 | Plessey 508/1/40006/320 | Socket | 2 | — | C. | |
| 5K/4346693 | Ross Courtney RC.2120 | Tag, quick release | 9 | — | C. | |
| 5K/4346711 | Ross Courtney RC.2121 | Tag, quick release | 9 | — | C. | |
| — | Ross Courtney RC.2122 | Tag, quick release (Use 5X/9709497) | 59 | — | — | |
| | A.321961 | Trunking, sub-assy. (Mod. 1380) | 1 | — | | |
| | D.263041 | Box, main fuse, group (For further spares see D.244852) | 1 | — | | |
| | B.316532/1 | Diagram, wiring (Mod. 1380) | 1 | Photo | | |
| 5X/9400384 | — | Tag, 12 amp. | 1 | — | C. | |
| 5X/9400388 | — | Tag, 24 amp. | 1 | — | C. | |
| 5K/4346711 | Ross Courtney RC.2121 | Tag, 12 amp. | 54 | — | C. | |
| — | Ross Courtney RC.2122 | Tag, 24 amp. (Use 5X/9709497) | 7 | — | — | |
| 5K/5866 | Ross Courtney RC.00 | Tag | 1 | — | C. | |

HUNTER T. MK. 7A (S.O.O.)

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|--------------|------------------|---|---|------------------------|---------------------|-----------|
| | | | | | | |
| | E.263129 | Box, junction No. 2, group (For further spares see E.260251) | 1 | — | | |
| 8012 | F.208578 | Adaptor | 3 | — | C. | |
| | D.245114 | Box, detail, group | 1 | — | | |
| | A.221811 | Clamp, cable | 1 | — | | |
| | B.245123 | Plate, cover | 1 | — | | |
| 13136 | F.221810 | Plate, stud | 2 | S.510 | C. | |
| 28FP/1201748 | Dzus S.5.200 | Spring | 2 | — | C. | |
| 3762 | Std.915/A18 | Washer, 6 B.A. | 4 | DTD.610 | MR/C | 4 |
| | D.265472/1 | Diagram, wiring (Mod. 1251) | 1 | Photo | | |
| 5X/4491480 | Plessey CZ.24640 | Ferrule | 2 | — | C. | |
| 5X/4491426 | Plessey CZ.24646 | Ferrule | 1 | — | C. | |
| 20310 | Std.2044/6/052 | Ferrule, 3/8" dia. | 1 | DTD.604 | C. | 6 |
| 20311 | Std.2044/7/052 | Ferrule, 7/16" dia. | 1 | DTD.604 | C. | 6 |
| 20312 | Std.2044/10/076 | Ferrule, 5/8" dia. | 2 | DTD.604 | C. | 6 |
| 10H/0970059 | Plessey Z.60665 | Gasket, outlet | 1 | — | C. | |
| 10H/0970058 | Plessey | Gasket, outlet | 1 | — | C. | |
| | 508/2/07705/200 | | | | | |
| | C.245185 | Lid | 1 | — | | |
| 10H/0970067 | Plessey | Outlet, straight | 2 | — | C. | |
| | 508/1/07627/003 | | | | | |
| 23 | 10H/9114134 | Plessey CZ.49184 | Outlet, straight | 1 | — | C. |
| | 10H/0970062 | Plessey | Outlet, straight | 1 | — | C. |
| | 508/1/07621/003 | | | | | |
| 23 | 5X/5200911 | Plessey CZ.50357 | Plug | 1 | — | C. |
| 23 | 5X/4500169 | Plessey CZ.50360 | Plug | 1 | — | C. |
| 23 | 5X/4500177 | Plessey 508/1/06413 | Plug | 12 | — | C. |
| | 10H/0970088 | Plessey | Ring, sealing | 2 | — | C. |
| | 508/2/07708/200 | | | | | |
| 10H/0970239 | Plessey Z.67407 | Ring, sealing | 2 | — | C. | |
| | 5K/— | — | QR | — | C. | |
| | 5K/— | — | QR | — | C. | |
| | 5K/— | — | 1 | — | C. | |
| 10H/0560220 | Plessey | Socket | 2 | — | C. | |
| | 508/1/40015/320 | | | | | |
| 10H/0560223 | Plessey | Socket | 1 | — | C. | |
| | 508/1/40015/323 | | | | | |
| 10H/0560525 | Plessey | Socket | 1 | — | C. | |
| | 508/1/40003/325 | | | | | |
| 10H/0560160 | Plessey | Socket | 1 | — | C. | |
| | 508/1/40006/320 | | | | | |
| 23 | 5X/4500093 | Plessey | Socket | 1 | — | C. |
| | CZ.111666 | | | | | |
| | 5K/4346693 | Ross Courtney | Tag, 6 amp. | QR | — | C. |
| | RC.2120 | | | | | |
| | 5K/4346711 | Ross Courtney | Tag, 12 amp. | QR | — | C. |
| | RC.2121 | | | | | |
| 23 | — | Ross Courtney | Tag, 24 amp. (Use 5X/9709497) | QR | — | — |
| | RC.2122 | | | | | |
| | 20208 | A.237468 | Bracket, mounting, for hood override and cabin pressure switches (Shown on C.237469) | 1 | L.72 | C. |
| | D.263361 | Cable, F.27 (See Cable Chart) | 1 | — | | |
| | C.263164 | Cable, F69, group (See Cable Chart) | 1 | — | | |
| 7989 | F.209702 | Ferrule | 1 | L.65 | C. | |

HUNTER T. MK. 7A (S.O.O.)

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Score | Plate No. |
|--------------|---|--|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| — | B.240274 | Cable, F.119, group (See Cable Chart) | | | | | 1 | — | — | |
| | F.253474 | Grommet, blanking | | | | | 2 | Silcoset 101 | | |
| | F.253475 | Grommet, blanking | | | | | 2 | Silcoset 101 | | |
| | F.253476 | Grommet, cable entry | | | | | 2 | Silcoset 101 | | |
| | F.253477 | Grommet, cable entry | | | | | 2 | Silcoset 101 | | |
| — | C.256149 | Cable, F.42 (See Cable Chart) | | | | | 1 | — | — | |
| — | C.264071 | Cable, F.100 (See Cable Chart) | | | | | 1 | — | — | |
| — | A.245517 | Cable, F.172 (See Cable Chart) | | | | | 1 | — | — | |
| — | B.316512 | Cable, F.184 (Mod. 1380) (See Cable Chart) | | | | | 1 | — | — | |
| 26VA/6041265 | Std.2046/23/24 | Clip, cable, on frame 15 | | | | | 1 | — | C. | 6 |
| | Std.2045/72/20 | Clip, cable on frame 16 | | | | | 1 | — | | 6 |
| 26VA/6039070 | Std.2045/29/22 | Clip, cable on frame 16 | | | | | 1 | — | C. | 6 |
| | E.263267 | Console, centre, group | | | | | 1 | — | | |
| | | (For further spares see E.293901) | | | | | | | | |
| — | F.242935 | Breaker, circuit (Make from 5CY/4376489) | | | | | 1 | — | — | |
| | D.263224 | Cable, form (See Cable Chart) | | | | | 1 | — | | |
| 5CY/4376068 | A.E.I. CX.119950 | Cover, circuit-breaker | | | | | 1 | — | C. | |
| | B.241203 | CONSOLE, CENTRE, SUB-ASSEMBLY | | | | | — | — | | |
| | A.221275 | Fitting, pivot | | | | | 1 | L.65.C | | |
| 5CX/5986 | Thorn Electric 80/10/0055 Black/Amber | Holder, lamp, two colour, group | | | | | 1 | — | B. | |
| 10AT9436259 | Thorn 80/10/0059 | Cap | | | | | 1 | — | C. | |
| 5CX/9557610 | Thorn 80/10/0064 | Holder, screw, terminal | | | | | 1 | — | C. | |
| | 20199 A.241101 | Label, muting (Shown on D.241202) | | | | | 1 | — | C. | |
| | 20197 F.241204 | Label, "A.C." supplies | | | | | 1 | L.59 | C. | |
| | 20198 F.241103 | Panel, lighting, "INVERTERS—AIRBRAKE— TEST—STARTER" | | | | | 1 | Plasteck Type 3 | C. | |
| | 5829 Std.1606/44/A14 | Screw, roundhead, 6 B.A. | | | | | 2 | Brass | C. | 5 |
| | 3859 Std.1606/45/B10 | Screw, roundhead, 4 B.A. | | | | | 4 | Brass | C. | 5 |
| | 4661 Std.1606/45/B12 | Screw, roundhead, 4 B.A. | | | | | 2 | Brass | C. | 5 |
| | 3839 Std.1606/44/B16 | Screw, roundhead, 4 B.A. | | | | | 2 | Brass | C. | 5 |
| 5CW/1047692 | — | Switch, S.P. | | | | | 1 | — | C. | |
| 5CW/4400620 | Pye 2082/1 | Switch, ganged | | | | | 1 | — | B. | |
| 5CW/4407828 | — | Switch, S.P. | | | | | 1 | — | C. | |
| 5CW/1047697 | — | Switch, D.P. | | | | | 1 | — | C. | |
| | D.264401 | EQUIPMENT, COCKPIT LIGHTING, ASSEMBLY | | | | | — | — | | |
| | | (For further spares see D.223753) | | | | | | | | |
| — | A.263978 | Cable, F.141 (See Cable Chart) | | | | | 1 | — | — | |
| — | A.263977 | Cable, F.135 (See Cable Chart) | | | | | 1 | — | — | |
| 24 | 5E/9012998 | Cable, uninyvin 16 | | | | | 1 | — | C. | |
| 24 | 5340-99-4246760 | Clip | | | | | 1 | — | C. | |
| 24 | 5K/9524106 | Grommet | | | | | 1 | — | C. | |
| | 5CX/1143214 | Light, bridge, type "C", black | | | | | 1 | — | C. | |
| 24 | 3839 Std.1606/44/B16 | Screw, roundhead, 4 B.A. | | | | | 4 | Brass | C. | 5 |
| | 5K/ | Sleeve, Helsyn 150, HT.20 x 3/4" | | | | | 1 | — | C. | |
| | 5X/9462745 | Tag | | | | | 1 | — | C. | |
| | Hellermann HC.304 | | | | | | | | | |

HUNTER T. MK. 7A (S.O.O.)

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|--------------|--|---------|------------------------|---------------------|-----------|
| | | | | | | |
| | | EQUIPMENT IN RADIO BAY, ASSEMBLY | — | — | | |
| | | (E222039 modified to C.248614) | | | | |
| | | (For further spares see E.222039) | | | | |
| 23 | 5J/1984238 | Accumulator, type 24, 15/35 ED., size 2.HR | 2 | — | B. | |
| | 32C/1050 | Tube, Maricon, type "H", 9/16" o/d. x .30" i/d. | QR | — | C. | |
| | 20265 | Guard, cable, on port cockpit shelf side wall | 1 | L.59 | C. | |
| | | (Shown on C.263401) | | | | |
| | | Guard, cable, centre console (C.227917 modified to | 1 | L.72 | | |
| | | A.248452) | | | | |
| | E.263218 | PANEL, SUPPLY, ASSEMBLY | — | — | | |
| | | (For further spares see E.223427) | | | | |
| | D.256198 | Cable, F.21 (See Cable Chart) | 1 | — | — | |
| | B.316530/1 | Diagram, wiring (Mod. 1380) | 1 | Photo | | |
| | A.240910 | Link, chain | 1 | — | | |
| | D.263277 | PANEL, GENERATOR CONTROL, ASSEMBLY | — | — | | |
| | | (For further spares see D.212163) | | | | |
| | 11651 | Bolt, fuse attachment | 4 | BSS.249 | C. | |
| | 5H/54 | Busbar, 2-way | 4 | — | C. | |
| | | | | | | |
| | | Cable, F.150 (See Cable Chart) | 1 | — | — | |
| | | Cable, F.149 (See Cable Chart) | 1 | — | — | |
| | | Cable, form, F.49 (See Cable Chart) | 1 | — | — | |
| | 11294 | Clip, sleeved, cable | 2 | — | C. | 6 |
| | 12326 | Clip, sleeved, cable | 1 | — | C. | 6 |
| | 26VA/6043780 | Clip, sleeved, cable | 1 | — | C. | 6 |
| | | Clip, sleeved, cable | 3 | — | C. | 6 |
| | 9663 | Clip, sleeved, cable | 2 | — | C. | 6 |
| | 26VA/6041261 | Clip, sleeved, cable | 1 | — | C. | 6 |
| | 11303 | Clip, sleeved, cable | 1 | — | C. | 6 |
| | 11794 | Clip, sleeved, cable | 2 | — | C. | 6 |
| 23 | 10H/7153091 | Fuse, 125 amp., type TFP. (Pre Mod. 1316) | 2 | — | C. | |
| | 10H/0119128 | Fuse, 125 amp., type A (Mod. 1316) | 2 | — | C. | |
| | F.280435 | Link, plate (Mod. 1316) | 2 | — | | |
| | D.263422 | Panel, detail, group | 1 | — | | |
| | 28FP/9425773 | Fastener | 4 | — | C. | |
| | F.212049 | Lug, hinge | 2 | L.65 | | |
| | F.236504 | Lug, locking | 1 | S.3 | | |
| | A.245757 | Mounting, fuse, group | 1 | — | | |
| | B.245732 | Base | 1 | DTD.5518 | | |
| | 11650 | Clip, spring | 1 | — | C. | |
| | 11649 | Cover | 1 | DTD.5518 | C. | |
| 23 | 5CW/1057583 | Relay, type 20B, No. 1 | 2 | — | A. | |
| | D.263372 | Panel, leg, port, group | 1 | — | | |
| | | (For further spares see D.217197) | | | | |
| | C.263435 | Cable, form | 1 | — | | |
| | 11658 | Cover, rudder bar release lever | 1 | S.510 | C. | |
| | | | | Velrex | | |
| | 5L/9959125 | Filament, 4V., 26 amp. | 1 | — | C. | |
| | 5K/4346693 | Tag, 6 amp. | 2 | — | C. | |
| | | | | | | |
| | C.248618 | REMOVAL OF A.C. SUPPLIES | — | — | | |
| | B.263216 | Cable, F.45 (See Cable Chart) | 1 | — | — | |
| | | Plug, code 45 | 1 | — | C. | |
| | 10H/0560305 | Switch (Mod. 1380) | 1 | — | B. | |
| | 5CW/13757 | | | | | |
| | | Tube, distance, cable clip, frame 16 | 1 | — | MR/C | 4 |
| | 5767 | (Shown on C.263401) | | | | |

HUNTER T. MK. 7A (S.O.O.)

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Place No. |
|----------|------------------|---|---------|------------------------|---------------------|-----------|
| | | | | | | |
| | — | ELECTRICAL EQUIPMENT, REAR FUSELAGE, ASSEMBLY (For further spares see E.222682) | — | — | | |
| | B.266409 | Block, terminal, Nos. 47 and 48, assembly (Mod. 1251) | 1 | — | | |
| 11648 | F.265476/1 | Label, TB:47 | 1 | — | | |
| | A.264164 | Box, junction, group (For further spares see A.220339) | 1 | — | B. | |
| | F.264163 | Lid | 1 | — | | |
| | F.264687 | ENGINE CONTROLS IN FRONT FUSELAGE, ASSEMBLY (For further spares see E.212650) | — | — | | |
| | — | BOX, CONTROL THROTTLE, CENTRE, ASSEMBLY (C.230958 modified to B.264405) (For spares see C.221499) | — | — | | |
| 27K/ | C.265364 | Box, control, L.P. cock, group | 1 | — | | |
| | Teleflex C.78914 | Unit, lever, box | 1 | — | B. | |
| | C.265363 | Box, control, H.P. cock, group (For further spares see C.212946) | 1 | — | | |
| | C.244160 | Shelf, cockpit | 1 | L.72 | | |
| | A.251229 | Plate, mounting, for throttle control box, port | 1 | — | | |
| | B.243955 | Shelf, detachable, cockpit, outboard (Port) | 1 | — | | |
| | C.245785 | THROTTLE LINKAGE AND BOX, ASSEMBLY | — | — | | |
| 8631 | DTD.487-7E | Bolt, 1/4" B.S.F. | 1 | DTD.487 | C. | |
| | DTD.487-8E | Bolt, 1/4" B.S.F. | 1 | DTD.487 | | |
| 9759 | DTD.487-14E | Bolt, 1/4" B.S.F. | 1 | DTD.487 | C. | |
| | A.245789 | Lever, bell crank | 1 | — | | |
| 20267 | A.245790 | Lever, bell crank | 1 | — | C. | |
| 11642 | A.245786 | Rod, connecting, group | 1 | — | C. | |
| 8652 | F.212264 | Bearing, spherical | 2 | — | C. | |
| | A.245788 | Eye-end | 1 | S.1 | | |
| 11643 | F.245792 | Spindle, bell-crank, port | 1 | S.1 | C. | |
| 8658 | F.212130 | Spindle, bell-crank, starboard | 1 | S.1 | C. | |

HUNTER T. MK. 7A (S.O.O.)

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|------------|---|-----------------------------------|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 23 | — | ENGINE INSTALLATION, ASSEMBLY | | | | | — | — | A. | |
| | 6A/4338630 | (For further spares see G.191793) | | | | | | | | |
| | — | Generator, tachometer, Mk. 8, code 162,/RV/SB | | | | | 1 | — | | |
| | 11633 | D.245894 | FUSELAGE COMPLETE, ASSEMBLY | | | | | — | — | |
| | 20253 | A.245856 | Nose, piece, group | | | | | 1 | — | |
| | 20254 | A.245893 | (For further spares see D.207617) | | | | | | | |
| | | B.245851 | Bracket, ram air pipe | | | | | 1 | S.510 | |
| | | B.245852 | Pipe, ram air | | | | | 1 | — | |
| | | | Stiffener | | | | | 1 | L.72 | |
| | | | Stiffener | | | | | 1 | L.72 | |
| 23 | F.263395 | FUSELAGE, CENTRE STRUCTURE, ASSEMBLY | | | | | — | — | | |
| | F.316573 | (For further spares see E.219299) | | | | | | | | |
| | | Door, access to engine starter, group (Mod. 1380) | | | | | 1 | | | |
| | | (For further spares see D.235372) | | | | | | | | |

HUNTER T. MK. 7A (S.O.O.)

| Ref. No. | Part No. | Description | No. Off | | | | | Material Specification | M.R. Class of Store | Place No. |
|--------------|--------------|---|---------|---|---|---|---------------------|------------------------|---------------------|-----------|
| | | | 1 | 2 | 3 | 4 | 5 | | | |
| | A.263397 | FUSELAGE FRONT, STRUCTURE, ASSEMBLY (For further spares see E.218820 and E.235655) | - | - | - | - | - | | | |
| | Std.1988-88N | Bolt, attachment, bracing strut at frame 16 | 1 | - | - | - | - | | | |
| | Std.1988-110 | Bolt, attachment, lower, bracing strut at frame 16 | 1 | - | - | - | - | | | |
| | - | Bracket, support, bottom, between frames 7-8 | 1 | - | - | - | - | | | |
| | B.262751 | (C.212133 modified to A.263068) | | | | | | | | |
| | B.262751 | Band, sealing gun fairing | 1 | - | - | - | - | | | |
| | B.263985 | DUCT, FOR CABLES, BETWEEN FRAMES 3-5, PORT, ASSEMBLY | - | - | - | - | - | | | |
| | A.263986 | Channel | 1 | - | - | - | - | | | |
| | - | Frame 1 C, rear, group | 1 | - | - | - | - | | | |
| | - | (D.232174 modified to D.262653) | | | | | | | | |
| 1179 | A.177021 | Union, bulkhead, low pressure | 2 | - | - | - | DTD.364 | C. | | |
| | - | Frame, No. 3, group (E.232186 modified to D.262654 and C.248321) | 1 | - | - | - | - | | | |
| | B.263400 | Frame, 6, group | 1 | - | - | - | - | | | |
| | - | (For further spares see F.246147) | | | | | | | | |
| | - | Frame, 7, port (E.207171 modified to F.263823) | 1 | - | - | - | - | | | |
| | - | Frame, 14 (E.219111, E.219112 and B.235661 | 1 | - | - | - | - | | | |
| | - | modified to F.263398) | | | | | | | | |
| 20171 | A.235296 | Angle, M.R.G. mounting, port, outboard | 1 | - | - | - | L.65 | C. | | |
| 20172 | F.235297 | Angle, M.R.G. mounting, port, inboard | 1 | - | - | - | L.65 | C. | | |
| 20173 | F.235298 | Angle, M.R.G. mounting, starboard, outboard | 1 | - | - | - | L.65 | C. | | |
| 20174 | F.235299 | Angle, M.R.G. mounting, starboard, inboard | 1 | - | - | - | L.65 | C. | | |
| | F.238603 | Bracket | 2 | - | - | - | - | | | |
| 20170 | A.235673 | Spiget, A.C. supplies panel | 4 | - | - | - | - | C. | | |
| | - | Frame, 15 (E.218995, E.218996 and E.218997 | 1 | - | - | - | - | | | |
| | - | modified to F.263399) | | | | | | | | |
| | - | Guard, cable, starboard | 1 | - | - | - | - | | | |
| | - | (C.217792 modified to A.263069) | | | | | | | | |
| | E.237137 | MOUNTING, FOR T.A.C.A.N. T/R., ASSEMBLY | - | - | - | - | - | | | |
| 1506192 | F.241632 | Strip, sealing, 1/2" x 1/2" expanding | 1 | - | - | - | Neoprene | C. | | |
| | E.262722 | MOUNTING, FOR AIR DATA COMPUTER, ASSEMBLY | - | - | - | - | - | | | |
| | D.262743 | Base, A.D.C., group | 1 | - | - | - | - | | | |
| 11670 | D.262743/1 | Buffer | 1 | - | - | - | Rubazote CS.2808 | C. | | |
| | C.245386 | Bracket, mounting, transducer | 1 | - | - | - | - | | | |
| | B.262797 | Channel, mounting | 1 | - | - | - | - | | | |
| | B.263775 | Channel, mounting | 1 | - | - | - | L.73 | | | |
| 20241 | A.245277 | Strut, base | 2 | - | - | - | - | C. | | |
| 10AC/1053243 | - | Washer, check | 8 | - | - | - | - | C. | | |
| | - | MOUNTING, G.G.S., ASSEMBLY | - | - | - | - | - | | | |
| | - | (D.232194 modified to C.263092) (For further spares see D.232194) | | | | | | | | |
| | A.263090 | Bracket | 1 | - | - | - | - | | | |
| | A.263279 | Bracket | 1 | - | - | - | - | | | |

HUNTER T. MK. 7A (S.O.O.)

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|-----------------|--|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| | E.235476 | MOUNTING, MASTER REFERENCE GYRO, FRAMES 14-16, ASSEMBLY | | | | | — | — | | |
| 11595 | Std.1639/12E | Bolt, mounting tray | | | | | 2 | S.95 | C. | |
| 11596 | Std.1988/80 | Bolt, shoulder | | | | | 2 | S.95 | C. | |
| | E.235476/1 | Bracket, mounting, group | | | | | 1 | — | | |
| | F.211065 | Bush | | | | | 1 | BSS.369 | | |
| | D.235535 | Diaphragm, port, group | | | | | 1 | — | | |
| | D.235536 | Diaphragm, starboard, group | | | | | 1 | — | | |
| 11593 | A.242793 | Fairlead | | | | | 2 | LS.21 | C | |
| | F.209032 | Pin, group | | | | | 2 | — | | |
| | F.209042 | Handle | | | | | 1 | S.1 | | |
| | F.209041 | Nut | | | | | 1 | S.1 | | |
| | A.209040 | Pin | | | | | 2 | S.80 | | |
| 23 | 28FP/4069645 | Aviation Dev. 5134-613 Pin, pip | | | | | 4 | — | C. | |
| | 11594 | F.245384 Packing | | | | | QR | L.72 | C. | |
| 23 | 28FP/9469299 | A.409 Pin, pip | | | | | 2 | — | C. | |
| | C.235447 | Platform, mounting, group | | | | | 1 | — | | |
| | 6G/4 | Tray, mounting, type "A" | | | | | 1 | — | A. | |
| | 3953 | Std.915/E22 Washer, 1/4" B.S.F. | | | | | 4 | DTD.364 | C. | |
| | 4211 | Std.1687/2 Saddle, cable, clip | | | | | 4 | DTD.610 | C. | |
| | — | MOUNTING, ACCUMULATOR, ASSEMBLY | | | | | 1 | — | | |
| | | (C.236241 modified to C.248614) | | | | | | | | |
| 11660 | A.242125 | Bolt, fixing, accumulator, group | | | | | 1 | — | C | |
| | A.242125/1 | Bolt | | | | | 1 | S.95 | | |
| | Std.1509-26-026 | Tube, distance | | | | | 1 | T.4 | | |
| 11661 | A.240155 | Bolt, fixing, accumulator, group | | | | | 3 | — | C. | |
| | A.240155/1 | Bolt | | | | | 1 | S.95 | | |
| | F.212385 | Fork-end | | | | | 1 | S.95 | | |
| | Std.1509-26-026 | Tube, distance | | | | | 1 | T.4 | | |
| 11662 | F.242126 | Link | | | | | 1 | S.95 | C. | |
| | Std.1509-23-066 | Tube, distance | | | | | 1 | T.4 | | |
| | E.266360 | Panel, access, group | | | | | 1 | — | | |
| | | (For further spares see E.218899) | | | | | | | | |
| | C.259331 | Panel, access, group | | | | | 1 | — | | |
| | | (For further spares see D.229967) | | | | | | | | |
| | | Platform, mounting (C.221233 modified to F.262640) | | | | | | | | |
| | — | Platform, windscreen, port | | | | | 1 | L.72 | | |
| | | (D.219224 modified to B.263525) | | | | | | | | |
| | C.262763 | Plate, cover, gun trough | | | | | 1 | — | | |
| | Std.1509-25-064 | Tube, distance, bracing strut, frame 16 | | | | | 1 | T.4 | | |
| | — | WALL, SIDE, COCKPIT, STARBOARD, ASSEMBLY | | | | | — | — | | |
| | | (D.212474 modified to C.263062) | | | | | | | | |
| | | (For further spares see D.212474) | | | | | | | | |
| | A.242841 | Guard | | | | | 1 | L.72 | | |
| | A.247884 | Plate, cover | | | | | 1 | L.72 | | |

HUNTER T. MK. 7A (S.O.O.)

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Place No. |
|-----------------|---------------|---|---------|------------------------|---------------------|-----------|
| | | | | | | |
| | F.263824 | HYDRAULIC INSTALLATION, FRONT FUSELAGE, ASSEMBLY (For further spares see E.247205) | — | — | | |
| | F.263872 | Block, clamp, frame 6 | 1 | LFS.21 | | |
| | F.214112 | Block, clamp, frame 6 | 2 | LFS.21 | | |
| | F.246928 | Block, clamp, frame 7-8 | 3 | LFS.21 | | |
| | F.241681 | Plate, stud, clamp block, frame 11 | 1 | — | | |
| | C.211689/411 | Pipe, accumulator union to gauge | 1 | DTD.323 | | |
| | C.211689/410 | Pipes, brake accumulator, bulkhead connection to union | 1 | DTD.323 | | |
| | C.211689/437 | Pipe, brakes, air charging, accumulator to bulkhead union, frame 6 | 1 | DTD.323 | | |
| | C.211689/412 | Pipe, flap, air, union to flap emergency air valve | 1 | DTD.323 | | |
| | C.211689/413 | Pipe, flap, air, union to flap emergency air valve | 1 | — | | |
| | C.211689/378 | Pipe, flap, air, union (frame 13) to union (frame 11) | 1 | DTD.323 | | |
| | C.211689/379 | Pipe, flap, air, union (frame 11) to gauge | 1 | DTD.323 | | |
| | C.211689/438 | Pipe, port, brake, union to tee piece, frame 6 | 1 | DTD.323 | | |
| | C.211689/404 | Pipe, port, brake, bulkhead connection to union | 1 | DTD.323 | | |
| | C.211689/407 | Port, port, brake, union to gauge | 1 | DTD.323 | | |
| | C.211689/435 | Pipe, pressure tee piece to non-return valve | 1 | DTD.323 | | |
| | C.211689/436 | Pipe, pressure non-return valve to 4 way | 1 | DTD.323 | | |
| | C.211689/439 | Pipe pressure, tee piece to pressure relief valve | 1 | DTD.323 | | |
| | C.211689/440 | Pipe, pressure, control valve 'in' connection to | 1 | DTD.323 | | |
| | C.211689/446 | Pipe, pressure, relay valve to choke | 1 | DTD.323 | | |
| | C.211689/447 | Pipe, pressure, choke to bulkhead connection | 1 | DTD.323 | | |
| | C.211639/408 | Pipe, pressure, bulkhead connection to union | 1 | DTD.323 | | |
| | C.211689/409 | Pipe, pressure, union to gauge | 1 | DTD.323 | | |
| | C.211689/405 | Pipe, starboard brake, union to gauge | 1 | DTD.323 | | |
| | C.211689/406 | Pipe, starboard brake, bulkhead connection | 1 | DTD.323 | | |
| | C.211689/380 | Pipe, undercarriage, air, union (frame 13) to union (frame 11) | 1 | DTD.323 | | |
| | C.211689/381 | Pipe, undercarriage, air, union (frame 11) to gauge | 1 | — | | |
| | E.263394 | INTEGRATED FLIGHT SYSTEM (FULL), ASSEMBLY | — | — | | |
| | E.263404 | ADDITIONAL DETAILS | — | — | | |
| | F.263804 | Angle, cable clip, frame 1C | 1 | — | | |
| 10468 | Std.1639/12EX | Bolt, A.C. supplies panel | 4 | — | | C. |
| 5K/7000228 | AS.3360-B5C | Bonding | 1 | — | | C. |
| 5K/1051839 | AS.3360-B6E | Bonding | 1 | — | | C. |
| 5975-99-4684123 | — | Box, junction, type 148 | 1 | — | | A. |

HUNTER T. MK. 7A (S.O.O.)

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|----------------------------|--|---------|------------------------|---------------------|-----------|
| | | | | | | |
| | C.264323-4 | SUPPLIES, A.C., GROUPS 1 AND 2, ASSEMBLY | — | — | | |
| | C.241879 | Cable, form, AC1, starboard (See Cable Chart) | 1 | — | — | |
| | C.241878 | Cable, form, AC3, port (See Cable Chart) | 1 | — | — | |
| | 11612 F.241922 | Clip, cable, sleeved | 2 | — | C. | |
| | Std.2406/41/22 | Clip, sleeved | 2 | — | | 6 |
| | Std.2076/36/22 | Clip, cable | 1 | — | | 6 |
| | B.239451 | Connector, inverter | 2 | — | | |
| 23 | 10H/9991395 | Belling Lee Fuse, 7 amp. | 4 | — | C. | |
| | L.562/7 | | | | | |
| | 10H/0590170 | Belling Lee Holder, fuse | 4 | — | C. | |
| | L.575 | | | | | |
| | 20206 A.240538 | Holder, relay, port | 1 | — | C. | |
| | A.239026 | Inverter, port, group | 1 | — | | |
| | 11610 C.238694 | Inlet, air | 1 | — | C. | |
| 23 | 5UB/4342693 | Inverter, type 103A, S.3106/1-L | 1 | — | A. | |
| 23 | 5UB/4342693 | Inverter, type 103A, S3106/1-L, starboard | 1 | — | A. | |
| | C.235644 | Panel, mounting, port, group | 1 | — | | |
| | C.235645 | Panel, mounting, starboard, group | 1 | — | | |
| | 20202 A.241653 | Lever | 2 | — | C. | |
| | 11607 F.235674 | Roller | 6 | — | C. | |
| | 11606 A.235788 | Spigot | 4 | — | C. | |
| | 590 F.188534 | Spring | 2 | — | C. | |
| | 10F/0530473 | Relay, type SM.5A-M4, port | 1 | — | B. | |
| | 5F/9454141 NY.18007A | Strapping | QR | — | C. | |
| | 5F/9138822 NY.3342 | Stud | QR | — | C. | |
| 23 | 5CW/4402893 | Unit, delay, relay | 1 | — | A. | |
| | 20207 Std.915/U-20 | Washer | 1 | — | C. | 4 |
| | 11611 F.242280 | Washer, rubber | 4 | Shore 50 | C. | |
| | 11609 F.235654 | Washer, serrated | 8 | S.510 | C. | |
| | 5F/9454141 NY.18007A | Strapping | QR | — | C. | |
| | 5F/9138822 NY.3342 | Stud | QR | — | C. | |
| 23 | 5826-00-6914896 | Transmitter/receiver, 220, ARN.21 | 1 | — | A. | |
| | English Electric | | | | | |
| | E/F3/80/3997 | Tray, mounting, computer | 1 | — | | |
| | 6TD/856 C.262612 | Tray, mounting, transducer, static | 1 | — | B. | |
| | 10AJ/6241595 | Tray, mounting, type 9274 | 1 | — | B. | |
| 23 | 6TD/5937 | Tray, transducer, mounting | 1 | — | B. | |
| | Std.1509/3/048 | Tube, distance | 2 | T.4 | | 4 |
| | 4042 Std.1509/23/030 | Tube, distance | 1 | T.4 | MR/C | 4 |
| | Std.1509/3/024 | Tube, distance | 1 | T.4 | | |
| 23 | 10D/4306052 | Unit, coupling, type 1190 | 1 | — | B. | |
| | C.263482 | Unit, M.R.G. protection, group | 1 | — | | |
| | F.239525 | Board, terminal | 1 | — | | |
| | B.239219 | Box (Pre Mod. 1264) | 1 | — | | |
| | B.267532 | Box, group (Mod. 1264) | 1 | — | | |
| | F.266251 | Bracket, switch | 1 | S.520 | | |
| | B.238083 | Cable, M.R.G.2 (See Cable Chart) | 1 | — | | |
| | B.238084 | Cable, M.R.G.3 (See Cable Chart) | 1 | — | | |
| | B.267522/1 | Diagram, wiring (Mod. 1264) | 1 | Photo | | |
| | 5X/9491422 Plessey Z.22430 | Grommet, No. 2 | 1 | — | C. | |
| | 20214 B.239218 | Lid (Pre Mod. 1264) | 1 | — | C. | |
| | B.267533 | Lid (Mod. 1264) | 1 | — | | |
| | 5X/9400384 Erma No. 12104 | Lug, terminal | 2 | — | C. | |
| | 5X/9400385 Erma No. 12105 | Lug, terminal | 2 | — | C. | |
| | F.241656 | Plate, mounting | 1 | — | | |
| 23 | 5CW/1057583 | Relay, type 10B., No. 15 | 1 | — | B. | |
| | | (Alternative to 5CW/8979) | | | | |
| 23 | 5CW/8979 | Relay, type 20B., No. 1 | 1 | — | B. | |
| | | (Alternative to 5CW/1057583) | | | | |

HUNTER T. MK. 7A (S.O.O.)

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Score | Plate No. |
|-----------------|------------------------------|-------------|---|---|---|---------------------------------------|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 11A/1982564 | Honeywell 1TL1-3D | | | | | Switch (Mod. 1264) | 1 | — | B. | |
| 5K/9993468 | Ross Courtney No. 73 | | | | | Tag | 3 | — | C. | |
| | Ross Courtney RC.01 | | | | | Tag | 5 | — | | |
| 5X/9709513 | Hellermann HC.294D | | | | | Tag (Mod. 1264) | 3 | — | C. | |
| 6G/4506300 | — | | | | | Unit, power failure | 1 | — | A. | |
| 10A/4702149 | — | | | | | Washer, check | 12 | — | C. | |
| 10AC/1053243 | — | | | | | Washer, check | 8 | — | C. | |
| 10AC/140 | — | | | | | Washer, check | 4 | — | C. | |
| 4613 | Std. 1335—C. 18 | | | | | Washer | 10 | L.4 | C. | |
| 3777 | Std.1335—G.18 | | | | | Washer | 6 | L.4 | C. | |
| 5826-99-4280400 | — | | | | | Aerial, type 100B | 1 | — | A. | |
| 682 | F.188114 | | | | | Bolt, top fixing, JB.2 | 3 | S.94 | C. | |
| 5CZ/1038569 | — | | | | | Box, lamp dimming system | 1 | — | B. | |
| 6A/4338333 | — | | | | | Box, control, type "B" (EX.H.779) | 1 | — | B. | |
| | D.316547 | | | | | Box, junction, AC.1 group (Mod. 1382) | 1 | — | | |
| | D.318732/1 | | | | | Diagram, wiring (Mod. 1382) | 1 | — | | |
| | B.240668 | | | | | Lid | 1 | — | | |
| | D.263149 | | | | | Platform, component wiring, group | 1 | — | | |
| 10AD/3079 | Std. Telephone LP.736720 | | | | | Base, holder | 2 | — | C. | |
| 8670 | F.220761 | | | | | Bush | 2 | — | C. | |
| 10AS/9138595 | Clare RP.9006 | | | | | Clip, relay, type "F" | 4 | — | C. | |
| 10CV/0374391 | Ferranti, ZS.78 | | | | | Diode | 1 | — | C. | |
| 10F/9019668 | — | | | | | Fuse, 5 amp | 2 | — | C. | |
| 5920-99-9402448 | — | | | | | Fuse 2.5 amp | 19 | — | C. | |
| 10H/0590111 | — | | | | | Fuse, 3 amp | 4 | — | C. | |
| 10H/9451445 | Belling Lee L.1055/20 | | | | | Fuse, 20 amp | 1 | — | C. | |
| 10H/9991395 | — | | | | | Fuse, 7 amp | 1 | — | C. | |
| 5920-99-9114115 | — | | | | | Fuse, 4 amp | 2 | — | C. | |
| 10H/0590170 | — | | | | | Holder, fuse | 24 | — | C. | |
| 10H/0590100 | — | | | | | Holder, fuse | 8 | — | C. | |
| 10AS/1002528 | Std. Telephones LP.733615 | | | | | Plate | 2 | — | C. | |
| 10H/0560200 | — | | | | | Plug, panel unit | 1 | — | C. | |
| 10H/0560130 | — | | | | | Plug, panel unit | 2 | — | C. | |
| 10H/0560080 | — | | | | | Plug, panel unit | 2 | — | C. | |
| 10H/05660581 | — | | | | | Plug, panel unit | 1 | — | C. | |
| 5CW/9499152 | — | | | | | Relay, 10B, No. 14 | 1 | — | B. | |
| 5K/ | Hellermann | | | | | Sleeve, Helsen 150, HT.20 x 3/4" | 20 | — | C. | |
| 5K/ | Hellermann | | | | | Sleeve, Helsen 150, HT.30 x 1" | 20 | — | C. | |
| 5K/ | Hellermann | | | | | Sleeve, Helsen 150, HT.50 x 1" | 4 | — | C. | |
| 5X/1005132 | — | | | | | Sleeve, reducing | 4 | — | C. | |
| 10H/9138594 | Clare RP.9005 | | | | | Socket, relay, type "F" | 4 | — | C. | |
| 10H/0560265 | — | | | | | Socket, panel unit | 1 | — | C. | |
| 10H/0560260 | — | | | | | Socket, panel unit | 2 | — | C. | |
| 10H/0560263 | — | | | | | Socket, panel unit | 1 | — | C. | |
| 10H/0560330 | — | | | | | Socket, panel unit | 1 | — | C. | |
| 10H/0560331 | — | | | | | Socket, panel unit | 1 | — | C. | |
| 10F/4700167 | — | | | | | Switch, S.P., type 152 | 1 | — | B. | |
| 5X/9462745 | — | | | | | Tag, closed end | 22 | — | C. | |
| 5X/6239 | — | | | | | Tag, closed end | 2 | — | C. | |
| 5X/940065 | — | | | | | Tag, quick release | 2 | — | C. | |

HUNTER T. MK. 7A (S.O.O.)

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|--------------|----------------------------------|-------------|---|---|---|--------------------------------------|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 5K/9487868 | Ross Courtney No. 44 | | | | | Tag, 4: B.A. | 2 | — | C. | |
| 5K/9993468 | Ross Courtney No. 73 | | | | | Tag | 74 | — | C. | |
| 5K/4346693 | Ross Courtney RC.2120 | | | | | Tag, O/R. (Mod. 1382) | 3 | — | C. | |
| 5X/9400064 | — | | | | | Thimble | 22 | — | C. | |
| 5X/9400066 | — | | | | | Thimble | 4 | — | C. | |
| 6A/4333075 | 715 SUE/1 | | | | | Transformer, 115/26V., type 213 M.V. | 1 | — | A. | |
| 6G/4506300 | — | | | | | Unit, power failure, type "B" | 3 | — | A. | |
| 8673 | F.220762 | | | | | Washer | 2 | — | C. | |
| 5E/111-8703 | — | | | | | Wire, equipment, 16/0.20, Blue | Q/R | — | C. | |
| 10F/9468247 | Clare RP.7641 | | | | | Relay, type F.26.5V./675 ohms. | 4 | — | B. | |
| 5CW/9499152 | — | | | | | Relay, 10B, No. 14 | 1 | — | A. | |
| 5CW/9499153 | — | | | | | Relay, 10B, No. 15 | 5 | — | A. | |
| 10F/0530473 | — | | | | | Relay, S.M.5A—M | 2 | — | A. | |
| 10AS/1002129 | Std. Telephones LP.733614 | | | | | Spring, retainer | 2 | — | C. | |
| 11652 | C.262831 | | | | | Box, M.R.G. distribution, group | 1 | — | B. | |
| 5X/ | Plessey 681-22-55 SET C.267520/1 | | | | | Connector, Mk. 6 | 1 | — | C. | |
| | | | | | | Diagram, wiring (Mod. 1264) | 1 | Photo | | |
| 5X/4500831 | — | | | | | Ferrule, cut | 1 | — | C. | |
| 10H/0970060 | Plessey Z.60669 | | | | | Gasket, outlet | 2 | — | C. | |
| 10H/0970240 | Plessey Z.67406 | | | | | Gasket, union | 1 | — | C. | |
| 10H/0970095 | Plessey Z.60668 | | | | | Gasket, outlet | 1 | — | C. | |
| 10H/0970111 | Plessey Z.62237 | | | | | Gasket, union | 1 | — | C. | |
| 5X/9491421 | — | | | | | Grommet, sleeved | 1 | — | C. | |
| 11653 | A.240496 | | | | | Lid | 1 | — | C. | |
| 10H/0970120 | Plessey Z.49075 | | | | | Nut, outlet | 2 | — | C. | |
| 10H/0970065 | Plessey CZ.49182 | | | | | Outlet, straight | 1 | — | C. | |
| 10H/0970074 | Plessey CZ.49187 | | | | | Outlet, 90° | 1 | — | C. | |
| | B.262832 | | | | | Platform, terminal, group | 1 | — | | |
| 5X/ | Plessey CZ.49061/1 | | | | | Plug, panel unit | 1 | — | C. | |
| 10H/0560150 | Plessey CZ.49112 | | | | | Plug, panel unit | 2 | — | C. | |
| 5X/ | Plessey CZ.49112/4 | | | | | Plug, panel unit | 1 | — | C. | |
| 6DE/4416587 | Plessey CZ.49229/1 | | | | | Socket, panel unit | 1 | — | C. | |
| | Plessey CZ.49223 | | | | | Socket, panel unit (Use 10H/0130853) | 1 | — | — | |
| 10H/0560360 | Plessey CZ.49458 | | | | | Plug | 1 | — | C. | |
| 10H/0970099 | Plessey Z.54092 | | | | | Ring, thrust | 1 | — | C. | |
| 5K/ | Hellermann | | | | | Sleeve, Helsing 150, HT.50 x 1" | 2 | — | C. | |
| 5K/ | Hellermann | | | | | Sleeve, Helsing 150, HT.15 x 3/4" | 12 | — | C. | |
| 11659 | D.263000 | | | | | Box, junction, A.D.S., group | 1 | — | B. | |
| 10H/9443894 | Plessey P.C.68-222 | | | | | Cap, protective | 1 | — | C. | |
| | C.263003 | | | | | Plate, terminal, group | 1 | — | | |
| 10H/9520843 | Plessey 508-1-05577-011 | | | | | Plug, filler | 95 | — | C. | |
| 5X/9520847 | Plessey 508-1-05577-003 | | | | | Plug, filler | 3 | — | C. | |
| 10AL/9716949 | Plessey 508-2-01386 | | | | | Sleeve, packing | 242 | — | C. | |
| 5X/9138834 | Plessey 2Z.139622 | | | | | Sleeve, packing | 7 | — | C. | |

HUNTER T. MK. 7A (S.O.O.)

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Score | Plate No. |
|----------|---|-------------|---|---|---|--|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 10H/ | Plessey 682-22-42S X.ET | | | | | Unit, fixed | 1 | — | C. | |
| 10H/ | Plessey 682-22-42P W.ET | | | | | Unit, fixed | 1 | — | C. | |
| 10H/ | Plessey 682-22-42P X.ET | | | | | Unit, fixed | 1 | — | C. | |
| 10H/ | Plessey 681-22-55S T.ET | | | | | Unit, fixed | 1 | — | C. | |
| 10H/ | Plessey 681-22-55S Z.ET | | | | | Unit, fixed | 1 | — | C. | |
| 10H/ | Plessey 682A-8-3 | | | | | Unit, fixed | 1 | — | C. | |
| 10H/ | Plessey 682-12-12 S.ET | | | | | Unit, fixed | 1 | — | C. | |
| 10H/ | Plessey 682-12-12 P.ET | | | | | Unit, fixed | 1 | — | C. | |
| 10H/ | Plessey 682-22-42S W.ET | | | | | Unit, fixed | 1 | — | C. | |
| 10H/ | Plessey 682-22-42S Y.ET A.263045 | | | | | Unit, fixed Plug shorting, test, socket B | 1 1 | — — | C. — | |
| † | B.241501 | | | | | Cable; Tacan MIC/TEL connector | 1 | — | — | |
| † | A.241524 | | | | | Cable; Tacan MIC/connector | 1 | — | — | |
| † | B.239687 | | | | | Cable; AC1, group | 1 | — | — | |
| | F.240573 | | | | | Barrel, crimping | 2 | — | — | |
| † | B.239688 | | | | | Cable; AC2 | 1 | — | — | |
| † | B.239686 | | | | | Cable; AC3 | 1 | — | — | |
| † | B.239689 | | | | | Cable; AC4 | 1 | — | — | |
| † | B.239690 | | | | | Cable; AC5 | 1 | — | — | |
| † | B.238341 | | | | | Cable; AC6 | 1 | — | — | |
| † | B.263975 | | | | | Cable; AC7 | 1 | — | — | |
| † | B.240729 | | | | | Cable; AC9 | 1 | — | — | |
| † | B.263015 | | | | | Cable; ADC1 | 1 | — | — | |
| † | B.263016 | | | | | Cable; ADC2 | 1 | — | — | |
| † | B.263017 | | | | | Cable; ADC3 | 1 | — | — | |
| † | B.263018 | | | | | Cable; ADC4 | 1 | — | — | |
| † | B.263019 | | | | | Cable; ADC5 | 1 | — | — | |
| † | B.263020 | | | | | Cable; ADC6 | 1 | — | — | |
| † | B.263021 | | | | | Cable; ADC8 | 1 | — | — | |
| † | B.263022 | | | | | Cable; ADC10 | 1 | — | — | |
| † | B.263023 | | | | | Cable; ADC11 | 1 | — | — | |
| † | B.238081 | | | | | Cable; AT1 | 1 | — | — | |
| † | B.240678 | | | | | Cable; AT2 | 1 | — | — | |
| † | C.246257 | | | | | Cable; F92 | 1 | — | — | |
| † | A.266466 | | | | | Cable; F212 | 1 | — | — | |
| | | | | | | † See Cable Chart | | | | |

HUNTER T. MK. 7A (S.O.O.)

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Score | Place No. |
|------------------|-----------------|-----------------------------------|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| † | B.248330 | Cable, GC2 | | | | | 1 | — | | |
| † | B.238021 | Cable, GC2A | | | | | 1 | — | | |
| † | B.238022 | Cable, GC2B | | | | | 1 | — | | |
| † | B.238024 | Cable, GC2C | | | | | 1 | — | | |
| † | B.238023 | Cable, GC2D | | | | | 1 | — | | |
| † | B.262848 | Cable, GC3 | | | | | 1 | — | | |
| 11657† | B.238082 | Cable, MRG1 | | | | | 1 | — | B. | |
| † | B.238085 | Cable, MRG4 | | | | | 1 | — | | |
| † | B.240719 | Cable, MRG5 | | | | | 1 | — | | |
| † | B.240680 | Cable, MRG6 | | | | | 1 | — | | |
| † | B.246250 | Cable, ND1 | | | | | 1 | — | | |
| † | B.246251 | Cable, ND2 | | | | | 1 | — | | |
| † | B.246252 | Cable, ND4 | | | | | 1 | — | | |
| † | B.246253 | Cable, ND5 | | | | | 1 | — | | |
| † | B.246254 | Cable, ND6 | | | | | 1 | — | | |
| † | B.246255 | Cable, ND7 | | | | | 1 | — | | |
| † | B.246256 | Cable, ND8 | | | | | 1 | — | | |
| † | B.263438 | Cable, ND9 | | | | | 1 | — | | |
| † | B.239245 | Cable, TAC1 | | | | | 1 | — | | |
| † | C.2623275 | Cable, TAC2 | | | | | 1 | — | | |
| 5995-99-4129308† | B.263976 | Cable, TAC3 | | | | | 1 | — | B. | |
| 5995-99-4133960† | B.239248 | Cable, TAC4 | | | | | 1 | — | B. | |
| 5995-99-4133961† | C.239249 | Cable, TAC5, group | | | | | 1 | — | B. | |
| | F.242065 | Housing | | | | | 1 | — | | |
| 5995-99-4133962† | B.246872 | Cable, TAC8 | | | | | 1 | — | B. | |
| 5X/1144436 | Plessey | Cap, blanking (Mod. 1382) | | | | | 1 | — | C. | |
| | 508/1/03442/003 | | | | | | | | | |
| | A.262972 | Channel, mounting, ADC, to socket | | | | | 1 | — | | |
| | Std.851-80 | Clip | | | | | 1 | L.72 | | 4 |
| 4819 | Std.840-60 | Clip | | | | | 1 | L.72 | MR/C | 4 |
| 10577 | Std.2045-25-22 | Clip, sleeved | | | | | 1 | — | C. | 6 |
| 26VA/6041751 | Std.2045-30-22 | Clip, sleeved | | | | | 1 | — | C. | 6 |
| 26VA/6041253 | Std.2045-46-20 | Clip, sleeved | | | | | 1 | — | C. | 6 |
| 26VA/6039070 | Std.2045-29-22 | Clip, sleeved | | | | | 2 | — | C. | 6 |
| 26VA/6041756 | Std.2045-40-22 | Clip, sleeved | | | | | 1 | — | C. | 6 |
| 11209 | Std.2045-34-22 | Clip, sleeved | | | | | 2 | — | C. | 6 |
| 26VA/6039077 | Std.2046-23-22 | Clip, sleeved | | | | | 1 | — | C. | 6 |
| 26VA/6042337 | Std.2046-29-22 | Clip, sleeved | | | | | 2 | — | C. | 6 |
| 20238 | Std.2046-30-22 | Clip, sleeved | | | | | 1 | — | C. | 6 |
| 11384 | Std.2046-34-22 | Clip, sleeved | | | | | 1 | — | C. | 6 |
| 26VA/6042338 | Std.2046-36-22 | Clip, sleeved | | | | | 1 | — | C. | 6 |
| 11793 | Std.2046-38-22 | Clip, sleeved | | | | | 1 | — | C. | 6 |
| 26VA/6041272 | Std.2046-48-20 | Clip, sleeved | | | | | 1 | — | C. | 6 |
| 26VA/6044071 | Std.2046-50-20 | Clip, sleeved | | | | | 3 | — | C. | 6 |
| 26VA/6042386 | Std.2046-55-20 | Clip, sleeved | | | | | 1 | — | C. | 6 |
| 26VA/6041275 | Std.2046-56-20 | Clip, sleeved | | | | | 2 | — | C. | 6 |
| 11405 | Std.2046-59-20 | Clip, sleeved | | | | | 2 | — | C. | 6 |
| | Std.2046-67-20 | Clip, sleeved | | | | | 1 | — | | 6 |
| | Std.2076-33-22 | Clip, sleeved | | | | | 2 | — | | 6 |
| 3 6TD/6204873 | 3D/760/2 | Computer, air data, Mk. 2 type B | | | | | 1 | — | A | |

† See Cable Chart

HUNTER T. MK. 7A (S.O.O.)

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Score | Plate No. |
|--------------------|-------------------------|--|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| | B.264154 | CONNECTOR, BULKHEAD, ON FRAME 6, ASSEMBLY | | | | | — | — | | |
| 10H/9144105 | Plessey 508/1/40189/321 | Plug/Socket | | | | | 1 | — | C. | |
| 10H/9116831 | Plessey 508/1/40189/320 | Plug/Socket | | | | | 2 | — | C. | |
| 23 10H/9209080 | Plessey 508/1/40169/320 | Plug/Socket | | | | | 1 | — | C. | |
| 23 5935-99-4687502 | Plessey 508/1/40169/322 | Socket/Plug | | | | | 1 | — | C. | |
| | B.263065 | CONNECTOR, BULKHEAD, ON FRAME 14, ASSEMBLY | | | | | — | — | | |
| 10H/0970055 | Plessey 508/1/41035 | Cap, protective | | | | | 3 | — | C. | |
| 10H/0970057 | Plessey 508/1/141037 | Cap, protective | | | | | 2 | — | C. | |
| 23 5935-99-1052650 | Plessey 508/1/40183/320 | Plug/Socket | | | | | 2 | — | C. | |
| 23 10H/9116804 | Plessey CZ.62277 | Plug/Socket | | | | | 2 | — | C. | |
| 10H/9116831 | Plessey 508/1/40189/320 | Plug/Socket | | | | | 1 | — | C. | |
| 23 10H/4709550 | Plessey CZ.61889 | Socket/Plug | | | | | 1 | — | C. | |
| 23 10H/9721971 | Plessey 508/1/40163/320 | Socket/Plug | | | | | 1 | — | C. | |
| 23 10H/4308322 | Plessey 508/1/40160/320 | Socket/Plug | | | | | 1 | — | C. | |
| | C.244580 | Deflector, at coupling unit, frame 3 | | | | | 1 | — | | |
| 23 6G/4506350 | — | Frame, mounting | | | | | 1 | — | B. | |
| 23 6G/4506304 | — | Gyro, master reference, Mk. 1, type E | | | | | 1 | — | A. | |
| | D.237405 | MOUNTING, AMPLIFIER, ASSEMBLY | | | | | — | — | | |
| 23 6B/3243 | — | Amplifier, type B (Alternative to 6TD/1048470) | | | | | 1 | — | A. | |
| 23 6TD/1048470 | — | Amplifier, type C (Alternative to 6B/3243) | | | | | 1 | — | A. | |
| 23 6TD/4550875 | — | Tray, mounting, type B | | | | | 1 | — | B. | |
| | A.264093 | Packing, for aerial (FRS.2-3) | | | | | 1 | — | | |
| | B.245755 | Plate, mounting, for control box (FRS.13-14) | | | | | 1 | — | | |
| 5F/9454141 | NY.18007A | Strapping | | | | | QR | — | C. | |
| 5F/9138822 | NY.3342 | Stud | | | | | QR | — | C. | |
| | B.247457 | Support, cable | | | | | 1 | — | | |
| | B.247456 | Support, cable | | | | | 1 | — | | |
| 5CW/2007871 | Dowty C.5162Y Mk. 2 | Switch, push button | | | | | 1 | — | C. | |
| 5X/9718093 | — | Tag, terminal ring | | | | | 9 | — | C. | |
| 6A/8626 | — | Transducer, static, Mk. 2, type A | | | | | 1 | — | A. | |
| 23 6TD/8722 | — | Transducer, P. & S., Mk. 2, type B | | | | | 1 | — | A. | |
| 23 6TD/4560876 | — | Tray, mounting, type A | | | | | 1 | — | B. | |
| 26VA/6034612 | Std.1509/23/070 | Tube, distance | | | | | 1 | T.4 | C. | 4 |
| | 3805 Std.1509/23/100 | Tube, distance | | | | | 4 | T.4 | MR/C | 4 |
| 23 6TD/1048539 | — | Unit, control, type B | | | | | 1 | — | A. | |
| 23 6TD/4560849 | — | Unit, detection | | | | | 1 | — | A. | |
| | 4613 Std.1335/C18 | Washer | | | | | 9 | — | C. | |

HUNTER T.MK. 7A (S.O.O.)

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Place No. |
|-----------------|----------------|--|---------|------------------------|---------------------|-----------|
| | | | | | | |
| — | D321963 | LIGHTS, ANTI-COLLISION, ASSEMBLY (Mod. 1380) | — | — | — | |
| — | B.316525 | Cable, C.89, assy. (See Cable Chart) | 1 | — | — | |
| — | B.316526 | Cable, C.90, assy. (See Cable Chart) | 1 | — | — | |
| — | B.316527 | Cable, C.91, assy. (See Cable Chart) | 1 | — | — | |
| — | B.316511 | Cable, C.92, assy. (See Cable Chart) | 1 | — | — | |
| — | B.316512 | Cable, F.184, assy. (See Cable Chart) | 1 | — | — | |
| 26VA/6044412 | Std.2045/17/26 | Clip, sleeved | 2 | — | C. | |
| 11303 | Std.2046/17/26 | Clip | 2 | — | C. | |
| 29H/9708455 | Terry 80/0 | Clip | 1 | — | C. | |
| 26VA/6037564 | A.271859 | Gasket, sealing | 1 | — | C. | |
| 5325-99-4491351 | — | Grommet | 1 | — | C. | |
| 5CX/4330432 | Grimes | Lamp, occulting | 2 | — | B. | |
| | G.9950-1 | | | | | |
| 5F/9434858 | Hellermann | Strapping | QR | — | C. | |
| | HV.3254 | | | | | |
| 5F/9138822 | Hellermann | Stud | QR | — | C. | |
| | NY.3342 | | | | | |
| 5CW/13757 | Honeywell | Switch | 1 | — | C. | |
| | 2TLI-3G | | | | | |
| | F.264390-1 | MAIN PLANE, OUTER, COMPLETE | — | — | | |
| | | (For further spares see F.266517-8) | | | | |
| 11663 | F.264383 | Wing, outer, port, group (Less Dowty Accumulator, Fuel System, Hydraulic Jacks and Aileron Booster) (For further spares see F.266515) | 1 | — | A. | |
| 11664 | F.264384 | Wing, outer, starboard, group (Less Fuel System, Hydraulic Jacks and Aileron Booster) (For further spares see F.266516) | 1 | — | A. | |
| 11665 | D.251697 | Tip, wing, port, group | 1 | — | B. | |
| 11666 | D.251698 | Tip, wing, starboard, group | 1 | — | B. | |
| 11667 | B.251595 | Cover, port | 1 | Fibreglass | C. | |
| 11668 | B.251596 | Cover, starboard | 1 | Fibreglass | C. | |
| | A.251589 | Panel, access, port and starboard | 2 | L.72 | | |
| | F.265494 | OXYGEN INSTALLATION, ASSEMBLY | — | — | | |
| | | (For further spares see E.235665) | | | | |
| | D.241765 | REVISED PIPE RUNS IN COCKPIT, ASSEMBLY | — | — | | |
| | F.242019 | Block, clamp, frame 11 | 2 | — | | |
| | F.241853 | Block, clamp, frame 12 | 2 | LF.21 | | |
| | F.241682 | Block, clamp, frame 11 | 2 | LF.21 | | |
| | B.241455 | Connector, LP. tube | 1 | — | | |
| 16624 | A.212152/6 | Pipe, oxygen, P.R. valve to 3-way connection | 1 | DTD.253 | C. | |
| 11625 | A.212152/7 | Pipe, oxygen, 3-way connection to union | 1 | DTD.253 | C. | |
| 11626 | A.212152/8 | Pipe, oxygen, 3-way connection starboard | 1 | DTD.253 | C. | |
| | | regulator | | | | |
| 11627 | B.212124/21 | Pipe, oxygen, floor connection to 3-way | 1 | T.51 | C. | |
| | | connection | | | | |
| 11628 | B.212124/22 | Pipe, oxygen, 3-way connection to P.R. valve | 1 | T.51 | C. | |
| 11629 | B.212124/23 | Pipe, oxygen, 3-way connection to union | 1 | T.51 | C. | |
| 11205 | B.212124/20 | Pipe, H.P., 2-way connection to contents gauge | 1 | T.51 | C. | |
| | F.263080 | PILOT'S ANTI-"G" INSTALLATION, ASSEMBLY | — | — | | |
| | | (For further spares see E.212575) | | | | |
| | F.264072 | Block, packing | 1 | — | | |
| | Std.842/25 | Clip, pipe, at frame 11 | 1 | S.510 | | 4 |
| 3774 | Std.1306/N20 | Coupling, flexible | 1 | DTD.625 | MR/C | 4 |
| 11630 | A.212659/14 | Pipe, anti-"g" joint to joint | 1 | DTD.323 | C. | |
| 11631 | A.21659/15 | Pipe, anti-"g" joint to hose | 1 | DTD.323 | C. | |
| 11632 | A.212659/19 | Pipe, anti-"g" valve to joint | 1 | L.54 | C. | |
| | A.212660/14 | Pipe, anti-"g" union to 3-way connection | 1 | DTD.323 | | |
| | A.212660/15 | Pipe, anti-"g" 3-way connection to reducing valve | 1 | DTD.323 | | |
| | A.212660/16 | Pipe, anti-"g" 3-way connection to pressure gauge | 1 | DTD.323 | | |

HUNTER T. MK. 7A (S.O.O.)

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------------------|---------------------------------------|---|---------|------------------------|---------------------|-----------|
| | | | | | | |
| 23 | E.264399 | PILOT'S INSTRUMENT PANELS, ASSEMBLY | — | — | | |
| | D.245934 | Alterations to instrument panel mounting structure (For further spares see D.235406) | — | — | | |
| | 10AJ/9432037 | — Mqunting, anti-vibration | 2 | — | C. | |
| | C.245765 | INSTALLATION OF SECONDARY FUSEBOX, ASSEMBLY | — | — | | |
| | C.263105 | Box, fuse, secondary, group | 1 | — | | |
| | 10H/4709560 | — Fuse, type "S", 5 amp (Mod. 1365) | 1 | — | C. | |
| | F.245304 | Link, bus bar | 1 | — | | |
| | B.245473 | Plate, cover | 1 | L.72 | | |
| | B.244841 | Bracket, mounting, bottom, for suppressor .. | 1 | — | | |
| | F.245701 | Eyebolt | 1 | S.1 | | |
| F.245876 | Fork, clamping | 1 | — | | | |
| F.245948 | Stud | 2 | S.1 | | | |
| F.245950 | Washer, stud | 1 | L.65 | | | |
| F.245951 | Washer, stud | 3 | L.65 | | | |
| 23 | A.246589 | Angle, mounting, fast erection switch and dimmer . | 1 | L.72 | | |
| | 11303 | Std.2046/17/26 | 2 | — | C. | |
| | 6TD/4550882 | — Clip, cable, F.40 | 1 | — | A. | 6 |
| | A.263263 | Computer, offset, TACAN, type B | 1 | — | | |
| | 11605 | E.263084 Cover, test socket | 1 | L.72 | | |
| | E.263294 | — Cover, windscreen reflection | 1 | — | B. | |
| | D.263285 | Crate, J.E. and instrument, group | 1 | — | | |
| | B.246964 | Box, junction, instrument crate, group | 1 | — | | |
| | B.246963 | Channel | 1 | — | | |
| | A.246965 | Cover | 1 | L.59 | | |
| A.246966 | Plate, and | 1 | L.72 | | | |
| C.263098 | Plate, and | 1 | L.72 | | | |
| C.247152 | Plate, terminal, bottom | 1 | — | | | |
| 10CV/5174 | Ferranti ZS.10A | Plate, terminal, top | 1 | — | | |
| 10W/5905-99-021-9808 | — Rectifier | 1 | — | B. | | |
| F.247453 | — Resistor, 56K, style RC3-L | 1 | — | C. | | |
| 23 | F.247453 | Clip, cable | 2 | L.72 | | |
| | Std.2045/29/24 | Clip, sleeved, cable ND.4 | 1 | — | | |
| | E.246559 | Crate, flight instrument, group | 1 | — | | 6 |
| | F.246197 | Arm, stop | 5 | S.510 | | |
| | F.246382 | Block, bearing | 5 | T.26 | | |
| | F.246383 | Block, bearing | 5 | L.65 | | |
| | 11598 | F.251500 Cam, extractor, upper | 2 | — | C. | |
| | 11599 | F.251501 Cam, extractor, lower | 2 | — | C. | |
| | A.247526 | Duct, cable | 1 | DTD.253 | | |
| | F.246198 | Indicator, locking | 5 | BSS.265 | | |
| F.247265 | Spindle, locking arm | 5 | S.510 | | | |
| 11601 | F.246199 Spring | 5 | DTD.215 | C. | | |
| 11602 | F.246478 Spring | 5 | DTD.215 | C. | | |
| 11600 | F.246557 Washer | 5 | L.65 | C. | | |
| 5L/9951273 | — Filament, 3.5 watt | 2 | — | C. | | |
| 23 | 6TD/6204874 | — Guide, control, punka louvre | 1 | — | | |
| 23 | 6TD/6204875 | — Indicator, height and rate of climb display, type "B" | 1 | — | A. | |
| 23 | 6TD/6204710 | — Indicator, attitude, type F4C | 1 | — | A. | |
| | | — Indicator, navigation display, type "C" | 1 | — | A. | |

HUNTER T. MK. 7A (S.O.O.)

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|--------------|---------------------|---|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| | A.247826 | MOUNTING, STANDBY PANEL, LIGHTS DIMMER SWITCH, ASSEMBLY | | | | | — | — | | |
| — | A.247648 | Cable, F.177 (See Cable Chart) | | | | | 1 | — | — | |
| 5CW/4405515 | F.247770 | Plate | | | | | 1 | L.72 | | |
| | — | Switch, dimmer, type "R" | | | | | 1 | — | C. | |
| | Std.1606/44/A18 | Screw | | | | | 2 | Brass | | 5 |
| 9450 | Std.1606/45/A18 | Screw | | | | | 1 | Brass | C. | 5 |
| | C.263056 | Panel, navigation display test sockets, group | | | | | 1 | — | | |
| 28FP/1200486 | Dzus S.3-150 | Spring, fastener | | | | | 4 | — | C. | |
| | D.327072 | Panel, instrument, centre group (Mod. 1415) | | | | | 1 | — | | |
| | | (For further spares see D.218055) | | | | | | | | |
| | D.312843 | Panel, instrument, centre, group (Mod. 1365) | | | | | 1 | — | | |
| | | (Pre Mod. 1415) | | | | | | | | |
| | | (For further spares see D.218055) | | | | | | | | |
| | D.262799 | Panel, instrument, centre, group (Pre Mod. 1365) | | | | | 1 | — | | |
| | | (For further spares see D.218055) | | | | | | | | |
| 6A/4337951 | — | Altimeter, standby, Mk. 24 (Pre Mod. 1415) | | | | | 1 | — | A. | |
| | F.247492 | Blqck, spacer, cable clip | | | | | 1 | — | | |
| 5X/1997586 | Plessey | Blqck, terminal, 5-way (Mod. 1415) | | | | | 1 | — | C. | |
| | 703/1/00190 | | | | | | | | | |
| | B.311094 | Cable, F.65 (Mod. 1365) (See Cable Chart) | | | | | 1 | — | | |
| | A.247646 | Cable assy., F.176 (See Cable Chart) | | | | | 1 | — | | |
| | | (Mod. 1415) | | | | | | | | |
| | C.320922 | Cables, F.40, F.62, F.65, group (Mod. 1365) | | | | | 1 | — | | |
| — | D.263142 | Cable, F.40 (See Cable Chart) | | | | | 1 | — | | |
| — | D.265477 | Cable, F.62 (Mod. 1251) (See Cable Chart) | | | | | 1 | — | | |
| — | B.263143 | Cable, F.65 (Pre Mod. 1365) (See Cable Chart) | | | | | 1 | — | | |
| 32A/1058027 | — | Cord | | | | | QR | F.35 | C. | |
| 5K/ | Hellermann | Sleeve, Helsyn HT.150 x 1-1/2" | | | | | 1 | — | C. | |
| 5F/ | — | Tube, 1-1/2" i/d x 18-1/2" long | | | | | 1 | P.V.C. | C. | |
| 6A/7002040 | — | Clamp (Alternative to 6A/1037233) | | | | | 2 | — | C. | |
| 6A/1037233 | — | Clamp (Alternative to 6A/7002040) | | | | | 2 | — | C. | |
| | | (Mod. 1415) | | | | | | | | |
| 11748 | Std.2045/38/22 | Clip, cable | | | | | 1 | — | C. | 6 |
| 11209 | Std.2045/34/22 | Clip, cable | | | | | 1 | — | C. | 6 |
| 5CW/4401527 | — | Cover, terminal | | | | | 1 | — | C. | |
| 5L/9951272 | — | Filament, 28V., 3.5W | | | | | 1 | — | C. | |
| 6A/9017400 | — | Gauge, jet temperature | | | | | 1 | — | A. | |
| 5CZ/4340430 | Dowty | Indicator, magnetic | | | | | 2 | — | C. | |
| | 5165Y/Mk. 1B | | | | | | | | | |
| 5CZ/4340381 | Dowty | Indicator, magnetic | | | | | 2 | — | C. | |
| | 5165Y/Mk. 2B | | | | | | | | | |
| | D.261565 | LIGHTING PILLAR, ASSEMBLY | | | | | — | — | | |
| | | (For further spares see D.222563) | | | | | | | | |
| 5CX/1143215 | Thorn 80/10/1190 | Light, bridge type "D" (Mod. 1415) | | | | | 2 | — | C. | |
| 6015 | F.195858 | Link (Mod. 1415) | | | | | 2 | — | C. | |
| 9446 | Std.1606/44/A20 | Screw | | | | | 6 | Brass | C. | 5 |
| 5X/1005131 | — | Sleeve, reducing (Mod. 1415) | | | | | 2 | — | C. | |
| | Ross Courtney RC.01 | Tag (Mod. 1415) | | | | | 6 | — | | |
| 1940 | Std.1231/1 | Lug, locking (Mod. 1415) | | | | | 1 | — | C. | |
| | C.327074 | Panel, instrument, centre (Mod. 1415) | | | | | 1 | — | | |
| | C.317071 | Panel (Mod. 1365) (Pre Mod. 1415) | | | | | 1 | — | | |
| | C.262156 | Panel (Pre Mod. 1365) | | | | | 1 | — | | |
| | F.247493 | Plate, clamp, cable | | | | | 1 | L.72 | | |
| 1178 | Std.1606/44/B12 | Screw (2 off Pre Mod. 1415) | | | | | 3 | Brass | C. | 5 |
| 3837 | Std.1606/44/B10 | Screw | | | | | 6 | Brass | C. | 5 |
| 4661 | Std.1606/45/B12 | Screw, arrester hook selector switch (Mod. 1365) | | | | | 2 | — | C. | 5 |
| 3840 | Std.1606/44/B28 | Screw | | | | | 4 | Brass | C. | 5 |
| | Std.1606/43/Z12 | Screw, cheesehead (Mod. 1365) | | | | | 2 | — | | |
| 5830 | Std.1606/45/A16 | Screw, countersunk (Mod. 1415) | | | | | 2 | — | C. | |
| 4660 | Std.1606/45/B14 | Screw | | | | | 4 | Brass | C. | 5 |
| 9952 | Std.2095/208/B24 | Screw | | | | | 4 | — | C. | |

HUNTER T. Mk. 7A (S.O.O.)

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Score | Plate No. |
|----------|--------------|--|---------|------------------------|---------------------|-----------|
| | | | | | | |
| 23 | 5CW/4671815 | Rotax D.5435 | 1 | — | A. | 4 |
| | 5CW/4400402 | Pye 523 | 1 | — | C. | |
| | 6A/1054258 | — | 1 | — | A. | |
| | | Std.1509/23/174 | 2 | — | | |
| 23 | 10L/4280401 | — | 1 | — | A. | |
| | D.316551 | Panel, instrument, stbd., group (Mod. 1382) (For further spares see D.258615) | 1 | — | | |
| | C.316550 | Panel, detail | 1 | — | | |
| | B.245315 | PANEL, SIDE, PORT, ASSEMBLY (For further spares See B.232298) | — | — | | |
| | — | D.245518 | 1 | — | — | |
| | — | D.245519 | 1 | — | — | |
| | 6A/7022039 | Smith's Std.1503 | 1 | — | C. | |
| | 5CW/5045 | Rotax N.65290 | 2 | — | C. | |
| | 6A/4337748 | — | 1 | — | A. | |
| 23 | 5CX/1143218 | — | 1 | — | C. | |
| | B.245314 | Panel | 1 | — | | |
| | 3857 | Std.1606/44/C24 | 3 | Brass | C. | 5 |
| | 9447 | Std.1606/44/C28 | 2 | Brass | C. | |
| | — | — | 2 | — | | |
| | 5CW/1047693 | — | 2 | — | C. | |
| | 5CW/1055544 | — | 2 | — | C. | |
| | 5CW/1055545 | — | 2 | — | C. | |
| | B.327077 | PANEL, SUPPLEMENTARY, ASSEMBLY (Mod. 1415) | — | — | | |
| | B.246128 | PANEL, SUPPLEMENTARY ASSEMBLY (Pre Mod. 1415) | — | — | | |
| | 6A/8977 | — | 1 | — | A. | |
| | F.247471 | Altimeter, Mk. 27, standby (Mod. 1415) | 1 | — | | |
| | 5X/1997586 | — | 1 | — | C. | |
| | B.247562 | Block, terminal, 5-way (Pre Mod. 1415) | 1 | — | | |
| | A.247646 | Bracket, mounting, group | 1 | — | | |
| | 26VA/6041140 | Std.2045/17/24 | 1 | — | — | |
| | 26VA/6043471 | Std.2045/20/24 | 1 | — | C. | 6 |
| | 6A/7002040 | — | 1 | — | C. | |
| | 6A/1037233 | — | 1 | — | C. | |
| 23 | 6A/4333178 | — | 1 | — | C. | |
| | — | Clock, Mk. 4B (Alternative to 6A/4332876) (Pre Mod. 1415) | 1 | — | A. | |
| 23 | 6A/4332876 | — | 1 | — | A. | |
| | — | Clock, type 5C (Alternative to 6A/4333178) (Pre Mod. 1415) | 1 | — | | |
| | 5L/9959118 | — | 7 | — | C. | |
| 23 | 5CW/4405594 | Rotax N.65290 | 4 | — | C. | |
| | 6A/4338293 | — | 1 | — | A. | |
| | 6A/4338804 | — | 1 | — | A. | |
| 23 | 6TD/1046928 | — | 1 | — | A. | |
| | 5X/1143224 | Thorn | 1 | — | C. | |
| | 5CX/5353 | Thorn 80/10/1190 | 1 | — | C. | |
| | 5CX/1143214 | Thorn 80/10/1192 | 1 | — | C. | |
| | 5CX/1042172 | Thorn | 3 | — | C. | |
| | 6015 | F.195858 | 3 | — | C. | |
| | 1940 | Std.1231/1 | 1 | — | C. | 4 |
| | B.327076 | Panel (Mod. 1415) | 1 | — | | |
| | B.246127 | Panel (Pre Mod. 1415) | 1 | — | | |
| | 5830 | Std.1606/45/A14 | 2 | Brass | C. | 5 |

HUNTER T. MK. 7A (S.O.O.)

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|--------------|---------------------|-------------|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 1943 | Std.1606/45/B16 | | | | | Screw, countersunk head (Pre Mod. 1415) | 3 | Brass | C. | 5 |
| 3861 | Std.1606/45/B24 | | | | | Screw, countersunk head (Pre Mod. 1415) | 1 | Brass | C. | 5 |
| | Std.2095/208/B18 | | | | | Screw, countersunk head | 1 | Brass | | |
| | Std.2095/208/B56 | | | | | Screw, countersunk head | 2 | — | | |
| | Std.2095/209/B24 | | | | | Screw, panhead | 2 | — | | |
| 3839 | Std.1606/44/B16 | | | | | Screw, roundhead (3 off Pre Mod. 1415) | 4 | Brass | C. | 5 |
| 6356 | Std.1606/44/B32 | | | | | Screw, roundhead | 1 | Brass | C. | 5 |
| | Std.1606/44/B18 | | | | | Screw, roundhead (Pre Mod. 1415) | 1 | Brass | | 5 |
| 3857 | Std.1606/44/C24 | | | | | Screw, roundhead (Mod. 1415) | 3 | — | C. | |
| | Std.1606/44/B24 | | | | | Screw, roundhead (Mod. 1415) | 1 | — | | |
| 5X/1005131 | — | | | | | Sleeve, reducing (Pre Mod. 1415) | 2 | — | C. | |
| 5CY/4376512 | — | | | | | Socket, type "R" | 1 | — | C. | |
| 5CW/4400402 | Pye 523 | | | | | Switch (Pre Mod. 1415) | 1 | — | C. | |
| | Ross Courtney RC.01 | | | | | Tag (Pre Mod. 1415) | 6 | — | | |
| | C.312841 | | | | | Panel; top, tail chute and stores jettison control, group (Mod. 1365) (For further spares see C.312840) | 1 | — | | |
| | C.262627 | | | | | Panel; top, tail chute and stores jettison control, group (Pre Mod. 1365) (For further spares see C.259010) | 1 | — | | |
| — | C.311093 | | | | | Cable, A.13 (Mod. 1365) (See Cable Chart) | 1 | — | — | |
| — | C.263257 | | | | | Cable, A.13 (Pre Mod. 1365) (See Cable Chart) | 1 | — | — | |
| | B.317070 | | | | | Panel (Mod. 1365) | 1 | — | | |
| | B.262628 | | | | | Panel (Pre Mod. 1365) | 1 | — | | |
| 4661 | Std.1606/45/B12 | | | | | Screw, arrester hook selector switch (Mod. 1365) | 2 | — | C. | |
| | B.263057 | | | | | Panel; starboard | 1 | L.72 | | |
| 5CZ/1038561 | — | | | | | Potentiometer, control | 1 | — | A. | |
| 1178 | Std.1606/44/B12 | | | | | Screw, roundhead | 3 | Brass | C. | 5 |
| 3839 | Std.1606/44/B16 | | | | | Screw, roundhead | 4 | Brass | C. | 5 |
| 4179 | Std.1606/44/B20 | | | | | Screw, roundhead | 2 | Brass | C. | 5 |
| 3856 | Std.1606/44/C20 | | | | | Screw, roundhead | 4 | Brass | C. | 5 |
| | D.263036 | | | | | Shield, glare; centre | 1 | L.72 | | |
| | C.221847 | | | | | Shield, glare; port | 1 | L.72 | | |
| | C.264402 | | | | | Shield, glare; side (starboard) | 1 | L.72 | | |
| | A.263912 | | | | | Shield, glare; side (starboard) | 1 | L.72 | | |
| | C.263054/5 | | | | | Shield, glare; intermediate, port | 1 | L.72 | | |
| | C.263054/6 | | | | | Shield, glare; intermediate, starboard | 1 | L.72 | | |
| 5CW/5060 | — | | | | | Shroud, button switch | 1 | — | C. | |
| 5CW/2007871 | Dowty C.5162Y Mk. 2 | | | | | Switch, push button, type "A" | 1 | — | C. | |
| 10930 | Std.1509/3/026 | | | | | Tube, distance, port panel mounting | 3 | T.4 | C. | 4 |
| | Std.1509/3/076 | | | | | Tube, distance, port panel mounting | 3 | T.4 | | 4 |
| 6TD/1041269 | — | | | | | Unit, speed display, type "A" | 1 | — | A. | |
| 11604 | F.247327 | | | | | Washer, flight instrument crate | 4 | Rubber | C. | |
| | Std.1285/3-DE | | | | | Wire, bonding | 1 | — | | 4 |
| | F.263884 | | | | | PITOT INSTALLATION, ASSEMBLY (E213422 modified by D.262665) (Mod. 1415) (For further spares see E.213422) | — | — | | |
| | F.263072 | | | | | Cleat, pipe, between FRS. 1B and 1C | 2 | LFS.21 | | |
| 2690 | F.195016 | | | | | Cleat, pipe | 10 | LFS.21 | C. | |
| 26VA/6041261 | Std.2046/19/24 | | | | | Clip, pipe | 2 | — | C. | 6 |
| 9663 | Std.2045/19/24 | | | | | Clip, pipe | 4 | — | C. | 6 |

HUNTER T. MK. 7A (S.O.O.)

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Place No. |
|--------------|---------------|--|---------|------------------------|---------------------|-----------|
| | | | | | | |
| | E.263833 | RADIO—U.H.F. INSTALLATION, ASSEMBLY | — | — | | |
| | | (For further spares see E.245500) | | | | |
| | E.265340 | ADDITIONAL DETAILS | — | — | | |
| | B.196758 | BLOCK, TERMINAL 53 AND 54, ASSEMBLY | — | — | | |
| 5X/1002694 | Plessey | Block; terminal | 1 | — | C. | |
| | 703/1/00238 | | | | | |
| 5X/3276 | Plessey | Block; terminal, 2-way | 1 | — | C. | |
| | 703/1/00226 | | | | | |
| 5CZ/1053794 | — | Block; terminal, 2-way | 1 | — | C. | |
| 5CZ/4350489 | — | Block; terminal, 5-way | 2 | — | C. | |
| | 13261 | Clip, mounting MIC/TEL, T.B. on hydraulic duct | 2 | L.72 | C. | |
| 5K/9471004 | AS.3360/B/6B | Lead, bonding | 2 | — | C. | |
| | F.230564 | Platform, for MIC/TEL T.B. | 1 | — | | |
| | C.191818 | PLUG, TELE BRIEFING, ASSEMBLY | — | — | | |
| | A.191832 | Plug, tele briefing, group | 1 | — | | |
| | | Consisting of:— | | | | |
| 10HA/1048572 | — | Connector, type 3570 | 1 | — | B. | |
| 5X/9400381 | — | Lug, cable | 1 | — | C. | |
| | Std.2134/11 | Sleeve, marker | 7 | — | | |
| 5F/ | Hellermann | Sleeve, 150 H.T.20 x 3/4" | 1 | — | C. | |
| | | | | | | |
| 5F/ | — | Sleeve, Helsyn 150H.T.100 | 8-1/2" | — | C. | |
| | | (Alt. to tube dura 1/2" i/d) | | | | |
| 5F/ | — | Tube, dura, 1/2" i/d x 1.5mm S.22 | 8-1/2" | — | C. | |
| | | (Alt. to sleeve, Helsyn 150 H.T.100) | | | | |
| 5K/4346711 | Ross Courtney | Tag, quick release | 7 | — | C. | |
| | RC.2121 | | | | | |
| | 1681 | Spring | 2 | DTD.215 | C. | |
| | F.191829 | Stop | 1 | L.53 | C. | |
| | F.191957 | | | | | |
| 10HB/9401786 | — | Socket, TEL/MIC, type 359 | 2 | — | C. | |
| | | | | | | |
| 11669 | D.264284 | Box, radio supplies and relay, group | 1 | — | B. | |
| | | (For further spares see D.252099) | | | | |
| | B.264282 | Board, components, group | 1 | — | | |
| | | (For further spares see B:246749) | | | | |
| | B.T.H. GJ6M | Rectifier | 5 | — | | |
| 10W/0215162 | — | Resistor, RC:2 D220, 1/2W | 2 | — | C. | |
| | B.230580 | Cable, F.128:assy. (See Cable Chart) | 1 | — | — | |
| | | | | | | |
| | E.313708 | RADIO—I.F.F./S.S.R. 1520 INSTALLATION, | — | — | | |
| | | ASSEMBLY (Mod. 1370) | | | | |
| | 40857 | Aerial, bottom, installation | 1 | — | | |
| | 41068 | Aerial, upper, installation, on spine | 1 | — | | |
| | 22091 | Blanking of cooling pipes for 200 inverter | 1 | — | | |
| | 31858 | Block, terminal, 3663-1/2, installation | 1 | — | | |
| | 13894 | Bracket, cleating | 2 | — | | |
| 32C/4382942 | — | Channel, rubber, 5/16" o/d | 6" | — | C. | |
| | 22090 | Fairlead, installation | 1 | — | | |

HUNTER T. MK. 7A (S.O.O.)

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|------------|----------------------|--|---------|------------------------|---------------------|-----------|
| | | | | | | |
| | F.313268/1 | Label, for T.B. 100 | 1 | — | | |
| | 41595 | Panel, inverter, installation | 1 | — | | |
| | 31861 | Plate, aerial, repair, installation | 1 | — | | |
| | 22089 | Plate, blanking, I.F.F. 10 C.U. | 1 | — | | |
| | 41021 | Power supplies and inter-connections | 1 | — | | |
| | | I.F.F./S.S.R. 1520 | | | | |
| | 31857 | Pressure breaks, bulkhead, installation | 1 | — | | |
| | CS.5401 | Schedule, of connectors | 1 | — | | |
| | 13887 | Spacer | 4 | — | | |
| | 31856 | Stowage, harness apron, installation | 1 | — | | |
| 5F/9454141 | Hellermann NY.18007A | Strapping | QR | — | C. | |
| 5F/9138822 | Hellermann NY.3342 | Stud | QR | — | C. | |
| | 40634 | Transmitter/receiver, type 16928, Antenna Switch | 1 | — | | |
| | | Unit and ground test socket, installation | | | | |
| | 41018 | Unit, control, I.F.F./S.S.R. installation | 1 | — | | |
| | E.264172 | RADIO, I.L.S. INSTALLATION, ASSEMBLY | — | — | | |
| 23 | 5985-99-4697309 | Aerial, localiser, type 239, in wing, port | 1 | — | A. | |
| 23 | 5985-99-4709699 | Aerial, glide path, type 238, in wing, starboard | 1 | — | A. | |
| 23 | 10B/4697308 | Aerial, marker, type 237 | 1 | — | A. | |
| | 5X1004088 | Block, terminal, 10-way, at frame 6 | 1 | — | C. | |
| | 5CZ/1053794 | Block, terminal, 2-way | 1 | — | C. | |
| 23 | 5975-99-4427678 | Box, junction, type 157A | 1 | — | A. | |
| | F.265396 | Bracket, mounting for plug | 1 | — | | |
| | A.265521 | Bracket, mounting for volume control | 1 | — | | |
| 23 | 5995-99-4129306 | Cable, I.L.S.1 | 1 | — | B. | |
| | B.251275 | Cable, I.L.S.4 (See Cable Chart) | 1 | — | — | |
| | B.251276 | Cable, I.L.S.5 (See Cable Chart) | 1 | — | — | |
| 23 | 5995-99-4129302 | Cable, I.L.S.6 | 1 | — | B. | |
| | B.262923 | Cable, I.L.S.7 (See Cable Chart) | 1 | — | — | |
| 23 | 5995-99-4129303 | Cable, I.L.S.11 | 1 | — | B. | |
| 23 | 5995-99-4129305 | Cable, I.L.S.13 | 1 | — | B. | |
| | A.265403 | Cable, I.L.S.19 (Mod. 1249) (See Cable Chart) | 1 | — | — | |
| | B.265402 | Cable, I.L.S.20 (Mod. 1249) (See Cable Chart) | 1 | — | — | |
| 23 | 5995-99-4129300 | Connector, I.L.S.15 | 1 | — | B. | |
| 23 | 5995-99-4129301 | Connector, I.L.S.16 | 1 | — | B. | |
| 23 | 5995-99-4129298 | Connector, I.L.S.17 | 1 | — | B. | |
| 23 | 5995-99-4129299 | Connector, I.L.S.18 | 1 | — | B. | |
| 23 | 5995-99-4129290 | Connector, aerial, I.L.S. | 1 | — | B. | |
| 23 | 5995-99-4129291 | Connector, aerial, I.L.S. | 1 | — | B. | |
| 23 | 5995-99-4129292 | Connector, aerial, I.L.S. | 1 | — | B. | |
| 23 | 5995-99-4129293 | Connector, aerial, I.L.S. | 1 | — | B. | |
| 23 | 5995-99-4129294 | Connector, aerial, I.L.S. | 1 | — | B. | |
| 23 | 5995-99-4129295 | Connector, aerial, I.L.S. | 1 | — | B. | |
| 23 | 5995-99-4129295 | Connector, aerial, I.L.S. | 1 | — | B. | |

HUNTER T. MK. 7A (S.O.O.)

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Place No. |
|---------------------|-----------------|-------------|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 5995-99-4129296 | C.240180/7 | | | | | Connector, aerial, I.L.S. | 1 | — | B. | |
| 5995-99-4129297 | C.250180/8 | | | | | Connector, aerial, I.L.S. | 1 | — | B. | |
| 11793 | Std.2046/38/22 | | | | | Clip, aerial connectors at frames 5 and 11 | 2 | — | C. | 6 |
| 26VA/6039070 | Std.2045/29/22 | | | | | Clip, aerial connector in wing, port | 1 | — | C. | 6 |
| 26VA/6041751 | Std.2045/30/22 | | | | | Clip, aerial connector, in wing, port and starboard | 2 | — | C. | 6 |
| | Std.2076/38/22 | | | | | Clip, aerial connectors, frame 19 | 1 | — | | 6 |
| | Std.2046/25/22 | | | | | Clip, aerial connectors, frame 9 | 1 | — | | 6 |
| 26VA/6044203 | Std.2045/45/22 | | | | | Clip, aerial connectors, frame 14 | 1 | — | C. | 6 |
| 12242 | Std.2045/36/22 | | | | | Clip, cables and connectors, frame 6 | 1 | — | C. | 6 |
| 26VA/6042338 | Std.2046/36/22 | | | | | Clip, cable, at frame 5 | 1 | — | C. | 6 |
| | Std.2045/21/22 | | | | | Clip, glide path aerial connector (wing), starboard | 1 | — | | 6 |
| 11983 | Std.2046/21/22 | | | | | Clip, localiser, aerial connector (wing), port | 1 | — | C. | 6 |
| 5CZ/ | Plessey | | | | | Cover, 10-way terminal block at frame 6 | 1 | — | C. | |
| | 703/2/00301 | | | | | | | | | |
| | A.262872 | | | | | Grommet, sealing, for aerals and I.L.S. cable, | 1 | Silcoset 101 | | |
| | A.262873 | | | | | Grommet, sealing, cable, at frame 15 | 1 | Silcoset 101 | | |
| 5X/1004082 | — | | | | | Link, commoning, 2-way, at frame 6 | 2 | — | C. | |
| 10AJ/4309212 | — | | | | | Mounting, type 933 | 1 | — | C. | |
| 5X/9450403 | — | | | | | Pillar, 10-way T.B., at frame 6 | 2 | — | C. | |
| | F.253470 | | | | | Plate, support, aerial sealing grommet, at frame 12 | 1 | L.72 | | |
| | F.265406 | | | | | Plate (Mod. 1249) | 1 | — | | |
| 10H/9116803 | Plessey | | | | | Plug/Socket, bulkhead | 1 | — | C. | |
| | 508/1/40180/320 | | | | | | | | | |
| 5935-99-1052650 | — | | | | | Plug/Socket, bulkhead, at frame 6 | 1 | — | C. | |
| 10H/9116831 | — | | | | | Plug/Socket, bulkhead, at frame 6 | 1 | — | C. | |
| 10H/0540103 | — | | | | | Plug, double ended, type 757, aerial connections | 5 | — | C. | |
| 5895-99-4042150 | — | | | | | Receiver, type "R" 1964 | 1 | — | A. | |
| 10D/4042151 | — | | | | | Receiver, type "R" 1965 | 1 | — | A. | |
| 5UC/6110-99-4379142 | — | | | | | Regulator, voltage, type 60 | 1 | — | A. | |
| | A.253471 | | | | | Ring, clamping, aerial sealing grommet | 1 | L.59 | | |
| | A.253569 | | | | | Ring, clamping, cable sealing grommet at frame 15 | 1 | L.59 | | |
| 3838 | Std.1606/44/B8 | | | | | Screw, roundhead, 4 B.A. | 2 | Brass | C. | 5 |
| 5F/ | Hellermann | | | | | Sleeve, Helsyn 150.HT.50 x 1" | 1 | — | C. | |
| 10H/0560042 | — | | | | | Socket, double ended, at frame 6, for connectors | 2 | — | C. | |
| 5F/4349858 | Hellermann | | | | | Strapping | QR | — | C. | |
| 5F/9138823 | Hellermann | | | | | Stud | QR | — | C. | |
| | Std.1298/1 | | | | | Stud, earth, frame 5, port | 1 | — | | 4 |
| 26VA/6041197 | Std.1509/12/040 | | | | | Tube, distance, aerial connector clip, starboard | 1 | T.4 | C. | 4 |
| 26VA/6041201 | Std.1509/13/040 | | | | | Tube, distance, aerial connector clip, frame 11 | 1 | T.4 | C. | 4 |
| 5895-99-4042157 | — | | | | | Unit, control, type 705 | 1 | — | A. | |
| 10L/6401206 | — | | | | | Unit, volume control, type 11 (Mod. 1249) | 1 | — | A. | |
| 4613 | Std.1335/C18 | | | | | Washer, at earth stud, frame 5 | 5 | S.1 | C. | 4 |
| 7169 | Std.915/C18 | | | | | Washer, at earth stud, frame 5 | 1 | L.72 | MR/C | 4 |
| 5K/1051839 | AS.3360.B6E | | | | | Wire, bonding, receiver mounting | 1 | — | C. | |
| | C.269197 | | | | | WINDSCREEN WIPER ASSEMBLY (Mod. 1229) | — | — | | |
| | | | | | | (For further spares see E.236770) | | | | |
| | C.269199 | | | | | Additional items | — | — | | |
| | A.263630 | | | | | Bracket, group | 1 | — | | |
| | F.264373 | | | | | Bearing | 1 | LFS.21 | | |
| | A.263631 | | | | | Bracket, group | 1 | — | | |
| | F.263632 | | | | | Bearing | 1 | LFS.21 | | |
| | A.263633 | | | | | Joint, universal, group | 1 | — | | |
| | F.263650 | | | | | Knob, control | 1 | L.65.C | | |
| | F.264368 | | | | | Stop | 1 | L.65.C | | |
| | F.263628 | | | | | Tube, control | 1 | L.62 | | |
| | F.263629 | | | | | Tube, control | 1 | L.62 | | |

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

