

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	E.305645	G.A. of I.F.F./S.S.R. 1520 INSTALLATION (Mod. 1356, Mod. 1321)	—	—		
10B/20275	C.305646	Aerial, lower, installation	1	—		
	—	Aerial, type 100B	1	—	B.	
	B.305665	Spacer	1	L.72		
	D.303841	Aerial, upper, installation	1	—		
	Std.2045/21	Clip	2	—		6
23 5826-99-4280400	B.303842	Mounting, assy., aerial	1	—		
	—	Aerial, type 100B	1	—	B.	
	B.303844	Block, spacing	1	L.65		
	F.303847	Cleat, cable attachment	1	L.72		
	B.303845	Plate, mounting	1	L.72		
	E.305672	Box, junction, No. 2 (Mod. 1356) (For further spares see E.260251)	1	—		
	C.305673/1	Diagram, wiring (Pre Mod. 1404)	1	—		
	C.322982/1	Diagram, wiring (Mod. 1404)	1	—		
	C.305668	Box, junction, A.C., No. 2, assy.	1	—		
	F.238210	Board, tag	1	—		
	B.305667	Box, detail	1	—		
	B.305667/1	Box	1	L.59		
8670	F.220761	Bush	1	—	C.	
10H/0139175	Plessey	Cap, blanking	2	—	C.	
	508/1/41035					
	B.305669/1	Diagram, wiring	1	Photo		
23 10H/0590111	Belling Lee	Fuse, 3 amp.	1	—	C.	
	L.1055/3					
10H/0590112	Belling Lee	Fuse, 5 amp.	1	—	C.	
	L.693/5					
23 10H/9991395	Belling Lee	Fuse, 7 amp.	1	—	C.	
	L.562/7					
5X/9491422	Plessey	Grommet, No. 2	1	—	C.	
	Z.22430					
10H/0590100	Belling Lee	Holder, fuse, size "O"	2	—	C.	
	L.1348					
10H/0590170	Belling Lee	Holder, fuse, miniature	1	—	C.	
	L.575					
	B.238308	Plate, base	1	—		
	F.238311	Plate, insulating	1	—		
10H/0130537	Plessey	Plug, panel unit	1	—	C.	
	508/1/40461/320					
10H/0130589	Plessey	Plug, panel unit	1	—	C.	
	508/1/40469/320					
5K/—	Helsyn 100	Sleeve, H.T.15 x 3/4"	A/R	—	C.	
	Std.1949/11	Sleeve	1	—		
10H/5935-	Plessey	Socket, panel unit	1	—	C.	
99-920-8700	508/1/40440/320					
10H/5935-	Plessey	Socket, panel unit	1	—	C.	
99-972-9119	508/1/40443/320					
10H/5935-	Plessey	Socket, panel unit	1	—	C.	
99-999-3530	508/1/40442/320					
20470	F.236210	Spacer	2	—	C.	
5K/5866	Ross Courtney	Tag, 4 BA	1	—	C.	
	R.C.00					
5X/9400382	Erma 12102	Terminal, ring	A/R	—	C.	
	Std.1509/12/025	Tube, distance	2	—		4
8673	F.220762	Washer	1	—	C.	
5E/6145-	—	Wire, DEF.12A, type 2, 23/0076, white	A/R	—	C.	
99-910-0189	—	Wire, DEF.12A, type 2, 23/0076, red	A/R	—	C.	
5E/6145-	—	Wire, DEF.12A, type 2, 23/0076, green	A/R	—	C.	
99-910-0186	—					
5E/6145-	—					
99-942-4087	—					

(Mod. 1356, Mod. 1321)

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.	
							1
	26VA/6042337	Std.2046/29/22	Clip	9	—	C.	6
	26VA/6042338	Std.2046/36/22	Clip	1	—	C.	
	10HB/21413	—	Connector, type 53821/1	1	—	C.	
	10HB/21414	—	Connector, type 53821/2	1	—	C.	
	10HB/21415	—	Connector, type 53821/3	1	—	C.	
	10HB/21417	—	Connector, type 53821/5 (Alt. to 10HB/21170)	1	—	C.	
	10HB/21170	B.232810	Connector (Alt. to 10HB/21417)	1	—	C.	
	10HB/21451	—	Connector, type 53821/6	1	—	C.	
23	5CW/4405544	—	Guard, switch	1	—	C.	
	5UB/4357513	—	Inverter	1	—	A.	
	5UB/4352384	—	Mounting, inverter rack	1	—	B.	
	D.305647	—	Mounting assy., static inverter	1	—		
	A.305659	—	Bracket	1	L.85		
	F.305656	—	Bracket, mounting	1	L.72		
	D.305650	—	Mounting	1	L.72		
	F.305660	—	Mounting, spigot, port	1	L.85		
	F.305661	—	Mounting, spigot, stbd.	1	L.85		
	F.305664	—	Spigot	2	S.1		
	E.305670	—	Panel, supply, assy. (Mod. 1356)	1	—		
			(For further spares see E.223427)				
	D.305671	—	Diagram, wiring	1	—		
	Helvin	—	Plug, filler	19	—		
	Helvin HV.3434	—	Plug, filler	7	—		
23	5CW/1057583	—	Relay	2	—	A.	
	D.304114	—	Stowage, harness apron, repositioning	—	—		
	C.304115	—	Cover, harness stowage	1	—		
	5F/9454141	Hellermann NY.18007.A	Strapping	A/R	—	C.	
	5F/9138822	Hellermann NY.3342	Stud	A/R	—	C.	
	5CW/1047694	—	Switch, single pole, C/O	1	—	C.	
	5X/9462951	Hellermann H.C.294	Terminal	2	—	C.	
	5X/9709513	Hellermann H.C.294.D	Terminal	1	—	C.	
	5X/9450396	Hellermann H.C.490	Terminal	1	—	C.	
	10D/9563378	—	Trans-receiver, type 16928	1	—	A.	
	10AR/1075367	—	Tray, mounting, type 16946	1	—	A.	
	C.305653	—	Unit, control of failure lamp, installation	1	—		
	5CZ/1053794	—	Block, terminal	1	—	C.	
	26DK/8909	—	Boot, protective	1	—	C.	
	5K/9144677	—	Grommet	1	—	C.	
	F.305662	—	Label	1	L.72		
	C.305666	—	Plate, mounting	1	—		
	10W/8453	—	Resistor, 75Ω	1	—	C.	
23	5CW/4401168	—	Ring, switch locking	1	—	C.	
23	5CW/4400657	—	Switch	1	—	C.	
23	5CW/4400614	GA5-57-2129	Switch, toggle	1	—	C.	
	10L/9563379	—	Transponder, control type 16929	1	—	A.	
	10F/1071521	—	Unit, switching, antenna, type 16941	1	—	A.	

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

