

EQUIPMENT—S.O.O.—FUSELAGE—RAIN REPELLENT SYSTEM

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	F.313442	RAIN REPELLENT SYSTEM (Mod. 1374)	—	—		
	Field A/c Services B.76—P20	Adaptor, car valve	1	—		
	A.313444	Angle, mounting	1	—		
5X/1004088	—	Block, terminal, 10 way	1	—	C.	
26FZ/7150054	Field A/c Services B76—P31	Bottle (Boeing Pt. No. 65-38196-2)	1	—		
	Field A/c Services D76—P200	Bracket, doubler	2	—		
	B.313435	Cable, assy., F.217 (See Cable Chart)	1	—		
	B.313436	Cable, assy., F.218 (See Cable Chart)	1	—		
	B.313437	Cable, assy., F.219 (See Cable Chart)	1	—		
	A.306697	Clamp, for bottle	1	—		
11208	Std.2045/15/26	Clip	4	—	C.	
	Field A/c Services B76—P115	Connection, bulkhead	1	—		
	Field A/c Services B76—P34	Connector, tube	1	—		
23	10H/9462765	—				
	Field A/c Services D76—P43/1	Cover, terminal block	1	—	C.	
	Field A/c Services B76—P101	Fitting, skin	2	—		
	A.313449	Gasket (AHO.72460)	1	—		
	Field A/c Services B76—P35	Hose, Fr.6 to starboard solenoid valve	1	—		
	Dunlop WH30/1	Connector, straight	2	—		
	A.313450	Hose	A/R	—		
	Field A/c Services B76—P35	Hose, solenoid valve to solenoid valve	1	—		
	Dunlop WH30/1	Connector, straight	2	—		
	A.313448	Hose	A/R	—		
	Field A/c Services B76—P35	Hose, visual, reservoir to Fr.6	1	—		
	Field A/c Services B76—P36	Connector, straight	1	—		
	Dunlop WH30/1	Connector, 90°	1	—		
	F.313451/1	Hose	A/R	—		
5X/1004085	—	Label	1	—		
	Field A/c Services B76—P42	Link, commanding, 5-way	1	—	C.	
	4242	Locknut, related	3	—		
	Std.1231/7	Lug, locking	1	—	C.	

EQUIPMENT—S.O.O.—FUSELAGE—RAIN REPELLENT SYSTEM

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	Field A/c Services B76—P160 Sht. 5					Nozzle, jet (LH & RH) .....	2	—		
26VA/6039090	Std.2115LT					Nut .....	1	—	C.	
23 26DR/5310-00-2827823	AN924-4D					Nut .....	1	—	C.	
	Field A/c Services B76—P19					Nut, can valve adaptor .....	1	—		
26FZ/6098275	Field A/c Services D76—P34/5					Nut, retaining .....	2	—	C.	
5X/9450403	Plessey 703/2/08267					Pillar, fixing .....	2	—	C.	
	E.306698					Plate, support .....	1	—		
	Field A/c Services C76—P28 Sht. 1					Relay, time delay, 503 .....	2	—		
	Field A/c Services D76—P97/2					Reservoir, visual assy. ....	1	—		
	MS.28777-4					Ring, backup .....	3	—		
26FZ/4233010	AN6227-5					Ring, "O" .....	2	—	C.	
23 5330-99-6070152	AN6227-7					Ring, "O" .....	5	—	C.	
27DA/7151598	GD.1772-11					Ring, sealing (Alt. to 28F/9436628) .....	2	—	C.	
28F/9436628	—					Ring, sealing (Alt. to GD.1772-11) .....	2	—	C.	
5246	Std.1606-44-A12					Screw .....	4	—	C.	
5F/9454141	Hellermann NY.18007A					Strapping .....	A/R	—	C.	
5F/9138822	Hellermann NY.3342					Stud .....	A/R	—	C.	
	A.260946					Switch, push, modified .....	2	—		
	MS.21909-4C					Tee, piece .....	1	—		
	Std.1509/13/030					Tube, distance .....	1	—		
26FZ/6098274	Field A/c Services D76-P33/5					Valve, solenoid .....	2	—	B.	
	AN936-A1016					Washer, lock .....	2	—		

This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

