

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 22

Page JD.1

FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10687	C.247664	FUSELAGE, REAR, COMPLETE, GROUP					1	—	MR/A	JD.1
		(Fully equipped and complete with airbrake and tail cone, less tail parachute) (AS.970/76)								
—	D.204125	AIR BRAKE, ASSEMBLY (See Page No. JD.15)					—	—	—	
—	D.221822	ELECTRICAL INSTALLATION, ASSEMBLY					—	—	—	
—	E.217437	FLYING CONTROLS, ASSEMBLY					—	—	—	
—	D.237211	HYDRAULIC INSTALLATION, ASSEMBLY					—	—	—	
—	C.247660	TAIL CONE, ASSEMBLY (See Page No. JD.19)					—	—	—	
	E.221799	Fuselage, rear structure, group					1	—		
	—	Arrester gear (See Section 'JK')					—	—		
	C.205594	COVER PROTECTIVE, FOR HYDRAULIC					—	—		
		COMPONENTS, BETWEEN FRAMES 49 AND 50, ASSEMBLY								
	A.205598	Angle					1	L.72		
	F.205599	Angle					1	L.72		
	F.205600	Angle					1	L.72		
	A.205621	Angle					1	L.72		
	B.205597	Diaphragm					1	L.72		
8176	D.205595	Member, side					1	L.72	MR/C	
5702	C.205596	Panel, access					1	L.72	C.	JD.2
	C.202431	DRAIN, AT ENGINE EXHAUST, ASSEMBLY					—	—		
5820	B.202432	Bracket, support					1	DTD.610	C.	JD.4
5821	F.202433	Cap					1	S.84 or S.3	C.	JD.4
8524	F.216645	Drain, extension					1	—	C.	JD.4
1870	B.193008	Funnel					1	S.3 & T.26	C.	JD.4
1871	F.193009	Guide					1	S.3 & T.26	C.	JD.4
1872	F.193010	Spring					1	Spg. Stl.	C.	JD.4
2379	F.193011	Washer, retaining					1	DTD.610	MR/C	JD.4
	A.198547	Duct, cable					1	L.54		
	C.250697	FAIRING, AIRBRAKE LEADING EDGE,					—	—		
		ASSEMBLY (Mod. 1025)								
10837	C.250697/B	Fairing, inner portion					1	—	C.	JD.3
10836	C.250697/A	Fairing, outer portion, port					1	—	C.	JD.3
10838	C.250697/C	Fairing, outer portion, starboard					1	—	C.	JD.3
	D.223756	Fin, dorsal, group					1	—		
22	7666	A.185853	Bracket, front, for charging valve				1	DTD.610	MR/C	JD.5
	7667	A.185854	Bracket, rear, for charging valve				1	DTD.610	MR/C	JD.5
	711	B.186345	Bracket, clamp, for hydraulic accumulator				1	S.3 and Felt	C.	JD.4

RESTRICTED

FUSELAGE—REAR PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
7668	B.204655	Bracket, flying control, group	1	—	MR/B	
713	F.173109	Bracket, group	1	DTD.364	C.	JD.3
	F.183604	Bracket, port	1	DTD.610		
	F.209247	Bracket	1	DTD.610		
	B.204690	Bracket, starboard	1	L.72		
	A.204689	Channel	1	L.72		
	F.202691	Plate, reinforcing	2	L.72		
714	F.183607	Shim	1	Laminum	C.	JD.3
6098048	Std.1547/20/12	Washer, profile	4	DTD.610	C.	4
715	F.186346	Clamp, for hydraulic accumulator	1	S.3 and Felt	C.	JD.4
	F.186245	Cleat	1	DTD.610		
4176	Std.840/38	Clip, support, for cable duct	1	DTD.610	C.	4
	A.207598	Duct, cable	1	L.67		
	A.207599	Duct, cable	1	L.67		
	C.211484	Former, at frame 46	1	L.72		
	B.183728	Former, at frame 47	1	DTD.610		
	B.211485	Former, at frame 48	1	L.72		
	C.183729	Former, at frame 49	1	DTD.610		
	C.211486	Former, at frame 50	1	L.72		
10721	C.204653	Former, at frame 51	1	L.72	C.	
	F.185858	Label, at charging valve	1	DTD.610		
	B.225947	Landing, for access panel to flying controls (Mod. 629)	1	DTD.610		JD.2
2377	F.183736	Landing, for access panels to flying controls bolt	2	DTD.610	MR/C	JD.2
	C.225946	Landing, for access panel to hydraulic accumulator charging valve, electrical relays, terminal blocks and hydraulic connectors	1	DTD.610		JD.2
7669	B.202689	Landing, for access panel to flying controls	1	L.72	MR/C	
7670	C.210096	Landing, for access panel	1	L.72	MR/C	
	C.215203	Landing, for access panel to micronic filter	1	L.72		
4728	Std.1231/4	Lug	2	S.3	MR/C	4
	Std.1231/7B	Lug	2	S.3		4
	F.189514	Packing, on former, at frame 51, starboard	1	DTD.610		
	F.189515	Packing, on former, at frame 51, port	1	DTD.610		
716	B.183735	Panel, access to flying controls	1	DTD.610	C.	JD.1
717	F.183737	Panel, access to flying control bolt	2	DTD.610	C.	JD.1
718	C.188863	Panel, access to hydraulic accumulator, charging valve, electrical relays, terminal block and hydraulic connections, group	1	DTD.610	B.	JD.1
4888	Std.1509/1/012	Tube, distance, 3/16" o/d x 22 S.W.G. x 0.12" long (Make from 30B/618)	5	T.4	MR/C	4
4555	Std.915/A22	Washer	5	DTD.610	C.	4
4602	A.200876	Window	1	Perspex DTD.5545 or 5592	C.	JD.1
9345	B.215202	Panel, access, to micronic filter	1	L.72	C.	
7859	A.202690	Panel, access to flying controls	1	L.72	C.	JD.3
6666	B.210097	Panel, access to elevator feed unit	1	L.72	C.	JD.3
	B.188907	Panel, mounting	1	DTD.610		
	B.186243	Plate, side	1	DTD.610		
	C.183733	Rib, horizontal, between formers at frames 50 and 51	1	DTD.610		
7671	D.183727/1	Skin, port	1	DTD.610	MR/B	
10629	D.223756/2	Skin, starboard	1	DTD.610	B.	

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 18

Page JD.3

FUSELAGE--REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
6907	D.183727/7					Stiffener, top, between formers at frames 50 and 51, port	1	DTD.610	MR/C	
6908	D.183727/8					Stiffener, top, between formers at frames 50 and 51, starboard	1	DTD.610	MR/C	
	A.184750					Stiffener, centre, between formers at frames 49 and 50, port	1	DTD.610		
	A.184751					Stiffener, centre, between formers, frames 49 and 50, starboard	1	DTD.610		
	A.186197					Stiffener, lower, between formers at frames 49 and 50, port	1	DTD.610		
	A.186198					Stiffener, between formers 47 and 48, port	1	DTD.610		
	A.186199					Stiffener, between formers at frames 47 and 48 and frames 49 and 50, starboard	2	DTD.610		
	A.186200					Stiffener, between formers at frames 46 and 47, port	1	DTD.610		
	A.186201					Stiffener, between formers at frames 46 and 47, starboard	1	DTD.610		
	A.186202					Stiffener, top, between formers at frames 49 and 50, port	1	DTD.610		
	A.186203					Stiffener, top, between formers at frames 48 and 50, starboard	1	DTD.610		
	A.186204					Stiffener, lower, between formers at frames 50 and 51, port	1	DTD.610		
	A.186205					Stiffener, lower, between formers at frames 50 and 51, starboard	1	DTD.610		
	D.183727/3					Strap, butt	1	DTD.610		
	D.183727/6					Strap	1	DTD.610		
	D.201637					FORMERS, SUB-ASSEMBLIES	-	-		
	F.193853					Angle, for attaching hydraulic pipes	2	DTD.610		
313	A.171454					Bracket, mounting of idling links, frame 41	2	DTD.610	C.	JD.2
282	A.169493					Bracket, mounting of idling links, frame 45	2	DTD.610	C.	JD.2
	B.189589					MOUNTING AND STOWAGE POINTS, FOR HYDRAULIC FLEXIBLE COUPLING, ASSEMBLY	-	-		
8600	A.189590					Platform, mounting	1	DTD.610	C.	
	F.236266					Screw, special (AS.860/54)	4	-		
6852	F.183903					Stowage, dummy	1	DTD.364	C.	
6853	F.183904					Stowage, dummy	1	DTD.364	C.	
292	F.165986					Packing, at attachment of rudder and elevator levers	10	DTD.610	D.	
6114	F.189335					Plate, nut	1	S.3	MR/C	
6112	F.189187					Plate, nut	1	S.3	MR/C	
8417	D.201639					Frame, 40B, group	1	-	MR/B	
7674	F.163970					Angle, for spigot fitting, at stringers B, C, E, G, K and L	12	DTD.364	MR/C	
7675	F.163971					Angle, for spigot fitting, at stringers B, C, E, G, K and L	12	DTD.364	MR/C	
7676	F.171397					Angle, for spigot fitting, at stringer J	2	DTD.364	MR/C	
7677	F.171398					Angle, for spigot at stringer J	2	DTD.364	MR/C	

RESTRICTED

FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
7678	A.181011					Fitting, for transport joint	8	S.99.B	MR/C	
7679	A.181012					Fitting, for transport joint	7	S.98.B	MR/C	
4728	Std.1231/4					Lug, locking, for rear transport joint nut	15	S.3	MR/C	4
	D.201639/3					Member, frame, bottom	1	L.72		
719	F.175758					Nut, securing, at transport joint	15	S.98.B	C.	JD.2
4156	F.200285					Packing, at rear of spigot	15	S.2 or S.3	C.	JD.2
7682	B.181007					Plate, joint, port	1	DTD.610	MR/C	
7683	B.181008					Plate, joint, starboard	1	DTD.610	MR/C	
7686	F.212771					Plate, for spring, clip, port and starboard	2	L.72	MR/C	
721	F.187010					Spigot, at transport joint	15	S.98.B	C.	JD.2
	B.222311					Frame 52, group (Mod. 1363)	1	-		
	D.177649					Frame 52, group (Pre Mod. 1363)	1	-		
20050	A.222236					Angle, attachment, port (Mod. 1363)	1	L.65.C	MR/C	
20051	A.222312					Angle, attachment, starboard (Mod. 1363)	1	-	MR/C	
20052	F.222369					Angle, attachment, port (Mod. 1363)	1	-	MR/C	
20053	F.222370					Angle, attachment, starboard (Mod. 1363)	1	-	MR/C	
2380	C.177113					Angle, forward, outer	1	DTD.364	MR/C	JD.4
2381	C.177114					Angle, aft, outer	1	DTD.364	MR/C	JD.4
2382	B.177115					Angle, forward and aft, inner	2	DTD.374	MR/C	JD.4
7688	D.177575/10					Angle, aft, port	1	DTD.610	MR/C	
7689	D.177575/11					Angle, aft, starboard	1	DTD.610	MR/C	
7690	D.177575/12					Angle, forward, port	1	DTD.610	MR/C	
7691	D.177575/13					Angle, forward, starboard	1	DTD.610	MR/C	
7692	D.177575/14					Angle, joint, forward	1	DTD.610	MR/C	
6843	D.177575/15					Angle, joint, aft	1	DTD.610	MR/C	
10445	A.189243					Angle, port	1	-	MR/C	
10446	A.189244					Angle, starboard	1	-	MR/C	
26VA/6031961	F.195956					Bracket, aft face of forward web, starboard	1	DTD.610	C.	
4906	F.197241					Bracket, securing electric cables	1	DTD.610	MR/C	
2383	B.177579					Channel	1	DTD.610	MR/C	JD.4
20056	A.222234					Channel, port (Mod. 1363)	1	-	MR/C	
20057	A.222235					Channel, starboard (Mod. 1363)	1	-	MR/C	
2384	B.167060					Fitting, for fin attachment, port	1	Stamping	MR/C	JD.4
2385	B.167061					Fitting, for fin attachment, starboard	1	Stamping	MR/C	JD.4
7693	A.177577					Plate, joint, aft port and forward starboard	2	DTD.610	MR/C	
7694	A.177578					Plate, joint, forward port and aft starboard	2	DTD.610	MR/C	
7695	F.178104					Plate, joint	4	DTD.610	MR/C	
4211	Std.1687/2					Saddle, securing electric cable (Pre Mod. 1363)	1	DTD.610	C.	5
20054	F.229413					Shim, starboard (Mod. 1363)	1	Lam. Alum.	MR/C	
20055	F.229414					Shim, port (Mod. 1363)	1	Lam. Alum.	MR/C	
	Std.1507/24/092					Tube, distance, 3/8" o/d x 17 s.w.g. x 0.92" long	4	T.26		
2386	D.177575/1					Web, lower portion, forward	1	DTD.546	MR/C	JD.4
2387	D.177575/2					Web, lower portion, aft	1	DTD.546	MR/C	
	D.177823					Frame 55, group	1	-		
	F.189386					Angle, for jet pipe mounting, port	1	DTD.610		
	F.189387					Angle, for jet pipe mounting, starboard	1	DTD.610		
2389	B.177788					Boom, bottom, front	1	DTD.364	MR/C	JD.4
2388	B.177789					Boom, bottom, rear	1	DTD.364	MR/C	JD.4
4269	A.177812					Channel, inner boom	1	DTD.364	MR/C	
2390	C.177119					Fitting, for rear attachment of tail plane and fin	1	Stamping	MR/C	JD.4
2391	A.177870					Plate, joint	2	DTD.610	MR/C	JD.4
7696	A.177871					Plate, joint	4	DTD.364	MR/C	
2392	A.187418					Plate, end	2	DTD.610	MR/C	JD.4
6661	F.190604					Shim-washer, for jet pipe mounting attachment	2	Laminated Alum.	C.	
	F.190145					Spacer, at jet pipe mounting angle	2	DTD.564		
2393	D.177749/1					Web, rear	2	DTD.546	C.	
	D.177749/4					Web, front (Supplied as Ref. 26FX/2393, D.177749/1)	2	DTD.546		JD.4

FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.204943	JET PIPE SUPPORTS, ASSEMBLY					-	-		
6940	A.188249	Bracket, at frame 48					1	DTD.610	MR/C	
6941	A.188250	Bracket, at frame 50					1	DTD.610	MR/C	
	A.190913	Bracket, at frame 56					1	DTD.610		
	A.183191	Bracket, at frame 51					1	DTD.610		
12138	F.177687	Bracket, at frame 52					1	DTD.610	C.	
	A.178068	Bracket, at frame 54					1	DTD.610		
6942	F.175708	Bracket, at frames 48, 50, 51 and 54					4	DTD.610	C.	
	D.187408-9	MOUNTING, FOR JET PIPE, ASSEMBLY					-	-		
7873	B.216692	Channel, mounting, port					1	DTD.166	C.	JD.4
7874	B.216693	Channel, mounting, starboard					1	DTD.166	C.	JD.4
722	F.187724	Net, special					4	S.1	C.	JD.4
723	A.187721	Plate, serrated					2	S.95.B	C.	JD.4
724	B.187722	Slide, mounting					2	S.96.B	C.	JD.4
726	F.187720	Shims, packing					QR	DTD.610	C.	JD.4
1606	F.190541	Stud					1	S.94.B	C.	JD.4
1607	F.190542	Stud					1	S.94.B	C.	JD.4
1608	C.190691	Rail, mounting					1	DTD.364	C.	JD.4
731	F.189443	Strap, aft, securing rail, at frame 55					1	DTD.364	C.	JD.4
732	F.189442	Strap, forward, securing rail, at frame 55					1	DTD.364	C.	JD.4
3813	Std.1547/22/10	Washer, profile					2	DTD.610	MR/C	4
2395	B.184011	Landing, aft, for detachable spine, port					1	DTD.610	MR/C	JD.1
2396	B.184012	Landing, aft, for detachable spine, starboard					1	DTD.610	MR/C	JD.1
2397	A.184009	Landing, forward, for detachable spine, port, group					1	-	MR/C	JD.1
23 28FP/4062482	Dzus. S5/325	Spring					1	-	C.	
751	Std.915/A20	Washer					1	DTD.610	C.	4
2398	A.184010	Landing, forward, for detachable spine, starboard, group					1	-	MR/C	JD.1
23 28FP/4062482	Dzus. S5/325	Spring					1	-	C.	
751	Std.915/A20	Washer					1	DTD.610	C.	4
	D.177846	MOUNTING, FOR TAILPLANE ACTUATOR, ASSEMBLY					-	-		
1506453	Std.1553/E/50	Bolt, securing pivot fitting					4	S.99.B	C.	5
7858	A.211760	Fitting, pivot, for actuator					1	Stamping	C.	JD.5
12346	B.189683	Outlet, bearing, cooling pipe, group					2	-	B.	
738	F.190000	Pin, retaining					1	S.1	C.	JD.4
739	B.189938	Sieeve, outlet					1	S.3	C.	JD.4
740	A.174322	Spring					1	Steel	C.	JD.4
	F.189441	Packing, taper, at stringers D. F. H and M					8	DTD.610		
733	B.185073	Panel, access to jet-pipe coupling, fuel connections thermo-couples and igniter plug, group					4	DTD.610	C.	JD.1
28FP/4062373	Dzus F.5/40	Fastener					3	-	C.	
735	A.184848	Panel, access, to jet-pipe rear mounting					2	DTD.610	C.	JD.1
734	A.185188	Panel, access, for thermocouples, group					2	DTD.610	C.	JD.1
28FP/4062373	Dzus. F.5/40	Fastener					1	-	C.	
5825	A.205935	Panel, access, for thermocouples, group					2	L.72	C.	JD.3
28FP/4062373	Dzus F.5/40	Fastener					1	-	C.	
	D.220464	PARACHUTE, BRAKING, FIXED PARTS, ASSEMBLY					-	-		
9906	F.230242	Bolt, for emergency release					1	Ht. St. St.	C.	
	F.237806	Bracket, mounting (Mod. 850)					1	L.72		
	C.220507	Diaphragm, forward, port					1	L.72		
	C.220508	Diaphragm, forward, starboard					1	L.72		
	C.220328	Diaphragm, rear, port					1	L.72		
	C.220329	Diaphragm, rear, starboard					1	L.72		
	D.220464/1	Fairing, port					1	L.72		
	D.220464/2	Fairing, starboard					1	L.72		
-	Std.1547/22/12	Washer, profile, at mounting bracket (Mod. 850) (Make from 30B/9611213, 1/2" x 1/2")					1	L.72	-	4

FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	D.219321									
9788	F.230690						1	LFS.21	C.	JD.2
	C.219182						1	L.72		
	C.219183						1	L.72		
10479	F.237669						1	S.96.B	C.	JD.2
10478	F.237668						1	S.96.B	C.	JD.2
	C.218352						1	L.72		
	C.218353						1	L.72		
	C.219179						1	-		
	C.219180						1	-		
	B.219962						1	M.S.P.		
10482	F.240868						1	BS.94.B	C.	JD.2
10480	F.237670						1	Laminated Alum.	C.	JD.2
							1	Laminated Alum.	C.	JD.2
10481	F.237671						1	Laminated Alum.	C.	JD.2
							1	Brass B.5265	C.	JD.2
9674	F.230236						1	Brass B.5265	C.	JD.2
							2	-	B.	JD.2
9326	A.220548						1	-	C.	
28FP/4069671	Dzus. F.5.T.12						1	-	C.	
28FP/1042309	Dzus. GH.5						1	-	C.	
9364	Vickers A.5931						1	-	A.	JD.2
							1	-	A.	JD.2
	B.223080									
	B.188783									
8603	A.188358						1	DTD.610	C.	
8604	A.188359						1	DTD.610	C.	
20059	A.223982						1	L.72	MR/C	
20060	A.223983						1	L.72	MR/C	
2399	A.180407						1	DTD.364	MR/C	JD.1
737	F.159451						1	DTD.364	C.	JD.1
	Std.1509/2/136						1	T.4		
							1	T.4		
	Std.1509/2/150						3	T.4		
							1	T.4		
	Std.1509/2/164						1	T.4		
							2	T.4		4
	Std.1509/2/152						2	T.4		4
							2	T.4		4
	Std.1547/26/16						2	DTD.610		
	Std.1547/28/16						4	DTD.610		4
	C.185991/2						1	DTD.610		
	B.204672						1	L.72		
6844	F.182976						12	DTD.610	MR/C	
	F.183192						3	DTD.610		
	A.203882						1	L.72		
7698	A.203883						1	L.72	MR/C	
7699	F.203885						2	L.73	MR/C	
							1	DTD.210		
6127	A.183188						2	DTD.610	MR/C	
6846	F.190294						2	DTD.610	MR/C	
6112	F.189187						2	-	MR/C	
6114	F.189335						2	-	MR/C	

FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Plate No.
2400	C.188585	Platform, mounting, for selector valve, assembly	1	-		
	B.188584	Platform, mounting, group	1	-	MR/C	JD.2
1920	B.188584/1	Platform	1	DTD.610		
	Std.1341/8	Stud, special	2	-	C.	4
7700	Std.1341/14	Stud, special	1	-	MR/C	4
6116	B.190993	SKID, TAIL, ASSEMBLY (Pre Mod. 1363)	-	-		
	B.190993/1	Plug, wood	2	Ash	C.	JD.3
6088	B.203372	Skid, tail	1	L.53	C.	JD.1
6198	C.211697	Spine, detachable, group (with trimming allowance)	1	-	B.	JD.1
7701	C.211697/1	Skin	1	DTD.610	MR/B	
	B.183742	Stiffener, front, group	1	DTD.610		
23	28FP/4062482	Spring	2	-	C.	
	D.204652	STRUCTURE BELOW TAIL PLANE, ASSEMBLY	-	-		
7702	A.85844	Angle	3	DTD.610		
	F.186462	Angle, port	1	DTD.610	C.	
7703	F.186463	Angle, starboard	1	DTD.610	C.	
7704	A.209654	Bracket, bearing, port	1	L.72	MR/C	JD.5
7705	A.209655	Bracket, bearing, starboard	1	L.72	MR/C	JD.5
745	A.186440	Bracket	1	DTD.610		
	B.188224	Bracket, forward, for elevator booster unit	1	Stamping	C.	JD.2
744	B.188226	Bracket, rear, for elevator booster unit	1	Stamping	C.	JD.3
4727	A.198686	Bracket, mounting, for terminal block, No. 43	1	DTD.610	MR/C	
7706	F.186244	Cleat	1	DTD.610	MR/C	
10538	F.245091	Flap, selector valve, operating group (Mod. 895)	1	-	C.	
10539	F.236518	Spring	1	Spr. Stl. Wire	C.	
2414	C.209708	Former, at frame 53	1	L.72		
	C.188582	Former, at frame 54	1	DTD.610		
2413	B.186518	Landing, for access panel to selector valve and elevator power assisted control	1	DTD.610	MR/C	JD.2
	B.189167	Landing, for access panel to tail plane actuator, port	1	DTD.610	MR/C	JD.1
2412	C.188288	Landing, for access panel to tail plane actuator, starboard	1	DTD.610	MR/C	JD.3
2415	F.188747	Landing, for access panel to elevator booster unit attachments	1	DTD.610	MR/C	JD.3
7707	F.214231	Landing, for access panel to elevator spring feel linkage	1	L.72		
	F.188555	Packing, taper	1	DTD.610	MR/C	
748	D.186503/3	Packing, at side of skin, forward of frame 55, port	1	DTD.610		
	D.186503/4	Packing, port and starboard	2	DTD.610		
748	D.186503/5	Packing, at port side of skin, forward of frame 52, port	1	DTD.610		
	B.186517	Panel, access, to selector valve and elevator power assisted control	1	DTD.610	C.	JD.1
1580	F.188746	Panel, access, to elevator booster unit attachments	2	DTD.610	C.	JD.3
747	A.189166	Panel, access to tail plane actuator, port	1	DTD.610	C.	JD.1
5272	C.207286	Panel, access to tail plane actuator, starboard, group	1	-	C.	JD.3
5273	C.207286/2	Panel, lower	1	L.72	C.	JD.3
717	F.183737	Panel, access to elevator spring feel linkage	1	DTD.610	C.	JD.1
4211	F.186388	Plate, reinforcing	2	DTD.610		
	B.186387	Rib, below tail plane, between frames 52 and 55	1	DTD.610		
1581	B.202352	Rib, between frames 51 and 52	1	L.72		
	B.204654	Rib, above tailplane, between frames 51 and 52	1	L.72		
4211	Std.1687/2	Saddle, for clipping of electrical cables	4	DTD.610	C.	5
1852	F.189937	Shim, for elevator booster brackets	QR	Laminated Alum.	C.	JD.3
1853	D.186503/1	Skin, port	1	DTD.610	B.	JD.1
1853	D.186503/2	Skin, starboard	1	DTD.610	B.	JD.3
1853	A.189165	Stiffener	1	DTD.610		
	D.186503/6	Strap, starboard	1	DTD.610		

FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
23	—	Std.1507/2/026				Tube, distance, 1/4" o/d x 22 S.W.G. x .26" long ... (Make from 30A/9610294)	4	T.26	—	
—	—	Std.1507/24/016				Tube, distance, 3/8" o/d x 17 S.W.G. x 16." long ... (Make from 30A/1469)	4	T.26	—	
	3817	Std.1548/30/12				Washer, profile	4	DTD.610	MR/C	4
	280	Std.1548/40/12				Washer, profile	4	DTD.610	C.	4
		Std.1549/36/12				Washer, profile	2	DTD.610		
		C.224023				STRUCTURE, REAR, BELOW TAIL-PLANE,	—	—		
						ASSEMBLY				
		F.190522				Angle, piece	2	DTD.610		
		F.190523				Angle, piece	1	DTD.610		
		A.186446				Bracket, attachment	1	DTD.610		
	2410	F.190513				Edge, trailing, aft portion	1	DTD.364	MR/C	JD.1
	2409	F.192763				Edge, trailing, top portion	1	LFS.21	MR/C	JD.1
		B.211427				Former, aft	1	DTD.610		
		B.224021				Former, centre	1	DTD.610		
		B.190484				Former, forward	1	L.72		
	2411	A.186407				Landing, for access panel to elevator operating arm .. connection	1	DTD.610	MR/C	JD.3
	12575	C.211429				Landing, for access panel to flying tail linkage	1	L.72	C.	JD.2
	1712	F.186406				Panel, access to elevator operating arm connection ..	1	DTD.610	C.	JD.3
	7932	B.211431				Panel, access, to flying tail linkage, port	1	L.72	C	JD.1
	11851	C.212321				Rib, tail, for attaching access and fairing panels	1	DTD.610	C.	
		C.224022				Rib, tail, group	1	DTD.610		
		B.190521				Rib	1	DTD.610		
	10000	C.224023/1				Skin, port	1	DTD.610	B.	JD.3
	10001	C.224023/2				Skin, starboard	1	DTD.610	B.	JD.3
		B.212322				Stiffener, forward, port	1	L.72		
		B.212323				Stiffener, aft, port	1	L.72		
		B.212324				Stiffener, starboard	1	L.72		
		C.224023/3				Strap, butt, port	1	DTD.610		
		C.224023/4				Strap, butt, starboard	1	DTD.610		
	5957	E.204792				Structure, bottom portion, group	1	—	MR/B	JD.5
	7709	A.203857				Angle, on frame 48 and 49	2	L.72	MR/C	JD.5
	7710	A.203886				Angle, on frame 50, port	1	DTD.364	C.	JD.5
	7711	A.203887				Angle, on frame 50, starboard	1	DTD.364	MR/C	JD.5
	7712	A.203894				Angle, on aft face of frames 47 and 50, port	2	L.40	MR/C	JD.5
	7713	A.203895				Angle, on aft face of frames 47 and 50, starboard ...	2	L.40	MR/C	
	7714	A.203896				Angle, on forward face of frames 47 and 50, port ...	2	DTD.364	MR/C	JD.5
	7715	A.203897				Angle, on forward face of frames 57 and 50, starboard	2	DTD.364	MR/C	JD.5
	7716	F.203912				Angle, on frames 47, port	1	DTD.364	MR/C	JD.5
	7717	F.203913				Angle, on frame 47, starboard	1	DTD.364	MR/C	JD.5
	7718	F.203914				Angle, on frames 47 and 48, port	2	L.72	MR/C	JD.5
	7719	F.203915				Angle, on frames 47 and 48, starboard	2	L.72	MR/C	JD.5
	7720	F.203916				Angle, on frames 47 and 48, port	2	L.72	MR/C	JD.5
	7721	F.203917				Angle, on frames 47 and 48, starboard	2	L.72	MR/C	JD.5
	5918	F.203982				Angle, attachment, for hinge fitting, at frame 46	2	L.72	MR/C	—
	5919	F.203983				Angle, attachment, for hinge fitting, at frame 46	2	L.72	MR/C	—
	7722	F.204089				Bracket, mounting, for hydraulic valves	2	DTD.610	MR/C	JD.5
	5908	A.204212				Bracket, mounting, for micro-switch on frame 47 ...	1	L.72	MR/C	JD.5
	5925	A.204354				Bracket, mounting, for pressure switch	1	DTD.610	MR/C	
		A.216746				Cover, sealing (AS.760/88)	2	L.72		
	7723	C.203969				Diaphragm, between frames 47 and 48, port	1	L.72	MR/C	JD.5
	7724	C.203970				Diaphragm, between frames 47 and 48, starboard ...	1	L.72	MR/C	JD.5
	7725	C.203971				Diaphragm, between frames 48 and 49, port	1	L.72	MR/C	JD.5
	7726	C.203972				Diaphragm, between frames 48 and 49, starboard ...	1	L.72	MR/C	JD.5
	7727	C.203973				Diaphragm, between frames 49 and 50, port	1	L.72	MR/C	JD.5
	7728	C.203974				Diaphragm, between frames 49 and 50, starboard ...	1	L.72	MR/C	JD.5
	8513	F.216608				Drain, extension, at frames 40B, 50, 52 and 55	7	L.65.C	C.	JD.1
						(8 off Pre Mod. 1363)				
	20075	C.223078				Fairing, for arrester hook mounting (Mod. 1363) ...	1	L.72	C.	

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 22

FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
8771	C.219512					Fitting, hinge, between frames 45 and 46, port	1	L.72 & DTD.166	MR/C	
8772	C.219513					Fitting, hinge, between frames 45 and 46, starboard	1	L.72 & DTD.166	MR/C	
5909	A.203906					Fitting, jack attachment, forward of frame 50	2	Stamping	MR/C	JD.5
20070	A.222202					Fitting, jack attachment, port (Mod. 1363)	1	S.95.B	MR/C	
20071	A.222203					Fitting, jack attachment, starboard (Mod. 1363)	1	S.95.B	MR/C	
7736	D.181021					Frame 41, bottom portion	1	-		JD.5
7737	D.181024					Frame 42, bottom portion	1	-	MR/B	JD.5
7738	D.181027					Frame 43, bottom portion	1	-	MR/B	JD.5
	D.204663					Frame 44, bottom portion	1	-	MR/B	JD.5
7740	D.204666					Frame 45, bottom diaphragm	1	-		JD.5
	D.222109					Frame 46, bottom portion	1	-	MR/B	JD.5
7741	C.204667					Frame 47, group (Mod. 1363)	1	-		
	D.222109/4					Frame 47, bottom portion	1	-	MR/B	JD.5
20063	D.222109/1					Plate, joint	3	L.72	MR/C	
20062	C.204667					Web, bottom	1	L.72	MR/C	
7741	C.204668					Frame 47, bottom portion (Pre Mod. 1363)	1	-	MR/B	JD.5
	C.204669					Frame 48, half-bottom, port	1	-		JD.5
7744	C.204670					Frame 48, half-bottom, starboard	1	-		JD.5
7745	C.204671					Frame 49, half-bottom, port	1	-	MR/B	JD.5
	D.222167					Frame 49, half-bottom, starboard	1	-	MR/B	JD.5
20064	A.222282					Frame 50, group (Mod. 1363)	1	-		JD.5
20065	A.222283					Angle, port	1	L.65.C	MR/C	
20066	F.224157					Angle, starboard	1	L.65.C	MR/C	
20067	F.224158					Angle, port	1	-	MR/C	
20068	D.222167/1					Angle, starboard	1	-	MR/C	
7746	D.204873					Extrusion	1	L.65.C	MR/C	
20069	F.226680					Frame 50, bottom portion	1	-	MR/B	JD.5
7746	D.204873					Plate, blanking	1	L.72	MR/C	
7747	D.181048					Frame 50, bottom portion (Pre Mod. 1363)	1	-	MR/B	JD.5
	B.222223					Frame 51, bottom portion (Pre Mod. 1363)	1	-	MR/B	JD.5
						Frame 51, bottom portion group (D.181048 modified) (Mod. 1363)	1	-	-	JD.5
20073	F.222232					Angle, port	1	L.65.C	MR/C	
20074	F.222233					Angle, starboard	1	L.65.C	MR/C	
7748	D.181051					Frame 53, bottom portion	1	L.72	MR/B	JD.5
7749	D.181054					Frame 54, bottom portion	1	L.72	MR/B	JD.5
	A.204798					LEVER, FOR MICRO SWITCH, ASSEMBLY	-	-		
5912	A.204707					Bracket	1	L.72	MR/C	
4949	F.204706					Lever	1	DTD.364	C.	
13125	F.216745					Plate, sealing	1	L.59	C.	
5911	Std.1509/23/029					Tube, distance, 5/16" o/d x 17 S.W.G. x 0.29" long	2	T.4	MR/C	4
7750	C.203856					Member, bridge, on frames 48 and 49, group	2	L.72	MR/C	JD.5
8773	D.219450					Member, side, air brake jack attachment beam between frames 47 and 50, port, group	1	-	MR/B	JD.5
8774	D.219451					Member, side, air brake jack attachment beam, between frames 47 and 50, starboard, group	1	-	MR/B	JD.5
	D.222204					Member, side, port, for arrester hook, jack attachment, frame 50 to 52 (Mod. 1363)	1	-		
	D.222205					Member, side, starboard, for arrester hook, jack attachment, frame 50 to 52 (Mod. 1363)	1	-		
7753	F.183785					Packing, taper	4	DTD.610	MR/C	
7754	F.204481					Packing, for angle, on frame 47	2	L.72	MR/C	
7756	E.204792/2					Packing	1	L.72	MR/C	

22

RESTRICTED

FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
5916	F.204971					Packing, for angles, at frame 45	2	L.72	MR/C	-
5917	F.204170					Packing, for angles, at frame 45	2	L.72	MR/C	-
4945	B.204064					Panel, access to jack attachment fitting, port	1	L.72	C.	JD.5
4946	B.204065					Panel, access to jack attachment fitting, starboard	1	L.72	C.	JD.5
4948	F.204262					Pin, for micro-switch, striker	1	-	C.	-
20087	F.232826					Plate, blanking, at drain holes, frame 50 (Mod. 1363)	2	-	C.	-
7758	C.185646/3					Plate, doubling, at frame 52	1	DTD.610	MR/C	JD.5
7755	B.203874					Plate, reinforcing	1	L.72	MR/C	-
7757	B.203875					Plate, reinforcing, frame 50 to 51	1	L.72	MR/C	JD.5
7759	C.203911					Plate, end, on frame 47 (Pre Mod. 1363)	1	L.72	MR/C	JD.5
	B.228629					Plate, reinforcing, jack attachment beam skin (Mod. 1363)	1	-	-	-
7760	B.203962					Plate, reinforcing, port	1	L.72	MR/C	-
7761	B.203963					Plate, reinforcing, starboard	1	L.72	MR/C	-
7762	A.204072					Plate, reinforcing, port	1	L.72	MR/C	-
7763	A.204073					Plate, reinforcing, starboard	1	L.72	MR/C	-
20072	B.222313					Plate, stiffener, joint, hook attachment beam (Mod. 1363)	1	-	MR/C	-
7764	B.205569					Plate, protecting, for air brake jack hose (Pre Mod. 1363)	1	L.72	MR/C	JD.5
	C.191817					PLUG, TELEBRIEFING, ASSEMBLY	-	-	-	-
7765	F.191977					Angle	1	DTD.610	MR/C	-
1611	Std.323.20N					Bolt, shoulder	2	S.2	C.	JD.3
7766	F.191826					Bracket, stop	2	DTD.364	C.	-
7767	F.191827					Bracket, anchorage, on frame 53	2	DTD.610	MR/C	-
7768	F.191830					Bracket, hinge	1	DTD.610	MR/C	-
7769	F.191831					Bracket, hinge	1	DTD.610	MR/C	-
1609	A.191823					Cover	1	DTD.213	C.	JD.3
1610	B.191822					Door, access	1	DTD.610	C.	JD.3
7770	B.191819					Landing, for door access	1	DTD.610	MR/C	-
7771	B.191820					Member, side	1	DTD.610	MR/C	-
7772	B.191821					Member, side	1	DTD.610	MR/C	-
1612	C.191817/1					Strip, rubber, 1/16" thick, 0.38" wide	1	DTD.560	C.	JD.3
1613	C.191817/2					Strip, rubber, 1/16" thick, 0.38" wide	1	DTD.560	C.	JD.3
1854	E.202159/1A					Skin (Identical with E.204792/1A)	1	L.72	C.	JD.1
-	B.228716/1					Skin, top, for jack attachment beam (26FX/7774 modified by B.228716) (Mod. 1363)	1	-	-	-
7774	B.203905					Skin, top, for jack attachment beam (Pre Mod. 1363)	1	L.72	B.	JD.5
20061	B.222225					Skin, top, for jack attachment beam, frame 50-52 (Mod. 1363)	1	L.72	MR/B	JD.5
4947	F.204263					Spring, for micro-switch striker pin	1	Sp. Stl.	C.	-
5915	F.204970					Stop, forward of frame 45	2	L.72	MR/C	-
5910	F.205570					Stop, at jack attachment, forward of frame 50, port	1	L.72	MR/C	JD.5
6120	C.186467					Strap, joint, aft of frame 55	1	DTD.610	MR/C	JD.2
7775	D.183532					Stringer, 'L', between frames 44 and 52, port	1	DTD.364	MR/C	JD.5
7776	D.183533					Stringer, 'L', between frames 44 and 52, starboard	1	DTD.364	MR/C	JD.5
7777	C.183543					Stringer, 'J', 'K' and 'L', aft of frame 52, port	3	DTD.364	MR/C	JD.5
7778	C.183544					Stringer, 'J', 'K', 'L' and 'M', aft of frame 52, starboard	4	DTD.364	MR/C	JD.5
7779	D.183632					Stringer, 'J', between frames 40B and 45, port	1	DTD.364	MR/C	JD.5
7780	D.183633					Stringer, 'J', between frames 40B and 45, starboard	1	DTD.364	MR/C	JD.5
7781	D.183634					Stringer, forward of frame 43, port	1	DTD.364	MR/C	JD.5
7782	D.183635					Stringer, forward of frame 43, starboard	1	DTD.364	MR/C	JD.5
4203	D.183636					Stringer, 'K', between frames 40B and 45, port	1	DTD.364	MR/C	JD.5
7783	D.183637					Stringer, 'K', between frames 40B and 45, starboard	1	DTD.364	MR/C	JD.5

FUSELAGE--REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
7784	D.183638					Stringer, forward of frame 43, port	1	DTD.364	MR/C	JD.5
7785	D.183639					Stringer, forward of frame 43, starboard	1	DTD.364	MR/C	JD.5
7786	D.183640					Stringer, 'L', between frames 40B and 45, port	1	DTD.364	MR/C	JD.5
7787	D.183641					Stringer, 'L', between frames 40B and 45, starboard	1	DTD.364	MR/C	JD.5
7788	D.183642					Stringer, forward of frame 43, port	1	DTD.364	MR/C	JD.5
7612	D.183643					Stringer, forward of frame 43, starboard	1	DTD.364	MR/C	JD.5
	D.183530					Stringer, 'J' and 'K', between frames 44 and 52, port	2	DTD.364		JD.5
	D.183531					Stringer, 'J' and 'K', between frames 44 and 52, starboard	2	DTD.364		JD.5
7792	B.203876					Stringer, between frames 46 and 47, port	1	DTD.364	MR/C	JD.5
7793	B.203877					Stringer, between frames 46 and 47, starboard	1	DTD.364	MR/C	JD.5
7794	B.203878					Stringer, between frames 50 and 51, port (Pre Mod. 1363)	1	DTD.364	MR/C	JD.5
7795	B.203879					Stringer, between frames 50 and 51, starboard (Pre Mod. 1363)	1	DTD.364	MR/C	JD.5
7796	B.203880					Stringer, 'M', between frames 50 and 52 (Pre Mod. 1363)	1	DTD.364	MR/C	
7797	B.204818					Stringer, 'M', between frames 40B and 47	1	DTD.364	MR/C	JD.5
	C.235349					SWITCH GEAR, ARRESTER HOOK, ASSEMBLY (Mod. 1363)	-	-		
20094	A.234440					Bracket, mounting, for switch (Mod. 844)	1	S.510	C.	
	F.226585					Bracket, anchor for spring	1	L.72		
20088	A.226578					Housing	1	-	MR/C	JD.5
20076	F.226582					Lever	1	L.65.C	C.	JD.5
20077	F.225860					Plate, locking	1	L.72	C.	JD.5
20078	F.225861					Plate, locking	1	L.72	C.	JD.5
20079	F.226579					Shaft	2	-	C.	JD.5
20080	F.213396					Spring	1	Sp. Stl.	C.	JD.5
20093	F.234649					Stop	1	LFS.21	C.	
23	5CW/4400328					Switch, micro	1	-	A.	
	C.1831Y Mk. 102C									
6949	F.204224					Tube, support, for micro-switch striker	1	T.26 & S.3	MR/C	
4035	Std.1509/23/112					Tube, distance, 5/16" o/d x 17 S.W.G. x 1.12" long	3	T.4	MR/C	4
4827	Std.1509/23/080					Tube, distance, at attachment angles, frame 45, 5/16" o/d x 17 S.W.G. x 0.8" long	8	T.4	MR/C	4
5924	Std.1509/23/086					Tube, distance, at attachment angle, frame 46, 5/16" o/d x 17 S.W.G. x 0.86" long	2	T.4	MR/C	4
	F.235010					Structure: rear extension, group (ASH.840/56)	1	-		
6125	F.190667					Angle, for catch-pin bracket	4	DTD.610	MR/C	-
6111	A.190584					Bracket, for lower lever and catch-pin, port and starboard	2	DTD.610	MR/C	-
6115	A.190585					Bracket, for lower lever and catch-pin, port and starboard	2	DTD.610	MR/C	-
1614	F.190589					Bracket, locating spigot on tail cone	4	DTD.364	C.	JD.3
8513	F.216608					Drain, extension (2 off Pre Mod. 1363)	1	L.65.C	C.	
4907	King Aircraft Corp. D.5067					Fitting, attachment	4	-	MR/C	JD.3
	D.232097					Frame 56, group (Mod. 1363)	1	-		
20020	D.232097/1					Diaphragm	1	L.72	MR/C	
	D.232097/3					Frame 56, side portion, port	1	DTD.610		
	D.232097/4					Frame 56, side portion, starboard	1	DTD.610		
20021	D.232097/2					Frame 56, bottom portion	1	DTD.610	MR/C	

FUSELAGE - REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
6122	D.190473					Frame 56, side portion, port (Pre Mod. 1363)	1	DTD.610	B.	
	D.190474					Frame 56, side portion, starboard (Pre Mod. 1363)	1	DTD.610		
	D.190475					Frame 56, bottom portion (Pre Mod. 1363)	1	DTD.610		
	F.263957					Frame 57, group (Mod. 1363)	1	-		
	D.263473					Angle, reinforcing, top	1	-		
20022	C.263474					Angle, reinforcing, bottom	1	-	MR/C	
	D.232084/1					Diaphragm	1	L.72		
	D.232084/3					Frame 57, side portion, port	1	DTD.610		
20023	D.232084/4					Frame 57, side portion, starboard	1	DTD.610	MR/C	
	D.232084/2					Frame 57, bottom portion	1	DTD.610		
	F.263475					Packing	2	-		
20017	A.232085					Plate, reinforcing, port	1	S.95.B	MR/C	
20018	A.232086					Plate, reinforcing, starboard	1	S.95.B	MR/C	
	B.232369					Plate, reinforcing, port	1	L.72		
	B.232370					Plate, reinforcing, starboard	1	L.72		
	D.224024					Frame 57, side portion, port (Pre Mod. 1363)	1	DTD.610		
	D.224025					Frame 57, side portion, starboard (Pre Mod. 1363)	1	DTD.610		
	D.224026					Frame 57, bottom portion (Pre Mod. 1363)	1	DTD.610		
	B.190529					Landing, top, locating tail cone	1	DTD.610		
	B.190530					Landing, side, locating tail cone, port	1	DTD.610		
11032	B.190531					Landing, side, locating tail cone, starboard	1	DTD.610	C.	
6119	B.190532					Landing, bottom, locating tail cone	1	DTD.610	C.	JD.3
6109	King Aircraft Corp. C.3103/H					Lever and catch pin	4	-	C.	JD.3
	F.190590					Plate, top joint on frame 56	1	DTD.610		
6117	F.190591					Plate, joint, frame 56, port and starboard	2	DTD.610	MR/C	
6113	F.190592					Plate, joint, frame 57, port and starboard	2	DTD.610	MR/C	
	A.219856					Plate, top joint, frame 57	1	DTD.610		
4211	Std.1687/2					Saddle, on stringer 'G', starboard	1	DTD.610	C.	5
1025	King Aircraft Corp. D.3060/2					Screw, locking	4	-	C.	JD.3
	E.311027					SKID, TAIL, STRUCTURE, ASSEMBLY (Mod. 1363)	-	-		
20024	F.232093					Angle, attachment, port	2	L.72	MR/C	
20025	F.232094					Angle, attachment, starboard	2	L.72	MR/C	
20026	F.232362					Bolt, special	4	S.95.B	C.	
20027	B.222960					Bracket, mounting, for hook latch	1	-	MR/C	
20028	B.232092					Bracket, reinforcing	1	-	MR/C	
	F.223013					Guide, latch	1	L.72		
20038	A.222965					Housing, port, E.M. release	1	-	MR/C	
20037	A.222964					Housing, starboard, for E.M. release	1	-	MR/C	
20029	F.232360					Nut, barrel	2	S.112	C.	
20030	F.232361					Nut, barrel	1	S.112	C.	
20031	F.232106					Packet, taper	2	L.72	MR/C	
20035	Std.1961/N/115					Pin, at E.M. release housing	1	-	C.	
20032	C.233112					Plate, reinforcing	1	S.520	MR/C	
	F.234382					Plate, stop	2	-		
23 1095-99-1082730	-					Release, E.M. for arrester hook	1	-	A.	
20033	C.232131					Skid, tail, group	1	-	MR/C	JD.1
20034	C.232131/2					Pad, rubber	1	Rubber	MR/C	JD.1
20036	Std.914/N18					Washer, at E.M. release housing	1	-	C.	
	D.224027/1					Skin, side, port	1	DTD.610		
	F.235010/1					Skin, side, starboard (ASH.840/56)	1	DTD.610		
	F.235010/2					Skin, bottom (ASH.840/56)	1	DTD.610		
6118	B.190669					Strap, joint, port and starboard	2	DTD.610	MR/C	-
6124	A.190586					Stringer, forward of frame 56	19	DTD.610	MR/C	JD.2
6110	A.190588					Stringer, between frames 56 and 57 (13 off Pre Mod. 1363)	12	DTD.610	C.	JD.2
4555	Std.915/A22					Washer	2	DTD.610	C.	4

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 20

Page JD.13

FUSELAGE - REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.201634					Structure, side portion, port, group	1	-		
	D.201635					Structure, side portion, starboard, group	1	-		
	A.188174					Beam, for slinging socket, group	2	-		
	B.188104					Beam, group	1	-		
2401	A.188105					Socket, slinging	1	DTD.364	MR/C	JD 2
113	F.180423					Plug, screwed	1	DTD.364	C.	JD 2
5931	B.204353					Bracket, for control valve, port	2	DTD.610	MR/C	JD.2
	C.184956					Landing, for access panel to jet pipe coupling fuel connections, thermo-couple and igniter plug, group	4	DTD.610		
28FP/4062657	Dzus					Spring, floating	3	-	C.	
	SFLA5/225									
	C.184955					Landing, for thermo-couple access panel, group	4	DTD.610		
28FP/4062657	Dzus					Spring, floating	1	-	C.	
	SFLA5/225									
	D.210760					MOUNTING, FOR DE-ICING TANK AND MOTOR MOUNTINGS AND SUPPLY SOCKET HOUSING, ASSEMBLY	-	-		
	F.210771					Bracket, fastener	1	-		
9026	F.210770					Cover	1	-	C.	
6955	C.202325					Plate, reinforcing, for access panel to fuel tank switch, port	1	DTD.610	MR/C	JD.2
5956	C.202326					Plate, reinforcing, for access panel to fuel tank switch, starboard	1	DTD.610	MR/C	JD.2
2404	B.184847					Plate, reinforcing, for access panel to jet pipe rear mounting	1	DTD.610	MR/C	JD.2
4211	Std.1687/2					Saddle	3	DTD.610	C.	5
1855	D.202157/1A					Skin, port	1	L.72	C.	JD.1
1856	D.202158/1A					Skin, starboard	1	L.72	C.	JD.3
	B.191149					VENTILATION, BETWEEN FRAMES 46 AND 47, ASSEMBLY	-	-		
2405	A.191151					Louvre	2	L.59	MR/C	JD.1
	A.191150					Plate, reinforcing	2	DTD.610		

RESTRICTED

FUSELAGE - REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				

FUSELAGE— AIR BRAKE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		AIRBRAKE, ASSEMBLY	—	—		
4938	D.204125	Air Brake, group	1	—	A.	JD.6
	E.204400	1	Stmpg.		JD.6
	B.204309	Anchorage, for jack, group	1	S.96.B	C.	JD.6
4939	F.204324	Bush	2			
5970	F.204386	Angle, cleat, attaching former No. 1, outer	1	DTD.364	MR/C	
		portion, port				
5971	F.204387	Angle, cleat, attaching former No. 1, outer	1	DTD.364	MR/C	
		portion, starboard				
5972	F.204390	Angle, cleat, attaching former No. 1, centre	1	DTD.364	MR/C	
		portion, port				
5973	F.204391	Angle, cleat, attaching former No. 1, centre	1	DTD.364	MR/C	
		portion, starboard				
5974	F.204401	Angle, cleat, attaching former No. 2, outer	1	DTD.364	MR/C	
		portion, port				
5975	F.204402	Angle, cleat, attaching former No. 2, outer	1	DTD.364	MR/C	
		portion, starboard				
4940	Std.1553/G/140	Bolt, securing jack anchorage	1	S.99.B	C.	5
4941	Std.1553/G/180	Bolt, securing jack anchorage	3	S.99.B	C.	5
5976	B.204357	Channel, centre, front	1	L.73	MR/C	JD.6
5977	B.204358	Channel, centre, rear	1	L.72	MR/C	JD.6
5978	B.204482	Fitting, hinge, port, group	1	Stmpg.	MR/C	JD.6
4943	F.204036	Bush	2	BSS.369	C.	JD.6
			or		
			BS.2874		
5979	B.204483	Fitting, hinge, starboard, group	1	Stmpg.	MR/C	JD.6
4944	F.205200	Bush	2	BSS.369	C.	JD.6
5980	D.204359	Former No. 1, centre portion	1	L.72	MR/C	JD.6
5981	D.204360	Former No. 1, outer portion, port	1	L.72	MR/C	JD.6
5982	D.204361	Former No. 1, outer portion, starboard	1	L.72	MR/C	JD.6
5983	C.204369	Former No. 1A, centre portion, port	1	L.72	MR/C	JD.6
5984	C.204370	Former No. 1A, centre portion, starboard	1	L.72	MR/C	JD.6
5985	D.204362	Former No. 2, centre portion	1	L.72	MR/C	JD.6
5986	D.204363	Former No. 2, outer portion, port	1	L.72	MR/C	JD.6
5987	D.204364	Former No. 2, outer portion, starboard	1	L.72	MR/C	JD.6
5988	B.204371	Rib, nose, centre	1	L.72	MR/C	JD.6
5989	B.204458	Rib, nose, outer, port	1	L.72	C.	JD.6
5990	B.204459	Rib, nose, outer, starboard	1	L.72	MR/C	JD.6
5991	C.204365	Rib, hinge, inner, port	1	L.72	MR/C	JD.6
5992	C.204366	Rib, hinge, inner, starboard	1	L.72	MR/C	JD.6
5993	D.204367	Rib, hinge, outer, port	1	L.72	MR/C	JD.6
5994	D.204368	Rib, hinge, outer, starboard	1	L.72	MR/C	JD.6
5996	D.204379	Skin, outer	1	L.72	MR/B	JD.6
5995	D.204378	Skin, inner	1	L.72	MR/B	JD.6
5997	D.204376	Skin, nose, outer, port	1	L.72	C.	JD.6
5998	D.204377	Skin, nose, outer, starboard	1	L.72	C.	JD.6
5999	D.204374	Skin, nose, inner, port	1	L.72	C.	JD.6
6000	D.204375	Skin, nose, inner, starboard	1	L.72	C.	JD.6
5826	A.205985	Spring, operating micro switch	1	DTD.187	C.	JD.6
6001	C.204380	Strap, butt, between main and nose skins, port	1	L.72	MR/C	JD.6
6002	C.204381	Strap, butt, between main and nose skins,	1	L.72	MR/C	JD.6
		starboard				

23

FUSELAGE—AIR BRAKE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
4933	F.204144	Bolt, securing jack to flap					1	S.99.B	C.	JD.6
4934	Std.1551/5/135	Bolt, securing flap to forward hinge fittings					1	S.99.B	C.	5
4935	Std.1551/8/475	Bolt, securing jack to fuselage, forward					1	S.99.B	C.	5
—	Std.1996/8	Chain, rigid link (Make from 29H/9488796)					1	Comm'l Brass	L.M.	5
4936	A.204797	Clip, at jack, for check chain attachment					1	S.3	C.	JD.6
23	27QM/4118332	Jack, hydraulic (AS.740/39) (Pre Mod. 1363)					1	—	A.	
23	27QM/4118491	Jack, hydraulic (Mod. 1363)					1	—	A.	
4937	Std.1921/QS	Nut, for jack attachment bolts					2	S.94.B S.95.B or S.96.B	C.	5

FUSELAGE—AIR BRAKE

Ref No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/9133011	A25.2.C	Bolt, 2	B.A.	—
28D/9133012	A25.3.C	Bolt, 2	B.A.	—
28D/1200119	A25.4.C	Bolt, 2	B.A.	—
28D/7002428	A25.6.C	Bolt, 2	B.A.	—
28D/1011246	A25.11.E	Bolt, 1/2"	B.S.F.	—
28D/12812	A25.12.E	Bolt, 1/2"	B.S.F.	—
28D/15068	A57.2.E	Bolt, 1/2"	B.S.F.	—
28M/9403520	A27.C.P	Nut, 2	B.A.	—
28M/12928	A27.E.P	Nut, 1/2"	B.S.F.	—
28M/1006939	A27.G.P.	Nut, 1/8"	B.S.F.	—
28M/15199	A58.L.S	Nut		—
28P/811	SP.4.Y.A1	Pin		—
28P/19225	SP.90.C3	Pin, split		—
28P/19234	SP.90.E8	Pin, split		—
28P/19157	SP.90.G10	Pin, split		—
28W/9419474	SP.15.B	Washer		—
28W/9419475	SP.15.C	Washer		—
28W/9419405	SP.15.E	Washer		—
28W/9419476	SP.15.G	Washer		—
28W/9419490	SP.16.L	Washer		—
28W/9419493	SP.16.Q	Washer		—

RESTRICTED

Page JD.18

Hunter T. Mk. 7
Issued with A/L No. 10

FUSELAGE—AIR BRAKE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				

RESTRICTED

FUSELAGE - TAIL CONE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.	
		1	2	3	4	5					
	10630	C.247660	TAIL, CONE, GROUP (Less Parachute) (AS.970/76)					1	-	A.	JD.7
	15D/	B.246487	Cable, towing, group (AS.970/41)					1	-	B.	
23	1670-99-4111620	A.222111	Cable, detail					1	-	C.	
23	1670-99-4111628	F.234352	Pin, shear (Mod. 851)					1	S.80.B	C.	
23	1670-99-4111672	F.246486	Shackle, group (AS.970/41)					1	S.98.B	C.	
23	5306-99-1363087	Std.1551/1/65	Bolt					2	S.98.B	C.	
23	1670-99-4111673	F.237558	Fork (Mod. 850)					1	S.98.B	C.	
	4488	Std.1718/1	Nut					2	S.95.B	C.	
	15D/	F.228548	Shackle					1	S.98.B	C.	
23	1670-99-4111621	F.222207	Shackle					1	-	C.	
	-	-	Electrical Installation (See Section EC)					-	-	-	
			Appropriate parts to be fitted when tail cone is supplied as a spare)								
		E.222063	MECHANISM, RELEASE, FOR PARACHUTE					-	-		
			DOORS, ASSEMBLY								
	9304	Std.1639/18/EX	Bolt, attaching link to starboard door					-	S.95.C	C.	JD.7
	9305	B.223075	Cable, door release					1	-	C.	JD.7
	9306	A.220003	Lever, operating, port door					1	-	C.	JD.7
	9307	A.220330	Lever, operating, starboard door					1	-	C.	JD.7
	9308	F.222994	Link, connecting					1	-	C.	JD.7
	9309	A.220002	Link, operating, port and starboard					1	-	C.	JD.7
	9310	B.222895	Lock, for door					1	-	B.	JD.7
	9311	F.223076	Plate, serrated, at lock attachment					1	S.95.B or S.520	C.	JD.7
		F.221345	Plug, for spring box, port					1	L.65.C		
	9312	F.220615	Shim, laminated, at lock attachment					1	Shim. Alum.	C.	
	9313	F.219838	Spring					2	Spr. Stl.	C.	JD.7
	11827	F.220315	Tube, distance					6	T.26	C.	
	11828	F.220319	Tube, distance, at attachment of link to door					2	T.26	C.	
	11829	F.220320	Tube, distance, at lever attachment					1	T.26	C.	
	11830	F.220321	Tube, distance, at lever attachment					1	T.26	C.	
	12139	F.222023	Tube, distance, at attachment of spring box, starboard					1	BSS.369	C.	
	12141	A.220009	Tube, outer, for spring box, port					1	-	C.	
		A.220111	Tube, outer, for spring box, starboard					1	-		
	10949	A.220010	Tube, inner, for spring box					2	-	C.	
		B.221759	Unit, spring release, group					1	-		
		B.221760	Bracket, mounting					1	-		
	9314	A.221762	Lever					1	-	C.	JD.7
	9315	A.221857	Lever, group					1	-	B.	JD.7
	2A/9500409	BRA.3/16"	Bearing					1	-	C.	
	9316	F.221967	Shim, laminated, 1/32" thick					1	Alum.	C.	JD.7
	5CW/6694	Rotax D.5320	Solenoid					1	-	B.	
		F.221763	Tube, distance					1	S.62.B		
		F.221807	Tube, distance					1	T.26		
		Std.1507/2/225	Tube, distance, 1/4" o/d. x 22 S.W.G. x 2.25" long (Make from 30A/9610294)					1	T.26	-	
	9317	F.222024	Washer, at attachment of spring box, starboard					2	BSS.369	C.	JD.7
		E.222062	PARACHUTE, BRAKING, TAIL CONE, ASSEMBLY					-	-		
23	5CW/9990748	Burgess	Actuator, auxiliary Type "B" (Mod. 850)					1	-	C.	
		F.235007	Angle, support (Mod. 850)					1	L.72		
		F.222315	Bracket, mounting, at access panel in fin fairing					1	-		
		B.221093	Bracket, mounting, for micro switch					1	-		
		A.221094	Bracket, stop, at micro switch					1	L.62		
		B.220537	Bracket, support, at cable duct					1	-		

FUSELAGE - TAIL CONE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Place No.
		1	2	3	4	5				
10987	G.250612					Door, port, group (Mod. 1055)	1	-	A.	JD.7
10988	G.250613					Door, starboard, group (Mod. 1055)	1	-	A.	JD.7
	F.222112					Bracket, attachment, port	1	-		
12384	A.222993					Bracket, latch, port	1	S.95.B	C.	
11345	G.250612-3/A					Fairing (supplied loose)	1	L.59	C.	
	D.233811					DETAILS OF STARBOARD DOOR ASSEMBLY (Mod. 774)	-	-		
	F.221355					Landing, group	1	-		
28FP/9570403	Dzus Type R5					Receptacle	1	-	C.	
	Std.1231/7B					Lug, locking (AS.840/90)	1	S.3		
	F.222166					Packing, for door landing	1	L.72		
9321	A.222104					Panel, access, group	1	-	B.	JD.7
28FP/4062750	Dzus F5/T/14					Fastener	1	-	C.	
28FP/1042309	Dzus GH.5					Grommet	1	-	C.	
	C.223963					Hinge, door	2	-		
-	Std.1507/2/048					Tube, distance, at latch bracket 1/4" o/d x 22 S.W.G. x 0.48" long (Make from 30A/9610294)	2	T.26	-	
	B.220131					Duct	1	-		
	C.220870					Duct, for cable, port	1	-		
	C.246293					GUARD, FORWARD DOOR LOCK, ASSEMBLY (Mod. 947)	-	-		
10571	A.246322					Bracket	1	S.510	C.	JD.7
10570	B.245172					Guard	1	-	C.	JD.7
	B.237750					Landing, for access panel (Mod. 850)	1	L.72		
28FP/9570403	Dzus Type R.5					Receptacle	1	-	C.	
9322	F.222114					Lever, micro switch operating	1	-	C.	JD.7
9323	F.222113					Link, at micro switch	1	-	C.	JD.7
4242	Std.1231/7					Lug, locking (Mod. 850)	1	-	C.	
	D.237526					MECHANICAL SWITCHING TAIL PARACHUTE, SLIP, ASSEMBLY (Mod. 850)	-	-		
10487	A.237529					Bracket, support, for micro switch	1	-	C.	JD.7
10486	B.237528					Door, access starboard, group	1	-	B.	JD.7
28FP/9434076	Europe Ltd. AJ/3/30					Fastener	2	-	C.	
10536	F.237531					Plate, nut	1	S.510	C.	
9494	F.221158					Plate, locking	1	-	C.	
	A.238436					Plate, stop	1	-		
	A.238437					Plate, stop	1	-		
23	5CW/1191514					Switch, micro type 4A	1	-	B.	
	C.221926					MOUNTINGS, FOR RELEASE MECHANISM, ASSEMBLY	-	-		
	F.222663					Bracket, mounting, for terminal block	1	-		
	F.220317					Bracket, anchorage, for spring box	1	L.72		
	A.220312					Bracket, stop for release cable	1	S.510 & S.92.B		
9324	F.223077					Plate, serrated	1	S.95.B	C.	JD.7
10485	A.237749					Panel, access, in fin fairing, for cocking test plug, group (Mod. 850)	1	-	B.	JD.7
28FP/4069671	Dzus F5/T/12					Fastener	1	-	C.	
28FP/1042309	Dzus GH.5					Grommet	1	-	C.	
5CW/6376	-					Switch, micro type 4A	1	-	B.	
4150	Std.915/C/22					Washer, at micro switch link	3	DTD.610	C.	4
15D/563	MRIGQ.306*					Parachute pack, Type LB.52 Mk. 1 including towing cable (Service Supply)	1	-	A.	
15D/	MRIGQ.410 (Issue 4)					Parachute pack, Type LB.52 Mk. 3 (AS.1150/77) (Service Supply)	1	-	A.	

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 19

Page JD.21


FUSELAGE -- TAIL CONE


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
15D/	G.Q.30783					Candpy, bridle	1	--	A.	
15D/	--					Cord, connecting (cut length 2' 10") (1200 lb nylon)	1	DTD.5502	C.	
15D/	G.Q.10334					Parachute, 10' 6" dia., ring slot	1	--	A.	
15D/	G.Q.1716					Parachute, auxiliary vent type	1	--	A.	
15D/	G.Q.10339					Pack type LB.52, Mk. 1	1	--	A.	
15D/	G.Q.30681					Ripcord	1	--	C.	
15D/	G.Q.10334/10					Slieve	1	--	C.	
15D/	--					Strop, auxiliary (cut length 6') (400 lb nylon)	1	DTD.5502	C.	
	D.223395					Tail cone, forward portion, group	1	--		
	A.190635					Bracket, support, port	1	DTD.610		
	A.190636					Bracket, support, starboard	1	DTD.610		
	B.190626					Channel, mounting, for toggle, port	1	DTD.610		
	B.190627					Channel, mounting, for toggle, starboard	1	DTD.610		
	B.190628					Channel, mounting, for toggle, port	1	DTD.610		
	B.190629					Channel, mounting, for toggle, starboard	1	DTD.610		
8513	F.216608					Drain, extension, at frame 58	1	L.65.C	C.	JD.1
11437	D.190618/1					Frame 58, top portion	1	DTD.610	C.	
11438	D.190618/2					Frame 58, side portion, port	1	DTD.610	C.	
10797	D.190618/3					Frame 58, side portion, starboard	1	DTD.610	C.	
11506	D.190618/4					Frame 58, bottom portion	1	DTD.610	C.	
	D.190619/1					Frame 59, side portion, port	1	DTD.610		
	D.190619/2					Frame 59, side portion, starboard	1	DTD.610		
	D.190619/3					Frame 59, bottom portion	1	DTD.610		
	C.192601/1					Frame 60, top portion, port	1	DTD.610		
	C.192601/2					Frame 60, top portion, starboard	1	DTD.610		
	D.192608/4					Frame 61	1	L.72		
937	K.A.C. C.3102					Housing, fastener	4	--	C.	JA.2
	A.190638					Landing, for access panel	1	--		
936	A.190637					Panel, access	1	DTD.610	C.	JD.1
10750	A.190630					Plate, joint	2	DTD.610	C.	
	A.190631					Plate, joint, port	1	DTD.610		
	A.190632					Plate, joint, starboard	1	DTD.610		
	A.192793					Plate, joint	1	DTD.610		
	A.192794					Plate, joint	2	DTD.610		
	B.222469					SHROUD, HOOK, ASSEMBLY (Mod. 1363)	--	--		
20084	A.222472					Plate, cover	1	--	MR/C	
20085	B.222470					Plate, side, port	1	L.72	MR/C	
20086	B.222471					Plate, side, starboard	1	L.72	MR/C	
	D.223395/1					Skin, port	1	DTD.610		
	D.223395/2					Skin, starboard	1	DTD.610		
938	F.190633					Spigot, lower, port	1	DTD.364	C.	JA.2
939	F.190634					Spigot, lower, starboard	1	DTD.364	C.	JA.2
940	F.168707					Spigot, upper	2	DTD.364	C.	JA.2
	B.192604					Strap, butt, bottom, skin, forward, port	1	DTD.610		
	C.192605					Strap, butt, top, starboard	1	DTD.610		
941	F.168708					Washer, at spigots	2	Rubber	C.	JA.2
	D.223396					Tail cone, rear portion, group	1	--		
8513	F.216608					Drain, extension, at frame 62	1	L.65.C	C.	JD.1
	C.192602					Frame 60, bottom portion	1	DTD.610		
	D.192642/4					Frame 62	1	DTD.610		
	D.223396/1					Skin, port	1	DTD.610		
	D.223396/2					Skin, starboard	1	DTD.610		
	B.192606					Strap, butt, bottom skin, aft, port	1	DTD.610		
	A.192607					Strap, butt, top, starboard	1	DTD.610		
	C.223397					Tail piece, group	1	--		
	B.223398					Duct, group	1	--		
	B.223398/1					Duct, port	1	DTD.171		
	B.223398/3					Duct, starboard	1	DTD.171		
	A.214524					Plate, joint	1	DTD.171		


RESTRICTED


FUSELAGE - TAIL CONE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.214504						1	—		
	C.214504/1						1	DTD.171		
	C.214504/2						1	DTD.171		
	F.214520						1	DTD.171		
	C.214504/3						1	DTD.171		
	F.214520						1	DTD.171		
	F.214522						2	DTD.171		
	F.214562						2	DTD.171		
	C.223397/2						1	DTD.171		
	A.214523/2						1	DTD.171		











REAR FUSELAGE





This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

