FUSELAGE—PITOT INSTALLATION

Ref. No.	Part No.	Description (1 2 3 4 5)	No. Off	Material Specification	M.R. Class of Store	Plate No.
	E.213422	PITOT INSTALLATION IN FRONT FUSELAGE, ASSEMBLY	—	—		
2691	F.195017	Block, clamp	1	LFS.21	C.	JH.1
	F.235352	Bracket, securing clamp block (AS.840/66)	1	L.72		
8897	F.213421	Cleat, securing pipes, at frame 15	2	LFS.21	C.	
	F.225565	Cleat, securing pipe at frame 11	2	LFS.21		
9741	F.227225	Cleat, securing pipes on instruments and panel mounting	1	LFS.21	C.	
3734	Std.840/14	Clip, securing earth connection (Mod. 898)	39	DTD.610	MR/C	4
5720	Std.842/11	Clip	1	—	C.	4
2149	F.133671	Pipe, drain	3	T.9	C.	JH.1
†	A.213666/1	Pipe, pressure, tee-piece to union	1	L.67		JH.1
†	A.213666/2	Pipe, static, tee-piece to union	1	L.67		JH.1
†	A.213666/3	Pipe, pressure, union to union	1	L.67		JH.1
†	A.213666/4	Pipe, static, union to union	1	L.67		JH.1
†	A.213666/5	Pipe, pressure, union to bulkhead connection	1	L.67		JH.1
†	A.213666/6	Pipe, static, union to bulkhead connection	1	L.67		JH.1
†	A.213666/7	Pipe, pressure, bulkhead connection to union	1	L.67		JH.1
†	A.213666/8	Pipe, static, bulkhead connection to union	1	L.67		JH.1
†	A.213666/9	Pipe, pressure, union to union	1	L.67		JH.1
†	A.213666/10	Pipe, static, union to union	1	L.67		JH.1
†	A.213666/15	Pipe, pressure, tee-piece to elbow	1	L.67		JH.1
†	A.213666/16	Pipe, static, tee-piece to tee-piece	1	L.67		JH.1
†	A.213666/17	Pipe, pressure, elbow to tee-piece	1	L.67		JH.1
†	A.213666/18	Pipe, static, tee-piece to gyro gun sight unit (port)	1	L.67		JH.1
†	A.213666/20	Pipe, static, tee-piece to tee-piece	1	L.67		JH.1
†	A.213666/22	Pipe, static, tee-piece to tee-piece	1	L.67		JH.1
†	A.213666/24	Pipe, static, tee-piece to gyro gun sight unit (starboard)	1	L.67		JH.1
†	A.213666/25	Pipe, pressure, tee-piece to inst. panel (Mod. 779)	1	L.67		JH.1
†	A.213666/26	Pipe, static, tee-piece to tee-piece	1	L.67		JH.1
†	A.213666/29	Pipe, union to tee-piece pressure (Mod. 898)	1	L.67		JH.1
†	A.213666/31	Pipe, tee-piece to union pressure (Mod. 898)	1	L.67		JH.1
†	A.213666/33	Pipe, tee-piece to inst. panel pressure (Mod. 898)	1	L.67		JH.1
†	A.213666/38	Pipe, union to tee-piece static (Mod. 898)	1	L.67		JH.1
†	A.213666/40	Pipe, tee-piece to union static (Mod. 898)	1	L.67		JH.1
†	A.213666/42	Pipe, tee-piece to inst. panel	1	L.67		JH.1
28F/1046323	—	Trap, drain	2	—	C.	
	Std.1509/12/032	Tube, distance	2	—		4
5F/9454141	Hellermann NY.18007A	Strapping, 6" long (Mod. 898)	1	—	C.	
5F/9138822	Hellermann NY.3342	Stud	2	—	C.	
5731	Std.1509/12/025	Tube, distance (Mod. 898)	1	—	MR/C	4
	Std.1509/12/060	Tube, distance	1	—		4
	E.213422/1	Tubing, "Maricon", 14" long (Mod. 779)	2	—		
	E.213422/2	Tubing, "Maricon", 11" long (Mod. 898)	1	—		
1179	A.177021	Union, bulkhead, low pressure	2	DTD.364	C.	
28F/1046310	—	Washer	2	—	C.	

FUSELAGE—PITOT INSTALLATION

Ref. No.	Part No.	Description 1	2	3	4	5	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.



PITOT INSTALLATION

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.