

RADIO—V.H.F. INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	E.219301	RADIO—V.H.F. INSTALLATION, ASSEMBLY					—	—		
	E.222076	ADDITIONAL DETAILS, ASSEMBLY					—	—		
5CZ/4350489	—	Block, terminal, 5-way					2	—	C.	
13261	F.221828	Clip, special, mounting terminal block on hydraulic duct					2	L.72	C.	
11227	Std.2045/21/24	Clip, securing aerial connectors on frame 18A					1	—	C.	6
26VA/6039070	Std.2045/29/22	Clip, securing aerial connectors on frame 18A					2	—	C.	6
5X/	Hellermann G.2032	Grommet					1	—	C.	
6149	A.206558	Link, chain					1	—	C.	
	F.221384	Plate, cover, at entry of aerial connectors into radio bay from spine					1	L.72		
	F.221829	Platform, for Mic/Tel terminal block					1	L.72		
10H/2206	—	Socket, Mic/Tel, type 359					2	—	C.	
5F/9454141	NY.18007A	Strapping					QR	—	C.	
5F/9138822	NY.3342	Stud					QR	—	C.	
23 10U/6282943	—	Amplifier, type A.1961 (Alt. to 5831-99-953-0085)					1	—	A.	
5831-99-953-0085	Mullard	Amplifier type L.381 (Alt. to 10U/6282943)					1	—	A.	
5CZ/1053974	—	Block, terminal (2-way) (AS.760/89)					1	—	C.	
23 10D/4309268	—	Box, junction, type 154					1	—	A.	
23 5821-99-4306984	—	Box, junction, aerial type 7089					1	—	A.	
8954	D.219818	Box, radio relay, group					1	—	A.	
23 5940-99-4695472	—	Block, terminal, 2-way, 108					2	—	C.	
23 10H/4709560	—	Fuse, 5 amp					3	—	C.	
23 10H/4695448	—	Fuse, 20 amp					2	—	C.	
23 10H/2073169	—	Fuse holder, type A					5	—	C.	
6138	F.207937	Piece, distance					4	LFB.82	C.	
7138	F.207936	Plate, insulator					2	—	MR/C	
7813	F.206916	Plug, tapped					1	L.72	C.	
10H/0560150	Plessey	Plug, code 48					1	—	C.	
	508/1/40069/320									
10H/0560154	Plessey	Plug, code 48					1	—	C.	
	508/1/40069/324									
23 5X/4500167	Plessey CZ.56073	Plug					1	—	C.	
10F/0530453	—	Relay					7	—	C.	
23 5CW/9729122	—	Relay, type "S", No. 7, 25A, D.P.C.O.					1	—	C.	
10W/0221123	—	Resistor, 120 ohms					1	—	C.	
10W/0221152	—	Resistor, carbon, 220 ohms, 1/2 watt					3	—	C.	
10W/0222131	—	Resistor, carbon, 10K ohms, 1/2 watt					1	—	C.	
10H/0560331	Plessey	Socket, code 48					1	—	C.	
	508/1/40049/321									
10H/0560330	Plessey	Socket, code 48					1	—	C.	
	508/1/40049/320									
10H/0560310	Plessey	Socket, code 44					1	—	C.	
	508/1/40046/320									
23 10HB/9401786	—	Socket, Mic/Tel					1	—	C.	

RADIO-V.H.F. INSTALLATION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Place No.	
							1
6137 3767 10H/0970050	Std.1509/12/060	Tube, distance (Local Manufacture)	4	T.4		4	
	F.207675	Washer, resilient	16	Rubber	C.		
	Std.915/B/20	Washer	12	DTD.610	C.		
	Plessey 508/2/07811/005	Washer, panel mounting	QR	-	C.		
-	-	Cables, electrical (See Cable Chart)	-	-	-		
7991	B.212452	Cable, F.73, group (See Cable Chart)	1	-	-		
	A.209699	Ferrule	1	-	C.		
7989	B.221724	Cable, F.128, group (See Cable Chart)	1	-	-		
	A.209702	Ferrule	1	-	C.		
23	5CW/4405619	Cap, see grey	5	-	C.		
23	5CW/4405620	Cap, see grey	1	-	C.		
11384 11409 11748 9663	Std.2045/23/24	Cap, securing cable	1	DTD.610		6	
	Std.2045/63/20	Cap, securing cables	2	DTD.610		6	
	Std.2046/34/22	Cap, securing cables	6	DTD.610	C.	6	
	Std.2046/42/22	Cap, securing cables	2	DTD.610	C.	6	
	Std.2045/38/22	Cap, securing cables	1	-	C.	6	
	Std.2045/19/24	Cap, securing cables	1	-	C.	6	
	Std.2045/72/20	Cap, securing cables	1	-		6	
	Std.2045/79/20	Cap, securing cables	1	-		6	
	Std.2045/59/20	Cap, securing cables	1	-		6	
	Std.2045/67/20	Cap, sleeved	1	-		6	
	11846	A.221617	Connector, Mic/Tel	1	-	C.	
		B.219928	Connector, inter-com.	1	-		
	23	5995-99-4115390	E.227864/8	1	-	B.	
	23	5995-99-4115389	E.227864/7	1	-	B.	
23	5995-99-4115388	E.227864/4	1	-	B.		
	10HA/16710	E.227865/2	1	-	B.		
	10HA/14813	E.227865/14	1	-	B.		
23	5995-99-4115392	E.227865/1	1	-	B.		
	10HA/14812	E.227865/13	1	-	B.		
23	5995-99-4115368	E.227864/12	1	-	B.		
23	5995-99-4115367	E.227864/11	1	-	B.		
23	5995-99-4115366	E.227864/10	1	-	B.		
	10HA/14816	E.227864/6	1	-	B.		
23	5995-99-4115365	E.227864/9	1	-	B.		
	10HA/14809	E.227865/4	1	-	B.		
	10HA/16711	E.227865/3	1	-	B.		
23	10HA/4705605	E.227865/24	1	-	B.		
23	5995-99-4115387	E.227864/2	1	-	B.		
	10HA/16708	E.227865/23	1	-	B.		
	10HA/14807	E.227865/25	1	-	B.		
	10HA/14808	E.227865/26	1	-	B.		
23	5995-99-4115369	E.227864/30	1	-	B.		
23	5995-99-4115391	E.227864/13	1	-	B.		
	10HA/14819	E.227864/5	1	-	B.		
23	5995-99-4097354	E.227865/30	1	-	B.		
23	5995-99-4158450	E.227864/34	1	-	B.		
23	5995-99-4115370	E.227864/38	1	-	B.		
23	5995-99-4115364	E.227864/25	1	-	B.		
23	5995-99-4115363	E.227864/3	1	-	B.		
23	5995-99-4115362	E.227864/1	1	-	B.		
	10H/ Belling-Lee L.754/0-100	Fuse, H.R.C. (AS.900/4a)	4	-	C.		
23	5CW/1039506	Guard, switch	1	-	C.		

RADIO—V.H.F. INSTALLATION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Place No.
	E.219302	INSTALLATION IN WINGS, CENTRE AND	—	—		
		REAR FUSELAGE, ASSEMBLY				
23	5821-99-4307081	Aerial, type 228	1	—	A.	
23	10B/4307082	Aerial, type 229	1	—	A.	
	A.211973	Aerial, bottom, group	1	—		
	8955 F.211972	Base, for aerial	1	—	C.	
	7865 F.215251	Grommet	1	Rubber	C.	
	10AC/4966 F.202397	Nut, adaptor	1	S.1	C.	
	10B/16622	Rod, aerial, type 408	1	—	B.	
	A.219547	Aerial, top, group	2	—	—	
	A.200789	Base, for aerial	1	—		
23	10AC/4243495 F.202397	Nut, adaptor	1	S.1	C.	
	10B/16622	Rod, aerial, type 408	1	—	B.	
	B.196758	BLOCK, TERMINAL 53 AND 54, ASSEMBLY	—	—		
	5X/1002694 Plessey	Block, terminal	1	—	C.	
	703/1/00238					
	5X/3276 Plessey	Block, terminal, 2 way	1	—	C.	
	703/1/00226					
	3967 B.197890	Bracket, aerial mounting	1	LFS.89	C.	
	F.231642	Clip, support, at aerial mounting (AS.760/83)	1	S.3		
	6035 F.205571	Clip, special, at frame 19	1	L.72	MR/C	
	F.221706	Clip, special, at frame 19	1	L.72		
	F.221734	Clip, special, at frame 19	1	L.72		
	— F.211986	Clip, securing connection, at tele-briefing, plug, between frames 53, 54 (Make from 30B/9611222)	2	L.72		
	3736 Std.840/17	Clip, securing connectors in spine, starboard, 7/16" wide x 22 S.W.G. x 1.7" long	4	DTD.610	C.	4
	3743 Std.840/25	Clip, securing connections in spine, port, 7/16" wide x 22 S.W.G. x 2.5" long (Make from 30B/9611222)	4	DTD.610	MR/C	4
	4186 Std.841/16	Clip, securing, sediment drain pipe, port, 7/16" wide x 22 S.W.G. x 1.6" long	1	DTD.610	C.	4
	4159 Std.841/20	Clip, securing cable, at aerial mounting, 7/16" wide x 22 S.W.G. x 2" long	2	DTD.610	C.	4
	— Std.842/17	Clip, securing cables, at aerial mounting, 7/16" wide x 22 S.W.G. x 1.7" long (Make from 30A/549)	2	S.510	—	4
	Std.2076/23/24	Clip, sleeved	1	—		6
	8956 A.219580	Grommet, for aerial	2	DTD.560	C.	
23	10AL/4306013	Grommet, type 123 (AS.900/68)	2	—	C.	
	9370 A.208460	Plate, reinforcing, at wing aerial mounting	1	S.3	C.	
	C.191818	PLUG, TELE-BRIEFING, ASSEMBLY	—	—		
	A.191832	Plug, tele-briefing, group	1	—		
		Consisting of:—				
23	10HA/1048572	Connector, type 3570	1	—	B.	
	5X/9400381	Lug, cable	1	—	C.	
	Std.2134/11	Sleeve, marker	7	—		
	Hellermann	Sleeve, 150 H.T.20 x 3/4"	1	—	C.	
23	5F/	Sleeve, Helsyn, 150 H.T.100	8½	—	C.	
	5F/	(Alt. to Tube, dura 1/2" i/d)				
23	5F/	Tube, dura, 1/2" i/d x 1.5m/m S.22	8½	—	C.	
		(Alt. to Sleeve, Helsyn 150 H.T.100)				

RADIO-V.H.F. INSTALLATION
 (NETHERLANDS ONLY)

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Plate No.
	E.228437	RADIO, V.H.F. INSTALLATION, ASSEMBLY	—	—		
	E.222076	ADDITIONAL DETAILS, ASSEMBLY	—	—		
	5CZ/1053794	Block, terminal, 2-way	1	—	C.	
	5CZ/4350489	Block, terminal, 5-way	2	—	C.	
	13261 F.221828	Clip, special, mounting terminal block on hydraulic .. duct	2	L.72	C.	
	11227 Std.2045/21/24	Clip, sleeved	1	—	C.	6
	26VA/6039070	Clip, sleeved	2	—	C.	6
	5X/ Helleermann	Grommet	1	—	C.	
	R.2032					
	6149 A.206558	Link, chain retaining	1	—	C.	
	F.221384	Plate, cover	1	L.72		
	F.221829	Platform, for Mic./Tel, terminal block	1	L.72		
	10H/2206	Socket, Mic./Tel., type 359	2	—	B.	
	5F/9454141	Strapping	QR	—	C.	
	5F/9138822	Stud	QR	—	C.	
23	10Q/6282943	Amplifier, type A.1961	1	—	A.	
	5CZ/1053794	Block, terminal, 2-way	1	—	C.	
23	10D/4309268	Box, junction, type 154	1	—	A.	
23	5821-99-4306984	Box, junction, aerial, type 7089	1	—	A.	
	8954 D.219818	Box, rapid relay, group	1	—	A.	
23	5940-99-4695472	Block, terminal, 2-way, type 108	2	—	C.	
23	10H/4709500	Fuse, 5lamp.	3	—	C.	
23	10H/4695448	Fuse, 20 amp.	2	—	C.	
23	10H/2073169	Fuse holder, type A	5	—	C.	
	6138 F.207937	Piece, distance	4	LFB.82	C.	
	7138 F.207936	Plate, insulate	2	—	MR/C	
	7813 F.206916	Plate, topped	1	L.72	C.	
	10H/0560150	Plug, code 48	1	—	C.	
	508/1/40069/320					
	10H/0560154	Plug, code 48	1	—	C.	
	508/1/40069/324					
23	Plessey	Plug	1	—	C.	
	CZ.1051/2					
	10F/0530453	Relay	8	—	C.	
23	5CW/9729122	Relay, type "S", No. 7, 25A	1	—	C.	
	10W/0221123	Resistor, 120 ohms	1	—	C.	
	10W/0221152	Resistor, carbon, 220 ohms, 1/2 watt	3	—	C.	
	10W/0222131	Resistor, carbon, 100K ohms, 1/2 watt	1	—	C.	
	10H/0560331	Socket, code 48	1	—	C.	
	508/1/40049/321					
	10H/0560330	Socket, code 48	1	—	C.	
	508/1/40049/320					
	10H/0560310	Socket, code 44	1	—	C.	
	508/1/40046/320					
23	10HB/9401786	Socket, Mic./Tel.	1	—	C.	
	A212967	Bracket, switch	1	—		

RADIO-V.H.F. INSTALLATION
(NETHERLANDS ONLY)

Hunter T. Mk. 7 (Netherlands)
Issued with A/L No. 23

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	Std.1509/12/060						4	T.4		
6137	F.207675						16	Rubber	C.	
3767	Std.915.B20						12	DTD.610	C.	4
10H/0970050	Plessey						QR	-	C.	
	508/2/07811/005									
-	-						-	-	-	
-	B.212452						1	-	C.	
7991	A.209699						1	-	C.	
-	B.221724						1	-	-	
23	5CW/4405619						5	-	C.	
	Hellermann HV.3711									
23	5CW/4405620						1	-	C.	
	Hellermann HV.3710									
	Std.2045/12/20						1	-		6
9663	Std.2045/19/24						1	-	C.	6
	Std.2045/23/24						1	-		6
26VA/6044202	Std.2045/59/20						1	-	C.	6
	Std.2045/63/20						2	-		6
	Std.2045/76/20						1	-		6
11384	Std.2046/34/22						7	-		6
11409	Std.2046/42/22						2	-	C.	6
	B.219928						1	-		
	11846 A.221617						1	-	C.	
23	5995-99-4115362						1	-	B.	
23	5995-99-4115387						1	-	B.	
23	5995-99-4115363						1	-	B.	
23	5995-99-4115388						1	-	B.	
	10HA/14819 E.227864/5						1	-	B.	
	10HA/14816 E.227864/6						1	-	B.	
23	5995-99-4115389						1	-	B.	
23	5995-99-4115390						1	-	B.	
23	5995-99-4115365						1	-	B.	
23	5995-99-4115366						1	-	B.	
23	5995-99-4115367						1	-	B.	
23	5995-99-4115368						1	-	B.	
23	5995-99-4115391						1	-	B.	
23	5995-99-4115364						1	-	B.	
23	5995-99-4115369						1	-	B.	
23	5995-99-4158450						1	-	B.	
23	5995-99-4115370						1	-	B.	

RADIO - V.H.F. INSTALLATION
 (NETHERLANDS ONLY)

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
23	5995-99-4115392	E.227865/1	Connector				1	-	B.	
	10HA/16710	E.227865/2	Connector				1	-	B.	
	10HA/16711	E.227865/3	Connector				1	-	B.	
	10HA/14809	E.227865/4	Connector				1	-	B.	
	10HA/14812	E.227865/13	Connector				1	-	B.	
	10HA/14813	E.227865/14	Connector				1	-	B.	
	10HA/16708	E.227865/23	Connector				1	-	B.	
23	10HA/4705605	E.227865/24	Connector				1	-	B.	
	10HA/14807	E.227865/25	Connector				1	-	B.	
	10HA/14808	E.227865/26	Connector				1	-	B.	
23	5995-99-4097354	E.227865/30	Connector (Mod. 885)				1	-	B.	
	5CW/4222	-	Guard, switch				1	-	B.	
	E.228438		INSTALLATION IN WINGS, CENTRE AND REAR ...				-	-		
			FUSELAGE, ASSEMBLY							
	A.211973		AERIAL, bottom, group				1	-		
	8955 F.211972		Base for aerial				1	-	C.	
	7865 F.215251		Grommet				1	Rubber	C.	
23	10AC/4243495	F.202397	Nut, adaptor				1	S.1	C.	
	70B/16622	-	Rod, aerial, type 408				1	-	B.	
	A.219547		Aerial, top, group				2	-		
	A.200789		Base for aerial				1	-		
	10AC/4966	F.202397	Nut, adaptor				1	S.1	C.	
	10B/16622	-	Rod, aerial, type 408				1	-	B.	
23	5821-99-1946914	-	Aerial, type 226, port				1	-	A.	
23	5821-99-4307081	-	Aerial, type 228, starboard				1	-	A.	
	B.196758		BLOCK, TERMINAL, Nos. 53 AND 54, ASSEMBLY				-	-		
	5X/1002694	Plessey	Block, terminal, 5-way				1	-	C.	
		703/1/00238								
	5X/3276	Plessey	Block, terminal, 3-way				1	-	C.	
		703/1/00226								
	3967	B.197890	Bracket, aerial mounting				2	LFS.89	MR/C	
		F.219642	Cap, at aerial connection				1	S.3		
	6035	F.205571	Cap, at tank panel, frame 19				1	L.72	MR/C	
		F.221706	Cap, at tank panel, frame 19				1	L.72		
		F.221734	Cap, at tank panel, frame 19				1	L.72		
		F.211986	Cap, securing T.B. plug cables				2	L.72	-	
			(Make from 30B/9611222)							
	3736	Std.840/17	Cap, 7/16" wide x 22 s.w.g. x 1.7" long				4	DTD.610	C.	4
	3743	Std.840/25	Cap, 7/16" wide x 22 s.w.g. x 2.5" long				4	DTD.610	MR/C	4
	4186	Std.841/16	Cap, 7/16" wide x 22 s.w.g. x 1.6" long				1	DTD.610	C.	4
	4159	Std.841/20	Cap, 7/16" wide x 22 s.w.g. x 2.0" long				2	DTD.610	C.	4
		Std.842/17	Cap, 7/16" wide x 22 s.w.g. x 1.7" long				2	S.510	-	4
			(Make from 30A/549)							
	8956	A.219580	Grommet, for aerial				2	DTD.560	C.	
23	10AL/4306013	-	Grommet, type 123 (AS.900/68)				2	-	C.	
	9370	A.208460	Plate, reinforcing				2	S.3	C.	

RADIO—V.H.F. INSTALLATION

Hunter T. Mk. 7 (Netherlands)
Issued with A/L No. 23

(NETHERLANDS ONLY)

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Place No.
	C.191818	PLUG, TELEBRIEFING, ASSEMBLY	—	—		
	A.191832	Plug, telebriefing, group	1	—		
10HA/1048572	—	Connector, type 3570	1	—	B.	
5X/9400381	—	Lug, cable	1	—	C.	
	Std.2134/11	Sleeve, marker	7	—		
5F/	Hellermann	Sleeve, 150 HT.20 x 3/4" long	1	—	C.	
5F/-	—	Sleeve, Helsyn, 150 HT.100	8½	—	C.	
		(Alt. to Tube, dura, 1/2" i/d)				
5F/	—	Tube, dura, 1/2" i/d x 1.5m/m S22	8½	—	C.	
		(Alt. to Sleeve, Helsyn, 150 HT.100)				
5K/4346711	Ross Courtney RC.2121	Tag, quick release	7	—	C.	
1681	F.191829	Spring	2	DTD.215	C.	
1682	F.191957	Stop	1	L.53	C.	
10H/0540103	—	Plug, type 757	2	—	C.	
5F/9454141	NY.18007A	Strapping	QR	—	C.	
5F/9138822	NY.3342	Stud	QR	—	C.	
	Std.1509/23/063	Tube, distance, 5/16" o/d x 17 S.W.G. x 0.63" long	1	T.4		4
	Std.1509/23/036	Tube, distance, 5/16" o/d x 17 S.W.G. x 0.35" long	2	T.4		4
6734	Std.1335/A18	Washer, at earth connection	2	—	C.	4
	F.219731	Lug, mounting, for junction box	2	L.72		
680-99-4692756	—	Mounting, type 873/2	2	—	C.	
10AJ/4309267	—	Mounting, type 936	1	—	C.	
	F.212499	Plate, mounting	1	—		
	Std.1606/44/B6	Screw, round head, 4 B.A.	4	Brass	5	
10H/6225764	Plessey	Socket, bulkhead	1	—	C.	
	508/1/40182/320					
10AD/9116831	Plessey	Socket, bulkhead	2	—	C.	
	508/1/40189/320					
10H/9144105	Plessey	Socket, bulkhead	1	—	C.	
	508/1/40189/321					
10H/9209080	Plessey	Socket, bulkhead	1	—	C.	
	508/1/40169/320					
5F/9454141	NY.18007A	Strapping	QR	—	C.	
5F/9138822	NY.3342	Stud	QR	—	C.	
4CW/1047690	—	Switch, S.P.	4	—	C.	
5CW/1047699	—	Switch, D.P.	1	—	C.	
5CW/1047693	—	Switch, S.P.	1	—	C.	
820-99-4696722	—	Transmitter/Receiver, T.R.1985A	1	—	A.	
10D/21509	—	Transmitter/Receiver, T.R.1987A	1	—	A.	
10AJ/215	—	Tray, mounting, type 1034	1	—	B.	
10L/1051075	—	Unit, control, type 382	2	—	A.	
10L/16309	—	Unit, control, type 7746	1	—	A.	
10D/4306981	—	Unit, modulator, type 7747	1	—	A.	
945-99-4700191	—	Unit, relay, type 1254	1	—	A.	
10H/0970049	Plessey	Washer, panel mounting	1	—	C.	
	508/2/07810/005					
10H/0970050	Plessey	Washer, panel mounting	4	—	C.	
	508/2/07811/005					
10AC/1053243	—	Washer, check	8	—	C.	

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

