

RADIO—U.H.F. INSTALLATION (S.O.O.)

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Place No. |
|----------------------|-----------------------|---|---------|------------------------|---------------------|-----------|
| | | | | | | |
| | E.245500 | RADIO—U.H.F. INSTALLATION (Mod. 979) | — | — | | |
| | E.255622 | ADDITIONAL DETAILS | — | — | | |
| | A.230814 | Bracket, mounting | 1 | L.72 | | |
| | A.230815 | Bracket, mounting | 1 | L.72 | | |
| | A.247612 | Bracket, mounting | 1 | L.72 | | |
| | A.230887 | Channel | 1 | L.72 | | |
| 26VA/6041140 | Std.2045/17/24 | Clip | 1 | — | C. | |
| | A.240910 | Link, chain | 1 | — | | |
| | F.236504 | Lug, locking | 1 | S.3 | | |
| | F.233486 | Plate, cover | 1 | L.72 | | |
| | A.235562 | Plate, blanking | 1 | L.72 | | |
| | F.231975 | Plate, blanking | 2 | L.72 | | |
| | F.234709 | Plate, cover | 2 | L.72 | | |
| | F.233421 | Plate, joint | 1 | L.72 | | |
| | F.233422 | Plate, joint | 1 | L.72 | | |
| | B.230884 | Plate, mounting | 1 | L.72 | | |
| | F.189234 | Plate, stud | 1 | S.3 | | |
| 3839 | Std.1606/44/B16 | Screw, round head, 4 B.A. | 2 | Brass | C. | 5 |
| | Std.1606/44/B18 | Screw, round head, 4 B.A. | 4 | Brass | | 5 |
| | Std.1606/45/A16 | Screw, countersunk, 6 B.A. | 3 | Brass | | 5 |
| 4660 | Std.1606/45/B14 | Screw, countersunk, 4 B.A. | 4 | Brass | C. | 5 |
| 3860 | Std.1606/45/B20 | Screw, countersunk, 4 B.A. | 2 | Brass | C. | 5 |
| | A.233423 | Stiffener | 1 | L.72 | | |
| 23 | 5985-99-4308628 | Aerial, standby, type 11789 | 1 | — | B. | |
| | 10B/5985-99-932-6362 | Aerial, Derveaux (Pre Mod. 1384) | 1 | — | A. | |
| | 10B/5985-99-911-8266 | (Alternative to Ref. 10B/5985-99-911-8266) | | | | |
| | 10B/5985-99-911-8266 | Aerial (Pre Mod. 1384) (Alternative to Ref. 10B/5985-99-932-6362) | 1 | — | A. | |
| | 10B/5985-99-222-2399 | Aerial, U.H.F. (Mod. 1384) | 1 | — | A. | |
| 23 | 10U/6282943 | Amplifier, type A.1961 | 1 | — | A. | |
| 23 | 5J/1115903 | Battery, standby | 1 | — | B. | |
| | 5CZ/1053794 | Block, terminal, 2-way, T.B.74 | 1 | — | C. | |
| 23 | 10D/4309268 | Box, junction, type 154 | 1 | — | A. | |
| | 10AD/5821-99-932-6361 | Box, interconnecting | 1 | — | A. | |
| | 11391 | Box, radio supplies and relay, group | 1 | — | B. | |
| | F.234668 | Angle, mounting | 1 | L.72 | | |
| | F.234669 | Angle, mounting | 1 | L.72 | | |
| 23 | 5X/4491463 | Bar, commoning | 2 | — | C. | |
| | 703/2/00465 | | | | | |
| | 5X/4491482 | Block, fuse | 1 | — | C. | |
| | 703/1/00420 | | | | | |
| | 5CZ/4350489 | Block, terminal, 5-way | 1 | — | C. | |
| | B.246749 | Board, for components, group | 1 | — | | |
| | A.246748 | Board, tag | 1 | — | | |
| 10C/5910-99-012-0108 | — | Capacitor, CPM-3A, .002mf | 2 | — | C. | |
| | — | (Alt. to 10C/0115624) | | | | |
| 10C/0115624 | — | Capacitor, .002mf (Alt. to 10C/5910-99-012-0108) | 2 | — | C. | |
| 10C/0115631 | — | Capacitor, CP-31J | 1 | — | C. | |
| 20468 | F.235160 | Link | 1 | BSS.265 | C. | |
| | A.246747 | Plate, insulating | 1 | BS.2966 | | |
| 10CV/0372041 | B.T.H. GJ.6.M | Rectifier | 5 | — | C. | |
| 10W/0215466 | — | Resistor, RC2-D200 | 2 | — | C. | |
| 10W/0215162 | — | Resistor, RC2-D220 | 2 | — | C. | |
| 10W/0216092 | — | Resistor, RC2-D56K | 1 | — | C. | |
| 10W/0216002 | — | Resistor, RC2-D10K (4 off Mk. 7A) | 3 | — | C. | |
| 20470 | F.236210 | Spacer | 6 | BSS.972/C | C. | |
| 20471 | F.236209 | Tag, rectifier | 3 | BSS.265 | C. | |

RADIO-U.H.F. INSTALLATION (S.O.O.)

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|--------------|------------------|-------------|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 8760 | A.233753 | | | | | | 1 | L.72 | | |
| - | F.220761 | | | | | | 1 | LFR.82 | C. | |
| - | B.247598 | | | | | | 1 | - | - | |
| - | A.235846 | | | | | | 1 | - | - | |
| 10H/0970055 | Plessey | | | | | | 1 | - | C. | |
| | 508/1/41035 | | | | | | | | | |
| | C.246009 | | | | | | 1 | - | | |
| 26VA/6045907 | Std.1509/23/015 | | | | | | 2 | - | C. | 4 |
| | F.233507 | | | | | | 6 | L.72 | | |
| 26VA/6044080 | Std.2045/18/24 | | | | | | 1 | - | C. | 6 |
| 10387 | A.233504 | | | | | | 1 | - | C. | |
| | D.246010 | | | | | | 1 | L.59 | | |
| 5X/4491478 | Plessey | | | | | | 12 | - | C. | |
| | 703/1/00430 | | | | | | | | | |
| 10H/9718192 | - | | | | | | 1 | - | C. | |
| 19H/9718191 | - | | | | | | 3 | - | C. | |
| 10H/1043046 | - | | | | | | 2 | - | C. | |
| 10H/4709559 | - | | | | | | 2 | - | C. | |
| 10H/4709560 | - | | | | | | 2 | - | C. | |
| 10H/1047920 | - | | | | | | 2 | - | C. | |
| 10388 | F.234635 | | | | | | 1 | BSS.265 | C. | |
| | B.236196 | | | | | | 1 | L.72 | | |
| | F.206916 | | | | | | 1 | L.72 | MR/C | |
| 10F/0530453 | Plessey | | | | | | 6 | - | C. | |
| 10389 | F.234650 | | | | | | 1 | LFS.21 | C. | |
| 10HB/9401786 | - | | | | | | 1 | - | C. | |
| 5X/9400388 | Erma 12108 | | | | | | 4 | - | C. | |
| | Std.1509/12/108 | | | | | | 1 | T.4 | | 4 |
| | D.246838 | | | | | | - | - | | |
| | | | | | | | | | | |
| 10H/0970056 | Plessey | | | | | | 1 | - | C. | |
| | 508/1/41036 | | | | | | | | | |
| 10395 | AVA. Ltd. | | | | | | 4 | - | C. | |
| | AVM.113 | | | | | | | | | |
| | B.246846 | | | | | | 1 | - | | |
| 10AD/3079 | Std. Telephones | | | | | | 6 | - | C. | |
| | LP.736720 | | | | | | | | | |
| | B.233472 | | | | | | 1 | - | | |
| 10AS/1002528 | Std. Telephones | | | | | | 6 | - | C. | |
| | LP.733815 | | | | | | | | | |
| 10AS/1002129 | Std. Telephones | | | | | | 8 | - | C. | |
| | LP.733614 | | | | | | | | | |
| 10391 | A.233475 | | | | | | 1 | - | C. | |
| 10390 | A.233474 | | | | | | 1 | - | C. | |
| 921 | Std.915.B12 | | | | | | 4 | - | C. | 4 |
| 10H/0560582 | Plessey | | | | | | 1 | - | C. | |
| | 508/1/40063/322 | | | | | | | | | |
| 10H/0560150 | Plessey | | | | | | 1 | - | C. | |
| | 508/1/40069/320 | | | | | | | | | |
| 10H/0560080 | Plessey | | | | | | 1 | - | C. | |
| | 508/1/50063/320 | | | | | | | | | |
| 10H/0560154 | Plessey | | | | | | 1 | - | C. | |
| | 508/1/40069/324 | | | | | | | | | |
| 10H/0560151 | Plessey | | | | | | 1 | - | C. | |
| | 508/1/40069/321 | | | | | | | | | |
| 10H/0560050 | Plessey CZ.48992 | | | | | | 1 | - | C. | |
| | 508/1/40060/320 | | | | | | | | | |
| 10H/0560070 | Plessey CZ.48994 | | | | | | 1 | - | C. | |

RADIO—U.H.F. INSTALLATION (S.O.O.)

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|--------------------|--|-------------|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 5F/ 10H/0560233 | Hellermann Plessey 508/1/40040/323 | | | | | Sleeve, helsyn, J.P. x 1/2" | QR | — | C. | |
| | | | | | | Socket, panel unit | 1 | — | C. | |
| 10H/0560260 | Plessey 508/1/40043/320 | | | | | Socket, panel unit | 1 | — | C. | |
| 10H/0560231 | Plessey 508/1/40040/321 | | | | | Socket, panel unit | 1 | — | C. | |
| 10H/0560332 | Plessey 508/1/40049/322 | | | | | Socket, panel unit | 1 | — | C. | |
| 10H/0560232 | Plessey 508/1/40040/322 | | | | | Socket, panel unit | 1 | — | C. | |
| 10H/0560331 | Plessey 508/1/40049/321 | | | | | Socket, panel unit | 1 | — | C. | |
| 10H/0560330 | Plessey 508/1/40049/320 | | | | | Socket, panel unit | 1 | — | C. | |
| 5X/4491717 | Erma 12431 | | | | | Tag, 6 amp. | 7 | — | C. | |
| 5X/ | Erma 12432 | | | | | Tag, 12 amp. | 3 | — | C. | |
| 5X/ | Erma 12434 | | | | | Tag, 24 amp. | 2 | — | C. | |
| | Ross Courtney RC.01 | | | | | Terminal, 6 B.A. | 2 | — | C. | |
| 5X/9400388 | — | | | | | Terminal ring, 24 amp. | 2 | — | C. | |
| 5X/9400382 | — | | | | | Terminal ring, 6 amp. | 7 | — | C. | |
| 5X/9400384 | — | | | | | Terminal ring, 12 amp. | 6 | — | C. | |
| | B.233479 | | | | | Box, resistor, group | 1 | — | C. | |
| | A.233481 | | | | | Base, for resistor unit | 1 | — | C. | |
| 10396 | B.233480 | | | | | Box, for resistor unit | 1 | L.72 | C. | |
| 10H/0560050 | Plessey 508/1/40060/320 | | | | | Plug | 1 | — | C. | |
| 10W/ 3838 | Zenith Electric Std.1606/44/B8 | | | | | Resistor, 1.3 ohms. | 1 | — | C. | |
| 5F/ 5X/9462745 | Hellermann | | | | | Screw | 1 | Brass | C. | 5 |
| | | | | | | Sleeve, helsyn, 100 J.P. x 3/4" | 2 | — | C. | |
| | | | | | | Terminal, 12 amp. | 2 | — | C. | |
| | F.231097 | | | | | Bracket | 1 | L.72 | C. | |
| | B.247755 | | | | | Bracket, U.H.F. and tail-shute, group | 1 | — | C. | |
| | B.247583 | | | | | Bracket, switch (Pre Mod. 1438) | 1 | L.72 | C. | |
| | A.247461 | | | | | Cable; F. 171 (See Cable Chart) | 1 | — | — | |
| | B.245506 | | | | | Cable; F. 153 (See Cable Chart) (Pre Mod. 1438) | 1 | — | — | |
| | B.247809 | | | | | Cable; F. 151 (See Cable Chart) | 1 | — | — | |
| 5CW/4405619 | Helvin HV.3711 | | | | | Cap. sea grey | 1 | — | C. | |
| 5CY/4376068 | A.E.I. Ltd. CX.119950 | | | | | Cover, trip button | 1 | — | C. | |
| 5CY/4376082 | B.T.H. L.G.A.6 BA/1 | | | | | Circuit, breaker, 6 amp., 28v | 1 | — | C. | |
| 10H/9019668 | Belling Lee 1055/5 | | | | | Fuse, 5 amp. | 1 | — | C. | |
| 10H/0590100 | Belling Lee L.1348/0 | | | | | Fuse, holder | 1 | — | C. | |
| 5CW/1039506 | Rotax ZA.2402/1 | | | | | Guard (Pre Mod. 1438) | 1 | — | C. | |
| 24 | 5CW/4222 | | | | | Guard, locking (Mod. 1439) | 1 | — | C. | |
| | 1639 | | | | | Screw | 2 | Brass | C. | 5 |
| 24 | 3838 | | | | | Screw (10 off Pre Mod. 1438) | 6 | Brass | C. | 5 |
| | 5CW/ N.S.F. Ltd. | | | | | Switch | 1 | — | — | |
| 5CW/1047693 | — | | | | | Switch, S.P. change-over, no "OFF" position | 1 | — | C. | |
| 5930-99-1042622 | Rotax D.10004 | | | | | Switch, toggle (Pre Mod. 1438) | 1 | — | B. | |
| 5CW/1047692 | — | | | | | Switch, "ON-OFF" | 1 | — | C. | |
| | B.248606 | | | | | Cable, T.\$.3 (See Cable Chart) | 1 | — | — | |
| | B.201469 | | | | | Cable, T.\$.4 (See Cable Chart) | 1 | — | — | |
| | B.206538 | | | | | Cable, T.\$.5 (See Cable Chart) | 1 | — | — | |

RADIO—U.H.F. INSTALLATION (S.O.O.)

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Score | Plate No. |
|-----------------|----------------------|--|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| — | B.221724 | Cable, F.128 (See Cable Chart) | | | | | 1 | — | — | |
| — | B.221515 | Cable, F.129 (See Cable Chart) | | | | | 1 | — | — | |
| — | B.233541 | Cable, F.154 (See Cable Chart) | | | | | 1 | — | — | |
| — | A.233549 | Cable, F.155 (See Cable Chart) | | | | | 1 | — | — | |
| — | D.233534 | Cable, F.23 (See Cable Chart) | | | | | 1 | — | — | |
| — | D.257048 | Cable, F.62 (Mod. 1024) (See Cable Chart) | | | | | 1 | — | — | |
| — | D.257164 | Cable, F.62 (Pre Mod. 1024) (See Cable Chart) | | | | | 1 | — | — | |
| — | B.248320 | Cable, main supply (See Cable Chart) | | | | | 1 | — | — | |
| 5CW/4405619 | Hellermann HV.3711 | Cap, helvin | | | | | 2 | — | C. | |
| 5CY/9992777 | — | Circuit, breaker, 25 amp. | | | | | 1 | — | C. | |
| 5CY/4376060 | — | Circuit, breaker, 45 amp. | | | | | 1 | — | C. | |
| | D.247436 | CLIPPING OF U.H.F. CABLES, ASSEMBLY | | | | | — | — | — | |
| | Std.2046/19/24 | Clip | | | | | 1 | — | — | 6 |
| | Std.2076/40/22 | Clip | | | | | 1 | — | — | 6 |
| 11227 | Std.2045/21/24 | Clip | | | | | 1 | — | C. | 6 |
| 5325-99-4491351 | Plessey Z.22433 | Grommet, No. 6 | | | | | 2 | — | C. | |
| | F.208641 | Plate, cover | | | | | 1 | L.72 | — | |
| 5F/9454141 | Hellermann NY.18007A | Strapping | | | | | QR | — | C. | |
| 5F/9138822 | Hellermann NY.3342 | Stud | | | | | QR | — | C. | |
| 11748 | Std.2045/38/22 | Clip | | | | | 1 | — | C. | 6 |
| | Std.2045/23/24 | Clip | | | | | 5 | — | — | 6 |
| 11208 | Std.2045/15/26 | Clip | | | | | 1 | — | C. | 6 |
| 11209 | Std.2045/34/22 | Clip | | | | | 1 | — | C. | 6 |
| | Std.2076/35/22 | Clip | | | | | 1 | — | — | 6 |
| 26VA/6041262 | Std.2046/19/24 | Clip | | | | | 1 | — | C. | 6 |
| 26VA/6042338 | Std.2046/36/22 | Clip | | | | | 5 | — | C. | 6 |
| | Std.2076/40/22 | Clip | | | | | 1 | — | — | 6 |
| 5821—AP.210666 | C.233770/1 | Connector | | | | | 1 | — | B. | |
| 5821—AP.210657 | C.233770/2 | Connector | | | | | 1 | — | B. | |
| 5821—AP.210667 | D.233433/1 | Connector | | | | | 1 | — | B. | |
| 5821—AP.210665 | D.233433/2 | Connector | | | | | 1 | — | B. | |
| 5821—AP.210659 | D.233433/3 | Connector | | | | | 1 | — | B. | |
| 5821—AP.210668 | D.233433/4 | Connector | | | | | 1 | — | B. | |
| 5821—AP.210655 | D.233433/5 | Connector | | | | | 1 | — | B. | |
| 5821—AP.210660 | D.233433/6 | Connector | | | | | 1 | — | B. | |
| 5821—AP.210654 | D.233433/7 | Connector | | | | | 1 | — | B. | |
| 5821—AP.210664 | D.233433/9 | Connector | | | | | 1 | — | B. | |
| 5995-99-4113642 | D.233433/14 | Connector | | | | | 1 | — | B. | |
| 5821—AP.210663 | D.233433/15 | Connector | | | | | 1 | — | B. | |
| 5995-99-4113644 | D.233433/16 | Connector | | | | | 1 | — | B. | |
| 5995-99-4115362 | E.227864/1 | Connector | | | | | 1 | — | B. | |
| 5995-99-4115363 | E.227864/3 | Connector | | | | | 1 | — | B. | |
| 5995-99-4115364 | E.227864/25 | Connector | | | | | 1 | — | B. | |
| 10HA/16710 | E.227865/2 | Connector | | | | | 1 | — | B. | |
| 10HA/17611 | E.227865/3 | Connector | | | | | 1 | — | B. | |
| 10HA/16708 | E.227865/23 | Connector | | | | | 1 | — | B. | |
| 10HA/4705605 | E.227865/24 | Connector | | | | | 1 | — | B. | |
| | B.235731 | Connector, inter-com. | | | | | 1 | — | — | |
| 11846 | A.221617 | Connector, mic-tel. | | | | | 1 | — | C. | |
| 10P/9700362 | — | Filter, interference (Mod. 1226) | | | | | 1 | — | B. | |
| 12806 | F.247465/1 | Label, TB.4 (Pre Mod. 1374) | | | | | 1 | Photo | C. | |
| | F.314001 | Label, TB.4 (Mod. 1374) | | | | | 1 | Photo | — | |
| 24 | F.332763/1 | Label, TB.7 (Mod. 1442, Pre Mod. 1321) | | | | | 1 | — | — | |
| 24 | 12807 | Label, TB.7 (Pre Mod. 1374) (Pre Mod. 1442) | | | | | 1 | Photo | C. | |
| 24 | F332764/1 | Label, TB.7 (A/C XX467 only) (Mod. 1442, Pre Mod. 1321, Mod. 1374) | | | | | 1 | — | — | |
| 24 | F.314004 | Label, TB.7 (Mod. 1374) (Pre Mod. 1442) | | | | | 1 | Photo | — | |
| | A.240911 | Link, chain | | | | | 1 | — | — | |
| | F.219731 | Lug | | | | | 2 | L.72 | — | |

RADIO—U.H.F. INSTALLATION (S.O.O.)

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|------------------|-----------------|---|---------|------------------------|---------------------|-----------|
| | | | | | | |
| | D.233438 | MOUNTING BRACKET FOR AERIAL AND CABLE DUCT, ASSEMBLY | — | — | | |
| 11145 | C.233437 | Bracket, mounting | 1 | — | | |
| | F.233440 | Bracket, support | 1 | L.72 | C. | |
| | B.233441 | Duct, for aerial cable | 1 | — | | |
| | C.233315 | MOUNTING FOR AERIAL, ASSEMBLY | — | — | | |
| 10732 | B.233291 | Bracket, mounting | 1 | L.72 | | |
| | A.206237 | Panel, access | 2 | L.72 | C. | |
| | A.233439 | Plate, mounting | 1 | — | | |
| 10H/0540103 | — | Plug, double ended | 4 | — | C. | |
| 10H/9144105 | Plessey | Plug, socket | 1 | — | C. | |
| | 508/1/40189/321 | | | | | |
| 10H/6225764 | Plessey | Plug, socket | 1 | — | C. | |
| | 508/1/40182/320 | | | | | |
| 10AD/9116831 | Plessey | Plug, socket | 1 | — | C. | |
| | 508/1/40189/320 | | | | | |
| 5935-99-932-2405 | Plessey | Plug, socket | 2 | — | C. | |
| | 2CZ.111209 | | | | | |
| 10H/ | UG/567A/U | Plug, socket, type UK/C | 1 | — | C. | |
| | — | Strapping | AR | — | C. | |
| | — | Stud | AR | — | C. | |
| 5CW/1047690 | — | Switch | 2 | — | C. | |
| 24 | C.333574 | Switch, Honeywell, introduced in lieu of Lucas switch (Mod. 1438) | | | | |
| 24 | B.333593 | Bracket, switch | 1 | — | | |
| 24 | B.333587 | Cable assy. F.153 | 1 | — | | |
| 24 | A.333573 | Switch, adaptor | 1 | — | | |
| 24 | 5CW/4408140 | Switch, main/standby, U.H.F. | 1 | — | B. | |
| | 2TL1/10A | | | | | |
| 5821-99-942-8542 | — | Transmitter/Receiver, type T.R.5/A.R.C.52 | 1 | — | A | |
| 10D/4308631 | — | Transmitter/Receiver, type M.4 | 1 | — | A. | |
| 5821-99-942-8544 | — | Tray, mounting, MT.1477/A.R.C.52 | 1 | — | B. | |
| 10AJ/4309267 | — | Tray, mounting, type 936 | 1 | — | B. | |
| 10AJ/9701497 | — | Tray, mounting, type 1031 | 1 | — | B. | |
| 3970 | Std.1509/12/020 | Tube, distance | 2 | T.4 | MR/C | 4 |
| | Std.1507/12/186 | Tube, distance | 3 | T.4 | | 4 |
| 7152 | Std.1509/12/036 | Tube, distance | 1 | — | MR/C | 4 |
| | Std.1509/12/096 | Tube, distance | 1 | — | | 4 |
| | D.244161 | UNIT, D.M.E. CONTROL ASSEMBLY, PORT | — | — | | |
| 10H/970067 | A.249966 | Bracket, switch mounting | 1 | L.72 | | |
| | Plessey Z.49081 | Outlet, straight | 1 | — | C. | |
| | A.247258 | Plate, adaptor | 1 | L.72 | | |
| | B.243955 | Shelf, detachable, cockpit, port | 1 | L.72 | | |
| | F.231593 | Support, switch | 1 | L.72 | | |
| | Std.1509/2/056 | Tube, distance | 2 | — | | 4 |
| 5821-99-942-8543 | — | Unit, control, type C.1607 | 1 | — | A. | |
| 5821-99-943-3247 | — | Unit, muting bias | 1 | — | A. | |
| 10H/0970049 | Plessey | Washer, panel mounting | 1 | — | C. | |
| | 508/1/07810/005 | | | | | |
| 10H/0970050 | Plessey | Washer, panel mounting | 1 | — | C. | |
| | 508/2/07811/005 | | | | | |
| | Std.1546/20/14 | Washer, profile | 4 | — | | 4 |

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

