

RADIO—SUB-MINIATURE COMPASS S.O.O.

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Place No.
	E.241960	SUB-MINIATURE RADIO COMPASS, ASSEMBLY	—	—		
		(Mod. 995)				
10B/9137705	Chelton Elec. T5.C15/60	Aerial, array, type M.17	1	—	A.	
23 10B/4307188	Marconi	Aerial, loop, type 8280	1	—	A.	
23 5820-99-4307201	Marconi	Amplifier I.F., type 8282	1	—	A.	
23 5820-99-4307220	Marconi	Amplifier R.F., type 8281	1	—	A.	
	B.244236	Bracket, mounting, for control unit	1	L.72		
	A.249238	Bracket, mounting, for altimeter on top starboard	1	L.72		
		longeron				
—	B.242180	Cable, F.157 (See Cable Chart)	1	—	—	
—	B.242181	Cable, F.158 (See Cable Chart)	1	—	—	
—	A.246192	Cable, F.173 (See Cable Chart)	1	—	—	
—	A.242179	Cable, Q.J. (See Cable Chart)	1	—	—	
	9664 Std.2045/22/24	Clip	4	—	C.	
	11209 Std.2045/34/22	Clip	1	—	C.	
	12326 Std.2045/42/22	Clip	1	—	C.	
		Std.2045/50/20	Clip	1	—	
		Std.2045/72/20	Clip	1	—	
	11227 Std.2045/21/24	Clip	2	—	C.	
	11795 Std.2046/22/24	Clip	1	—	C.	
	12464 Std.2046/32/24	Clip	1	—	C.	
	11384 Std.2046/34/22	Clip	1	—	C.	
		Std.2046/37/22	Clip	1	—	
	11793 Std.2046/38/22	Clip	3	—	C.	
	11409 Std.2046/42/22	Clip	1	—	C.	
	11305 Std.2046/25/24	Clip	1	—	C.	
		Std.2076/44/22	Clip	1	—	
23 5995-99-4113185	—	Connector, QBAJ/108	1	—	B.	
23 5995-99-4113186	—	Connector, QCH/96	1	—	B.	
23 5995-99-4113187	—	Connector, QEA/96	1	—	B.	
23 5995-99-4113188	—	Connector, QHV/60	1	—	B.	
23 5995-99-4113190	—	Connector, QHT/72	1	—	B.	
23 5995-99-4113191	—	Connector, QBAH/120	1	—	B.	
23 5995-99-4113192	—	Connector, QAB/36	1	—	B.	
23 10AC/4307203	—	Coupling, straight	1	—	C.	
	E.249437	Cover, windscreen reflection	1	—		
	11353 B.225104	Fairing	1	—	B.	
	10367 F.224976	Bolt, special	4	S.94.B	C.	
	10366 D.228253	Fairing, for loop aerial	1	DTD.5518	C.	
	10368 F.224977	Nut, special	4	S.1B	C.	
	C.250626	Filter, assembly (Mod. 1027)	—	—		
	F.255528	Bracket, mounting	2	L.72		
	11227 Std.2045/21/24	Clip, sleeve	1	—	C.	
23 5995-99-4113579	—	Connector, QDZ/201/C181	1	—	B.	
23 5995-99-4113580	—	Connector, QDAN/12/C15	1	—	B.	
23 5995-99-4113578	—	Connector, QDBA/36/C37	1	—	B.	
23 5915-99-4419008	—	Filter, unit, type M.162	1	—	A.	
	5F/9454141 NY.18007A	Strapping	QR	—	C.	
	5F/9138822 NY.3342	Stud	QR	—	C.	
23 10H/9718192	Eng. Elect. AS.5	Fuse, type AS, H.R.C., 5 amp.	1	—	C.	
	D.247219	Glare shield	1	—		
	D.222376/4	Clamp, plate	1	L.72		
26VA/6046969	Std.2338/2	Strip, sealing	1	Rubber	C.	
	C.237471	Inverter, suppression	1	—		
—	C.245920	Cable, AC.2 (See Cable Chart)	1	—	—	
—	B.245926	Cable, AC.8 (See Cable Chart)	1	—	—	
—	B.245927	Cable, AC.9 (See Cable Chart)	1	—	—	
—	B.245928	Cable, AC.10 (See Cable Chart)	1	—	—	

RADIO - SUB-MINIATURE COMPASS S.O.O.

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Place No.
-	B.245929	Cable, A.C.11 (See Cable Chart)	1	-	-	
	A.247584	Clip, strap	8	S.510		
	A.237470	Mounting, for suppressor	4	L.72		
	A.233799	Mounting, angle	4	L.72		
	A.233800	Mounting, angle	4	L.72		
5CY/5420	Standard Telephones 335/LWA/1408	Suppressor	4	-	A.	
	C.246602	Lid, for J.B.2	1	L.72		
10AJ/4307200	Marconi	Mount, type 8288	1	-	B.	
5999-99-4685300	Marconi	Mount, type 8289	1	-	B.	
	D.241742	Mounting, A.D.F., sense aerial, group	1	-		
10369	A.223832	Plate, nut	2	L.72	C.	
	A.224711	Plate, nut	2	L.72		
	B.224710	Plate, reinforcing	1	L.72		
	B.241736	Mounting, for R.F. amplifier	1	-		
	C.237057	Mounting, for Q.E. corrector unit, group	1	-		
	A.237056	Plate, mounting	1	L.72		
26VA/6034621	Std.1509/24/070	Tube, distance	1	T.4	C.	
	Std.1509/22/050	Tube, distance	1	T.4		
	D.245035	PANEL, CENTRE INSTRUMENT, ASSEMBLY	-	-		
6A/4695406	-	Accelerometer, Mk. 2	1	-	A.	
	B.244097	Bracket, mounting	1	L.72		
	A.221637	Bracket, mounting	1	L.72		
	A.246238	Bracket, switch	1	L.72		
5CY/9992777	-	Breaker, circuit, type "A", 25 amp.	2	-	C.	
	D.229707	Cable, F.40 (See Cable Chart)	1	-		
	D.258532	Cable, F.62, group (See Cable Chart)	1	-		
	D.247597	Cable, F.62 (See Cable Chart) (Pre Mod. 1024)	1	-		
	B.254856	Cable, F.65 (See Cable Chart) (Mod. 1125)	1	-		
	B.227899	Cable, RR (See Cable Chart)	1	-		
2590-99-8813547	-	Cover, for circuit breaker	2	-	C.	
	11078	Cover, dolly for tail plane switch	1	Neoprene	C.	
5CX/4330149	Std.1512/29	Disc, identification	1	-	C.	
5L/9951284	-	Filament, 28V, 3.5W.	1	-	C.	
5L/9951273	Rotax N.56091	Filament, 28V, 3.5W.	3	-	C.	
	F.208670	Guard, switch	1	L.72		
	F.226393	Guard, switch	1	-	C.	
	F.240266	Guard, switch	1	L.72	C.	
5CW/4401527	Honeywell 5P.A8	Guard, for tail plane switch	1	-	C.	
	4421	Handle, target rejector switch	1	Rubber	C.	
	F.232534	Indicator, group	2	-		
5CX/4330542	Rotax H.4501	Body, lamp	1	-	C.	
5CX/4694696	Rotax H.4602/5	Cap	1	-	C.	
5L/9959215	Hivac Ltd.	Filament, 24V, 2.4W.	1	-	C.	
6A/4333787	Smiths AG.38	Indicator, fuel contents	1	-	A.	
6A/4333788	Smiths AG.39	Indicator, fuel contents	1	-	A.	
10AF/530	-	Indicator, D.M.E.	1	-	A.	
5826-99-4418786	-	Indicator, bearing, type 8721	1	-	A.	
5CZ/4335566	Dowty C.5165Y MK.1	Indicator, magnetic	2	-	C.	
5CZ/4340381	Dowty C.5165Y MK.2	Indicator, magnetic	2	-	C.	
	F.240355	Label, switch	1	-		
	D.245034	LIGHTING PILLAR ON CENTRE INSTRUMENT .. PANEL, ASSEMBLY	-	-		
5CZ/1053795	-	Block, terminal, type "B", No. 1, 3-way	1	-	C.	
	F.222196	Bracket, mounting, for T.B.	1	L.72		
1437971	F.249757	Extension	1	L.A.	C.	
5L/9959118	-	Filament, 28V, 0.04 amps.	18	-	C.	

RADIO—SUB-MINIATURE COMPASS S.O.O.

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Place No.	
							1
23	5CX/1143215	Thorn Elec.	Light, bridge, type D	2	—	B.	
23	5CX/1143869	Thorn Elec.	Light, pillar	14	—	B.	
	9451	Std.1606/44/A24	Screw; securing dimmer switch	6	Brass	C.	5
	9450	Std.1606/45/A18	Screw; securing T.B.	4	Brass	C.	5
	6356	Std.1606/44/B32	Screw; R.H., 4 B.A.	4	Brass	C.	5
23	5CW/4405520	—	Switch, dimmer, 75 ohms	2	—	B.	
23	5CW/4408080	Honeywell 2TL1-3D	Switch, D.P., for tailplane (Mod. 1125)	1	—	B.	
23	5CX/1059365	Rotax H.2703	Light, warning, type A	1	—	B.	
	5CX/1553	Rotax H.1104	Light, warning, with night screen	1	—	B.	
	5CX/1069	Rotax H.2702	Light, warning, type A	1	—	B.	
	1940	Std.1231/1	Lug, locking	1	—	C.	4
		C.244870	Panel, centre instrument	1	L.72		
		F.232409	Screen, night	1	—		
	3839	Std.1606/44/B16	Screw; roundhead, 4 B.A.	3	Brass	C.	5
	4661	Std.1606/45/B12	Screw; countersunk, 4 B.A.	23	Brass	C.	5
	3861	Std.1606/45/B24	Screw; countersunk, 4 B.A.	7	Brass	C.	5
	1943	Std.1606/45/B16	Screw; countersunk, 4 B.A.	4	Brass	C.	5
	8717	Std.1606/45/B28	Screw; countersunk, 4 B.A.	8	Brass	C.	5
	1637	Std.1606/44/B14	Screw; roundhead, 4 B.A.	5	Brass	C.	5
	1639	Std.1606/44/A6	Screw; roundhead, 6 B.A.	4	Brass	C.	5
	3837	Std.1606/44/B10	Screw; roundhead, 4 B.A.	8	Brass	C.	5
23	5CW/4405115	Rotax D.10007	Switch, D.P., 3-way	1	—	B.	
23	5CW/1047698	—	Switch, D.P. change-over	1	—	B.	
23	5CW/2007871	Dowty C.5162Y Mk.2	Switch, push button	1	—	B.	
23	5CW/4405748	—	Switch, fire warning	1	—	B.	
23	5CW/1047690	—	Switch, S.P., "ON-OFF"	3	—	B.	
23	5CW/4407828	—	Switch, change-over	1	—	B.	
23	5CW/1047697	C.W.C. Ltd. XD.789	Switch, D.P., change-over	1	—	B.	
23	5CW/1047699	—	Switch, D.P., change-over	1	—	B.	
23	5CW/4408726	—	Switch, S.P., "centre-OFF"	1	—	B.	
23	5CW/1047691	—	Switch, S.P., change-over	1	—	B.	
23	5CW/1047696	C.W.C. Ltd. XD.784	Switch, D.P., change-over	1	—	B.	
23	5CW/1047693	—	Switch, S.P., change-over	1	—	B.	
23	5CW/4405764	Rotax N.100397/50	Transfer, "STEADY"	1	—	C.	
23	5CW/4405765	Rotax N.100397/51	Transfer, "FLASH"	1	—	C.	
23	5CW/1055544	—	Transfer, "ON"	5	—	C.	
23	5CW/1055545	—	Transfer, "OFF"	5	—	C.	
23	5CW/4405550	—	Transfer, "OPEN"	1	—	C.	
23	5CW/4405554	—	Transfer, "CLOSE"	1	—	C.	
23	5CW/4405587	—	Transfer, "ENG"	2	—	C.	
23	5CW/4405560	—	Transfer, "DIM"	1	—	C.	
23	5CW/4405561	—	Transfer, "BRIGHT"	1	—	C.	
23	5CW/4405562	—	Transfer, "IN"	1	—	C.	
23	5CW/4405563	—	Transfer, "OUT"	2	—	C.	
23	5CW/4405760	Rotax N.147415/1	Transfer, "JETTISON"	1	—	C.	
23	5CW/4405761	Rotax N.147415/2	Transfer, "STREAM"	1	—	C.	
	5768	Std.1509/12/016	Tube, distance	4	T.4	C.	4
23	5CW/11817	—	Window, red	1	—	C.	
23	10H/9116804	Plessey CZ.62277	Plug-socket, 25 pin, type 59	1	—	B.	
	10H/9116831	Plessey CZ.62275	Plug-socket, 12-way	1	—	B.	
23	5935-99- 1052650	Plessey CZ.62271	Plug-socket, 6-way	1	—	B.	
	4211	Std.1687/2	Saddle	1	—	C.	5
	10H/0560042	—	Socket, double-ended	1	—	B.	
23	5F/9454141	NY.18007A	Strapping	AR	—	C.	
23	5F/9138822	NY.33421	Stud	AR	—	C.	
		Std.1509/22/050	Tube, distance	4	—		4
23	10L/4418805	Marconi	Unit, control, type 8283	1	—	A.	
23	10D/4307190	Marconi	Unit, corrector, for loop aerial	1	—	A.	

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

