


SERVICES—FUEL FILTER DE-ICING SYSTEM

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	B.219909	FUEL FILTER DE-ICING SYSTEM, CENTRE	—	—		
		FUSELAGE, ASSEMBLY (Pre Mod. 1396)				
23	27BA/4110836	Auto Prods. Cap, blanking, medium and high pressure for union half coupling	1	—	C.	
	F.215030	Cleat, on blanking plate, aft frame 37, starboard	2	LFS.21		
	11303	Std.2046/17/26 Clip, sleeved;(AS.770/41)	3	—	C.	
	11302	Std.851/44 Clip, 7/16" wide x 22 s.w.g. x 4.4" long	1	DTD.610	C.	4
23	27BA/915171	Auto Prods. Coupling, half, high pressure union half	—	—	B.	
	A.V.A.57B					
23	27BA/4110826	Auto Prods. Nut, union, medium and high pressure (light alloy)	1	—	C.	
	8795	B.211463/4 Pipe, coupling to non-return valve	1	T.55	C.	NA.1
	9016	B.211463/5 Pipe, non-return valve to fuel delivery pipe	1	T.55	C.	NA.1
	9019	B.211463/9 Pipe, coupling, to solenoid valve	1	T.55	C.	NA.1
	9021	B.211463/11 Pipe, solenoid, to coupling	1	T.55	C.	NA.1
	6253	A.205848 Shield, heat	2	S.84	C.	NA.1
23	27V/4604671	Teddington Solenoid	1	—	A.	
	Controls					
	FAW/A/325					
	6260	F.204903 Union, jet	1	—	B.	NA.1
23	27FS/4524636	Saunders Valve, non-return	1	—	A.	
	N.1002					
	C.220703	FUEL FILTER DE-ICING SYSTEM, REAR	—	—		
		FUSELAGE, ASSEMBLY				
23	27BA/9467727	Auto Prods. Cap, blanking, medium and high pressure for flange or stud half	2	—	C.	
	A.V.A.64-7B					
	27BA/8755	Auto Prods. Cap, blanking, medium and high pressure for flange or stud half	1	—	C.	
	A.V.A.64-7C					
	11208	Std.2045/15/26 Clip, sleeved	3	—	C.	4
	26VA/6044412	Std.2045/17/26 Clip, sleeved	4	—	C.	4
	11227	Std.2045/21/24 Clip, sleeved	4	—	C.	4
23	27BA/9152597	Auto Prods. Coupling, half, medium pressure, flange half (Mod. 1078)	2	—	B.	
	A.V.A.1150B					
23	27BA/4110937	Auto Prods. Coupling, half, medium pressure, flange half (Mod. 1078)	1	—	B.	
	Std.1231/12	Lug, locking	3	S.3		4
	9024	A.211091 Pipe, branch	1	T.55	C.	NA.1
	8792	B.211463/1 Pipe, overflow, tank to coupling	1	T.55	C.	NA.1
	8793	B.211463/2 Pipe, pump drain to atmosphere	1	T.55	C.	NA.1
	8794	B.211463/3 Pipe, pump to coupling	1	T.55	C.	NA.1
	9017	B.211463/6 Pipe, charging coupling to adaptor	1	T.55	C.	NA.1
	9018	B.211463/7 Pipe, vent, connection to atmosphere	1	T.55	C.	NA.1
	9020	B.211463/10 Pipe, pump to filter	1	T.55	C.	NA.1
	10763	F.250992 Pipe, link;(Mod. 1044)	1	T.55	C.	
	5UE/4407078	Plessey FP.3 Pump, Mk. 9	1	—	A.	
	6254	B.205142 Strap, tank, mounting, group	2	—	C.	NA.1
	B.205142/1	Strap, short	1	DTD.166		
	B.205142/2	Strap, long	1	DTD.166		
	AS.1892	Trunnion	1	—		
	AS.1894	Trunnion	1	—		
	9025	C.210761 Tank, alcohol, group	1	—	A.	NA.1
	6256	A.205045 Adaptor	1	—	C.	NA.1
	6257	A.205270 Valve, suction and pressure relief, group	1	—	B.	NA.1
28N/1007951	Auto Eng. Co.	Circlip, "Seeger", 1/2" external dia.	1	—	C.	
	F.205268	Collar, for valve	1	S.80.B		
	6259	F.205269 Spring, for ball	1	Inconel	C.	NA.1
	6258	F.205271 Spring, for valve	1	Inconel	C.	NA.1
	A.205265	Valve	1	S.80.B		
	Std.1509/3/072	Tube, distance, 5/16" o/d x 22 s.w.g. x .72" long	4	T.4	C.	





FUEL FILTER DE-ICING SYSTEM



This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.