

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	D.181483—4	FLYING CONTROLS, OUTER WING, ASSEMBLY	—	—		
8358	A.215630	Bolt, flap, inboard hinge	2	S.95.B	C.	DG.2
8356	A.215628	Bolt, flap, inner and outer hinges	4	S.94.B	C.	DG.2
8357	A.215629	Bolt, flap hinge at flap jack	2	S.95.B	C.	DG.2
137	F.170109	Bolt, flap jack operating lever attachment	2	S.95	C.	DG.2
10514	Std.1639/13EX	Bolt, at idling link fulcrum	2	S.95.B	C.	5
	C.199991	DETAILS IN PORT WING, ASSEMBLY	—	—		
	F.185694	Angle, connector rod anchor, flap inboard bearing bracket	1	L.168		
8436	A.199188	Cable, operating desynn transmitter, group	1	—	C.	DG.2
	Latch & Batchelor	Consisting of:—				
29H/4109	1/00	Cable, flexible, special 1/32" dia.	25"	—	C.	
29H/1250086	Bowden B.52	Casing, outer	21"	—	C.	
29H/1250087	Bowden PN.980	Ferrule, plain	2	—	C.	
29H/1250079	Bowden PN.935	Nipple	1	—	C.	
	F.189497	Nipple, special	1	B.11		
29H/	Bowden 64/103	Nut (Alternative to Bowden PN.1160)	1	—	C.	
29H/	Bowden PN.1160	Nut (Alternative to Bowden 64/103)	1	—	C.	
299H/1250088	Bowden PN.1159	Stop, adjusting	1	—	C.	
1310	A.185383	Lever, flap interconnecting, inboard hinge	1	—	C.	DG.2
148	F176488	Lever, flap interconnecting, inboard hinge	1	L.168	C.	DG.2
4482	F.199213	Link, at desynn transmitter	1	L.72	C.	DG.2
153	F.181946	Peg, attachment of flap levers, inboard hinge ...	1	S.95.B	C.	DG.2
154	Std.1221/Y/B40	Pin, attachment of control rod to position indicator lever	2	S.2	C.	4
1315	F.185697	Rod, connecting levers, flap inboard bearing bracket	1	—	C.	DG.2
4480	F.199191	Shackle, at desynn transmitter	1	S.510	C.	DG.2
4469	F.157015	Spring, at desynn transmitter	1	Steel Wire	C.	DG.2
	C.185037—8	FLAP, SYNCHRONISING, JACK MOUNTING, ASSEMBLY	—	—		
4218	A.198798	Adapter	4	L.168	C.	DG.2
1305	C.185039—40	Blocks, bearing, port	1 pr.	—	C.	DG.2
1307	C.185041—42	Blocks, bearing, starboard	1 pr.	—	C.	DG.2
74	Std.1553/C.40	Bolt, special	16	S.99.B	C.	5
1304	F.185860	Bolt, securing jack to lever	2	S.99.B	C.	DG.2
4219	F.191499	Bolt, banjo	4	S.95.B	C.	DG.2
7680	STD.1231/3.B	Lug, locking	4	S.2	MR/C	4
4214†	A.198842/1	Pipe, greaser, port, inner	1	—	C.	DG.2
4215†	A.198842/2	Pipe, greaser, starboard, inner	1	—	C.	
4216†	A.198842/3	Pipe, greaser, port, outer	1	—	C.	DG.2
4217†	A.198842/4	Pipe, greaser, starboard, outer	1	—	C.	
28F/9129099	AGS.1186/4	Seal	4	—	C.	
	F.202783	Shim, flap synchronising, jack mounting	QR	L.72		
	F.202784	Shim, flap synchronising, jack mounting	QR	L.72		
	F.202785	Shim, flap synchronising, jack mounting	QR	L.72		
	F.202786	Shim, flap synchronising, jack mounting	QR	L.72		
4510	Std.915/C.22	Washer	4	DTD.610	C.	4

† For details see Piping Chart.

† For details see Piping Chart.

FLYING CONTROLS-OUTER WING

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Pace No.
		1	2	3	4	5				
21	138	B.182043	Lever, aileron, inboard, group				2	—	B.	DG.1
	2A/9500415	B.R.A.1/2	Bearing				2	—	C.	
21	5783	Std.1357/40	Ferrule				4	S.2	C.	4
		A.120920	Sleeve				1	S.2	C.	DG.1
21	146	Std.184/58	Washer				4	S.2	C.	4
		B.181399	Lever, aileron control, rib "L"				2	—	B.	DG.1
	151	A.181278	Link, idling, aileron control				4	—	C.	DG.1
		C.201270-1	LINKAGE, AILERON BOOSTER, ASSEMBLY				—	—		
	127	A.181938	Bearing, aileron booster unit				2	—	C.	DG.1
	5278	Std.1639/4EX	Bolt, attachment of bearing blocks at aileron booster unit				32	S.95.B	C.	5
	5257	F.201358	Bolt, attachment of booster unit to lever				2	S.95.B	C.	DG.1
	5262	C.201270/A	Housing, bearing, port, group				1	—	B.	DG.1
21			Consisting of:—							
		Std.1553/E.145	Bolt				1	S.99		5
		B.201276	Housing, group				1	—		
	4189	F.168683	Stud				2	H.T.S.		
	28M/1011467	F.198959	Stud				2	H.T.S.	C.	DG.1
	28P/9527619	A.27.ES	Nut				1	—	C.	
		SP.90.C7	Pin, split				1	—	C.	
		A.201278	Plug, end				1	H.T.S.		
	28W/14183	AS.1903/E.12	Saddle				2	—	C.	
	5263	C.201271/A	Housing, bearing, starboard, group				1	—	B.	DG.1
21			Consisting of:—							
		Std.1553/E.145	Bolt				1	S.99		5
		B.201277	Housing, group				1	Stpg or S.96		
	4189	F.168683	Stud				2	H.T.S.		
	28M/1011467	F.198959	Stud				2	H.T.S.	C.	
	28P/9527619	A.27.ES	Nut				1	—	C.	
		SP.90.C7	Pin, split				1	—	C.	
		A.201278	Plug, end				1	H.T.S.		
	28W/14183	AS.1903/E.12	Saddle				2	—	C.	
	10896	B.255482	Lever, aileron, booster unit, port group (Mod. 1133)				1	—	B.	DG.1
	10897	B.255483	Lever, aileron booster unit, starboard, group (Mod. 1133)				1	—	B.	DG.1
21	2A/9501242	BRL.5/8	Bearing				2	—	C.	
	1560	A.191949	Block, bearing				2	Stamping	C.	DG.1
21	1561	F.191951	Bolt, bearing retaining				2	S.154	C.	DG.1
21	132	F.182095	Bolt, shackle attachment				2	S.154	C.	DG.1
	1562	A.191950	Cap. bearing retaining				2	DTD.364	C.	DG.1
		C.201274	Lever, port, group				1	—		
		C.201275	Lever, starboard, group				1	—		
21	5261	F.202435	Bush				2	B.S.S.369	C.	DG.1
21		Std.1357/37	Ferrule				4	S.2		4
		Std.1357/38	Ferrule				4	S.2		4
	174	F.182015	Pin, lever attachment				2	S.97.B	C.	DG.1
21		B.182065	Lever, port, group				1	—		
		B.182066	Lever, starboard, group				1	—		
	10051	F.168914	Bush, special				2	S.95.B	C.	
		Std.1357/41	Ferrule				4	S.2		4
		Std.1357/42	Ferrule				4	S.2		4


FLYING CONTROLS—OUTER WING


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10895	A.254844					Shackle, group (Mod. 1133)	2	—	B.	DG.1
2A/9500365	ACL.5/8"					Bearing, contact	2	—	C.	
11444	F.168716					Spindle	2	S.95.B	C.	
11191	F.168717					Spindle	2	S.95.B	C.	
7959	F.214989					Washer, special, for shackle	QR	S.1	C.	DG.1
7960	F.214990					Washer, special, for shackle	QR	S.1	C.	DG.1
7961	F.214991					Washer, special, for shackle	QR	S.1	C.	DG.1
7962	F.214992					Washer, special, for shackle	QR	S.1	C.	DG.1
1501	F.190470					Washer, special	2	DTD.610	C.	DG.1
1559	F.192086					Washer, bearing attachment bolt	2	S.3	C.	DG.1
8053	Std.1208/180/ 88/20					Washer, shim, between levers	QR	Shim Steel	C.	4
8054	Std.1208/180/ 88/30					Washer, shim, between levers	QR	Shim Steel	C.	4
8055	Std.1208/180/ 88/45					Washer, shim, between levers	QR	Shim Steel	C.	4
4109	F.199249					Plate, locking, for bearing block	2	S.3	C.	
4110	F.199250					Plate, locking, for bearing block	14	S.3	C.	
10515	B.232006					Red, control group (Mod. 933)	2	—	B.	DG.1
						Consisting of:—				
10566	A.232008					Fork and	1	S.95	C.	
10567	F.232007					Nut, special	1	S.98	C.	
	B.232006/1					Red	1	S.96		
157	F.181791					Shackle	2	Stamping	B.	DG.1
7122	F.210462					Shim, for linkage	QR	DTD.166	C.	
7123	F.210463					Shim, for linkage	QR	DTD.166	C.	
7124	F.210464					Shim, for linkage	QR	DTD.166	C.	
7125	F.210465					Shim, for linkage	QR	DTD.166	C.	
7126	F.210466					Shim, for linkage	QR	DTD.166	C.	
7127	F.210467					Shim, for linkage	QR	DTD.166	C.	
7128	F.210468					Shim, for linkage	QR	DTD.166	C.	
7129	F.210469					Shim, for linkage	QR	DTD.166	C.	
9609	A.229676					Tube, control	2	—	B.	DG.1
8362	F.215654					Plate, locking	2	DTD.166	C.	DG.2
8360	F.215167					Sleeve, flap, inboard hinge	2	S.95.B	C.	DG.2
8359	F.215166					Sleeve, flap, inner and outer hinges	4	S.95.B	C.	DG.2
8361	F.215165					Sleeve, flap hinge at jack	2	S.95.B	C.	DG.2
164	A.180993					Tube, aileron control, inboard, port	1	—	B.	DG.1
165	A.180994					Tube, aileron control, inboard, starboard	1	—	B.	DG.1
166	A.180995					Tube, aileron control, between tail ribs "E" and "G"	2	—	B.	DG.1
1502	A.191584					Tube, aileron control, between tail ribs "G" and "L", .. group	2	—	B.	DG.1
168	A.169527					Eye end	1	—	C.	DG.1
169	A.171048					Tube, aileron control, between tail rib "L" and booster .. unit, port	1	—	B.	DG.1
170	A.171049					Tube, aileron control, between tail rib "L" and booster .. unit	1	—	B.	DG.1

FLYING CONTROLS-OUTER WING

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
		SUMMARY OF STOCK ITEMS								
28D/9436920	A25.1C	Bolt	2	B.A.			-	-	-	
28D/9133011	A25.2C	Bolt	2	B.A.			-	-	-	
28D/9133012	A25.3C	Bolt	2	B.A.			-	-	-	
28D/7002428	A25.6C	Bolt	2	B.A.			-	-	-	
28D/7002440	A25.18.E	Bolt	1/4"	B.S.F.			-	-	-	
28D/13265	A30.5C	Bolt	2	B.A.			-	-	-	
28D/14218	A30.9G	Bolt	5/16"	B.S.F.			-	-	-	
28D/14365	A30.11G	Bolt	5/16"	B.S.F.			-	-	-	
28D/13477	A30.13J	Bolt	3/8"	B.S.F.			-	-	-	
28D/18679	A30.20J	Bolt	3/8"	B.S.F.			-	-	-	
28D/1007976	AS.1242.AC	Bolt	2	B.A.			-	-	-	
28N/9156370	SP.21	Lubricator					-	-	-	
28M/9403520	A27.CP	Nut	2	B.A.			-	-	-	
28M/13121	A27.C.S	Nut	2	B.A.			-	-	-	
28M/1006473	A27.C.T	Nut	2	B.A.			-	-	-	
28M/1011467	A27.E.S	Nut	1/4"	B.S.F.			-	-	-	
28M/13122	A27.G.S	Nut	5/16"	B.S.F.			-	-	-	
28M/1011476	A27.J.S	Nut	9/16"	B.S.F.			-	-	-	
28M/1007404	A27.J.T	Nut	3/8"	B.S.F.			-	-	-	
28M/9129449	A27.L.S	Nut	7/16"	B.S.F.			-	-	-	
28M/14555	A58.N.S	Nut	1/2"	B.S.F.			-	-	-	
28M/8101	AGS.572.C	Nut	5/16"	B.S.F.			-	-	-	
28M/7727	AGS.572.E	Nut	3/8"	B.S.F.			-	-	-	
28M/7748	AGS.572.J	Nut	9/16"	B.S.F.			-	-	-	
28M/14537	A58.G.S	Nut	5/16"	B.S.F.			-	-	-	
28M/15496	A58.L.T	Nut	7/16"	B.S.F.			-	-	-	
28M/10288	AGS.2001/C1	Nut	2	B.A.			-	-	-	
28M/10328	AGS.2002/C1	Nut	2	B.A.			-	-	-	
28P/9130722	SP.4.Y.B2	Pin					-	-	-	
28W/9419475	SP.15.C	Washer					-	-	-	
28W/9419476	SP.15.G	Washer					-	-	-	
28W/9419477	SP.15.J	Washer					-	-	-	
28W/9419478	SP.15.L	Washer					-	-	-	
28W/9419404	SP.16.C	Washer					-	-	-	
28W/9419488	SP.16.G	Washer					-	-	-	
28W/9419489	SP.16.J	Washer					-	-	-	
28W/9419492	SP.16.P	Washer					-	-	-	

MOD 933





FLYING CONTROLS

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

