

CONTROLS—UNDERCARRIAGE FAIRING

Ref. No.	Part No.	Description	No. Of	Material Specification	M.R. Class of Score	Plate No.
	E.205280—1	UNDERCARRIAGE, FAIRING CONTROLS, ASSEMBLY	—	—		
21	4218 A.198798	Adapter, for greaser pipe	2	L.168	C.	DH.1
	8311 F.215490	Block, clamp	2	LFS.21	C.	DH.1
21	27K/8007189	Block, swivel	4	—	C.	
	354 Std.325/88	Bolt, attachment of jack to universal shaft	2	S.95 or S.91	C.	4
	355 Std.325/82	Bolt, attachment of jack to undercarriage wheel door	2	S.95 or S.96	C.	4
	4219 F.191499	Bolt, banjo, for greaser pipe	2	S.1	C.	DH.1
	356 B.187846	Bracket, bearing, port, group	1	Stamping	B.	DH.1
	357 F.187900	Bush	2	BSS.250	C.	DH.1
	358 B.187847	Bracket, bearing, starboard, group	1	Stamping	B.	DH.1
	357 F.187900	Bush	2	BSS.250	C.	DH.1
21	8105 B.218073	Bracket, bearing, port, group	1	DTD.610	C.	DH.1
	360 A.188156	Spool, group	1	L.168	C.	DH.1
	F.188157	Bush	2	B.8		
21	8106 B.218074	Bracket, bearing, starboard, group	1	—	C.	DH.1
	360 A.188156	Spool, group	1	DTD.364	C.	DH.1
	F.188157	Bush	2	B.8		
21	Std.2045/15/26	Clip, sleeved	4	—		6
	6753 B.209434	Control, "Teleflex", for outboard lock, port, group	1	—	B.	DH.1
	6754 B.209435	Control, "Teleflex", for outboard lock, starboard, group (Handed by bending of conduit) Consisting of:—	1	—	B.	DH.1
21	27K/4611060	Teleflex Conduit, port	3' 10"	—	C.	
21	27K/4611060	Teleflex Conduit, starboard	3' 8"	—	C.	
21	27K/1034953	Teleflex A.35336 Collar	2	—	C.	
21	27K/4611147	Teleflex B.10898/C Connector, greaser	2	—	C.	
21	27K/4611069	B.35340/B Connector, conduit	2	—	C.	
	362 F.187712	Fork-end	2	S.95.B	C.	DH.1
21	27K/8025445	Teleflex A.821 Nipple	6	—	C.	
	28M/1006473	A.27.CT Nut, lock	2	—	C.	
21	27K/6457353	Teleflex C.40076/R/ Rod and cable, assembly, port	1	—	C.	
	70-1/4"					
21	27K/6457353	Teleflex C.40076/R/71" Rod and cable, assembly, starboard	1	—	C.	
21	27K/1034951	Teleflex A.35335 Sleeve, outer	2	—	C.	
	27K/ C.41558/C	Swivel, assembly	2	—	C.	
	365 A.187854	Lever, at top anchorage of jack, port, group	1	Stamping	B.	DH.1
	366 Std.608/4	Bush	1	B.8	C.	4
	367 A.187855	Lever, at top anchorage of jack, starboard, group	1	Stamping	B.	DH.1
	366 Std.608/4	Bush	1	B.8	C.	4
	7984 A.210491	Lever, for aft lock control rod, group	2	Stamping	B.	DH.1
	369 Std.608/5	Bush	1	S.8	C.	4
	370 A.188131	Lever, for forward lock control rod, group	2	Stamping	B.	DH.1
	369 Std.608/5	Bush	2	B.8	C.	4

CONTROLS-UNDERCARRIAGE FAIRING

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Place No.
21	2144	Std.1231/3	4	S.510	C.	4
	373	Std.1221.Y/D.50	8	S.2	C.	4
21	7981	F.213793	2	S.154	C.	DH.1
21	7982	F.213794	6	S.154	C.	DH.1
21	7983	F.212427	8	S.154	C.	DH.1
	5211	F.204752/1	1	-	C.	DH.1
	5212	F.204752/2	1	-	C.	DH.1
	374	A.186944	2	-	C.	DH.1
	375	A.186945	2	-	C.	DH.1
	7977	A.213788	1	-	C.	DH.1
	7978	A.213789	1	-	C.	DH.1
	7979	A.213799	1	-	C.	DH.1
	7980	A.213800	1	-	C.	DH.1
	380	F.188254	2	T.50	C.	DH.1
21	5784	A.208219	2	L.168	C.	DH.1
	5210	F.204753	2	L.65	C.	DH.1
	C.207895	WING-FUSELAGE CONNECTIONS, FAIRING LOCK CONTROL, ASSEMBLY	-	-		
	6755	B.209370	1	-	B.	DH.1
	6756	B.209371	1	-	B.	DH.1
		(Handed by bending of conduit) Consisting of:-				
21	27K/4611060	Teleflex D.S.307/2 Conduit, port, inner	1' 10"	-	C.	
21	27K/4611060	Teleflex D.S.307/2 Conduit, starboard, inner	2' 1"	-	C.	
21	27K/1034953	Teleflex A.35336 Collar	4	-	C.	
21	27K/4611211	Teleflex C.41552 End, self-aligning, assembly	2	-	C.	
21	27K/1034951	Teleflex A.35335 Sleeve, outer	4	-	C.	
	5170	F.203769 Spring	2	Steel	C.	DH.1
	5484	F.202932 Stpp, special	2	S.80.B	MR/C	DH.1
21	27K/4676695	Teleflex C.41551/B Swivel, assembly	2	-	C.	
21	4986	Std.914/J.18 Washer	2	S.1 or S.510	C.	4
	C.201671	CONTROL TO BRACKETS ON FUSELAGE, PORT, ASSEMBLY	-	-		
	C.201672	CONTROL TO BRACKETS ON FUSELAGE, STARBOARD, ASSEMBLY	-	-		
	5173	F.202789 Block, clamp	4	L.65.C	C.	DH.1
	5174	F.202790 Block, clamp	4	L.65.C	C.	DH.1
	5175	F.204234 Bolt, special	2	H.T.S.	C.	DH.1
	4150	Std.915/C22 Washer, special	4	DTD.610	C.	4



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

