

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	G.230755	ELECTRICAL EQUIPMENT—CENTRE FUSELAGE					—	—		
	D.230770	ADDITIONAL DETAILS, ASSEMBLY					—	—		
	9546 C.225131	Box, junction, arm No. 1, group (Pre Mod. 1220)					1	—	B.	
	C.264339	Box, junction, arm No. 1, group (Mod. 1220)					1	—		
	F.214406	Block, mounting					4	L.65.C		
	F.214407	Block, mounting					2	L.65.C		
5X/1002695	703/1/00249	Block, terminal, 20-way					1	—	C.	
5X/1004088	703/2/00244	Block, terminal, 10-way					3	—	C.	
	C.214402	Box					1	—	—	
	F.214404	Bracket, relay mounting					1	—	—	
	A.214844	Cable, arm, earthing, group (See Cable Chart)					1	—		
	B.225634/1	Diaphragm, wiring (Pre Mod. 1220)					1	Photo		
	B.263771/1	Diaphragm, wiring (Mod. 1220)					1	Photo		
	A.159698	Ferrule					2	BSS.265		
21	5X/1074460	Plessey Z.23197					2	—	C.	
	5CZ/4335566	Dowty					1	—	C.	
		C.5165Y Mk. 1								
	6029 B.202522	Lid					1	L.59	MR/C	
	5X/1004082	Link, commoning					2	—	C.	
	5X/1004085	Link, commoning					1	—	C.	
	F.214405	Plate, switch mounting					1	L.65.C		
	10H/0560150	Plug, panel unit					1	—	C.	
	10H/0560200	Plug, panel unit					1	—	C.	
	10H/0560203	Plug, panel unit					1	—	C.	
	10F/0530032	Relay					1	—	B.	
	5CW/1102662	Rotax D.0701					1	—	C.	
21	26VA/6044412	Std. 2045/17/26					1	—	C.	6
21	9664	Std. 2045/22/24					1	—	C.	6
21	26VA/6041258	Std. 2045/57/20					2	—	C.	6
21		Std. 2045/67/20					1	—		6
21	11303	Std. 2046/17/26					2	—	C.	6
21	26VA/6041267	Std. 2046/27/22					1	—	C.	6
21		Std. 2076/19/26					2	—		6
21		Std. 2076/40/22					2	—		6
21		Std. 2076/44/22					2	—		6
21		Std. 2076/50/20					1	—		6
21		Std. 2076/57/20					1	—		6
21		Std. 2076/74/20					2	—		6
	B.198028/1	Guard, for cables					1	—		
	5F/9454141	NY.18007A					QR	—	C.	
	5F/9138822	NY.3342					QR	—	C.	
21	27N/4526464	—					1	—	B.	
21	870	Std. 915/B18					2	—	C.	4
21	7169	Std. 915/C18					1	—	MR/C	4
21	9174	Std. 915/E18					19	—	C.	4
21		Std. 1335/L20					5	—		4
	B.206477	BLOCK, TERMINAL, No. 11, ASSEMBLY					—	—		
	5X/1004088	Block, terminal, 10-way					1	—	C.	
21	10H/9462765	703/1/00265					1	—	C.	
	5X/1004082	703/2/00251					1	—	C.	
	5X/9450403	703/2/00267					2	—	C.	
	B.206478	BLOCK, TERMINAL, No. 12, ASSEMBLY					—	—		
	5X/1004088	Block, terminal, 10-way					1	—	C.	
21	10H/9462765	703/1/00265					1	—	C.	
	5X/4491423	703/2/00253					2	—	C.	
	5X/9450403	703/2/00267					2	—	C.	

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	A.216517	BLOCK, TERMINAL, No. 84, ASSEMBLY					—	—		
5D/4340940	E & I 3972	Box, junction, 5-way					1	—	C.	
5K/1201351	—	Disc, blanking					3	—	C.	
5K/4329334	—	Nut, gland					3	—	C.	
	A.233847	Box, terminal, No. 83, group (Mod. 811)					1	—		
5X/1004088	703/2/00244	Block, terminal					1	—	C.	
	A.215762	Box					1	—		
8480	A.215763	Lid					1	L.16	C.	
21	6A/4333790	Smiths Box, relay					1	—	A.	
	Waymouth JX.15									
21	6A/4333789	Smiths Box, relay					1	—	A.	
	Waymouth JX.13									
	D.230757	Box, junction, No. 1, group					1	—		
	D.213196	Box, junction					1	—		
5X/1002695	703/1/00249	Block, terminal, 20-way					4	—	C.	
	B.205395	Cable, E/9A, group					1	—		
	B.249444/1	Diagram, wiring					1	—		
28FP/9488815	Dzus A4/30	Fastener					2	—	C.	
28FP/9430915	Dzus GA4/250	Grpmmet					2	—	C.	
	C.213827	Lid, group					1	—		
5X/1012122	703/2/00259	Link, 10-way					1	—	C.	
21	703/2/00255	Link, 6-way					1	—		
5X/1004083	703/2/00252	Link, 3-way					1	—	C.	
5X/1004082	703/2/00251	Link, 2-way					4	—	C.	
5X/1004086	703/2/00260	Link, transverse					2	—	C.	
	7812 F.206915	Plate, tapped					1	L.72	MR/C	
	7813 F.206916	Plate, tapped					1	L.72	MR/C	
	7814 F.206917	Plate, tapped					1	L.72	MR/C	
	7815 F.206918	Plate, tapped					11	L.72	MR/C	
	F.233330	Plate, reinforcing (840/87)					11	—		
21	5X/4500160	Plessey Plug, code 4					1	—	C.	
	2CZ.111401									
21	5X/4500164	Plessey Plug, code 8					1	—	C.	
	2CZ.111404									
21	5X/4500170	Plessey Plug, code 14					1	—	C.	
	2CZ.111227									
21	5X/4500177	Plessey Plug, code 21					11	—	C.	
	2CZ.111229									
5X/1005131	—	Sleeve, 4-12 amp					QR	—	C.	
5X/9525146	—	Sleeve, 12-24 amp					9	—	C.	
5K/4346693	RC.2120	Tag, 4-amp					QR	—	C.	
5K/4346711	RC.2121	Tag, 7-amp					QR	—	C.	
5K/	RC.2122	Tag, 19 amp					QR	—	C.	
21	5D/4341105	Box, distribution R.P. Firing					1	—	A.	
	6030 A.205605	Bracket, mounting, for service lamp					1	DTD.610	MR/C	
	5827 B.205573	Bracket, for fuel time switch					1	L.72	C.	
	A.208251	Bracket, mounting, for suppressor					1	L.72		
	4772 A.199648	Bracket, mounting, for suppressor					1	L.72	MR/C	

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
—	C.254329	Cable, C.1, group (See Cable Chart)					1	—	—	
—	C.254330	Cable, C.2, group (See Cable Chart)					1	—	—	
—	C.205378	Cable, C.3, group (See Cable Chart)					1	—	—	
—	C.254328	Cable, C.4, group (See Cable Chart)					1	—	—	
—	Std.2055/A	Cable, C.5, group (See Cable Chart)					1	—	—	
—	B.209086	Cable, C.6, group (See Cable Chart)					1	—	—	
—	B.254331	Cable, C.7, group (See Cable Chart)					1	—	—	
—	B.254332	Cable, C.8, group (See Cable Chart)					1	—	—	
—	B.254333	Cable, C.9, group (See Cable Chart)					1	—	—	
—	C.217597	Cable, C.10, group (See Cable Chart)					1	—	—	
9504	B.205385	Cable, C.11, group (See Cable Chart)					1	—	B.	
8581	D.200759	Cable, C.12, group (See Cable Chart)					1	—	B.	
—	D.217569	Cable, C.13, group (See Cable Chart)					1	—	—	
12064	B.253798	Cable, C.16, group (See Cable Chart)					1	—	B.	
12065	B.253799	Cable, C.18, group (See Cable Chart)					1	—	B.	
12066	B.253800	Cable, C.20, group (See Cable Chart)					1	—	B.	
—	B.205791	Cable, C.21, group (See Cable Chart)					1	—	—	
—	B.205792	Cable, C.22, group (See Cable Chart)					1	—	—	
—	B.205793	Cable, C.23, group (See Cable Chart)					1	—	—	
—	B.205794	Cable, C.24, group (See Cable Chart)					1	—	—	
—	B.205795	Cable, C.25, group (See Cable Chart)					1	—	—	
—	B.205796	Cable, C.26, group (See Cable Chart)					1	—	—	
—	B.205797	Cable, C.27, group (See Cable Chart)					1	—	—	
—	B.205798	Cable, C.28, group (See Cable Chart)					1	—	—	
—	B.205799	Cable, C.29, group (See Cable Chart)					1	—	B.	
8465	C.205746	Cable, C.30, group (See Cable Chart)					1	—	B.	
8466	C.205747	Cable, C.31, group (See Cable Chart)					1	—	B.	
—	B.205390	Cable, C.34, group (See Cable Chart)					1	—	—	
—	C.205391	Cable, C.35, group (See Cable Chart)					1	—	—	
—	B.205392	Cable, C.36, group (See Cable Chart)					1	—	—	
8579	C.205748	Cable, C.37, group (See Cable Chart)					1	—	B.	
—	C.205749	Cable, C.38, group (See Cable Chart)					1	—	—	
—	B.221633	Cable, C.64, group (See Cable Chart)					1	—	—	
—	B.221634	Cable, C.65, group (See Cable Chart)					1	—	—	
—	B.214725	Cable, A.3, group (See Cable Chart)					1	—	—	
—	B.214727	Cable, A.4, group (See Cable Chart)					1	—	—	
—	B.202750	Cable, A.5, group (See Cable Chart)					1	—	—	
—	B.202751	Cable, A.6, group (See Cable Chart)					1	—	—	
—	B.215755	Cable, PC.5, group (See Cable Chart)					1	—	—	
—	B.215756	Cable, PC.6, group (See Cable Chart)					1	—	—	
—	B.215757	Cable, PC.9, group (See Cable Chart)					1	—	—	
9527	B.216475	Cable, PC.14, group (See Cable Chart)					1	—	B.	
—	C.249939	Cable, A.28, group (See Cable Chart)					1	—	—	
—	B.262117	Cable, C.84, group (See Cable Chart)					1	—	—	
11277	B.235501	Cable, PR.2, group (See Cable Chart)					1	—	B.	
	B.235503	Cable, PR.4, group (See Cable Chart)					1	—	—	

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.198766	CLIPPING, FOR CABLES, ASSEMBLY					—	—		
3741	Std.840/20	Clip, 7/16" wide x 22 s.w.g. x 2" long					1	DTD.610	C.	4
4670	Std.840/23	Clip, 7/16" wide x 22 s.w.g. x 2.3" long					1	DTD.610	C.	4
3747	Std.841/28	Clip, 7/16" wide x 22 s.w.g. x 2.8" long					1	L.72	MR/C	4
		(Make from 30B/9611222)								
4823	Std.841/42	Clip, 7/16" wide x 22 s.w.g. x 4.2" long					1	L.72	MR/C	4
		(Make from 30B/9611222)								
5F/9454141	NY.18007A	Strapping					QR	—	C.	
5F/9138822	NY.3342	Stud					QR	—	C.	
	E.199817	CLIPPING, FOR CABLES, ASSEMBLY					—	—		
4776	B.198696	Bracket, mounting, for cables C.16, C.18 and C.20					1	DTD.610	MR/C	
6031	B.201234	Bracket, wing service, inboard, port					1	S.84	MR/C	
6023	B.201235	Bracket, wing service, inboard, starboard					1	S.84	MR/C	
6033	A.201236	Bracket, wing service, inboard, port					1	S.84	MR/C	
	A.245839	Bracket, for switch (Mod. 1023)					1	—		
	Plessey									
5X/	2CZ/83672	Cap, protective					1	—	C.	
4618	F.196181	Clamp, for igniter cables, frame 37					2	Ferobestos	C.	
4784	F.196958	Cable, securing cables at frame 26					1	DTD.610	MR/C	
		(May be made from Std. 850/51)								
4788	F.198279	Clip, securing cables, frame 21					1	DTD.610	MR/C	
4764	Std. 840/21	Clip, securing cables, 7/16" wide x 22 s.w.g. x 2.1" long (Make from 30B/9611222)					4	L.72	MR/C	4
4302	Std. 840/31	Clip, securing high energy cables, frame 36, 7/16" wide x 22 s.w.g. x 3.1" long (Make from 30B/9611222)					1	L.72	MR/C	4
3749	Std. 841/38	Clip, securing cables at frame 25					3	DTD.610	C.	4
21	Std. 841/40	Clip, securing A4 cable at frame 25					1	DTD.610		4
		(Alternative to Std. 2046/43/20)								
21	6010	Clip, securing A3 cables at frame 25					1	DTD.610	MR/C	4
		(Alternative to Std. 2046/44/20)								
21	3751	Clip, securing cables, 7/16" wide x 22 s.w.g. x 1.2" long (Make from 30A 9610252)					1	S.510	MR/C	4
21	Std. 843/42	Clip, securing cables on strut near frame 19					1	S.510		4
21	4792	Clip, securing cable C30, frame 34, 7/16" wide x 22 s.w.g. x 3.6" long (Make from 30A/9610252)					1	S.510	MR/C	4
21	Std. 2046/49/20	Clip, securing cables at frame 32					2	—		6
29H/9437201	Bowden PN.448	Clip					26	—	C.	
21	26VA/6044412	Clip, sleeved					1	—	C.	6
21	26VA/6044295	Clip, sleeved					1	—	C.	6
21	26VA/6041761	Clip, sleeved					1	—	C.	6
21	Std. 2045/32/22	Clip, sleeved					2	—		6
21	11242	Clip, sleeved					2	—	C.	6
21	26VA/6044395	Clip, sleeved					2	—	C.	6
21	26VA/6044396	Clip, Sleeved					1	—	C.	6
21	26VA/6041254	Clip, sleeved					1	—	C.	6
21	26VA/6044403	Clip, sleeved					1	—	C.	6
21	Std. 2045/53/20	Clip, sleeved					1	—		6
21	26VA/6042334	Clip, sleeved					1	—	C.	6
21	11303	Clip, sleeved					1	—	C.	6
21	11304	Clip, sleeved					1	—	C.	6
21	Std. 2046/41/20	Clip, sleeved, securing A3 and A14—C13 cable at frame 25 (Alternative to Std. 841/38)					3	—		6
21	26VA/6045645	Clip, sleeved, securing, A4 cable at frame 25 (Alternative to Std. 841/40)					1	—	C.	6
21	Std. 2046/44/20	Clip, sleeved, securing A3 cable at frame 25 (Alternative to Std. 841/41)					1	—		6

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	A.197386	EARTHING POINT No. 9, FRAME 25, STARBOARD SIDE, ASSEMBLY					—	—		
21	Std. 1298/1	Stud					1	S.		4
	4613 Std. 1335/C.18	Washer					3	L.1	C.	4
	A.243810	Label, for switch (Mod. 1023)					1	L.72		
	11718 A.251284	Label, for drop tank position					1	—	C.	
	F.209619	Plate, sealing, starboard					2	—		
	4804 F.196308	Plate, sealing, for cables C24 and C26, at frame 37					2	LFS.21	MR/C	
	F.227156	Plate, sealing at frame 37, port					2	LFS.21		
	5F/9454141 NY.18007A	Strapping					QR	—	C.	
	5F/9138822 NY.3342	Stud					QR	—	C.	
	5CW/1047696 CWC.XD.784	Switch, D.P. (Mod. 1023)					1	—	C.	
21	3970 Std. 1509/12/020	Tube, distance					1	—	MR/C	4
21	3751 Std. 842/12	Clip, 7/16" wide x 22 s.w.g. x 1.2" long					1	S.510	MR/C	4
	4808 Std. 850/24	Clip, securing ignition leads at engine mounting rail, 7/16" wide x 22 s.w.g. x 2.4" long					2	DTD.610	MR/C	4
21	26VA/6044080 Std. 2045/18/24	Clip, securing cable					2	—	C.	6
21	9664 Std. 2045/22/24	Clip, securing cable					2	—	C.	6
21	11294 Std. 2045/25/24	Clip, securing cables					1	—	C.	6
21	11310 Std. 2045/33/22	Clip, securing cable					5	—	C.	6
21	11209 Std. 2045/34/22	Clip, securing cable					1	—	C.	6
21	Std. 2045/37/22	Clip, securing cables					2	—		6
21	26VA/6042332 Std. 2045/44/20	Clip, securing cables					1	—	C.	6
21	26VA/6044395 Std. 2045/45/20	Clip, securing cables					1	—	C.	6
21	26VA/6044397 Std. 2045/49/20	Clip, securing cables					1	—	C.	6
21	Std. 2045/68/20	Clip, securing cables					1	—		6
21	26VA/6041260 Std. 2046/16/26	Clip, securing cables					1	—	C.	6
21	11303 Std. 2046/17/26	Clip, securing cables					3	—	C.	6
21	26VA/6044295 Std. 2046/18/26	Clip, securing cables					1	—	C.	6
21	26VA/6041139 Std. 2046/28/22	Clip, securing cables					1	—	C.	6
21	27Q/6044073 Std. 2046/35/22	Clip, securing cables					1	—	C.	6
21	11793 Std. 2046/38/22	Clip, securing cables					2	—	C.	6
21	Std. 2046/44/20	Clip, securing cables					5	—		6
	6A/ Smiths	Connector					2	—	C.	
	4333278 Waymouth CA/30	Connector					1	—	C.	
	6A/ Smiths	Connector					1	—	C.	
	4333085 Waymouth CA/37	Connector					1	—	C.	
	6A/ Smiths	Connector					1	—	C.	
	4333341 Waymouth CA/62	Connector					1	—	C.	
	6A/ Smiths	Connector					1	—	C.	
	4333342 Waymouth CA/125	Connector					1	—	C.	
	6A/ Smiths	Connector					1	—	C.	
	4333343 Waymouth CA/140	Connector					2	—	C.	
	6A/ Smiths	Connector					2	—	C.	
	4333793 Waymouth CS.75	Connector					2	—	C.	
	A.197124-5	EARTHING POINTS, Nos. 10 AND 16, ASSEMBLY					—	—		
	4619 Std. 1335/E.18	Washer					2	L.4	C.	4
	5L/9953271 —	Filament, 28V., 7W					1	—	C.	
	5X/4491391 508/4/11292/005	Gasket, sealing					1	—	C.	
21	37A/4387626 —	Ignitor, high energy, type C.10.T.S./3					2	—	A.	
21	5CX/4330002 E & I 2398	Lamp, cockpit, Mk. 1A					1	—	B.	


ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	4896 B.199981	Lead ignition, group					1	—	B.	
		Consisting of:—								
21	5E/ BICC.ECM3	Cable (Alt. to uniplugsheath No. 5 or 5E/6506940 or R.2060)					46"	—	C.	
21	5E/6506940 —	Cable, uniplughitemp. No. 3 (Alt. to BICC.ECM3 or R.2060 or uniplugsheath No. 5)					46"	—	C.	
21	5E/ —	Cable, uniplugsheath No. 5 (Alt. to BICC.ECM3 or 5E/6506940 or R.2060)					46"	—	C.	
21	5E/ R.2060	Cable, spec. EC.81 (Alt. to BICC.ECM3 or 5E/6506940 or uniplugsheath No. 5)					46"	—	C.	
	5X/ United Metallic Co. No. 110	Conduit, braided, 0.312" (Alt. to Gabriel Manufacturing Co. conduit, braided, 5/16" i/d.)					37"	—	C.	
	5X/ Gabriel Manufact. Co.	Conduit, braided, 5/16" i/d. (Alt. to United Metallic Co. No. 110)					37"	—	C.	
	Lodge CG-11	Contact-button					2	—		
29H/9437201	Bowden PN/448	Clip					1	—	G.	
	Lodge EA6-90°	Elbow, assembly					1	—		
37B/1985	Rolls Royce D.29850	Ferrule (Alt. to F.310356)					2	—	C.	
	F.310356	Ferrule (Alt. to 37B/1985)					2	—		
	Lodge S.F.6	Ferrule, spring type					2	—		
	Lodge N.28	Nut					2	—		
	Lodge SS.18	Sleeve					1	—		
	Lodge SS.23	Sleeve					1	—		
	4897 B.199982	Lead, ignition, group					1	—	B.	
		Consisting of:—								
21	5E/ BICC.ECM3	Cable, (Alt. to uniplugsheath No. 5 or 5E/6506940 or R.2060)					82"	—	C.	
21	5E/6506940 —	Cable, uniplughitemp. No. 3 (Alt. to BICC.ECM3 or R.2060 or uniplugsheath No. 5)					82"	—	C.	
21	5E/ —	Cable, uniplugsheath No. 5 (Alt. to BICC.ECM3 or 5E/6506940 or R.2060)					82"	—	C.	
21	5E/ R.2060	Cable, spec. EC.81 (Alt. to BICC.ECM3 or 5E/6506940 or uniplugsheath No. 5)					82"	—	C.	
	5X/ United Metallic Co. No. 110	Conduit, braided, 0.312" i/d. (Alt. to Gabriel Manufacturing Co. conduit, braided, 5/16" i/d.)					73"	—	C.	
	5X/ Gabriel Manufact. Co.	Conduit, braided, 5/16" i/d. (Alt. to United Metallic Co. No. 110)					73"	—	C.	
	Lodge CG-11	Contact-button					2	—		
28H/9437201	Bowden PN/448	Clip					1	—	C.	
	Lodge EA6-90°	Elbow, assembly					1	—		
37B/1985	Rolls Royce D.29850	Ferrule (Alt. to F.310356)					2	—	C.	
	F.310356	Ferrule (Alt. to 37B/1985)					2	—		
	Lodge S.F.6	Ferrule, spring type					—	—		
	Lodge No. 28	Nut					2	—		
	Lodge SS.23	Sleeve					1	—		
	Lodge SS.18	Sleeve					1	—		

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

23

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.327979	LIGHT INSTALLATION, ANTI-COLLISION					—	—		
		(Mod. 1380)								
	B.325507	Cable assembly, C.89 (See Cable Chart)					1	—		
	B.325508	Cable assembly, C.90 (See Cable Chart)					1	—		
	B.325509	Cable assembly, C.91 (See Cable Chart)					1	—		
	B.325510	Cable assembly, C.92 (See Cable Chart)					1	—		
26VA/6044412	Std.2045/17/26	Clip					2	—	C.	6
11303	Std.2046/17/26	Clip					2	—	C.	6
29H/9708455	Terry 80/0	Clip					1	—	C.	
26VA/6037564	A.271859	Gasket, sealing					1	—	C.	
5325-99-	—	Grommet					1	—	C.	
4491351										
5CX/4330432	Grimes	Lamp, occulting					2	—	B.	
	G.9950-1									
5F/9506025	Hellermann	Strapping					QR	—	C.	
	NY.18067									
5F/9138822	Hellermann	Stud					QR	—	C.	
	NY.3342									
4620	F.197595	Plate, sealing, at frame 37					2	LFS.21	C.	
4621	F.197596	Plate, sealing, at frame 37					2	LFS.21	C.	
26DK/9821	English Electric	Plug, shorting (Mod. 1013)					1	—	B.	
	EB2/81/11635									
5X/1103753	Plessey Z.49429	Shell, plug					1	—	C.	
5F/9454141	NY.18007A	Strapping					QR	—	C.	
5F/9138822	NY.3342	Stud					QR	—	C.	
	B.196635	Suppressor, group					2	—		
4811	A.196638	Angle, mounting					1	L.168	MR/C	
4812	A.196639	Angle, mounting					1	L.168	MR/C	
4813	A.196640	Plate, mounting					1	DTD.610	MR/C	
5CY/4376397	NY.18007A	Suppressor, type "X3" Ref: 5CY 4376403					1	—	B.	
5CY/7001363	—	Suppressor, type "B4"					1	—	B.	
4814	Std. 1548/24/10	Washer, profile					2	DTD.610	MR/C	4
5CY/4376390	—	Suppressor, type "O", No. 2					1	—	B.	
5CW/4400098	Venner	Switch, time					1	—	B.	
	PTA/HA/W									
	19055									
27N/4526592	—	Switch, flame detector, Mk. 4 (Mod. 1322)					8	—	B.	
	Std. 1509/24/022	Tube, distance, 2/3" o/d x 17 s.w.g. x 0.22" long					4	T.4		4
2192	Std. 915/C14	Washer, packing at Timing Unit					2	—	C.	4



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.