

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. OW	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
21	G.262701	ELECTRICAL EQUIPMENT IN FRONT FUSELAGE	—	—		
		ASSEMBLY	—	—		
	E.222047	ADDITIONAL DETAILS, ASSEMBLY	—	—		
	5X/1002695	Block, terminal, 20-way	2	—	C.	
	5X/1002694	Block, terminal, 5-way	1	—	C.	
	9670	Box G. 90, camera, test, group	1	—	B.	
	10H/	Fuse, 7.5 amp (Pre Mod. 874)	1	—	C.	
	L.1055/7.5A					
21	10H/4687452	Fuse, dummy (Mod. 874)	—	—	C.	
	10H/0590100	Fuse, holder	1	—	C.	
	5L/9951273	Filament, 28v., 3.5W	1	—	B.	
21	5CX/4330111	Lamp, warning	1	—	B.	
21	3837	Screw, roundhead, 4 B.A.	4	Brass	C.	5
	5X/5935-99-	Socket, code 45	1	—	C.	
	947-2265					
	5CW/1047700	Switch, D.P.	1	—	B.	
	—	Bracket, mounting	1	L.72	—	
	—	Cables (See Cable Chart)	—	—	—	
21	9663	Clip, sleeved	1	—	C.	6
21	26VA/6044413	Clip, sleeved	2	—	C.	6
21	26VA/6039070	Clip, sleeved	2	—	C.	6
21	26VA/6041271	Clip, sleeved	1	—	C.	6
21		Clip, (Mod. 789)	3	—	C.	6
21	26VA/6043780	Clip, (Mod. 789)	2	—	C.	6
21	11209	Clip	1	—	C.	6
21	26VA/6041262	Clip (Mod. 789)	1	—	C.	6
	5X/	Connector, bulkhead (Mod. 1378)	1	—	C.	
	Heilermann					
	467-HTB-20-					
	41PS					
21	5935-99-	Connector, bulkhead, code 45	1	—	C.	
	1052650					
	5X/9149643	Cover, T.B., 20-way	2	—	C.	
	5X/9149641	Cover, terminal block, 5-way	1	—	C.	
	10207	Diode, assembly	1	—	C.	
	5L/9952254	Filament, lamp	1	—	C.	
21	5CZ/1996659	Horn, electric, 24V, type C	1	—	B.	
	20390	Label, for TB.82	1	—	C.	
21	5CX/4330002	Lamp	1	—	B.	
	10204	Lever, for micro switch	1	S.521	C.	
	5X/1004083	Link, commoning	1	—	C.	
	5X/9450403	Pillar	6	—	C.	
	A.231090	Plate, mounting, for thermal delay unit	1	—	C.	
	11843	Plate, guard	1	—	C.	
	10206	Plate, serrated	1	L.72	C.	
21	5CW/4405754	Relay	2	—	C.	
	9447	Screw, roundhead, 2 B.A.	2	Brass	C.	5
21	4179	Screw, roundhead, 4 B.A.	2	Brass	C.	5
	10205	Spring	1	DTD.215	C.	
	5F/9454141	Strap	QR	—	C.	
	5F/9506025	Strap	QR	—	C.	
	5F/9138823	Stud	QR	—	C.	
	5F/9138822	Stud	QR	—	C.	
21	5CW/4405149	Switch, time, top temperature	1	—	A.	
	FHM/A/76					
21	5CW/4400328	Switch, limit, "DOWMIC"	1	—	B.	
	Mk.102C					
21	10893	Tube, distance	1	T.4	C.	4
	5768	Tube, distance	2	T.5	MR/C	4
21		Tube, distance	1	T.4		4
21		Tube, distance	2	T.4		4
21	5CW/4402893	Unit, thermal delay	1	—	A	
	Rotax D.11201					

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Plate No.
		1 2 3 4 5				
	D.236392	Additional Details, Assembly (Mod. 813)	—	—		
10488	C.238026	Box, test of tail chute, group (Mod. 850)	1	—	B.	
	A.238046	Base	1	L.72		
	B.238027	Box, test	1	L.59		
5CY/4376082	B.T.H. LGA 6 B1/1	Breaker, circuit, 6 amp. 28V	1	—	A.	
5CY/4376068	A.E.I. Ltd. CX.119950	Cover, trip-button	1	—	C.	
21	Std. 2044/9/067	Ferrule	1	DTD.604		6
21	10H/9019668	Fuse, 5.0A	1	—	C.	
	L.1055/5					
21	A.238028	Plate, top	1	L.72		
5CW/4400385	N.S.F. Ltd. 765/B.102	Switch, test tail chute with grey dolly	1	—	A.	
—	F.222497	Clip, special, securing cable	8	L.72	—	
		(Make from 30B/9611220)				
21	Std. 2045/14/26	Clip, securing cable	1	—		6
	B.235458	Duct, cable (Starboard)	1	L.67		
5F/	Hellermann	Sleeve, helsyn HT.30 x 1"	1	—	C.	
5F/	Hellermann	Sleeve, helsyn HT.50 x 1"	1	—	C.	
9335	Std. 1547/19/6	Washer, profile	2	DTD.610	C.	4
5CZ/4335604	Teddington	Amplifier, cabin temperature	1	—	A.	
	Controls FLM/A/5					
5CZ/1053794	Rotax N.5.BN	Block, terminal, type "B", 2-way, No. 1	1	—	C.	
5X/1004088	703/2/00244	Block, terminal, 10-way	2	—	C.	
5X/1002695	703/1/00249	Block, terminal, 20-way	4	—	C.	
	D.324019	Box, A.C., junction, group (Mod. 1378)	1	—		
5X/1004088	703/2/00244	Block, terminal, 10-way	2	—	C.	
8670	F.220761	Bush, for earthing terminal	1	LFB.82	C.	
—	B.216048	Cable, AC2, Form, group (See Cable Chart)	1	—	—	
—	A.220853	Cable, AC3, group (See Cable Chart)	1	—	—	
—	B.216049	Cable, AH1 Form, group (See Cable Chart)	1	—	—	
—	B.277730	Cable, F25 Form, group (See Cable Chart)	1	—	—	
		(Mod. 1302)				
—	B.216051	Cable, F.45 Form, group (See Cable Chart)	1	—	—	
—	B.232139	Cable, F.199 Form, group (See Cable Chart)	1	—	—	
—	B.216053	Cable, GC11 Form, group (See Cable Chart)	1	—	—	
10H/0970055	508/1/41035	Cap, blanking	1	—	C.	
	A.224535	Capacitors, 4, 5 and 6, group	1	—		
10C/0141404	—	Capacitor, 0.5 F. (Mod. 1408)	3	—	C.	
10C/0115567	Dubilier	Capacitor, 0.5 MFD., 250V (Pre Mod. 1408)	3	—	C.	
5X/	703/2/00320	Lug	1	—	C.	
10CV/	Ferranti or	Rectifier, silicon, type ZS.10A	3	—	C.	
21	10CV/0372373	Rectifier, silicon	1	—	C.	
21	10H/9150652	Tag, eyelet	4	—	C.	
5K/4346693	RC.2120	Tag, 6 amp., Q.R.	2	—	C.	
	A.224536	Capacitors, 7, 8 and 9, group	1	—		
10C/0141404	—	Capacitor, 0.5μF. (Mod. 1408)	3	—	C.	
10C/0115567	Dubilier	Capacitor, 0.5 MFD., 250V (Pre Mod. 1408)	3	—	C.	
5X/	703/2/00320	Lug	1	—	C.	
10CV/	Ferranti or	Rectifier, silicon, type ZS.10A	1	—	C.	
21	10CV/0372373	Rectifier, silicon	1	—	C.	
21	10H/9150652	Tag, eyelet	4	—	C.	
5K/4346693	R.C.2120	Tag, 6 amp., Q.R.	2	—	C.	
21	Std. 841/71	Clip, for retention of capacitors, 7/16" wide x 22 s.w.g. (Make from 30B/9611222)	3	L.72	LM	4

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.215794					Cover, end, group	1	—		
28FP/9993392	Oddie 212					Clip, spring	2	—	C.	
	C.322861/1					Diagram, wiring, (Mod. 1378)	1	Photo.		
21 10H/4709559	—					Fuse, 2.5 amp	9	—	C.	
21 10H/1043043	English Electric AS.2.5					Fuse, 2.5 amp. H.R.C.	8	—	C.	
21 10H/9718192	English Electric AS.5					Fuse, 5 amp. H.R.C.	2	—	C.	
21 10H/1047920	—					Fuse, dummy, type "S"	21	—	C.	
21 5X/1931479	Plessey Z.22634					Grommet, dummy	1	—	C.	
1506432	F.229680					Guard, cushion	1	—	C.	
	F.222438					Holder, for relay, group	1	—		
	F.222438/2					Pad, 1/4" thick, "Volcrepe"	1	Rubber		
8669	B.215796					Lid, for junction box, group	1	—	C.	
28FP/1004892	Oddie 213					Stud, fastener	8	—	C.	
28FP/4665429	Oddie 214					Washer	8	—	C.	
	F.236326					Plate, blanking, at switch position	1	L72		
	B.215793					Plate, plug mounting, group	1	—		
28FP/9993392	Oddie 212					Clip, spring	2	—	C.	
	B.215964					Platform, fuse block, group	1	—		
5X/4491482	703/1/00420					Block, fuse	10	—	C.	
8671	A.215864					Bus-bar, for 4-way fuse block	8	BSS.266	C.	
5X/1877	Plessey Z.1719					Grommet	6	—	C.	
5X/	703/2/00471/100					Link, commoning	1	—	C.	
	B.215791					Platform, fuse block	1	L72		
	C.324398					Platform, relay, group (Mod. 1378)	1	—		
6A/4333075	Smiths 213 M.V.					Auto-transformer	1	—	C.	
21 5E/9993758	—					Cable, Uninyvin 12	QR	—	C.	
10C/0141403	—					Capacitor, 0.25μF. (Mod. 1408)	1	—	C.	
10C/0119831	Dubilier					Capacitor, 0.25 mfd 250V., working (Pre-mod. 1408)	1	—	C.	
21 10250	Std. 2045/27/22					Clip, securing capacitor	1	S.510 or S.511	C.	6
21 5CX/4331066	Plessey Z.1840					Grommet	1	—	C.	
5X/	703/2/00320					Lug	6	—	C.	
	B.215792					Platform, relay	1	L72		
10H/0560130	508/1/40466/320					Plug, panel mounting	1	—	C.	
21 5CW/9729122	—					Relay, type "S", No. 7, 25 amp.	4	—	C.	
5CW/6719	—					Relay, type "S", No. 9, 25 amp.	4	—	C.	
5F/-	—					Sleeve, Helsyn 150 HT20 x 3/4"	8	—	C.	
5F/-	—					Sleeve, Helsyn 150 HT30 x 1-1/4"	3	—	C.	
10H/9993525	508/1/40046/320					Socket, panel mounting	1	—	C.	
5K/4346693	Ross Courtney 2120					Tag, Q.R.	31	—	C.	
5X/9462951	HC.294					Tag, ring	6	—	C.	
	B.224539					Relay, "N", group	1	—		
	F.222438					Holder, group	1	—		
	F.222438/2					Pad, 1/4" thick, Volcrepe	1	Rubber		
10F/0530453	—					Relay, type SM.5A.N25 (Alt. to 10F/0119881)	1	—	C.	
10F/0119881	—					Relay, type SM.5A.N96 (Alt. to 10F/0530453)	1	—	C.	
9616	F.224534					Support, relay wire	1	LFS.21	C.	
21 10H/9150652	Tucker S.79					Tag, eyelet	2	—	C.	
5X/9450396	HC.490					Tag, 6 amp., Q.R.	2	—	C.	
5X/0462951	HC.294					Tag, ring	1	—	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5935-99-972	—					Relay, type S.9 (Mod. 1378)	1	—	C.	
-9123	B.224540					Relay, "P", group	1	—		
10F/0530453	—					Relay, type SM.5A.N.25 (Alt. to 10F/0119881)	1	—	C.	
10F/0119881	—					Relay, type SM.5A.N.96 (Alt. to 10F/0530453)	1	—	C.	
9616	F.224534					Support, relay wire	1	LFS.21	C.	
21 10H/9150652	Tucker S.79					Tag, eyelet	2	—	C.	
5X/9450396	Hellermann HC.490					Tag, quick release	2	—	C.	
5X/9462951	Hellermann HC.294					Tag, ring	1	—	C.	
21 1178	Std. 1606/44/B12					Screw, roundhead, 4 B.A.	2	Brass	C.	5
	C.215795					Shell, for junction box, group	1	—		
28FP/9993392	Oddie 212					Clip, spring	4	—	C.	
5K/	Hellermann					Sleeve, Helsyn HT.150 x 1"	1	—	C.	
5CW/5907	Smiths EAP.2340					Switch, torque	3	—	A.	
3806	Std. 1509/23/032					Tube, distance, at relay holder, 5/16" o/d x 17 ..	1	T.4	MR/C	4
						s.w.g. x 0.32" long				
26VA/6041200	Std. 1509/12/082					Tube, distance, 1/4" o/d. x 20 s.w.g. x 0.72" long	8	T.4	C.	4
21	Std. 1509/23/140					Tube, distance, 5/16" o/d. x 17 s.w.g. x 1/4" long	2	T.4		4
8673	F.220762					Washer, at earthing terminal	1	LFB.82	C.	
	D.324018					Box, main fuse, group (Mod. 1378)	1	—		
21 5X/4491463	703/2/00465					Bar, commoning	2	—	C.	
5X/4491482	703/1/00420					Block, fuse (tags both sides, less cover)	15	—	C.	
	C.222575					Box, detail	1	L.59		
8674	A.211093					Bus, bar	4	BSS.265	C.	
21 5E/9012998	—					Cable, uninyvin 16	QR	—	C.	
21 5E/9012567	—					Cable, unipren, 24 amp.	QR	—	C.	
5X/4491325	508/4/11182					Cap, sealing	1	—	C.	
	A.210916					Channel, mounting, for fuse block	2	—		
	A.210917					Channel, mounting, for fuse block	1	L.72		
	B.326621/1					Diagram, wiring (Mod. 1380)	1	Photo		
21 10H/4709559	—					Fuse, 2.5 amp. (15 off Mk. 8B)	13	—	C.	
21 10H/1043043	English Electric AS.2.5					Fuse, 2.5 amp. H.R.C. (Mod. 779)	5	—	C.	
21 10H/4709560	—					Fuse, 5 amp.	QR	—	C.	
21 10H/4709561	—					Fuse, 10 amp. (6 off Mk. 8B) (Mod. 1380)	4	—	C.	
21 10H/4695448	—					Fuse, 20 amp.	1	—	C.	
21 10H/1047920	—					Fuse, dummy type "S" (22 off Mk. 8B)	24	—	C.	
						(Mod. 1380)				
10599	C.244649					Lid, for fuse box, group (Mod. 913)	1	—	B.	
28FP/1013258	Dzus A4.35					Fastener	4	—	C.	
	C.210914/2					Strip, sealing, 1/2" wide x 1/8" thick	43"	OTD.5509/D		
5X/9400388	703/2/00362					Lug	4	—	C.	
10209	F.235385					Mounting, for Diode (Mod. 789)	1	—	C.	
7813	F.206916					Plate, tapped for plugs (AS.840/49)	2	L.72	MR/C	
7815	F.206918					Plate, tapped for plugs (AS.840/49)	2	L.72	MR/C	
	F.233330					Plates, reinforcing (AS.840/49)	2	—		
	F.221704					Plate, conversion	2	L.72		
21 5X/4500177	Plessey 2CZ.111229					Plug, assembly, Code 21	2	—	C.	
21 5X/4500167	Plessey 2CZ.111225					Plug, assembly, Code 11	1	—	C.	
21 5X/4500165	Plessey 2CZ.111299					Plug, assembly, Code 9	1	—	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. OW	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
10CV/0372041	B.T.H.					Rectifier, type G.J./6M	1	—	C.	
5245	Std. 1606/44/A10					Screw, for conversion plate	8	Brass	C.	5
3828	Std. 1606/44/B8					Screw, roundhead	30	Brass	C.	5
1178	Std. 1606/44/B12					Screw, roundhead	4	Brass	C.	5
1637	Std. 1606/44/B14					Screw, roundhead	8	Brass	C.	5
5K/4346711	R.C.2121					Tag, 12 amp. (55 off Mk. 8B)	54	—	C.	
5K/	R.C.2122					Tag, 24 amp. (7 off Mk. 8B) (Mod. 1380)	8	—	C.	
5K/5866	R.C.D0					Tag	1	—	C.	
5F/	—					Tube, 1-1/2 mm. - 2-1/2 mm. black	QR	P.V.C.	C.	
	A.221485					Box, junction, for artificial horizon, group	1	—		
	A.214147					Box, junction	1	L.72		
	A.214146					Plate, cover	1	L.72		
10H/0560080	508/1/40063/320					Plug, panel unit, code 45	1	—	C.	
10H/0560260	508/1/40043/320					Socket, panel unit, code 45	2	—	C.	
	G.257481					BOX, JUNCTION, FOR MAIN TRUNKING	—	—		
						ASSEMBLY				
8677	F.217908					Block, packing	44	LFS.21	C.	
5X/1002695	703/1/00249					Block, terminal, 20-way (15 off Mk. 8B)	14	—	C.	
—	A.323140					Cable assy., F.213 (See Cable Chart)	1	—	—	
						(Mod. 1378)				
5E/9467424	—					Cable; uninyvin 20	QR	—	C.	
5E/9012998	—					Cable; uninyvin 16	QR	—	C.	
5E/9993758	—					Cable; uninyvin, 12 amp.	QR	—	C.	
5E/9007800	—					Cable; duprensheath, 6 amp.	QR	—	C.	
5E/	—					Cable; septoprensheath, 6 amp.	QR	—	C.	
5X/	703/2/00477					Cover, for terminal block, 20-way	14	—	C.	
						(15 off Mk. 8B)				
22	D.331666/1					Diagram, wiring (Mod. 1430)	1	Photo		
7989	A.209702					Ferrule	2	L.65.C or L.62	C.	
7990	A.209704					Ferrule	2	L.65.C or L.62	C.	
7991	A.209699					Ferrule	1	—	C.	
	Plessey					Ferrule	20	—		
	CZ.28009									
5X/4491288	Plessey					Ferrule	1	—	C.	
	Z.18500/B									
	Plessey					Ferrule	2	—		
	CZ.50823									
5X/4491290	Plessey					Ferrule	2	—	C.	
	Z.18500/D									
9336	B.222448					Gaiter, for cables	1	—	C.	
5935-99-011-9877	508/2/07705/200					Gasket, outlet, code 45 (5 off Mk. 8B)	4	Rubber	C.	
10H/0970059	508/2/07706/200					Gasket, outlet (4 off Mk. 8B)	3	Rubber	C.	
10H/0970060	508/2/07707/200					Gasket, outlet	2	Rubber	C.	
10H/0970107	508/2/07721/200					Gasket, union	2	—	C.	
10H/0970108	508/2/07719/200					Gasket, union	1	Rubber	C.	
5X/5325-99-4491351	Plessey					Grimmet	1	—	C.	
	Z.22433									

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
8680	C.215080					Lid, port, for box, group	1	—	C.	
28FP/1013258	Dzus A4.35					Fastener	6	—	C.	
	DZUS GH4					Grommet	6	—		
8681	C.215081					Lid, starboard, for box, group	1	—	C.	
28FP/1013258	Dzus A4.35					Fastener	6	—	C.	
5X/1004082	703/2/00251					Link, commoning, 2-way	17	—	C.	
5X/4491423	703/2/00253					Link, commoning, 4-way	1	—	C.	
5X/1012122	703/2/00259					Link, commoning, 10-way	2	—	C.	
5X/1004083	703/2/00252					Link, commoning, 3-way	6	—	C.	
5X/9400389	ERMA—12109					Lug (5 off Mk. 8B)	3	—	C.	
8682	F.220647					Nut, special	30	—	C.	
10H/0970061	508/1/07622/003					Outlet, straight	3	—	C.	
10H/0970065	508/1/07024/003					Outlet, straight	4	—	C.	
10H/0970067	508/1/07627/003					Outlet, straight	1	—	C.	
10H/0970068	508/1/07631/003					Outlet, 90°	1	—	C.	
8679	C.220646					Plate, cover	1	—	C.	
5X/4491456	Plessey					Ring, clamp (3 off Mk. 8B)	4	—	C.	
	CZ.23144/Z									
5X/4491465	Plessey					Ring, clamp	6	—	C.	
	CZ.23144/B									
5X/1058004	Plessey					Ring, clamp	40	—	C.	
	CZ.23144/C									
5X/4491395	Plessey					Ring, clamp	6	—	C.	
	CZ.23144/D									
10H/0970089	508/2/07711/200					Ring, sealing	1	—	C.	
10H/0970087	508/2/07710/200					Ring, sealing	2	—	C.	
10H/0970088	508/2/07708/200					Ring, sealing (Pre Mod. 1376)	1	—	C.	
10H/0970090	508/2/07713/200					Ring, sealing	1	—	C.	
10H/0970091	508/2/07709/200					Ring, sealing	2	—	C.	
10H/0970095	508/2/07754/007					Ring, thrust	2	—	C.	
10H/0970098	508/2/07758/007					Ring, thrust	1	—	C.	
10H/1201698	508/2/07753/007					Ring, thrust	1	—	C.	
5X/1005131	508/2/11232/002					Sleeve, 6 amp.—12 amp.	QR	—	C.	
5X/9525146	Plessey Z.49397					Sleeve, 12 amp.—24 amp.	5	—	C.	
5K/9133786	Hellermann					Sleeve, helsyn 150, HT30 x 1" (Mod. 1430)	9	—	LM	
5K/	Hellermann					Sleeve, helsyn 150, HT30 x 1"	3	—	C.	
5K/	Hellermann					Sleeve, helsyn 150, HT20 x 3/4"	760	—	C.	
5K/	Hellermann					Sleeve, helsyn 150, HT50 x 1"	1	—	C.	
5K/	Hellermann					Sleeve, helsyn 150, HT75 x 1"	5	—	C.	
5K/	Hellermann					Sleeve, helsyn 150, HT100 x 1"	4	—	C.	
5K/	Hellermann					Sleeve, helsyn 150, HT150 x 1"	1	—	C.	
5X/8053699	Plessey					Socket, code 9	1	—	C.	
	2CZ.111298									
5X/4500086	Plessey					Socket, code 14	2	—	C.	
	2CZ.111236									
5X/4500092	Plessey					Socket, code 20	2	—	C.	
	2CZ.111445									
4500093	Plessey					Socket, code 21	20	—	C.	
	2CZ.111238									
10H/0560090	508/1/40000/320					Socket, code 41 (3 off Mk. 8B)	2	—	C.	
10H/0560120	508/1/40003/320					Socket, code 45	2	—	C.†	
10H/0560180	508/1/40009/320					Socket, code 48	2	—	C.	
10H/0560181	508/1/40009/321					Socket, code 48	1	—	C.	
10H/0560220	508/1/40015/320					Socket, code 50	2	—	C.	
10H/0560160	508/1/40006/320					Socket, (2 off Mk. 8B)				

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5K/4346693	RC.2120					Tag, Q/R, 6 amp.	476	—	C.	
5K/4346711	RC.2121					Tag, Q/R, 12 amp.	9	—	C.	
5K/-	RC.2122					Tag, Q/R, 24 amp.	51	—	C.	
	E.214995					TRUNKING, SUB-ASSEMBLY	—	—		
	F.217904					Guard, cable	2	—		
	F.217905					Guard, cable	2	—		
	F.217906					Guard, cable	2	—		
	F.217907					Guard, cable	4	—		
	B.215077					Plate end, for trunking, port, group	1	—		
28FP/9429531	Dzus S4.225					Spring	1	—	C.	
	B.215078					Plate end, for trunking, starboard, group	1	—		
28FP/9429531	Dzus S4.225					Spring	1	—	C.	
	C.215079					Plate side, for trunking, centre, group	1	—		
28FP/9429531	Dzus S4.225					Spring	2	—	C.	
	F.228599					Plate, stud	12	—		
	F.212157					Plate, stud	12	—		
	F.212867					Plate, stud	8	—		
28FP/9429531	Dzus S4.225					Spring	8	—		
5F/9013643	—					Tube, 3/8" i/d	QR	P.V.C.	C.	
5F/4349854	—					Tube, 1/2" i/d	QR	P.V.C.	C.	
5F/1018176	—					Tube, 5/8" i/d	QR	P.V.C.	C.	
5F/4349855	—					Tube, 3/4" i/d	QR	P.V.C.	C.	
5F/4349856	—					Tube, 1" i/d	QR	P.V.C.	C.	
7100	Std. 915/B10					Washer	30	DTD.610	C.	4
	E.255990					Box, junction, No. 2, group	1	—		
5X/4491482	703/1/00420					Block, fuse, with identification tags, less cover	7	—	C.	
5X/1004088	703/2/00244					Block, terminal, 10-way	10	—	C.	
5X/1002695	703/1/00249					Block, terminal, 20-way	2	—	C.	
	D.240899					Box, group	1	—		
	A.221811					Clamp, cable	1	—		
8685	D.215173/4					Panel, access	1	L.72	C.	
13136	F.221810					Plate, stud	2	—	C.	
28FP/1201748	Dzus S5.200					Spring	2	—	C.	
5E/9467424	—					Cable, uninyvin 20	QR	—	C.	
5E/9012998	—					Cable, uninyvin 16	QR	—	C.	
5E/9012567	—					Cable, unipren, 24 amp	QR	—	C.	
3971	Std. 840/19					Clip, securing resistor, 7/16" wide x 22 s.w.g. x 1.9" long	1	DTD.610	MR/C	4
10247	B.236211					Cover, terminal	1	Plastic	C.	
10246	B.236212					Cover, terminal	1	Plastic	C.	
22	C331667/1					Diagram, wiring (Mod. 1430)	1	Photo		
	Plessey					Ferrule	1	—		
	CZ.28009									
8687	A.220751					Ferrule, group	2	—	C.	
7990	A.209704					Ferrule	1	—	C.	
10H/4709559	—					Fuse, 2.5 amp	12	—	C.	
10H/4709560	—					Fuse, 5 amp	7	—	C.	
10H/4709561	—					Fuse, 10 amp	1	—	C.	
22	10H/1047920					Fuse, dummy type "S" (Mod. 1430)	6	—	C.	
	10H/1043043					Fuse, 2.5 amp type "S" H.R.C.	1	—	C.	
	10H/4695448					Fuse, 20 amp	1	—	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
5X/9491421	Plessey Z.22431					Grommet, helsyn	1	—	C.	
5K/1041541	Hellermann HV.2855					Grommet	1	—	C.	
8688	C.215436					Lid, group	1	—	B.	
8689	F.215416					Bolt, wing	2	—	C.	
	A.215438					Bracket, mounting	2	L.72		
8690	B.215437					Cover	1	L.72	C.	
28FP/9438813	Dzus AW.5/30					Fastener	2	—	C.	
5X/1004082	703/2/00251					Link, commoning	5	—	C.	
5X/1004083	703/2/00252					Link, commoning	2	—	C.	
5X/4491463	703/2/00465					Link, commoning	7	—	C.	
5X/1012122	703/2/00259					Link, commoning	1	—	C.	
5X/9400389	703/2/00363					Lug	2	—	C.	
5X/9400385	703/2/00359					Lug	1	—	C.	
10H/0970060	508/2/07707/200					Outlet, gasket, code 50	1	—	C.	
10H/0970074	508/1/07636/003					Outlet, angle, code 50	1	—	C.	
11150	F.232398					Plate, blanking	1	—	C.	
7813	F.206916					Plate, tapped	1	—	MR/C	
7814	F.206917					Plate, tapped	1	—	MR/C	
7815	F.206918					Plate, tapped	1	—	MR/C	
10H/0560050	508/1/40060/320					Plug, panel unit, code 41	2	—	C.	
10H/0560150	508/1/40069/320					Plug, panel unit, code 48	1	—	C.	
10H/560151	508/1/40069/321					Plug, panel unit, code 48	1	—	C.	
5X/5805562	Plessey 2CZ.111224					Plug, code 7	1	—	B.	
5X/4500169	Plessey 2CZ.111226					Plug, code 13	1	—	B.	
5X/4500177	Plessey 2CZ.111229					Plug, code 21	12	—	B.	
10H/0560200	508/1/40076/320					Plug, panel unit, code 50	1	—	C.	
10W/0113360	—					Resistor, 30 ohm	1	—	C.	
10H/0970090	508/2/07713/200					Ring, sealing, code 50	1	—	C.	
5X/1005131	508/2/11232/002					Sleeve, 6 amps to 12 amps.	156	—	C.	
5K/	Hellermann					Sleeve, helsyn, HT.20 x 3/4"	113	—	C.	
10H/0560330	508/1/40049/320					Socket, panel unit, code 48	1	—	C.	
10H/0560260	508/1/40043/320					Socket, panel unit, code 45	1	—	C.	
10H/0560380	508/1/40056/320					Socket, panel unit, code 50	1	—	C.	
10H/0560381	508/1/40056/321					Socket, panel unit, code 50	1	—	C.	
5X/4500093	Plessey 2CZ.111238					Socket	1	—	C.	
22 5K/4346693	RC.2120					Tag, Q/R, 6 amp (Mod. 1430)	280	—	C.	
5K/4346711	RC.2121					Tag, Q/R, 12 amp	8	—	C.	
5K/-	RC.2122					Tag, Q/R, 24 amp	18	—	C.	
5F/-	—					Tubes, 1-1/2-2-1/2 m/mi/d. (Comm. Grade)	QR	P.V.C.	C.	
5F/4349855	—					Tube, 3/4" i/d	54"	P.V.C.	C.	
10H/0560220	508/1/40015/320					Unit, cable	1	—	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	C.261118	Box, Tailplane Relay, Assembly					—	—		
	C.261119	Box, relay, group					1	—		
21	5E/9467424	Cable, uninyvin 20					QR	—	C.	
21	5E/9012998	Cable, uninyvin 16					QR	—	C.	
	B.261126	Diagram, wiring					1	Photo		
	5K/4329288	Ferrule					1	—	C.	
21	5X/5801443	Grommet					1	—	C.	
21	5X/5325-99-4491350	Grommet					1	—	C.	
	5X/508/2/05602/002	Insert, socket					19	—	C.	
	A.261151	Mounting, relay box					1	L.72		
	10H/2CZ.111045	Nut, cable clamp					1	—	C.	
	10H/2CZ.111067	Nut, outlet					1	—	C.	
	10H/2CZ.139401	Outlet, straight					1	—	C.	
	5X/508/2/05604/002	Pin, plug					3	—	C.	
	5X/UKAN	Plug, fixed unit					1	—	C.	
	8000/14S/7P									
21	5CW/1057583	Relay, type 20B, No. 3					2	—	A.	
	5K/Hellermann	Sleeve, helsyn, HT. 20 x 1/2"					34	—	C.	
	5X/UKAN	Socket, fixed unit					1	—	C.	
	8000/22/14S									
	5X/UKAN	Socket, straight, free unit					1	—	C.	
	9000—16—1S									
	10H/2CZ.139485	Socket, contacts					7	—	C.	
	RC.01	Tag					52	—	C.	
	5X/9462952	Tag, ring tongue					2	—	C.	
	C.250107	Bracket, mounting (Mod. 1058) (Pre Mod. 1376)					1	L.72		
	A.218494	Bracket, mounting					3	—		
	F.220710	Bracket, for switch, at Frame 10					1	L.72		
	B.263778	Bracket, switch mounting (Mod. 1220)					1	—		
	6732 Hellermann	Bung					1	—	C.	
	HV.3185									
	— B.239687	Cable, AC.1, group (See Cable Chart)					1	—	—	
	— B.239688	Cable, AC.2, group (See Cable Chart)					1	—	—	
	— B.239686	Cable, AC.3, group (See Cable Chart)					1	—	—	
	— B.239689	Cable, AC.4, group (See Cable Chart)					1	—	—	
	— B.239690	Cable, AC.5, group (See Cable Chart)					1	—	—	
	— B.238341	Cable, AC.6, group (See Cable Chart)					1	—	—	
	— B.238342	Cable, AC.7, group (See Cable Chart)					1	—	—	
	— B.242337	Cable, AH.1, group (See Cable Chart)					1	—	—	
	— B.232465	Cable, AH.2, group (See Cable Chart)					1	—	—	
	— B.227827	Cable, AH.3, group (See Cable Chart)					1	—	—	
	— B.212106	Cable, F.15, group (See Cable Chart)					1	—	—	
	— B.217730	Cable, F.18, group (See Cable Chart)					1	—	—	
	— B.217731	Cable, F.18, group (See Cable Chart)					1	—	—	
	— B.217732	Cable, F.20, group (See Cable Chart)					1	—	—	
	— D.229706	Cable, F.27, group (See Cable Chart)					1	—	—	
	10741 B.235459	Cable, F.29, group (See Cable Chart)					1	—	B.	
	20302 F.229253	Cable, compass light					1	—	C.	
	— B.233295	Duct (Make from 30B/1054948)					1	—	LM	
	— C.219411	Cable, F.30, group (See Cable Chart)					1	—	—	
	— B.220869	Cable, F.31, group (See Cable Chart)					1	—	—	
	8635 B.217637	Cable, F.37, group (See Cable Chart)					1	—	B.	
	— C.256149	Cable, F.42, group (See Cable Chart)					1	—	—	
	— B.241525	Cable, F.45, group (See Cable Chart)					1	—	—	
	9453 B.223400	Cable, F.53, group (See Cable Chart)					1	—	B.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
—	C.222107	Cable; F.55, group (See Cable Chart)					1	—	—	
—	B.224703	Cable; F.60, group (See Cable Chart)					1	—	—	
—	B.217440	Cable; F.63, group (See Cable Chart)					1	—	—	
—	C.212670	Cable; F.64, group (See Cable Chart)					1	—	—	
—	C.216682	Cable; F.69, group (See Cable Chart)					1	—	—	
—	B.219448	Cable; B.71, group (See Cable Chart)					1	—	—	
		(Pre AS.1360/48)								
—	B.227680	Cable; F.77, group (See Cable Chart)					1	—	—	
—	C.217638	Cable; F.100, group (See Cable Chart)					1	—	—	
—	B.217652	Cable; F.101, group (See Cable Chart)					1	—	—	
—	B.228264	Cable; F.102, group (See Cable Chart)					1	—	—	
5L/9951273	—	Filament					1	—	C.	
21 5CX/4330111	Rotax H.2705	Indicator, warning					1	—	B.	
6038	F.202760	Plate, adaptor					1	—	MR/C	
—	B.228265	Cable; F.103, group (See Cable Chart)					1	—	—	
10F/9325304	—	Switch, type 1290					1	—	C.	
—	B.228999	Cable; F.104, group (See Cable Chart)					1	—	—	
—	B.219713	Cable; F.107, group (See Cable Chart)					1	—	—	
—	B.219756	Cable; F.109, group (See Cable Chart)					1	—	—	
—	B.219904	Cable; F.110, group (See Cable Chart)					1	—	—	
—	A.220708	Cable; F.113, group (See Cable Chart)					1	—	—	
—	B.221877	Cable; F.118, group (See Cable Chart)					1	—	—	
—	B.222783	Cable; F.124, group (See Cable Chart)					1	—	—	
—	B.255985	Cable; F.136, group (See Cable Chart)					1	—	—	
—	B.227882	Cable; F.140, group (See Cable Chart)					1	—	—	
—	B.228769	Cable; F.142, group (See Cable Chart)					1	—	—	
—	B.230509	Cable; F.144, group (See Cable Chart)					1	—	—	
—	A.231135	Cable; F.145, group (See Cable Chart)					1	—	—	
—	C.235071	Cable; F.146, group (See Cable Chart)					1	—	—	
—	B.242351	Cable; F.150, group (See Cable Chart)					1	—	—	
—	B.238001	Cable; F.151, group (See Cable Chart)					1	—	—	
—	B.240249	Cable; F.168, group (See Cable Chart)					1	—	—	
—	D.317482	Cable; F.199, group (See Cable Chart) (Mod. 1378)					1	—	—	
—	D.317483	Cable; F.200, group (See Cable Chart) (Mod. 1378)					1	—	—	
—	B.323138	Cable; F.201, group (See Cable Chart) (Mod. 1378)					1	—	—	
—	C.261149	Cable; F.206, group (See Cable Chart)					1	—	—	
10H/0970055	—	Cap, protective					1	—	C.	
5X/	Hellermann	Cap, protective (Mod. 1378)					2	—	C.	
	0003-033-000									
21 11208	Std. 2045/15/26	Clip, sleeved					1	—	C.	6
21 20242	Std. 2045/16/24	Clip, sleeved					1	—	C.	6
21 26VA/6043780	Std. 2045/18/26	Clip, sleeved (3 off Mk. 8B)					1	—	C.	6
21 9496	Std. 2045/20/22	Clip, sleeved					1	—	C.	6
21 26VA/6043471	Std. 2045/20/24	Clip, sleeved					1	—	C.	6
21 11227	Std. 2045/21/24	Clip, sleeved					1	—	C.	6
21 9664	Std. 2045/22/24	Clip, sleeved					1	—	C.	6
21	Std. 2045/22/42	Clip, sleeved					1	—	—	6
21	Std. 2045/25/24	Clip, sleeved					1	—	C.	6
21 11294	Std. 2045/26/22	Clip, sleeved					1	—	C.	6
21 26VA/6044413	Std. 2045/29/22	Clip, sleeved					1	—	C.	6
21 26VA/6039070	Std. 2045/36/22	Clip, sleeved					1	—	C.	6
21 12242	Std. 2045/38/22	Clip, sleeved					1	—	C.	6
21 11748	Std. 2045/46/20	Clip, sleeved					1	—	C.	6
21 26VA/6041253	Std. 2045/46/20	Clip, sleeved					1	—	C.	6

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
21	26VA/6042336	Std.2046/16/24				Clip, sleeved (3 off Mk. 8B)	1	—	C.	6
21	26VA/6044295	Std.2046/18/26				Clip, sleeved	1	—	C.	6
21	26VA/6041262	Std.2046/19/24				Clip, sleeved	1	—	C.	6
21	26VA/6041264	Std.2046/20/24				Clip, sleeved	1	—	C.	6
21	26VA/6041265	Std.2046/23/24				Clip, sleeved	3	—	C.	6
21		Std.2046/25/22				Clip, sleeved	2	—		6
21	26VA/6041762	Std.2046/26/22				Clip, sleeved	1	—	C.	6
21	26VA/6041267	Std.2046/27/22				Clip, sleeved	1	—	C.	6
21	26VA/6042337	Std.2046/29/22				Clip, sleeved	1	—	C.	6
21	11384	Std.2046/34/22				Clip, sleeved (3 off Mk. 8B)	1	—	C.	6
21	26VA/6042338	Std.2046/36/22				Clip, sleeved	1	—	C.	6
21		Std.2046/41/22				Clip, sleeved	1	—		6
21	11409	Std.2046/42/22				Clip, sleeved (2 off Mk. 8B)	1	—	C.	6
21	11405	Std.2046/59/20				Clip, sleeved	1	—	C.	6
21	—	Std.2046/61/22				Clip, sleeved	1	—		6
21		Std.2046/63/20				Clip, sleeved	1	—		6
21		Std.2046/67/20				Clip, sleeved	1	—		6
21		Std.2076/27/24				Clip, sleeved	1	—		6
21		Std.2076/35/22				Clip, sleeved	2	—		6
	10216	F.234133				Clip, securing, cable guard to frame 8	1	—	C.	
	12172	A.228425				Connector, for inverters Nos. 1 and 2, group	2	—	B.	
	9339	A.220700				Connector, inverter, No. 3, group	1	—	B.	
						Consisting of:—				
	5F/	—				Braid, flexible, T.C. size 1"	QR	—	C.	
21	5E/9467424	—				Univyn 20	QR	—	C.	
21	5E/9012567	—				Cable, unipren, 24 amp	QR	—	C.	
	5X/4491288	Plessey Z.18500/B				Ferrule	2	—	C.	
	5F/	—				Sleeve, helsyn plus, HT.20 x 3/4"	10	—	C.	
	5X/9525146	Plessey Z.49397				Sleeve (12 amp—24 amps)	6	—	C.	
	5X/1005131	508/2/11232/002				Sleeve (6 amps—12 amps)	6	—	C.	
21	5X/4500126	Plessey				Socket	2	—	C.	
		508/1/03995								
21	5F/1018176	—				Tube, 5/8" i/d	24	P.V.C.	C.	
	6022	A.201761				Connector, for inverter No. 4	1	—	B.	
21	6A/7002018	Smith Waymouth				Connector	2	—	B.	
		CS.21								
		F.262700				Console, centre, group	1	—		
		A.212377				Angle, relay mounting	2	L.72		
		F.227348				Block, taper	2	L.65.C		
	5X/1957032	703/1/00232				Block, terminal, Q.R., 3-way	1	—	B.	
	5CZ/1053794	Rotax N.5.B.N.				Block, terminal, 2-way, No. 1	1	—	B.	
	5CY/4376060	—				Breaker, circuit, type "A", 45 amp	1	—	A.	
						(Pre Mod. 1366)				
	5CW/6423	Rotax N.65291				Bung	QR	—	C.	
	—	D.231645				Cable, form (Pre Mod. 1366)	1	—		
	10C/0145519	Plessey				Capacitor, 500 M.F.D., 50 V.D.C.	1	—	C.	
		CE/4063/40								
21	5CW/4405619	Hellermann				Cap, helvin (sea grey)	5	—	C.	
		HV.3711								
21	5CW/4405620	Hellermann				Cap, helvin (sea grey) (Pre Mod. 1366)	1	—	C.	
		HV.3710								
	8691	F.221234				Clip, for audio delay unit	1	—	C.	
	3739	Std.840/30				Clip, securing tubing, 7/16" wide x	2	DTD.610	C.	4
						22 s.w.g. x 3.0" long				
	4043	Std.851/30				Clip, securing tubing, 7/16" wide x	1	DTD.610	MR/C	4
						22 s.w.g. x 3.0" long				
21	4733	Std.841/36				Clip, securing oxygen pipes, 7/16" wide x	2	L.72	MR/C	4
						22 s.w.g. x 3.6" long				
21	5D/4664325	M.B. Metals Ltd.				Connector, 4 pole, 2.5 amp, 18" long	1	—	B.	
		EL.42887/1								

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	B.215721	CONSOLE, CENTRE, SUB-ASSEMBLY					—	—		
	A.221275	Fitting, pivot					1	L.65.C		
	5CY/4520	Cover, safety (Pre Mod. 1366)					1	—	C.	
	C.257606/1	Diagram, wiring (Pre Mod. 1366)					1	Photo		
	5L/9959118	Filament, 28V, 0.04 amp					3	—	C.	
21	10H/0590111	Fuse, 3 amp					1	—	C.	
	Belling Lee L.1055/3									
21	5CW/4405594	Grommet, at light mounting pillar					1	—	C.	
21	10AP/1039477	Guard, locking, for switch					3	—	C.	
	10H/0590100	Holder, fuse					1	—	C.	
	5CZ/4335719	Indicator, magnetic					2	—	B.	
	CZ.97135/55									
	5CZ/4335573	Indicator, magnetic					1	—	B.	
	CZ.97636/2									
21	5CX/1143869	Light, pillar, clear					2	—	C.	
	80/10/0855									
	13078	Label (Pre Mod. 1366)					1	—	C.	
	10695	Mounting, for light pillar (Mod. 1029)					1	—	C.	
21	10981	Pipe, joint to joint (Oxygen installation)					1	L.67	C.	NK.1
		(AS.1150/36) (Pre Mod. 1366)								
21	8695	Pipe, joint to joint (Oxygen installation)					1	DTD.253	C.	NK.1
21	10982	Pipe, joint to joint					1	L.67	C.	NK.1
	F.223718	Plate, locking, for switch					1	L.72		
	A.212378	Plate, relay mounting					1	L.72		
	A.212379	Plate, relay mounting					1	L.72		
	A.212380	Plate, relay mounting					1	L.72		
	7815	Plate, tapped					2	L.72	MR/C	
	5CW/6719	Relay, type "S", No. 9 (Mod. 779)					16	—	C.	
	10W/0113475	Resistor, 330 ohm, 4.5 watt					1	—	C.	
	5K/	Sleeve, helsyn, HT.30 x 3/4"					1	—	C.	
	5K/	Sleeve, helsyn, HT.20 x 3/4"					14	—	C.	
	5K/	Sleeve, helsyn, HT.75 x 1"					1	—	C.	
	1639	Screw, securing circuit breaker cover					2	Brass	C.	5
	5245	Screw, securing					3	Brass	C.	5
21	5829	Screw, roundhead, 6 B.A.					2	Brass	C.	5
	9451	Screw, securing connector					2	Brass	C.	5
21		Screw, roundhead, 6 B.A.					4	Brass		5
21		Screw, roundhead, 4 B.A.					8	Brass	—	5
21	3838	Screw, roundhead, 4 B.A.					1	Brass	C.	5
	3837	Screw, securing switch					4	Brass	C.	5
	1178	Screw, securing capacitor					1	Brass	C.	5
	1720	Screw, securing terminal block					2	Brass	C.	5
21		Screw, countersunk, 6 B.A.					1	Brass		5
21	5830	Screw, countersunk, 6 B.A.					2	Brass	C.	5
	8697	Screw, securing magnetic switches and					2	Brass	C.	5
		terminal block								
	1638	Screw, securing switches					1	Brass	C.	5
	5CW/1047693	Switches, S.P., change over no "off" position					3	—	B.	
		(Pre Mod. 1366)								
	10F/11714	Switches, S.P., change over Type 170					1	—	B.	
	5CW/1047698	Switch, D.P. (Pre Mod. 1366)					1	—	B.	
21	5CW/1047699	Switch, D.P. (Pre Mod. 1366)					1	—	B.	
	5K/4346693	Tag, C/R, 6 amp (Pre Mod. 1366)					3	—	C.	
	5CW/4405550	Transfer, "OPEN"					1	—	C.	
	5CW/4405551	Transfer, "SHUT"					1	—	C.	
	5CW/1056525	Transfer, "TEST"					1	—	C.	
21	5CW/4405585	Transfer, "NORMAL"					1	—	C.	
	Rotax N.100397/37									

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5F/	—					Tube, 1-1/2" m/m. 2-1/2m/m. i/d	QR	P.V.C.	C.	
5731	Std.1509/12/025					Tube, distance, for relay boxes	1	T.4	MR/C	4
3792	Std.1509/23/025					Tube, distance, for relay boxes	4	T.4	MR/C	4
26VA/6041179	Std.1507/23/020					Tube, distance, for oxygen pipe clipping,	1	T.26	C.	5
						1/4" o/d x 17 s.w.g. x 0.20" long				
	Std.1507/23/040					Tube, distance, for oxygen pipe clipping,	1	T.26		5
						5/16" o/d x 17 s.w.g. x 0.4" long				
						(Pre Mod. 1366)				
—	E.218888/1					Tube, 7/16" i/d x 1-1/4" o/d x 2-1/8" long	1	DTD.625A	LM	
						(Make from 32C/1275062)				
5K/86	AGS.1657/0					Collet	4	—	C.	
5X/9149643	703/1/00266					Cover, 20-way	4	—	C.	
14A/4290458	378/665					Cover, canvas for Camera Gun	1	—	B.	
8545	F.220484					Cover	3	—	C.	
22	F.332727					Dipde assy., for TB.7 (Mod. 1442)	1			
22	10ZZ/35812					Diode	1		C.	
	SL.603M									
22	F.235195					Mounting, diode (Make from 30B/9611011)	1		LM	
22	E.235196					Mounting, diode (Make from 30B/9611011)	1		LM	
	A.323815					Earth point, FR.7 stbd. (Mod. 1378)	—	—		
	Std.1299/1					Stud	1	—		4
5CZ/4335731	Teddington Controls FHJ/A/7					Element, cabin	1	—	A.	
	D.313938					EQUIPMENT, COCKPIT LIGHTING, ASSEMBLY	—	—		
	F.222736					Bracket, lamp mounting	3	BS.265		
	F.229594					Bracket, lamp mounting, on windscreen platform port, side	1	L.72		
22	F.333130					Bracket, lamp mounting, at port G.G.S.	1		LM	
						(Make from 30B/9611218) (Mod. 1440)				
	F.224528					Bracket, lamp mounting, on windscreen platform port side (Pre Mod. 1440)	1	BS.265		
—	A.249008					Bracket, mounting, for dimmer switch	1	L.72		
—	B.223419					Cable, F.120, group (See Cable Chart)	1	—	—	
—	B.230719					Cable, F.121, group (See Cable Chart)	1	—	—	
—	A.223751					Cable, F.135, group (See Cable Chart)	1	—	—	
—	A.228393					Cable, F.141, group (See Cable Chart)	1	—	—	
22	5E/9012998					Cable, uninyvin 16 (Mod. 1440)	QR			
	Std.2045/14/26					Clip, sleeved	2	—		6
	9663					Clip, sleeved	1	—	C.	6
26VA/6044412	Std.2045/17/26					Clip, sleeved	1	—	C.	6
	11227					Clip, sleeved	1	—	C.	6
	11304					Clip, sleeved	1	—	C.	6
	5L/9951271					Filament, 28V., 3.5 watt	11	—	C.	
	5L/9959118					Filament	1	—	C.	
5CX/1041518	—					Lamp, cockpit, type "D", red	11	—	B.	
5CX/1143869	—					Light, pillar	1	—	C.	
	5247					Screw, securing dimmer switches	6	Brass	C.	5
	3859					Screw, securing lamps	12	Brass	C.	5
	5F/9454141					Strapping	QR	—	C.	
	5F/9138822					Stud	QR	—	C.	
5CW/4405515	—					Switch, dimmer, type "R", 135 ohm	1	—	C.	
5CW/4405520	—					Switch, dimmer, type "R", 75 ohm.	1	—	C.	
5F/	—					Tube, 5/16" i/d, thinwall	QR	P.V.C.	C.	
	E.324307					EQUIPMENT IN RADIO BAY, ASSEMBLY	—	—		
						(AS 1400/26)				
5J/9101543	—					Accumulator, lead, acid, 12 volt	2	—	C.	
5935-99-949-6080	Varley					Accumulator, type J (Pre Mod. 1436)	2	—	B.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
6A/4333796	Smiths Waymouth FAB/18					Amplifier	2	—	A.	
5CZ/4335686	Ultra A.234					Amplifier, magnetic	1	—	A.	
5CZ/4335686	or Smiths EC.4/2					Amplifier, magnetic	1	—	A.	
5CZ/4335686	or Smiths EC.4/4 A.324306					Amplifier, magnetic	1	—	A.	
	A.213624					Angle, mounting, top, for circuit breaker	1	L.72		
	C.331985					(AS.1400/26)				
						Angle, mounting bottom, for circuit breaker	1	L.72		
						Battery, with revised venting introduced				
						(Mod. 1436)				
	F.331986					Angle (Mod. 1436) (Make from 30B/9611218)	1	L.72	LM	
	F.331987					Angle (Mod. 1436) (Make from 30B/9611218)	1	L.72	LM	
5J/6546954	Varley					Battery	2	—	B.	
	24.19/25C/V2									
5J/6485307	Varley V2092					Outlet, vent	2	—	C.	
	L187/2									
5X/1004088	Plessey					Block, terminal, 10-way (AS.1400/26)	1	—	C.	
	703/2/00244									
	9744					Bolt, special	4	S.95B	C.	
5X/4500038	AS.2719					Bolt, connection	3	—	C.	
6A/433791	Smiths					Box, connector	1	—	B.	
	Waymouth JX.12									
6A/4333792	Smiths					Box, connector	1	—	B.	
	Waymouth JX.14									
5D/4340940	E & I 3972					Box, junction	2	—	B.	
8482	A.216114					Box, for stand-by batteries (complete with cable PC.13, group)	1	—	B.	
	C.216112					Box, group	1	—		
8483	F.216126					Clip, spring	2	Spr. Stl.	C.	
	F.216127					Packing	1			
	C.225203					BREAKER CIRCUIT, MAIN FEED, ASSEMBLY	—	—		
	A.225186					Angle, mounting, bottom	1	L.72		
	A.225187					Angle, mounting, top	1	L.72		
	B.225184					Bracket, mounting	1	L.72		
	B.225185					Bracket, mounting	1	L.72		
5CY/4376060	—					Breaker, circuit, 45 amp.	6	—	C.	
5CY/4520	—					Cover	6	—	C.	
1639	Std.1606/44/A6					Screw, roundhead, 6 B.A.	12	Brass	C.	5
	Std.1509/23/075					Tube, distance	4	T.4		4
5CY/9992777	—					Breaker, circuit, 25 amps., type A.4	2	—	C.	
5CY/4376383	—					Breaker, circuit, 15 amps., type A.3	1	—	C.	
5CY/9550804	—					Breaker, circuit, 35 amps. (AS1400/26)	1	—	C.	
5CY/4376060	—					Breaker, circuit, 45 amps.	1	—	C.	
5X/9512504	AS.2724					Bus-bar	1	—	C.	
—	B.220706					Cable, F.38, group (See Cable Chart)	1	—	—	
—	A.222006					Cable, F.41, group (See Cable Chart)	1	—	—	
—	B.219903					Cable, F.111, group (See Cable Chart)	1	—	—	
—	B.323174					Cable, F.119, group (See Cable Chart) (Mod. 1407)	1	—	—	
—	B.225156					Cable, F.139, group (See Cable Chart)	1	—	—	
—	A.241838					Channel (AS.1400/26)	1	—		
	Std. 2046/36/22					Clip, securing cable	1	—		6
11294	Std. 2045/25/24					Clip, securing cable to frame 17B	2	DTD.610	C.	6
26VA/6044412	Std. 2045/17/26					Clip, securing cable frame 15	1	DTD.610	C.	6
11227	Std. 2045/21/24					Clip, attaching cable at radio mounting, between ... frames 15 and 16	1	DTD.610	C.	6

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
11738	Std. 2045/23/24					Clip, attaching cable to frame 15	2	DTD.610		6
26VA/6041253	Std. 2045/46/20					Clip, attaching cable to frame 15	2	DTD.610	C.	6
26VA/6041274	Std. 2045/55/20					Clip, attaching cable to frame 15	2	DTD.610	C.	6
11794	Std. 2046/15/26					Clip, sleeved	3	—	C.	6
11304	Std. 2046/21/24					Clip, sleeved	1	—	C.	6
26VA/6042337	Std. 2046/29/22					Clip, sleeved	1	—	C.	6
11793	Std. 2046/38/22					Clip, sleeved	1	—	C.	6
3747	Std. 841/28					Clip, attaching cable to frame 17B	1	L.72	MR/C	4
6A/4333340	Smiths					Connector	1	—	B.	
	Waymouth									
	CA.10									
6680-99-	Smiths					Connector	1	—	B.	
4333101	Waymouth									
	CA.14									
10H/9462765	Plessey					Cover, 10-way terminal block (AS.1400/26)	1	—	C.	
	703/1/00265									
6140-99-	—					Cover, venting (Mod. 1378)	2	—	C.	
4335402	—									
5J/4335379	—					Cover, venting (Pre AS.1360/48) (Pre Mod. 1436)	2	—	C.	
4143	F.170058					Cover, sealing	1	DTD.323	C.	
5CY/4520	—					Cover	3	—	C.	
5K/432948	AGS.1617/9					Disc, blanking	3	—	C.	
5K/4329335	AGS.1658/1					Glandnut	3	—	C.	
5L/9952254	—					Filament, lamp, 24V., 6W., type "J"	2	—	C.	
5X/4500037	AS.2722					Insulator	2	—	C.	
	D.322708					Inverter assy. (Mod. 1378)	—	—		
	A.322707					Angle, mtg., inverter	1	—		
26VA/6044412	Std. 2045/17/26					Clip	1	—	C.	6
26VA/6041265	Std. 2046/23/24					Clip	3	—	C.	6
6125-99-	Ferranti Ltd.					Inverter, type F.145E	1	—	A.	
1141728	—									
5CW/4405753	Std. 1299/1					Stud	1	—		4
	—					Switch, magnetic relay, type 9B No. 1A	1	—	C.	
	F.250898/1					Label, for ARM.JB.7	1	—		
	F.241837/1					Label, TB.116	1	—		
5CX/4330002	—					Lamp, cockpit, Mk. 1A	1	—	B.	
	F.213042					Packing, at frame 17B	1	L.72		
	D.256020					PANEL, GENERATOR, CONTROL, ASSEMBLY	—	—	—	
5X/	703/2/00471/100					Bar, commoning, 2-way	1	—	C.	
5X/4491482	703/1/00420					Block, fuse, with identification tags, less cover	2	—	C.	
5X/1004088	703/2/00244					Block, terminal, 10-way	1	—	C.	
	F.196207					Bolt, special, for securing links	2	BSS.250B		
20230	F.243541					Bolt, special	4	BSS.249	C.	
20386	B.255975					Bracket, mounting, for switch	1	L.72	C.	
	A.198117					Bracket, mounting	1	DTD.610		
5CY/9550803	—					Breaker, circuit, type A. No. 2 10amp.	2	—	C.	
5CY/4376491	—					Breaker, circuit, type "D", 1B	2	—	C.	
5CW/6423	Rotax					Bung, sealing	4	—	C.	
	N.65291									
	AS.2723					Bus-bar, 2-way	4	—	—	
—	D.255924					Cable, F.49, group (See Cable Chart)	1	—	—	
—	B.205481					Cable, F.52, group (See Cable Chart)	1	—	—	
	B.242350					Cable, F.149, group (See Cable Chart)	1	—	—	
5CY/4520	—					Cap, protective	2	—	C.	
3735	Std. 840/16					Clip, securing cable	1	L.72	MR/C	4
3971	Std. 840/19					Clip, securing cable	2	L.72	MR/C	4
4768	Std. 841/14					Clip, securing cable	1	L.72	MR/C	4
4769	Std. 843/10					Clip, securing cable	1	S.3	MR/C	4
	Std. 2045/18/25					Clip, sleeved	1	S.510		6
11738	Std. 2045/23/24					Clip, sleeved	3	S.510	C.	6
11294	Std. 2045/25/24					Clip, sleeved	1	S.510	C.	6

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
11209	Std. 2045/34/22					Clip, sleeved	1	S.51	C.	6
5CY/4376508	—					Cut-out, type "A", Mk. 2	2	—	A.	
	C.255922/1					Diagram, wiring	1	Photo		
10H/4709560	—					Fuse, 5 amp., type "S"	7	—	C.	
10H/4709561	—					Fuse, 10 amp., type "S"	1	—	C.	
10H/7153091	—					Fuse, 124 amp., type T.F.P.	2	—	C.	
5X/9131181	Z.1841					Grommet	2	—	C.	
5CZ/4335566	Dowty					Indicator, magnetic	2	—	A.	
	C.5165.Y Mk.1									
5X/1012122	703/2/00259					Link, commoning, 10-way	1	—	C.	
	A.190681					Link, connecting	1	BSS.1433 or BS.2870- C101		
4181	A.190682					Link, connecting	1	BSS.1433	C.	
4182	A.190683					Link, connecting	1	BSS.1433	C.	
4183	A.190684					Link, connecting	1	BSS.1433	C.	
4184	F.190685					Link, connecting	1	BSS.1433 or BS.2870- C101	C.	
4185	B.190680					Link, connecting	1	BSS.1433	C.	
	F.236504					Lug, locking	1	S.510		
	A.245757					Mounting, fuse, group	1	—		
	B.245732					Base	1	Plastic		
20229	A.245731					Clip, spring	1	DTD.215	C.	
20228	B.245733					Cover	2	—	C.	
	D.258849					Panel, detail, group	1	—		
20475	A.258764					Angle, relay mounting	1	S.510	C.	
20476	A.258765					Angle, relay mounting	1	S.510	C.	
28FP/9425773	Dzus					Fastener	4	—	C.	
	AJW.5/35									
5UC/4379166	—					Regulator, voltage, type 94	2	—	A.	
5CW/6719	—					Relay, type "S", No. 9	4	—	C.	
5CW/1057583	—					Relay, type 20B, No. 3	2	—	A.	
5UC/4379135	—					Resistance, trimmer, remove, type 3, 5 ohms	2	—	C.	
5Q/4347802	—					Shunt, ammeter, 200 amps., 50 M/V	2	—	C.	
5CY/4376392	—					Socket, 3 pole, 2 amps.	4	—	C.	
5CW/1047697	—					Switch, D.P., change over no "off" position	2	—	C.	
5CW/4405753	Smiths RD.1					Switch, magnetic relay, type 9B, No. 1A	4	—	C.	
5CW/6185	Pullen & B.T.H.					Switch, magnetic relay, type "R"	1	—	A.	
5CW/1047695	—					Switch, flight instrument inverter	2	—	A.	
5CW/4407828	—					Switch, S.P.	1	—	C.	
5CW/4405585	Rotax					Transfer, "NORMAL"	2	—	C.	
	N.100397/37									
26VA/6041211	Std. 1509/12/174					Tube, distance, at bolts securing relays	1	T.4		4
	Std. 1509/23/026					Tube, distance, 5/16" o/d x 17 s.w.g. x 0.26" long	4	T.4	C.	4
5781	Std. 915/E.20					Washer, at differential cut-out	4	DTD.610	C.	4
	Std. 1546/36/16					Washer, profile	1	—		4
6416186	Std. 915/B16					Washer	1	—	C.	4
	E.255988					PANEL SUPPLY, ASSEMBLY	—	—		
22	7623453					Bar, ganging (Mod. 1430)	1	—	C.	
5X/4491482	703/1/00420					Block, fuse	12	—	C.	
5X/1002695	703/1/00249					Block, terminal	8	—	C.	
—	D.227998					Cable, A.7, group (See Cable Chart)	1	—	—	
—	B.220702					Cable, A.10 group (See Cable Chart)	1	—	—	
—	B.221959					Cable, C.1, form (See Cable Chart)	1	—	—	
—	B.221960					Cable, C.2, form (See Cable Chart)	1	—	—	
—	B.221961					Cable, C.4, form (See Cable Chart)	1	—	—	
—	C.217769					Cable, F.2, group (See Cable Chart)	1	—	—	
—	C.217736					Cable, F.4, group (See Cable Chart)	1	—	—	
—	C.217770					Cable, F.7, group (See Cable Chart)	1	—	—	
—	C.217771					Cable, F.9, group (See Cable Chart)	1	—	—	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
22	5E/9012998	—	D.256198		Cable, F.21, group (See Cable Chart)		1	—	—	
		—	D.233534		Cable, F.23, group (See Cable Chart)		1	—	—	
		—	B.227881		Cable, F.72, group (See Cable Chart)		1	—	—	
		—	B.223587		Cable, F.81, group (See Cable Chart)		1	—	—	
		20387	B.255984		Cable, F.137, group (See Cable Chart)		1	—	B.	
		—	B.220645		Cable, PC.17, group (See Cable Chart)		1	—	—	
		—	—		Cable, uninyvin 16 (Mod. 1430)		Q/R	—	C.	
		—	A.240910		Chain, link		1	—	—	
		—	A.241858		Channel		1	L.72	—	
		—	A.223553		Clamp, retaining cables		1	L.72	—	
22	11405	—	Std. 2046/49/20		Clip, sleeved		2	—	—	6
		—	Std. 2046/59/20		Clip, sleeved		3	—	C.	6
		—	Std. 2046/67/20		Clip, sleeved		1	—	—	6
		—	Std. 2076/21/24		Clip, sleeved		1	—	—	6
		—	Std. 2076/27/24		Clip, sleeved		2	—	—	6
		6024	F.209038		Clip		1	L.72	MR/C	
		6025	F.209039		Clip		1	L.72	MR/C	
		—	D.331670/1		Diagram, wiring (Mod. 1430)		1	Photo	—	
		10H/4709559	—		Fuse, 2.5 amp.		QR	—	C.	
		10H/4709560	—		Fuse, 5 amp.		QR	—	C.	
22	5X/9450403	—	10H/4709561		Fuse, 10 amp.		QR	—	C.	
		—	10H/4695448		Fuse, 20 amp.		QR	—	C.	
		—	10H/1043043		Fuse, 2.5 amp. HRC (Mod. 1409)		3	—	C.	
		—	10H/1043046		Fuse, 20 amp. HRC (Mod. 1409)		1	—	C.	
		—	10H/1047920		Fuse, dummy type "S" (Mod. 1441)		QR	—	C.	
		5X/1004082	703/2/00251		Link, commoning, 2-way		4	—	C.	
		5X/1012122	703/2/00259		Link, commoning, 10-way		2	—	C.	
		5X/1004086	703/2/00260		Link, commoning, transverse		2	—	C.	
		5X/	703/2/00467		Link, commoning, L.H.		5	—	C.	
		5X/	703/2/00468		Link, commoning, R.H.		5	—	C.	
22	5X/9450403	—	A.223552		Packing, for clamp retaining cables		1	Comm'l Aluminium	—	
		—	D.212103		Panel, supply, group		1	—	—	
		—	B.211911		Channel, support		1	L.72	—	
		—	B.211912		Channel, support		1	L.72	—	
		—	F.211946		Link, attachment, at bottom of panel		1	L.72	—	
		—	F.211947		Link, attachment, at bottom of panel		1	L.72	—	
		—	703/2/0267		Pillar		2	—	C.	
		—	D.221216		PANEL, SUPPLY, DETAIL AND ASSEMBLY		—	—	—	
		8701	F.221284		Plate, bolt		2	—	C.	
		—	C.186214		Plate, plug and landing, group		1	—	—	
22	28FP/1201748	—	Dzus S5.200		Spring		4	—	C.	
		3762	Std. 915/A/18		Washer		8	—	MR/C	4
		—	Std. 1509/26/060		Tube, distance, 3/8" o/d x 17 s.w.g. x		2	T.4	—	4
		—	—		0.6" long		—	—	—	
		—	Std. 1509/24/058		Tube, distance, 3/8" o/d x 17 s.w.g. x		4	T.4	—	4
		—	—		0.58" long		—	—	—	
		3997	Std. 1548/20/16		Washer, radiused		2	DTD.610	MR/C	4
		6026	A.204928		Plate, mounting, for fuse block		1	L.72	MR/C	
		6027	F.204929		Plate, mounting, for fuse block		1	L.72	MR/C	
		6028	F.204930		Plate, mounting, for fuse blocks		5	L.72	MR/C	
22	5CW/6719	—	F.215693		Plate, adapter		1	—	—	
		—	F.206917		Plate, tapped		1	L.72	MR/C	
		—	F.206918		Plate, tapped		3	L.72	MR/C	
		—	A.223651		Relay, "X", group (Pre Mod. 1381)		1	—	—	
		—	—		Switch, magnetic relay, type "S", No. 9		1	—	C.	
		—	A.223652		Relay, "Y", group		1	—	C.	
		—	—		Switch, magnetic relay, type "S", No. 7		1	—	C.	
		5CW/9729122	—		—		—	—	—	

ELECTRICAL EQUIPMENT—REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5CW/4405753	Smiths RD.1					Relay, type "9B", No. 1	1	—	C.	
5CW/4400018	—					Relay, type "Q"	2	—	C.	
	F.223649					Resistor, No. 2, group	1	—		
10W/0113042	—					Resistor, 120 ohms	1	—	C.	
	F.223650					Resistor, No. 3, group	1	—		
10W/0113040	—					Resistor, 100 ohms	1	—	C.	
5K/9107065	—					Sleeve, helsyn A.P.	QR	—	C.	
22	Hellermann					Sleeve, helsyn 150 HT50 x 1-1/2" (Mod. 1430) ...	1	—		
6A/1053066	Sangamo Weston					Spool, adjustable	1	—	B.	
	FD.871									
22	5X/9462951					Tag (Mod. 1430)	1	—	C.	
	HC.294									
22	5X/9450396					Tag (Mod. 1430)	1	—	C.	
	HC.490									
22	11561					Washer (Mod. 1430)	1	—	C.	
	F.224693					Piece, distance	4	L.65.C		
5X/9450403	Plessey					Pillar, fixing (AS.1400/26)	2	—	C.	
	703/2/00267									
	F.225202					Plate, mounting, inertia switch	1	L.72		
5J/4335402	—					Plug, blanking (Mod. 1407) (Pre Mod. 1436)	2	—	C.	
5CY/1054157	EL.35659					Plug, external supply	1	—	C.	
5CZ/	22508/685°					Resistor, plug-in	1	—	B.	
3838	Std. 1606/44/B8					Screw, securing switch	4	Brass	C.	5
3839	Std. 1606/44/B16					Screw, securing breaker covers (6 off used Mk. 8B)	8	Brass	C.	5
4661	Std. 1606/45/B14					Screw, securing socket	3	Brass	C.	5
5CY/4376392	—					Socket, 3 pole, 2 amp.	1	—	C.	
5F/9454141	NY.18007A					Strapping	QR	—	C.	
5F/9138822	NY.3342					Stud	QR	—	C.	
27N/4526464	—					Switch, inertia, Mk. 1, type S.3	3	—	A.	
5CW/4405585	Rotax					Transfer, "NORMAL"	1	—	C.	
	N.100397/37									
5CW/1056625	Rotax N. 100397/1					Transfer, "TEST"	1	—	C.	
5F/	—					Tube, 5/16" i/d, thinwall	QR	—	C.	
26VA/6034610	Std. 1509/23/060					Tube, distance, 5/16" o/d x 17 s.w.g. x 0.6" long	2	T.4	C.	4
	Std. 1509/24/052					Tube, distance, 3/8" o/d x 17 s.w.g. x 0.52" long	1	T.4		4
32C/1050	—					Tubing, type "Maricon" H, for accumulator drain	QR	—	C.	
3953	Std. 915/E.22					Washer	4	—	C.	4
	C.222221					EQUIPMENT, ON PORT FORWARD SHELF ASSEMBLY				
	B.238563					Box, switch, group	1	—		
10966	B.238564					Box, group	1	—	B.	
	A.238566					Cover	1	—		
	F.238573					Level, operating	1	S.518 & T.4		
	F.238574					Level, operating	1	S.518 & T.4		
	F.240559					Plate-back	1	L.72		
10495	F.238579					Spindle, tappet	1	—	C.	
1642	F.190212					Spring	1	Sp. Stl.	C.	
10496	F.238576					Spring	1	Sp. Stl.	C.	
10562	F.240558					Spring	1	Sp. Spl.	C.	
	Std. 1509/12/046					Tube, distance	1	T.4		4
5CY/4376481	B.T.H. Ltd.					Breaker, circuit, type (LGA.24B1/1)	1	—	A.	
	Std. 1606/44/B6					Screw, securing switch	2	Brass		5
3838	Std. 1606/44/B8					Screw, securing circuit breaker	2	Brass	C.	5
5CW/4407828	—					Switch, S.P., change-over, centre "OFF" spring return both ways	1	—	B.	
5CW/4405557	—					Transfer, "UP"	1	—	C.	
5CW/1055022	—					Transfer, "DOWN"	1	—	C.	
	Std. 1509/12/078					Tube, distance	2	T.4		4
—	C.217606					Cable, F.28 (See Cable Chart)	1	—		
—	A.241191					Cable, F.165 (See Cable Chart)	1	—		
—	A.261150					Cable, F.207, group (See Cable Chart)	1	—		

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
3741	Std. 840/20					Clip, 7/16" wide x 22 s.w.g. x 2.0" long	1	DTD.610	C.	4
26VA/6041261	Std. 2046/18/24					Clip, sleeved	1	—	C.	6
5L/9951273	—					Filament, 28 volt, 3.5 watt	1	—	B.	
10AP/1039477	—					Guard, locking, for switch	1	—	C.	
6A/4333339	Smiths 501/FL					Indicator, position trim	1	—	A.	
5CX/1085815	Rotax H.2702					Lamp, warning, type "A", red, without night screen	1	—	C.	
	B.233279					Lock, for trim switch, N256, group	1	—		
	AW.49161					Bracket, mounting	1	—		
	AW.49164					Clip	1	—		
	A.233268					Lever	1	S.510		
5700	AW.49162					Plunger	1	—	MR/C	
5701	AW.49163					Spring	1	—	MR/C	
	AS.2806					Tube, distance	1	—		
	AW.88052/7					Washer	1	—		
	AW.88052/8					Washer	1	—		
	C.234304					Panel, port top cockpit shelf	1	L.72		
	F.241192					Plate, mounting connector	1	L.72		
3838	Std. 1606/44/B8					Screw, roundhead, 4 B.A.	7	Brass	C.	5
1637	Std. 1606/44/B14					Screw, roundhead, 4 B.A.	1	Brass	C.	5
3839	Std. 1606/44/B16					Screw, roundhead, 4 B.A.	2	Brass	C.	5
3856	Std. 1606/44/C20					Screw, roundhead, 2 B.A.	3	Brass	C.	5
3857	Std. 1606/44/C24					Screw, securing trim switch	1	Brass	C.	5
5K/	Hellermann					Sleeve, P.V.C., 0.9" long	1	—	C.	
5CW/1047690	—					Switch, S.P., "on-off", upright "off"	1	—	C.	
5CW/4400035	Western Mfg. LS.1611					Switch, trim, Mk. 8/2	1	—	A.	
	C.235435					EQUIPMENT, ON STARBOARD, FORWARD SHELF, ASSEMBLY	—	—		
	F.213003					Angle, support for switch	1	L.72		
	F.213004					Angle, support for switch	1	L.72		
	A.213138					Bracket, mounting, for trim switch lever	1	—		
5CY/4376060	—					Breaker, circuit, type "A", No. 6	1	—	A.	
—	B.217570					Cable, F.93, group (See Cable Chart)	1	—	—	
—	C.235433					Cable, F.99, group (See Cable Chart)	1	—	—	
	F.213142					Cam, at mounting bracket	1	—		
8698	A.213360					Cover, for circuit breaker, group	1	—	C.	
	F.213303					Bracket	1	L.72		
	A.213302					Cover	1	—		
	F.213304					Spring	1	PH. Bronze Wire		
11845	B.223749					Housing, for armament safety switch	1	—	C.	
6A/4333339	Smiths 501/FL					Indicator, position	1	—	A.	
13055	F.232499					Label	1	L.16		
	A.213139					Lever, actuating trim switch	1	—		
3815	Std. 1547/20/14					Packing	6	DTD.610	MR/C	4
5700	AW.49162					Plunger	1	S.1	MR/C	
	F.213140					Rod, actuating, adjustable, group	1	—		
8699	F.213195					Screw, adjusting	1	S.1	C.	
1178	Std. 1606/44/B12					Screw, roundhead, 4 B.A.	4	Brass	C.	5
3839	Std. 1606/44/B16					Screw, roundhead, 4 B.A.	2	Brass	C.	5
3856	Std. 1606/44/C20					Screw, roundhead, 2 B.A.	2	Brass	C.	5
3857	Std. 1606/44/C24					Screw, roundhead, 2 B.A.	2	Brass	C.	5
	C.235434					Shelf, starboard, forward portion, group	1	—		
29G/4658548	CARR 882					Stud (Lift the Dot)	1	—	C.	
5701	AW.49163					Spring	1	Steel	MR/C	
5CW/4400328	Dowty C.1831.Y Mk. 102C					Switch, armament safety	1	—	A.	
5CW/4400035	LS.1611					Switch, trim, Mk. 8/2	1	—	A.	
5CW/1047693	—					Switch, S.P.C.D., no centre off (Mod. 1041)	2	—	C.	
	C.213457/1					Washer, at lever attachment	1	S.510		

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5X/1931479	—	Grommet, dummy					1	—	C.	
12641	F.222049	Guard, locking					1	—	C.	
	A.231028	Guard, cable					2	—		
	C.227917	Guard, cable					1	L.72		
	B.227595	Guard, cable, forward					1	L.72		
11354	B.227596	Guard, cable, centre					1	L.72	C.	
12192	B.227597	Guard, cable, aft					1	L.72	C.	
5CZ/4335566	Dowty	Indicator, magnetic					1	—	A.	
	C.5165.Y Mk. 1									
	C.222598	INVERTERS, INSTALLATION, ASSEMBLY					—	—		
5UB/4938	—	Inverter, type 100A					4	—	A.	
12468	B.222533	Mounting, inverter, group					4	—	B.	
	F.222535	Bush, special					4	S.1		
	F.222536	Bolt, special					1	S.1		
663	F.183670	Collar					2	S.1	C.	
	F.222544	Handle, catch					2	S.95B or S.154		
	B.222405	Mounting					1	L.53		
	F.222534	Pin, catch					1	S.95B or S.154		
	F.222537	Spring					2	20G Spr. Stl.		
5UC/6369631	—	Panel, control, type 12					4	—	A.	
	F.231002	Label, for Hood switch					1	DTD.213		
20391	F.257701/1	Label, for T.B.1 (Pre AS. 1360/48)					1	Photo	C.	
	F.223015/1	Label, for T.B.2					1	Photo		
20388	F.256132/1	Label, for T.B.4 (Pre AS. 1360/48)					1	Photo	C.	
	F.232467/1	Label, for T.B.5					1	Photo		
22	F.326623/1	Label, T.B.7 (Mod. 1380) (Pre Mod. 1442)					1	Photo		
22	F.332767/1	Label, T.B.7 (Mod. 1442, Mod. 1380, Mod. 1392,					1	Photo		
		Pre Mod. 1430)								
22	F.320489/1	Label, T.B.7 (Mod. 1392) (Pre Mod. 1442)					1	Photo		
22	F.332768/1	Label, T.B.7 (Mod. 1442 Pre Mod. 1380, Mod. 1392)					1	Photo		
22	F.331668/1	Label, T.B.7 (Mod. 1430) (Pre Mod. 1442)					1	Photo		
22	F.332769/1	Label, T.B.7 (Mod. 1442, Mod. 1380, Mod. 1392,					1	Photo		
		Mod. 1430)								
	F.223019/1	Label, for T.B.80					1	Photo		
	F.317999/1	Label, for T.B.100 (Mod. 1378)					1	Photo		
	D.323590	LIGHT INSTALLATION, GRIMES					1	—		
		(Mod. 1409)								
	781 Sht. 4	Breaker, circuit, installation					1	—		
	673 Sht. 6	Cable, routing					1	—		
	781 Sht. 16	Connector, NSM.3054-L1					1	—		
	781 Sht. 17	Connector, NSM.3054-L2					1	—		
	781 Sht. 18	Connector, NSM.3054-L3					1	—		
	781 Sht. 19	Connector, NSM.3054-L4					1	—		
	781 Sht. 20	Connector, NSM.3054-L5					1	—		
	781 Sht. 21	Connector, NSM.3054-L6					1	—		
	781 Sht. 22	Connector, NSM.3054-L7					1	—		
	781 Sht. 23	Connector, NSM.3054-L8					1	—		
	781 Sht. 24	Diagram, wiring					1	—		
	781 Sht. 2	Duct, air cooling, installation					1	—		
	781 Sht. 1	Light installation, Grimes					1	—		
	673 Sht. 3	Relay, installation					1	—		
	781 Sht. 5	Switch, warning lamp instrn.					1	—		
5X/1004082	703/2/00251	Link, commoning					10	—	C.	
4752	Std. 1231/9	Lug, locking, 4 B.A.					1	—	MR/C	4
8543	F.218495	Mounting					12	Rubber	C.	
6733	A.207436	Nut, special					1	—	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
22						Link assy., wire	1			
22	5E/1933440	—				Cable, minyvin 20 (Alt. to 5E/2236873) or 5E/0149438)	6"		C.	
22	5E/2236873	—				Wire, equip. PTFE type "B" 19/.0076 (Alt. to 5E/1933440 or 5E/0149438)	6"		C.	
22	5E/0149438	—				Wire, equip. PTFE type "B" 19/0.020mm (Alt. to 5E/1933440 or 5E/2236873)	6"		C.	
22		Hellermann				Sleeve, helvyn yellow	2		LM	
		150HT15 x 3/4				(Make from 5F/9133792)				
22		Std. 2133/11				Sleeve, marker (Make from 26FX/13045)	1		LM	
22		Std. 2133/21				Sleeve, marker (Make from 5F/5133790)	2		LM	
22	5X/9133790	Hellermann				Tag, ring	2		C.	
		HC.296B								
		C.218570				Panel, A.C. supplies circuit breaker, group	1	—		
5CY/4376383	—					Breaker, circuit, type A, No.3, 15 amps	4	—	A.	
		B.218569				Cable, F.34, group (See Cable Chart)	1	—	—	
		A.209700				Ferrule, code 44	1	L.65.C		
5CW/4405620	Hellermann					Cap, helv(n) (sea grey)	1	—	C.	
		HV.3710								
	5CY/4520	—				Cover, safety	4	—	B.	
	1639	Std. 1606/44/A6				Screw, roundhead, 6 B.A.	8	Brass	C.	5
		Std. 1606/44/B6				Screw, roundhead, 4 B.A.	4	Brass	—	5
	1943	Std. 1606/45/B16				Screw, countersunk, 4 B.A.	3	Brass	C.	5
5CY/4376392	—					Socket, 3 pole, 2 amp	1	—	C.	
5CW/1047698	—					Switch, D.P. "centre off" spring return	1	—	B.	
						both ways				
5CW/1056625	Rotax N. 100397/7					Transfer, "TEST"	2	—	C.	
5CW/4405581	Rotax					Transfer, "PORT"	1	—	C.	
	N.100397/33									
5CW/4405582	Rotax					Transfer, "STARBOARD"	1	—	C.	
	N.100397/34									
	A.220711					Panel, control, between frames 10 and 11	1	L.72		
	F.262699					Panel, leg, port, group	1	—		
5X/1004088	703/2/0244					Block, terminal, 10-way	1	—	C.	
	C.237109					Cable, form (See Cable Chart)	1	—		
	8700	A.212014				Cover, access, group	1	—	C.	
28FP/9144248	Dzus A4.25					Fastener	6	—	C.	
	B.257607/1					Diagram, wiring	1	Photo		
	Std. 1512/1					Disc, identification	2	—	C.	4
5L/9959118	—					Filament, 28V, 0.04 amp	1	—	C.	
5L/9951273	—					Filament, 28 volts, 3.5 watt	2	—	C.	
5CW/4405594	Rotax N.65290					Grommet, at attachment of bridge light	1	—	C.	
5CX/1085815	Rotax H.2702 Red					Lamp, warning, type "B"	2	—	C.	
	F.213272					Lever, for switch plate (Make from 30A/9610250)	4	S.510	—	
	A.188310					Lever, rudder bar release, group	1	—		
	1649	F.188308				Lever	1	T.26 or T.45	C.	
	1650	F.188311				Shackle	1	S.510	C.	
5CX/1143223	Thorn 80/10/1483					Light, bridge, for ratiometer oil indicator	1	—	B.	
5X/4491423	703/2/00253					Link, 4-way	1	—	C.	
5X/9400389	703/2/00263					Lug	2	—	C.	
	4490	F.199451				Nut, special, at transfer "on" and "off" switch	1	L.65.C	C.	
	A.217235					Panel, mounting, for cartridge selector switch	1	L.72		
	B.212009					Panel, mounting, for oil P.S.I.	1	L.72		
	F.237059					Plate, blanking (Mod. 874)	1	—		
26VA/6034665	A.237108					Plate, switch (Mod. 874)	1	—	C.	
	12410	A.215168				Plate, switch (Pre Mod. 874)	1	L.72	C.	
	7813	F.206916				Plate, tapped	2	L.72	MR/C	
	7815	F.206918				Plate, tapped	2	L.72	MR/C	
		F.233330				Plate, reinforcing	2	L.72		

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5CW/	Rotax					Switch	2	—	B.	
5CW/4402866	Teddington Controls FHM/A/25					Switch, time delay	1	—	A.	
5CW/4402899	Teddington Controls FHO/A/96					Thermostat	1	—	A.	
5CW/1055544	Rotax N.100397/1					Transfer, "ON"	1	—	C.	
5CW/1055545	Rotax N.100397/2					Transfer, "OFF"	1	—	C.	
5CW/4405550	Rotax N.100397/5					Transfer, "OPEN"	1	—	C.	
5CW/4405554	Rotax N.100397/11					Transfer, "CLOSE"	1	—	C.	
5F/	—					Tube, 5/16" i/d	QR	P.V.C.	C.	
	Std.1507/23/085					Tube, distance, 5/16" o/d x 17 s.w.g. x 0.85" long	2	T.26		
	Std.1509/13/075					Tube, distance, 1/4" o/d x 22 s.w.g. x 0.75" long	1	T.4		
4042	Std.1509/23/030					Tube, distance, 5/16" o/d x 22 s.w.g. x 0.30" long	1	T.4	MR/C	
26VA/6039105	Std.1503/23/058					Tube, distance, 5/16" o/d x 17 s.w.g. x 0.58" long	2	T.4	C.	
	Std.1509/23/084					Tube, distance, 5/16" o/d x 17 s.w.g. x 0.84" long	6	T.4		
26VA/6034595	Std.1509/23/090					Tube, distance	1	T.4	C.	
6A/	—					Unit, control, type "B"	1	—	A.	
5CZ/1044107	—					Unit, flasher, type "A"	1	—	A.	
	C.325497					Unit, P.E.C. & fuseholder, assy. (Mod.1378)	1	—		
	Std.1208/44/16/20					Washer, at F.5 suppressor outlet	1	—		
	Std.1335C					Washer at earthing point	10	—		
7060	F.207437					Washer	1	DTD.171	C.	
7169	Std.915/C/18					Washer	2	DTD.610	MR/C	
5407	Std.915/T/18					Washer	6	DTD.610	C.	
6416186	Std.915/B16					Washer, profile	1	—	C.	
1940	Std.1231/1					Washer, tab	1	—	C.	



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.