

ELECTRICAL EQUIPMENT—REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.230735	ELECTRICAL EQUIPMENT IN REAR FUSELAGE, ASSEMBLY					—	—		
	B.231138	Additional details, assembly					—	—		
21	11070	A.234149	Bracket				1	—	C.	
21	5CZ/1053794	—	Block, terminal, 2-way				1	—	C.	
21	9663	Std. 2045/19/24	Clip, securing cables				1	—	C.	6
21		Std. 2046/16/24	Clip, securing cables				3	—		6
21		Std. 2046/19/24	Clip, securing cables				1	—		6
21		Std. 2046/21/26	Clip, securing cables				2	—		6
21		Std. 2046/23/24	Clip, securing cables				1	—		6
		B.239483	Fuse, test tailchute, group				1	—		
	10H/	Belling Lee	Fuse, 0.5 amp.				1	—	C.	
		L.562-0-500								
	10H/0590170	Belling Lee	Holder, fuse				1	—	C.	
		F.221261	Label, for terminal block				1	—		
21	28FP/1243707	Aviation	Pin, pip				2	—	C.	
		Development								
		A.405 Mk. 5								
21	5W/4520750	Rotax A.1612	Actuator, tailplane				1	—	A.	
21	5W/4520787	ADWEST	Actuator, EJ.25 Mk. 1F (Mod. 1304)				1	—	C.	
	5X/1004088	703/2/00244	Block, terminal, 10-way				1	—	C.	
		A.243093	BLOCK, TERMINAL, N.42, ASSEMBLY				—	—		
	5X/3276	703/1/00226	Block, terminal, 2-way				1	—	C.	
	5X/3272	703/1/00262	Cover				1	—	C.	
	4177	F.197297	Pillar				2	—	C.	
		B.206440	BLOCK, TERMINAL, No. 43, ASSEMBLY				—	—		
21	5X/1004088	703/2/00244	Block, terminal, 10-way				1	—	C.	
	10H/9462765	703/1/00265	Cover				1	—	C.	
	5X/9450403	703/2/00267	Pillar				2	—	C.	
		A.222784	BLOCK, TERMINAL, No. 44, ASSEMBLY				—	—		
21	5X/1004088	703/2/00244	Block, terminal, 10-way				1	—	C.	
	10H/9462765	703/1/00265	Cover				1	—	C.	
	5X/1004082	703/2/00251	Link, commoning				3	—	C.	
	4177	F.197297	Pillar				2	—	C.	
		A.206250	BLOCK, TERMINAL, No. 45, ASSEMBLY				—	—		
	5X/1002694	703/1/00238	Block, terminal, 5-way				1	—	C.	
	5X/9149641	703/1/00264	Cover				1	—	C.	
	5X/9450403	703/2/00267	Pillar				2	—	C.	
		B.230612	BLOCK, TERMINAL, Nos. 47 AND 48, ASSEMBLY				—	—		
	5X/1002695	703/1/00249	Block, terminal, 20-way				1	—	C.	
	5X/1004088	703/2/00244	Block, terminal, 10-way				1	—	C.	

ELECTRICAL EQUIPMENT-REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
21	8677	F.217908				Block, packing	4	LFS.21	C.	
	5X/9149643	703/1/00266				Cover	1	—	C.	
	10H/9462765	703/1/00265				Cover	1	—	C.	
	5X/1004082	703/2/00251				Link, commoning, 2-way	3	—	C.	
	5X/1012123	703/2/00259				Link, commoning, 10-way	1	—	C.	
	4177	F.197297				Pillar	4	—	C.	
		A.206441				BLOCK, TERMINAL, No. 56, ASSEMBLY	—	—		
	5X/1002694	703/1/00238				Block, terminal, 5-way	1	—	C.	
	5X/9149641	703/1/00264				Cover	1	—	C.	
	4177	F.197297				Pillar (AS.840/47)	2	—	C.	
		A.210747				BLOCK, TERMINAL, No. 58, ASSEMBLY	—	—		
	7056	A.210157				Block, terminal	1	—	B.	
		A.210713				Bracket, mounting	1	L.72		
		A.222373				BLOCK, TERMINAL, No. 79, ASSEMBLY	—	—		
	5X/1002694	703/1/00238				Block, terminal, 5-way	1	—	C.	
	5X/9149641	703/1/00264				Cover	1	—	C.	
	5X/9450403	703/1/00267				Pillar	2	—	C.	
		A.216488				BLOCK, TERMINAL, No. 87, ASSEMBLY	—	—		
	5X/1002694	703/1/00238				Block, terminal, 5-way	1	—	C.	
	5X/9149641	703/1/00264				Cover	1	—	C.	
	5X/9450403	703/2/00267				Pillar	2	—	C.	
	2146	A.189842				Bolt, special, at lower end of actuator	1	S.99.B	C.	
		A.209068				Bracket, mounting, for test socket	1	L.62		
	—	C.227299				Cable, R. 1, group (See Cable Chart)	1	—	—	
	—	C.257958				Cable, R. 2, group (See Cable Chart)	1	—	—	
	8596	D.199822				Cable, R. 3, group (See Cable Chart)	1	—	B.	
	—	B.206009				Cable, R. 6, group (See Cable Chart)	1	—	—	
	—	B.205484				Cable, R. 7, group (See Cable Chart)	1	—	—	
	—	B.201976				Cable, R. 8, group (See Cable Chart)	1	—	—	
	—	B.205494				Cable, R. 9, group (See Cable Chart)	1	—	—	
	—	B.201997				Cable, R. 10, group (See Cable Chart)	1	—	—	
	—	B.205495				Cable, R. 11, group (See Cable Chart)	1	—	—	
	11397	C.257960				Cable, R. 12, group (See Cable Chart)	1	—	—	
	11398	B.257961				Cable, R. 13, group (See Cable Chart)	1	—	B.	
	11399	C.257962				Cable, R. 14, group (See Cable Chart)	1	—	B.	
	11394	C.258450				Cable, R. 16, group (See Cable Chart)	1	—	B.	
	11393	C.257963				Cable, R. 18, group (See Cable Chart)	1	—	B.	
	—	B.205545				Cable, R. 20, group (See Cable Chart)	1	—	—	
	—	B.205699				Cable, R. 21, group (See Cable Chart)	1	—	—	
	—	B.208717				Cable, R. 24, group (See Cable Chart)	1	—	—	
	—	C.209067				Cable, R. 26, group (See Cable Chart)	1	—	—	

ELECTRICAL EQUIPMENT—REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
		C.216074	Cable, R.34, group (See Cable Chart)				1	—	—	
	11395	C.254676	Cable, R.36, group (See Cable Chart)				1	—	B.	
	—	B.237845	Cable, R.37, group (See Cable Chart)				1	—	—	
21	5D/4341060	M & B Metals	Contactor, No. 1, Mk. 2				1	—	C.	
21	11385	F.238561	Cover				1	LFS.21	C.	
21	10431	F.221270	Nut, barrel				1	B.11	C.	
	—	B.237810	Cable, R.38, group (See Cable Chart)				1	—	—	
	—	B.230221	Cable, R.39, group (See Cable Chart)				1	—	—	
	5D/4341060	M & B Metals	Contactor, No. 1, Mk. 2				1	—	C.	
21	10432	F.221268	Cover				1	—	C.	
	10431	F.221270	Nut, barrel				1	B.11	C.	
	—	B.216032	Cable, PC.15, group (See Cable Chart)				1	—	—	
	—	A.226147	Cable, PC.16, group (See Cable Chart)				1	—	—	
	—	A.22148	Cable, PC.18, group (See Cable Chart)				1	—	—	
	5X/4491325	508/4/11182	Cap, sealing, at test socket				1	—	C.	
	9493	F.222036	Clip, securing R.36 cable				2	L.72	C.	
21	9664	Std. 2045/22/24	Clip, securing cables				1	—	C.	6
21	26VA/6041761	Std. 2045/24/24	Clip, securing cables				2	—	C.	6
21	11294	Std. 2045/25/24	Clip, securing cables				1	—	C.	6
21	11209	Std. 2045/34/22	Clip, securing cables				3	—	C.	6
21	12242	Std. 2045/36/22	Clip, securing cables				3	—	C.	6
21	26VA/6041262	Std. 2046/19/24	Clip, securing cables				1	—	C.	6
21	26VA/6041269	Std. 2046/32/22	Clip, securing cables				1	—	C.	6
	6A/4333762	Smiths Waymouth CJC.65	Connector				1	—	B.	
21	5CZ/6408943	Rotax D. 19501/2	Connector, reversing, main (Mod. 1359)				1	—	A.	
21	10H/9462765	703/1/00265	Cover, for terminal block, 10-way				1	—	C.	
		D.230748	ELECTRICAL EQUIPMENT—ADDITIONAL				—	—		
			DETAILS, ASSEMBLY							
	5CZ/1053794	Rotax N.5.B.N.	Block, terminal, 2-way, No. 1				3	—	C.	
	11070	A.234149	Bracket, securing actuator cable				1	—	C.	
	—	—	Bracket, support, for Coupler				1	L.72		
		B.258481	Cable, E11/A, group				1	—		
21	26VA/6041761	Std. 2045/24/24	Clip, sleeved				2	—	C.	6
21	26VA/6044413	Std. 2045/26/22	Clip, sleeved				4	—	C.	6
21	12242	Std. 2045/36/22	Clip, sleeved				2	—	C.	6
21	26VA/6042332	Std. 2045/44/20	Clip, sleeved				1	—	C.	6
21	11794	Std. 2046/15/26	Clip, sleeved				3	—	C.	6
	8483	F.216126	Clip, port side, frame 46				1	Sp. St.	C.	
		A.202094	EARTHING POINT, No. 11, ASSEMBLY				—	—		
21	4613	Std. 1335/C18	Washer, under terminal				1	L.4	C.	4
	4659	Std. 1335/C22	Washer, under nut				1	L.4	C.	4
		F.216127	Packing				2	—		
	5CW/9438275	Mk.4 B.R. Burgess	Switch, Micro, type 1A				2	—	B.	
	or	or								
21	5CW/1124465	Type 401 Pye	Strapping				QR	—	C.	
	5F/9454141	NY.18007A	Stud				QR	—	C.	
	5F/9138822	NY.3342								
		B.220482	INDICATOR, CONTENT, FUEL FILTER DE-ICING				—	—		
			TANK, ASSEMBLY							
	9028	F.216625	Indicator				1	—	B.	
	3838	Std.1606/44/B.8	Screw				1	Brass	C.	5
	1178	Std.1606/44/B.12	Screw				4	Brass	C.	5
	9027	A.222152	Solenoid				1	—	B.	
	9030	F.216627	Spool, lever				1	—	C.	
	9029	F.216626	Spring				1	Spg. Steel	C.	
	5F/9454141	NY.18007A	Strapping				QR	—	C.	

ELECTRICAL EQUIPMENT—REAR FUSELAGE

Ref. No.	Part No.	Description					No. Of	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
21	5F/9138822	NY.3342	Stud				QR	—	C.	
21	5CW/1047692	—	Switch				1	—	C.	
		F.221862	Label, for TB. No. 97				1	—		
		A.221160	Mounting, for terminal block, No. 97				1	—		
	4177	F.197297	Pillar, for terminal block, 10-way				1	—	C.	
	7937	Std.1221.Z.B45	Pin, at upper end of Actuator				1	—	C.	4
	7938	Std.1221.Z.B70	Pin, at lower end of Actuator				1	—	C.	4
21	10232	F.221180	Plate, locking				3	S.510	C.	
	5887	—	Sleeving, Symel, Silicone Elastomer, QS.167				QR	—	C.	
21	5F/9454141	NY.18007A	Strapping				QR	—	C.	
21	5F/9138822	NY.3342	Stud				QR	—	C.	
21	27N/4526592	—	Switch, flame detector, Mk. 4 (Mod. 1322)				4	—	B.	
21	6A/4337983	Smiths H16/26	Thermo-couple, type B.9				8	—	C.	
		C.213491	TRANSMITTER, DESYN, ASSEMBLY				—	—		
		F.208355	Angle				1	L.72		
	9535	A.220339	BOX, JUNCTION, ASSEMBLY				1	—	B.	
		A.207745	Box, junction				1	—		
	5X/1997586	703/1/00190	Block, terminal, 5-way				4	—	C.	
	7844	F.207746	Lid				1	—	C.	
21	5K/9559553	Ross Courtney 01	Tag				16	—	C.	
		B.222458	Basket, mounting (Mod. 91)				1	L.72		
	—	B.205509	Cable, R. 15 (See Cable Chart)				1	—		
21	1679	A.189774	Clip, attachment to actuator ram				1	S.510	C.	
		B.191439	Mounting, group				1	—		
			Consisting of:—							
		A.189772	Angle				1	—		
		A.189773	Angle				1	—		
		B.189771	Bracket				1	DTD.610		
21	28Q/1015151	SP.78-404	Rivet				4	—	C.	
21	6851	F.189775	Rod, connecting (Make from 30A/9610220, 3-1/2" long)				1	S.1	MR/C	
21	6A/4332874	Smiths 227.FL	Transmitter				1	—	B.	
21	5731	Std.1509/12/025	Tube, distance, 1/4" o/d x 20 S.W.G. x 0.25" long				1	T.4	MR/C	4
21	5767	Std.1509/12/030	Tube, distance, 1/4" o/d x 20 S.W.G. x 0.30" long				1	T.4	MR/C	4
21	10893	Std.1509/12/050	Tube, distance, 1/4" o/d x 20 S.W.G. x 0.50" long				1	T.4	MR/C	4
21	2147	Std.915/C20	Washer, for pin at lower end of Actuator				1	—	C.	4

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

