

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
21	D.233520	ELECTRICAL INSTALLATION IN PORT WING,					—	—		
		ASSEMBLY								
	F.207239	Angle, support, for cable harness					3	L.72		
	A.206175	BLOCK, TERMINAL No. 21, AT INTER-SPAR					—	—		
		RIB 'D', PORT, ASSEMBLY								
	5X/1004088	Block, terminal, 10-way					1	—	C.	
	10H/9462765	Cover					1	—	C.	
	5X/1004082	Link, commoning, 2-way					2	—	C.	
	11973	Markers					1 set	—	C.	
	4177	Pillar					2	BSS.249	C.	
		BLOCK, TERMINAL, No. 22, AT OUTER RIB,					—	—		
		PORT, ASSEMBLY								
	5X/1002694	Block, terminal, 5-way					1	—	C.	
	5X/9149641	Cover					1	—	C.	
	6963	Markers					1 set	—	C.	
	5X/9450403	Pillar					2	—	C.	
	A.215707	BLOCK, TERMINAL, No. 24, AT RIB 'S',					—	—		
		PORT, ASSEMBLY								
21	5X/1004088	Block, terminal, 10-way					1	—	C.	
		BLOCK, TERMINAL, No. 25, AT RIB 'C',					—	—		
		PORT, ASSEMBLY								
	5X/1002694	Block, terminal, 5-way					1	—	C.	
	5X/9149641	Cover					1	—	C.	
	6964	Markers					1 set	—	MR/C	
	5X/9450403	Pillar					2	—	C.	
		BLOCK, TERMINAL, No. 26, AT RIB 'D',					—	—		
		PORT, ASSEMBLY								
	5X/1004088	Block, terminal, 10-way					1	—	C.	
	10H/9462765	Cover					1	—	C.	
	5X/1004082	Link, commoning					2	—	C.	
	11974	Markers					1 set	—	C.	
	4177	Pillar					2	BSS.249	C.	
		BLOCK, TERMINAL No. 27, AT TAIL RIBS 'L'					—	—		
		AND 'M', PORT, ASSEMBLY								
	5X/1004088	Block, terminal, 10-way					1	—	C.	
	A.206133/1	Markers					1 set	—		
	F.180308	Spacer-lock					2	BSS.249		

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. OF	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.208246	BLOCK, TERMINAL, No. 28, AT INTER-SPAR					—	—		
		RIB 'F', PORT, ASSEMBLY								
5X/1004088	703/2/00244	Block, terminal, 10-way					1	—	C.	
6003	F.205956	Bracket, mounting					1	L.72	MR/C	
10H/9462765	703/1/00265	Cover					1	—	C.	
5X/1004082	703/2/00251	Link, commoning, 2-way					1	—	C.	
6840	B.208246/1	Label					1	—	MR/C	
5X/9450403	Plessey Z.28426	Pillar					2	—	C.	
	A.201764	BLOCK, TERMINAL, No. 29, AT INTER-SPAR					—	—		
		RIB 'F', PORT, ASSEMBLY								
5X/3276	703/1/00226	Block, terminal, 2-way					1	—	C.	
5X/3272	703/1/00262	Cover					1	—	C.	
	A.201764/1	Markers					1 set	—		
5X/9450403	703/2/00267	Pillar					2	—	C.	
	B.209176	Box, junction, arm 3, group					1	—		
5X/1004088	703/2/00244	Block, terminal, 10-way					1	—	C.	
5X/1002695	703/1/00249	Block, terminal, 20-way					1	—	C.	
7928	A.210795	Cover					1	L.59	C.	
	B.208851/1	Diagram, wiring (Pre Mod. 1222)					1	Photo		
	B.263722/1	Diagram, wiring (Mod. 1222)					1	Photo		
5X/1004083	703/2/00252	Link, commoning, 3-way					1	—	C.	
5X/6735	703/2/00310	Piece, distance					4	—	C.	
5X/9450403	703/2/00267	Pillar					4	—	C.	
	—	Screw, special					4	—		
	B.208989	Box, junction, arm 4, group					1	—		
5X/1004088	703/2/00244	Block, terminal, 10-way					1	—	C.	
5X/1002695	703/1/00249	Block, terminal, 20-way					1	—	C.	
7929	A.208778	Cover					1	L.59	C.	
1504361	B.208926/1	Diagram, wiring					1	Photo	C.	
5X/1004083	703/2/00252	Link, commoning, 3-way					1	—	C.	
5X/6735	703/2/00310	Piece, distance					4	—	C.	
4177	F.197297	Pillar					2	BSS.249	C.	
5X/	703/2/00304	Screw, special					4	—	C.	
—	B.208861	Cable, A. 1, group (See Cable Chart)					1	—	—	
—	B.207002	Cable, A. 15, group (See Cable Chart)					1	—	—	
		(Modified to H.1023)								
—	C.207004	Cable, A. 17, group (See Cable Chart)					1	—	—	
—	B.207006	Cable, A. 19, group (See Cable Chart)					—	—	—	
7989	A.209702	Ferrule					1	—	C.	
—	B.208869	Cable, A. 21, group (See Cable Chart)					1	—	—	
—	B.208871	Cable, A. 23, group (See Cable Chart)					1	—	—	
—	B.208873	Cable, A. 25, group (See Cable Chart)					1	—	—	
—	B.208875	Cable, A. 27, group (See Cable Chart)					1	—	—	
8407	B.213570	Cable, A. 32, group					1	—	B.	
	A.213559	Bracket, supporting, group					1	—		
	F.213565	Clip					1	SP.Stl.		
21	28FP/4069631	Grommet					1	—	C.	
21	5D/4664325	Connector					1	—	B.	
	EL.42887/1C									

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
21	8409 B.213572 A.213561 F.213565 28FP/4069631 5D/- Dzus GF.6-250 R.A.E. EL.42887/1D	Cable, A.34, group					1	—	B.	
		Bracket, support, group					1	—		
		Clip					1	Sp. Stl.		
		Grommet					1	—	C.	
		Connector					1	—	B.	
21	8411 B.213574 A.213559 F.213565 28FP/4069631 5D/4664325 Dzus GF.6-250 R.A.E. EL.42887/1C	Cable, A.36, group					1	—	B.	
		Bracket, support, group					1	—		
		Clip					1	Sp. Stl.		
		Grommet					1	—	C.	
		Connector					1	—	B.	
21	8413 B.213576 A.213563 A.213565 28FP/4069631 5D/4664325 Dzus GF.6-250 R.A.E. EL.42887/1C	Cable, A.38, group					1	—	B.	
		Bracket, support, grouping					1	—		
		Clip					1	Sp. Stl.		
		Grommet					1	—	C.	
		Connector					1	—	B.	
21	6836 C.205860 — C.205068 — B.205097 — B.205098 — B.205489 — B.205490 — B.205491 — B.205492 — B.205493 — B.205861 — B.215058	Cable, P. 1, group (See Cable Chart)					1	—	MR/B	
		Cable, P. 2, group (See Cable Chart)					1	—	—	
		Cable, P. 4, group (See Cable Chart)					1	—	—	
		Cable, P. 5, group (See Cable Chart)					1	—	—	
		Cable, P. 6, group (See Cable Chart)					1	—	—	
		Cable, P. 7, group (See Cable Chart)					1	—	—	
		Cable, P. 8, group (See Cable Chart)					1	—	—	
		Cable, P. 9, group (See Cable Chart)					1	—	—	
		Cable, P. 10, group (See Cable Chart)					1	—	—	
		Cable, P. 11, group (See Cable Chart)					1	—	—	
		Cable, PC. 10, group (See Cable Chart)					1	—	—	
21	6A/4333760 6A/4333769 Smiths CG.1 Smiths CRC.54 B.235502	Cable, harness, co-axial					1	—	B.	
		Cable, co-axial					1	—	B.	
21	D.199922 Std.2045/17/26 Std.2045/23/24 Std.2045/36/22 3739 Std.840/30 4760 Std.841/32 Std. 2046/23/24 11793 Std.2046/38/22 11794 Std.2046/15/26 Std.2089/38/22 Std.2046/44/22 11303 Std.2046/17/26 6011 F.208013 6006 F.205087 5832 F.205000	CLIPPING AND STRAPPING CABLES, ASSEMBLY					—	—		
		Clip, sleeved, securing cables at rib "A" and					3	—		6
		inter-spar rib "F"								
		Clip, sleeved, securing cables at inter-spar					3	—		6
		rib "F" and front spar								
		Clip, securing cables at u/c girder at interspar "D"					1	—		6
		Clip, securing cable, 7/16" wide x 22 s.w.g. x 3.0" ...					1	L.72	C.	4
		long (Mod. 807)								
		Clip, securing cable, 7/16" wide x 22 s.w.g. x 3.2" ...					1	L.72	C.	4
		long (Mod. 807)								
		Clip, sleeved, securing cables at front spar,					2	—		6
		inter-spar rib "D"								
		Clip, securing cables, at interspar, rib "D"					1	—	C.	6
		Clip, sleeved, securing cables at rib "E"					4	—	C.	6
		Clip, sleeved, securing cables at undercarriage					1	—		6
		girder, inter-spar rib "D"								
		Clip, securing cables at undercarriage girder,					1	—		6
		between inter-spar ribs "C" and "D"								
		Clip, sleeved, securing cable					2	—	C.	6
21	6011 F.208013 6006 F.205087 5832 F.205000	Clip, securing cables at undercarriage girder,					1	S.3	C.	
		inter-spar rib "E"								
		Clip, securing cables at undercarriage girder,					1	S.3	C.	
21	5832 F.205000	inter-spar rib "F"								
		Plate, sealing, at undercarriage girder, outboard of					2	LFS.21	C.	
		inter-spar rib "F"								

ELECTRICAL EQUIPMENT--WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
21	5F/9454141	Hellermann NY.18007A				Strapping	QR	—	C.	
1	5F/9506025	Hellermann NY.18067				Strapping	QR	—	C.	
		Std.1614/1				Strip, sealing, at interspar rib "D"	17"	Rubber		
1	5F/9138822	Hellermann NY.3342				Stud, type	QR	—	C.	
1	5F/9138823	Hellermann NY.3255				Stud, type	QR	—	C.	
	3734	Std.840/14				Clip, securing cables, 7/16" wide x 22 s.w.g. x 1.4" long	1	DTD.610	MR/C	4
	3741	Std.840/20				Clip, securing cables, 7/16" wide x 22 s.w.g. x 2" long	2	DTD.610	C.	4
1	11310	Std.2045/33/22				Clip, sleeved, securing cables between ribs "L" and "M"	1	—	C.	6
	4544	Std.841/18				Clip, 7/16" wide x 22 s.w.g. x 1.8" long	2	DTD.610	C.	4
	4798	Std.841/24				Clip, securing cables between ribs "R" and "S", 7/16" wide x 22 s.w.g. x 2.4" long	1	DTD.610	C.	4
	6008	Std.850/110				Clip, securing cables on undercarriage jack, 7/16" wide x 22 s.w.g. x 11" long	1	DTD.610	MR/C	4
	29H/9437201	Bowden P.N.448				Clip, pliable	2	—	C.	
		Std.2045/23/24				Clip, securing drum switch cable	1	—		
1	5X/4499998	Plessey Z.22676D				Ferrule, inner	1	—	C.	
1	5X/4500004	Plessey Z.22675D				Ferrule, outer	1	—	C.	
	5L/9952431	—				Filament, lamp, 28V. 24W.	1	—	B.	
1	5CX/1043419	—				Lamp, navigation, type B. port	1	—	C.	
	4752	Std.1231/9				Lug, locking, 4 B.A.	1	—	MR/C	4
1	4830	F.176494				Packing, at drum switch	4	L.168	MR/C	
1	4831	F.179367				Packing, at micro switch, inter-spar rib "D"	1	DTD.610 or L.168	MR/C	
	5833	F.205537				Plate, bolt, at micro switch, inter-spar "D"	1	—	C.	
	5X/1005131	508/2/11232/002				Sleeve, 4-7 amp.	23	—	C.	
	5X/9525146	508/2/11231/002				Sleeve, 7-19 amp.	3	—	C.	
	5K/-	—				Sleeve, HT.20 x 3/4"	26	—	C.	
1	5X/4500093	Plessey 2CZ.111238				Socket, assembly, "D" 24/2/D	1	—	C.	
1	5F/9454141	Hellermann NY.18007A				Strapping	QR	P.V.C.	C.	
1	5F/9138822	Hellermann NY.3342				Stud	QR	P.V.C.	C.	
1	5CW/1191514	—				Switch, micro, type 4A	4	—	B.	
1	5CW/4400067	Dowty C.1200.Y Mk. 111				Switch, drum, unit	1	—	A.	
1	6A/7002023	—				Transmitter, position, indicator, type C	1	—	A.	
1	5767	Std.1509/12/030				Tube, distance, 1/4" o/d x 20 s.w.g. x .3" long	1	T.4	MR/C	4
1	3763	Std.915/B24				Washer, special	1	L.168	C.	4

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.233521	ELECTRICAL INSTALLATION IN STARBOARD					—	—		
		WING, ASSEMBLY								
	F.207239	Angle, support, for cable harness					3	L.72		
	A.215708	BLOCK, TERMINAL, No. 32, AT RIB 'S',					—	—		
		STARBOARD, ASSEMBLY								
5X/1004088	703/2/00244	Block, terminal, 10-way					1	—	C.	
	A.206084	BLOCK TERMINAL, No. 33, AT RIB 'D'					—	—		
		STARBOARD, ASSEMBLY								
21	5X/1004088	Block, terminal, 10-way					1	—	C.	
	10H/9462765	Cover					1	—	C.	
	5X/1004082	Link, commoning, 2-way					1	—	C.	
	A.206084/1	Marker					1 set	—		
	5X/9450403	Pillar					2	—	C.	
	B.208247	BLOCK, TERMINAL, No. 34, AT INTER-SPAR					—	—		
		RIB 'F', STARBOARD, ASSEMBLY								
5X/1004088	703/2/00244	Block, terminal, 10-way					1	—	C.	
	F.217326	Bracket					1	—		
21	10H/9462765	Cover					1	—	C.	
	6841	Label					1	—	MR/C	
	5X/9450403	Pillar					2	—	C.	
	A.201765	BLOCK, TERMINAL, No. 35, AT INTER-SPAR					—	—		
		RIB 'F', STARBOARD, ASSEMBLY								
5X/3276	703/1/00226	Block, terminal, 2-way					1	—	C.	
5X/3272	703/1/00262	Cover					1	—	C.	
	A.201765/1	Marker					1 set	—		
5X/9450403	703/2/00267	Pillar					2	—	C.	
	B.209177	Box, junction, arm 5, group					1	—		
5X/1004088	703/2/00244	Block, terminal, 10-way					1	—	C.	
5X/1002695	703/1/00249	Block, terminal, 20-way					1	—	C.	
7926	A.212165	Cover					1	L.59	C.	
	B.208852/1	Diagram, wiring (Pre Mod. 1222)					1	Photo		
	B.263723/1	Diagram, wiring (Mod. 1222) (Pre Mod. 1366)					1	Photo		
5X/1004083	703/2/00252	Link, commoning, 3-way					1	—	C.	
5X/6735	703/2/00310	Piece, distance					4	—	C.	
5X/9450403	703/2/00267	Pillar					4	—	C.	
5X/	703/2/00304	Screw, special					4	—	C.	

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Of	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	B.208990	Box, junction, arm 6, group					1	—		
5X/1004088	703/2/00244	Block, terminal, 10-way					1	—	B.	
5X/1002595	703/1/00249	Block, terminal, 20-way					1	—	B.	
7927	A.210796	Cover					1	L.59	C.	
	B.208927/1	Diagram, wiring (Pre Mod. 1366)					1	Photo		
5X/1004083	703/2/00252	Link, commoning, 3-way					1	—	C.	
	703/2/00310	Piece, distance					4	—	C.	
4177	F.197297	Pillar					2	BSS.249	C.	
5X/	703/2/00304	Screw, special					4	—	C.	
—	B.208862	Cable, A.2, group (See Cable Chart)					1	—	—	
—	B.207001	Cable, A.14, group (See Cable Chart)					1	—	—	
		(Modified to H.1023)								
—	C.207003	Cable, A.16, group (See Cable Chart)					1	—	—	
	B.207005	Cable, A.18, group (See Cable Chart)					1	—	—	
7989	A.209702	Ferrule					1	—	C.	
—	B.208868	Cable, A.20, group (See Cable Chart)					1	—	—	
—	B.208870	Cable, A.22, group (See Cable Chart)					1	—	—	
—	B.208872	Cable, A.24, group (See Cable Chart)					1	—	—	
—	B.208874	Cable, A.26, group (See Cable Chart)					1	—	—	
8408	B.213571	Cable, A.33, group					1	—	B.	
	A.213560	Bracket, supporting, group					1	—		
	F.213565	Clip					1	Sp.Stl.		
28FP/4069631	DZUS	Grommet					1	—	C.	
	GF.6-250									
1 5D/4664325	R.A.E.	Connector					1	—	B.	
	EL.42887/1C									
8410	B.213573	Cable, A.35, group					1	—	B.	
	A.213562	Bracket, supporting, group					1	—		
	F.213565	Clip					1	Sp.Stl.		
28FP/4069631	DZUS	Grommet					1	—	C.	
	GF.6-250									
5D/—	R.A.E.	Connector					1	—	B.	
	EL.42887/1D									
8412	B.213575	Cable, A.37, group					1	—	B.	
	A.213560	Bracket, supporting, group					1	—		
	F.213565	Clip					1	Sp.Stl.		
28FP/4069631	DZUS	Grommet					1	—	C.	
	GF.6-250									
1 5D/4664325	R.A.E.	Connector					1	—	B.	
	EL.42887/1C									
8414	B.213577	Cable, A.39, group					1	—	B.	
	A.213564	Bracket, supporting, group					1	—		
	F.213565	Clip					1	Sp.Stl.		
28FP/4069631	DZUS	Grommet					1	—	C.	
	GF.6-250									
1 5D/4664325	R.A.E.	Connector					1	—	B.	
	EL.42887/1C									
6838	E.205862	Cable, S.1, group (See Cable Chart)					1	—	MR/B	
—	B.205094	Cable, S.3, group (See Cable Chart)					1	—	—	
6959	B.205080	Cable, S.4, group (See Cable Chart)					1	—	MR/B	

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
—	B.205500	Cable, S.5, group (See Cable Chart)					1	—	—	
—	B.205501	Cable, S.6, group (See Cable Chart)					1	—	—	
—	B.205863	Cable, S.7, group (See Cable Chart)					1	—	—	
—	B.226171	Cable, PC.7, group (See Cable Chart)					1	—	—	
6A/4333769	Smiths CRC.54	Cable, co-axial					1	—	B.	
6A/4333760	Smiths CG.1	Cable, harness, co-axial					1	—	B.	
	B.235500	Cable, PR.1, group (Mod. 1023)					1	—		
	D.199923	CLIPPING AND STRAPPING CABLES, ASSEMBLY					—	—		
21	A.197419/2	Clip, at inter-spar rib "E"					1	S.510		
21	26VA/6044412	Clip, sleeved, securing cables at undercarriage girder, inter-spar ribs "A" and "F"					1	—	C.	6
21	3737	Clip, securing cables 7/16" wide x 22 s.w.g. x 2.7" long					1	L.72	MR/C	4
21		Clip, sleeved, securing cables					3	—		6
21	11227	Clip, securing cables at undercarriage girder, inter-spar rib "A" and "F"					3	—	C.	6
21	11294	Clip, sleeved, securing cables					1	—	C.	6
21	12326	Clip, sleeved, securing cables					2	—	C.	6
21	11409	Clip, sleeved, securing cables at undercarriage girder between inter-spar ribs "C" and "D"					1	—	C.	6
21	11208	Clip, sleeved, securing cables at inter-spar rib "D" and "A"					—	—	C.	6
	Std.2089/32/22	Clip, securing cables at undercarriage girder, inter-spar rib "D"					1	—		
21	3756	Clip, securing cables, 7/16" wide x 22 s.w.g. x 2.2" long					—	L.72	MR/C	4
21	6006	Clip, securing cables at inter-spar rib "F"					1	S.510	C.	
21	8481	Clip, securing cables at inter-spar rib "E"					1	S.510	C.	
	5823	Plates, sealing, at undercarriage girder, outboard of inter-spar rib "F"					1	LFS.21	C.	
	5F/9454141	Strapping					QR	—	C.	
21	5F/9506025	Strapping					QR	—	C.	
	5F/9138822	Stud					QR	—	C.	
	5F/9138823	Stud					QR	Nylon	C.	
	4761	Clip, securing cables, 7/16" wide x 22 s.w.g. x 1.3" long					3	DTD.610	MR/C	4
21	26VA/6044400	Clip, sleeved, securing cables between ribs "L" and "M"					1	—	C.	6
	2145	Clip, securing cable, 7/16" wide x 22 s.w.g. x 1.3" long					2	DTD.610	C.	4
	4544	Clip, 7/16" wide x 22 s.w.g. x 1.8" long					1	DTD.610	C.	4
	4798	Clip, securing cables between ribs "R" and "S", 7/16" wide x 22 s.w.g. x 2.4" long					1	DTD.610	C.	4
	6008	Clip, securing cables on undercarriage jack, 7/16" wide x 22 s.w.g. x 11" long					1	DTD.610	MR/C	4
	29H/9437201	Clip, pliable					2	—	C.	
21	5X/4499998	Ferrule, inner					1	—	C.	
21	5X/4500004	Ferrule, outer					1	—	C.	
	5L/9952431	Filament, lamp, 24V. 24W.					1	—	B.	
21	5CX/1043420	Lamp, navigation, type B. starboard					1	—	A.	
	4752	Lug, locking					1	—	MR/C	4
21	4831	Packing, at micro switch, inter-spar "D"					1	DTD.610 or L.168	MR/C	

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
5833	F.205537	Plate, bolt, at micro switch, interspar rib "D"					1	S.510	C.	
5X/1005131	508/2/11232/002	Sleeve, 4-7 amp.					23	—	C.	
5X/9525146	508/2/11231/002	Sleeve, 7-19 amp.					3	—	C.	
5K/	—	Sleeve, HT.20 x 3/4"					26	—	C.	
5X/4500093	Plessey	Socket, assembly D24/2/D					1	—	B.	
	2CZ.111238									
5F/9454141	NY.18007A	Strapping					QR	—	C.	
5F/9138822	NY.3342	Stud					QR	—	C.	
9727	F.230401	Switch, micro					1	—	B.	
5CW/1191514	—	Switch, micro, type 4A					4	—	B.	
3763	Std.915/B24	Washer					1	L.168	C.	4

ELECTRICAL EQUIPMENT—AUTOSTABILIZER

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	E.222881	AUTOSTABILISER Mk. 2, INSTALLATION	—	—		
	E.223543	ADDITIONAL DETAILS, ASSEMBLY	—	—		
10H/0970055	508/1/41035	Cap, protective	1	—	C.	
10H/0970056	508/1/41036	Cap, protective	1	—	C.	
21	11795	Std.2046/22/24	4	—	C.	6
21	11384	Std.2046/34/22	1	—	C.	6
	F.227040	Clip, securing cable	1	—		
21	6S/4551412	Clip, securing cable	1	—		
21	6S/4551410	Mounting, for amplifier unit (Pre Mod. 1068)	1	—	C.	
21	6S/4551411	Mounting, for phase advance unit (Pre Mod. 1068)	1	—	C.	
21	10AJ/1201975	Mounting, for slave relay unit (Pre Mod. 1068)	1	—	C.	
		Mounting, "Equiflex"	3	—	B.	
	B.223536	Plate, mounting, for gyro-unit (Pre Mod. 1068)	1	—		
	5CY/4376514	Suppressor, type "G5" (Pre Mod. 1068)	1	—	B.	
21	26VA/6039011	Tube, distance	2	T.4	C.	4
21	4042	Tube, distance	3	T.4	MR/C	4
21	26VA/6043473	Tube, distance	1	T.4	C.	4
21	6S/4551634	Unit, amplifier, type "H"	1	—	A.	
21	6S/4551409	Unit, combined monitor (Pre Mod. 1068)	1	—	A.	
21	6S/4551392	Unit, gyro, type "A" (Pre Mod. 1068)	1	—	A.	
21	6S/6426161	Unit, phase advance, type "B" (Pre Mod. 1068)	1	—	A.	
21	6S/6340962	Unit, slave relay, type "A" (Pre Mod. 1068)	1	—	A.	
	4117	Washer, laminated	QR	Laminum	C.	4
	C.203729	AUTOSTABILISER INSTALLATION IN FIN,	—	—		
		ASSEMBLY				
21	6S/4551414	Bracket, supporting, servomotor	1	—	C.	
	9412	Cable, indicator, operating, group	1	—	B.	
		Consisting of:—				
21		Adjuster	1	—	C.	4
	29H/1250153	Cable	1	—	C.	
	29H/1250086	Casing	1	—	C.	
21	29H/1250087	Ferrule	1	—	C.	
21	29H/1250079	Nipple	2	—	C.	
	9408	Plate, locking	1	L.3	C.	4
	9407	Plate, locking	1	L.72	C.	
21	6S/4551413	Servomotor, type "B", and trim actuator	1	—	A.	
21	9413	Shackle	1	S.510	C.	
	5K/	Sleeve, helsynplus HT.75 x 3/4"	1	—	C.	
	9414	Spring, compression	1	DTD.215	C.	
	Ross Courtney 01	Tag	4	—		
	5F/	Tube, 5/16" i/d	12"	P.V.C.	C.	
	4150	Washer	1	DTD.610	C.	4
5X/1997586	703/1/00190	Block, terminal, miniature, 5-way	1	—	C.	
	B.222552	Cable, AS.1, group (See Cable Chart) (Pre Mod. 1068)	1	—	—	
	B.222553	Cable, AS.2, group (See Cable Chart) (Pre Mod. 1068)	1	—	—	
	B.222554	Cable, AS.3, group (See Cable Chart) (Pre Mod. 1068)	1	—	—	
	B.222555	Cable, AS.4, group (See Cable Chart) (Pre Mod. 1068)	1	—	—	
	B.222556	Cable, AS.5, group (See Cable Chart) (Pre Mod. 1068)	1	—	—	
	B.222557	Cable, AS.6, group (See Cable Chart) (Pre Mod. 1068)	1	—	—	
	B.222558	Cable, AS.8, group (See Cable Chart) (Pre Mod. 1068)	1	—	—	
	B.222559	Cable, AS.9, group (See Cable Chart) (Pre Mod. 1068)	1	—	—	
	B.222796	Cable, AS.10, group (See Cable Chart) (Pre Mod. 1068)	1	—	—	
	B.215433	Cable, AS.11, group (See Cable Chart) (Pre Mod. 1068)	1	—	—	
	A.206347	Cable, AS.14, group (See Cable Chart) (Pre Mod. 1068)	1	—	—	
	B.222560	Cable, AS.17, group (See Cable Chart) (Pre Mod. 1068)	1	—	—	
	B.207288	Cable, AS.18, group (See Cable Chart)	1	—	—	
	9489	Clip, securing cable	1	DTD.610	C.	
	9490	Clip, securing cables	10	L.72	C.	

ELECTRICAL EQUIPMENT—AUTOSTABILISER

Ref. No.	Part No.	Description	No. C#	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
3735	Std.840/16	Clip, securing cable	1	DTD.610	C.	4
3736	Std.840/17	Clip, securing cable	1	DTD.610	C.	4
4099	Std.840/18	Clip, securing cable	1	DTD.610	C.	4
3743	Std.840/25	Clip, securing cable	7	DTD.610	C.	4
4802	Std.840/31	Clip, securing cable	5	—	MR/C	4
10H/9721991	508/1/40163/320	Plug, bulkhead, socket, code 45	1	—	B.	
	Std.1606/45/A12	Screw, mounting autostabiliser switch in cockpit	2	Brass		5
5F/9454141	NY.18007A	Strapping	QR	P.V.C.	C.	
5F/9138822	NY.3342	Stud	QR	P.V.C.	C.	
9491	B.222551	Switch, autostabiliser, group (Pre Mod. 1068)	1	—	C.	
		Consisting of:—				
10H/0970069	508/1/07630/003	Angle, outlet	1	—	C.	
5E/9100020	—	Cable, miniature, No. 6A	QR	—	C.	
10H/0970058	508/2/07705/200	Gasket, outlet	1	—	C.	
10H/0970108	508/2/07719/200	Gasket, union	1	—	C.	
6S/4551419	—	Plate, switch, type "A"	1	—	C.	
10H/0560300	508/1/40023/320	Plug, cable, assembly	1	—	C.	
10H/0970088	508/2/07708/200	Ring, sealing	1	—	C.	
10H/0970096	508/2/07752/007	Ring, thrust	1	—	C.	
5K/	—	Sleeve, helsyn, HT.75 x 1"	QR	—	C.	
5K/	—	Sleeve, helsyn, HT.20 x 3/4"	10	—	C.	
	Std.1950/11	Sleeve, marker	2	—		
6S/4551416	—	Unit, switch	1	—	B.	
	Ross Courtney 01	Tag	2	—		
5F/4349854	—	Tube, 1/2" i/d	QR	P.V.C.	C.	

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

